FOR OFFICIAL USE

1926. No. 1.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 9TH JANUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 23, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926

Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH JANUARY, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the first week of the year numbered 8,018, and corresponded to an annual rate of 21·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,376 and corresponded to an annual rate of 14·5 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 16·4, 13·7 and 17·9. Infant mortality was 76 per 1,000 births against 110, 145 and 104 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,791 births corresponding to a rate of 20·4 per 1,000, and 1,230 deaths of civilians, corresponding to a rate of 14·0, as against 17·3, 14·0 and 18·9, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 16·1 per 1,000. The infant mortality was 70 as against 103, 134, and 78 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 6,636 to 5,376. In London the number of deaths from all causes declined from 1,658 to 1,230 ; the deaths from diphtheria which had been 7, 10, and 22 in the preceding three weeks, fell to 20 last week; the deaths from measles, which had been 31, 37, and 44 in the three preceding weeks, further fell to 35 last week; and the deaths of infants under 2 years of age from diarrhœa and enteritis, which had been 11, 21, and 20 in the three preceding weeks, were 17 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 9th January, 1926.**

Towns	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,825*	8,018	5,376	609	5	72	16	39	53	63	114
London	4,576,505*	1,791	1,230	125	1	35	2	2	20	17	24
Towns in Outer Ring.											
Croydon C.B ..	196,000	95	49	6	-	1	-	-	-	-	-
Wimbledon ..	58,090	20	22	1	-	-	-	-	-	-	1
Ealing	68,370	30	24	-	-	-	-	-	-	-	-
Acton	62,980	18	11	2	-	-	-	-	-	-	-
Willesden ..	169,100	48	33	3	-	1	-	-	1	-	1
Hendon	57,530*	16	10	-	-	-	-	-	-	-	-
Hornsey	87,240	25	18	1	-	-	-	-	-	-	-
Wood Green ..	51,840	12	7	-	-	-	-	-	-	-	-
Tottenham ..	153,100	46	30	4	-	-	-	1	-	1	2
Edmonton ..	70,450	42	16	2	-	-	-	-	1	-	1
Enfield	62,970	17	15	1	-	-	-	-	-	-	-
West Ham C.B. ..	317,400	194	82	4	-	2	-	-	-	-	3
East Ham C.B. ..	146,900	49	38	5	-	-	-	-	-	-	1
Leyton	133,500	38	30	3	-	-	-	1	-	-	-
Walthamstow ..	131,100	49	22	1	-	-	-	-	-	-	-
Ilford	92,400	27	17	1	-	1	-	-	1	-	-
Gillingham	48,130*	24	11	1	-	-	1	-	-	-	-
Canterbury C.B ..	23,330*	11	7	-	-	-	-	-	-	-	-
Hastings C.B.	60,510	19	19	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	54,830	14	15	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,500*	53	34	2	-	-	1	-	-	-	2
Portsmouth C.B. ..	232,000*	109	47	4	-	-	-	-	-	1	1
Bournemouth C.B. ..	84,450	20	24	-	-	-	-	-	-	-	-
Southampton C.B. ..	167,300	65	46	5	1	-	-	-	-	-	1
Reading C.B.	93,480*	37	19	2	-	-	-	-	-	-	-
Oxford C.B.	57,260	24	15	1	-	-	-	-	-	-	2
Northampton C.B. ..	93,580*	30	31	-	-	-	-	-	-	-	1
Luton	59,220	15	8	2	-	-	-	-	-	-	-
Cambridge	59,120	23	14	1	-	-	-	-	-	-	1
Southend-on-Sea C.B.	96,450	26	28	3	-	-	-	-	-	-	3
Ipswich C.B.	82,710	34	26	1	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,780	28	23	3	-	-	-	-	-	1	-
Norwich C.B. ..	123,900*	39	47	3	-	-	-	-	-	-	3
Swindon	56,570	22	10	1	-	-	-	-	-	-	-
Exeter C.B.	59,880*	28	22	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,900*	67	51	5	-	-	-	-	2	1	2
Bath C.B.	69,270	22	20	1	-	-	-	-	-	-	-
Bristol C.B.	386,200*	172	102	13	-	1	-	1	1	1	3
Gloucester C.B. ..	53,090	24	8	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,000	141	87	13	-	1	1	1	1	2	2
Burton-upon-Trent C.B.	49,660	16	13	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,200	61	32	9	-	-	-	-	-	-	1
Walsall C.B.	101,500	47	34	10	-	-	-	1	2	-	-
West Bromwich C.B	78,730	44	19	2	-	-	-	-	-	-	-
Dudley C.B.	58,600	26	8	1	-	1	-	-	-	1	-
Worcester C.B. ..	50,220	16	10	1	-	-	-	-	-	-	-
Birmingham C.B. ..	946,980	474	280	35	-	2	-	2	2	8	9
Smethwick C.B. ..	78,790	22	7	2	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	50	26	3	-	-	-	-	-	-	-
Leicester C.B. ..	241,800	78	65	3	-	-	-	-	1	1	1
Lincoln C.B.	66,850*	26	14	-	-	1	-	-	-	-	-
Grimsby C.B.	86,810	39	30	4	1	-	-	-	-	-	-
Nottingham C.B. ..	270,300	103	94	14	1	-	-	4	5	1	2
Derby C.B.	133,700*	44	38	4	-	2	1	1	1	1	-
Chesterfield ..	64,770	30	10	2	-	-	-	-	1	-	-
Stockport C.B. ..	126,000	38	31	2	-	-	1	-	-	-	-
Chester C.B.	41,730	11	10	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	154,100	88	44	7	-	-	-	-	-	-	-
Wallasey C.B. ..	90,790	24	24	3	-	-	-	-	-	-	2
Liverpool C.B. ..	851,800	422	272	44	-	-	5	6	2	9	4
Bootle C.B.	83,130	48	25	3	-	-	-	-	-	-	1
St. Helens C.B. ..	108,700	48	31	4	-	-	-	1	-	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1924.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	73,650	27	21	2	-	-	-	-	-	-	2
WIGAN C.B.	91,180	34	28	9	-	-	-	2	-	-	-
WARRINGTON C.B. ..	78,120*	45	24	1	-	3	-	-	1	1	-
BOLTON C.B.	181,100	72	56	6	-	-	-	-	1	-	1
BURY C.B.	56,830*	17	12	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,000	318	254	35	-	11	2	1	5	4	5
SALFORD C.B.	243,700	117	65	8	-	-	-	-	-	2	1
OLDHAM C.B	147,300	52	49	4	-	2	-	1	-	1	1
ROCHDALE C.B... ..	92,750	23	30	1	-	-	-	-	-	-	1
BURNLEY C.B.	103,400	44	32	4	-	-	-	1	-	1	-
BLACKBURN C.B. ..	127,600	30	31	2	-	-	-	1	-	-	-
PRESTON C.B.	123,100	50	38	7	-	-	-	-	-	1	1
BLACKPOOL C.B. ..	77,410	26	30	3	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,490	24	29	2	-	-	-	-	1	-	1
HUDDERSFIELD C.B. ..	112,000	33	33	3	-	-	-	-	-	-	-
HALIFAX C.B.	98,750*	19	32	4	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	88	86	8	-	-	-	-	-	1	1
LEEDS C.B.	471,600	169	141	16	-	-	1	4	1	-	3
DEWSBURY C.B ..	54,790	25	11	1	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,910	26	20	1	-	-	-	-	-	1	-
BARNSLEY C.B. ..	70,570	36	19	3	-	1	-	-	-	1	-
SHEFFIELD C.B. ..	525,000	219	172	22	-	7	-	-	1	-	9
ROTHERHAM C.B. ..	70,340	33	11	2	-	-	-	-	-	-	-
DONCASTER	55,150	28	12	1	-	-	-	-	-	-	-
YORK C.B.	84,450*	27	27	2	-	-	-	-	-	-	-
HULL C.B.	296,800	125	74	11	-	-	-	-	-	-	1
MIDDLESBROUGH C.B.	136,300	75	47	5	1	-	-	2	-	-	2
DARLINGTON C.B. ..	68,690	20	26	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	67,620	35	29	9	-	-	-	-	-	2	-
WEST HARTLEPOOL C.B.	71,620	29	14	2	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	165,100	89	55	9	-	-	-	3	-	-	1
SOUTH SHIELDS C.B. ..	126,600	74	39	5	-	-	-	-	-	-	1
GATESHEAD C.B. ..	128,700	68	37	3	-	-	-	-	-	-	2
NEWCASTLE-ON-TYNE C.B.	285,900*	163	75	7	-	-	-	-	-	-	-
TYNEMOUTH C.B. ..	65,940	31	14	1	-	-	-	-	-	-	-
CARLISLE C.B.	54,910*	24	22	1	-	-	-	1	-	-	1
NEWPORT (MON.) C.B.	95,810	54	19	3	-	-	-	-	-	1	-
CARDIFF C.B.	226,200*	115	57	7	-	-	-	2	-	-	1
RHONDDA	167,900	81	47	8	-	-	1	-	-	-	1
MERTHYR TYDFIL C.B.	83,440	31	15	3	-	-	-	-	-	-	-
ABERDARE	58,000	26	10	1	-	-	-	-	1	-	-
SWANSEA C.B.	162,700	77	48	6	-	-	-	-	1	1	2
GREATER LONDON ..	7,665,833*	2,930	1,926	188	2	41	2	5	23	18	43
OUTER RING	3,089,328*	1,139	696	63	1	6	-	3	3	1	19
16 GREAT TOWNS IN OUTER RING	1,858,970*	726	424	34	-	5	-	2	3	1	9
REMAINDER OF OUTER RING	1,230,358*	413	272	29	1	1	-	1	-	-	10
EDINBURGH†	424,600	187	137	14	-	-	2	-	2	-	2
GLASGOW†	1,034,500	647	394	62	-	21	3	8	4	6	2
DUBLIN (REGISTRATION AREA)†	443,000	243	126	17	1	-	1	-	2	1	1
BELFAST†	443,000	218	141	23	-	22	-	-	1	4	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,576,505	1925–6. Jan. 9	1791	1230	14·0	1	–	35	2	2	20	17	24
CALCUTTA AND SUBURBS	1,077,273	Dec. 5	?	672§	33·4	?	3	?	?	?	?	?	12
BOMBAY	1,259,414	" 12	417‖	510§	21·0	3	6	–	–	–	–	25	1
MADRAS	526,911	" 5	524	650§	63·9	–	1	–	–	1	–	34	–
		" 12	462	599§	58·9	5	2	–	–	1	–	28	–
SYDNEY AND SUBURBS	1,012,070	Oct. 31 (31 days)											
BRISBANE (Metropolitan Area).	245,015	"	533	220	10·8	1	–	–	1	1	1	3	–
PERTH (Metropolitan Area).	176,467	Nov. 14	67	29	8·5	–	–	–	–	–	–	–	–
		" 21	64	21	6·2	–	–		–	–	–	–	–
AUCKLAND (Urban Area).	180,790	Oct. 31 (31 days)	293	116	7·7	–	–	–	–	–	–	1	3
WELLINGTON (Urban Area).	118,490	"	167	84	8·5	–	–	–	1	–	1	–	1
CHRISTCHURCH (Urban Area).	118,270	"	186	94	9·5	–	–	–	–	–	–	–	–
CAPE TOWN	111,381	Dec. 5	46	13	6·1	1	–	–	–	–	–	–	–
JOHANNESBURG	162,924	" 5	68	47	15·0	–	–	–	–	–	–	–	–
		" 12	79	39	12·4	–	–	–	–	1	–	3	–
DURBAN	53,377	" 5	24	15	14·6	1	–	–	–	–	–	–	–
		" 12	29	8	7·8	–	–	–	–	1	–	–	–
PARIS	2,906,472	" 20 (10 days)	1316	1581	19·9	6	–	19	3	5	5	21	11
ANTWERP	300,000	Nov. 7	87	56	9·0	–	–	–	–	–	–	1	–
		" 14	97	55	9·8	–	–	–	1	–	1	–	–
AMSTERDAM	716,337	Dec. 19	241	150	10·9	–	–	1	–	–	–	1	–
		" 26	242	158	11·5	1	–	1	–	2	–	1	3
COPENHAGEN	587,400	" 26	185	117	10·4	–	–	2	–	1	2	3	3
STOCKHOLM	438,896	" 26	86	105	12·4	–	–	–	–	–	–	–	–
GOTHENBURG	229,640	Nov. 28	?	33	7·5	–	–	–	–	–	–	1	–
OSLO (CHRISTIANIA) ..	257,719	Dec. 26	50	57	11·5	–	–	–	–	–	–	1	1
		Jan. 2	76	69	13·9	–	–	–	–	–	–	1	–
BERLIN	2,044,000	Dec. 12	373	555	14·1	–	–	1	–	1	1	5	3
BRESLAU	575,000	" 12	185	139	12·6	–	–	–	–	1	–	1	3
COLOGNE	727,000	" 12	281	195	13·9	1	–	2	–	2	–	2	4
DRESDEN	618,000	" 12	136	167	14·1	–	–	–	2	1	–	1	4
FRANKFORT-ON-MAIN ..	474,000	" 12	113	120	13·2	–	–	1	–	4	–	1	2
HAMBURG	1,115,000	" 12	272	309	14·4	–	–	–	–	–	–	1	–
LEIPZIG	660,000	" 12	175	179	14·1	–	–	–	–	–	–	1	–
MUNICH	685,000	" 12	159	162	12·3	–	–	–	–	3	–	–	2
VIENNA	1,868,354	June 30 (30 days)											
PRAGUE AND SUBURBS	712,700	Aug. 31 (31 days)											
BUDAPEST	958,084	Dec. 12	282	294	16·0	3	–	–	5	2	–	5	–
WARSAW	992,450	" 12	311	287	15·1	1	–	1	4	2	2	5	11
CAIRO	818,500	Oct. 14	718	408	25·9	10	–	3	–	–	6	54	–
ALEXANDRIA	486,600	" 14	388	343	36·7	2	–	12	–	–	1	32	–
NEW YORK	6,251,817	Dec. 5											
CHICAGO	2,995,239	Dec. 11	906	646	11·2	3	–	2	1	1	10	11	7

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete

§ Including 22 deaths from Cholera in Calcutta and 15 and 13 in Madras, and from Plague 1 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th January, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1230	125	39	36	26	41	50	88	104	176	254	291
Enteric fever..	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	35	12	15	7	1	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	2	-	-	-	-	-	-	-
Whooping cough	2	-	1	1	-	-	-	-	-	-	-	-
Diphtheria	20	-	3	8	8	1	-	-	-	-	-	-
Influenza	24	-	-	1	-	-	-	3	4	1	6	9
Erysipelas	3	-	-	-	-	-	-	-	-	1	-	2
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	72	-	-	-	-	18	17	19	10	8	-	-
Nervous system	7	2	1	2	2	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	-	-	1	-	-	-	-
Other forms	2	-	-	-	-	-	1	-	1	-	-	-
Venereal diseases	3	1	-	-	-	-	-	-	1	1	-	-
Cancer	126	-	-	-	-	2	5	10	18	32	39	20
Rheumatic fever	4	-	-	-	3	1	-	-	-	-	-	-
Diabetes	5	-	-	-	-	-	-	-	-	3	1	1
Alcoholism	1	-	-	-	-	-	-	-	-	-	1	-
Simple meningitis	6	4	-	-	1	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	61	-	-	-	-	1	1	2	5	10	21	21
Epilepsy	4	-	-	1	1	-	1	1	-	-	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-		-	-	-	-	-
Other diseases of nervous system ..	22	-	2	1	-	3	-	4	6	3	2	1
Pericarditis	1	-	-	-	-	-	-	-	1	-	-	-
Acute endocarditis	6	-	-	-	1	1	-	2	1	1	-	-
Other diseases of heart	195	-	-	-	-	2	3	5	12	40	66	67
Other diseases of circulatory system	60	-	-	-	-	-	2	1	2	8	15	32
Bronchitis	127	12	-	1	1	1	1	2	5	16	37	51
Broncho-pneumonia	84	23	8	9	1	-	2	1	5	6	13	16
Lobar-pneumonia	50	1	3	-	-	1	5	8	10	10	6	6
Pneumonia (type not distinguished)	20	3	1	2	-	2	3	2	-	1	1	5
Other diseases of respiratory system	17	1	-	1	-	-	-	2	1	-	4	8
Diarrhœa and enteritis	19	13	4	-	-	-	-	1	1	-	-	-
Appendicitis, Typhlitis	8	-	-	1	-	-	-	4	1	1	-	1
Hernia, Intestinal obstruction.. ..	9	-	-	-	1	-	-	-	-	5	2	1
Cirrhosis of liver	5	-	-	-	-	-	-	-	4	-	1	-
Other diseases of digestive system ..	22	1	-	1	-	-	1	2	3	6	6	2
Acute nephritis	1	-	-	-	1	-	-	-	-	-	-	-
Chronic Bright's disease..	25	-	-	-	-	-	1	3	3	7	6	5
Other diseases of genito-urinary system.	11	1	-	-	-	-	1	-	2	3	2	2
Puerperal sepsis	2	-	-	-	-	1	-	1	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	5	4	-	-	-	1	-	-	-	-	-	-
Premature birth	27	27	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	34	-	-	-	-	-	-	-	-	1	7	26
Suicide	9	-	-	-	-	-	2	3	2	1	1	-
Burns and Scalds	4	-	1	-	-	-	-	-	-	1	-	2
Drowning	2	-	-	-	-	-	-	2	-	-	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	-	1	-	-	1	1	5	3
Other deaths by violence	15	2	-	-	-	1	-	2	2	1	2	5
Other specified causes	44	6	-	-	2	4	2	4	3	8	10	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th January, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	248	301	3	181	C. 9 D. 1 G. 4 M. 12
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ..	–	10	4	–	20	M. 2
†BERMONDSEY ...	–	6	9	–	1	C. 1 G. 1
†BETHNAL GREEN	–	4	21	–	3	M. 1
†CAMBERWELL ...	–	19	24	–	5	C. 1
†CHELSEA	–	3	4	–	4	M. 1
†DEPTFORD ...	–	4	14	–	8	–
†FINSBURY ...	–	6	5	–	6	G. 1 M. 1
†FULHAM	–	10	9	–	8	–
†GREENWICH ...	–	4	10		8	–
†HACKNEY ...	–	8	16	–	1	C. 1
†HAMMERSMITH ...	–	10	4	–	1	–
†HAMPSTEAD ...	–	4	5	–	2	–
†HOLBORN... ...	–	3	2	–	–	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	16	17	–	11	C. 1 M. 1
†KENSINGTON ...	–	1	2	–	4	M. 1
†LAMBETH ...	–	22	25	–	4	M. 2
†LEWISHAM ...	–	14	5	–	5	–
†PADDINGTON ...	–	8	13	–	7	C. 2
†POPLAR	–	8	26	–	18	C. 1 D. 1
†ST. MARYLEBONE	–	1	2	–	–	–
†ST. PANCRAS ...	–	11	15	1	4	–
†SHOREDITCH ...	–	5	8	–	6	G. 1 M. 2
†SOUTHWARK ...	–	14	30	–	8	C. 2
†STEPNEY	–	14	14	1	4	G. 1
†STOKE NEWINGTON	–	1	2	–	–	–
†WANDSWORTH ...	–	25	8	1	27	M. 1
†WESTMINSTER, CITY OF	–	4	3	–	3	–
†WOOLWICH ...	–	13	3	–	13	–

† Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	11	6	–	7	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	4	1	–	1	–
BIGGLESWADE ...	–	1	–	–	–	–
†LUTON	–	2	4	–	1	–
Rural Districts:—						
AMPTHILL ...	–	2	–	–	–	–
BEDFORD ...	–	2	–	–	2	–
BIGGLESWADE ..	–	–	–	–	2	–
LUTON	–	–	1	–	1	–
BERKS	–	14	4	2	3	C. 1
†READING C.B. ..	–	4	3	–		C. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	2	–	–	2	–
†NEW WINDSOR ...	–	–	–	1	–	–
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–		–	1	–	–
WANTAGE .	–	–	1	–	–	–
WINDSOR... ...	–	4	–		1	–
WOKINGHAM ...	–	3	–	–	–	–
BUCKINGHAM ..	–	5	3	–	6	G. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE ...	–	2		–	–	–
CHESHAM... ...	–	–	–		–	G. 1
†SLOUGH	–	1	–	–	2	–
†WOLVERTON ...	–	–	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	–	2	–	2	–
ETON	–	1	1	–	–	–
WYCOMBE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	13	1	–	2	–
Borough:—						
†CAMBRIDGE ...	–	5	1	–	1	–
Rural Districts:—						
CHESTERTON ...	–	5	–	–	–	–
LINTON	–	1	–	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	–	–
CHESTER	–	44	12	–	41	C. 3 M. 3
†BIRKENHEAD C.B.	–	6	3	–	6	M. 1
†CHESTER C.B. ..	–	4	–	–	4	–
†STOCKPORT C.B.	–	6	–	–	3	C. 1
†WALLASEY C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
ASHTON UPON MERSEY	–	1	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	2	–
BREDBURY AND ROMILEY	–	1	–	–	2	–
BUGLAWTON ...		2	–	–	3	M. 1
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	1	2	–	–	–
†DUKINFIELD ...	–	–	–	–	4	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	–	M. 1
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOLLINGWORTH	–	1	–	–	–	–
HOOLE	*	*	*	*	*	*
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	–	–	1	C.
†MACCLESFIELD ...	–	–	1	–	–	–
NANTWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	2	5	–	1	–
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	1	–
†WINSFORD ...	–	–	–	–	–	C.

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ..	–	–	–	–	2	–
CHESTER	–	3	–	–	–	–
CONGLETON ..	–	1	–	–	1	–
MACCLESFIELD ...	–	2	–	–	1	–
NANTWICH ...	–	2	–	–	–	–
NORTHWICH ..	–	–	–	–	1	–
RUNCORN... ...	–	–	–	–	2	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	–	–	–	3	–
CORNWALL ..	–	3	–	–	5	M. 2
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	–	M. 1
LISKEARD ...	–	1	–	–	–	–
PHILLACK ...	–	–	–	–	–	M. 1
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	–	–	1	–
ST. JUST	*	*	*	*	*	*
Rural Districts:—						
BODMIN	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	1	–
REDRUTH ...	–	1	–	–	1	–
ST. AUSTELL ...		–	–	–	1	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ..	–	32	5	–	1	–
†CARLISLE C.B. ..		8	1	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–		–	–
†MARYPORT ...	–	2	1	–	–	–
PENRITH	–	4	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WHITEHAVEN ..	–	1	–	–	–	–
†WORKINGTON ...	–	2	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
COCKERMOUTH ...	–	3	1	–	–	–
LONGTOWN ...	–	3	–		–	–
PENRITH	–	3	–	–	–	–
WHITEHAVEN ...	–	3	–	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	25	52	17	1	52	C. 5
†DERBY C.B. .	21	3	4	–	19	–
Boroughs and Urban Districts:—						
†ALFRETON ..	–	1	–	–	3	–
†BELPER	–	1			–	–
†BOLSOVER ..	–	–	1	–	2	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ..	–	12	6	–	6	–
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	2	–	–	–	C. 1
†HEANOR		1	1	–	2	C. 1
†ILKESTON ...	–	–	–	–	–	C. 1
†LONG EATON ...	–	1	2	–	–	C. 1
NEW MILLS ...	–	–		–	1	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	2	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	4	–	–	–	–
BLACKWELL ...	4	2	1	–	6	–
CHAPEL EN LE FRITH	–	3	–	–	1	–
CHESTERFIELD ...	–	9	2	1	7	C. 1
NORTON	–	1	–	–	1	–
REPTON	–	3	–	–	–	–
SHARDLOW ..	–	4	–	–	1	–
CODNOR PARK AND SHIPLEY (Parishes) ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera · B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	32	6	–	9	D. 1 G. 3 M. 2
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B...	–	16	3	–	4	D. 1 G. 1
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	–	–	2	–
CREDITON ...	–	–	–	–	1	–
†EXMOUTH ...	–	1	–	–	–	–
HOLSWORTHY ...	–	–	–	–	–	G. 1
LYNTON	*	*	*	*	*	*
NORTHAM ...	–	–	1	–	–	–
†PAIGNTON ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	3	–	–	–	–
†TORQUAY ...	–	–	–	–	–	M. 1
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	–	G. 1
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	8	1	–	2	M. 1
ST. THOMAS ...	–	1	–	–	–	–
DORSET	–	4	–	–	2	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	1	–	–	–	–
WAREHAM ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	2	–
DURHAM	140	83	22	–	70	C. 1 E. 1 G. 1 M. 5
†DARLINGTON C.B.	–	–	2	–	4	–
†GATESHEAD C.B.	16	3	4	–	1	G. 1
†SOUTH SHIELDS C.B.	2	4	–	–	11	–
†SUNDERLAND C.B.	1	2	1	–	18	M. 2
†WEST HARTLEPOOL C.B.	–	6	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	–	–	–	–	–
BENFIELDSIDE ...	–	1	2	–	–	–
BILLINGHAM ...	–	6	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	48	3	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	3	2	–	–	–	–
†CONSETT	1	–	–	–	–	–
†CROOK	–	2	4	–	–	–
†DURHAM	–	–	2	–	–	–
†FELLING	–	2	–	–	4	–
†HARTLEPOOL ...	–	3	–	–	1	–
†HEBBURN ...	1	–	–	–	–	–
†HETTON	2	1	–	–	–	–
†HOUGHTON LE SPRING	–	1		–	–	–
†JARROW	–		–	–	3	–
†RYTON	3	–	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON	–	2	–	–	–	E. 1
†SPENNYMOOR ...	–	2	–	–	–	M. 1
†STANLEY	–	6	–	–	1	–
†STOCKTON ON TEES	–	–	–	–	1	–
†TANFIELD ...	2	–	–	–	–	–
†WASHINGTON ...	–	3	–	–	3	–
†WHICKHAM ...	9	–	–	–	1	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ..	–	5	2	–	–	C. 1 M. 1
CHESTER LE STREET	9	3	–	–	2	–
DARLINGTON ...	–	5	–	–	–	–
DURHAM	–	6	1	–	–	–
EASINGTON ...	31	3	2	–	1	–
HARTLEPOOL ...	*	*	*	*	*	*
HOUGHTON LE SPRING	3	5	–	–	8	M. 1
LANCHESTER ...	5	1	–		1	–
SEDGEFIELD ...	–	1	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
SOUTH SHIELDS...	1	1	-		-	-
SUNDERLAND ...	2	-	-	-	1	-
WEARDALE ...	-	-	-	-	2	-
ELY, ISLE OF ..	-	2	1	-	3	G. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	-	-	1	-	-	-
†WISBECH	-	1	-	-	3	G. 1
Rural Districts:—						
WHITTLESEY ...	-	1	-	-	-	-
ESSEX	-	55	59	4	45	C. 1 D. 1 G. 3 L. 1 M. 4
†EAST HAM C.B. ...	-	7	7	-	2	D. 1
†SOUTHEND-ON-SEA C.B.	-	1	-	1	14	G. 1 M. 1
†WEST HAM C.B. ...	-	13	23	1	11	-
Boroughs and Urban Districts:—						
BRAINTREE ...	-	1	-	-	-	-
BRIGHTLINGSEA	-	1	-	-	-	-
CHINGFORD ...	-	-	1	-	-	-
†COLCHESTER ..	-	2	-	1	6	-
EPPING	-	-	-	-	1	-
†GRAYS THURROCK	-	4	1	-	1	-
HALSTEAD ...	-	1	-	-	-	-
†ILFORD	-	2	3	-	1	G. 1
†LEYTON	-	2	5	-	2	-
LOUGHTON ...	-	-	-	-	2	-
†ROMFORD ...	-	-	3	-	-	-
SHOEBURYNESS ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
TILBURY	-	-	1	-	-	-
WALTHAM HOLY CROSS	-	1	1	-	1	-
†WALTHAMSTOW ...	-	6	7	-	-	G. 1 M. 3
Rural Districts:—						
BELCHAMP ...		-	1	-	-	-
BILLERICAY ...	-	-	-	-	1	C. 1
BRAINTREE ...	-	7	-	-	-	-
CHELMSFORD ...	-	-		1	-	-
HALSTEAD ...	-	-	-	-	1	-
MALDON	-	1	-	-	-	L. 1
ONGAR	-	1	-	-	-	-
ORSETT	-	1	-	-	-	-
ROCHFORD ...	-	1	3	-	1	-
ROMFORD... ...	-	1	1	-	-	-
STANSTED ...	-	1	-	-	-	-
TENDRING ...	-	1	1	-	1	-
GLOUCESTER ...	-	57	33	-	30	C. 1 G. 4 L. 1 M. 2
†BRISTOL C.B. ...	-	36	19	-	15	C. 1 G. 4 L. 1 M. 1
†GLOUCESTER C.B.	-	-	2	-	-	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	4	-	-	1	-
COLEFORD ...	-	-	2	-	-	-
†KINGSWOOD ...	-	2	1	-	-	-
NAILSWORTH ...	-	1	2	-	-	-
TEWKESBURY ...	-	-	-	-	1	-
Rural Districts:—						
CHIPPING SODBURY	-	3	-	-	-	M. 1
EAST DEAN AND UNITED PARISHES	-	4	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
GLOUCESTER ...	–	1	2	–	–	–
LYDNEY	–	–	–	–	6	–
NEWENT	–	1	1	–		–
STROUD	–	–	2	–	1	–
THORNBURY ...	–	–	–	–	5	–
WARMLEY ...	–	5	–	–	1	–
WHEATENHURST	–	–	2	–	–	–
HEREFORD ...	–	3	2	–	5	G. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	G. 1
HEREFORD ...	–		1	–	1	–
LEDBURY... ...	–	1	–	–	–	–
ROSS	–	–	–	–	3	–
WEOBLEY... ...	–	–	–	–	1	–
HERTFORD ...	–	21	4	2	5	E. 1 L. 3 M. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	E. 1 M. 1
†CHESHUNT ...	–	–	1	–	2	–
HARPENDEN ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HITCHIN	–	4	–	–	–	–
†ST. ALBANS ...	–	–	1	–	1	–
TRING	–	1	–	–	–	–
WARE		1	–	–	–	–
†WATFORD ...	–	8	–	–	2	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
WATFORD ...	–	4	1	2	–	L. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	3	–	–	1	E. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	–	3	–		–	–
Rural Districts:—						
ST. NEOTS ...	–	–	–	–	–	E. 1
KENT	–	50	26	1	27	D. 1 G. 1 M. 3
†CANTERBURY C.B.	–	9	–	–	2	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	4	–
†BEXLEY	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	1	–	–	2	M. 1
†CHATHAM ...	–		2		–	–
CHERITON ...	–	–	–	–	1	–
†DARTFORD ...	–	–	1	–	–	–
†DEAL	–	1	–		–	–
†DOVER	–	2	–		–	M. 1
†ERITH	–	3	1	–	4	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	2	1	–	–	–
†GRAVESEND ...	–	–	4	–	–	–
†MAIDSTONE ...	–	5	2	–	–	–
†MARGATE ...	–	2	3	–	–	–
MILTON REGIS ...	–	–	–	–	1	D. 1
†PENGE	–	2	–	–	1	G. 1
†RAMSGATE ...	–	1	1	–	–	–
†ROCHESTER ...	–	1	–	–	2	M. 1
†ROYAL TUNBRIDGE WELLS	–	3	–	–	2	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	–	–	2	–
SIDCUP	–	–	–	–	1	–
SOUTHBOROUGH	–	1	–	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
WROTHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
Blean	–	–	–	–	1	–
Dartford ...	–	2	4	–	–	–
Dover	–	–	1	–	–	–
East Ashford ...	–	–	–	–	1	–
Elham	–	–	–	–	2	–
Hollingbourne	–	3	–	–	–	–
Maidstone ...	–	–	1	1	–	–
Malling	–	2	4	–	–	–
Tenterden ...	–	1	–	–	–	–
Tonbridge ...	–	1	–	–	–	–
LANCASTER ...	–	217	98	6	318	C. 12 D. 1 F. 1 G. 16 M. 26
†Barrow in Furness C.B	–	5	3	1	3	–
†Blackburn C.B	–	3	–	–	1	G. 2
†Blackpool C.B.	–	1	–	–	1	M. 1
†Bolton C.B. ...	–	6	1	1	6	M. 1
†Bootle C.B. ...	–	2	2		6	–
†Burnley C.B. ...	–	3	3	–	5	–
†Bury C.B. ...	–	4	2	–	–	C. 1
†Liverpool C.B. ...	–	39	21	–	87	C. 1 G. 3 M. 11
†Manchester C.B	–	41	27	2	60	C. 2 G. 4 M. 8
†Oldham C.B. ..	–	8	2	–	2	D. 1 G. 1
†Preston C.B. ..	–	1	3	–	3	C. 2
†Rochdale C.B. ...	–	3	1	–	–	C. 1
†St. Helens C.B. ...	–	2	–	–	6	–
†Salford C.B. ...	–	10	6	–	13	C. 1 G. 2 M. 3
†Southport C.B.	–	3	–	–	4	–
†Warrington C.B.	–	2	2	–	9	G. 1
†Wigan C.B. ..	–	–	–	–	5	–
Boroughs and Urban Districts:—						
Abram	–	–	1	–	–	–
†Accrington ...	–	3	1	–	3	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashton in Makerfield	–	–	–	–	2	–
†Ashton under Lyne	–	–	1	1	6	–
†Atherton ...	–	1	–	–	2	G. 2
†Bacup	–	2	1	–	1	–
Brierfield ...	–	1	1	–	–	–
†Chorley	–	1	–	–	3	–
†Colne	–	2	–	–	1	–
†Crompton ...	–	1	–	–	–	–
†Denton	–	2	–	–	–	M. 1
†Droylsden ...	–	–	–	–	1	–
†Eccles	–	–	–	–	2	–
†Failsworth ...	–	2	1	–	4	C. 1
†Farnworth ...	–	–	–	–	–	C. 1
†Fleetwood ...	–	–	–	–	2	–
Fulwood ...	–	2	–	–	–	–
†Great Crosby ...	–	–	1	–	–	–
†Haslingden ...	–	2	–	–	1	–
†Haydock ...	–	2	1	–	–	F. 1
Heysham ...	–	–	–	–	2	–
†Heywood ...	–	1	1	–	1	
†Hindley... ...	–	–	–	–	7	–
†Horwich ...	–	1	–	–	5	–
Huyton with Roby	*	*	*	*	*	*
†Ince in Makerfield	–	1	–	–	7	–
Irlam	–	1	–	–	1	–
†Lancaster ...	–	3	–	–	2	
Lathom and Burscough	–	–	–	–	1	–
†Leigh	–	–	–	–	1	–
Leyland... ...	–	3	–	–	–	–
†Litherland ...	–	1	–	–	–	–
Little Hulton..	–	–	–	–	–	C. 1
Little Lever ...	–	–	–	–	1	–
†Lytham St. Anne's	–	3	–	–	–	C. 1
†Middleton ...	–	3	–	–	1	G. 1
†Morecambe ...	–	3	–	–	–	–
†Newton in Makerfield	–	2	–	–	2	–
Ormskirk ...	–	–	3	–	2	–
†Oswaldtwistle	–	2	1	–	1	–
†Padiham... ...	–	–	1	–	1	–
Preesall ...	*	*	*	*	*	*
Prescot	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PRESTWICH ...	–	–	1	–	–	–
†RADCLIFFE ...	–	–	1		4	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	2	–		1	–
†ROYTON	–	3	–	–	–	–
SKELMERSDALE ...	*	*	*	*	*	*
STANDISH WITH LANGTREE	–	–	–	–	5	–
†STRETFORD ...	–	6	–	–	3	–
†SWINTON AND PENDLEBURY	–	2	–	–	6	–
TOTTINGTON ...	–	–	1	1	–	–
†TURTON	–	3	1		–	–
†TYLDESLEY WITH SHAKERLEY	–	2	–		2	–
ULVERSTON ...	–	1	–	–	–	–
URMSTON	–	1	–	–	–	–
WARDLE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	2	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	2	2	–	7	
WITHNELL ...	*	*	*	*	*	*
†WORSLEY	–	2	1	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1	1	–	–	–
BURY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	1	–	–		–
GARSTANG ...	–	2	–	–	–	–
LANCASTER ...	–	–	–	–	–	M. 1
SEFTON	–	1	1	–	–	–
WARRINGTON ...	–	1	–	–	6	–
WEST LANCASHIRE	–	1	–	–	3	–
WHISTON	–	1	2	–	–	–
WIGAN	–	1	–	–	3	–
LEICESTER	–	29	7	–	20	C. 1
†LEICESTER C.B. ...	–	20	1	–	6	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
†HINCKLEY ...	–	1	–	–	1	–
†LOUGHBOROUGH	–	3	1	–	–	–
MELTON MOWBRAY	–	–	–	–	4	–
OADBY	–	–	1	–	–	–
SHEPSHED ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	3	1	–	4	–
BILLESDON ...	–	1	1	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	–	1	–	2	–
MARKET BOSWORTH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	1	–	–	–
†SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	1	–	–	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	26	7	–	9	G. 1 M. 1
†GRIMSBY C.B. ...	–	2	1	–	1	–
†LINCOLN C.B. ...	–	14	1	–	1	G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	1		1	–
†GAINSBOROUGH ...	–	4	1	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
LOUTH	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	1	M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	–	1		–	–
GRIMSBY	*	*	*	*	*	*
HORNCASTLE ...	–	1	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	1	
SPILSBY	–	–	–	–	1	–
WELTON	–	2	–	–	–	–
MIDDLESEX ..	–	49	37	2	46	C. 4 D. 1 G. 2 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–		–
†BRENTFORD ..		–	–		1	
†CHISWICK ...	–	–	1		1	C. 1
†EALING	–	2	–	–	3	–
†EDMONTON ..	–	1	4	–	1	–
†ENFIELD	–	4	3	–	4	–
FELTHAM ..	–	1	–	–	–	–
†FINCHLEY ..	–	2	–		2	–
†FRIERN BARNET	–	–	–	–	3	–
†HAMPTON ...	–		1	–	–	–
†HANWELL ..	–	1				–
HAYES	–	–			3	–
†HENDON		6	5	2	1	–
†HESTON AND ISLEWORTH	–	1	3	–	5	C. 1
†HORNSEY	–	2	–	–	2	C. 1
†SOUTHALL NORWOOD			1	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	3	–	–		C. 1 D. 1
†TOTTENHAM ...	–	8	2	–	2	G. 1 M. 1
†TWICKENHAM ...	–	3	2	–	3	G. 1
†UXBRIDGE ...	–	1	2	–	1	–
†WEALDSTONE ...	–	1	–	–	4	–
†WEMBLEY ...	–	–	1	–	4	–
†WILLESDEN ...	–	6	7	–	4	M. 1
†WOOD GREEN ...	–	3	1	–	–	–
Rural Districts:—						
HENDON	–	–	–		2	–
SOUTH MIMMS ...	–	–	1	–	–	–
STAINES	–	1	2	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK		8	5	2	14	–
†GREAT YARMOUTH C.B	–	3	–	1	2	–
†NORWICH C.B. ...		2	2	1	6	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	3	–
Rural Districts:—						
DOCKING		–	1	–	–	–
DOWNHAM ...			1		1	–
ERPINGHAM ...	–	–	–	–	2	–
MARSHLAND ...		–	1	–		–
MITFORD AND LAUNDITCH	–	1	–	–		–
SWAFFHAM ...	–	1	–	–	–	–
WALSINGHAM ...		1	–	–	–	–
NORTHAMPTON ...	–	11	3	1	23	C. 3 M. 1
†NORTHAMPTON C.B.		3	1	1	13	C. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
DAVENTRY ...	–	1	–	–	–	–
DESBOROUGH ...	–	1	–	–	–	–
FINEDON	–	–	1	–		–
†KETTERING ...	–	–		–	2	–
†RUSHDEN ...	–	2	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
GRETTON	–	–	–	–	1	–
HARDINGSTONE ...	–	–		–	1	–
KETTERING ...	–	–	–	–	–	C. 1
MIDDLETON CHENEY	–	–	1	–	–	–
NORTHAMPTON ...	–	–	–	–	1	C. 1
OXENDON... ...	–	1	–	–	1	–
POTTERSPURY ...	–	–	–	–	2	–
TOWCESTER ...	–	1	–	–	–	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND	11	44	8	1	53	C. 1 G 3 M. 1
†NEWCASTLE UPON TYNE C.B.	–	12	3		18	G. 2 M. 1
†TYNEMOUTH C.B	–	3	1	–	5	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	1	–	–	–	–
†BEDLINGTONSHIRE	2	4	–	–	2	G. 1
†BLYTH	–	–	–	–	2	–
CRAMLINGTON ...	–	–	–	–	3	–
†EARSDON... ...	–	2	1	–	2	–
HEXHAM	–	–	2	–	–	–
†LONGBENTON ...	–	1	–	–	2	–
MORPETH ...	–	4	–	–	–	–
NEWBIGGIN BY THE SEA	–	7	–	–	–	–
†NEWBURN ...	–	1	–	–	6	–
PRUDHOE... ...	–	–		–	1	C. 1
SEGHILL	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALLSEND ...	–	2	–	1	3	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	1	–
CASTLE WARD ...	–	1	–	–	2	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...		3	–	–	–	–
HEXHAM	–	–	1	–	–	–
MORPETH... ...	5	–	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
ROTHBURY ...	–	–	–	–	2	–
NOTTINGHAM ...	11	36	22	1	19	C. 1 M. 2
†NOTTINGHAM C.B.	1	10	16	1	11	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	–	–
†CARLTON... ...	–	2	2	–	2	–
EASTWOOD ...	–	2	–	–	–	–
†HUCKNALL ...	3	–			1	C. 1
HUTHWAITE ...	–	3	–	–	–	–
†KIRKBY IN ASHFIELD	1	–	–	–	1	–
†MANSFIELD ...	1	2	–	–	1	M. 1
†MANSFIELD WOODHOUSE	–	1	–		–	–
†SUTTON IN ASHFIELD	2	1	1	–	1	–
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	–	1	1	–	–	–
Rural Districts:—						
BASFORD	–	13	–	–	–	–
MISTERTON ...	–	–	–	–	1	–
SKEGBY	1		–	–	–	–
SOUTHWELL ...	2	1	1	–	–	–
WORKSOP... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	4	–	–	5	–
Rural Districts:—						
BANBURY... ...	–	1	–	–	–	–
BICESTER... ...	–	1	–	–	3	–
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	–	–	–	1	–
HENLEY	–	2	–	–	–	–
PETERBOROUGH (Soke of)	–	1	1	–	4	C. 1
Borough:—						
†PETERBOROUGH...	–	1	1	–	4	C. 1
Rural Districts—						
PETERBOROUGH...	*	*	*	*	*	*
RUTLAND	–	4	–	–	–	–
Rural Districts:—						
OAKHAM	–	4	–	–	–	
SALOP	–	7	2	–	–	G. 1
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
LUDLOW	–	–	1	–	–	–
MARKET DRAYTON	–	–	–	–	–	G. 1
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	1	–	–	–
SHIFNAL	–	1	–	–	–	–
WEM	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	17	–	–	24	C. 2
†BATH C.B. ...	–	7	–	–	–	C. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
BURNHAM ON SEA	–	–	–	–	1	–
CHARD	–	–	–	–	1	–
MIDSOMER NORTON	–	2	–	–	–	–
PORTISHEAD ...	–	–	–	–	1	–
RADSTOCK ...	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–	–	2	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	4	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	–	–	–	–	2	–
FROME	–	–	–	–	2	–
LONG ASHTON ...	–	3	–	–	3	–
SHEPTON MALLET	–	2	–	–	–	–
TAUNTON... ...	–	–	–	–	2	–
WELLS	–	–	–	–	1	–
YEOVIL	–	–	–	–	–	C. 1
SOUTHAMPTON ..	–	41	38	2	12	C. 1 G. 1 M. 5
†BOURNEMOUTH C.B.	–	1	5	–	1	G. 1
†PORTSMOUTH C.B.	–	20	23	1	1	M. 2
†SOUTHAMPTON C.B.	–	5	1	1	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	7	–		–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE		1	–	–	–	–
†FAREHAM ...	–	–	2	–	–	–
†GOSPORT	–	–	–	–	4	
HAVANT	–	1	–	–	–	–
†WINCHESTER ...	–	–	4	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	1	1	–	–	–
FORDINGBRIDGE ..	–	–	–	–	1	–
HARTLEY WINTNEY	–	–	–	–	–	M. 2
HURSLEY	–	–	1	–	–	–
NEW FOREST ...	–	–	–	–	1	–
RINGWOOD ...	–	1	–	–	–	–
ROMSEY	–	–	–	–	1	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	67	45	–	92	C. 4 M. 11
†BURTON UPON TRENT C.B.	–	2	1	–	–	–
†SMETHWICK C.B.	–	3	4	–	8	C. 1
†STOKE ON TRENT C.B.	–	13	7	–	44	C. 2 M. 5
†WALSALL C.B. ...	–	8	7	–	4	–
†WEST BROMWICH C.B.	–	5	–	–	5	M. 1
†WOLVERHAMPTON C.B.	–	4	4	–	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	3	–	–	3	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	–	–	–	1	–
†BROWNHILLS ...	–	1	2	–	1	–
†CANNOCK	–	2	2	–	–	M. 1
†COSELEY	–	–	–	–	3	–
†DARLASTON ...	–	2	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	1	M. 1
KIDSGROVE ...	–	–	1	–	2	–
†LEEK	–	1	–	–	–	C. 1 M. 1
†NEWCASTLE UNDER LYME	–	–	–	–	–	M. 1
†ROWLEY REGIS ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	1	1	–	3	–
STONE	–	–	1	–	–	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	2	3	–	–	–
†WEDNESBURY ...	–	1	–	–	1	–
†WILLENHALL ...	–	2	1	–	–	–
†WOLSTANTON UNITED	–	1	–	–	2	–
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	1	–	–		M. 1
CHEADLE	–	1	1	–	3	–
LEEK	–	8	1	–	–	–
LICHFIELD ...	–	–	1	–	5	–
NEWCASTLE UNDER LYME	–	–	–	–	1	–
SEISDON	–	1	2	–	–	–
TAMWORTH (part)	–	1	2	–	–	–
TUTBURY... ...	–	–	2	–	1	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	9	2	1	10	C. 1 M. 4
†IPSWICH C.B. ...	–	2	1	–	4	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	*	*	*	*	*	*
BECCLES	–	–	–	1	–	–
BUNGAY	–	1	–	–	1	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	2	–	–	1	C. 1 M. 3
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	–	–	–	1	M. 1
HOXNE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- C, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
MUTFORD AND LOTHINGLAND	-	-	-	-	1	-
SAMFORD... ...	-	-	-	-	1	-
WOODBRIDGE ...	-	-	1	-	-	-
SUFFOLK, WEST ...	-	3	-	-	-	-
Boroughs and Urban Districts:—						
NEWMARKET ...	-	2	-	-	-	
SUDBURY... ...	*	*	*	*	*	*
Rural Districts:—						
COSFORD		1	-	-	-	-
MELFORD... ...	*	*	*	*	*	*
SURREY	-	55	20	2	35	G. 1
†CROYDON C.B. ...	-	7	6	-	3	G. 1
Boroughs and Urban Districts:—						
†BARNES	-	2	1	-	1	-
†BEDDINGTON AND WALLINGTON	-	1	-	-	-	-
†CARSHALTON ...	-	3	-	-	-	-
†CATERHAM ...	-	1	-	-	-	-
†COULSDON AND PURLEY		-	-	1	-	-
EAST AND WEST MOLESEY	-	3	-	-	-	-
†EGHAM	-	-	1	-	1	-
†EPSOM	-	-	-	-	1	-
†ESHER AND THE DITTONS	-	4	-		-	-
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	-	1	-	-	1	-
HASLEMERE ...	-	1	-	-	-	-
†KINGSTON ON THAMES	-	4	-	-	7	-
†MERTON AND MORDEN	-	2	-	-	-	-
†MITCHAM... ...	-	2	3	-	-	-
†REIGATE	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RICHMOND ...	-	1	2	-	-	-
†SURBITON ...	-	1	-	-	6	-
†SUTTON	-	2	1	-	-	-
†THE MALDENS AND COOMBE	-	2	2	-	2	-
†WIMBLEDON ...	-	6	1	-	-	-
†WOKING	-	4	1	-	-	-
Rural Districts:—						
CHERTSEY ...	-	-	-	-	2	-
DORKING	-	-	-	-	2	-
EPSOM	-	5	1	-	1	-
GUILDFORD ...	-	1	-	-	-	-
HAMBLEDON ...	-	-	1	1	-	-
REIGATE	-	-	-	-	8	-
SUSSEX, EAST ...	-	16	8	-	19	G. 1 L. 1
†BRIGHTON C.B. ...	-	10	3	-	8	G. 1
†EASTBOURNE C.B.	-	-	-	-	1	L 1
†HASTINGS C.B. ...	-	2	3	-	7	-
Boroughs and Urban Districts:—						
†BEXHILL	-	1	-	-	-	-
EAST GRINSTEAD	-	-	1	-	-	-
†HOVE	-	-	-	-	1	-
SEAFORD	-	1	-	-	-	-
Rural Districts:—						
CHAILEY	-	-	1	-	1	-
EASTBOURNE ...	-	1	-	-	-	-
EAST GRINSTEAD	-	-	-	-	1	-
UCKFIELD ...	-	1	-	-	-	-
SUSSEX, WEST ...	-	1	-	-	7	-
Boroughs and Urban Districts:—						
†BOGNOR	-	1	-	-	-	-
†CHICHESTER ...	-	-	-	-	1	-
SHOREHAM BY SEA	-	-	-	-	3	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	1	-
HORSHAM ...	-	-	-	-	2	-
WARWICK... ...	-	46	59	-	118	C. 4 G. 4 M. 5
†BIRMINGHAM C.B.	-	31	43	-	94	C. 3 G. 3 M. 3
†COVENTRY C.B. ...	-	-	1	-	-	C. 1 M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	-	-	-	-	1	-
†NUNEATON ...	-	3	1	-	2	-
†ROYAL LEAMINGTON SPA	-	-	-	-	1	-
†RUGBY	-	2	1	-	5	-
†STRATFORD ON AVON	-	-	-	-	1	-
†SUTTON COLDFIELD	-	-	2		4	-
†WARWICK ...	-	-	-	-	2	-
Rural Districts:—						
ALCESTER ...	-	-	1	-	-	-
ATHERSTONE ...	-	4	3	-	-	-
COVENTRY ...	-	2	-	-	-	-
FOLESHILL ..	-	-	-	-	1	G. 1 M. 1
MERIDEN... ...	-	-	1	-	2	-
MONKS KIRBY ...	-	1	-	-	-	-
RUGBY	-	-	-	-	3	-
SOLIHULL ...	-	1	1	-	-	-
SOUTHAM... ...	-	1	-	-	-	-
STRATFORD ON AVON	-	-	-	-	1	-
TAMWORTH (part)	-	1	5	-	-	-
WARWICK ...	-	-	-	-	1	-
WESTMORLAND ..	-	7	1	-	6	-
Boroughs and Urban Districts:—						
†KENDAL	-	3	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WESTMORLAND— *cont.*						
Rural Districts:—						
EAST WESTMORLAND	-	2		-	2	-
SOUTH WESTMORLAND	-	1	-	-	2	-
WEST WARD ...	-	1	-	-	2	-
WIGHT, ISLE OF ...	-	8	-	1	-	-
Boroughs and Urban Districts:—						
†COWES	-	3	-	-	-	-
EAST COWES ...	-	1	-	-	-	-
†NEWPORT... ...	-	-	-	1	-	-
VENTNOR... ...	-	1	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT ..	-	3	-	-	-	-
WILTS	-	11	8	-	22	-
Boroughs and Urban Districts:—						
DEVIZES	-	-	1	-	-	-
†SALISBURY ...	-	1	1	-	-	-
†SWINDON... ...	-	3	4	-	14	-
†TROWBRIDGE ...	-	2	-	-	-	-
WILTON	-	-	1	-	2	-
Rural Districts:—						
AMESBURY ...	-	-	-	-	2	-
CHIPPENHAM ...	-	1	-	-	-	-
HIGHWORTH ...	-	-	1	-	3	-
PEWSEY	-	4	-	-	-	-
WILTON	-	-	-	-	1	-

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	7	7	–	20	G. 1
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	–	–	–	5	G. 1
Boroughs and Urban Districts:—						
DROITWICH ...	*	*	*	*	*	*
†HALESOWEN ...	–	–	2		6	–
†KIDDERMINSTER	–	–	1	–	–	–
†MALVERN ...	–	1	–	–	1	–
†OLDBURY... ...	–	1	1	–	1	–
†REDDITCH ...	–	1	1	–	2	–
†STOURBRIDGE ...	–	–	1	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	1	1	–	1	–
MARTLEY... ...	–	–	–	–	2	–
SHIPSTON ON STOUR	–	1	–	–	–	–
YORKS ... ... (East Riding.)	1	21	17	1	11	F. 1 M. 4
†KINGSTON UPON HULL C.B.	1	8	15	–	10	F. 1 M. 4
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	1	–
†BRIDLINGTON ...	–	1	–	–	–	–
FILEY	–	1	–	–	–	–
GREAT DRIFFIELD	*	*	*	*	*	*
NORTON	–	–	1	–	–	–
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	1	–	1	–	–
BRIDLINGTON ...	–	1	–		–	–
HOWDEN	–	5	–	–	–	–
POCKLINGTON ...	–	3	–	–	–	–
SCULCOATES ...	–	1	–	–	–	–
YORKS ... .. (North Riding.)	–	12	1	1	25	M. 1
†MIDDLESBROUGH C.B	–	4	–	1	15	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	–	–	5	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
LEYBURN... ...	*	*	*	*	*	*
NORTHALLERTON	–	–	1	–	–	–
STOKESLEY ...	–	1	–	–	2	–
THIRSK	–	2	–	–	–	–
YORKS ... ... (West Riding.)	67	152	52	2	256	C. 6 D. 1 G. 3 M. 9
†BARNSLEY C.B. ...	–	9	1	–	5	–
†BRADFORD C.B. ...	–	13	2	2	13	M. 1
†DEWSBURY C.B....	–	1	–	–	–	–
†HALIFAX C.B. ...	–	1		–	3	–
†HUDDERSFIELD C.B.	–	13	4	–	3	–
†LEEDS C.B. ...	–	25	9	–	35	C. 1 M. 1
†ROTHERHAM C.B.	1	7	1	–	8	–
†SHEFFIELD C.B....	1	23	16	–	119	C. 1 G. 3 M. 2
†WAKEFIELD C.B.	–	3	2	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	1	–
ARDSLEY, EAST AND WEST	–	3	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	3	–
†BATLEY	–	2	–	–	1	–
†BOLTON UPON DEARNE	–	–	–	–	1	–
†BRIGHOUSE ...	–	–	–	–	1	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
CALVERLEY ...	–	1	–	–	1	–
†CASTLEFORD ...	–	2	2	–	–	
†CONISBROUGH ...	1	1			1	M. 1
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ..	–	1	–	–	–	–
†DARTON	–	–	–	–	1	–
DENHOLME ...	–	1		–	–	–
†DONCASTER ..	–	2	–	–	1	–
EARBY		–	–	–	2	–
GARFORTH ...	*	*	*	*	*	*
GILDERSOME ...	–	–	–		1	–
†GOLCAR	–	–	–		2	–
†GOOLE	–	–	1		1	M. 2
GREASBROUGH ...	2	–	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ..	–	2	–	–	1	–
†HEMSWORTH ...	–	–	1	–	5	–
HIPPERHOLME ...	–	–	–		1	–
†HOLMFIRTH ..	–	–		–	2	–
†HOYLAND NETHER	–	3	–	–	5	–
†KEIGHLEY ...		–	–		1	–
KNOTTINGLEY ...	–	–	–	–	1	–
LUDDENDEN FOOT	–	–			1	–
MALTBY	–	1	–	–		–
METHLEY ...	–	–	–		2	–
†MEXBOROUGH ...	–	–	1		1	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	2	–	–	–	M. 1
†NORMANTON ..	–	–	1	–	–	–
†OSSETT	–	1	–	–	–	–
PENISTONE ...	–	1		–	–	–
†RAWMARSH ..	58	1	1		1	–
RIPON	–	2	–	–	–	–
SHEPLEY	–	–	–	–	3	–
SLAITHWAITE ...	–	–			–	C. 1
SOUTHOWRAM ...	–	1	–	–	1	–
†SOWERBY BRIDGE	–	1	–	–		–
†SPENBOROUGH ...	–	1	–	–	2	–
SPRINGHEAD ...	*	*	*	*	*	*
†STANLEY	–	–	–	–	3	–
†SWINTON	2	–		–	1	–
THURNSCOE ...	–	2		–	–	–
TICKHILL ...	–	1	–		–	C. 2
†TODMORDEN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	1	–	–	–		–
†WOMBWELL ..	–	1	–	–	2	–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	–	–	–	1	–
DONCASTER ...	1	3	–	–	3	–
GREAT OUSEBURN	–	–	–		1	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ..	–	5	1	–	5	–
KIVETON PARK ...		3	2			–
KNARESBOROUGH	–	–	–	–	1	–
PATELEY BRIDGE	–	2	–	–	–	–
ROTHERHAM ..	–	3	1	–	–	C. 1
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	1	2	–	3	D. 1
THORNE	–	–	–	–	–	M. 1
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	–	3	–	–	–
YORK, CITY OF ...	–	2	2	–	1	–
†YORK C.B. ...	–	2	2	–	1	–
WALES.						
ANGLESEY	–	7	2	–	1	G. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	2	–	–	–
Rural Districts:—						
AETHWY	–	3	–	–	–	–
VALLEY	–	3	–	–	1	G. 1
BRECKNOCK ...	–	1	–		2	C. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	–	–	1	–
YSTRADGYNLAIS	–	1	–	–	–	C. 1
LLANWRTHWL (parish)	*	*	*	*	*	*
CARDIGAN	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
CARMARTHEN ...	–	7	7	–	14	C. 1
Boroughs and Urban Districts:—						
BURRY PORT ...	–	1	–	–	1	–
†CARMARTHEN ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	1	–	1	–
KIDWELLY ...	–	–	–	–	2	–
†LLANELLY ...	–	1	1	–	8	–
Rural Districts:—						
LLANDILO FAWR	–	3	–	–	1	–
LLANDOVERY ...	–	1	–	–	–	–
LLANELLY ...	–	1	4	–	1	–
LLANYBYTHER ...	–	–	–	–	–	C. 1
CARNARVON ...	–	15	2	1	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	2	–	–	–	–
BETHESDA ...	–	1	–	–	–	–
CARNARVON ...	–	3	–	1	–	–
CONWAY	–	7	2	–	–	–
PWLLHELI ...	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	–	–	–	1	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	5	7	–	5	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	3	–
DENBIGH ...	–	–	1	–	–	–
LLANRWST ...	–	–	1	–	–	–
RUTHIN	*	*	*	*	*	*
†WREXHAM ...	–	–	1	–	2	–
Rural Districts:—						
WREXHAM ...	–	5	4	–	–	–
FLINT	–	7	5	–	6	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	1	–	–	–	–
FLINT	–	2	–	–	–	–
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	–	1	–	1	–
Rural Districts:—						
HAWARDEN ...	–	3	2	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	1	1	–	3	–
OVERTON ..	–	–	1	–	–	–
GLAMORGAN ..	–	59	58	–	51	C. 2 E. 1 M. 8
†CARDIFF C.B. ..	–	12	4	–	9	C. 1 M. 4
†MERTHYR TYDFIL C.B	–	1	1	–	–	–
†SWANSEA C.B. ...	–	2	10	–	3	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	2	–	1	–
†CAERPHILLY ...	–	6	1	–	2	–
†GELLIGAER ...	–	–	9	–	3	E. 1
†MAESTEG ...	–	2	2	–	–	–
†MOUNTAIN ASH ...	–	2	2	–	2	M. 1
†NEATH	–	1	5	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	2	–	–	1	–
†PENARTH ...	–	1	–	–	2	–
†PONTYPRIDD ...	–	1	–	–	–	–
PORTHCAWL ...	–	2	–	–	–	–
†PORT TALBOT ...	–	1	14	–	–	–
†RHONDDA ...	–	21	4	–	23	C. 1 M. 3
Rural Districts:—						
COWBRIDGE ...	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	1	–	1	–
NEATH	–	1	–	–	1	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	–	1	–	2	–
MERIONETH ...	–	–	–	–	–	C. 1
Rural Districts:—						
PENLLYN	–	–	–	–	–	C. 1
MONMOUTH ...	–	11	4	4	6	C. 2
†NEWPORT C.B. ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	–	–	–	–	C. 1
BEDWAS AND MACHEN	–	1	–	–	–	–
†BEDWELLTY ...	–	–	1	–	–	–
CAERLEON ...	–	–	–	–	1	–
CHEPSTOW ...	–	–	–	4	2	–
†EBBW VALE ...	–	4	–	–	–	C. 1
MONMOUTH ...	–	2	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MONMOUTH—*cont.*						
Rural Districts:—						
PONTYPOOL ...	–	–	–	–	1	–
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY ..	–	1	1	–	2	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN ...	–	–	–	–	1	–
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	1	–	–	–
PEMBROKE	–	–	–	–	2	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	2	–
Rural Districts—						
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	–
Urban District:—						
KNIGHTON ...	–	–	–	–	1	–
Rural Districts:—						
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	255	1511	740	38	1575	C. 60 D. 6 E. 4 F. 2 G. 50 L. 6 M. 102

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CHEPSTOW	–	–	–	1	–	–	PLYMOUTH	–	–	–	1	3	–
LIVERPOOL	–	–	1	–	2	–	PORT OF LONDON ...	–	–	–	–	–	G. 1
							Total of Part III.... ...	–	–	1	2	5	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	248	301	3	181	C. 9 D. 1 G. 4 M. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	255	1511	740	38	1575	C. 60 D. 6 E. 4 F. 2 G. 50 L. 6 M. 102
Total of Part III.—Port Sanitary Districts	–	–	1	2	5	G. 1
Total (*i.e.*, of returns received), England and Wales ...	255	1759	1042	43	1761	C. 69 D. 7 E. 4 F. 2 G. 55 L. 6 M. 114

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 10, 11, 12, 17, 22 and 23.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan 9.
LONDON :—													
DEATHS—all ages	939	1,001	918	940	900	1,121	1,280	1,523	1,661	1517	1,233	1,658	1,230
„ 0 to 1 year ..	87	120	116	132	106	139	159	175	162	146	128	134	125
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,539	6,816	7,297	7,051	6,548	6,608	6,080	6,513	6,697	6,314	4 245	7,477	8,018
DEATHS—all ages	3,966	4,173	3,928	3,885	3,961	5,112	5,481	6,057	6,631	6,080	5,099	6,636	5,376
„ 0 to 1 year ..	453	529	499	536	508	632	665	712	715	692	613	775	609
ENTERIC FEVER—Cases	29	30	51	31	34	25	23	23	20	27	10	17	20
„ Deaths	4	4	5	3	6	3	3	1	7	1	1	4	5
SMALL POX—Cases ..	19	19	33	18	9	11	30	10	26	42	51	46	44
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,311	1,411	1,413	1,366	1,242	1,331	1,194	1,015	1,024	1,003	811	1,082	923
„ Deaths	17	11	8	14	5	13	11	11	17	10	11	10	16
DIPHTHERIA—Cases ..	767	832	809	747	690	721	745	677	645	662	568	759	711
„ Deaths ..	28	38	31	31	28	29	54	59	38	30	36	53	53
MEASLES—Deaths ..	26	25	30	31	34	49	50	58	71	78	72	87	72
INFLUENZA—Deaths ..	47	41	54	59	44	61	73	100	116	132	85	123	114

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 9th January, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	54	36	49·6	41·0	15
BRIGHTON ..	50	37	48·1	42·4	19
PORTSMOUTH ..	52	39	50·2	43·6	17
NORWICH (EATON).	50	34	46·0	37·4	11
PLYMOUTH ..	52	35	50·7	43·0	17
BRISTOL (CLIFTON).	51	39	48·4	43·0	15
BIRMINGHAM (EDGBASTON).	51	35	46·9	40·4	13
NOTTINGHAM ..	51	36	47·4	39·4	11
BIRKENHEAD (BIDSTON).	50	38	46·9	42·9	18
MANCHESTER (WHITWORTH PARK).	51	33	47·1	40·6	21
BURNLEY	48	35	45·6	38·6	41
HUDDERSFIELD	50	37	46·1	38·9	25
BRADFORD ..	49	36	46·3	38·7	28
SHEFFIELD ..	51	38	46·1	40·3	22
YORK (MUSEUM)	50	36	45·4	39·1	13
HULL (PEARSON PARK).	53	36	47·4	38·3	19
TYNEMOUTH ..	50	36	45·7	40·0	19
CARDIFF.. ..	51	36	48·3	41·7	26
EDINBURGH ..	50·0	36·0	46·6	38·9	9
GLASGOW ..	49·9	37·8	47·0	39·1	24
DUBLIN (PHŒNIX PARK).	56·5	35·1	51·0	40·6	7
(FITZWILLIAM SQUARE†).	54·0	37·3	50·1	41·8	9
BELFAST.. ..	51·5	33·0	48·6	38·6	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 9th January, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	3	..	29·284	49·9	42·0	7·9	45·5	+ 7·2	43·5	2·0	7·3	0·0	92	54·7	35·0	44·3	W : WSW : SSW.	SSW : W.	5·3	0·0	0·5	498	+ 178	0·15
MONDAY	4	..	29·646	50·8	41·1	9·7	46·1	+ 7·8	38·9	7·2	11·0	2·8	76	64·9	32·5	44·3	W	W : WNW.	4·3	0·0	0·5	498	+ 178	0·00
TUESDAY	5	..	29·893	51·9	39·8	12·1	46·8	+ 8·6	45·6	1·2	5·8	0·4	95	61·3	31·1	44·4	WSW	WSW : SSW.	0·2	0·0	0·0	194	− 128	0·07
WEDNESDAY	6	In Equator	29·794	54·2	42·7	11·5	48·1	+10·0	43·7	4·4	11·0	0·4	83	62·8	33·5	44·6	SW	WSW : SW.	3·5	0·0	0·2	335	+ 12	0·07
THURSDAY	7	Last Quarter.	29·706	47·3	38·6	8·7	43·2	+ 5·2	37·6	5·6	9·8	1·8	81	60·0	32·1	44·5	SW : W.	W	5·9	0·0	0·5	504	+ 183	0·30
FRIDAY	8	..	30·041	45·9	36·1		41·8	+ 3·9	36·8	5 0	7·2	3·6	83	63·3	29·5	44·6	W : WSW : SW.	SW	1·9	0·0	0·1	309	− 9	0·00
SATURDAY	9	..	29·912	46·8	33·6	13·2	40·5	+ 2·6	35·8	4·7	9·6	0·6	83	79·3	23·2	44·6	SW	SSW : S	1·2	0·0	0·1	275	− 37	0·00
MEANS		..	29·754	49·5	39·1	10·4	44·6	+ 6·5	40·3	4·3	8·8	1·4	85	63·8	31·0	44·5	WSW		..	..	..	Sum 2,613	Sum + 377	Sum 0·59
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	3	wP till 9h.; variably wP and wN till 13½h., then wP.	0·0	7·9	Overcast till 15½h., then clearing to nearly cloudless by 16h. Rain 8¾h. till 13¾h. Brisk wind from 12h.
MONDAY ..	4	wP till 8h.; mP till 16h., sP till 23h., then mP.	1·8	7·9	Nearly overcast till 11h.; partially cloudy till 18h., then nearly cloudless generally. Brisk wind till 8h., and from 9½h. till 16h. Dew at night.
TUESDAY ..	5	mP	0·0	7·9	Overcast generally. Mist 9h. till 15h. Slight rain generally between 16½h. and 20½h., and from 22¼h.
WEDNESDAY	6	mP till 2h.; wP till 12h.; mP till 15h.; sP till 18h., then mP.	2·0	8·0	Overcast till 12h., then nearly cloudless generally. Slight rain between 9h. and 12h.
THURSDAY	7	wP till 8½h., variably sP and sN till 14h., then mP.	0·1	8 0	Variably cloudy. Brisk wind 8h. till 16h. Solar halo about 14h. Rain 8½h. till 10¾h.
FRIDAY ..	8	wP till 7h.; mP till 20h., then wP.	0·0	8·0	Cloudless till 7h., becoming overcast by 8h. Solar halo 10½h. Occasional damping between 19½h. and 21h.
SATURDAY	9	wP till 15h., then mP	2·5	8·0	Nearly overcast till 12h.; partially cloudy till 17½h., then cloudless. Solar halo 10¼h. Hoar frost at night.
			Sum 6·4	Sum 55·7	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·55 in. at the beginning of the week to 29·14 in. by 13h. on 3rd; increased to 29·91 in. by 17h. on 5th; decreased to 29·59 in. by 1h. on 7th; increased to 30·08 in. by 10h. on 8th; decreased and was 29·88 in. by midnight on the 9th.

ERRATUM:—In column 25 of this table for the week ended 26th December, 1925 (Rainfall), read—

December 20th	..	0·25 in.
„ 21st	..	0·13 in.
„ 22nd	..	0·70 in.
„ 23rd	..	0·04 in.
„ 24th	..	0·00 in.
„ 25th	..	0·08 in.
„ 26th	..	0·05 in.
	Sum	1·25 ins.

FOR OFFICIAL USE

1926. No. 2.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 16TH JANUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926

Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH JANUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the second week of the year numbered 6,594, and corresponded to an annual rate of 17·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,058 and corresponded to an annual rate of 13·6 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 13·7, 17·9 and 14·5. Infant mortality was 100 per 1,000 births against 145, 104 and 76 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,478 births corresponding to a rate of 16·8 per 1,000, and 1,200 deaths of civilians, corresponding to a rate of 13·7, as against 14·0, 18·9 and 14·0, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 15·2 per 1,000. The infant mortality was 93 as against 134, 78, and 70 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,376 to 5,058. In London the number of deaths from all causes declined from 1,230 to 1,200 ; the deaths from diphtheria which had been 10, 22, and 20 in the preceding three weeks, fell to 9 last week; the deaths from measles, which had been 37, 44, and 35 in the three preceding weeks, rose to 58 last week; and the deaths of infants under 2 years of age from diarrhœa and enteritis, which had been 21, 20, and 17 in the three preceding weeks, were 18 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 16th January, 1926.

Towns.	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,825*	6,594	5,058	660	-	94	14	59	31	51	81
London	4,576,605*	1,478	1,200	137	-	58	1	4	9	18	16
Towns in Outer Ring.											
Croydon C.B ..	196,000	53	46	3	-	1	-	-	-	-	3
Wimbledon ..	58,090	18	12	-	-	-	-	-	-	-	-
Ealing	68,370	26	22	2	-	-	-	-	-	-	-
Acton	62,980	7	14	2	-	1	-	-	-	-	-
Willesden ..	169,100	53	34	6	-	-	-	-	1	-	-
Hendon	57,530*	11	15	-	-	-	-	-	-	-	1
Hornsey	87,240	17	22	3	-	-	-	-	-	-	-
Wood Green ..	51,840	9	9	2	-	-	-	-	-	-	-
Tottenham ..	153,100	26	27	5	-	1	-	-	-	-	-
Edmonton ..	70,450	45	11	4	-	-	-	-	-	-	1
Enfield	62,970	19	17	2	-	-	-	-	-	-	-
West Ham C.B. ..	317,400	124	85	12	-	3	-	-	-	1	1
East Ham C.B. ..	146,900	36	23	8	-	-	-	-	-	1	-
Leyton	133,500	25	28	2	-	-	-		-	-	1
Walthamstow ..	131,100	35	28	2	-	1	-	-	-	-	-
Ilford	92,400	25	22	3	-	-	-	-	-	1	-
Gillingham	48,130*	22	5	2	-	-	-	-	-	-	-
Canterbury C.B ..	23,330*	8	3	-	-	1	-	-	-	-	-
Hastings C.B.	60,510	10	17	5	-	-	-	-	-	1	-
Eastbourne C.B. ..	54,830	9	11	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,500*	31	38	6	-	-	1	1	1	-	1
Portsmouth C.B. ..	232,000*	59	69	7	-	-	1	-	2	-	-
Bournemouth C.B. ..	84,450	29	28	2	-	-	-	-	1	-	-
Southampton C.B. ..	167,300	50	31	4	-	-	-	-	-	-	-
Reading C.B.	93,480*	34	28	5	-	-	-	-	-	1	-
Oxford C.B.	57,260	22	17	3	-	2	-	-	-	-	-
Northampton C.B. ..	93,560*	30	22	1	-	-	-	-	-	-	-
Luton	59,320	13	7	2	-	-	-	-	-	-	-
Cambridge	59,120	17	7	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	96,450	19	30	3	-	-	-	-	-	-	1
Ipswich C.B.	82,710	40	26	4	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,780	16	16	5	-	-	-	-	-	-	-
Norwich C.B. ..	123,900*	38	33	1	-	-	-	-	-	-	2
Swindon	56,570	15	11	-	-	-	-	-	1	-	-
Exeter C.B.	59,880*	17	20	2	-	-	-	-	1	-	-
Plymouth C.B. ..	192,900*	46	63	5	-	-	-	2	-	-	1
Bath C.B.	69,270	14	17	-	-	1	-	-	-	-	2
Bristol C.B.	386,200*	106	106	13	-	-	1	-	-	1	3
Gloucester C.B. ..	53,090	19	13	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,000	121	66	12	-	1	1	1	-	2	2
Burton-upon-Trent C.B.	49,660	27	9	3	-	-	-	-	-	-	-
Wolverhampton C.B.	108,200	40	21	4	-	-	-	-	-	-	-
Walsall C.B.	101,500	44	26	4	-	-	-	-	-	-	-
West Bromwich C.B	78,730	28	21	5	-	-	-	-	-	-	-
Dudley C.B.	58,600	17	10	-	-	-	-	-	-	-	-
Worcester C.B. ..	50,220	24	21	5	-	-	-	-	-	1	1
Birmingham C.B. ..	946,980	302	240	37	-	-	-	4	2	2	2
Smethwick C.B. ..	78,790	15	15	2	-	-	-	-	1	-	-
Coventry C.B. ..	129,100	30	39	7	-	1	-	-	-	-	-
Leicester C.B. ..	241,800	83	65	3	-	-	-	-	1	-	-
Lincoln C.B.	66,850*	15	13	3	-	-	-	-	-	-	-
Grimsby C.B.	86,810	34	29	5	-	-	1	-	-	-	1
Nottingham C.B. ..	270,300	69	73	9	-	-	1	5	-	-	-
Derby C.B.	133,700*	45	42	6	-	-	-	-	1	-	1
Chesterfield ..	64,770	33	11	2	-	-	-	-	-	-	-
Stockport C.B. ..	126,000	42	31	2	-	-	-	-	-	-	-
Chester C.B.	41,730	10	6	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	154,100	66	36	3	-	1	1	-	1	1	-
Wallasey C.B. ..	90,790	26	17	1	-	-	-	-	-	-	2
Liverpool C.B. ..	851,800	376	235	50	-	1	2	8	1	2	-
Bootle C.B.	83,130	39	20	1	-	-	-	2	-	-	-
St. Helens C.B. ..	108,700	44	21	2	-	-	-	-	-	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1924.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	73,650	19	26	3	-	-	-	-	-	-	-
WIGAN C.B.	91,180	40	27	5	-	-	-	1	-	-	-
WARRINGTON C.B. ..	78,120*	32	17	2	-	1	-	1	-	-	1
BOLTON C.B.	181,100	61	63	10	-	-	-	-	-	1	-
BURY C.B.	56,830*	11	16	1	-	-	-	-	1	-	-
MANCHESTER C.B. ..	755,000	324	211	29	-	7	-	2	1	5	2
SALFORD C.B.	243,700	75	57	7	-	1	-	-	-	-	1
OLDHAM C.B	147,300	46	58	5	-	-	1	-	-	1	1
ROCHDALE C.B... ..	92,750	32	26	3	-	-	-	-	-	-	2
BURNLEY C.B.	103,400	37	26	3	-	-	-	-	-	-	-
BLACKBURN C.B. ..	127,600	33	39	5	-	1	-	2	-	-	-
PRESTON C.B.	123,100	43	26	3	-	-	-	-	1	-	1
BLACKPOOL C.B. ..	77,410	15	28	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,490	18	19	4	-	-	-	-	1	-	1
HUDDERSFIELD C.B. ..	112,000	34	34	3	-	2	-	1	-	-	2
HALIFAX C.B.	98,750*	28	29	2	-	-	-	2	1	-	1
BRADFORD C.B. ..	290,200	80	93	10	-	-	-	-	1	1	-
LEEDS C.B.	471,600	176	122	22	-	-	-	7	1	3	2
DEWSBURY C.B ..	54,790	20	10	1	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,910	15	17	3	-	-	-	-	-	1	-
BARNSLEY C.B. ..	70,570	23	12	-	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	525,000	183	184	18	-	8	-	-	1	1	12
ROTHERHAM C.B. ..	70,340	27	17	1	-	-	-	-	-	-	1
DONCASTER	55,150	22	11	3	-	-	-	-	-	1	-
YORK C.B.	84,450*	32	19	3	-	-	-	1	-	-	-
HULL C.B.	296,800	123	73	14	-	-	-	-	-	-	1
MIDDLESBROUGH C.B.	136,300	65	36	7	-	-	-	6	-	-	-
DARLINGTON C.B. ..	88,690	22	24	3	-	-	-	-	-	-	1
STOCKTON-ON-TEES ..	67,620	31	20	3	-	-	-	1	-	1	2
WEST HARTLEPOOL C.B.	71,620	31	21	2	-	-	1	1	-	-	-
SUNDERLAND C.B. ..	165,100	79	42	2	-	-	-	1	-	1	-
SOUTH SHIELDS C.B. ..	126,600	58	29	2	-	-	-	-	-	-	-
GATESHEAD C.B. ..	128,700	58	34	4	-	1	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	285,900*	131	83	6	-	-	-	1	-	-	-
TYNEMOUTH C.B. ..	65,940	29	12	2	-	-	-	-	-	-	-
CARLISLE C.B.	54,910*	21	13	1	-	-	1	-	-	-	-
NEWPORT (MON.) C.B.	95,810	42	26	5	-	-	-	2	-	-	1
CARDIFF C.B.	226,200*	94	59	7	-	-	-	2	-	1	2
RHONDDA	167,900	74	38	8	-	-	1	1	-	-	3
MERTHYR TYDFIL C.B.	83,440	37	19	7	-	-	-	-	-	1	-
ABERDARE	58,000	13	12	1	-	-	-	-	-	-	-
SWANSEA C.B.	162,700	59	30	9	-	-	-	-	-	1	-
GREATER LONDON ..	7,665,833*	2,338	1,884	222	1	67	1	4	12	22	28
OUTER RING	3,089,328*	860	684	85	1	9	-	-	3	4	12
16 GREAT TOWNS IN OUTER RING	1,858,970*	529	415	56	-	7	-	-	1	3	7
REMAINDER OF OUTER RING	1,230,358*	331	269	29	1	2	-	-	2	1	5
EDINBURGH†	424,600	126	107	9	-	-	2	-	2	-	3
GLASGOW†	1,034,500	494	346	49	-	9	-	4	5	3	6
DUBLIN (REGISTRATION AREA)†	443,000	189	142	17	-	2	3	-	1	2	1
BELFAST†	443,000	218	159	14	-	17	-	-	1	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza
		1925–6.											
LONDON‡	4,576,505	Jan. 16	1478	1200	13·7	-	-	58	1	4	9	18	16
CALCUTTA AND SUBURBS	1,077,273	Dec. 12	?	693§	33·4	?	5	?	?	?	?	?	14
BOMBAY	1,259,414	" 19	428‖	525	21·7	1	2	1	-	-	-	32	2
MADRAS	526,911	" 19											
SYDNEY AND SUBURBS	1,012,070	Oct. 31 (31 days)	1970	802	9·5	3	-	3	2	8	5	6	2
BRISBANE (Metropolitan Area).	245,015	Nov. 30 (30 days)											
PERTH (Metropolitan Area).	176,467	Nov. 28	83	43	12·7	-	-	-	-	1	-	-	-
AUCKLAND (Urban Area).	180,790	Nov. 30 (30 days)											
WELLINGTON (Urban Area).	118,490	"											
CHRISTCHURCH (Urban Area).	118,270	"											
CAPE TOWN	111,381	Dec. 12	41	27	12·6	2	-	-	-	-	-	3	-
JOHANNESBURG	162,924	" 19	75	37	11·8	1	-	-	-	-	-	1	-
DURBAN	53,377	" 19	25	12	11·7	1	-	-	-	-	1	-	-
PARIS	2,906,472	" 31 (11 days)	1426	1529	17·5	1	-	14	2	1	8	25	10
ANTWERP	300,009	Nov. 21	94	72	12·5	-	-	-	-	-	-	2	-
		" 28	97	77	13·3	-	-	1	-	-	-	1	2
AMSTERDAM	717,328	Jan. 2	288	165	12·0	-	-	2	1	-	1	1	4
COPENHAGEN	587,400	" 2	226	180	16·0	-	-	2	-	1	-	-	-
STOCKHOLM	438,896	" 2											
GOTHENBURG	229,640	Dec. 5	?	26	5·9	-	-	-	-	-	-	-	-
		" 12	?	42	9·5	-	-	-	-	1	-	-	1
OSLO (CHRISTIANIA) ..	257,719												
BERLIN	2,044,000	Dec. 19	466	497	12·6	-	-	2	-	4	5	4	5
BRESLAU	575,000	" 19	171	167	15·1	-	?	2	-	-	-	1	3
COLOGNE	727,000	" 19	235	163	11·7	-	?	1	1	2	3	-	1
DRESDEN	618,000	" 19	151	159	13·4	-	?	-	-	3	-	1	5
FRANKFORT-ON-MAIN..	474,000	" 19	128	103	11·3	-	?	3	1	-	-	-	2
HAMBURG	1,115,000	" 19	290	215	10·0	-	?	-	-	-	-	1	1
LEIPZIG	660,000	" 19	162	180	14·2	-	?	2	-	1	-	-	1
MUNICH	685,000	" 19	174	175	13·3	-	?	-	-	3	-	-	-
VIENNA	1,868,900	June 30 (30 days)	2484	1821	11·7	5	-	3	5	6	1	23	1
PRAGUE AND SUBURBS	712,700	Aug. 31 (31 days)											
BUDAPEST	958,084	Dec. 19	278	334	18·1	1	-	-	8	-	1	2	2
WARSAW	992,450	" 19	280	327	17·1	2	-	6	2	4	2	13	10
		" 26	741	250	13·2	3	-	2	2	5	1	14	6
CAIRO	818,500	Oct. 21	796	434	27·6	4	-	4	-	?	14	58	-
		" 28	764	439	27·9	12	-	-	-	-	8	43	-
ALEXANDRIA	486,600	" 21	473	350	37·4	1	-	7	-	?	1	44	-
		" 28	438	377	40·3	4	-	17	-	?	1	30	-
NEW YORK	6,251,817	Dec. 5											
CHICAGO	2,995,239	" 18	1167	702	12·2	2	-	-	-	1	5	11	4
		" 25	922	590	10·3	1	-	1	3	-	5	12	3

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 20 deaths from Cholera and 2 from Plague.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th January, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1200	137	59	28	38	50	43	84	116	183	225	237
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	58	15	25	13	5	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	4	1	3	-	-	-	-	-	-	-	-	-
Diphtheria	9	1	2	2	4	-	-		-	-	-	-
Influenza	16	1	-	-	-	-	1	2	2	2	5	3
Erysipelas	3	-	-	-	-	-	-	-	-	1	1	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	1	1	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	82	-	-	-	1	20	18	20	13	8	2	-
Nervous system	6	1	1	-	3	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	5	-	1	-	-	2	-	-	1	-	-	1
Venereal diseases	4	1	-	-	-	-	-	-	3	-	-	-
Cancer	128	-	-	-	-	3	2	10	23	29	40	21
Rheumatic fever	4	-	-	-	3	1	-	-	-	-	-	-
Diabetes	12	-	-	-	-	-	1	-	2	4	5	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	-	2	-	-	1	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	54	-	-	-	-	-	-	-	5	11	16	22
Epilepsy	6	-	-	-	1	-	1	1	1	2	-	-
"Convulsions" (not puerperal) ..	5	5	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	1	-	1	2	3	5	5	5	3	2
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	6	-	-	1	-	2	1	2	-	-	-	-
Other diseases of heart	180	-	-	-	1	-	7	7	16	41	53	55
Other diseases of circulatory system	58	-	-	-	-	-	-	3	7	12	16	20
Bronchitis	101	3	2	1	-	-	-	2	7	13	32	41
Broncho-pneumonia	81	25	13	6	1	1	-	3	5	8	10	9
Lobar-pneumonia	38	3	5	2	-	4	-	7	6	8	1	2
Pneumonia (type not distinguished)	11	-	1	-	-	1	1	-	-	1	4	3
Other diseases of respiratory system	20	1	-	1	1	-	1	3	2	4	2	5
Diarrhœa and enteritis	22	17	1	-	1	-	-	-	-	2	1	-
Appendicitis, Typhlitis	12	-	-	-	2	4	-	-	1	4	1	-
Hernia, Intestinal obstruction	12	1	-	-	-	-	1	-	1	1	3	5
Cirrhosis of liver	4	-	-	-	-	-	-	-	2	1	1	-
Other diseases of digestive system ..	24	-	-	-	1	-	2	3	4	5	5	4
Acute nephritis	2	-	-	-	2	-	-	-	-	-	-	-
Chronic Bright's disease	23	-	-	-	1	-	-	3	1	8	7	3
Other diseases of genito-urinary system.	8	-	-	-	-	-	1	2	-	1	1	3
Puerperal sepsis	3	-	-	-	-	-	-	3	-	-	-	-
Other causes incident to childbirth ..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	11	11	-	-	-	-	-	-	-	-	-	-
Premature birth	25	25	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	8	8	-	-	-	-	-	-	-	-	-	-
Old age	32	-	-	-	-	-	-	-	-	-	6	26
Suicide	7	-	-	-	-	1	-	3	-	3	-	-
Burns and Scalds	5	-	-	1	-	1	-	-	-	-	1	2
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	5	5	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	-	6	1	-	-	2	2	2	2
Other deaths by violence	10	1	-	-	-	1	-	2	1	1	-	4
Other specified causes	45	11	2	-	4	4	2	2	5	5	7	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th January, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	229	275	2	116	C. 12 F. 1 G. 4 L. 2 M. 10
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	11	–	7	G. 1
†BERMONDSEY ...	–	9	17	1	–	C. 1 M. 1
†BETHNAL GREEN	–	7	9	–	1	M. 2
†CAMBERWELL ...	–	25	24	–	2	C. 2
†CHELSEA	–	–	1	–	3	–
†DEPTFORD ...	–	4	20	–	2	M. 1
†FINSBURY ...	–	7	1	–	4	–
†FULHAM	–	6	4	–	3	–
†GREENWICH ...	–	2	7	–	2	M. 1
†HACKNEY ...	–	8	14	–	–	C. 1
†HAMMERSMITH ...	–	4	2	–	6	–
†HAMPSTEAD ...	–	2	6	–	2	–
†HOLBORN... ...	–	–	2	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	21	15	–	4	C. 1 M. 2
†KENSINGTON ...	–	10	7	–	1	M. 1
†LAMBETH ...	–	18	14	–	2	C. 2 L. 1
†LEWISHAM ...	–	6	5	–	5	G. 1
†PADDINGTON ...	–	5	10	–	10	F. 1
†POPLAR	–	6	10	–	16	C. 1
†ST. MARYLEBONE	–	4	3	–	6	–
†ST. PANCRAS ...	–	13	13	–	4	C. 1
†SHOREDITCH ...	–	3	9	–	7	C. 1 M. 2
†SOUTHWARK ...	–	26	29	–	6	C. 1
†STEPNEY	–	15	14	1	6	–
†STOKE NEWINGTON	–	1	2	–	2	C. 1
†WANDSWORTH ...	–	8	11	–	8	G. 2 L. 1
†WESTMINSTER, CITY OF	–	1	6	–	–	–
†WOOLWICH ...	–	12	8	–	7	–

† Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	11	4	–	–	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	–	–	–	–
KEMPSTON ...	–	–	2	–	–	–
†LUTON	–	3	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	1	–	–	–
BEDFORD ...	–	6	–	–	–	–
BERKS	–	12	1	–	2	M. 1
†READING C.B. ...	–	5	1	–	1	M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	1	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	2	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	4	4	–	3	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	1	–	–	–	–
MARLOW	–	1	–	–	–	–
†SLOUGH	–	–	–	–	2	–
Rural Districts:—						
AYLESBURY ...	–	–	4	–	–	–
LONG CRENDON...	–	2	–	–	–	–
WING	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE ...	–	10	–	–	2	C. 1 G. 1
Borough:—						
†CAMBRIDGE ...	–	4	–	–	–	C. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	4	–	–	1	–
NEWMARKET ...	–	2	–	–	–	G. 1
CHESTER	–	59	26	1	25	C. 1* G. 1 M. 2
†BIRKENHEAD C.B.	–	3	4	–	7	–
†CHESTER C.B. ...	–	3	–	–	4	–
†STOCKPORT C.B.	–	7	4	–	2	–
†WALLASEY C.B. ...	–	7	2	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
ASHTON UPON MERSEY	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	C. 1
†CHEADLE AND GATLEY	–	–	1	–	1	–
†CONGLETON ...	–	1	–	–	–	–
†DUKINFIELD ...	–	–	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	1	2	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	–	–	1	–
†HYDE	–	–	1	–	2	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	2	–		–
MARPLE	–	1	–		–	–
MOTTRAM IN LONGDENDALE	–	2	–	–	–	–
†NORTHWICH ...	–	2		1	–	G. 1 M. 1
†RUNCORN ...	–	–	2		–	–
†SALE		3	–	–	–	–
SANDBACH ...	–	2	–	–	–	–
†STALYBRIDGE ...	–	–	1	–	1	M. 1
YEARDSLEY CUM WHALEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	-	5	1	-	1	-
CHESTER	-	4	-	-	1	-
CONGLETON ...	-	1	-	-	-	-
MACCLESFIELD ...		2	1	-	-	-
NANTWICH ...	-	2		-	-	-
NORTHWICH ...	-	1	-	-	-	-
RUNCORN... ...	-	3	1	-	-	-
TINTWISTLE ...	-	1	-	-	-	-
WIRRAL	-	2	3	-	2	-
CORNWALL ...	-	3	2	-	2	M. 2
Boroughs and Urban Districts:—						
REDRUTH ...	-	-	-	-	1	-
ST. AUSTELL ...	-	-	-	-	-	M. 1
SALTASH... ...	-	1	-	-	-	-
Rural Districts:—						
LISKEARD ...	*	*	*	*	*	*
REDRUTH ...	-	-	1	-	1	-
ST. AUSTELL ...	-	1	-	-	-	M. 1
ST. GERMANS ...	-	1	1	-	-	-
CUMBERLAND ...	-	34	12	-	3	C. 1
†CARLISLE C.B. ...	-	8	3	-	2	-
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	-	2	1	-	-	-
ASPATRIA ...	-	-	1	-	1	-
EGREMONT ...	*	*	*	*	*	*
HARRINGTON ...	-	2	-	-	-	-
†MARYPORT ...	-	7	3	-	-	-
MILLOM	-	1	-	-	-	-
PENRITH	-	4	-	-	-	-
†WHITEHAVEN ...	-	1	-	-	-	-
†WORKINGTON ...	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE ...	-	2	-	-	-	-
COCKERMOUTH ...	-	2	3	-	-	C. 1
LONGTOWN ...	-	2		-	-	-
PENRITH	-	1	-	-	-	-
WIGTON	-	-	1	-	-	-
DERBY	60	58	17	-	40	C. 2 M. 5
†DERBY C.B. ...	57	5	5	-	13	M. 4
Boroughs and Urban Districts:—						
†ALFRETON ...	-	-	-	-	2	C. 1
ALVASTON AND BOULTON	-	1	-	-	1	-
BASLOW AND BUBNELL	-	-	1	-	-	-
†BOLSOVER ...	1	1	1	-	1	
†CHESTERFIELD ...	-	12	2	-	1	C. 1
†GLOSSOP	-	1	-	-	1	-
HEAGE	-	-	-	-	1	-
†HEANOR	-	2	-	-	1	-
†LONG EATON ...	-	1	2	-	1	-
NEW MILLS ...	-	1	-	-	-	-
†RIPLEY	-	-	-	-	4	-
†SWADLINCOTE DISTRICT	-	2	-	-	-	-
Rural Districts:—						
ASHBOURNE ...	-	1	-	-	3	-
BAKEWELL ...	-	3	-	-	-	-
BELPER	-	2	-	-	3	-
BLACKWELL ...	2	12	1	-	-	-
CHAPEL EN LE FRITH		1	1	-	-	-
CHESTERFIELD ...	-	8	3	-	6	M. 1
CLOWNE	-	2	-	-	-	-
HARTSHORN AND SEALS	*	*	*	*	*	*
NORTON	-	-	-	-	1	-
REPTON	-	1	1	-	-	-
SHARDLOW ...	-	2	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON	-	27	8	-	7	G. 3
†EXETER C.B. ...	-	-	1	-	1	G. 1
†PLYMOUTH C.B....	-	13	5	-	2	G. 1
Boroughs and Urban Districts:—						
BRIXHAM... ...	-	-	1	-	-	-
†EXMOUTH ...	-	-		-	1	-
†PAIGNTON ...	-	2	-	-	-	-
†TEIGNMOUTH ...	-	2			-	
TIVERTON ...	*	*	*	*	*	*
†TORQUAY ...	-	-	1	-	-	-
Rural Districts:—						
HONITON ...	-	1	-	-	1	-
PLYMPTON ST. MARY	-	8	-	-	1	-
ST. THOMAS ...	-		-	-	1	-
TIVERTON ...	-	1	-	-	-	-
TORRINGTON ...	-	-	-		-	G. 1
DORSET	-	1	5	-	2	C. 1 G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...		-	2	-	-	-
LYME REGIS ...	*	*	*	*	*	*
†POOLE	-	-	1	-	1	-
†PORTLAND ..	-	-	-	-	1	-
Rural Districts:—						
BLANDFORD ...	-	1	-	-	-	G. 1
WAREHAM AND PURBECK	-	-	2	-	-	C. 1
DURHAM	143	78	22	-	54	C. 3 D. 1 M. 1
†DARLINGTON C.B.	-	-	1	-	4	-
†GATESHEAD C.B.	12	11	-	-	6	-
†SOUTH SHIELDS C.B.	4	6	-	-	11	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	1	4	3	-	6	C. 1
†WEST HARTLEPOOL C.B.	-	5	1	-	5	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	-	2	-	-	-
BARNARD CASTLE	-	1	-	-	-	
BENFIELDSIDE ...	-	-	3	-	2	-
BILLINGHAM ...	-	4	-	-	-	-
†BISHOP AUCKLAND	-	1	-	-	-	-
†BLAYDON... ...	21	6	-	-	1	-
†BRANDON AND BYSHOTTLES	-	1		-	-	-
†CHESTER LE STREET	12	-	-	-	1	D. 1
†CONSETT	1	1	-	-	-	-
†CROOK	1	-	-	-	-	C. 1
†DURHAM	-	3	-	-	2	-
†FELLING	-	2	-	-	1	-
†HARTLEPOOL ...	-	1	-	-	-	-
†HEBBURN ...	1	1	1	-	-	-
†HETTON	1	2	-	-	-	-
†HOUGHTON LE SPRING	-	2	-	-	-	-
†JARROW	-	1	-	-	7	-
†RYTON	2	2	-	-	-	-
†SEAHAM HARBOUR	*	*	*	*	*	*
†SHILDON	-	2	-	-	-	-
†SPENNYMOOR ...	-	1	-	-	-	-
†STANLEY	-	3	-	-	-	-
†STOCKTON ON TEES	-	3	1	-	-	C. 1 M. 1
†TANFIELD ...	3	1	-	-	-	-
†WASHINGTON ...	-	1	-	-	1	-
†WHICKHAM ...	6	5	-	-	-	-
Rural Districts:—						
AUCKLAND ...	16	2	2	-	-	-
BARNARD CASTLE	-	-	1	-	-	-
CHESTER LE STREET	14	2	3		1	-
DURHAM	*	*	*	*	*	*
EASINGTON ...	23	2	3		2	-
HOUGHTON LE SPRING	6	1	-	-	3	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
LANCHESTER ...	12	1	1	–	–	–
SUNDERLAND ...	7	–	–	–	–	–
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
†WISBECH	–	–	1	–	–	–
Rural Districts:—						
ELY	–	4	–	–	–	–
ESSEX	–	66	58	1	27	C. 1 G. 1
†EAST HAM C.B. ...	–	6	11	1	3	–
†SOUTHEND-ON-SEA C.B.	–	4	1	–	5	C. 1
†WEST HAM C.B. ...	–	16	15	–	7	–
Boroughs and Urban Districts:—						
BRIGHTLINGSEA	–	–	–	–	1	–
†CHELMSFORD ...	–	–	–	–	2	–
†COLCHESTER ...	–	1	–	–	–	–
†GRAYS THURROCK	–	1	3	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HARWICH ...	–	–	–	–	1	–
†ILFORD	–	7	3	–	–	–
†LEYTON	–	7	5	–	–	–
†ROMFORD ...	–	1	–	–	–	–
TILBURY	–	–	2	–	–	–
WALTHAM HOLY CROSS	–	–	1	–		–
†WALTHAMSTOW ...	–	5	9	–	3	G. 1
†WANSTEAD ..	–	–	–	–	1	
WIVENHOE ...	–	1	–	–	–	–
†WOODFORD ...	–	–	2	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BELCHAMP ...	–	2	–	–	–	–
BILLERICAY ...	–	2	1	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	2	–	–	–	–
ONGAR	–	1	–	–	–	–
ORSETT	–	2	1	–	–	–
ROCHFORD ...	–	1	2	–	–	–
ROMFORD... ...	–	3	2	–	3	–
GLOUCESTER ..	–	41	23	–	17	C. 1 L. 1
†BRISTOL C.B. ...	–	24	14	–	12	C. 1 L. 1
†GLOUCESTER C.B.	–	–	3	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	2	–	–	–
CIRENCESTER ...	–	–	1	–	–	–
†KINGSWOOD ...	–	5	–	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
DURSLEY	–	3	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	3	–	–	–	–
GLOUCESTER ...	–	1	–	–	–	–
LYDNEY	–	–	–	–	1	–
STROUD	–	1	1	–	–	–
TETBURY (part)	–	–	1	–	–	–
THORNBURY ...		1	–	–	1	–
WARMLEY ...	–	1	1	–	–	–
WEST DEAN ...	*	*	*	*	*	*
HEREFORD ...		–	2	–	7	–
Boroughs and Urban Districts:—						
ROSS	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
HEREFORD ...	–	–	2	–	1	–
LEDBURY... ...	–	–	–	–	3	–
WEOBLEY... ...	–	–	–	–	1	–
WIGMORE ...	–	–	–	–	1	–
HERTFORD ...	–	15	4	–	6	D. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	D. 1
BUSHEY	–	–	1	–	–	–
†CHESHUNT ...	–	–	1	–	1	–
†HITCHIN	–	2	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	–	–	–	2	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	5	1	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
BERKHAMPSTEAD	–	1	–	–	–	
HERTFORD ...	–	2	–	–	–	–
HITCHIN	–	–	–	–	2	–
WATFORD ...	–	2	1	–	–	–
HUNTINGDON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	3	–			
KENT	–	36	29	2	20	L. 1 M. 2
†CANTERBURY C.B.	–	6	–		2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	3	–	–	2	–
†CHATHAM ...	–		1	–	–	–
†CRAYFORD ...	–	2	–	–	1	–
†DARTFORD ...	–	1	2	–	2	L. 1
†DOVER	–	1	–	–	–	M. 1
†ERITH	–	–	1	–	2	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	1	–	–	M. 1
†GILLINGHAM ...	–	–	2	1	–	–
†GRAVESEND ...	–	–	7	–	–	–
†MAIDSTONE ...	–	4	–	–	–	–
MILTON REGIS ...	–	1	–	–	1	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	1	1	–	3	–
†ROCHESTER ...	–	3	2	–	4	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	1	–
SANDGATE ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
WALMER	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	–	–	1	–	–
DARTFORD ...	–	–	2	–	–	–
DOVER	–	1	–	–	–	–
MALLING... ...	–	–	6	–	–	–
SHEPPEY	–		–	–	2	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	3	–	–	1	–
LANCASTER ...		217	114	2	242	C. 10 E. 1 G. 15 M. 35
†BARROW IN FURNESS C.B.	–	11	1		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKBURN C.B	–	4	–	1	6	–
†BLACKPOOL C.B.		–	1	–	2	M. 2
†BOLTON C.B. ...	–	2	1	–	2	–
†BOOTLE C.B. ...	–		1	–	3	M. 1
†BURNLEY C.B. ..	–	3	1	–	4	G. 1
						M. 2
†BURY C.B. ...	–	2	2	–	4	
†LIVERPOOL C.B. ..	–	56	43	–	58	C. 2
						G. 4
						M. 11
†MANCHESTER C.B	–	34	18	–	39	C. 6
						G. 2
						M. 15
†OLDHAM C.B. ..	–	12	4	–	3	C. 1
†PRESTON C.B. ...	–	4	4	–	–	–
†ROCHDALE C.B. ...	–	5	2	–	3	–
†ST. HELENS C.B....	–	2	1	–	4	M. 3
†SALFORD C.B. ...	–	8	9	–	6	M. 1
†SOUTHPORT C.B.	–	3	–	–	1	–
†WARRINGTON C.B	–	3	2	–	9	–
†WIGAN C.B. ..	–	–	–	–	10	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	3	–
†ACCRINGTON ...	–	–	–	–	4	–
†ASHTON IN MAKERFIELD	–	3	1	–	1	–
†ASHTON UNDER LYNE	–	–	–	–	3	–
ASPULL	–	1	–	–	1	–
†ATHERTON ..	–	–	–	–	4	–
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	2	–	–	2	
BARROWFORD ...	–	1	–	–	–	–
BLACKROD ...	–	1	1	–	–	
†CHADDERTON ...	–	–	–	–	2	G. 1
†CHORLEY	–	1	–	–	1	
CHURCH	–	–	–	–	3	–
CLAYTON LE MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	–	2	–	1	–
†COLNE	–	–	1	–	5	–
†DARWEN	–	1	–		1	G. 1
†DENTON	–	–	1	–	1	
†DROYLSDEN ...	–	–	–	–	2	–
†ECCLES	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ..	–	3	–	–	–	–
†FARNWORTH ...		2	–	–	–	–
†FLEETWOOD ..	–	–	–	–	1	–
FULWOOD ...	–	1	–	–		–
GOLBORNE ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	–	–	–	2	–
†GREAT HARWOOD	–	–	1	–	–	–
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	1	–
†HINDLEY... ...	–	2	–	1	–	–
†HORWICH ...	–	1	–	–	5	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	2	–
IRLAM	–	1	–	–	–	–
KEARSLEY ...	–	1	–	–	1	–
†LANCASTER ...	–	–	1	–	1	–
LEES	–	1	–	–	–	–
†LEIGH	–	1	4	–	–	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	–	1	–	–	C. 1
†MIDDLETON ...	–	2	–	–	–	G. 1
†MORECAMBE ...	–	1	–	–	–	–
†NELSON	–	–	–	–	1	–
†NEWTON IN MAKERFIELD	–	1	1	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	4	–	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	3	–	–	–
†RAMSBOTTOM ...	–	2			1	–
†RAWTENSTALL ...	–	3	1	–	–	–
†ROYTON	–	1	–	–	–	G. 1
SKELMERSDALE...	*	*	*	*	*	*
†STRETFORD ...	–	3	–		4	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	G. 1
TOTTINGTON ...	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
URMSTON... ..	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATERLOO WITH SEAFORTH	–	1	1	–	3	G. 1
†WESTHOUGHTON	–	1	–	–	1	–
WHITWORTH ...	–	2	1	–	–	–
†WIDNES	–	–	1	–	13	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURY	–	3	–	–	–	–
FYLDE	–	1	–	–	–	–
LEIGH	–	–	–	–	2	–
LIMEHURST ...	–	–	1	–	–	–
PRESTON	–	–	2	–	–	–
SEFTON	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	E. 1 G. 2
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	2	–	–	1	–
WIGAN	–	–	–	–	2	–
LEICESTER... ...	–	31	5	–	9	M. 2
†LEICESTER C.B. ...	–	21	4	–	3	M. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	2	–	–	1	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
QUORNDON ...	–	–	–	–	1	
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
BARROW UPON SOAR	–	2	–	–	–	–
BLABY	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
CASTLE DONINGTON	–	1	–	–	–	–
MARKET BOSWORTH	–	–	1	–	3	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	–	1	–	1	–
Rural Districts:—						
BOSTON	–	–	1	–	1	–
LINCOLN (parts of Kesteven).	–	–	–	–	1	–
Rural Districts:—						
CLAYPOLE ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	16	6	1	5	M. 1
†GRIMSBY C.B. ...	–	2	1	1	–	–
†LINCOLN C.B. ...	–	10	1	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–		M. 1
†GAINSBOROUGH ...	–	2	1	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
HORNCASTLE ...	–	–	1	–	–	
SPILSBY	–	–	–	–	1	–
MIDDLESEX ...	–	53	36	1	37	G. 9 M. 6
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	–
†BRENTFORD ...	–	–	–		2	–
†CHISWICK ...	–	1	–	–	1	–
†EALING	–	–	1	–	–	M. 1
†EDMONTON ...	–	4	8	–	5	–
†ENFIELD	–	–	3	–	–	–
†FINCHLEY ...	–	2	–	–	1	G. 1
†FRIERN BARNET	–	1	1	–	5	–
GREENFORD ...	–	–	–	–	1	
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	–	–	–	1	–
†HARROW ON THE HILL	–	1	1	–	–	–
†HENDON	–	4	3	–	1	G. 1
†HESTON AND ISLEWORTH	–	2	–	–	5	G. 7 M. 1
†HORNSEY... ...	–	2	1	–	2	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	3	–	1	–	–
STAINES	–	1	–	–	–	–
†TOTTENHAM ...		12	2	–	5	–
†TWICKENHAM ...	–	3	1	–	–	M. 1
†UXBRIDGE ...	–	–	1		1	–
†WEALDSTONE ...	–	3	–	–	–	–
†WEMBLEY ...	–	–	1	–	2	–
†WILLESDEN ...	–	3	8	–	4	M. 3
†WOOD GREEN ...	–	2	1	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
SOUTH MIMMS ...	–	1	–	–	–	–
STAINES	–	2	3	–	–	–
UXBRIDGE ...	–	1	–	–	1	–
NORFOLK	–	10	2	–	7	C. 1 G. 1 M. 1
†GREAT YARMOUTH C.B.	–	6	1	–	–	–
†NORWICH C.B. ...	–	3	–	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	2	–
Rural Districts:—						
BLOFIELD ...	–	–	–	–	–	G. 1
DOWNHAM ...	–	–	1	–	–	–
ST. FAITH'S ...	*	*	*	*	*	*
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	5	2	1	7	G. 2 M. 2
†NORTHAMPTON C.B.	–	1	–	–	3	M. 2
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	1	G. 1
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	3	–	1	–	–
Rural Districts:—						
BRACKLEY ...	–	–	1	–	1	–
KETTERING ...	–	–	1	–	–	G 1
NORTHAMPTON ...	–	–	–	–	1	–
NORTHUMBERLAND	21	36	5	1	42	G. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	1	14	2	1	15	M. 1
†TYNEMOUTH C.B.	–	–	–	–	1	G. 1
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	10	–	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	2	4	–	–	5	–
†BLYTH	–	2	–	–	4	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	3	–	–	1	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	1	1	1	–	–	–
†LONGBENTON ...	–	–	–	–	3	–
†NEWBURN ...	–	1	1	–	–	–
PRUDHOE... ...	–	–	–	–	1	–
ROTHBURY ...	–	1	–	–		–
†WALLSEND ...	–	1	1	–	6	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
GLENDALE ...	–	1	–	–		–
HEXHAM	1	2	–		2	–
MORPETH... ...	6	2	–	–	–	–
NORHAM AND ISLANDSHIRES	–	2	–	–	1	–
NOTTINGHAM ...	16	24	22	2	19	D. 1 G. 2 M. 7
†NOTTINGHAM C.B.	–	7	15	2	7	M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	1	–	–	–
†CARLTON	–	1	–	–	–	M. 3
†EAST RETFORD ...	–	–	–	–	4	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	1	–	–	–	–	–
HUTHWAITE ...	1	2	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	3	2	1	–	2	G. 2 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD WOODHOUSE	–	1	1	–	–	–
†SUTTON IN ASHFIELD	11	2	–	–	–	–
†WORKSOP... ...	–	–	–	–	1	D. 1
Rural Districts:—						
BASFORD	–	5	3	–	–	M. 1
EAST RETFORD ...	–	–	–	–	3	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	12	1	–	2	C. 1
†OXFORD C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	1	–
BICESTER... ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	7	–	–	–	–
GORING	–	1	–	–	1	–
HEADINGTON ...	–	1	–	–	–	–
HENLEY	–	1	–	–	–	C. 1
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	–	–	4	D. 1 G. 2
Boroughs and Urban Districts:—						
DAWLEY	–	.	–	–	2	–
MARKET DRAYTON	–	–	–	–	–	G. 1
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–			–
†SHREWSBURY .	–	2	–	–	–	–
WELLINGTON ...	–	–	–		1	–
WHITCHURCH ...	–	–	–	–	–	D. 1
Rural Districts:—						
ATCHAM	–	1	–	–	–	.
ELLESMERE ...	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL	–	2	–	–	–	
WELLINGTON ...	–	–	–	–	–	G. 1
SOMERSET		17	4	–	11	D. 1 G. 1
†BATH C.B. ..	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	1	–	–	–
CREWKERNE ...	–	–	–	–	1	–
STREET	*	*	*	*	*	*
†TAUNTON ...	–	–	–	–	3	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	D. 1
BATH		3	–	–		–
BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	–		1	–
DULVERTON ...	–	–	.	–	1	.
FROME	–	2	–	–	–	G. 1
KEYNSHAM ...	–	–	2	–	–	–
LONG ASHTON ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
SHEPTON MALLET		1	–	–	–	–
TAUNTON... ...	–	–	–	–	1	–
WINCANTON ...	–	–	1	–	2	–
SOUTHAMPTON ..	–	46	26	1	12	C. 1 G. 2 M. 2
†BOURNEMOUTH C.B.	–	4	1	–	–	C. 1 G. 1
†PORTSMOUTH C.B.	–	14	15	1	2	G. 1 M. 1
†SOUTHAMPTON C.B.	–	7	5	–	2	–
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	5	–		–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	4	–
†FAREHAM ...	–	–	2	–		–
†GOSPORT	–	1	–	–	2	–
PETERSFIELD ...	–	1	–	–	–	–
ROMSEY	–	1	–	–	–	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	1	1	–	–	–
Rural Districts:—						
ALTON	–	3	–	–	–	–
BASINGSTOKE ...	–	2	–			–
CHRISTCHURCH ...	–	–	2	–	–	–
DROXFORD ...	–	–	–	–	1	–
HURSLEY... ...	–	–	–	–	–	M. 1
LYMINGTON ...	–	1	–	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
SOUTH STONEHAM	–	2	–	–	–	–
WINCHESTER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	2	66	41	–	90	C. 4 D. 1 G. 1 M. 10
†BURTON UPON TRENT C.B.	–	4	–	–	2	M. 1
†SMETHWICK C.B.	–	1	2	–	4	C. 1
†STOKE ON TRENT C.B.	2	10	7	–	53	G. 1 M. 7
†WALSALL C.B. ...	–	6	8	–	7	–
†WEST BROMWICH C.B.	–	1	–	–	1	–
†WOLVERHAMPTON C.B.	–	8	–	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	3	–	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	1	–	–	9	M. 1
†BRIERLEY HILL...	–	–	2	–	–	–
†BROWNHILLS ...	–	–	1	–	–	–
†CANNOCK	–	1	–	–	–	–
†DARLASTON ...	–	–	–	–	2	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	3	–	–	–	–
KIDSGROVE ...	–	–	1	–	–	–
†LEEK	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	–	C. 1
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	5	3	–	–	–
†SEDGLEY	–	–	–	–	1	–
SHORT HEATH ...	–	1	–	–	1	–
†STAFFORD ...	–	1	–	–	–	–
TAMWORTH ...	–	–	4	–	–	–
TETTENHALL ...	–	1	1	–	–	–
†TIPTON	–	2	–	–	–	–
†WEDNESBURY ...	–	–	1	–	1	–
WEDNESFIELD ...	–	–	2	–	–	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	2	1	–	–	–
Rural Districts:—						
CANNOCK	–	–	–	–	–	D. 1
CHEADLE... ...	–	2	2	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
KINGSWINFORD...	–	–	1	–	–	–
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	5	–	–	–	–
MAYFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	–	–	3	–
SEISDON	–	2	1	–	–	–
STAFFORD ...	–	–	–	–	1	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	2	–	–	–
WALSALL... ...	–	–	1	–	–	–
SUFFOLK, EAST ...	–	13	–	–	4	M. 1
†IPSWICH C.B. ...	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
HALESWORTH ...	–	1	–	–	–	–
†LOWESTOFT ...	–	3	–	–	–	–
SOUTHWOLD ...	*	*	*	*	*	*
STOWMARKET ...	–	3	–	–	–	–
Rural Districts:—						
EAST STOW ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
SAMFORD... ...	–	–	–	–	2	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	2	–	–	1	C. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	..	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST—*cont.*						
Rural Districts:—						
CLARE	–	–	–	–	–	C. 1
SURREY	–	39	20	–	17	C. 1 G. 4 M. 1
†CROYDON C.B. ...	–	4	5	–	–	G. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	1	–	–	2	M. 1
†CATERHAM ...	–	1	–	–	–	–
DORKING	–	–	–	–	–	C. 1
EAST AND WEST MOLESEY	*	*	*	*	*	*
†EGHAM	–	–	1	–	1	–
†EPSOM	–	–	–		4	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	1	1		2	–
†MERTON AND MORDEN	–	–	–	–	1	–
†MITCHAM... ...	–	5	5	–	–	–
†REIGATE	–	4	–	–	–	G. 1
†RICHMOND ...	–	2	–	–		–
†SURBITON ...		1	1	–	3	
†SUTTON	–	2	1	–		–
†THE MALDENS AND COOMBE	–	–	1	–		–
†WIMBLEDON ...	–	4	1		–	–
†WOKING	–	1	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	1	–
EPSOM	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts—*cont.*						
FARNHAM ...	–	6	1	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	G. 2
REIGATE	–	2	–	–	2	–
SUSSEX, EAST ...	–	13	6	–	7	M. 1
†BRIGHTON C.B. ...	–	2	5	–	1	M. 1
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	–	3	–	–	–	–
HAYWARDS HEATH	–	–	1	–	–	–
†HOVE	–	2	–	–	4	–
†LEWES	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	7	1	–	1	–
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
†WORTHING ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	1	–
WARWICK... ...	–	44	47	–	95	C. 8 F. 1 G. 1 M. 8
†BIRMINGHAM C.B.	–	28	37	–	81	C. 8 F. 1 G. 1 M. 6
†COVENTRY C.B. ...	–	4	2	–	4	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	3	–	–	3	M. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	2	–	–	–
BRAILES	–	–	–	–	1	–
FOLESHILL ...	–	–	1	–	–	–
MERIDEN... ...	–	–	–	–	1	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	2	–	–	–	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	2	5	–	–	–
WESTMORLAND ..	–	16	–	–	–	E. 1
Boroughs and Urban Districts:—						
†KENDAL	–	6	–	–	–	–
WINDERMERE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WESTMORLAND— *cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	7	–	–	–	–
SOUTH WESTMORLAND	–	–	–	–	–	E. 1
WEST WARD ...	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	13	–	–	–	
Boroughs and Urban Districts:—						
†COWES	–	7	–	–	–	–
†NEWPORT... ...	–	3	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
VENTNOR... ...	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT ..	–	2	–	–	–	–
WILTS	–	8	4	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
MELKSHAM ...	*	*	*	*	*	*
†SWINDON... ...	–	4	3	–	2	M. 1
†TROWBRIDGE ...	–	1	–	–	–	–
WESTBURY ...	–	1	–	–	–	–
WILTON	–	–	–	–	1	–
Rural Districts:—						
DEVIZES	–	–	1	–	–	–
HIGHWORTH ...	–	1	–	–	2	–
MELKSHAM ...	*	*	*	*	*	*
SALISBURY ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER ...	–	12	13	–	20	G. 2
†DUDLEY C.B. ...	–	3	1	–	–	–
†WORCESTER C.B.	–	–	1	–	11	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	1	–	3	–
†KIDDERMINSTER	–	–	–	–	–	G. 1
†LYE AND WOLLESCOTE	–	–	4	–	–	–
†MALVERN ...	–	2	–	–	1	–
†OLDBURY... ...	–	–	2	–	–	
†REDDITCH ...	–	2	–	–	1	G. 1
†STOURBRIDGE ...	–	–	1	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
DROITWICH ...	–	1	–	–	–	–
MARTLEY... ...	–	1	2		2	–
TENBURY... ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	9	17	9	–	7	C. 1 M. 3
†KINGSTON UPON HULL C.B.	9	7	8	–	4	C. 1 M. 3
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
FILEY	–	–	1	–	–	–
GREAT DRIFFIELD	–	3	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	2	–	–	2	–
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	*	*	*	*	*	*
POCKLINGTON ...	–	2	–	–	–	–
RICCALL	–	–	–	–	1	–
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	22	2	1	22	C. 1
†MIDDLESBROUGH C.B.	–	8	2	1	15	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
†REDCAR	–	1	–	–	–	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
FLAXTON ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1		–	4	–
RICHMOND ...	–	–	–	–	1	–
STOKESLEY ...	–	–	–	–	1	C. 1
THIRSK	–	2	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	90	147	66	3	255	C. 4 E. 1 G. 10 M. 5
†BARNSLEY C.B. ...	–	5	4	1	1	E. 1
†BRADFORD C.B. ...	–	7	2	–	15	C. 1 G. 1
†HALIFAX C.B. ...	–	4	2	–	3	G. 1
†HUDDERSFIELD C.B.	–	13	5	–	1	–
†LEEDS C.B. ...	–	17	13	–	22	M. 1
†ROTHERHAM C.B.	3	3		–	18	G. 1
†SHEFFIELD C.B....	6	14	19	–	124	C. 1 G. 3 M. 3
†WAKEFIELD C.B.	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	M. 1
ALTOFTS	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	4	1	–	–	G. 1
†BINGLEY	–	–	–	–	2	–
†BOLTON UPON DEARNE	–	2	1	–	–	–
CLAYTON WEST ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONISBROUGH ...	–	3	2		2	
DARFIELD ...		1	–	–	–	–
†DARTON	–	–	–	–	1	G. 1
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	3	1		8	–
DRIGHLINGTON ...	–	–	–	–	1	–
FARSLEY	–	1		–	–	–
GARFORTH ...	*	*	*	*	*	*
†GOLCAR	–	–	–	1	–	–
†GOOLE	–	–	1	–	1	–
GREASBROUGH ...	2	1	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	5	1	–	1	–
HEBDEN BRIDGE	–	1	–	–		–
†HEMSWORTH ...	–	1	–	1	2	–
†HOLMFIRTH ...	–	1	–	–	2	–
HORBURY ...	*	*	*	*	*	*
HORSFORTH ...	–	–	1	–	–	–
†HOYLAND NETHER	–	2	–	–	4	–
ILKLEY	–	1	–	–		–
†KEIGHLEY ...	–	2	2	–	–	–
KIRKBURTON ...	–	1	–	–	1	–
KNARESBOROUGH	–	3	–	–	–	–
LINTHWAITE ...	–	–	–	–	–	C. 1
MALTBY	–	–		–	1	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	2	–	–	–	G. 1
MIDGLEY... ...	–	–	–	–	1	–
†MIRFIELD ...	–	–	1	–	–	–
†MORLEY	–	–	–	–	1	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	2	–	–	–	–
OTLEY	–	–	1	–	–	–
†PONTEFRACT ...	–	1	–	–	1	–
†PUDSEY	–	–	–	–	1	–
†RAWMARSH ...	77	1	–	–	–	–
RIPON	–	2		–	–	–
†ROTHWELL ...	–	1	–	–	1	–
SKELMANTHORPE	–	–	–	–	1	–
†SKIPTON	–	1	–	–	–	–
†SPENBOROUGH ...	–	3	–	–	3	–
†STANLEY	–	–	1	–	3	–
STOCKSBRIDGE ...	–	–	–	–	–	G. 1
†SWINTON... ...	1	1	–	–	6	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†TODMORDEN ...	–	1	–	–	3	–
†WATH UPON DEARNE	–	2	1	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	3	–	–	–	–
Rural Districts:—						
DONCASTER ...	1	1	1	–	5	–
GREAT OUSEBURN	–	2	–	–	–	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	5	1	–	3	–
KEIGHLEY ...	–	–	1	–	–	–
KIVETON PARK ...	–	3	1	–	2	–
KNARESBOROUGH	–	1	–	–	1	–
PONTEFRACT ...	–	1	1	–	–	–
ROTHERHAM ...	–	1	–	–	–	C. 1
SELBY	–	1	–	–	–	–
SETTLE	–	1	–	–	2	–
TADCASTER ...	–	–	1	–	2	
THORNE	–	1	–	–	1	–
WAKEFIELD ...	–	1	1	–	–	–
WETHERBY ...	–	1	–		2	–
WHARFEDALE (SOUTH)	–	1	–	–	1	–
WORTLEY ...	–	1	–	–	–	–
§YORK, CITY OF ...	–	5	–	–	1	C. 1 G. 1
†YORK C.B. ...	–	5	–	–	1	C. 1 G. 1
WALES.						
ANGLESEY	–	2	–	–	–	–
Boroughs and Urban Districts:—						
AMLWCH	–	1		–	–	–
†HOLYHEAD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESY—*cont.*						
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CARDIGAN	–	5	2	–	–	–
Rural Districts:—						
ABERAYRON ...	–	5	–	–	–	–
ABERYSTWYTH (SOUTH)	*	*	*	*	*	*
LLANDYSSIL ...	–	–	2	–		–
CARMARTHEN ...	–	10	10	–	7	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	1	–
BURRY PORT ...	–	1	1	–	2	–
†LLANELLY ...	–	3	–	–	3	–
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	1	–
LLANDILO FAWR	–	2	2	–	–	–
LLANELLY ...	–	1	4	–	–	–
NEWCASTLE IN EMLYN	–	3	–	–	–	–
CARNARVON ...	–	8	1	2	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	4	1	–	–	–
BETHESDA ...	–	1	–	–	–	–
CARNARVON ...	–	–	–	2	–	–
CONWAY	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI	–	1	–	–	–	–
OGWEN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	5	–	–	1	M. 1
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
Rural Districts:—						
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	4	–	–	–	M. 1
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (Parishes)	–	1	–	–	–	–
FLINT	–	10	–	–	2	C. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	–	C. 1
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	5	–	–	2	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
ST. ASAPH (FLINT)	–	3	–	–	–	–
GLAMORGAN ...	–	70	47	1	51	C. 3 G. 2 M. 8
†CARDIFF C.B. ..	–	15	4	–	3	C. 2 G. 1 M. 2
†MERTHYR TYDFIL C.B	–	–	1	–	1	–
†SWANSEA C.B. ...	–	11	10	–	4	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	–	–	2	G. 1
†BARRY	–	2	5	–	–	–
†CAERPHILLY ...	–	5	1	–	1	C. 1
†GELLIGAER ...	–	1	1	–	6	–
†GLYNCORWG ...	–	1	–	–	1	–
†MAESTEG ...	–	–	1	–	1	–
†MOUNTAIN ASH ...	–	2	1	1	6	M. 1
†NEATH	–	1	1	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	2	1	–	3	–
†PENARTH ...	–	–	–	–	3	–
†PONTYPRIDD ...	–	2	–	–	3	–
PORTHCAWL ...	–	1	1	–	1	–
†PORT TALBOT ...	–	1	3	–	–	–
†RHONDDA ...	–	16	6	–	15	M. 3
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE	–	4	8	–	–	M. 1
NEATH	–	–	1	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ..	–	5	2	–	–	–
MERIONETH ...	–	5	–	–	–	M. 1
Rural Districts:—						
DOLGELLEY ...	–	1	–	–	–	–
EDEIRNION ...	–	4	–	–	–	–
PENLLYN	–	–	–	–	–	M. 1
MONMOUTH ..	–	8	6	1	10	C. 1 M. 2
†NEWPORT C.B. ...	–	–	–	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	2	–	–	–
ABERGAVENNY ...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ..	–	–	2	–	–	M. 1
BEDWAS AND MACHEN	–	1	–	–	5	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
CAERLEON ...	*	*	*	*	*	*
CHEPSTOW ...	–	–	–	–	1	–
†EBBW VALE ...	–	3	–	1	–	–
†RHYMNEY ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MAGOR	*	*	*	*	*	*
MONMOUTH ...	–	–	1	–	–	–
PONTYPOOL ...	–	–	–	–	1	–
ST. MELLONS ...	–	–	–	–	1	–
MONTGOMERY ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	–	–	–	1	–
WELSHPOOL ...	–	–	1	–	1	–
PEMBROKE... ...	–	–	1	1	3	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
GOODWICK ...	–	–	1	–	–	–
MILFORD HAVEN	–	–	–	–	3	–
Rural Districts—						
ST. DOGMELLS ...	–	–	–	1	–	–
RADNOR	–	2	–	–	–	–
Urban District:—						
LLANDRINDOD WELLS	–	1	–	–	–	–
Rural Districts:—						
COLWYN	–	1	–	–	–	–
Total of Part II. ...	341	1488	719	22	1220	C. 51 D. 6 E. 3 F. 1 G. 63 L. M. 112

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	–	L. 1
HARTLEPOOL	*	*	*	*	*	*							
HARWICH	–	–	–	–	1	–	**Total of Part III....** ...	–	–	–	–	1	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	229	275	2	116	C. 12 F. 1 G. 4 L. 2 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	341	1488	719	22	1220	C. 51 D. 6 E. 3 F. 1 G. 63 L. 2 M. 112
Total of Part III.—Port Sanitary Districts	–	–	–	–	1	L. 1
Total (*i.e.*, of returns received), England and Wales ...	341	1717	994	24	1337	C. 63 D. 6 E. 3 F. 2 G. 67 L. 5 M. 122

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 40, 41, 42, 46, 47, 49, 52 and 53.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9	Jan. 16.
LONDON :—													
DEATHS—all ages	1,001	918	940	900	1,121	1,280	1,523	1,661	1517	1,233	1,658	1,230	1,200
" 0 to 1 year ..	120	116	132	106	139	159	175	162	146	128	134	125	137
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,816	7,297	7,051	6,548	6,608	6,080	6,513	6,697	6,314	4,245	7,477	8,017	6,594
DEATHS—all ages	4,173	3,928	3,885	3,961	5,112	5,481	6,057	6,631	6,080	5,099	6,636	5,376	5,058
" 0 to 1 year ..	529	499	536	508	632	665	712	715	692	613	775	609	660
ENTERIC FEVER—Cases	30	51	31	34	25	23	23	20	27	10	17	20	12
" Deaths	4	5	3	6	3	3	1	7	1	1	4	5	—
SMALL POX—Cases ..	19	33	18	9	11	30	10	26	42	51	46	44	95
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,411	1,413	1,366	1,242	1,331	1,194	1,015	1,024	1,003	811	1,082	923	895
" Deaths	11	8	14	5	13	11	11	17	10	11	10	16	14
DIPHTHERIA—Cases ..	832	809	747	690	721	745	677	645	662	568	759	711	684
" Deaths ..	38	31	31	28	29	54	59	38	30	36	53	53	31
MEASLES—Deaths ..	25	30	31	34	49	50	58	71	78	72	87	72	94
INFLUENZA—Deaths ..	41	54	59	44	61	73	100	116	132	85	123	114	81

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th January, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	52	20	38·1	28·1	5	HUDDERSFIELD	54	21	40·6	29·6	4
BRIGHTON ..	50	22	39·9	31·7	3	BRADFORD ..	51	26	39·9	32·7	3
PORTSMOUTH ..	51	22	40·2	32·5	21	SHEFFIELD ..	52	21	40·0	30·7	4
NORWICH (EATON).	46	14	36·0	27·7	7	YORK (MUSEUM)	49	23	39·4	31·0	4
PLYMOUTH ..	54	28	43·0	36·4	12	HULL (PEARSON PARK).	48	23	39·6	31·6	12
BRISTOL (CLIFTON).	53	19	39·3	32·1	7	TYNEMOUTH ..	51	33	41·7	36·9	9
BIRMINGHAM (EDGBASTON).	52	18	37·4	31·0	4	CARDIFF.. ..	51	20	40·0	31·7	1
NOTTINGHAM ..	52	17	37·4	30·1	4	EDINBURGH ..	54·0	31·0	42·9	37·1	15
BIRKENHEAD (BIDSTON).	51	29	40·3	35·7	0·2	GLASGOW ..	52·5	30·3	42·1	38·5	5
MANCHESTER (WHITWORTH PARK).	52	26	41·1	34·4	1	DUBLIN (PHŒNIX PARK).	58·0	28·5	45·7	36·0	11
BURNLEY	51	23	39·4	32·9	1	(FITZWILLIAM SQUARE†).	56·4	31·9	46·1	39·3	11
						BELFAST.. ..	53·5	28·0	46·4	37·6	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th January, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	10	..	29·914	49·9	36·4	13·5	43·7	+ 5·8	40·1	3·6	8·0	1·7	87	65·2	27·2	44·4	S	S : SSE	2·1	0·0	0·2	321	+ 14	0·00
MONDAY -	11	..	30·062	51·6	35·1	16·5	43·4	+ 5·5	38·7	4·7	10·4	0·4	84	75·8	24·8	44·2	SSE : Calm.	Calm : SSE.	0·6	0·0	0·0	167	− 138	0·00
TUESDAY -	12	..	30·161	40·9	31·2	9·7	36·2	− 1·7	31·5	4·7	9·5	0·2	83	71·2	24·8	44·0	Calm : ESE.	ESE	2·1	0·0	0·2	237	− 69	0·00
WEDNESDAY	13	Greatest Declination S. New Perigee.	30·073	35·4	29·0	6·4	32·0	− 6·0	31·0	1·0	6·8	0·8	94	68·0	22·9	43·9	ESE : ENE.	ENE : NE.	4·0	0·0	0·6	499	+ 189	0·00
THURSDAY -	14		29·677	30·5	22·0	8·5	25·5	− 12·5	22·9	2·6	5·2	1·1	92	40·3	19·3	43·6	NE : NNE.	NE : NNE.	2·9	0·0	0·4	400	+ 85	0·06
FRIDAY -	15	..	29·578	28·5	20·4	8·1	24·7	− 13·4	22·5	2·2	7·5	2·2	92	42·0	16·0	43·2	N : SW.	SSW : SE : ENE.	0·5	0·0	0·0	172	− 147	0·10
SATURDAY -	16	..	29·538	29·7	16·0	13·7	23·9	− 14·4	18·9	5·0	9·1	2·8	82	41·0	12·0	43·0	NE : NNE.	Calm	1·6	0·0	0·1	217	− 101	0·04
MEANS -		..	29·858	38·1	27·2	10·9	32·8	− 5·2	29·4	3·4	8·1	1·3	88	57·6	21·0	43·8	NE		..	..	..	Sum 2,013	Sum − 167	Sum 0·20
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	10	wP till 16h., then mP	0·5	8·1	Nearly cloudless till 7h., then nearly overcast till 15h., clearing to cloudless by 18½h. Hoar frost in morning. Dew in morning and at night.
MONDAY ..	11	wP till 8½h.; mP till 18h., then wP.	5·4	8·1	Nearly cloudless generally. Hoar frost in morning. Slight fog from 23h. Dew at night.
TUESDAY ..	12	wP till 3h., then mP	3·8	8·2	Variably cloudy till 10h.; partially cloudy till 15h., then cloudless. Slight fog from 3¾h. till 9h. Hoar frost at night.
WEDNESDAY	13	wP till 11h., then mP	3·7	8·2	Variably cloudy till 12h.; partially cloudy till 15h., then overcast generally. Brisk wind from 8h. Hoar frost in morning and at night.
THURSDAY	14	wP till 6h.. then mP	0·0	8·2	Overcast generally. Brisk wind till 9h. Snow 1h. till 2h.; from 10h. till 15¾h., and from 18h.
FRIDAY ..	15	mP	0·0	8·3	Overcast generally. Snow till 10½h.; and between 12h. and 17h.
SATURDAY	16	mP till 3h.; wP till 5h.; variably mP and mN till 6h.; then mP.	0·0	8·3	Overcast till 17½h., then cloudless. Snow at 3¼h., and between 5¼h. and 10h. Mist from 12h.
			Sum 13·4	Sum 57·4	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·88 in. at the beginning of the week to 29·86 in. by 5h. on 10th; increased to 30·19 in. by 21h. on 12th; decreased to 29·43 in. by 4h. on 16th; increased to 29·58 in. by 20h. on 16th; decreased and was 29·56 in. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 3.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 23RD JANUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD JANUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the third week of the year numbered 6,920, and corresponded to an annual rate of 18·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,646 and corresponded to an annual rate of 15·2 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 17·9, 14·5 and 13·6. Infant mortality was 100 per 1,000 births against 104, 76 and 100 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,616 births corresponding to a rate of 18·4 per 1,000, and 1,399 deaths of civilians, corresponding to a rate of 15·9, as against 18·9, 14·0 and 13·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 15·6 per 1,000. The infant mortality was 89 as against 78, 70 and 93, in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 5,058 to 5,646. In London the number of deaths from all causes also increased from 1,200 to 1,399 ; the deaths from diphtheria which had been 22, 20, and 9 in the preceding three weeks, rose to 16 last week; the deaths from measles, which had been 44, 35, and 58 in the three preceding weeks, further rose to 63 last week; and the deaths of infants under 2 years of age from diarrhœa and enteritis, which had been 20, 17, and 18 in the three preceding weeks, were 19 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 23rd January, 1926.

Towns	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,825*	6,920	5,646	694	1	109	5	66	50	57	87
London	4,576,505*	1,616	1,399	144	-	63	3	4	16	19	11
Towns in Outer Ring.											
Croydon C.B ..	196,000	57	50	7	-	-	-	1	-	-	1
Wimbledon ..	58,090	14	8	-	-	-	-	-	-	-	-
Ealing	68,370	21	23	1	-	-	-	-	-	-	-
Acton	62,980	25	12	1	-	-	-	1	-	-	-
Willesden ..	169,100	42	35	3	-	1	1	1	-	-	1
Hendon	57,530*	19	17	2	-	-	-	-	-	-	-
Hornsey	87,240	18	29	4	-	-	-	-	-	-	1
Wood Green ..	51,840	14	10	1	-	-	-	-	-	-	1
Tottenham ..	153,100	37	37	4	-	-	-	-	-	-	-
Edmonton ..	70,450	30	13	1	-	1	-	-	-	-	-
Enfield	62,970	16	13	3	-	-	-	-	1	1	-
West Ham C.B. ..	317,400	148	99	8	-	5	-	-	2	-	3
East Ham C.B. ..	146,900	51	43	3	-	1	-	-	-	-	1
Leyton	133,500	28	38	-	-	5	-	-	-	-	-
Walthamstow ..	131,100	55	33	3	-	1	-	1	-	2	-
Ilford	92,400	30	21	3	-	1	-	1	-	-	-
Gillingham	48,130*	23	15	2	-	-	-	-	-	-	-
Canterbury C.B ..	23,330*	11	7	-	-	-	-	-	-	-	-
Hastings C.B.	60,510	16	22	3	-	-	-	-	-	-	-
Eastbourne C.B. ..	54,830	24	19	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,500*	35	39	3	-	-	-	-	2	-	-
Portsmouth C.B. ..	232,000*	91	81	5	-	-	-	-	2	-	2
Bournemouth C.B. ..	84,450	19	25	2	-	-	-	-	-	1	-
Southampton C.B. ..	167,300	52	43	4	-	-	-	-	-	-	2
Reading C.B.	93,480*	23	26	1	-	-	-	-	-	-	-
Oxford C.B.	57,260	20	25	4	-	3	-	-	-	-	-
Northampton C.B. ..	93,590*	27	30	1	-	-	-	-	-	-	1
Luton	59,220	23	9	4	-	-	-	-	-	-	-
Cambridge	59,120	10	19	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	96,450	27	27	4	-	-	-	-	-	-	-
Ipswich C.B.	82,710	28	30	2	-	-	-	1	-	-	2
Great Yarmouth C.B.	57,780	25	17	2	-	-	-	-	-	-	-
Norwich C.B. ..	123,900*	52	40	2	-	-	-	-	-	-	-
Swindon	56,570	16	16	2	-	-	-	-	-	-	-
Exeter C.B.	59,880*	31	10	1	-	-	-	-	-	-	1
Plymouth C.B. ..	192,900*	60	61	8	-	-	-	-	-	-	1
Bath C.B.	69,270	10	22	-	-	1	-	-	-	-	1
Bristol C.B.	386,200*	129	105	11	-	-	-	2	1	-	2
Gloucester C.B. ..	53,090	10	8	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,000	119	92	17	-	-	-	4	2	2	1
Burton-upon-Trent C.B.	49,660	20	14	-	-	-	-	-	1	-	-
Wolverhampton C.B.	108,200	27	38	7	1	-	-	1	-	2	1
Walsall C.B.	101,500	33	21	3	-	-	-	1	-	1	-
West Bromwich C.B	78,730	33	23	4	-	-	-	1	-	-	-
Dudley C.B.	58,600	31	15	3	-	-	-	-	-	1	1
Worcester C.B. ..	50,220	12	19	5	-	-	-	-	-	1	-
Birmingham C.B. ..	946,980	350	258	50	-	2	1	2	1	3	6
Smethwick C.B. ..	78,790	14	12	2	-	-	-	-	-	-	1
Coventry C.B. ..	129,100	46	21	1	-	-	-	-	-	-	-
Leicester C.B. ..	241,800	70	78	10	-	-	-	2	1	-	1
Lincoln C.B.	66,850*	20	26	3	-	2	-	-	-	-	-
Grimsby C.B.	86,810	39	32	5	-	-	-	1	-	-	-
Nottingham C.B. ..	270,300	88	87	19	-	-	-	9	3	1	-
Derby C.B.	133,700*	49	42	5	-	4	-	-	-	-	-
Chesterfield ..	64,770	29	21	1	-	-	-	-	1	-	1
Stockport C.B. ..	126,000	32	29	2	-	-	-	-	-	1	1
Chester C.B.	41,730	19	5	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	154,100	64	34	7	-	1	-	-	-	3	-
Wallasey C.B. ..	90,790	27	20	1	-	-	-	-	-	-	-
Liverpool C.B. ..	851,800	390	282	45	-	2	-	7	5	1	5
Bootle C.B.	83,130	42	17	4	-	-	-	1	-	-	-
St. Helens C.B. ..	108,700	47	24	4	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1924.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	73,650	10	21	1	-	-	-	-	-	-	1
WIGAN C.B.	91,180	53	28	6	-	-	-	3	-	1	-
WARRINGTON C.B. ..	78,120*	33	20	3	-	-	-	-	-	-	1
BOLTON C.B.	181,100	57	64	9	-	-	-	1	-	1	-
BURY C.B.	56,830*	11	15	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,000	268	209	33	-	8	-	-	2	4	2
SALFORD C.B.	243,700	100	62	9	-	-	-	1	-	2	-
OLDHAM C.B	147,300	46	44	6	-	-	-	1	-	1	1
ROCHDALE C.B... ..	92,750	24	27	3	-	-	-	-	-	1	-
BURNLEY C.B.	103,400	25	28	4	-	-	-	-	-	1	1
BLACKBURN C.B. ..	127,600	41	44	4	-	-	-	1	-	-	2
PRESTON C.B.	123,100	56	32	6	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	77,410	29	30	3	-	-	-	-	-	-	1
BARROW-IN-FURNESS C.B.	73,490	20	30	4	-	-	-	1	1	-	1
HUDDERSFIELD C.B. ..	112,000	31	33	2	-	-	-	-	-	-	1
HALIFAX C.B.	98,750*	37	33	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	109	71	8	-	-	-	3	-	1	-
LEEDS C.B.	471,600	148	133	26	-	-	-	5	1	2	2
DEWSBURY C.B ..	54,790	16	18	-	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	53,910	17	20	2	-	-	-	-	-	1	-
BARNSLEY C.B. ..	70,570	33	23	5	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	525,000	187	204	21	-	2	-	-	3	-	15
ROTHERHAM C.B. ..	70,340	31	24	3	-	-	-	-	-	-	1
DONCASTER	55,150	20	17	-	-	-	-	-	-	-	1
YORK C.B.	84,450*	29	26	2	-	-	-	1	-	-	1
HULL C.B.	296,800	127	94	11	-	1	-	-	-	-	1
MIDDLESBROUGH C.B.	136,300	67	42	13	-	-	-	1	-	-	-
DARLINGTON C.B. ..	88,690	16	18	2	-	-	-	-	-	-	2
STOCKTON-ON-TEES ..	67,620	29	18	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,620	23	17	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	165,100	72	47	2	-	-	-	-	-	-	-
SOUTH SHIELDS C.B. ..	126,600	56	23	3	-	-	-	-	-	-	-
GATESHEAD C.B. ..	128,700	66	26	1	-	-	-	-	-	-	2
NEWCASTLE-ON-TYNE C.B.	285,900*	119	79	13	-	-	-	2	1	-	-
TYNEMOUTH C.B. ..	65,940	29	17	-	-	-	-	-	-	-	-
CARLISLE C.B.	54,910*	23	22	-	-	3	-	-	2	-	-
NEWPORT (MON.) C.B.	95,810	36	18	3	-	-	-	-	-	-	-
CARDIFF C.B.	226,200*	71	52	4	-	-	-	2	-	-	-
RHONDDA	167,900	68	46	10	-	-	-	-	2	-	-
MERTHYR TYDFIL C.B.	83,440	30	25	12	-	1	-	-	-	2	-
ABERDARE	58,000	19	10	1	-	-	-	-	-	-	1
SWANSEA C.B.	162,700	54	50	7	-	1	-	3	-	1	-
GREATER LONDON ..	7,665,833*	2,646	2,179	217	-	82	4	9	22	23	22
OUTER RING	3,089,328*	1,030	780	73	-	19	1	5	6	4	11
16 GREAT TOWNS IN OUTER RING	1,858,970*	605	481	44	-	15	1	5	3	3	8
REMAINDER OF OUTER RING	1,230,358*	425	299	29	-	4	-	-	3	1	3
EDINBURGH†	424,600	134	122	8	-	-	-	-	1	-	3
GLASGOW†	1,034,500	503	341	53	1	16	1	8	2	4	4
DUBLIN (REGISTRATION AREA)†	443,000	231	137	23	-	1	1	-	-	-	-
BELFAST†	443,000	203	131	21	-	14	-	-	1	4	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available peri**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
London‡	4,576,505	1925–6. Jan. 23	1616	1399	15·9	-	-	63	3	4	16	19
Calcutta and Suburbs	1,077,273	Dec. 19										
Bombay	1,259,414	" 26	433‖	542	22·4	3	4	1	-	-	-	25
		Jan. 2	422	517	21·0	1	4	1	-	-	-	21
Madras	526,911	Dec. 19										
Sydney and Suburbs	1,012,070	Nov. 30 (30 days)	1761	724	8·6	3	-	3	1	5	3	12
Brisbane (Metropolitan Area).	245,015	"	419	182	8·9	3	-	-	2	1	-	8
Perth (Metropolitan Area).	176,467	Dec. 5	59	49	14·4	-	-	-	-	1	-	5
Auckland (Urban Area).	180,790	Nov. 30 (30 days)	339	121	8·0	-	-	-	-	-	-	-
Wellington (Urban Area).	118,490	"	150	85	8·6	-	-	-	-	-	-	-
Christchurch (Urban Area).	118,270	"	177	92	9·4	-	-	-	-	-	-	-
Cape Town	111,381	Dec. 19	49	25	11·7	-	-	-	-	-	-	2
		" 26	20	13	6·1	-	-	-	-	-	-	2
Johannesburg	162,924	Dec. 26	68	24	7·7	-	-	-	-	-	-	-
		Jan. 2	82	34	10·6	-	-	1	1	1	-	-
Durban	53,377	Dec. 26	20	3	2·9	-	-	-	-	-	1	-
		Jan. 2	25	16	15·2	1	-	-	-	-	-	-
Paris	2,906,472	" 10 (10 days)	1183	1187	14·9	3	-	17	2	-	3	27
Antwerp	300,009	Dec. 5	96	79	13·7	-	-	-	-	-	2	2
		" 12	88	79	13·7	-	-	1	-	1	1	2
Amsterdam	717,328	Jan. 9	246	134	9·7	-	-	-	-	2	-	-
Copenhagen	587,400	" 9	164	221	19·7	-	-	2	-	-	1	1
Stockholm	438,896	" 9	116	98	11·6	-	-	-	-	-	3	-
Gothenburg	229,640	Dec. 19	?	38	8·6	-	-	-	-	-	-	-
		" 26	?	34	7·7	-	-	-	-	-	1	-
Oslo (Christiania) ..	257,719	Jan. 9	71	59	11·9	-	-	-	-	-	-	1
Berlin	2,044,000	Dec. 26	332	418	10·6	-	?	1	1	2	-	4
Breslau	575,000	" 26	175	154	13·9	-	?	3	1	-	-	1
Cologne	727,000	" 26	220	160	11·4	-	?	2	-	-	-	4
Dresden	618,000	" 26	151	149	12·5	-	?	-	-	1	-	1
Frankfort-on-Main ..	474,000	" 26	83	75	8·2	1	?	1	-	1	-	1
Hamburg	1,115,000	" 26	229	256	11·9	-	?	-	-	-	-	3
Leipzig	660,000	" 26	163	140	11·0	-	?	1	-	-	-	-
Munich	685,000	" 26	158	171	13·0	-	?	-	-	1	1	-
Vienna	1,869,437	July 31 (31 days)	2246	1834	11·8	4	-	-	7	5	1	42
Prague and Suburbs	712,700	Aug. 31										
Budapest	958,084	Dec. 26	223	307	16·7	1	-	-	3	-	3	1
		Jan. 2	325	310	16·8	2	-	1	5	-	-	-
Warsaw	992,450											
Cairo	818,500	Nov. 4	853	370	23·5	8	-	1	-	-	7	44
Alexandria	486,600	"	437	363	38·8	2	-	6	1	-	2	46
New York	6,251,817	Dec. 5										
Chicago	2,995,239	Jan. 1	917	749	13·0	1	-	-	4	-	4	17

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unde year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd January, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1399	144	56	41	28	52	54	90	140	213	294	287
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	63	10	34	16	2	-	-	1	-	-	-	-
Scarlet fever	3	-	-	2	1	-	-	-	-	-	-	-
Whooping cough	4	1	1	2	-	-	-	-	-	-	-	-
Diphtheria	16	2	3	7	4	-	-	-	-	-	-	-
Influenza	11	-	-	-	-	-	-	3	3	2	2	1
Erysipelas	1	-	-	-	-	-	-	-	-	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	3	1	1	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	90	-	-	-	1	25	18	19	13	11	3	-
Nervous system	9	3	1	2	3	-	-	-	-	-	-	-
Intestines and peritoneum	2	2	-	-	-	-	-	-	-	-	-	-
Other forms	5	-	-	-	-	-	2	-	1	1	-	1
Venereal diseases	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	169	-	-	-	-	1	6	10	23	46	49	34
Rheumatic fever	6	-	-	-	2	1	1	-	1	1	-	-
Diabetes	12	-	-	-	1	1	1	2	1	5	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	68	-	-	-	-	-	-	1	10	7	29	21
Epilepsy	6	-	-	-	-	-	-	1	2	1	2	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	33	1	-	1	3	1	1	7	10	2	6	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	8	-	-	-	1	2	2	2	1	-	-	-
Other diseases of heart	219	-	-	-	3	4	4	7	31	44	63	63
Other diseases of circulatory system	62	-	-	-	-	-	1	2	4	11	20	24
Bronchitis	134	7	-	-	1	1	3	5	7	26	36	48
Broncho-pneumonia	74	19	8	5	-	1	1	5	3	9	13	10
Lobar-pneumonia	45	-	2	1	1	1	3	7	5	9	8	8
Pneumonia (type not distinguished)	22	2	3	-	1	1	-	2	2	3	5	3
Other diseases of respiratory system	26	1	-	-	-	1	1	1	5	4	6	7
Diarrhœa and enteritis	19	16	3	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	6	-	-	-	1	1	-	1	-	2	1	-
Hernia, Intestinal obstruction	17	3	-	1	-	-	-	3	-	4	4	2
Cirrhosis of liver	3	-	-	-	-	-	-	-	-	2	1	-
Other diseases of digestive system ..	17	1	-	-	1	1	-	2	2	4	4	2
Acute nephritis	4	1	-	-	-	1	-	1	-	1	-	-
Chronic Bright's disease	25	-	-	-	-	-	1	1	1	6	10	6
Other diseases of genito-urinary system.	18	-	-	-	-	1	-	1	1	1	8	6
Puerperal sepsis	4	-	-	-	-	1	3	-	-	-	-	-
Other causes incident to childbirth ..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	30	30	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	18	18	-	-	-	-	-	-	-	-	-	-
Old age	43	-	-	-	-	-	-	-	-	-	6	37
Suicide	11	-	-	-	-	1	2	2	4	1	1	-
Burns and Scalds	4	-	-	1	1	1	-	-	-	-	-	1
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	4	4	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	-	-	1	-	-	1	2	3	3
Other deaths by violence	16	1	-	-	-	-	1	2	3	2	1	6
Other specified causes	43	8	-	2	1	4	3	2	6	3	11	3
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd January, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	226	281	–	89	C. 5 D. 2 G. 1 M. 15
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	9	–	7	–
†BERMONDSEY ...	–	12	25	–	1	–
†BETHNAL GREEN	–	3	17	–	4	C. 2 M. 2
†CAMBERWELL ...	–	20	31	–	4	M. 1
†CHELSEA	–	2	1	–	–	M. 1
†DEPTFORD ...	–	3	21	–	5	–
†FINSBURY ...	–	4	2	–	–	–
†FULHAM	–	11	6	–	–	D. 1 M. 1
†GREENWICH ...	–	7	13	–	2	–
†HACKNEY ...	–	8	17	–	1	C. 1 M. 1
†HAMMERSMITH ...	–	8	4	–	3	–
†HAMPSTEAD ...	–	3	1	–	1	–
†HOLBORN... ...	–	4	1	–	3	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	13	13	–	1	M. 1
†KENSINGTON ...	–	2	6	–	1	D. 1
†LAMBETH ...	–	22	20	–	2	M. 2
†LEWISHAM ...	–	11	6	–	4	–
†PADDINGTON ...	–	7	14	–	2	M. 1
†POPLAR	–	16	6	–	11	M. 1
†ST. MARYLEBONE	–	3	3	–	3	–
†ST. PANCRAS ...	–	8	8	–	2	C. 1 G. 1 M. 1
†SHOREDITCH ...	–	7	4	–	4	C. 1 M. 1
†SOUTHWARK ...	–	17	16	–	7	–
†STEPNEY	–	9	8	–	9	M. 1
†STOKE NEWINGTON	–	6	6	–	1	–
†WANDSWORTH ...	–	7	9	–	6	M. 1
†WESTMINSTER, CITY OF	–	1	3	–	1	–
†WOOLWICH ...	–	6	11	–	3	–

† Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD	–	10	7	–	1	M. 1
Boroughs and Urban Districts:—						
†Bedford... ...	–	3	2	–	1	–
Dunstable ...	*	*	*	*	*	*
Leighton Buzzard	–	–	1	–	–	–
†Luton	–	2	3	–	–	–
Rural Districts:—						
Ampthill ...	–	1	1	–	–	–
Bedford ...	–	1	–	–	–	–
Biggleswade ...	–	1	–	–	–	M. 1
Luton	–	2	–	–	–	–
BERKS	–	11	2	–	1	–
†Reading C.B. ...	–	9	1	–	–	–
Boroughs and Urban Districts:—						
Wantage ...	–	–	1	–	–	–
Rural Districts:—						
Wallingford ...	–	1	–	–	1	–
Wokingham ...	–	1	–	–	–	–
BUCKINGHAM ...	–	14	3	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
Buckingham ...	*	*	*	*	*	*
†Chepping Wycombe ...	–	5	–	–	–	M. 1
†Slough		1	–	–	–	–
Rural Districts:—						
Amersham ...	–	5	–	–	–	–
Buckingham ...	–	–	–	–	1	
Eton	–	–	3	–	–	–
Long Crendon...	–		–	–	–	C. 1
Newport Pagnell ...	–	2	–	–	–	–
Winslow... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE ..	–	8	–	–	2	M. 1
Borough:—						
†Cambridge ..	–	3	–	–	–	M. 1
Rural Districts:—						
Caxton and Arrington	–	–	–	–	1	–
Chesterton ...	–	4	–	–	1	–
Newmarket ...	–	1	–	–	–	–
CHESTER	–	65	21	1	33	C. 1 E. 1 G. 1 M. 4
†Birkenhead C.B	–	6	5	1	7	M. 2
†Chester C.B. ...	–	4	–	–	4	–
†Stockport C.B.	–	15	3	–	5	–
†Wallasey C.B. ...	–	5	1	–	–	M. 1
Boroughs and Urban Districts:—						
†Altrincham ...	–	3	1	–	–	–
Ashton upon Mersey	–	1	–	–	–	–
†Bebington and Bromborough	–	1	–	–	–	–
Bowdon	–	1	–	–	–	–
Buglawton ...	–	–	–	–	2	–
†Cheadle and Gatley	–	–	–	–	1	–
†Crewe	–	2	4	–	1	–
†Dukinfield ...	–	1	–	–	3	E. 1
†Ellesmere Port and Whitby	–	–	–	–	1	–
Hale	–	1	–	–	1	–
Handforth ...	–	1	–	–	–	–
Hoole	–	–	–	–	1	–
†Hoylake and West Kirby	–	1	–	–	–	–
†Hyde	–	2		–	–	M. 1
Marple	–	1	–	–	–	–
Middlewich ...	–	1	–		–	–
Neston and Parkgate	–	–	–	–	1	–
†Runcorn ...	–	–	2		–	–
†Sale	–	2	–	–	–	–
†Stalybridge ...	–	2	–		–	–
Tarporley ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WILMSLOW ...	–	2	–	–	–	G. 1
†WINSFORD ...	*	*	*	*	*	*
YEARDSLEY CUM WHALEY	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	2	–	1	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	2	–	–	–	–
DISLEY	–	–	–	–	2	–
MACCLESFIELD ...	–	1	–	–	1	C. 1
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	4	–	–	–	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN... ...	–	1	1	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	7	3	–	8	G. 1
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
FOWEY	*	*	*	*	*	*
HELSTON... ...	*	*	*	*	*	*
LAUNCESTON ...		–	–	–	1	–
LOOE	–	4	–	–	–	–
†PENZANCE ...	–	–	2	–	–	–
REDRUTH ...	*	*	*	*	*	*
SALTASH... ...	–	–	–	–	2	–
TORPOINT ...	–	–	–	–	1	G. 1
Rural Districts:—						
BODMIN	–	–	–	–	1	–
CAMELFORD ...	–	1	–	–	–	–
EAST KERRIER ...	–	–	–	–	1	–
LISKEARD ...	–	–	–	–	1	–
ST. AUSTELL ...	–	1	–	–	1	–
WEST PENWITH...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	41	11	–	7	C. 1 E. 1
†CARLISLE C.B. ...	–	5	3	–	4	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	2	–	–	–
CLEATOR MOOR ...	–	1	–	–	–	–
EGREMONT ...	–	–	2	–	–	–
HARRINGTON ...	–	1	–	–	–	–
†MARYPORT ...	–	1	2	–	2	–
PENRITH	–	10	–	–	–	C. 1
†WHITEHAVEN ...	–	4	1	–	–	E. 1
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	5	–	–	1	–
COCKERMOUTH ...	–	3	1	–	–	–
LONGTOWN ...	–	1	–	–	–	–
PENRITH	–	2	–	–	–	–
WHITEHAVEN ...	–	4	–	–	–	–
DERBY	26	53	15	–	27	M. 2
†DERBY C.B. ...	19	1	4	–	8	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
†BOLSOVER ...	5	1	1	–	3	–
†CHESTERFIELD ...	1	10	1	–	2	–
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	1	1	–	1	–
HEAGE	–	1	–	–	–	–
†HEANOR	–	1	1	–	2	–
†ILKESTON ...	–	2	–	–	–	M. 1
†LONG EATON ...	–	2	2	–	–	–
NEW MILLS ...	–	–	–	–	–	M. 1
†RIPLEY	–	–		–	1	–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
WIRKSWORTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
Ashbourne ...	–	11	–	–	–	–
Bakewell ...	–	1	–	–	–	–
Belper	–	3	–	–	–	–
Blackwell ...	1	2	1	–	2	–
Chapel en le Frith	–	2	1	–	–	–
Chesterfield ...	–	8	2	–	5	–
Norton	–	1	–	–	–	–
Repton	–	3	–	–	1	–
Shardlow ...	–	1	–	–	–	–
DEVON	–	35	9	–	12	D. 1 M. 1
†Exeter C.B. ...	–	2	1	–	1	–
†Plymouth C.B....	–	20	3	–	1	D. 1 M. 1
Boroughs and Urban Districts:—						
Bideford ...	–	–	1	–	–	–
Brixham... ...	–	–	1	–		
Buckfastleigh	*	*	*	*	*	*
Dartmouth ...	–	–	–	–	1	–
Honiton ...	–	1	–	–	–	–
†Ilfracombe ...	–	–	–	–	1	–
Lynton	–	–	–	–	1	–
Northam ...	–	–	2	–	–	–
Ottery St. Mary	–	–	1	–	–	–
†Teignmouth ...	–	1	–	–	1	–
Tiverton ...	*	*	*	*	*	*
†Torquay ...	–	3	–	–	1	–
Rural Districts:—						
Barnstaple ...	–	–	–	–	1	–
Broadwood Widger	–	–	–	–	1	–
Newton Abbot	–	1	–	–	–	–
Okehampton ...	–	1	–	–	1	–
Plympton St. Mary	–	5	–	–	2	–
Tiverton ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	2	3	–	5	–
Boroughs and Urban Districts:—						
Dorchester ...	–	2	1	–	–	–
Lyme Regis ...	–	–	–	–	1	–
†Poole	–	–	1	–	–	–
†Weymouth and Melcombe Regis	–	–	–	–	2	–
Wimborne Minster	–	–	–	–	1	–
Rural Districts:—						
Shaftesbury ...	–	–	1	–	–	–
Wimborne and Cranborne	–	–	–	–	1	–
DURHAM	175	78	18	2	38	G. 2 M. 7
†Darlington C.B.	–	4	–	1	6	–
†Gateshead C.B.	47	8	2	–	3	–
†South Shields C.B.	9	5	1	1	6	–
†Sunderland C.B.	–	2	1	–	3	G. 2
†West Hartlepool C.B.	–	6	–	–	2	M. 3
Boroughs and Urban Districts:—						
†Annfield Plain	–	2	–	–	–	–
†Bishop Auckland	–	1	–	–	–	–
†Blaydon... ...	44	2	1	–	–	–
†Chester le Street	4	1	–	–	–	–
†Consett	–	1	–	–	–	–
†Crook	–	–	1	–	–	–
†Durham	–	3	–	–	–	–
†Hartlepool ...	–	–	–	–	–	M. 1
†Hebburn ...	1	4	1	–	–	–
†Hetton	1	3	–	–	3	–
†Jarrow	–	1	–	–	1	–
†Ryton	2	–	–	–	–	–
†Seaham Harbour	–	–	–	–	1	–
†Shildon	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHWICK ON WEAR	1	–	–	–	2	–
†SPENNYMOOR ...	–	1	1	–	–	–
STANHOPE ...	–	–	–	–	2	–
†STANLEY	2	3	1	–	2	–
†STOCKTON ON TEES	–	2	1	–	–	–
†TANFIELD ..	1	2	–	–	–	–
†WASHINGTON ..	–	–	–	–	1	–
†WHICKHAM ...	8	2	1	–	–	–
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ..	2	5	5	–	–	–
CHESTER LE STREET	20	9	1	–	–	
DURHAM	*	*	*	*	*	*
EASINGTON ..	23	4	–	–	1	–
HOUGHTON LE SPRING	6	4	–	–	2	–
LANCHESTER ...	2	2	1	–	–	–
SEDGEFIELD ...	–	–	–	–	1	–
SUNDERLAND ...	2	–	–	–	1	M. 2
WEARDALE ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	5	2	2	1	G. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
†WISBECH	–	–	1	–	1	G. 1
Rural Districts:—						
ELY	–	4	1	2	–	–
ESSEX	–	66	49	1	36	C. 1 F. 1 G. 2 L. 1
†EAST HAM C.B. ...	–	4	8	–	1	G. 1
†SOUTHEND-ON-SEA C.B.	–	2	1	–	7	–
†WEST HAM C.B. ...	–	17	10	1	13	F. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	2	–	–	–
BURNHAM ON CROUCH	–	–	1	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	–	–	–	–	G. 1
†COLCHESTER ...	–	8	–	–	2	
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK	–	–	–	–	1	–
HALSTEAD ...		3	–	–	–	
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	4	4	–	3	L. 1
†LEYTON		7	4	–	1	–
†ROMFORD ...	–	2	2	–	–	–
SHOEBURYNESS ...	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	4	11	–	4	C. 1
†WANSTEAD ..	–	1	2	–	–	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	1	2	–	–	–
BRAINTREE ...	–	1	–	–	–	
LEXDEN AND WINSTREE		2	–	–	1	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	–	–	–	1	–
ROMFORD... ...	–	4	–	–	–	–
TENDRING ...	–	1	–	–	1	–
GLOUCESTER ..	–	44	25	2	11	G. 1
†BRISTOL C.B. ...	–	30	23	–	7	G. 1
†GLOUCESTER C.B.	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	*	*	*	*	*	*
DURSLEY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	–
GLOUCESTER ...	–	2	–	2	–	–
STROUD	–	1	1	–	–	–
THORNBURY ...	–	4	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
HEREFORD ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1	–	–	–
†HEREFORD ...	–	–	–	–	1	–
Rural Districts:—						
ROSS	–	–	–	–	1	–
HERTFORD ...	–	20	6	1	4	L. 3
Boroughs and Urban Districts:—						
†BARNET	–	–	1	–	–	–
†CHESHUNT ...	–	–	1	–	1	–
†EAST BARNET VALLEY	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	1	1	–	–	–
†HITCHIN	–	–	–	–	1	–
HODDESDON ...	–	2	–	–	–	–
RICKMANSWORTH	–	2	–	1	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	6	1	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
BARNET	–	1	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	2	–	–	–	–
WATFORD ...	–	1	1	–	–	L. 3
WELWYN	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HUNTINGDON ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	–	–	–	2	–
KENT	–	49	24	1	14	C. 2 D. 1 G. 1 M. 2
†CANTERBURY C.B.	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	1	–
†CHATHAM ...	–	4	1	–	–	D. 1
†CRAYFORD ...	–	2	1	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†DOVER	–	2	–	–	–	M. 1
†ERITH	–	4	1	–	–	C. 1
†FAVERSHAM ...	–	4	–	–	–	–
†FOLKESTONE ...	–	1	1	–	–	–
†GILLINGHAM ...	–	5	–	–	–	–
†GRAVESEND ...	–	–	5	–	–	–
†HERNE BAY ...	–	2	–	–	–	–
†MAIDSTONE ...	–	4	1	–	–	–
†MARGATE ...	–	–	2	–	1	C. 1
†NORTHFLEET ...	–		1	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	–	1	–	–	–
†ROCHESTER ...	–	4	3	–	1	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	1	–
SANDGATE ...	–	1	–	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
TENTERDEN ...	–	–	–	–	1	–
†TONBRIDGE ...	–	–	–	–	1	G. 1
WHITSTABLE ...	–	–	–	1	1	–
WROTHAM ...	–	2	–		–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BLEAN	–	–	–	–	1	–
DARTFORD ...	–	5	2	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
EASTRY	–	–	1	–	–	–
FAVERSHAM ...	*	*	*	*	*	*
MALLING	–	–	2	–	–	–
MILTON	–	1	–	–	–	–
SHEPPEY	–	–	–	–	2	–
TONBRIDGE ...	–	2	–	–	1	–
LANCASTER ...	1	220	103	16	201	C. 11 G. 3 L. 2 M. 24
†BARROW IN FURNESS C.B	–	10	3	–	2	–
†BLACKBURN C.B	–	5	–	–	4	C. 1
†BLACKPOOL C.B.	–	3	–	–	–	M. 1
†BOLTON C.B. ...	–	8	6	–	2	M. 1
†BOOTLE C.B. ...	–	–	–	–	4	C. 2 L. 1 M. 2
†BURNLEY C.B. ...	–	7	4	–	2	M. 1
†BURY C.B. ...	–	3	2	–	2	–
†LIVERPOOL C.B. ..	–	53	32	–	48	C. 1 M. 9
†MANCHESTER C.B	–	38	25	1	33	C. 1 M. 5
†OLDHAM C.B. ...	–	5	3	–	–	C. 2
†PRESTON C.B. ...	–	5	–	–	1	C. 1
†ROCHDALE C.B. ...	–	1	1	–	3	–
†ST. HELENS C.B....	–	3	1	–	2	–
†SALFORD C.B. ...	–	10	6	–	6	–
†SOUTHPORT C.B.	–	1	1	–	2	G. 1
†WARRINGTON C.B.	–	2	–	–	14	–
†WIGAN C.B. ...	–	2	–	–	5	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	3	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON UNDER LYNE	–	3	–	–	–	M. 1
AUDENSHAW ...	–	–	–	–	2	–
BLACKROD ...	–	–	1	–	–	–
†CHORLEY	–	–	–	–	1	–
†CLITHEROE ...	–	2	–	–	–	–
†COLNE	–	–	1	–	4	G. 1
†CROMPTON ...	–	1	–	–	–	M. 1
†DARWEN	–	1	–	–	–	–
†DENTON	–	–	–	–	2	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	1	1	–	3	–
†FAILSWORTH ...	–	1	1	–	3	M. 1
†FARNWORTH ...	–	1	–	–	–	C. 2
†FLEETWOOD ...	–	–	–	–	1	G. 1
FORMBY	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	1	M. 1
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...	–	–	–	–	5	–
†HORWICH ...	–	1	–	–	2	–
HURST	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	1	–	–	3	–
IRLAM	–	1	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
KIRKHAM ...	–	–	1	–	–	–
†LANCASTER ...	–	1	–		1	–
LATHOM AND BURSCOUGH	1	–	–	–	–	–
†LEIGH	–	–	–	1	2	M. 1
†LYTHAM ST. ANNE'S	*	*	*	*	*	*
†MIDDLETON ...	–	1	–	–	–	–
MILNROW... ...	–	1	–	–	–	C. 1
†MORECAMBE ...	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	1	–
ORMSKIRK ...	–	–	–	–	1	–
†OSWALDTWISTLE	–	3	–	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	1	–	–	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	3	2		1	–
†ROYTON	–	2	1	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	1	3	–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	–	–	–	5	–
THORNTON ...	–	1	–	–	–	–
TOTTINGTON ...	–	1	–	–	–	–
TRAWDEN ...	–	–	–	–	1	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–		2	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	2	–
†WESTHOUGHTON	–	1	–	–	1	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES	–	–	2	13	–	–
Rural Districts:—						
BLACKBURN ...	–	2	–	–	–	–
BURNLEY	–	2	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY	–	1	1	–	2	–
CLITHEROE ...	–	–	–	–	–	L. 1
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
PRESTON	–	1	1	1	–	–
ULVERSTON ...	–	4	1	–	–	–
WARRINGTON ...	–	–	–	–	3	–
WEST LANCASHIRE	–	2	–	–	1	–
WHISTON... ...	–	3	–	–	–	–
WIGAN	–	–	–	–	3	–
LEICESTER... ...	–	40	13	–	14	C. 1
†LEICESTER C.B. ...	–	23	7	–	5	C. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	5	–	–	–	–
MELTON MOWBRAY	–	–	1	–	4	–
THURMASTON ...	–	–	–	–	1	–
WIGSTON MAGNA	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	2	2	–	1	–
BILLESDON ...	–	–	–	–	1	–
BLABY	–	2	1	–	–	–
HINCKLEY ...	–	2		–	1	–
MARKET BOSWORTH	–	2	–	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	6	3	–	3	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	–
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
BOSTON	–	6	1	–	1	–
SPALDING (part)..	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	5	1	–	2	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	–	1	–	–	–
BRANSTON ...	–	3	–	–	–	–
CLAYPOLE ...	–	1	–	–	–	–
GRANTHAM ...	–	–	–	–	2	–
LINCOLN (parts of Lindsey).	1	22	8	–	10	C. 2 M. 1
†GRIMSBY C.B. ...	–	3	1	–	–	C. 1
†LINCOLN C.B. ...	–	11	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
ALFORD	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	1	
CROWLE	–	–	–	–	1	–
†GAINSBOROUGH ...	–	3	2	–	1	
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	1	1	2	–	2	C. 1 M. 1
SKEGNESS ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	–	–	–	2	–
GAINSBOROUGH ...	–	1	–	–	2	–
GLANFORD BRIGG	–	–	2	–	–	–
GRIMSBY	–	–	–	–	1	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	56	45	–	27	C. 1 G. 2 J. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	–	–	–	1	–
†BRENTFORD ...		3	–		1	–
†CHISWICK ...	–	–	–	–	2	–
†EALING	–	2	–	–	1	–
†EDMONTON ...	–	5	9	–	–	G. 1
†ENFIELD	–	2	7	–	3	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	4	3	–	1	–
†HAMPTON ...	–	4	–	–	–	J. 1
†HARROW ON THE HILL	–	2	2	–	–	–
†HENDON	–	4	1	–	1	–
†HESTON AND ISLEWORTH	–	–	1	–	1	–
†HORNSEY	–	2	2	–	–	–
†SOUTHGATE ...	–	4	1	–	–	–
†TEDDINGTON ...	–	2	1	–	1	–
†TOTTENHAM ...	–	8	5	–	2	–
†TWICKENHAM ...	–	2	1	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†UXBRIDGE ...	–	–	–	–	2	G. 1
†WEALDSTONE ...	–	–	–	–	1	–
†WEMBLEY ...	–	–	1	–	2	–
†WILLESDEN ...	–	8	7	–	5	C. 1 M. 3
†WOOD GREEN ...	–	1	1	–	1	–
Rural Districts:—						
HENDON	–	2	–	–	–	–
STAINES	–	–	2	–	–	–
UXBRIDGE ...	–	–	1	–	2	–
NORFOLK	–	14	2	–	9	–
†GREAT YARMOUTH C.B.	–	4	1	–	1	–
†NORWICH C.B. ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	2	–
THETFORD ..	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	–	–	–	1	–
DEPWADE ...	–	3	–	–	–	–
DOCKING	–	2	–	–	–	–
DOWNHAM ...	–	–	1	–	–	–
ERPINGHAM ...	–	–	–	–	1	–
FOREHOE ...	–	–	–	–	1	–
MITFORD AND LAUNDITCH	–	1	–	–	1	–
ST. FAITH'S ...	–	–	–	–	1	–
WALSINGHAM ...	–	1	–	–	–	–
NORTHAMPTON ...	–	8	8	–	17	C. 2 D. 1 G. 1
†NORTHAMPTON C.B.	–	2	2	–	14	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON— *cont.*						
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	1	–	–	–
RAUNDS	–	–	–	–	1	–
†WELLINGBOROUGH	–	2	1	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	4	–	–	–
BRIXWORTH ...	–	2	–	–	–	
DAVENTRY ...	–	–	–		–	D. 1
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	–	–	–	–	C. 1
OUNDLE (part) ...	–	–	–	–	1	–
THRAPSTON (part)	–	–	–	–	1	G 1
NORTHUMBERLAND	53	42	16	–	49	G. 2 M. 5
†NEWCASTLE UPON TYNE C.B.	6	14	6	–	13	M. 3
†TYNEMOUTH C.B.	2	3	3	–	6	G. 2 M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	20	2	–	–	–	–
†BEDLINGTONSHIRE	8	7	–	–	2	–
†BERWICK UPON TWEED	–	1	1	–	–	–
†BLYTH	–	3	–	–	6	M. 1
CRAMLINGTON ...	–	–	–	–	4	–
†EARSDON	–	3	–	–	–	–
†GOSFORTH ...	–	2	2	–	–	–
†LONGBENTON ...	–	–	–	–	2	–
MORPETH ...	2	–	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	–	–	7	–
PRUDHOE... ...	1	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	
SEGHILL	–	–	1	–	–	–
†WALLSEND ...	–	4	3	–	5	–
WEETSLADE ...	2	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
CASTLE WARD ...	1	–	–	–	1	–
HEXHAM	–	1	–	–	–	–
MORPETH... ...	11	2	–	–	–	–
NOTTINGHAM ...	8	27	11	–	16	C. 1 M. 2
†NOTTINGHAM C.B.	6	4	8	–	10	M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	–	–
†EAST RETFORD ...	–	1	–	–	3	–
EASTWOOD ...	–	2	–	–	–	–
HUTHWAITE ...	–	2	–	–	–	–
†MANSFIELD ...	–	4	1	–	–	M. 1
†SUTTON IN ASHFIELD	2	2	1	–	1	–
WARSOP	–	1	–	–	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	5	1	–	–	–
MISTERTON ...	–	1	–	–	1	–
SOUTHWELL ...	–	3	–	–	–	C. 1
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	6	2	–	2	–
†OXFORD C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
WITNEY	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	2	–	–	–	–
HEADINGTON ...	–	2	–	–	–	–
HENLEY	–	–	1	–	–	–
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	2	–	–	3	–
Borough :—						
†PETERBOROUGH...	–	1	–		2	–
Rural Districts—						
PETERBOROUGH...	–	1	–	–	1	–
SALOP	–	7	3	–	7	C. 3
Boroughs and Urban Districts :—						
LUDLOW	–	–	1	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	1	1	–	–	–
†SHREWSBURY ...	–	1	–	–	3	C. 1
WELLINGTON ...	–	–	1	–	1	–
†WENLOCK ...	–	–	–	–	2	–
Rural Districts :—						
ATCHAM	–	–	–	–	–	C. 2
BRIDGNORTH ...	–	–	–	–	1	–
ELLESMERE ...	–	1	–	–	–	–
SHIFNAL	–	2	–	–	–	–
SOMERSET	–	20	4	–	19	C. 1 G. 3
†BATH C.B. ...	–	9	1	–	1	–
Boroughs and Urban Districts :—						
†BRIDGWATER ...	–	3	–	–	–	–
BURNHAM ON SEA	–	–	1	–	–	–
CREWKERNE ...	–	3	–	–	4	–
†FROME	–	–	–	–	–	G. 1
MIDSOMER NORTON	–	–	1	–	–	–
SHEPTON MALLET	–	–	–	–	3	–
†WESTON SUPER MARE	–	1	1	–	–	–
†YEOVIL	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts :—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	2	–	–	–	–
CHARD	–	–	–	–	–	C. 1
CLUTTON	–	–	–	–	1	G. 2
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	–	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON... ...	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	3	–
SOUTHAMPTON ...	–	48	27	–	4	L. 1 M. 5
†PORTSMOUTH C.B.	–	21	13	–	–	L. 1 M. 2
†SOUTHAMPTON C.B.	–	6	7	–	–	M. 1
Boroughs and Urban Districts :—						
ALTON	–	1	–	–	–	–
†BASINGSTOKE ...	–	6	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	1	–
†FAREHAM ...	–	1	6	–	–	–
†FARNBOROUGH ...	–	–	–	–	–	M. 1
†GOSPORT	–	4	–	–	1	–
ROMSEY	–	2	–	–	–	–
†WINCHESTER ...	–	–	1	–	1	–
Rural Districts :—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
HARTLEY WINTNEY	–	–	–	–	1	–
HAVANT	–	1	–	–	–	–
RINGWOOD ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD	–	64	29	1	75	C. 5 G. 2 M. 8
†BURTON UPON TRENT C.B.	–	1	1	–	4	–
†SMETHWICK C.B.	–	3	4	–	1	–
†STOKE ON TRENT C.B.	–	18	5	–	45	C. 3 G. 1 M. 3
†WALSALL C.B. ...	–	6	7	–	1	M. 2
†WEST BROMWICH C.B.	–	4	3	–	3	C. 1 G. 1
†WOLVERHAMPTON C.B.	–	4	–	–	–	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	–	–	–	1	–
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	–	–	–	2	–
†DARLASTON ...	–	1	1	–	1	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	1	1	–	–	–
PERRY BARR ...	–	1	–	–	–	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	–	–	–	–
†STAFFORD ...	–	2	–	–	4	–
TAMWORTH ...	–	–	1	–	–	–
†WEDNESBURY ...	–	1	–	–	–	–
WEDNESFIELD ...	–	2	–	–	–	–
†WILLENHALL ...	–	–	1	1	1	–
†WOLSTANTON UNITED	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	C. 1
CHEADLE... ...	–	1	1	–	7	–
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	1	–	–	1	–
SEISDON	–	3	3	–	–	–
STAFFORD ...	–	1	–	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL... ...	–	–	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST ...	–	11	5	1	19	D. 1 M. 1
†IPSWICH C.B. ...	–	3	2	–	6	M. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	4	–
BUNGAY	–	2	–	–	–	–
†LOWESTOFT ...	–	2	3	–	1	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ...	–	2	–	–	2	–
SAMFORD... ...	–	–	–	–	6	D. 1
WOODBRIDGE ...	–	–	–	1	–	–
SUFFOLK, WEST ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	–	2	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
SUDBURY... ...	–	–	1	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MELFORD... ...	–	3	–	–	–	–
SURREY	–	47	8	1	19	G. 1
†CROYDON C.B. ...	–	7	–	–	1	–
Boroughs and Urban Districts:—						
BARNES	–	1	–	–	1	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	5	–	–	–	–
†CHERTSEY ...	–	–	3	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EGHAM	–	–	–	–	2	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	2	–	–	1	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	1	–
†KINGSTON ON THAMES	–	–	–	1	1	–
†MITCHAM... ...	–	1	2	–	2	G. 1
†REIGATE	–	4	–	–	–	–
†RICHMOND ...	–	1	–	–	2	–
†SURBITON ...	–	1	–	–	2	–
†SUTTON	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	1	–	1	–
†WIMBLEDON ...	–	7	–	–	–	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
DORKING	–	1	–	–	–	–
EPSOM	–	1	1	–	–	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	4	–	–	–	–
REIGATE	–	5	1	–	–	–
SUSSEX, EAST ...	–	15	10	–	10	C. 2
†BRIGHTON C.B. ...	–	2	8	–	1	–
†EASTBOURNE C.B.	–	1	–	–	2	–
†HASTINGS C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
BURGESS HILL ...	–	–	–	–	2	–
EAST GRINSTEAD	–	1	1	–	–	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY	–	–	–	–	1	–
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	4	1	–	–	C. 2
HAILSHAM ...	–	1	–	–	–	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	9	1	–	2	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	3	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	1	–	–	–
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	46	57	–	70	C. 3 D. 1 G. 1 M. 6
†BIRMINGHAM C.B.	–	26	44	–	61	C. 3 D. 1 G. 1 M. 5
†COVENTRY C.B. ...	–	3	2	–	1	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	1	–
†NUNEATON ...	–	1	2	–	–	–
†ROYAL LEAMINGTON SPA	–	4	–	–	1	–
†RUGBY	–	2	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	1	4	–	–	–
FOLESHILL ..	–	1	–	–	1	–
MERIDEN... ...	–	–	–	–	2	–
NUNEATON ...	–	–	–	–	1	–
SOLIHULL ...	–	2	–	–	–	–
STRATFORD ON AVON	–	3	–	–	–	–
TAMWORTH (part)	–	1	5	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ...	–	14	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	6	–	–	–	–
WINDERMERE ...	–	3	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	3	–	–	–	–
WEST WARD ...	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	15	1	–	2	
Boroughs and Urban Districts:—						
†COWES	–	6	–	–	–	–
†NEWPORT... ...	–	1	–	–	–	–
†RYDE	–	1	–	–	1	–
ST. HELENS ..	–	2	–		–	–
SHANKLIN ...		1	–	–	–	–
VENTNOR... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	3	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS	–	11	10	–	22	D. 1 M. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	–	–	–	1	–
DEVIZES	–	–	5	–	–	–
†SALISBURY ...	–	3	1	–	–	–
†SWINDON... ...	–	1	1	–	9	–
WILTON	–	–	–	–	2	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	3	–
CHIPPENHAM ...	–	3	–	–	1	–
DEVIZES	–	–	2	–	–	–
HIGHWORTH ...	–	1	1	–	2	D. 1 M. 1
MELKSHAM ...	–	2	–	–	–	–
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	–	–	–	1	–
TISBURY	–	–	–	–	2	–
WILTON	–	–	–	–	1	–
WORCESTER ...	–	10	6	–	11	C. 1 G. 2 M. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	–	–	5	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	1	–	2	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–	2	–	–	1	–
NORTH BROMSGROVE	–	–	–	–	–	C. 1
†OLDBURY... ...	–	–	–	–	2	–
†REDDITCH ...	–	1	–	–	1	–
†STOURBRIDGE ...	–	3	–	–	–	G 2 M. 1
STOURPORT ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
MARTLEY... ...	–	–	2	–	–	–
YORKS ... ... (East Riding.)	6	11	11	1	7	M. 2
†KINGSTON UPON HULL C.B.	6	6	11	–	4	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	2	–
COTTINGHAM ...	–	2	–	–	–	–
GREAT DRIFFIELD	–	–	–	1	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
NORTON	*	*	*	*	*	*
SCULCOATES ...	–	1	–	–	–	
SHERBURN ...	–	–	–	–	1	–
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	26	3	–	12	G. 1 M. 1
†MIDDLESBROUGH C.B.	–	13	–	–	8	–
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
LOFTUS	–	–	–	–	–	M. 1
MALTON	*	*	*	*	*	*
†REDCAR	–	1	–	–	–	–
RICHMOND ...	–	2	1	–	–	–
†SCARBOROUGH ...	–	–	1	–	–	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
CROFT	–	–	–	–	1	–
EASINGWOLD ...	–	–	–	–	1	G. 1
HELMSLEY ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
RICHMOND ...	–	–	1	–	–	–
STOKESLEY ...	–	1	–	–	1	–
THIRSK	–	3	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	92	166	48	4	178	C. 4 D. 1 E. 1 G. 3 M. 9
†BARNSLEY C.B. ...	–	4	2	1	–	–
†BRADFORD C.B. ...	–	16	6	–	8	M. 1
†DEWSBURY C.B....	–	1	1	–	3	–
†HALIFAX C.B. ...	–	3	1	–	3	M. 2
†HUDDERSFIELD C.B.	–	6	–	–	2	D. 1
†LEEDS C.B. ...	2	21	7	–	26	C. 1
†ROTHERHAM C.B.	1	1		–	7	M. 1
†SHEFFIELD C.B....	2	40	19	–	86	C. 3 G. 2 M. 3
†WAKEFIELD C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	5	–	–	–	–
†BINGLEY	–	–	–	–	–	M. 1
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CASTLEFORD ...	–	1	1	–	–	–
CLAYTON WEST ...	–	1	–	–	–	–
†CONISBROUGH ...	–	5	1	–	–	M. 1
CUDWORTH ...	–	–	1	–	–	–
DENBY AND CUMBERWORTH	–	–	–	–	1	–
†DONCASTER ...	1	5	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	1	–	–	–	–
EMLEY	–	1	–	–	–	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	1	–	–	1	–
GREASBROUGH ...	2	2	–	–	–	
†HARROGATE ...	–	–	2	–	1	–
†HEMSWORTH ...	–	1	–	–	1	–
†HOLMFIRTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	1	–
†KEIGHLEY ...	–	3	1	–	–	–
KIRKBURTON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	1	–	–		–
MALTBY	–	2	–	–	–	–
MELTHAM ...	–	–	–	–	1	–
METHLEY ...	–	1	–	–	3	–
†MORLEY	–	2	–	–	2	–
†NORMANTON ...	–	1	–	–	1	–
†OSSETT	–	2	–	–	–	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	–	–	–	1	–
QUEENSBURY ...	–	–	–	–	1	–
RAWDON	–	1	–	–	–	–
†RAWMARSH ...	79	1	–	–	–	–
†ROTHWELL ...	–	1	–	–	–	–
SHEPLEY	–	–	–	–	2	–
†SHIPLEY	–	3	–	–	–	–
SOUTH CROSLAND	–	1	–	–	1	–
†SPENBOROUGH ...	–	1	–	–	–	–
SPRINGHEAD ...	–	2	–	–	–	–
†STANLEY	–	–	1	–	–	–
STOCKSBRIDGE ...	–	–		–	2	–
†SWINTON	4	–	–	1	–	–
THURSTONLAND AND FARNLEY TYAS.	–	–	–	2	–	–
†WATH UPON DEARNE	1	3	–	–	–	–
WHITWOOD ...	–	–	1	–	–	–
†WOMBWELL ...	–	–	1	–	–	–
†WORSBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	1	–	–	3	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
HEMSWORTH ...	–	1	1	–	5	–
HUNSLET... ...	–	–	1	–	–	–
KIVETON PARK ...	–	6	–	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
ROTHERHAM ...	–	3	–	–	1	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	–	–	–	2	–
THORNE	–	1	–	–	–	–
TODMORDEN ...	–	–	–	–	–	E. 1
WAKEFIELD ...	–	–	–	–	2	–
WETHERBY ...	–	3	–	–	–	–
WORTLEY ...	–	–	–	–	1	–
§YORK, CITY OF ...	–	–	–	–	1	–
†YORK C.B. ...	–	–	–	–	1	–
WALES.						
ANGLESEY	–	3	1	–	–	–
Rural Districts:—						
DWYRAN	–	–	1	–	–	–
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	2	–	–	–	–
BRECKNOCK ...	–	–	1	–	4	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	4	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	1	–	–	–

* Returns not received. † Population over 10,000.
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	-	2	-	-	1	
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	-	1	-	-	-	-
Rural Districts:—						
ABERYSTWYTH (NORTH)	-	1	-	-	1	-
CARMARTHEN ..	-	10	18	-	4	-
Boroughs and Urban Districts:—						
BURRY PORT ...	-	2	-	-	-	-
†CARMARTHEN ...	-	-	1	-	-	-
KIDWELLY ...	-	-	-	-	1	-
†LLANELLY ...	-	4	8	-	2	-
Rural Districts:—						
CARMARTHEN ...	-	-	-	-	1	-
LLANDILO FAWR	-	-	5	-	-	-
LLANELLY ...	-	4	4	-	-	-
CARNARVON ...	-	1	4	-	1	-
Boroughs and Urban Districts:—						
†BANGOR	-	-	2	-	-	-
CONWAY	-	-	1	-	-	-
Rural Districts:—						
GWYRFAI	-	-	1	-	-	-
LLEYN	-	1	-	-	-	-
OGWEN	-	-	-	-	1	-
DENBIGH	-	4	-	-	2	-
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	-	-	-	-	2	-
LLANGOLLEN ...	-	1	-	-	-	-
LLANRWST ...	-	1	-	-	-	-
†WREXHAM ...	-	1	-	-	-	-
DENBIGH—*cont.*						
Rural Districts:—						
RUTHIN	-	1	-	-	-	-
FLINT	-	9	3	-	3	-
Boroughs and Urban Districts:—						
BUCKLEY	-	1	-		-	-
HOLYWELL ...	-	-	1	-	1	-
MOLD	-	2	-	-	-	-
†RHYL	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...	-	5	1	-	-	-
HOLYWELL (HOLYWELL DIV.)	-	-	-	-	2	-
HOLYWELL (MOLD DIV.)	-	1	-	-	-	-
ST. ASAPH (FLINT)	-	-	1	-	-	-
GLAMORGAN ..	-	57	47	-	55	C. 2 M. 8
†CARDIFF C.B. ...	-	8	2	-	3	M. 3
†MERTHYR TYDFIL C.B	-	-	2	-	-	-
†SWANSEA C.B. ...	-	6	5	-	2	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	-	4	2	-	6	-
†BARRY	-	3	4	-	1	-
BRIDGEND ...	-	1	-	-	-	-
†CAERPHILLY ...	-	5	2	-	2	M. 1
†GELLIGAER ...	-	-	2	-	4	M. 1
†MAESTEG ...	-	2	6	-	2	-
†MOUNTAIN ASH ...	-	-	2	-	8	-
†NEATH	-	-	1	-	-	-
†OGMORE AND GARW	-	1	2	-	9	-
†PENARTH ...	-	1	-	-	1	-
†PONTYPRIDD ...	-	3	1	-	1	C. 1
PORTHCAWL ...		1	-	-	1	-
†PORT TALBOT ...	-	1	1	-	-	-
†RHONDDA ...	-	15	2	-	10	M. 3

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	3	–
LLANTRISANT AND LLANTWITFARDRE	–	–	7	–	–	–
NEATH	–	–	1	–	2	–
PENYBONT ...	–	2	1	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	4	3	–	–	–
MERIONETH ...	–	7	–	–	–	M. 1
Urban Districts:—						
MALLWYD ...	*	*	*	*	*	*
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	–	M. 1
DOLGELLEY ...	–	1	–	–	–	–
EDEIRNION ...	–	6	–	–	–	–
MONMOUTH ...	–	13	13	2	10	–
†NEWPORT C.B. ...	–	7	3	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
ABERGAVENNY ...	–	2	–	1	–	–
†ABERTILLERY ...	–	–	3	–	–	–
†BEDWELLTY ...	–	–	2	–	1	–
†BLAENAVON ...	–	–	1	–	–	–
CHEPSTOW ...	–	2	1	1	–	–
†EBBW VALE ...	–	–	–	–	4	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†TREDEGAR ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONTGOMERY ...	–	2	1	–	4	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	1	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	2	–
NEWTOWN AND LLANIDLOES	–	1	–	–	1	–
PEMBROKE... ...	–	–	–	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	2	–
Rural Districts—						
PEMBROKE ...	–	–	–	–	–	C. 1 M. 1
Total of Part II. ...	362	1592	723	36	1103	C. 46 D. 7 E. 3 F. 1 G. 30 J. 1 L. 7 M. 98

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
CARNARVON	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	1	–	–	
HARTLEPOOL	*	*	*	*	*	*	SWANSEA	*	*	*	*	*	
LIVERPOOL	–	–	–	–	–	L 1	PORT OF LONDON ...	–	–	–	3	–	
PLYMOUTH	–	–	–	–	1	–							
							Total of Part III.... ...	–	–	1	3	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	226	281	–	89	C. 5 D. 2 G. 1 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	362	1592	723	36	1103	C. 46 D. 7 E. 3 F. 1 G. 30 J. 1 L. 7 M. 98
Total of Part III.—Port Sanitary Districts	–	–	1	3	1	L. 1
Total (*i.e.*, of returns received), England and Wales ...	362	1818	1005	39	1193	C. 51 D. 9 E. 3 F. 1 G. 31 J. 1 L. 8 M. 113

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 70, 71, 72, 74, 76, 77, 82 and 83.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9	Jan. 16.	Jan. 23.
LONDON :—													
DEATHS—all ages	918	940	900	1,121	1,280	1,523	1,661	1517	1,233	1,658	1,230	1,200	1,399
" 0 to 1 year ..	116	132	106	139	159	175	162	146	128	134	125	137	144
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,297	7,051	6,548	6,608	6,080	6,513	6,697	6,314	4,245	7,477	8,017	6,594	6,920
DEATHS—all ages	3,928	3,885	3,961	5,112	5,481	6,057	6,631	6,080	5,099	6,636	5,376	5,058	5,646
" 0 to 1 year ..	499	536	508	632	665	712	715	692	613	775	609	660	694
ENTERIC FEVER—Cases	51	31	34	25	23	23	20	27	10	17	20	12	6
" Deaths	5	3	6	3	3	1	7	1	1	4	5	—	1
SMALL POX—Cases ..	33	18	9	11	30	10	26	42	51	46	44	95	102
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,413	1,366	1,242	1,331	1,194	1,015	1,024	1,003	811	1,082	923	895	950
" Deaths	8	14	5	13	11	11	17	10	11	10	16	14	5
DIPHTHERIA—Cases ..	809	747	690	721	745	677	645	662	568	759	711	684	679
" Deaths ..	31	31	28	29	54	59	38	30	36	53	53	31	50
MEASLES—Deaths ..	30	31	34	49	50	58	71	78	72	87	72	94	109
INFLUENZA—Deaths ..	54	59	44	61	73	100	116	132	85	123	115	81	87

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd January, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	51	16	42·4	29·1	10
BRIGHTON ..	48	27	43·0	32·1	21
PORTSMOUTH ..	51	22	44·5	31·6	22
NORWICH (EATON).	51	12	40·0	26·3	18
PLYMOUTH ..	51	31	47·6	35·6	47
BRISTOL (CLIFTON).	51	20	43·4	31·0	31
BIRMINGHAM (EDGBASTON).	50	19	41·1	31·6	19
NOTTINGHAM ..	51	17	41·4	29·3	14
BIRKENHEAD (BIDSTON).	52	26	42·6	34·4	17
MANCHESTER (WHITWORTH PARK).	51	27	43·9	33·4	20
BURNLEY	50	24	42·4	31·9	37

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	51	21	42·1	30·9	21
BRADFORD ..	50	20	40·9	29·1	32
SHEFFIELD ..	51	21	41·4	31·3	19
YORK (MUSEUM)	50	17	39·0	29·1	15
HULL (PEARSON PARK).	50	19	39·6	30·3	21
TYNEMOUTH ..	50	29	39·6	33·0	10
CARDIFF.. ..	51	27	43·3	32·6	50
EDINBURGH ..	49·0	29·0	41·7	33·4	27
GLASGOW ..	48·2	31·6	42·2	35·2	53
DUBLIN (PHŒNIX PARK).	53·0	27·0	46·7	34·4	13
(FITZWILLIAM SQUARE†).	54·0	30·9	46·9	36·3	14
BELFAST.. ..	53·0	32·5	44·9	35·4	36

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 23rd January, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	17	..	29·446	33·0	16·5	16·5	28·7	− 9·8	27·5	1·2	5·6	0·4	95	39·0	12·5	42·8	Calm: SE.	NE: N.	1·4	0·0	0·1	229	− 86	0·00
MONDAY -	18	..	29·738	40·0	27·8	12·2	34·5	− 4·1	30·1	4·4	8·8	0·9	83	44·0	21·0	42·7	NW: WSW.	WSW: SSE.	0·6	0·0	0·0	184	− 126	0·01
TUESDAY -	19	In Equator	29·566	43·8	35·1	8·7	39·1	+ 0·4	35·3	3·8	9·2	0·4	87	57·0	28·1	42·4	SSE: W.	WNW: WSW.	2·2	0·0	0·2	293	− 12	0·10
WEDNESDAY	20	First Quarter.	29·707	42·2	30·4	11·8	36·3	− 2·5	32·7	3·6	8·1	0·5	87	59·5	22·2	42·2	WSW	WSW: SW: SSW.	0·5	0·0	0·1	245	− 57	0·00
THURSDAY -	21	..	29·594	36·0	31·6	4·4	34·3	− 4·5	32·1	2·2	3·6	0·4	92	45·1	23·4	42·0	S: SE	ENE	0·5	0·0	0·1	215	− 87	0·00
FRIDAY -	22	..	29·706	49·6	28·9	20·7	38·6	− 0·2	37·4	1·4	7·0	0·0	94	44·0	23·0	42·0	SW: Calm: SSW.	SSW: SW.	5·4	0·0	0·4	381	+ 75	0·24
SATURDAY -	23	..	29·324	50·9	44·8	6·1	48·1	+ 9 2	43·5	4·6	8·0	1·8	82	54·9	38·8	42·0	SW	SW: WSW.	8·9	0·1	1·3	635	+ 324	0·04
MEANS -		..	29·583	42·2	30·7	11·5	37·1	− 1·6	34·1	3·0	7·2	0·6	89	49·1	24·1	42·3	WSW		..	..	..	Sum 2,182	Sum + 31	Sum 0·39
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	17	mP till 4h.: wP till 14h.; then mP.	0·0	8·3	Cloudless till 1h., then becoming overcast by 2h. Mist till 5h. Frequent slight snow from 20½h. till 21h.; and from 23½h,
MONDAY ..	18	mP till 20h., wP till 22½h.; then mN.	0 0	8·4	Overcast, with partially cloudy period between 12h. and 16h. Mist 6h. till 15h. Damping 21h. till 22½h., then rain.
TUESDAY ..	19	Variably wN and wP till 2h.; sN till 4½h.; wN till 6½h.; wP till 7h.; then mP.	0·8	8·4	Overcast till 11½h.; partially cloudy till 16½h., then cloudless. Rain till 4h., then damping till 6h. Haze from 9h. till 21h. Hoar frost at night.
WEDNESDAY	20	wP till 8h., then mP	2 2	8·5	Cloudless generally. Hoar frost in morning and at night. Haze 9h. till 21h. Lunar halo 21½h.
THURSDAY	21	mP till 3h.; wP till 13h.; then mP.	0·0	8 5	Partially cloudy becoming overcast by 3h.
FRIDAY ..	22	wP till 7h.; mP till 9h.; wP till 11½h.; wN till 16h.; then wP.	0·0	8·5	Overcast. Rain generally from 11½h. Brisk wind from 13h.
SATURDAY	23	wP	0·0	8·6	Overcast. Rain till 1h, and from 14½h. till 16½h. Damping 4h. till 5h., occasionally between 9h. and 12h. Brisk wind till 9h.
			Sum 3·0	Sum 59·2	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·56 in. at the beginning of the week to 29·37 in. by 12h. on 17th; increased to 29·78 in. by 11h. on 18th; decreased to 29·46 in. by 7h. on 19th; increased to 29·74 in. by 11h. on 20th; decreased to 29·50 in. by 8h. on 21st; increased to 29·88 in. by 3h. on 22nd.; decreased to 29·21 in. by 16h. on 23rd.; increased and was 29·41 in. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 4.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 30TH JANUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926

Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH JANUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourth week of the year numbered 7,002, and corresponded to an annual rate of 18·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,286 and corresponded to an annual rate of 14·2 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 14·5, 13·6 and 15·2. Infant mortality was 88 per 1,000 births against 76, 100 and 100 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,542 births corresponding to a rate of 17·5 per 1,000, and 1,270 deaths of civilians, corresponding to a rate of 14·5, as against 14·0, 13·7 and 15·9, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 14·5 per 1,000. The infant mortality was 83 as against 70, 93 and 89, in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,646 to 5,286. In London the number of deaths from all causes decreased from 1,399 to 1,270 ; the deaths from diphtheria which had been 20, 9, and 16 in the preceding three weeks, fell to 9 last week; the deaths from measles, which had been 35, 58, and 63 in the three preceding weeks, declined to 60 last week; and the deaths of infants under 2 years of age from diarrhœa and enteritis, which had been 17, 18, and 19 in the three preceding weeks, fell to 11 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 30th January, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1924.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 GREAT TOWNS ..	19,358,825*	7,002	5,286	619	5	102	12	52	35	52	100
LONDON	4,576,505*	1,542	1,270	128	-	60	1	4	9	11	14
TOWNS IN OUTER RING.											
CROYDON C.B ..	196,000	69	62	3	-	-	-	-	-	-	1
WIMBLEDON ..	58,090	9	12	-	-	-	-	-	-	-	1
EALING	68,370	26	12	2	-	-	-	-	-	-	-
ACTON	62,980	19	14	1	-	-	-	-	-	-	-
WILLESDEN ..	169,100	55	51	3	-	-	-	-	-	-	-
HENDON	57,530*	12	10	-	-	-	-	-	-	-	1
HORNSEY	87,240	23	29	2	-	-	-	-	-	-	2
WOOD GREEN ..	51,840	14	14	2	-	-	-	-	-	-	1
TOTTENHAM ..	153,100	37	35	3	-	-	-	-	-	-	1
EDMONTON ..	70,450	45	15	3	-	-	-	-	1	-	-
ENFIELD	62,970	20	19	3	-	-	-	-	-	-	-
WEST HAM C.B. ..	317,400	159	66	8	-	4	-	-	-	-	-
EAST HAM C.B. ..	146,900	33	24	3	-	-	-	-	-	-	-
LEYTON	133,500	31	31	3	-	1	-	-	-	-	-
WALTHAMSTOW ..	131,100	32	21	2	-	-	-	-	-	-	-
ILFORD	92,400	29	14	1	-	-	-	-	-	-	-
GILLINGHAM	48,130*	17	11	1	1	-	-	1	-	-	-
CANTERBURY C.B ..	23,330*	9	5	2	-	-	-	-	-	-	1
HASTINGS C.B.	60,510	17	15	2	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	54,830	13	16	1	-	-	-	-	-	-	1
BRIGHTON C.B. ..	137,500*	40	29	1	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	232,000*	98	68	6	-	-	1	-	-	1	2
BOURNEMOUTH C.B. ..	84,450	24	25	2	-	-	-	1	-	-	1
SOUTHAMPTON C.B. ..	167,300	60	43	3	-	-	-	-	-	-	1
READING C.B.	93,480*	35	37	3	-	-	-	-	-	1	-
OXFORD C.B.	57,260	18	17	4	-	-	-	-	-	-	1
NORTHAMPTON C.B. ..	93,560*	30	25	2	-	-	-	-	-	-	-
LUTON	59,220	8	15	2	-	-	-	-	-	-	-
CAMBRIDGE	59,120	19	18	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	96,450	28	19	1	-	-	-	-	-	-	1
IPSWICH C.B.	82,710	31	34	3	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,780	25	19	4	-	-	-	-	-	-	-
NORWICH C.B. ..	123,900*	44	29	4	-	1	-	1	-	-	1
SWINDON	56,570	17	21	-	-	-	-	1	1	-	-
EXETER C.B.	59,880*	22	8	-	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	192,900*	75	63	5	-	-	-	-	-	-	1
BATH C.B. .. .	69,270	11	15	1	-	-	-	-	-	-	-
BRISTOL C.B.	386,200*	136	99	12	-	-	-	1	1	-	4
GLOUCESTER C.B. ..	53,090	20	8	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,000	97	85	28	-	-	-	3	-	5	2
BURTON-UPON-TRENT C.B.	49,660	23	20	2	-	-	-	-	-	1	1
WOLVERHAMPTON C.B.	108,200	40	25	1	-	-	-	-	-	-	-
WALSALL C.B.	101,500	30	28	5	-	-	-	-	-	-	-
WEST BROMWICH C.B	78,730	38	15	3	-	1	-	-	-	-	-
DUDLEY C.B.	58,600	19	13	2	-	-	-	-	-	1	-
WORCESTER C.B. ..	50,220	20	15	3	-	-	-	1	-	-	-
BIRMINGHAM C.B. ..	946,980	307	224	27	-	1	-	2	4	4	5
SMETHWICK C.B. ..	78,790	21	11	4	-	-	-	-	-	1	-
COVENTRY C.B. ..	129,100	42	32	2	-	-	-	1	-	-	-
LEICESTER C.B. ..	241,800	96	67	8	-	-	-	-	-	-	2
LINCOLN C.B.	66,850*	23	21	1	-	1	-	-	-	1	1
GRIMSBY C.B.	86,810	39	30	9	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,300	114	70	10	-	-	-	2	-	-	-
DERBY C.B.	133,700*	54	38	4	-	-	-	-	1	-	-
CHESTERFIELD ..	64,770	29	18	8	1	-	-	-	-	-	-
STOCKPORT C.B. ..	126,000	38	37	2	-	-	-	-	1	-	-
CHESTER C.B.	41,730	17	9	3	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	154,100	52	38	3	-	2	-	-	-	1	1
WALLASEY C.B. ..	90,790	24	23	2	-	-	-	-	-	-	1
LIVERPOOL C.B. ..	851,800	414	241	40	-	1	2	3	6	1	2
BOOTLE C.B.	83,130	44	16	3	-	1	-	-	-	-	-
ST. HELENS C.B. ..	108,700	51	26	5	-	5	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	73,650	22	17	1	-	-	-	-	-	-	1
Wigan C.B.	91,180	25	30	2	-	-	-	2	-	1	-
Warrington C.B. ..	78,120*	33	14	-	-	1	-	1	-	-	-
Bolton C.B.	181,100	58	65	6	-	-	-	1	-	-	2
Bury C.B.	56,830*	18	13	-	-	-	-	-	1	-	-
Manchester C.B. ..	756,000	281	234	23	-	15	1	2	1	2	5
Salford C.B.	243,700	87	75	10		1	-	1	1	-	-
Oldham C.B	147,300	51	43	6	1	-	-	1	-	-	2
Rochdale C.B... ..	92,750	28	27	2	-	-	-	-	-	1	1
Burnley C.B.	103,400	31	27	1	-	-	-	-	2	-	-
Blackburn C.B. ..	127,600	28	36	2	-	-	-	-	1	1	1
Preston C.B.	123,100	38	29	2	-	-	-	-	-	-	-
Blackpool C.B. ..	77,410	25	21	-	-	-	-	-	1	-	-
Barrow-in-Furness C.B.	73,490	26	24	6	-	-	-	1	-	-	2
Huddersfield C.B. ..	112,000	36	26	1	-	-	-	-	1	-	1
Halifax C.B.	98,750*	35	28	2	-	-	-	-	-	-	2
Bradford C.B. ..	290,200	91	86	12	-	-	-	1	1	1	-
Leeds C.B.	471,600	181	131	19	-	-	1	9	-	3	2
Dewsbury C.B ..	54,790	15	18	-	-	-	-	-	-	-	2
Wakefield C.B. ..	53,910	16	14	3	-	-	-	-	-	-	-
Barnsley C.B. ..	70,570	37	22	2	-	-	-	-	-	-	1
Sheffield C.B. ..	525,000	194	178	20	-	2	1	-	2	2	9
Rotherham C.B. ..	70,340	31	22	3	-	-	-	1	-	-	1
Doncaster	55,150	26	16	2	-	-	-	1	-	-	1
York C.B.	84,450*	24	26	4	-	-	-	1	-	1	-
Hull C.B.	296,800	134	69	8	-	2	-	1	-	-	5
Middlesbrough C.B.	136,300	67	52	5	1	-	-	3	-	1	-
Darlington C.B. ..	68,690	33	24	3	-	-	-	-	-	1	1
Stockton-on-Tees ..	67,620	24	23	4	-	-	-	-	-	1	-
West Hartlepool C.B.	71,620	35	9	1	-	-	-	-	-	-	1
Sunderland C.B. ..	165,100	70	59	8	-	-	-	1	-	2	1
South Shields C.B. ..	126,600	58	35	4	-	2	-	-	-	-	1
Gateshead C.B. ..	128,700	67	30	3	-	-	-	-	-	-	2
Newcastle-on-Tyne C.B.	285,900*	139	85	14	1	-	3	1	-	3	1
Tynemouth C.B. ..	65,940	27	18	3	-	-	-	-	-	-	-
Carlisle C.B.	54,910*	25	13	2	-	-	-	-	-	1	-
Newport (Mon.) C.B.	95,810	33	24	4	-	-	-	-	-	-	1
Cardiff C.B.	226,200*	93	52	7	-	-	-	2	-	1	-
Rhondda	167,900	65	51	11	-	1	2	1	-	1	2
Merthyr Tydfil C.B.	83,440	38	31	9	-	-	-	-	-	1	-
Aberdare	58,000	15	7	1	-	-	-	-	-	-	-
Swansea C.B.	162,700	53	42	2	-	-	-	-	-	-	2
Greater London ..	7,665,833*	2,538	1,953	190	-	67	1	4	12	12	26
Outer Ring	3,089,328*	996	683	62	-	7	-	-	3	1	12
16 Great Towns in Outer Ring	1,858,970*	613	429	39	-	5	-	-	1	-	7
Remainder of Outer Ring	1,230,358*	383	254	23	-	2	-	-	2	1	5
Edinburgh†	424,600	125	102	12	-	-	1	-	1	-	1
Glasgow†	1,034,500	448	319	55	-	19	2	4	2	1	3
Dublin (Registration Area)†	443,000	221	132	22	1	3	-	1	1	5	2
Belfast†	443,000	188	129	14	-	11	-	-	-	3	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,576,505	1925–6. Jan. 30	1542	1270	14·5	–	–	60	1	4	9	11	14
Calcutta and Suburbs	1,077,273	Dec. 19	?	718§	34·7	?	4	?	?	?	?	?	18
Bombay	1,175,914	Jan. 9	420‖	499§	20·3	2	9	2	–	–	–	21	1
Madras	526,911	Dec. 19											
Sydney and Suburbs	1,012,070	„ 31											
Brisbane (Metropolitan Area).	245,015	„ 31											
Perth (Metropolitan Area).	176,467	„ 12											
Auckland (Urban Area).	180,790	„ 31											
Wellington (Urban Area).	118,490	„ 31											
Christchurch (Urban Area).	118,270	„ 31											
Cape Town	111,381	Jan. 2	32	32	14·6	1	–	–	–	–	2	2	–
Johannesburg	165 958	„ 9	77	38	11·9	–	–	–	–	–	–	–	–
Durban	53,377	„ 9											
Paris	2,906,472	„ 20 (10 days)	1272	1203	15·1	3	–	16	3	6	1	20	5
Antwerp	300,021	Dec. 19	101	73	12·6	1	–	–	–	–	–	1	1
		„ 26	91	78	13·5	–	–	–	–	1	–	–	–
Amsterdam	718,047	Jan. 16	290	150	10·9	–	–	1	–	1	–	–	1
Copenhagen	587,400	„ 16	227	161	14·3	–	–	5	–	4	3	–	1
Stockholm	438,896	„ 16	107	90	10·7	–	–	–	–	2	–	–	2
Gothenburg	229,640	„ 2	?	45	10·2	–	–	–	–	–	–	–	2
		„ 9	?	53	11·9	–	–	1	–	–	–	–	–
Oslo (Christiania) ..	257,719	„ 16	68	76	15·3	–	–	–	–	–	–	–	–
Berlin	2,044,000	„ 2	531	517	13·2	–	?	1	–	2	3	3	5
Breslau	575,000	„ 2	207	155	14·0	–	?	1	1	1	1	2	2
Cologne	727,000	„ 2	217	168	12·0	–	?	–	–	1	2	9	2
Dresden	618,000	„ 2	172	169	14·2	–	?	1	–	3	–	2	4
Frankfort-on-Main ..	474,000	„ 2	130	77	8·4	–	?	1	1	1	–	1	1
Hamburg	1,115,000	„ 2	292	226	10·5	–	?	–	–	–	–	1	2
Leipzig	660,000	„ 2	178	173	13·6	–	?	2	–	1	1	–	3
Munich	685,000	„ 2	203	193	14·7	–	?	–	–	1	1	1	1
Vienna	1,869,437												
Prague and Suburbs	712,700	Aug. 31 (31 days)	746	572	9·4	1	–	–	2	1	1	13	1
		Sept. 30 (30 days)	719	603	10·3	3	–	–	3	–	7	18	1
Budapest	964,270	Jan. 9	355	337	18·2	–	–	1	8	1	2	2	2
Warsaw	992,450	„ 2	795	308	16·1	4	–	2	5	4	6	9	8
		„ 9	486	298	15·7	3	–	–	6	4	2	10	5
Cairo	818,500	Nov. 11	842	422	26·8	8	–	3	–	?	9	37	?
		„ 18	872	458	29·1	5	–	1	–	?	2	50	?
Alexandria	486,600	„ 11	443	404	43·2	2	–	11	–	?	2	45	?
		„ 18	450	351	37·5	4	–	12	–	?	2	31	?
New York	6,251,817	Dec. 5	?	1302	10·9	6	–	5	–	3	9	15	10
Chicago	2,995,239	Jan. 8	1465	739	12·9	1	?	1	1	–	1	6	4
		„ 15	1383	781	13·4	–	?	–	6	3	5	11	2

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 11 deaths from cholera in Calcutta and 2 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th January, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1270	128	47	38	24	44	58	73	128	213	232	285
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	60	17	26	15	2	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	4	-	2	1	1	-	-	-	-	-	-	-
Diphtheria	9	-	1	6	2	-	-	-	-	-	-	-
Influenza	14	1	-	-	-	-	-	3	-	4	4	2
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	1	-	-	-	-
Meningococcal meningitis	3	2	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	94	1	-	-	3	21	24	17	16	11	1	-
Nervous system	7	1	1	3	1	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	4	-	1	-	2	1	-	-	-	-	-	-
Venereal diseases	2	1	-	-	-	-	-	-	1	-	-	-
Cancer	127	-	-	-	1	3	1	6	27	29	39	21
Rheumatic fever	4	-	-	-	2	1	-	-	1	-	-	-
Diabetes	7	-	-	-	-	-	-	1	1	1	2	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	54	-	-	-	-	-	-	-	2	10	21	21
Epilepsy	2	-	-	-	-	-	1	-	-	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	38	-	2	1	-	3	3	4	5	9	6	5
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	1	1	2	1	-	-	-
Other diseases of heart	183	-	-	-	2	1	5	7	17	41	44	66
Other diseases of circulatory system	64	-	-	-	-	-	-	-	1	13	22	28
Bronchitis	131	12	-	1	-	-	1	3	11	25	23	55
Broncho-pneumonia	75	14	9	5	2	-	1	4	5	5	10	20
Lobar-pneumonia	34	1	1	3	-	2	3	4	3	14	2	1
Pneumonia (type not distinguished)	13	-	1	-	1	-	1	-	3	2	5	-
Other diseases of respiratory system	15	2	-	-	-	-	-	2	1	4	4	2
Diarrhœa and enteritis	13	11	-	-	-	-	-	-	1	-	-	1
Appendicitis, Typhlitis	3	-	-	-	-	-	1	-	1	-	1	-
Hernia, Intestinal obstruction.. ..	15	1	-	-	-	2	1	1	4	1	3	2
Cirrhosis of liver	10	-	-	-	-	-	-	-	4	3	3	-
Other diseases of digestive system ..	31	-	-	-	1	-	3	6	6	9	3	3
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease..	38	-	-	-	-	1	2	2	4	12	12	5
Other diseases of genito-urinary system.	13	-	1	-	-	1	-	2	5	-	3	1
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	1	1	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	29	29	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	12	12	-	-	-	-	-	-	-	-	-	-
Old age	50	-	-	-	-	-	-	-	-	2	9	39
Suicide	11	-	-	-	-	1	1	3	1	3	2	-
Burns and Scalds	7	2	-	1	1	-	-	1	-	-	2	-
Drowning	1	-	-	-	-	-	-	-	-	1	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	1	-	1	2	-	2	1	-	1
Other deaths by violence	15	1	-	-	-	2	-	-	-	3	5	4
Other specified causes	47	11	1	-	3	-	4	5	4	9	6	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th January, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	266	359	4	86	C. 10 D. 3 E. 1 G. 1 M. 8
Metropolitan Boroughs :—						
†BATTERSEA ...	-	9	11	-	11	C. 2 D. 1
†BERMONDSEY ...	-	7	23	-	2	-
†BETHNAL GREEN	-	9	14	-	4	C. 1 M. 1
†CAMBERWELL ...	-	33	26	1	2	C. 1
†CHELSEA	-	4	5	-	-	M. 1
†DEPTFORD ...	-	6	27	-	2	M. 1
†FINSBURY ...	-	8	4	-	2	C. 1
†FULHAM	-	4	9	-	4	M. 2
†GREENWICH ...	-	3	33		1	-
†HACKNEY ...	-	7	15	-	2	C. 1
†HAMMERSMITH ...	-	3	2	-	-	-
†HAMPSTEAD ...	-	8	1	-	2	-
†HOLBORN... ...	-	3	2	-	-	E. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	21	13	-	4	D. 1 M. 1
†KENSINGTON ...	-	3	8	-	2	-
†LAMBETH ...	-	18	13	-	3	-
†LEWISHAM ...	-	14	9	2	5	-
†PADDINGTON ...	-	2	12	1	6	-
†POPLAR	-	9	15	-	6	-
†ST. MARYLEBONE	-	8	5	-	2	C. 1
†ST. PANCRAS ...	-	13	19	-	4	-
†SHOREDITCH ...	-	7	10	-	2	C. 1 M. 2
†SOUTHWARK ...	-	19	24	-	2	-
†STEPNEY	-	15	16	-	2	G. 1
†STOKE NEWINGTON	-	4	-	-	-	C. 2
†WANDSWORTH ...	-	16	25	-	7	D. 1
†WESTMINSTER, CITY OF	-	4	1	-	2	-
†WOOLWICH ..	-	9	17	-	7	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	9	1	–	6	C. 1 M. 1
Boroughs and Urban Districts:—						
Ampthill ...	*	*	*	*	*	*
†Bedford... ...	–	7	–	–	–	M. 1
Biggleswade ...	–	1	–	–	–	–
Leighton Buzzard	–	–	–	–	2	–
†Luton	–	–	1	–	–	C. 1
Rural Districts:—						
Bedford ...	–	–	–	–	3	–
Biggleswade ...	–	1	–	–	–	–
Eaton Bray ...	–	–	–	–	1	–
BERKS	–	11	2	1	3	C. 1
†Reading C.B. ...	–	7	1	1	2	C. 1
Boroughs and Urban Districts:—						
Wantage ...	–	–	1	–	–	–
Rural Districts:—						
Abingdon ...	–	1	–	–	–	–
Bradfield ...	–	1	–	–	1	–
Easthampstead	–	1	–	–	–	–
Wokingham ...	–	1	–	–	–	–
BUCKINGHAM ...	–	5	3	–	3	–
Boroughs and Urban Districts:—						
†Aylesbury ...	–	1	–	–	–	–
†Chepping Wycombe ...	–	1	–	–	–	–
†Slough	–	1	–	–	–	–
Rural Districts:—						
Amersham ...	–	1	–	–	1	–
Eton	–	–	3	–	–	–
Wing	–	–	–	–	1	–
Winslow... ...	–	1	–	–	–	–
Wycombe ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	10	–	–	3	–
Borough:—						
†Cambridge ...	–	3	–	–	–	–
Rural Districts:—						
Chesterton ...	–	3	–	–	2	–
Linton	–	1	–	–		–
Newmarket ...	–	3	–	–	1	–
CHESTER	–	67	32	–	27	C. 1 D. 1 G. 5 M. 1
†Birkenhead C.B.	–	5	4	–	7	D. 1 G. 1
†Chester C.B. ...	–	6	–	–	–	–
†Stockport C.B.	–	15	3	–	2	M. 1
†Wallasey C.B. ...	–	3	3	–	4	G. 1
Boroughs and Urban Districts:—						
Alsager	*	*	*	*	*	*
†Altrincham ...	–	–	1	–	–	–
Ashton upon Mersey	–	3	1	–	–	–
†Bebington and Bromborough	–	–	–	–	1	–
Bredbury and Romiley	–	1	–	–	–	–
Buglawton ...	–	1	–	–	1	
†Congleton ...	–	–	–	–	1	–
†Crewe	–	2	1	–	2	–
†Dukinfield ...	–	2	–	–	–	
†Ellesmere Port and Whitby	–	3	–	–	1	–
†Hazel Grove and Bramhall	–	1	–	–	–	–
Hoole	–	–	–	–	1	–
†Hyde	–	3	–	–	2	–
†Macclesfield ...	–	–	1	–	4	
Marple	*	*	*	*	*	*
Middlewich ...	–	–	1	–	–	–
Nantwich ...	–	1	–	–	–	–
Neston and Parkgate	–	1	–		–	G. 1
†Runcorn ...	–	2	1	–		
†Sale	–	3	1	–	–	–
Sandbach ...	–	2	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STALYBRIDGE ...	–	2	–	–	–	–
TARPORLEY ...	–	–	3	–	–	–
†WINSFORD ...	–	–	1	–	–	–
YEARDSLEY CUM WHALEY	–	1	1	–	1	–
Rural Districts:—						
BUCKLOW ...	–	4	5	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	1	1	–	–	–
MACCLESFIELD ...	–	1	–	–	–	G. 1
MALPAS	–	1	–	–	–	–
NORTHWICH ...	–	–	2	–	–	–
RUNCORN... ...	–	2	1	–	–	–
WIRRAL	–	–	1	–	–	G. 1
CORNWALL ...	–	6	5	–	8	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	–	–	–	–	1	–
LOOE	–	1	–	–	–	–
LUDGVAN ...	–	–	1	–	–	–
†PENZANCE ...	–	–	1	–	–	–
REDRUTH ...	–	–	2	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
SALTASH... ...	–	–	–	–	5	–
TRURO	–	1	–	–	–	–
Rural Districts:—						
SAINT COLUMB MAJOR	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
WEST PENWITH...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	36	7	1	5	C. 1
†CARLISLE C.B. ...	–	8	2	–	2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	1	–	–	–
ASPATRIA ...	–	–	2	–	1	–
HARRINGTON ...	–	–	–	1	–	–
†MARYPORT ...	–	3	2	–	1	–
MILLOM	–	2	–	–	–	–
PENRITH	–	2	–	–	–	–
†WHITEHAVEN ...	–	5	–	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...	–	2	–	–	–	–
CARLISLE ...	–	2	–	–	–	–
COCKERMOUTH ...	–	8	–	–	1	–
PENRITH	–	–	–	–	–	C. 1
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	42	65	18	–	25	C. 1 G. 2 M. 3
†DERBY C.B. ...	39	5	6	–	5	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	2	–	1	–
ALVASTON AND BOULTON	–	–	1	–	–	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	1	1	–	–	3	–
†CHESTERFIELD ...	–	10	3	–	2	C. 1
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	2	–	–	1	–
†HEANOR	–	2	–	–	–	M. 1
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	2	2	–	–	
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	–	2	–	–	–	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	3	–	–	–	–
BAKEWELL ...	–	1	–	–	3	G. 1
BELPER	–	2	–	–	–	–
BLACKWELL ...	1	8	1	–	2	–
CHAPEL EN LE FRITH	–	3	–	–	1	–
CHESTERFIELD ...	–	5	–	–	5	–
CLOWNE	–	3	–	–	–	–
HAYFIELD ...	–	–	1	–	–	–
NORTON	*	*	*	*	*	*
REPTON	1	7	–	–	–	G. 1
SHARDLOW ...	–	2	1	–	1	–
CODNOR PARK AND SHIPLEY (Parishes) ...	–	–	–	–	1	–
DEVON	–	31	7	–	22	C. 2 D. 1 G. 1
†EXETER C.B. ...	–	3	1	–	1	–
†PLYMOUTH C.B....	–	19	3	–	4	G. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	2	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM... ...	–	–	1	–	3	–
CREDITON ...	–	–	–	–	–	C. 1
HOLSWORTHY ...	–	–	–	–	2	D. 1
HONITON ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	2	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	2	–
HOLSWORTHY (part)	–	–	–	–	3	–
HONITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	2	1	–	2	–
ST. THOMAS ...	–	1	–	–	1	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	–	8	2	–	5	–
Boroughs and Urban Districts:—						
LYME REGIS ...	*	*	*	*	*	*
†POOLE	–	2	2	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	4	–
POOLE	–	1	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	3	–	–	–	–
DURHAM	182	110	26	1	67	C. 3 E. 1 G. 2 M. 5
†DARLINGTON C.B.	–	8	–	–	4	–
†GATESHEAD C.B.	28	9	4	–	2	–
†SOUTH SHIELDS C.B.	4	6	–	–	10	–
†SUNDERLAND C.B.	1	5	2	–	16	M. 3
†WEST HARTLEPOOL C.B.	–	6	–	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	–	–	–	1	–
BENFIELDSIDE ...	–	3	–	–	–	M. 1
BILLINGHAM ...	–	1	–	–	2	–
†BISHOP AUCKLAND	–	1	–	–	–	G. 2
†BLAYDON... ...	46	4	–	–	–	–
†BRANDON AND BYSHOTTLES	–	2	–	–	–	–
†CHESTER LE STREET	3	1	–	–	–	–
†CONSETT	–	2	–	–	–	–
†CROOK	–	1	–	–	–	M. 1
†DURHAM	–	1	–	–	–	–
†FELLING	1	–	–	–	3	–
†HARTLEPOOL ...	–	4	–	–	3	–
†HEBBURN ...	3	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON	–	3	1	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	1	–	–	6	C. 1 E. 1
†RYTON	1	2	–	–	–	–
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†STANLEY	3	2	2	–	1	–
†STOCKTON ON TEES	–	3	2	–	4	–
†TANFIELD ...	11	1	1	1	–	–
†WASHINGTON ...	–	1	1	–	–	C. 1
†WHICKHAM ...	11	7	1	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	4	3	–	–	C. 1
CHESTER LE STREET	26	11	1	–	–	–
DURHAM	1	6	–		–	–
EASINGTON ...	14	3	3	–	5	–
HOUGHTON LE SPRING	8	3	1	–	1	–
LANCHESTER ...	7	5	2	–	–	–
SOUTH SHIELDS...	–	–	1	–	–	–
SUNDERLAND ...	13	1	–	–	1	–
ELY, ISLE OF ...	–	2	2	–	3	–
Boroughs and Urban Districts:—						
ELY	–	–	–	–	1	–
MARCH	–	1	1	–	–	–
†WISBECH	–	–	–	–	1	–
Rural Districts:—						
ELY	–	1	–	–	1	–
NORTH WITCHFORD	–	–	1	–	–	–
ESSEX	–	60	61	–	30	C. 6 G. 1 M. 4
†EAST HAM C.B. ...	–	4	8	–	–	M. 1
†SOUTHEND-ON-SEA C.B.	–	4	3	–	2	C. 1 M. 2
†WEST HAM C.B. ...	–	19	18	–	13	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	2	–	2	–
BRAINTREE ...	–	–	–	–	–	G. 1
BRENTWOOD ...	–	1	–	–	–	–
BURNHAM ON CROUCH	–	–	–	–	1	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	2	–	–	–	–
†GRAYS THURROCK	–	1	2	–	–	–
HALSTEAD ...	–	3	–	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	2	2	–	3	–
†LEYTON	–	3	6	–	2	C. 1
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	4	2	–	–	
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	2	–	1	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW...	–	4	3	–	1	M. 1
†WANSTEAD ..	–	1	–	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
BRAINTREE ...	–	–	1	–	–	–
DUNMOW	–	–	–	–	1	–
EPPING	–	2	–	–	–	–
HALSTEAD ...	–	–	1	–	–	–
MALDON	–	1	3	–	1	C. 1
ONGAR	–	–	–	–	1	–
ORSETT	–	1	6	–	–	–
ROCHFORD ...	–	–	–	–	–	C. 2
ROMFORD... ...	–	1	–	–	–	–
TENDRING ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER ...	–	52	31	1	20	C. 1 G. 1 M. 2
†BRISTOL C.B. ...	–	34	23	–	8	G. 1 M. 1
†GLOUCESTER C.B.	–	1	–	–	6	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	–	–	–	–	M. 1
EAST DEAN AND UNITED PARISHES	–	1	2	–	1	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	2	–	–	–	–
STOW ON THE WOLD (part)	–	–	–	1	–	–
STROUD	–	1	3	–	–	–
THORNBURY ...	–	2	–	–	3	–
WARMLEY ...	–	1	–	–	1	–
WEST DEAN ...	–	2	1	–	1	–
WHEATENHURST	–	–	2	–	–	–
WINCHCOMB (part)	–	–	–	–	–	C. 1
HEREFORD ...	–	1	–	–	3	–
Rural Districts:—						
DORE	–	1	–	–	–	–
HEREFORD ...	–	–	–	–	2	–
WIGMORE ...	–	–	–	–	1	
HERTFORD ...	–	25	6	–	3	C. 1 L. 2
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
BUSHEY	–	–	1	–	–	–
†CHESHUNT ...	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	1	–
†ST. ALBANS ...	–	1	1	–	–	–
TRING	–	2	–	–	–	
†WATFORD ...	–	10	–	–	1	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
HERTFORD ...	–	1	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	1	–	–	–
WATFORD ...	–	5	1	–	–	L. 2
WELWYN	–	1	–	–	–	–
HUNTINGDON ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	1	–
ST. NEOTS ...	–	–	1	–	–	–
KENT	–	44	32	1	27	C. 1 E. 1 G. 1 M. 2
†CANTERBURY C.B.	–	5	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	3	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	1	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	G. 1
†BROMLEY ...	–	1	–	–	2	–
†CHATHAM ...	–	1	3	–	–	–
†DARTFORD ...	–	1	–	–	1	–
†DOVER	–	3	–	–	–	–
†ERITH	–	2	3	–	1	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	3	2	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Gillingham ...	–	1	4	–	1	E. 1
†Gravesend ...	–	1	8	–	–	–
†Maidstone ...	–	7	–	–	–	–
†Margate ...	–	4	–	–	1	–
Milton Regis ...	–	1	–	–	1	–
†Northfleet ...	–	–	1	–	–	–
†Penge	–	1	–	–	–	–
†Ramsgate ...	–	–	–	–	3	–
†Rochester ...	–	1	–	–	6	–
†Royal Tunbridge Wells	–	3	–	–	–	–
Sittingbourne	–	–	–	–	1	–
†Tonbridge ...	–	1	–	–	–	–
Rural Districts:—						
Bridge	–	1	–	–	–	–
Bromley ...	–	–	2	–	–	M. 1
Dartford ...	–	–	–	–	1	–
Dover	–	–	1	–	–	–
Eastry	–	–	–	–	–	C. 1
Elham	–	–	–	–	1	–
Maidstone ...	–	–	1	–	–	–
Malling	–	–	4	–	–	–
Milton	–	–	–	–	1	–
Romney Marsh...	–	–	–	–	1	–
Sevenoaks ...	–	–	1	–	–	–
Tonbridge ...	–	5	–	–	–	–
LANCASTER ...	–	271	172	1	182	C. 11 D. 1 G. 10 M. 27
†Barrow in Furness C.B	–	9	1	–	1	–
†Blackburn C.B	–	4	2	–	3	C. 1 M. 1
†Blackpool C.B.	–	7	1	–	1	–
†Bolton C.B. ...	–	4	–	–	2	–
†Bootle C.B. ...	–	2	–	–	2	–
†Burnley C.B. ...	–	4	7	–	4	–
†Bury C.B. ...	–	2	3	–	2	–
†Liverpool C.B. ...	–	63	49	–	44	C. 1 G. 3 M. 13

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Manchester C.B.	–	52	47	–	37	C. 1 G. 2 M. 8
†Oldham C.B. ...	–	7	2	1	1	G. 1
†Preston C.B. ...	–	5	7	–	–	C. 1
†Rochdale C.B. ...	–	1	–	–	–	C. 1 M. 1
†St. Helens C.B....	–	2	–	–	5	–
†Salford C.B. ...	–	10	19	–	5	M. 1
†Southport C.B.	–	4	2	–	–	–
†Warrington C.B.	–	4	–	–	5	C. 1
†Wigan C.B. ...	–	1	–	–	5	G. 1
Boroughs and Urban Districts:—						
Abram	–	–	1	–	–	–
†Accrington ...	–	1	–	–	3	M. 1
†Ashton in Makerfield	–	–	–	–	1	–
†Ashton under Lyne	–	2	–	–	1	–
Aspull	–	–	–	–	4	–
†Atherton ...	–	–	2	–	–	–
†Bacup	–	1	1	–	–	–
Blackrod ...	–	1	1	–	–	–
Brierfield ...	–	2	–	–	–	–
†Chadderton ...	–	3	–	–	–	–
†Chorley	–	3	–	–	–	–
†Crompton ...	–	1	–	–	–	–
†Dalton in Furness	–	2	5	–	–	–
†Denton	–	–	1	–	–	–
†Droylsden ...	–	–	–	–	2	–
†Eccles	–	–	–	–	4	–
†Failsworth ...	–	1	2	–	–	G. 1
†Farnworth ...	–	1	–	–	–	–
†Fleetwood ...	–	1	–	–	1	–
Golborne ...	–	1	–	–	–	C. 1
†Great Crosby ...	–	1	–	–	–	–
†Great Harwood	*	*	*	*	*	*
†Haslingden ...	–	–	–	–	1	–
†Haydock ...	–	–	–	–	3	–
†Heywood ...	–	1	–	–	–	C. 1
†Hindley... ...	–	1	–		4	–
†Horwich ...	–	–	1	–	3	–
†Lancaster ...	–	1	–	–	1	–
†Leigh	–	–	3	–	3	M. 1
†Litherland ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	2	–	–	–	–
MILNROW... ...	–	1	–	–	1	–
†MORECAMBE ...	–	1	1	–	–	–
†NELSON	–	1	–	–	2	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	C. 1
†OSWALDTWISTLE	–	3	–	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
PRESCOT	–	1	1	–	–	–
†RADCLIFFE ...	–	1	2	–	1	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	14	2	–	–	C. 1
RISHTON	–	–	1	–	–	–
†ROYTON	–	5	–	–	3	–
STANDISH WITH LANGTREE	–	1	–	–	2	–
†STRETFORD ...	–	3	2	–	2	D. 1
†SWINTON AND PENDLEBURY	–	1	–	–	1	–
THORNTON ...	–	1	–	–	–	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	2	1	–	–	–
URMSTON... ...	–	–	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	3	–
†WESTHOUGHTON	–	2	–	–	–	–
†WIDNES	–	3	3	–	4	G. 1
WITHNELL ...	–	–	–	–	1	–
Rural Districts:—						
BLACKBURN ...	–	3	–	–	–	–
BURNLEY... ...	–	1	1	–	–	–
CLITHEROE ...	–	1	–	–	1	–
GARSTANG ...	–	1	–	–	–	C. 1
LEIGH	–	–	–	–	3	M. 1
PRESTON	–	1	–	–	–	–
SEFTON	–	–	–	–	1	–
ULVERSTON ...	–	4	–	–	–	–
WARRINGTON ...	–	2	–	–	1	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WEST LANCASHIRE	–	2	–	–	1	–
WHISTON... ...	–	1	–	–	2	–
WIGAN	–	–	–	–	1	G. 1
LEICESTER... ...	–	43	10	–	10	C. 1 G. 2 M. 4
†LEICESTER C.B. ...	–	24	6	–	4	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	4	1	–	–	–
†LOUGHBOROUGH	–	4	1	–	–	–
MELTON MOWBRAY	–	–	1	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	2	M. 1
BARROW UPON SOAR	–	2	–	–	1	M. 1
BILLESDON ...	–	3	–	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
LOUGHBOROUGH	–	3	–	–	–	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	G. 1
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	2	–	7	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	2	–
†SPALDING ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	-	-	-	-	3	-
CROWLAND ...	-	-	-	-	2	-
LINCOLN (parts of Kesteven).	-	2	1	-	7	-
Boroughs and Urban Districts:—						
BOURNE	-	-	-	-	1	-
†GRANTHAM ...	-	-	-	-	3	-
Rural Districts:—						
BOURNE	-	-	-	-	1	-
BRANSTON ...	-	1	1	-	-	-
GRANTHAM ...	-	-	-	-	2	-
SLEAFORD ...	-	1	-	-	-	-
LINCOLN (parts of Lindsey).	-	27	7	1	11	M. 1
†GRIMSBY C.B. ...	-	1	2	1	-	-
†LINCOLN C.B. ...	-	15	1	-	2	-
Boroughs and Urban Districts:—						
BRIGG	-	-	1	-	-	-
†CLEETHORPES ...	-	-	1	-	1	
CROWLE	-	1	-	-	-	-
†GAINSBOROUGH ...	-	3	-	-	-	-
HORNCASTLE ...	-	-	-	-	3	-
†SCUNTHORPE AND FRODINGHAM	-	1	1	-	-	-
Rural Districts:—						
GAINSBOROUGH ...	-	5	-	-	-	-
GRIMSBY	-	-	1	-	1	-
HORNCASTLE ...	-	-	-	-	3	-
SPILSBY	-	1	-	-	1	M. 1
MIDDLESEX ...	-	66	45	1	25	C. 2 D. 1 E. 1 G. 2
Boroughs and Urban Districts:—						
†ACTON	-	4	1	1	-	G. 1
†EALING	-	6	2	-	2	-
†EDMONTON ...	-	2	9	-	1	E. 1
†ENFIELD	-	1	-	-	1	-
†FINCHLEY ...	-	4	3	-	-	-
†FRIERN BARNET	-	1	-	-	2	-
GREENFORD ...	-	2	-	-	-	-
†HAMPTON ...	-	1	-	-	-	-
HAMPTON WICK...	-	1	-	-	-	-
†HANWELL ...	-	2	-	-	-	-
†HARROW ON THE HILL	-	-	-	-	1	-
†HENDON	-	7	1	-	2	-
†HESTON AND ISLEWORTH	-	1	5	-	-	G. 1
†HORNSEY... ...	-	3	5	-	1	-
†SOUTHGATE ...	-	2	-	-	1	-
†TEDDINGTON ...	-	3	-	-	-	-
†TOTTENHAM ...	-	13	9	-	1	-
†TWICKENHAM ...	-	1	1	-	2	-
†UXBRIDGE ...	-	-	1	-	-	-
†WEALDSTONE ...	-	-	1	-	-	-
†WEMBLEY ...	-	-	-	-	1	-
†WILLESDEN ...	-	6	6	-	7	C. 2 D. 1
†WOOD GREEN ...	-	3	-	-	2	-
Rural Districts:—						
HENDON	-	1	-	-	1	-
SOUTH MIMMS ...	-	1	-	-	-	-
UXBRIDGE ...	-	1	1	-	-	-
NORFOLK	-	19	1	5	8	G. 1
†GREAT YARMOUTH C.B.	-	4	-	-	-	-
†NORWICH C.B. ...	-	4	-	2	4	-
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	-	-	3	-
NORTH WALSHAM	*	*	*	*	*	*
THETFORD ..	-	-	-	-	-	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	–	3	–	–	–	–
DOCKING ...	–	5	–	–	–	–
DOWNHAM ...	–	–	–	–	1	–
FOREHOE ...	–	–	–	1	–	–
LODDON AND CLAVERING	–	1	–	1	–	–
MARSHLAND ...	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SWAFFHAM ...	–	–	–	1	–	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	18	2	–	6	C. 1
†NORTHAMPTON C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
FINEDON ...	–	–	1	–	–	–
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	7	–	–	1	–
†RUSHDEN ...	–	2	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	2	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
OXENDON... ...	–	2	–	–	–	C. 1
THRAPSTON (part)	–	1	–	–	–	–
NORTHUMBERLAND	51	70	8	–	38	C. 1 G. 2 M. 2
†NEWCASTLE UPON TYNE C.B.	2	20	5	–	13	G. 1 M. 1
†TYNEMOUTH C.B.	–	6	–	–	–	G. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	12	2	–	–	–	–
†BEDLINGTONSHIRE	–	3	–	–	4	–
†BERWICK UPON TWEED	–	3	1	–	–	–
†BLYTH	–	8	–	–	3	–
CRAMLINGTON ...	–	–	–	–	2	–
†EARSDON	–	4	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM	–	–	–	–	1	–
†LONGBENTON ...	–	1	1	–	3	–
MORPETH ...	3	1	–	–	–	–
NEWBIGGIN BY THE SEA	1	4	–	–	1	–
†NEWBURN ...	2	1	–	–	–	–
†WALLSEND ...	1	1	1	–	3	C. 1
WEETSLADE ...	1	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	–	–	2	–
Rural Districts:—						
ALNWICK... ...	1	2	–	–	–	–
BELFORD	–	–	–	–	1	–
CASTLE WARD ...	–	1	–	–	4	–
GLENDALE ...	–	2	–	–	–	–
HEXHAM	–	3	–	–	–	–
MORPETH... ...	28	3	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	1	–
NOTTINGHAM ...	13	24	7	–	27	M. 1
†NOTTINGHAM C.B.	3	4	6	–	15	M. 1
Boroughs and Urban Districts:—						
†HUCKNALL ...	–	–	–	–	2	–
HUTHWAITE ...	–	2	–	–	–	–
†KIRKBY IN ASHFIELD	–	3	–	–	1	–
†MANSFIELD ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	10	2	–	–	–	–
†WORKSOP... ...	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	7	–	–	1	–
BINGHAM... ...	–	–	–	–	2	–
EAST RETFORD ...	–	–	–	–	2	–
MISTERTON ...	–	–	1	–	1	–
SKEGBY	–	2	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
WORKSOP... ...	–	1	–	–	–	–
KINGSTON UPON SOAR AND RATCLIFFE UPON SOAR (PARISHES)	–	1	–	–	–	–
OXFORD	–	3	–	–	1	C. 1
†OXFORD C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
WITNEY	–	–	–	–	–	C. 1
Rural Districts:—						
WITNEY	–	1	–	–	1	–
PETERBOROUGH (Soke of)	–	–	–	–	5	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	10	2	–	7	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
†OAKENGATES ...	–	3	–	–	–	–
OSWESTRY ...	–	1	1	–	–	–
†SHREWSBURY ...	–	3	–	–	1	–
WELLINGTON ...	–	–	–	–	2	–
Rural Districts:—						
BRIDGNORTH ...	–	–	–	–	2	–
CLUN	–	1	–	–	–	C. 1
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	–	1	–	–	M. 1
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET	–	18	3	–	19	C. 1 G. 1 M. 1
†BATH C.B. ...	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
CLEVEDON ...	–	–	1	–	–	–
CREWKERNE ...	–	–	–	–	1	–
GLASTONBURY ...	–	1	–	–	–	G. 1
MIDSOMER NORTON	–	1	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON ...	–	–	1	–	1	–
†WESTON SUPER MARE	–	–	–	–	1	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	3	–
BATH	–	5	–	–	–	–
BRIDGWATER ...	–	1	–	–	1	–
CLUTTON... ...	–	2	–	–	2	C. 1
KEYNSHAM ...	–	1	–	–	–	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	2	–	–	1	–
TAUNTON... ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WELLS	–	–	–	–	1	–
WINCANTON ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	55	44	3	21	C. 2 D. 1 M. 4
†BOURNEMOUTH C.B.	–	3	1	–	1	–
†PORTSMOUTH C.B.	–	22	21	–	3	C. 1 M. 2
†SOUTHAMPTON C.B.	–	8	8	–	6	C. 1 D. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	6	–	–	–	–
ANDOVER... ...	–	1	–		–	–
†BASINGSTOKE ...	–	4	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	1	–
†FAREHAM ...	–	–	12	1	–	–
†GOSPORT	–	1	–	–	–	–
†WINCHESTER ...	–	3	1	–	2	M. 1
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	5	–
FAREHAM ...	–	1	1	–	–	–
NEW FOREST ...	–	–	–	–	2	–
ROMSEY	–	–	–	–	1	–
SOUTH STONEHAM	–	4	–	–	–	–
STOCKBRIDGE ...	–	–	–	2	–	–
STAFFORD	–	65	37	1	98	C. 1 G. 4 M. 10
†BURTON UPON TRENT C.B.	–	2	–	–	1	–
†SMETHWICK C.B.	–	3	4	–	3	–
†STOKE ON TRENT C.B.	–	12	8	–	50	G. 2 M. 4
†WALSALL C.B. ...	–	2	3	–	3	–
†WEST BROMWICH C.B.	–	1	2	–	–	M. 1
†WOLVERHAMPTON C.B.	–	4	2	–	3	G. 1 M. 2
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	1	–
BIDDULPH ...	–	–	–	–	3	–
†BILSTON	–	–	1	–	9	–
†BRIERLEY HILL...	–	–	–	–	1	C. 1
†BROWNHILLS ...	–	3	4	–	1	–
†CANNOCK	–	4	–	–	–	M. 1
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	–	–	–	2	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	–	–	1	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	5	–
†ROWLEY REGIS ...	–	5	3	–	1	G. 1
†SEDGLEY	–	–	1	–	–	–
SHORT HEATH ...	–	2	–	–	–	–
†STAFFORD ...	–	1	1	–	2	–
TAMWORTH ...	–	1	–	–	1	–
TETTENHALL ...	–	–	–	–	–	M. 1
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	1	–	–	2	–
†WILLENHALL ...	–	–	–	1	–	–
†WOLSTANTON UNITED	–	1	1	–	1	M. 1
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	–	1	–	–	–
CHEADLE... ...	–	7	–	–	1	–
GNOSALL	–	–	–	–	3	–
LICHFIELD ...	–	3	–	–	1	–
MAYFIELD ...	–		1	–	–	–
SEISDON	–	2	1	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	–	2	–	–	–
TUTBURY... ...	–	3	–	–	1	–
WALSALL... ...	–	–	2	–	–	–
SUFFOLK, EAST ...	–	11	1	1	20	G. 2
†IPSWICH C.B. ...	–	2	–	–	7	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST— *cont.*						
Boroughs and Urban Districts:—						
BECCLES	–	1	–	1	–	–
BUNGAY	–	1	–	–	–	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	2	1		4	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	–		–
EAST STOW ...	–	–	–	–	1	–
HARTISMERE ...	–	–	–	–	–	G. 1
HOXNE	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	2	–
SAMFORD... ...	–	–	–	–	4	–
SUFFOLK, WEST ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	*	*	*	*	*	*
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	1	–	–	–	–
THINGOE	–	–	–	–	1	–
SURREY	–	48	12	1	15	C. 1 E. 1 G. 1
†CROYDON C.B. ...	–	3	3	–	1	C. 1
Boroughs and Urban Districts:—						
†CARSHALTON ...	–	–	–	–	1	–
†CATERHAM ...	–	8	–	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
SURREY— *cont.*						
Boroughs and Urban Districts— *cont.*						
†EGHAM	–	–	–	–	2	–
†FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	–	G. 1
†KINGSTON ON THAMES	–	1	–	–	3	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	7	4	–	1	–
†REIGATE	–	1	–	1	–	–
†RICHMOND ...	–	4	–	–	–	–
†SURBITON ...	–	2	–	–	1	–
†SUTTON	–	1	–	–	–	–
†WALTON UPON THAMES	–	2	–	–	–	–
WEYBRIDGE ...	–	2	–	–	–	–
†WIMBLEDON ...	–	6	1	–	–	–
WINDLESHAM ...	–	–	–	–	1	–
†WOKING	–	1	3	–	1	–
Rural Districts:—						
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	3	–	–	–	–
HAMBLEDON ...	–	2	–		2	–
REIGATE	–	1	–	–	2	E. 1
SUSSEX, EAST ...	–	26	2	1	5	–
†BRIGHTON C.B. ...	–	10	1	–	1	–
†EASTBOURNE C.B.	–	3	–	–	–	–
†HASTINGS C.B. ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
EAST GRINSTEAD	–	2	1	–	–	–
RYE	–	2	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	1	–	–
EASTBOURNE ...	–	1	–	–	–	–
EAST GRINSTEAD	–	3	–	–	1	–
HAILSHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	8	–	–	4	C. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	2	–
†HORSHAM ...	–	4	–	–	–	–
†WORTHING ...	–	1	–	–	–	C. 1
Rural Districts:—						
HORSHAM ...	–	–	–	–	1	–
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	1	–
WARWICK	–	61	69	–	87	C. 4 G. 5 M. 8
†BIRMINGHAM C.B.	–	38	54	–	65	C. 3 G. 3 M. 5
†COVENTRY C.B. ...	–	2	1	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	4	–	4	M. 1
†ROYAL LEAMINGTON SPA	–	4	–	–	1	–
†RUGBY	–	–	–	–	2	–
†SUTTON COLDFIELD	–	–	–	–	4	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	1	–	–	–
ATHERSTONE ...	–	2	8	–	2	–
COVENTRY ...	–	1	–	–	–	M. 1
FOLESHILL ...	–	3	–	–	1	G. 2
MERIDEN... ...	–	–	–	–	4	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	6	–	–	–	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	13	–	–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	12	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	11	–	–	1	
Boroughs and Urban Districts:—						
†COWES	–	4	–	–	–	–
EAST COWES ...	–	1	–	–	–	–
†NEWPORT... ...	–	3	–	–	–	–
†RYDE	–	1	–	–	1	–
ST. HELENS ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	15	15	–	10	G. 3 L. 1 M. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	–	–	–	–	G. 1
DEVIZES	–	–	6	–	–	–
†SALISBURY ...	–	–	2	–	–	–
†SWINDON... ...	–	3	4	–	4	M. 1
†TROWBRIDGE ...	–	5	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	1	–	1	–
CHIPPENHAM ...	–	3	–	–	–	–
DEVIZES	–	–	1	–	–	L 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts—*cont.*						
HIGHWORTH ...	–	4	–	–	1	–
MELKSHAM ...	–	–	–	–	1	–
RAMSBURY ...	–	–	–	–	1	–
SALISBURY ...	–	–	1	–	–	–
TISBURY	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	–	–	–	–	G. 2
WILTON	–	–	–	–	1	–
WORCESTER ...	–	11	2	–	11	G. 1
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	–	–	–	7	–
Boroughs and Urban Districts:—						
DROITWICH ...	*	*	*	*	*	*
EVESHAM... ...	–	1	–	–	–	–
†HALESOWEN ...	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	1	–	–	–
†MALVERN ...	–	4	–	–	–	–
†OLDBURY... ...	–	1	1	–	–	G. 1
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
MARTLEY... ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	1	–
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding.)	9	19	13	1	15	C. 3 G. 1 M. 1
†KINGSTON UPON HULL C.B.	8	8	7	–	8	C. 2 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	2	–
†BRIDLINGTON ...	–	–	–	1	–	G. 1
GREAT DRIFFIELD	–	–	1	–	–	–
NORTON	–	–	1	–	–	–
POCKLINGTON ...	–	–	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	2	–
DRIFFIELD ...	–	3	1	–	–	C. 1
HOWDEN	1	2	–	–	3	–
POCKLINGTON ...	–	1	–	–	–	–
SCULCOATES ...	–	1	–	–	–	–
SKIRLAUGH ...	–	3	–	–	–	–
YORKS ... ... (North Riding.)	–	25	1	–	17	G. 2
†MIDDLESBROUGH C.B.	–	12	1	–	7	–
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
LOFTUS	–	–	–	–	1	–
PICKERING ...	*	*	*	*	*	*
†REDCAR	–	1	–	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	2	–	–	1	–
KIRBY MOORSIDE	–	–	–	–	1	–
LEYBURN... ...	–	–	–	–	–	G. 2
PICKERING ...	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	1	–
STOKESLEY ...	–	–	–	–	3	–
THIRSK	–	2	–	–	–	–
WHITBY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	68	166	65	4	248	C. 8 G. 2 M. 9
†BARNSLEY C.B. ...	–	8	2	–	3	–
†BRADFORD C.B. ...	–	13	8	–	19	G. 1 M. 1
†DEWSBURY C.B....	–	2	1	–	–	–
†HALIFAX C.B. ...	–	2	2	–	–	–
†HUDDERSFIELD C.B.	–	11	–	–	5	–
†LEEDS C.B. ...	–	18	5	–	26	C. 2 M. 3
†ROTHERHAM C.B.	2	6	–	–	15	G. 1 M. 1
†SHEFFIELD C.B....	1	23	24	2	100	C. 4 M. 2
†WAKEFIELD C.B.	–	1	–	–	7	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	2	–	1	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	5	1	–	–	–
†BINGLEY	–	1	–	–	1	M. 1
†BOLTON UPON DEARNE	–	3	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
CLAYTON	–	1	–	–	–	–
CLAYTON WEST ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
†DARTON	–	–	–	–	4	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	8	–	–	4	–
DRIGHLINGTON ...	–	–	–	–	2	–
†GOLCAR	–	2	–	–	–	–
†GOOLE	–	2	1	–	1	–
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	1	–	–	1	–
†HEMSWORTH ...	–	1	–	–	3	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORBURY ...	–	–	1	–	–	–
HORSFORTH ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†KEIGHLEY ...	–	1	1	–	1	–
KIRKBURTON ...	–	–	–		1	–
KNARESBOROUGH	*	*	*	*	*	*
MARSDEN ...	–	–	1	–	–	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	1	–	–	2	–
†MIRFIELD ...	–	–		–	1	–
†MORLEY	–	1	–	–	4	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ...	–	–	–	–	1	–
†OSSETT	–	3	–	–	–	–
†PONTEFRACT ...	–	3	–	–	–	–
†PUDSEY	–	–	–	1	2	–
†RAWMARSH ...	60	–	–	–	–	–
RIPON	–	2	–	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
SELBY	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	–	1	–
SOUTHOWRAM ...	–	–	1	–	–	–
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	2	C. 1
†STANLEY	–	–	–	–	4	–
STOCKSBRIDGE ...	–	–	1	–	–	–
†SWINTON... ...	1	1	–	–	–	–
THURSTONLAND AND FARNLEY TYAS.	–	1	–	1	–	–
TICKHILL ...	–	–	–	–	–	M. 1
†TODMORDEN ...	–	5	–	–	–	–
†WATH UPON DEARNE	1	1	1	–	–	–
WHITLEY UPPER	–	–	–	–	1	–
†WOMBWELL ...	–	3	1	–	4	–
†WORSBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	–	1	–	–	8	–
GOOLE	–	–	2	–	–	–
HEMSWORTH ...	–	3	–	–	4	–
HUNSLET... ...	–	1	–	–	–	–
KIVETON PARK ...	–	7	2	–	–	–
KNARESBOROUGH	–	–	–	–	2	–
PONTEFRACT ...	–	1	1	–	–	–
ROTHERHAM ...	3	3	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
SEDBERGH ...	–	2	–	–	–	–
SELBY	–	1	–	–	–	–
SETTLE	–	2	–	–	1	C. 1
SKIPTON	–	2	–	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	–	–	2	–	2	–
WAKEFIELD ...	–	2	–	–	1	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	–	–	–	1	–
§YORK, CITY OF ...	–	2	1	–	3	–
†YORK C.B. ...	–	2	1	–	3	–
WALES.						
ANGLESEY	–	8	–	–	1	–
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	2	–	–	–	–
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	3	–	–	–	–
VALLEY	–	3	–	–	1	–
BRECKNOCK ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	2	–	–	–	–
CARDIGAN ...	–	–	1	–	–	–
LAMPETER ...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
ABERYSTWYTH (SOUTH)	–	–	–	–	1	–
CARMARTHEN ...	–	4	16	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	–	2	–	–	–
KIDWELLY ...	–	–	1	–	–	–
†LLANELLY ...	–	1	5	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	2	6	–	–	–
LLANYBYTHER ...	–	–	1	–	–	–
CARNARVON ...	–	2	–	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	M. 1
CARNARVON ...	–	1	–	–	1	–
CONWAY	–	–	–	–	–	C. 1
Rural Districts:—						
GWYRFAI	–	–	–	–	1	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	6	3	–	3	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	2	–
DENBIGH ...	*	*	*	*	*	*
RUTHIN	–	1	–	–	–	–
Rural Districts:—						
RUTHIN	–	2	–	–	–	–
WREXHAM ...	–	3	3	–	1	–
FLINT	–	6	1	–	7	G. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	1	–
HOLYWELL ...	–	–	–	–	3	–
MOLD	–	1	–		–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	1	–	3	G. 1
ST. ASAPH (FLINT)	–	2	–	–	–	–
GLAMORGAN ...	–	58	59	–	59	C. 5 E. 2 G. 1 M. 10
†CARDIFF C.B. ..	–	12	11	–	3	M. 6
†MERTHYR TYDFIL C.B	–	1	–	–	–	E. 1
†SWANSEA C.B. ...	–	6	10	–	4	C. 3
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	–	–	7	–
†BARRY	–	–	4	–	2	–
†CAERPHILLY ...	–	4	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GELLIGAER ...	–	1	3	–	4	E. 1
†MAESTEG ...	–	3	7	–	12	–
†MOUNTAIN ASH ...	–	2	–	–	4	C. 1
†NEATH	–	2	–	–	–	–
†OGMORE AND GARW	–	1	1	–	6	–
†PENARTH ...	–	1	–	–	2	–
†PONTYPRIDD ...	–	4	–	–	4	–
PORTHCAWL ...	–	1	6	–	2	M. 1
†PORT TALBOT ...	–	2	1	–	–	G. 1
†RHONDDA ...	–	12	8	–	6	M. 3
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	1	C. 1
LLANTRISANT AND LLANTWIT-FARDRE	–	1	4	–		–
NEATH	–	1	–	–	–	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	–	–	1	–
SWANSEA... ...	–	3	3	–	–	–
MERIONETH ...	–	–	–	–	–	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
MONMOUTH ...	–	7	11	–	5	–
†NEWPORT C.B. ...	–	4	3	–	3	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†BEDWELLTY ...	–	–	2	–	1	–
CHEPSTOW ...	–	–	–	–	1	–
†MYNYDDISLWYN	–	–	1	–	–	–
†TREDEGAR ...	–	–	3	–	–	–
USK	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MAGOR	–	1	–	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
MONTGOMERY ..	–	–	1	–	5	M. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	1	–	1	–
WELSHPOOL ...	–	–	–	–	3	–
Rural Districts:—						
FORDEN	–	–	–	–	–	M. 1
LLANFYLLIN ...	–	–		–	1	–
PEMBROKE	–	1	–	–	4	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	2	–
Rural Districts—						
HAVERFORDWEST	–	–	–	–	2	–
NARBERTH ...	–	1	–	–	–	–
RADNOR	–	–	–	–	–	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	365	1749	850	25	1264	C. 64 D. 5 E. 6 G. 54 L. 3 M. 100

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COLCHESTER	*	*	*	*	*	*
COWES	–	4	–	–		
HARTLEPOOL	*	*	*	*	*	*
HARWICH	–	–	1	–		
LIVERPOOL	–	–	–		–	L.
PLYMOUTH	–	–	–	–	1	
PORT OF LONDON ...	–	–	–	3	–	
Total of Part III. ...	–	4	1	3	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	266	359	4	86	C. 10 D. 3 E. 1 G. 1 M. 8
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	365	1749	850	25	1264	C. 64 D. 15 E. 6 G. 54 L. 3 M. 100
Total of Part III.—Port Sanitary Districts	–	4	1	3	1	L. 1
Total (*i.e.*, of returns received), England and Wales ...	365	2019	1210	32	1351	C. 74 D. 8 E. 7 G. 55 L. 4 M. 108

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 100, 101, 102, 107, 108, 112 and 113.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16	Jan. 23.	Jan 30.
LONDON :—													
DEATHS—all ages	940	900	1,121	1,280	1,523	1,661	1517	1,233	1,658	1,230	1,200	1,399	1,27
„ 0 to 1 year ..	132	106	139	159	175	162	146	128	134	125	137	144	12
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,051	6,548	6,608	6,080	6,513	6,697	6,314	4,245	7,477	8,017	6,594	6,920	7,00
DEATHS—all ages	3,885	3,961	5,112	5,481	6,057	6,631	6,080	5,099	6,636	5,376	5,058	5,646	5,28
„ 0 to 1 year ..	536	508	632	665	712	715	692	613	775	609	660	694	61
ENTERIC FEVER—Cases	31	34	25	23	23	20	27	10	17	20	12	6	1
„ Deaths	3	6	3	3	1	7	1	1	4	5	—	1	
SMALL POX—Cases ..	18	9	11	30	10	26	42	51	46	44	95	102	8
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,366	1,242	1,331	1,194	1,015	1,024	1,003	811	1,082	923	895	950	1,06
„ Deaths	14	5	13	11	11	17	10	11	10	16	14	5	1
DIPHTHERIA—Cases ..	747	690	721	745	677	645	662	568	759	711	684	679	85
„ Deaths ..	31	28	29	54	59	38	30	36	53	53	31	50	9
MEASLES—Deaths ..	31	34	49	50	58	71	78	72	87	72	94	109	10
INFLUENZA—Deaths ..	59	44	61	73	100	116	132	85	123	115	81	87	10

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th January, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	56	37	51·0	40·6	11	HUDDERSFIELD	52	37	49·0	41·0	23
BRIGHTON ..	50	39	47·6	42·6	27	BRADFORD ..	51	36	47·7	39·3	20
PORTSMOUTH ..	51	40	49·5	42·6	32	SHEFFIELD ..	52	35	48·6	40·9	22
NORWICH (EATON).	53	35	49·4	39·9	12	YORK (MUSEUM)	52	37	49·0	41·1	14
PLYMOUTH ..	53	41	50·7	44·1	29	HULL (PEARSON PARK).	52	35	48·4	40·0	17
BRISTOL (CLIFTON).	53	39	49·9	42·4	25	TYNEMOUTH ..	52	40	47·9	42·4	6
BIRMINGHAM (EDGBASTON).	50	34	46·9	39·7	19	CARDIFF	51	35	48·1	40·4	40
NOTTINGHAM ..	52	34	49·4	38·1	13	EDINBURGH ..	51·0	37·0	47·7	40·1	14
BIRKENHEAD (BIDSTON).	52	37	47·9	43·0	10	GLASGOW ..	51·0	36·8	47·5	39·3	24
MANCHESTER (WHITWORTH PARK).	51	36	48·4	40·7	19	DUBLIN (PHŒNIX PARK).	54·0	29·3	50·4	36·4	46
BURNLEY	51	34	47·4	38·6	41	(FITZWILLIAM SQUARE†).	54·0	34·2	49·7	39·4	51
						BELFAST	53·0	34·0	50·2	35·6	57

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 30th January, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	24	..	29·818	49·2	37·2	12·0	43·3	+ 4·4	38·7	4·6	10·3	1·8	85	73·0	30·1	41·9	WSW	SW	3·3	0·0	0·3	377	+ 60	0·00
MONDAY	25	..	29·810	52·0	45·6	6·4	49·6	+10·5	47·4	2·2	5·4	2·0	92	55·8	37·5	42·0	SW	WSW	6·4	0·0	1·0	529	+ 206	0·08
TUESDAY	26	Greatest Declination N.	30·041	50·2	41·0	9·2	46·2	+ 6·9	44·6	1·6	5·0	1·6	94	63·0	30·9	42·1	WSW : SW.	SSW	2·9	0·0	0·1	269	− 60	0·00
WEDNESDAY	27	..	29·568	55·6	44·9	10·7	49·3	+ 9·8	41·7	7·5	12·7	3·2	76	91·0	37·2	42·4	SSW : S.	SW	5·4	0·0	0·8	480	+ 145	0·04
THURSDAY	28	Full	29·758	49·9	42·7	7·2	46·0	+ 6·4	43·2	2·8	8·6	1·2	89	63·5	34·5	42·6	SW	SSW : SE.	2·3	0·0	0·3	288	− 51	0·00
FRIDAY	29	Apogee	29·334	51·0	40·8	10·2	45·6	+ 5·9	38·3	7·3	13·9	1·6	76	89·1	32·0	42·9	SSE : SW.	SW	5·1	0·0	0·5	400	+ 57	0·31
SATURDAY	30	..	29·460	46·7	36·8	9·9	42·7	+ 3·0	41·1	1·6	5·0	1·0	93	57·9	29·2	42·9	SW : SSW : S.	S : SE : SSE.	1·5	0·0	0·2	238	− 108	0·01
MEANS		..	29·684	50·7	41·3	9·4	46·1	+ 6·7	42·1	3·9	8·7	1·8	86	70·5	33·1	42·4	SW		..	..	..	Sum 2,581	Sum + 249	Sum 0·44
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. January.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks
Sunday ..	24	wP	1·9	8·6	Variably cloudy becoming cloudless by 5h., clouding up from 10h. to overcast by 11h. Slight hoar frost in morning. Brisk wind from 19h. Damping 16h. to 17h., and frequently from 20h. till 23h.
Monday ..	25	wP till 20h.; then mP.	0·0	8·7	Overcast till 17h., then variably cloudy. Brisk wind till 16h. Occasional damping between 5¼h. and 12h. Rain 12h. till 15¼h.
Tuesday ..	26	wP till 6½h.; mP till 17h.; then wP.	0·0	8·7	Nearly cloudless till 7h., then overcast. Haze and dew in morning. Solar halo about 12½h. Slight damping 18½h. to 19h.
Wednesday	27	wP till 14½h., wN till 15h.; then wP	1·1	8·8	Nearly overcast generally till 16½h., becoming cloudless by 17h. Dew in morning and evening. Rain from 14h. till 15h. Brisk wind 15h. till 23h.
Thursday	28	wP till 7h.; mP till 16h.; wP till 21h.; then Variably wN and wP.	0·0	8·9	Partially cloudy till 8h., then becoming overcast by 9h. Shower 3½h. Slight rain 20½h. till 20¾h., and from 21h. till 0h.
Friday ..	29	Variably mN and wP till 7h.; wP till 15h.; variably sP and sN till 17h., then wP.	4·7	8·9	Overcast till 9h., then variably cloudy. Rain 0¼h. till 7h., and 16h. till 16¾h. Shower 14¾h. Brisk wind 10h. till 17h. Thunder and lightning about 16h.
Saturday	30	wP till 15½h., then variably wP and wN.	0·1	9·0	Partially cloudy becoming nearly overcast by 9½h. Occasional slight rain between 10½h. and 23h.
			Sum 7·8	Sum 61·6	
No. of Col...		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·41 in. at the beginning of the week to 29·85 in. by 17h. on 24th; decreased to 29·76 in. by 7h. on 25th; increased to 30·12 in. by 10h. on 26th; decreased to 29·48 in. by 15h. on 27th; increased to 29·85 in. by 10h. on 28th; decreased to 29·21 in. by 8h. on 29th.; increased to 29·53 in. by 8h. on 30th.; decreased and was 29·39 in. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 5.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 6TH FEBRUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926

Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH FEBRUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wale the births registered in the fifth week of the year numbered 6,793, and corresponded to an annual rate of 18·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,037 and corresponded to an annual rate of 13·6 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 13·6, 15·2 and 14·2. Infant mortality was 86 per 1,000 births against 100, 100 and 88 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,569 births corresponding to a rate of 17·8 per 1,000, and 1,062 deaths of civilians, corresponding to a rate of 12·1, as against 13·7, 15·9 and 14·5, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 14·1 per 1,000. The infant mortality was 52 as against 93, 89 and 83, in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,286 to 5,037. In London the number of deaths from all causes decreased from 1,270 to 1,062 ; the deaths from diphtheria which had been 9, 16, and 9 in the preceding three weeks, rose to 15 last week; and the deaths from measles, which had been 58, 63, and 60 in the three preceding weeks, further declined to 39 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 6th February, 1926.**

Towns	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,825*	6,793	5,037	586	2	76	8	58	45	42	78
London	4,676,505*	1,569	1,062	82	1	39	4	5	15	9	10
Towns in Outer Ring.											
Croydon C.B ..	196,000	56	61	9	-	-	-	-	-	1	1
Wimbledon ..	58,090	14	14	-	-	-	-	-	-	-	-
Ealing	68,370	25	16	2	-	-	-	-	-	-	-
Acton	62,980	17	9	-	-	-	-	-	-	-	-
Willesden ..	169,100	51	27	3	-	1	-	-	-	-	-
Hendon	57,530*	8	6	-	-	-	-	-	-	-	-
Hornsey	87,240	16	24	-	-	1	-	-	-	-	-
Wood Green ..	51,840	16	10	-	-	-	-	-	-	-	-
Tottenham ..	153,100	47	36	4	-	-	-	1	-	-	-
Edmonton ..	70,450	33	5	-	-	-	-	-	-	-	-
Enfield	62,970	21	14	-	-	-	-	-	-	-	-
West Ham C.B. ..	317,400	173	58	6	-	2	-	-	-	1	-
East Ham C.B. ..	146,900	41	24	4	-	-	-	-	-	-	-
Leyton	133,500	35	35	6	-	1	-	-	-	-	1
Walthamstow ..	131,100	35	24	-	-	-	-	-	-	-	-
Ilford	92,400	30	18	1	-	1	-	-	-	-	-
Gillingham	48,130*	17	8	1	-	-	-	-	-	-	1
Canterbury C.B ..	23,330*	12	5	-	-	-	-	-	-	-	-
Hastings C.B.	60,510	11	19	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	54,830	8	12	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,500*	30	33	2	-	-	-	-	-	-	1
Portsmouth C.B. ..	232,000*	95	51	8	-	-	-	-	3	1	-
Bournemouth C.B. ..	84,450	28	41	3	-	-	-	-	-	-	3
Southampton C.B. ..	167,300	56	50	8	-	-	-	1	1	-	-
Reading C.B.	93,480*	24	19	3	-	-	-	-	-	-	-
Oxford C.B.	57,260	24	12	3	-	1	-	-	-	-	-
Northampton C.B. ..	93,590*	34	19	2	-	-	-	-	-	-	-
Luton	59,220	13	13	1	-	-	-	-	-	-	-
Cambridge	59,120	17	7	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	96,450	23	22	1	-	-	-	-	-	-	-
Ipswich C.B.	82,710	34	30	-	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,780	15	13	1	-	-	-	-	-	-	1
Norwich C.B. ..	123,900*	32	30	-	-	-	-	-	-	-	3
Swindon	56,570	11	14	-	-	-	-	-	-	-	-
Exeter C.B.	59,880*	23	15	3	-	-	-	-	-	-	1
Plymouth C.B. ..	192,900*	71	54	7	-	-	1	1	-	-	1
Bath C.B.	69,270	19	23	2	-	-	-	-	-	-	-
Bristol C.B.	386,200*	132	100	22	-	-	-	1	3	-	-
Gloucester C.B. ..	53,090	18	20	2	-	1	-	-	-	-	-
Stoke-on-Trent C.B.	278,000	105	103	19	-	-	-	1	-	-	1
Burton-upon-Trent C.B.	49,660	23	11	-	-	-	-	-	-	-	1
Wolverhampton C.B.	108,200	36	31	7	-	-	-	-	-	-	2
Walsall C.B.	101,500	40	16	4	-	-	-	-	-	-	1
West Bromwich C.B	78,730	37	24	1	-	-	-	2	-	-	1
Dudley C.B.	58,600	21	10	-	-	-	-	-	-	-	-
Worcester C.B. ..	50,220	20	16	1	-	-	-	-	-	-	1
Birmingham C.B. ..	946,980	310	236	45	-	3	-	3	-	4	3
Smethwick C.B. ..	78,790	27	10	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	40	29	2	-	-	-	2	-	-	-
Leicester C.B. ..	241,800	78	59	6	-	-	-	-	3	-	-
Lincoln C.B.	66,850*	27	17	4	-	-	-	-	-	-	-
Grimsby C.B.	86,810	27	25	4	-	-	-	1	-	1	-
Nottingham C.B. ..	270,300	85	106	14	-	1	1	4	2	1	2
Derby C.B.	133,700*	38	33	5	-	-	-	-	-	-	1
Chesterfield ..	64,770	24	23	2	-	-	-	-	-	-	-
Stockport C.B. ..	126,000	34	37	2	-	-	-	-	-	-	1
Chester C.B.	41,730	10	8	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	154,100	66	40	6	-	1	-	-	-	1	-
Wallasey C.B. ..	90,790	31	25	1	-	-	-	-	-	-	1
Liverpool C.B. ..	851,800	371	255	35	-	2	-	5	4	3	1
Bootle C.B.	83,130	43	20	2	-	1	-	-	-	-	-
St. Helens C.B. ..	108,700	46	23	4	-	1	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	73,650	14	19	2	-	-	-	-	-	-	1
Wigan C.B.	91,180	26	24	4	-	-	-	-	-	-	-
Warrington C.B. ..	78,120*	35	21	5	-	-	-	1	-	2	1
Bolton C.B.	181,100	51	64	8	-	-	-	3	-	-	1
Bury C.B.	56,830*	17	13	1	-	-	-	1	1	-	-
Manchester C.B. ..	755,000	270	214	24	-	9	-	1	5	3	2
Salford C.B.	243,700	85	41	5	-	1	-	-	-	3	1
Oldham C.B	147,300	39	58	7	-	1	-	2	1	-	1
Rochdale C.B... ..	92,750	17	30	3	-	-	-	-	-	-	-
Burnley C.B.	103,400	25	24	2	-	-	-	1	-	-	1
Blackburn C.B. ..	127,600	36	41	1	-	-	-	1	-	-	-
Preston C.B.	123,100	37	36	4	-	-	-	1	-	-	1
Blackpool C.B. ..	77,410	16	22	4	-	-	-	1	-	-	-
Barrow-in-Furness C.B.	73,490	27	29	2	-	-	-	-	-	-	1
Huddersfield C.B. ..	112,000	36	35	6	-	-	-	-	-	-	-
Halifax C.B.	98,750*	24	33	1	-	-	-	1	-	-	-
Bradford C.B. ..	290,200	93	81	7	-	-	-	1	-	1	1
Leeds C.B.	471,600	156	158	14	-	-	1	2	1	2	-
Dewsbury C.B ..	54,790	17	14	1	-	-	-	-	-	-	1
Wakefield C.B. ..	53,910	22	13	4	-	-	-	-	-	-	-
Barnsley C.B. ..	70,570	27	35	2	-	1	-	-	-	1	3
Sheffield C.B. ..	525,000	193	146	16	-	4	1	-	1	1	8
Rotherham C.B. ..	70,340	39	30	4	-	-	-	-	-	-	-
Doncaster	55,150	25	17	4	-	-	-	1	-	1	1
York C.B.	84,450*	30	24	1	-	-	-	2	-	1	-
Hull C.B.	296,800	129	103	12	-	1	-	1	1	2	2
Middlesbrough C.B.	136,300	90	54	11	-	-	-	5	-	-	3
Darlington C.B. ..	88,690	24	16	2	-	-	-	1	-	-	-
Stockton-on-Tees ..	67,620	19	11	2	-	-	-	-	-	-	-
West Hartlepool C.B.	71,620	32	23	6	-	-	-	-	-	-	1
Sunderland C.B. ..	165,100	69	29	1	-	-	-	1	-	1	1
South Shields C.B. ..	126,600	48	39	6	1	-	-	-	-	-	1
Gateshead C.B. ..	128,700	55	35	4	-	-	-	-	-	-	4
Newcastle-on-Tyne C.B.	285,900*	118	86	12	-	-	-	-	1	1	-
Tynemouth C.B. ..	65,940	29	14	1	-	-	-	-	-	-	-
Carlisle C.B.	54,910*	28	17	2	-	1	-	-	-	-	-
Newport (Mon.) C.B.	95,810	36	24	5	-	-	-	1	-	-	-
Cardiff C.B.	228,200*	100	47	9	-	-	-	2	1	-	-
Rhondda	167,900	68	33	8	-	1	-	-	-	-	-
Merthyr Tydfil C.B.	83,440	21	18	3	-	1	-	-	-	-	2
Aberdare	58,000	22	14	4	-	-	-	-	-	-	-
Swansea C.B.	162,700	75	42	11	-	-	-	1	2	-	-
Greater London ..	7,665,833*	2,564	1,688	136	1	50	4	7	17	11	20
Outer Ring	3,089,328*	995	626	54	-	11	-	2	2	2	10
16 Great Towns in Outer Ring	1,858,970*	618	381	35	-	6	-	1	-	2	2
Remainder of Outer Ring	1,230,358*	377	245	19	-	5	-	1	2	-	8
Edinburgh†	424,600	148	116	16	1	-	1	-	3	2	2
Glasgow† ..	1,034,500	498	325	54	-	30	3	4	1	5	3
Dublin (Registration Area)†	443,000	169	141	20	-	1	-	2	1	4	1
Belfast†	443,900	202	149	21	-	13	1	2	2	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths. Exclusive of Still born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
		1925–6.											
London‡	4,576,505	Feb. 6	1569	1062	12·1	1	-	39	4	5	15	9	10
Calcutta and Suburbs	1,077,273	Dec. 26	?	701§	33·8	?	3	?	?	?	?	?	7
Bombay	1,175,914	Jan. 16	387‖	571	23·2	1	9	1	-	-	-	28	2
Madras	526,911	Dec. 19	466	567§	55·8	1	1	-		1	-	23	-
Sydney and Suburbs	1,012,070	„ 31											
Brisbane (Metropolitan Area).	245,015	„ 31											
Perth (Metropolitan Area).	176,467	„ 12	64	34	10·0	-	-	-	-	-	-	-	-
		„ 19	63	16	4·7	-	-	-	-	-	-	1	-
		„ 26	41	26	7·7	-	-	-	-	-	-	1	-
Auckland (Urban Area).	180,790	„ 31											
Wellington (Urban Area).	118,490	„ 31											
Christchurch (Urban Area).	118,270	„ 31											
Cape Town	111,381	Jan. 9											
Johannesburg	165,958	„ 16											
Durban	53,377	„ 9											
Paris	2,906,472												
Antwerp	300,021	Jan. 2											
Amsterdam	718,047	„ 23											
Copenhagen	587,400	„ 23	206	153	13·7	-	-	2	-	2	1	-	2
Stockholm	438,896	„ 23	96	104	12·3	-	-	-	-	1	1	-	3
Gothenburg	229,640	„ 16	?	60	13·5	-	-	-	-	-	1	-	-
Oslo (Christiania) ..	257,719	„ 23	68	66	13·3	-	-	-	-	-	-	-	-
Berlin	2,044,000	„ 9	454	542	13·3	-	?	3	1	-	4	6	5
		„ 16	487	458	11·3	-	?	4	1	1	1	3	2
Breslau	575,000	„ 9	169	124	10·5	-	?	1	-	-	-	1	2
		„ 16	159	137	11·5	-	?	-	1	-	-	1	5
Cologne	727,000	„ 9	236	154	10·5	-	?	-	-	-	1	-	2
		„ 16	244	141	10·0	-	?	-	-	1	2	1	2
Dresden	618,000	„ 9	155	171	13·8	-	?	-	-	1	3	-	3
		„ 16	153	146	11·5	-	?	-	-	1	-	-	6
Frankfort-on-Main ..	474,000	„ 9	114	86	9·1	-	?	1	-	-	-	1	2
		„ 16	109	86	9·1	-	?	-	-	-	-	1	1
Hamburg	1,115,000	„ 9	391	307	13·4	-	?	-	-	-	-	3	1
		„ 16	212	200	8·9	-	?	-	-	-	-	2	2
Leipzig	660,000	„ 9	196	160	11·5	-	?	2	-	-	-	-	2
		„ 16	166	161	11·6	-	?	3	-	1	-	-	1
Munich	685,000	„ 9	173	156	10·7	-	?	-	-	1	-	3	3
		„ 16	184	183	12·7	-	?	-	-	-	-	-	2
Vienna	1,869,437												
Prague and Suburbs	712,700												
Budapest	964,270	Jan. 16											
Warsaw	992,450	„ 16	319	268	14·1	1	-	3	5	5	1	13	7
Cairo	818,500	Nov. 25	898	445	28·3	5	-	3	-	?	5	53	?
		Dec 2	843	475	30·2	12	-	1	-	?	5	40	?
Alexandria	486,600	Nov. 25	510	372	39·8	-	-	8	-	?	-	38	?
		Dec. 2	515	381	40·7	1	-	12	-	?	2	36	?
New York	6,251,817	„ 12	?	1288	10·7	?	?	?	?	?	?	?	12
		„ 19	–	1390	11·6	7	-	5	1	3	8	10	9
Chicago	2,995,239	Jan. 22	1102	694	11·9	-	?	-	3	-	2	8	6

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities Budapest, Warsaw.

The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 13 deaths from cholera in Calcutta and 18 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th February, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1062	82	43	36	30	41	37	76	126	169	201	221
Enteric fever..	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	39	8	22	9	-	-	-	-	-	-	-	-
Scarlet fever	4	-	-	1	2	1	-	-	-	-	-	-
Whooping cough	5	2	3	-	-	-	-	-	-	-	-	-
Diphtheria	15	2	-	8	5	-	-	-	-	-	-	-
Influenza	10	-	-	-	-	2	-	1	2	-	2	3
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	2	-	-	-	-	1	-	-	-	1	-	-
Encephalitis lethargica	3	-	-	-	-	1	-	-	-	2	-	-
Meningococcal meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	76	-	-	-	2	14	13	20	14	10	3	-
Nervous system	5	2	-	1	1	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	1	-	-	1	-	-	-	-	-
Other forms	5	-	-	1	3	1	-	-	-	-	-	-
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	128	-	-	1	-	-	1	9	25	33	40	19
Rheumatic fever	6	-	-	-	4	-	-	-	-	1	1	-
Diabetes	12	-	-	-	-	-	-	1	3	2	5	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	1	1	2	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	42	-	-	-	-	-	-	1	7	10	17	7
Epilepsy	4	-	-	-	-	2	-	-	1	-	-	1
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	35	-	-	-	3	1	2	7	7	9	4	2
Pericarditis	1	-	-	-	-	1	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	1	-	1	2	-	-	1
Other diseases of heart	138	-	-	1	1	1	1	6	15	20	38	55
Other diseases of circulatory system	56	-	-	-	-	1	-	1	3	10	14	27
Bronchitis	86	4	1	-	-	-	1	3	9	19	20	29
Broncho-pneumonia	59	14	13	7	-	-	1	1	1	5	8	9
Lobar-pneumonia	19	1	-	1	-	1	1	4	6	2	3	-
Pneumonia (type not distinguished)	14	1	-	-	-	-	-	2	-	4	2	5
Other diseases of respiratory system	16	-	1	-	-	1	-	2	2	1	1	8
Diarrhœa and enteritis	12	9	-	-	-	1	-	-	-	1	1	-
Appendicitis, Typhlitis	5	-	-	-	1	-	1	1	-	2	-	-
Hernia, Intestinal obstruction.. ..	17	1	-	-	-	-	2	2	3	2	5	2
Cirrhosis of liver	8	-	-	-	-	-	-	-	2	5	1	-
Other diseases of digestive system ..	27	-	-	-	3	-	1	2	5	7	5	4
Acute nephritis	5	-	-	2	1	1	-	1	-	-	-	-
Chronic Bright's disease..	35	-	-	-	-	2	1	2	8	5	9	8
Other diseases of genito-urinary system.	19	-	-	-	-	-	-	1	-	4	7	7
Puerperal sepsis	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	-	1	2	-	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	30	-	-	-	-	-	-	-	-	-	5	25
Suicide	13	-	-	-	-	-	1	2	6	2	2	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	-	3	2	2	2	-	3	3	-
Other deaths by violence	12	-	1	-	-	-	2	1	1	-	2	5
Other specified causes	34	8	1	1	1	3	3	1	3	7	3	3
Ill-defined causes	1	-	-	-	-	-	1	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th February, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	255	320	5	127	C. 12 D. 6 E. 1 G. 6 M. 11
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	11	19	–	10	C. 2 M. 1
†BERMONDSEY ...	–	8	11	–	3	C. 1
†BETHNAL GREEN	–	3	11	–	9	D. 1
†CAMBERWELL ...	–	32	35	1	2	–
†CHELSEA	–	3	8	–	3	C. 2
†DEPTFORD ...	–	7	14	–	1	D. 2
†FINSBURY ...	–	7	8	–	3	–
†FULHAM	–	6	5	–	7	E. 1 M. 1
†GREENWICH ...	–	8	14		1	–
†HACKNEY ...	–	16	17	–	2	C. 2 M. 1
†HAMMERSMITH ...	–	4	4	–	3	D. 1
†HAMPSTEAD ...	–	3	2	–	–	–
†HOLBORN	–	2	–	–	–	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	23	12	–	2	M. 1
†KENSINGTON ...	–	3	7	–	3	G. 2 M. 1
†LAMBETH ...	–	16	8	1	4	C. 1 D. 1
†LEWISHAM ...	–	6	3	–	2	–
†PADDINGTON ...	–	8	16	–	4	C. 1
†POPLAR	–	11	8	–	16	M. 1
†ST. MARYLEBONE	–	4	5	–	6	C. 1
†ST. PANCRAS ...	–	11	15	–	10	M. 2
†SHOREDITCH ...	–	15	8	–	1	G. 1 M. 1
†SOUTHWARK ...	–	9	30	–	12	C. 1 D. 1 G. 1
†STEPNEY	–	8	7	–	3	–
†STOKE NEWINGTON	–	3	3	1	–	G. 1
†WANDSWORTH ...	–	23	26	2	15	M. 1
†WESTMINSTER, CITY OF	–	3	3	–	4	–
†WOOLWICH ...	–	2	20	–	1	C. 1 G. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	16	7	–	7	L. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	2	–	–	–	–
†BEDFORD... ...	–	5	2	–	1	–
BIGGLESWADE ...	–	1	1	–	–	–
LUTON	–	1	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	2	–	–	–
BEDFORD ...		4	1	–		–
BIGGLESWADE ...	–	1	–	–	6	L. 1
LUTON	–	1	–	–	–	–
BERKS	–	6	2	–	–	–
†READING C.B. ...	*	*	*	*	*	*
Boroughs and Urban Districts:—						
NEW WINDSOR ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
WALLINGFORD ...	–	1	–	–		–
WOKINGHAM ...	–		1	–	–	–
BUCKINGHAM ...	–	6		–	9	–
Boroughs and Urban Districts:—						
†AYLESBURY ...		1	–	–	–	–
BLETCHLEY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE ...	–	2	–	–	–	–
CHESHAM... ...	–	1	–	–	–	–
†SLOUGH	–	–	–	–	3	–
Rural Districts:—						
BUCKINGHAM ...	–	–	–	–	4	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	–	–	4	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	2	–
MELBOURN ...	–	–	–	–	2	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	70	37	2	28	M. 3
†BIRKENHEAD C.B.	–	6	4	–	6	M. 1
†CHESTER C.B. ...	–	4	2	–	2	–
†STOCKPORT C.B.	–	18	2	1	5	M. 2
†WALLASEY C.B. ...	–	4	5	–	1	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	2	–	–	–	–
†ALTRINCHAM ...	–	1	1	–	–	–
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH		1	–	–	2	–
BOLLINGTON ...	–	1	–	–	–	–
BOWDON	–	3	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	1	–	–	–	–
†CREWE	–	3	4	–	–	–
†DUKINFIELD ...	–	–	–	–	2	–
HALE	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	1	–
†HYDE	–	2	1	–	–	–
†MACCLESFIELD ...	–	1	4	–	1	–
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	1	–	–	1	–
MOTTRAM IN LONGDENDALE	–	1	–		–	–
NANTWICH ...	–	1	–	1	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	1	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	–	1	–	–	–
TARPORLEY ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	-	-	3	-	2	-
CHESTER	-	1	-	-	-	-
CONGLETON ...	-	2	-	-	-	-
DISLEY	-	-	-	-	1	-
MACCLESFIELD ...	-	2	-	-	-	-
NANTWICH ...	-	2		-	1	-
NORTHWICH ...	-	-	5	-	-	-
RUNCORN... ...	-	1	1	-	1	-
TARVIN	-	1	-	-	-	-
TINTWISTLE ...	-	2	-	-	-	-
WIRRAL	-	2	-	-	1	-
CORNWALL ...	-	4	2	1	7	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	-	1	-	-	-	-
†FALMOUTH ...	-	-	-	1	-	-
HELSTON... ...	-	1	-	-	-	-
LISKEARD ...	-	1	-	-	-	-
LOOE	-	-		-	1	-
†PENZANCE ...	-	-	2	-	-	-
ST. IVES	-	-	-	-	-	C. 1
STRATTON AND BUDE	*	*	*	*	*	*
TORPOINT ...	-	-	-	-	1	-
Rural Districts:—						
LAUNCESTON ...	-	-	-	-	2	-
LISKEARD ...	-	-	-	-	-	D. 1
REDRUTH ...	-	-	-	-	1	-
ST. AUSTELL ...	-	-	-	-	2	G. 1
STRATTON ..	*	*	*	*	*	*
WEST PENWITH...	-	1	-	-	-	-
CUMBERLAND ..	-	30	12	-	6	-
†CARLISLE C.B. ..	-	12	1	-	-	-
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	-	2	-	-	-	-
ASPATRIA ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
COCKERMOUTH ...	-	1	-	-	-	-
EGREMONT ...	-	-	2			-
KESWICK	-	-	2	-	-	-
†MARYPORT ...	-	1	1	-	-	-
PENRITH	-	2	-	-	-	-
†WHITEHAVEN ...	-	-	2	-	-	-
WIGTON	-	1	-	-	-	-
†WORKINGTON ...	-	2	1	-	-	-
Rural Districts:—						
CARLISLE ...	-	1	-	-	1	-
COCKERMOUTH ...	-	3	2		4	-
LONGTOWN ...	-	1	-		1	-
PENRITH	-	2			-	-
WHITEHAVEN ...	-	1	-	-	-	-
WIGTON	-	1	-	-	-	-
DERBY	58	43	21	-	32	C. 1 E. 1 G. 1 M. 2
†DERBY C.B. ...	39	5	7	-	6	G. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	-	2	-	-	2	-
ALVASTON AND BOULTON	-	-	1	-	-	-
†BELPER	-	-	1	-	-	M. 1
†BOLSOVER ...	4	1	1	-	1	-
†BUXTON		1	-	-		-
†CHESTERFIELD ...	-	10	1	-	2	-
CLAY CROSS ...	-	1	-	-	-	-
†GLOSSOP	-	-	1	-	-	-
†HEANOR	-	-	-	-	3	-
†ILKESTON ...	-	-		-	1	C. 1 E. 1
†LONG EATON ...		7	1	-		-
NEW MILLS ...	-	-	-	-	-	M. 1
†RIPLEY	-	2	1	-	1	-
†SWADLINCOTE DISTRICT	-	1	-	-	-	-
†THE MATLOCKS...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BELPER	–	3	–	–	1	–
BLACKWELL ...	15	1	1	–	3	–
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	5	4	–	7	–
CLOWNE	–	–	2	–	–	–
HARTSHORN AND SEALE	*	*	*	*	*	*
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	1	–	–	4	–
DEVON	–	32	13	1	17	C. 1 G. 1
†EXETER C.B. ...	–	5	2	–	2	–
†PLYMOUTH C.B...	–	13	6	–	4	–
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	–	–	–	–	1	–
†NEWTON ABBOT...	–	–		–	–	G. 1
OKEHAMPTON ...	*	*	*	*	*	*
†PAIGNTON ...	–	1	–	–	–	–
SOUTH MOLTON...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	1	–	–	1	–
TIVERTON ...	–	6	–	–	–	–
†TORQUAY ...	–	1	–	–	3	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	–	1	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	1	1	–	–
NEWTON ABBOT	–	–		–	2	–
OKEHAMPTON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	–	1	4	–	–	–
ST. THOMAS ...	–	1	–	–	1	C. 1
TAVISTOCK ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	11	–		2	G. 1
Boroughs and Urban Districts:—						
†PORTLAND ..	–	3	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
BLANDFORD ...	–	3	–	–	–	–
SHERBORNE ...	–	4	–	–	–	–
WEYMOUTH ...	–	–	–	–	–	G. 1
WIMBORNE AND CRANBORNE	–	1	–		–	–
DURHAM	214	93	15	3	53	C. 5 G. 3 M. 6
†DARLINGTON C.B	1	4	–	–	4	–
†GATESHEAD C.B.	14	11	4	–	5	M. 1
†SOUTH SHIELDS C.B.	21	3		1	10	C. 2
†SUNDERLAND C.B.	–	4	1	–	4	C. 1 G. 1 M. 2
†WEST HARTLEPOOL C.B.	–	5	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	–	–	–	–	–
BENFIELDSIDE ...	–	2	–	–	–	–
BILLINGHAM ...	–	2	–	–	–	–
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON... ...	34	5	–	–	2	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	5	1	–	–	–	–
†CONSETT	1	2	1	–	–	–
†CROOK	1	–	–	–	–	–
†DURHAM	1	1	–	–	–	M. 1
†FELLING	–	2	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARTLEPOOL ...	–	1		–	–	–
†HEBBURN ...	–	–	1	–	2	–
†HETTON	–	1	–	–	–	–
†HOUGHTON LE SPRING	–	2	–	–	2	–
†JARROW		1	–	–	6	–
LEADGATE ..	2	–	–	–	–	–
†RYTON	5	–	–	–	–	–
†SEAHAM HARBOUR	1	–	–	–	–	–
†SOUTHWICK ON WEAR	–	–			2	–
†SPENNYMOOR ..	26	–	–	–	–	–
†STANLEY	–	3	–	1	–	–
†STOCKTON ON TEES	–	–	–	–	2	–
†TANFIELD ...	1	1	–	–	1	–
†WASHINGTON ...	–	2	–	–	–	–
†WHICKHAM ...	6	2	–	–	1	–
WILLINGTON ...	1	3	–	–	–	G. 1
Rural Districts:—						
AUCKLAND ..	5	10	1	–	–	–
CHESTER LE STREET	36	1	1	1	1	–
DARLINGTON ...	–	–	–	–	–	C. 2
DURHAM	–	8	1	–	–	–
EASINGTON ...	21	2	–	–	2	G. 1
HARTLEPOOL ...	–	–	–	–	1	–
HOUGHTON LE SPRING	16	5	1	–	2	–
LANCHESTER ...	12	3	–	–	–	–
SEDGEFIELD ..	–	2	–	–	–	–
SOUTH SHIELDS...	–	1	2	–	–	–
SUNDERLAND ...	3	–	2	–	–	M. 1
ELY, ISLE OF ...	–	6	–	–	–	G. 1
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
Rural Districts:—						
ELY	–	2	–	–	–	–
WHITTLESEY ...	–	–	–	–	–	G. 1
WISBECH	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	56	50	2	48	C. 4 D. 1 E. 1 M. 1
†EAST HAM C.B. ...	–	7	8	–	1	C. 1
†SOUTHEND-ON-SEA C.B.	–	1	–	–	9	C. 2 M. 1
†WEST HAM C.B. ...	–	16	19	1	17	D. 1 E. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...		2	–	–	–	–
BRENTWOOD ...	–	–	2	–	–	–
BRIGHTLINGSEA	–		–	–	1	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	5	–	–	–	–
EPPING	–	–		–	1	–
†ILFORD	–	6	2	–	1	–
†LEYTON		3	8	–	4	–
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	1	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	10	2	1	4	–
WITHAM	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	–	–	–	2	C. 1
DUNMOW	–	–	–	–	3	–
HALSTEAD ...	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	–	2	–	1	–
ONGAR	–	–	3	–	–	–
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	–	49	20	–	19	C. 3 L. 1 M. 3
†BRISTOL C.B. ...	–	34	13	–	8	C. 2 L. 1 M. 2
†GLOUCESTER C.B.	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†Cheltenham ...	–	1	3	–	–	–
Cirencester ...	–	1	–	–	–	–
Coleford ...	*	*	*	*	*	*
†Kingswood ...	–	2	–	–	–	–
Nailsworth ...	–	1	–	–	–	–
Stow on the Wold	–	–	–	–	–	C. 1
Stroud	–	2	–	–	–	–
Rural Districts:—						
Chipping Sodbury	–	1	1	–	–	–
East Dean and United Parishes	–	1	1	–	4	–
Northleach ...	–		–	–	–	M. 1
Stroud	–	5	1	–	–	–
Thornbury ...	–	–	–	–	3	–
West Dean ...		1	–	–	–	–
Wheatenhurst	–	–	1	–	–	–
HEREFORD ..	–	4	8	–	5	C. 1
Boroughs and Urban Districts:—						
Bromyard ...	–	–	–	–	1	–
†Hereford ...		–	1	–	–	C. 1
Ross	–	–	1	–	2	–
Rural Districts:—						
Bromyard ...	–	3	–	–	1	–
Ledbury... ...	–	–	1		–	–
Leominster ...	–	–	5	–		–
Ross	–	1		–	–	–
Wigmore ...	–	–	–	–	1	–
HERTFORD ...	–	29	5	–	3	–
Boroughs and Urban Districts:—						
†Barnet	–	2	–			
†Cheshunt ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†East Barnet Valley	–		1	–	–	–
†Hertford ...	–	–	1	–	–	–
†Hitchin	–	2	–	–	–	–
†Letchworth ...	–	1	–	–	1	–
†St. Albans ...	–	–	–	–	1	–
Tring	–	1	–		–	–
†Watford ...	–	13	1	–	–	–
Rural Districts:—						
Barnet	–	5	–	–	–	–
Hitchin	–	1	–	–	–	–
St. Albans ...	–	1	–	–	–	–
Ware	–	1	–	–	–	–
Watford ...	–	2	–	–	–	–
Welwyn	–	–	1	–	–	–
HUNTINGDON ...		1	–	–	2	–
Boroughs and Urban Districts:—						
Godmanchester	–	–	–	–	1	–
St. Neots ...	–	–	–	–	1	–
Rural Districts:—						
Huntingdon ...	–	1	–	–	–	–
KENT	–	41	42	2	26	C. 3 F. 1 G. 1
Boroughs and Urban Districts:—						
†Ashford... ...	–	1	–	–	–	–
†Beckenham ...	–	2	–	–	–	–
†Bexley	–	1	1	–	–	–
†Broadstairs and St. Peter's	–	–	–	–	2	–
†Bromley ...	–	1	–	–	4	–
†Chatham ...	–	–	7	–	–	–
†Crayford ...	–	1	2	–	–	–
†Dartford ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DOVER	–	2	–	–	2	–
†ERITH	–	5	1	–	1	–
†FOLKESTONE ..	–	1	1	–	4	–
†GILLINGHAM ...	–	2	3	–	1	–
†GRAVESEND ...	–	3	2	–	–	–
†HERNE BAY ...	–	–	1	–	–	C. 1
†MAIDSTONE ...	–	4	1	1	–	C. 1
†MARGATE ...	–	–	–	–	1	G. 1
MILTON REGIS ...	–	1	–	–	–	–
†NORTHFLEET ...	–	–	2	–	–	–
†PENGE	–	–	1	–	1	–
†RAMSGATE ...		–	3	–	–	–
†ROCHESTER ...	–	2	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	3	–
†SHEERNESS ..		–	–	–	–	F. 1
SIDCUP	–	–	1	–	1	–
SITTINGBOURNE	–	1	–	–	–	–
WALMER	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	1	–	–	–
DARTFORD ..	–	3	6	–	–	–
ELHAM	–	–	–	–	1	–
HOLLINGBOURNE	–	1	1	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	2	–	–	–	–
MALLING	–	–	1	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
SEVENOAKS ...	–	–	–	1	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	1	3	–	–	–
TONBRIDGE ...	–	2	–	–	1	C. 1
LANCASTER ...	–	256	146	3	207	C. 9 D. 1 G. 14 M. 21
†BARROW IN FURNESS C.B	–	6			–	–
†BLACKBURN C.B	–	8	2	–	6	C. 1
†BLACKPOOL C.B.	–	1	1	–	–	M. 1
†BOLTON C.B. ...	–	2	2	–	4	C. 1 M. 1
†BOOTLE C.B. ..	–	3	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURNLEY C.B. ..	–	5	5	–	4	–
†BURY C.B. ...	–	4	5	–	2	–
†LIVERPOOL C.B. ..	–	59	54	–	54	G. 7 M. 10
†MANCHESTER C.B	–	56	29	–	49	C. 2 G. 3 M. 4
†OLDHAM C.B. ..	–	8	8	–	–	–
†PRESTON C.B. ..	–	2	2	2	1	C. 1
†ROCHDALE C.B. ...	–	–	2	–	–	–
†ST. HELENS C.B....		4	2	–	3	C. 1 G. 1
†SALFORD C.B. ...	–	10	12	–	7	G. 1 M. 1
†SOUTHPORT C.B.	–	2	1	–	2	–
†WARRINGTON C.B	–	6	–	–	5	G. 1
†WIGAN C.B. ...	–	1	–	–	6	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–		4	–
†ASHTON IN MAKERFIELD	–	–	1	–	2	–
†ASHTON UNDER LYNE	–	6	–	–	2	M. 1
ASPULL	–		–	–	3	–
†ATHERTON ...	–	1	–	–	2	–
†BACUP	–	1	–	–	1	–
BARROWFORD ...	–	1	–	–	–	–
BLACKROD ...	–	1		–	–	–
BRIERFIELD ...	–	1	–	–	–	–
†CHORLEY	–	2	–	–	1	M. 1
†COLNE	–	1	–	–	2	–
†DARWEN	–	–	–	–	2	–
†DENTON	–	4	1	–	–	–
†DROYLSDEN ...	–	2			1	–
†ECCLES	–	3	–	–	2	G. 1
†FAILSWORTH ...	–	1	–	–	2	–
†FARNWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	–	–	–	2	M. 1
FULWOOD ...	–	–	1	–	–	–
GOLBORNE ...	–	–	1	–	1	–
†GREAT CROSBY ...	–	–	–	–	–	D. 1
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	–	–	1	–
†HAYDOCK ...	–	–	1	–	3	–
†HINDLEY... ...	–	2	–	–	3	–
†HORWICH ...	–	4	–		4	–
HURST	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†INCE IN MAKERFIELD	–	–	–	–	3	–
†LANCASTER ...	–	2	2	–	1	–
LATHOM AND BURSCOUGH	–	–	–	–	–	C. 1
†LEIGH	–	–	3	–	1	M. 1
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
MILNROW... ...	–	1	–	–	–	
†MOSSLEY	–	–	–	–	–	C. 1
†NELSON	–	4	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	3	–
NORDEN	–	1	–	–	–	–
ORMSKIRK ...	–	–	–	1	–	–
†OSWALDTWISTLE	–	3	–	–	–	–
†PADIHAM... ...	–	–	–	–	1	–
†RADCLIFFE ...	–	3	2	–	–	–
†RAMSBOTTOM ...	–	9	–	–	–	–
†RAWTENSTALL ...	–	5	–	–	1	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	1	–	–	2	–
†STRETFORD ...	–	2	3	–	–	–
†SWINTON AND PENDLEBURY	–	–	1	–	5	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	–	–
URMSTON... ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
WHITWORTH ...	–	2	–	–	–	–
†WIDNES	–	2	–	–	1	–
†WORSLEY... ...	–	–	–	–	–	C. 1
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURNLEY... ...	–	1	–	–	1	–
CHORLEY... ...	–	–	1	–	–	–
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	–	1		–	–
WARRINGTON ...	–	1	–	–	–	–
WHISTON... ...	–	–	1	–	–	–
WIGAN	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ..	–	32	12	–	15	C. 1 G. 3 M. 1
†LEICESTER C.B. ...	–	21	7	–	2	C. 1 G. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	–	M. 1
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	–	–	1	–		–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	2	G. 1
BARROW UPON SOAR	–	2	2	–	3	–
BLABY	–	1	–	–	1	–
CASTLE DONINGTON	–	–	1	–	–	–
MARKET BOSWORTH	–	–	–	–	1	–
MELTON MOWBRAY	–	4	–	–	4	–
LINCOLN (parts of Holland).	–	5	2		3	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
†SPALDING ...	–	3	2	–		–
SUTTON BRIDGE	–	–	–	–	2	–
Rural Districts:—						
BOSTON	–	1	–	–		–
EAST ELLOE ...	–	–	–		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	3	–	–	1	G. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	–	–	–	–	G. 1
GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	1	27	7	–	10	M. 1
†GRIMSBY C.B. ...	–	3	3	–	1	–
†LINCOLN C.B. ...	–	12	1	–	1	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	3	M. 1
CROWLE	–	2	–	–	–	–
†GAINSBOROUGH ...	–	2	1	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	1	3	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	1	–
GRIMSBY	–	1	1	–	–	–
HORNCASTLE ...	–	–	–	–	2	–
LOUTH	–	1	–	–	–	–
SPILSBY	–	1	1	–	–	–
WELTON		1	–	–	–	–
MIDDLESEX ..	–	57	49	2	26	C. 1 G. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	–
†CHISWICK ...	–	3	2	–	–	–
†EALING	–	3	–		–	–
†EDMONTON ...	–	3	11	–	–	G. 1
†ENFIELD	–	1	–	–	3	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	2	4	–	–	–
†FRIERN BARNET	–	2	–	–	–	–
†HAMPTON ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	–	–	–	1	–
†HENDON	–	1	2	–	–	–
†HESTON AND ISLEWORTH	–	–	3	1	6	–
†HORNSEY	–	3	3	–	2	–
KINGSBURY ...	–	2	–	–	–	–
RUISLIP NORTHWOOD	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	–	1	1	1	–
†TEDDINGTON ...	–	8	2	–	–	–
†TOTTENHAM ...	–	9	5	–	3	–
†TWICKENHAM ...	–	1	1	–	–	C. 1
†WEALDSTONE ...	–	1	1	–	–	–
†WEMBLEY ...	–	–	–	–	2	–
†WILLESDEN ...	–	9	9	–	6	–
†WOOD GREEN ...	–	3	–	–	–	G. 1
Rural Districts:—						
HENDON	–	1	2	–	1	–
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	8	4	3	12	C. 3
†GREAT YARMOUTH C.B.	–	2	1	–	–	C. 1
†NORWICH C.B. ...	–	–	–	3	6	C. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
WALSOKEN ...	–	–	–	–	1	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOWNHAM ...	–	2	–	–	–	–
EAST AND WEST FLEGG	–	–	2	–	–	–
FOREHOE ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
MARSHLAND ...	–	–	1	–	–	–
ST. FAITH'S ...	–	–	–	–	1	–
WAYLAND ...	–	2	–	–	1	–
NORTHAMPTON ...	–	11	2	–	10	–
†NORTHAMPTON C.B.	–	2	2	–	5	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	–	2	–
†KETTERING ...	–	3	–	–	1	–
†RUSHDEN ...	–	1	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	1	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	55	56	6	–	47	C. 1 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	10	22	3	–	17	G. 1 M. 1
†TYNEMOUTH C.B	–	3	1	–	2	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	24	3	–	–	2	M. 1
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	5	–	–	1	–
†BERWICK UPON TWEED	–	–	1	–	–	–
†BLYTH	1	5	–	–	4	–
CRAMLINGTON ...	–	–	–	–	6	–
†EARSDON	–	1	–	–	1	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	1	2	–	–	2	–
NEWBIGGIN BY THE SEA	–	3	–	–	–	–
†NEWBURN ...	4	1	–	–	3	–
SEATON DELAVAL	–	1	–	–	3	–
†WALLSEND ..	–	4	–	–	1	C. 1
WEETSLADE ...	3	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	6	–	–		2	–
GLENDALE ...	–	3	–	–	–	–
HEXHAM	–		1	–	–	–
MORPETH... ..	6	–	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	12	26	18	–	20	C. 1 E. 1 G. 1
†NOTTINGHAM C.B	6	5	11	–	13	E. 1 G. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	1	–
†BEESTON... ...	–	1	1	–	–	–
†CARLTON	–	2	–	–	–	–
†EAST RETFORD ...	–	–	–	–	3	–
EASTWOOD ...	–	2	–	–	–	–
†HUCKNALL ...	1		–	–	2	–
HUTHWAITE ...		3	–	–	–	–
†KIRKBY IN ASHFIELD	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MANSFIELD ...	–	–	1	–	–	C. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	5	–	2	–	–	–
†WEST BRIDGFORD	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	2	–	–	–	–
BINGHAM... ...	*	*	*	*	*	*
EAST RETFORD ...	*	*	*	*	*	*
MISTERTON ...	–	–	–	–	1	–
SOUTHWELL ...	–	4	1	–	–	–
STAPLEFORD ...	–	–	1	–	–	–
WORKSOP... ...	–	3	–	–	–	–
OXFORD	–	2	4	–	4	–
†OXFORD C.B. ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	1	–
WITNEY	–	–	–	–	1	–
Rural Districts:—						
BANBURY... ...	–	1	1	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	1	–
THAME	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	1	1	–	5	–
Borough:—						
†PETERBOROUGH...	–	1	1	–	5	–
SALOP	–	9	–	–	4	G. 2
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	–	2	–
WELLINGTON ...	–	2	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
BRIDGNORTH ...	–	–	–	–	–	G. 1
ELLESMERE ...	–	–	–	–	–	G. 1
NEWPORT ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET	–	25	4	1	16	C. 1 D. 1 G. 1
†BATH C.B. ...	–	11	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	2	–	–	–
CREWKERNE ...	–	1	–	–	1	–
GLASTONBURY ...	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	1	1	–
†TAUNTON ...	–	–	–	–	2	–
Rural Districts:—						
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	D. 1
CHARD	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
CLUTTON	–	1	–	–	1	C. 1 G. 1
FROME	–	1	–	–	1	–
SHEPTON MALLET	–	1	1	–	2	–
TAUNTON... ...	–	1	–	–	1	–
WINCANTON ...	–	1	1	–	–	–
YEOVIL	–	5	–	–	4	–
SOUTHAMPTON ..	–	43	34	1	9	C. 1 G. 1 M. 4
†BOURNEMOUTH C.B.	–	2	1	–	1	–
†PORTSMOUTH C.B	–	19	24	–	–	C. 1 M. 1
†SOUTHAMPTON C.B.	–	4	4	–	3	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...		1	1	–	–	–
ANDOVER... ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	3	–	–	–	–
CHRISTCHURCH ...	–	1	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	1	–
†FAREHAM ...		–	3	–	1	–
†FARNBOROUGH ...	–	–	–	–	–	G. 1
†GOSPORT	–	3	–	–	2	M. 2
ROMSEY	–	2	–	–	–	–
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALTON	–	–	–	1	–	–
ANDOVER... ...	–	1	–	–	–	–
FORDINGBRIDGE ..	*	*	*	*	*	*
HAVANT	–	1	–	–	–	–
KINGSCLERE ...		1	–	–	–	–
LYMINGTON ...	–	2	–	–	–	–
ROMSEY	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	72	46	–	93	C. 3 G. 1 M. 6
†BURTON UPON TRENT C.B.	–	1	1	–	1	M. 2
†SMETHWICK C.B.	–	3	4	–	1	-
†STOKE ON TRENT C.B.	–	16	9	–	54	C. 1 M. 4
†WALSALL C.B. ...	–	5	5	–	3	–
†WEST BROMWICH C.B.	–	2	1	–	4	–
†WOLVERHAMPTON C.B.	–	9	3	–	4	C
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	2	–
BIDDULPH ...	–	–	–	–	3	–
†BILSTON	–	2	1	–	3	–
†BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	–	1	–	1	–
†CANNOCK	–	1	3	–	–	–
†COSELEY	–	–	1	–	1	–
†DARLASTON ...	–	–	–	–	3	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	2	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	3	–	–	–
†ROWLEY REGIS ...	–	2	1	–	–	–
†SEDGLEY	–	2	–	–	–	–
†STAFFORD ...	–	–	–	–	1	–
STONE	–	–	–	–	3	–
TAMWORTH ...	–	1	1	–	–	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	3	–	–	1	–
WEDNESFIELD ...	–	2	–	–	–	–
†WILLENHALL ...	–	4	–	–	1	–
†WOLSTANTON UNITED	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	1	1	–	–	–
CHEADLE... ...	–	4	2		2	–
KINGSWINFORD ...	–	–	5	–	–	–
LEEK	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
LICHFIELD ...	-	1	-	-	3	-
MAYFIELD ...	-	-	-	-	-	C. 1
NEWCASTLE UNDER LYME	-	-	1	-	-	-
SEISDON	-	1	-	-	1	G. 1
STONE	-	2	-	-	-	-
TAMWORTH (part)	-	-	1	-	-	-
WALSALL... ...		2	-	-	-	-
SUFFOLK, EAST ...	-	20	1	-	12	C. 3 G. 1 M. 1
†IPSWICH C.B. ...	-	13	-	-	4	C. 3 G. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	-	-	-	1	-
HALESWORTH ...	*	*	*	*	*	*
LEISTON CUM SIZEWELL	-	-	-	-	2	-
†LOWESTOFT ...	-	5	1	-	4	-
Rural Districts:—						
HARTISMERE ...	-	-	-	-	1	-
HOXNE	-	-	-	-	-	M. 1
PLOMESGATE ...	-	1	-	-	-	-
WANGFORD ...	-	1	-	-	-	-
SUFFOLK, WEST ...	-	6	-	-	3	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	2	-	-		-
HAVERHILL ...	-	-	-	-	1	-
NEWMARKET ...	-	3	-	-	-	-
Rural Districts:—						
COSFORD	-	-	-	-	2	-
MILDENHALL ..	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	-	58	32	8	22	C. 2 G. 4 L. 1
†CROYDON C.B. ...	-	4	7	-	-	C. 1
Boroughs and Urban Districts:—						
†BARNES	-	3	-	-	1	-
†BEDDINGTON AND WALLINGTON	-	1	3	-	-	-
†CARSHALTON ...	-	-	-	1	1	-
†CATERHAM ...	-	6	1	-	-	-
†EGHAM	-	-	1	-	-	-
†EPSOM	-	2	1	1	-	-
†ESHER AND THE DITTONS	-	-	-	-	1	-
†FARNHAM ...	-	5	-	-	-	-
†FRIMLEY	-	-	-	1	-	-
GODALMING ...	-	4	-	-	-	-
†GUILDFORD ...	-	-	-	-	1	G. 1
HASLEMERE ...	-	-	-	-	1	-
†KINGSTON ON THAMES	-	2	1	4	5	-
LEATHERHEAD ...	-	1	1	-	-	-
†MERTON AND MORDEN	-	2	3	1	-	-
†MITCHAM... ...	-	2	8	-	-	-
†REIGATE	-	-	-	-	-	G. 1
†RICHMOND ...	-	5	-	-	-	-
†SURBITON ...	-	1	1	-	3	-
†SUTTON	-	2	1	-	-	-
†THE MALDENS AND COOMBE	-	2	-	-	-	-
WEYBRIDGE ...	-	2	-	-		-
†WIMBLEDON ...	-	7	1	-	1	-
†WOKING	-	1	2	-	-	-
Rural Districts:—						
CHERTSEY ...	-	-	-	-	2	-
DORKING	-	1	-	-	1	-
EPSOM	-	3	1	-	2	G. 1 L. 1
GODSTONE ...	-	-	-	-	2	-
HAMBLEDON ...	-	1	-	-	-	G. 1
REIGATE	-	1	-	-	1	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, EAST ...	–	11	11	–	14	C. 1 G. 2
†BRIGHTON C.B. ...	–	2	8	–	4	G. 2
†EASTBOURNE C.B.	–	6	–	–	2	C. 1
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	1	–	–	–
EAST GRINSTEAD	–	1	–	–	3	–
†HOVE	–	1	2	–	1	–
RYE	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	–	–	–	2	–
SUSSEX, WEST ..	–	10	3	1	8	–
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
†CHICHESTER ...	–	–	–	–	3	–
†HORSHAM ...	–	2	1	–	–	–
SHOREHAM BY SEA	–	2	–	–	1	–
†WORTHING ...	–	5	–	1	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
WESTBOURNE ...	–	1	1	–	2	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	63	66	–	84	C. 1 G. 4 M. 10
†BIRMINGHAM C.B.	–	44	43	–	69	C. 1 G. 3 M. 7
†COVENTRY C.B. ...	–	3	5	–	1	–
Boroughs and Urban Districts:—						
BULKINGTON ...	–	1	–	–	–	–
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	3		–	6	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	1	–	–	1	G. 1
†SUTTON COLDFIELD	–	–	–	–	1	M. 1
†WARWICK ...	–	5	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	2	–	–	–
ATHERSTONE ...	–	–	5	–	4	M. 1
COVENTRY ...	–	–	1	–	–	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN... ...	–	–	1	–	1	–
NUNEATON ...	–	–	–	–	1	–
SOLIHULL ...	–	1	–	–		–
TAMWORTH (part)	–	–	7	–	–	M. 1
WARWICK ...	–	–	1	–	–	–
WESTMORLAND ...	–	13	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	5	–	–	1	–
SOUTH WESTMORLAND	–	3	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	9	2	–	3	G. 1
Boroughs and Urban Districts:—						
†COWES	–	2	–	–	3	–
EAST COWES ...	–	2	–	–	–	–
†NEWPORT... ...	–	2	–	–	–	–
†RYDE	–	–	1	–	–	–
SANDOWN ...	–	–	–	–	–	G. 1
Rural Districts:—						
ISLE OF WIGHT ..	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	12	7	–	15	–
Boroughs and Urban Districts:—						
DEVIZES	–	–	2	–	–	–
†SALISBURY ...	–	1	–	–	–	–
†SWINDON... ...	–	4	2	–	5	–
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	4	–
BRADFORD ON AVON	–	1	–	–	–	–
HIGHWORTH ...	–	1	1	–	2	–
PEWSEY	–	2	–	–	3	–
SALISBURY ...	–	–	1	–	–	–
TISBURY	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	–	1	–	–	–
WILTON	–	2	–	–	–	–
WORCESTER ...	–	16	4	–	5	M. 2
†DUDLEY C.B. ...	–	5	2	–	–	–
†WORCESTER C.B.	–	2	–	–	2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...	–	3	–	–	–	–
†KIDDERMINSTER	–	–	–	–	–	M. 1
†MALVERN ...	–	2	–	–	–	–
†OLDBURY... ...	–	1	1		–	–
†REDDITCH ...	–	1	–	–	3	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... **(East Riding.)**	2	16	19	3	17	C. 1 G. 1 M. 1
†KINGSTON UPON HULL C.B.	2	9	12	–	6	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	7	–
†BRIDLINGTON ...	–	–	–	1	–	–
GREAT DRIFFIELD	–	3		–	–	–
NORTON	–	–	5		–	–
POCKLINGTON ...	–	–	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	2	–
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–		1	–	–
HOWDEN	–	–	–	1	1	–
PATRINGTON ...	–	–	–	–	1	–
SCULCOATES ...	–	3	–	–	–	–
YORKS ... ... **(North Riding.)**	1	20	3	1	12	G. 1
†MIDDLESBROUGH C.B.	1	9	2	–	6	–
Boroughs and Urban Districts:—						
†SCARBOROUGH ...	–	3	1	–	2	–
†THORNABY ON TEES	–	3	–	–	–	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	–	G. 1
FLAXTON	–	–	–	1	–	–
REETH	–	–	–		1	–
RICHMOND ...	–	–	–	–	1	–
THIRSK	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases.—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	47	174	76	2	224	C. 6 D. 1 E. 2 G. 4 L. 1 M. 11
†BARNSLEY C.B. ..	–	4	3	1	3	M. 3
†BRADFORD C.B. ..	–	15	6	–	13	C. 1
†DEWSBURY C.B....	–	3	2	–	–	–
†HALIFAX C.B. ...	–	6	5	–	1	C. 1 D. 1
†HUDDERSFIELD C.B.		10	5	–	5	M. 2
†LEEDS C.B. ..	2	14	13	–	24	C. 1 M. 3
†ROTHERHAM C.B.	2	6		–	19	
†SHEFFIELD C.B...	1	22	18	–	79	C. 1 G. 3 M. 2
†WAKEFIELD C.B.	–	6	–	–	7	L. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	–	–
ALTOFTS	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	5	2	–	–	–
†BINGLEY	–	–	–	–	1	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	–	–	–	2	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
CLAYTON WEST ...	–	–	–	–	2	–
†CONISBROUGH ...	–	4	–	–	5	–
CUDWORTH ...	–	1	–	–	–	–
†DARTON	–	1	–	–	–	–
DENBY AND CUMBERWORTH	–	2	–	–	–	–
†DONCASTER ...	–	9	–	–	7	–
DRIGHLINGTON ...	–	–	–	–	2	–
†ELLAND	–	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	1	1	–	–	–
GREASBROUGH ...	2		1	–	1	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	1	2	–	–	–
†HEMSWORTH ...	–	–	–	–	2	E. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAND NETHER	–	7	–	–	–	–
†KEIGHLEY ...	–	–	1	–	–	–
KIRKBURTON ...	–	–	–	–	1	–
KIRKHEATON ...	–	–	–	–	1	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	1	1	–	1	–
LUDDENDEN FOOT	–	1	–	–	–	–
MALTBY	–	1	2	–	1	–
METHLEY ...	–	3	–	–	–	–
†MEXBOROUGH ...	–	1	–	1	–	–
†MORLEY	–	1	–	–	3	–
NEW MILL ...	–	–		–	1	–
†NORMANTON ...	–	1	–	–	2	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	1	2	–	1	–
†PUDSEY	–	–	–	–	1	–
†RAWMARSH ...	34		–	–	2	C. 1
RIPON	–	7	–	–		–
†SADDLEWORTH ...	–	–	1	–	–	–
SELBY	–	–	–	–	1	–
†SHIPLEY	–	3	–	–	–	–
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	3	–
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	4	–
†SWINTON... ...	3	1	–	–	–	–
†TODMORDEN ...	–	5	1	–	2	M. 1
†WOMBWELL ...	–	2	–	–	1	–
YEADON	–	–	–	–	–	G. 1
Rural Districts:—						
DONCASTER ...	–	5	–	–	8	–
HEMSWORTH ...	–	3	–	–	2	–
KIVETON PARK ...	–	6	3	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PATELEY BRIDGE	–	–	–	–	1	C. 1
PONTEFRACT ...	–	–	2	–	–	–
ROTHERHAM ...	3	3	2	–	3	–
SELBY	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	2	–	–	1	–
THORNE	–	–	–	–	3	–
WETHERBY ...	–	–	–	–	3	–
WORTLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
§YORK, CITY OF ..	–	2	1	–	5	–
†YORK C.B. ...	–	2	1	–	5	–
WALES.						
ANGLESEY	–	1	3	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
LLANGEFNI ...	–	–	2	–	–	–
Rural Districts:—						
AETHWY	–	1	–	–	–	–
BRECKNOCK ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
BUILTH	–	1	–	–	–	–
CARDIGAN	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	2	–
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
LAMPETER ...	*	*	*	*	*	*
TREGARON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	8	4	–	2	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	2	1	–	–	–
†LLANELLY ...	–	2	1	–	2	–
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	–	–
LLANDILO FAWR	–	1	–	–	–	–
LLANELLY ...	–	3	–	–	–	–
LLANYBYTHER ...	*	*	*	*	*	*
CARNARVON ...	–	6	–	–	3	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	1	–
BETHESDA ...	–	1	–	–	–	–
CARNARVON ...	–	–	–	–	2	–
CRICCEITH ...	–	1	–		–	–
PENMAENMAWR...	–	1	–	–	–	–
Rural Districts:—						
LLEYN	–	2	–	–	–	–
DENBIGH	–	2	–	–	4	E. 1
Rural Districts:—						
CHIRK	*	*	*	*	*	*
WREXHAM ...	–	1	–	–	4	E. 1
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (Parishes)	–	1	–	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	7	1	–	4	–
Boroughs and Urban Districts:—						
BUCKLEY	–	1	–	–	–	–
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	–	–	–	1	–
†RHYL	–	1	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (MOLD DIV.)	–	2	–	–	1	–
OVERTON ..	–	–	–	–	2	–
GLAMORGAN ..	–	49	70	1	64	C. 2 G. 1 M. 7
†CARDIFF C.B. ..	–	8	9	–	2	M. 2
†MERTHYR TYDFIL C.B	–	1	1	–	3	–
†SWANSEA C.B. ...	–	1	12	–	6	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	–	–	2	C. 1 M. 1
†BARRY	–	–	10	–	1	–
†CAERPHILLY ...	–	8	–	–	–	–
†GELLIGAER ...	–	–	15	–	4	–
†GLYNCORWG ...	–	–	2	–	1	–
†MAESTEG ...	–	3	6	–	10	–
†MOUNTAIN ASH ...	–	1	1	1	12	–
†NEATH	–	1	–	–	1	–
†OGMORE AND GARW	–	2	1	–	5	M. 1
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	5	2	–	2	–
PORTHCAWL ...	–	–	1	–	1	–
†PORT TALBOT ...	–	4	1	–		–
†RHONDDA ...	–	8	4	–	9	G. 1 M. 2
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	2	2	–	–	M. 1
NEATH	–	–	1	–	4	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	3	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	7	11	1	4	C. 1 M. 1
†NEWPORT C.B. ...	–	1	3	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	1	–	–	–
†BEDWELLTY ...	–	–	3	–	–	C. 1
†EBBW VALE ...	–	1	1	1	–	–
MONMOUTH ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–	3	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE	–	1	–	–	1	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	–	–	1	–
Rural Districts—						
NARBERTH ...	–	1	–	–	–	–
Total of Part II. ...	390	1646	885	38	1261	C. 57 D. 5 E. 6 F. 1 G. 55 L. 4 M. 84

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
BARRY	-			-	1	–	WEYMOUTH	–	–	–	–	1	–
CARNARVON	*	*	*	*	*	*	WISBECH	–	–	–	–	2	–
COLCHESTER	*	*	*	*	*	*							
PLYMOUTH	–	–	–	1	–	–	Total of Part III.... ...	–	–	–	1	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	255	320	5	127	C. 12 D. 6 E. 1 G. 6 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	390	1646	885	38	1261	C. 57 D. 5 E. 6 F. 1 G. 55 L. 4 M. 84
Total of Part III.—Port Sanitary Districts	–	–	–	1	4	–
Total (*i.e.*, of returns received), England and Wales ...	390	1901	1205	44	1392	C. 69 D. 11 E. 7 F. 1 G. 61 L. 4 M. 95

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 130, 131, 132, 136, 137, 138, 142 and 143.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Cau and Deaths of Infants under 1 Year Age) and Notified Cases of certain fectious Diseases in the last Thirt Weeks.

Week ended :—	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9	Jan. 16	Jan. 23.	Jan. 30.	Fe 6
LONDON :—													
Deaths—all ages	900	1,121	1,280	1,523	1,661	1517	1,233	1,658	1,230	1,200	1,399	1,270	1,
" 0 to 1 year ..	106	139	159	175	162	146	128	134	125	137	144	128	
GREAT TOWNS, aggregate (including London):—													
Births	6,548	6,608	6,080	6,513	6,697	6,314	4 245	7,477	8,017	6,594	6,920	7,002	6,
Deaths—all ages	3,961	5,112	5,481	6,057	6 631	6,080	5,099	6,636	5,376	5,058	5,646	5,286	5,
" 0 to 1 year ..	508	632	665	712	715	692	613	775	609	660	694	619	6
Enteric Fever—Cases	34	25	23	23	20	27	10	17	20	12	6	12	
" Deaths	6	3	3	1	7	1	1	4	5	—	1	5	
Small Pox—Cases ..	9	11	30	10	26	42	51	46	44	95	102	87	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet Fever—Cases	1,242	1,331	1,194	1,015	1.024	1,003	811	1,082	923	895	950	1,051	1,
" Deaths	5	13	11	11	17	10	11	10	16	14	5	12	
Diphtheria—Cases ..	690	721	745	677	645	662	568	759	711	684	679	851	
" Deaths ..	28	29	54	59	38	30	36	53	53	31	50	35	
Measles—Deaths ..	34	49	50	58	71	78	72	87	72	94	109	102	
Influenza—Deaths ..	44	61	73	100	116	132	85	123	115	81	87	100	

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 6th February, 1926. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfa in Milli-metres
	°	°	°	°			°	°	°	°	
London (Greenwich).	57	37	52·1	42·1	34	Huddersfield	53	37	48·1	39·0	25
Brighton ..	52	42	49·6	44·0	56	Bradford ..	56	36	46·3	37·4	40
Portsmouth ..	53	42	51·0	44·1	27	Sheffield ..	52	35	47·7	40·1	32
Norwich (Eaton).	52	36	48·6	40·1	22	York (Museum)	51	39	47·4	40·7	18
Plymouth ..	54	37	52·6	45·0	47	Hull (Pearson Park).	51	38	46·9	39·9	13
Bristol (Clifton).	54	39	49·9	42·9	13	Tynemouth ..	50	35	43·6	39·4	18
Birmingham (Edgbaston).	52	36	47·3	40·9	22	Cardiff.. ..	53	40	49·7	41·6	24
Nottingham ..	53	35	48·3	38·3	34	Edinburgh ..	49·0	31·0	43·4	36·9	29
Birkenhead (Bidston).	51	39	47·3	41·6	15	Glasgow ..	48·2	31·2	45 0	36·4	35
Manchester (Whitworth Park).	55	38	49·9	41·9	36	Dublin (Phœnix Park).	52·2	33·6	48·9	36·1	16
Burnley	52	34	47·3	37·4	31	(Fitzwilliam Square†).	51·0	36·3	48·8	40·2	35
						Belfast.. ..	50·0	29·0	47·9	38·9	28

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th February, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	31	..	29·354	49·6	43·0	6·6	46·1	+ 6·4	44·1	2·0	7·0	0·8	92	77·2	38·0	43·0	Calm : S	S	2·7	0·0	0·2	245	− 100	0·03
FEBRUARY. MONDAY -	1	..	29·231	53·9	44·3	9·6	48·4	+ 8·8	45·9	2·5	6·3	0·7	92	81·5	33·5	43·1	SSW	SSW : SE.	1·4	0·0	0·1	212	− 128	0·27
TUESDAY -	2	..	29·142	53·0	43·7	9·3	47·2	+ 7·7	45·3	1·9	5·3	0·5	94	82·0	34·8	43·2	Calm : SW.	SSW	1·0	0·0	0·0	162	− 171	0·03
WEDNESDAY	3	In Equator	29·112	47·2	40·4	6·8	43·5	+ 4·0	42·4	1·1	3·7	0·5	97	55·2	29·4	43·3	Calm : NE.	NE : N.	1·4	0·0	0·1	192	− 133	0·41
THURSDAY -	4	..	29·336	45·3	37·3	8·0	41·6	+ 2·1	40·0	1·6	4·6	0·5	94	52·3	28·5	43·6	NNW	WSW : SSW.	0·5	0·0	0·0	168	− 150	0·09
FRIDAY -	5	Last Quarter.	29·415	56·6	40·1	16·5	50·2	+10·6	48·4	1·8	5·2	0·0	94	78·4	32·0	43·8	SE : SSE.	SSW : SSE.	1·4	0·0	0·1	225	− 90	0·12
SATURDAY -	6	..	29·291	56·4	48·0	8·4	51·2	+11·6	47·7	3·5	9·6	0·0	88	69·0	41·9	43·8	SSE : S.	S : Calm.	1·8	0·0	0·1	216	− 102	0·19
MEANS -		..	29·269	51·7	42·4	9·3	46·9	+ 7·3	44·8	2·1	6·0	0·4	93	70·8	34·0	43·4	SSW		..	..	..	Sum 1,420	Sum − 874	Sum 1·14
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	31	wP	0·6	9·0	Overcast generally. Occasional damping between 18h. and 21½h. Rain from 22h.
FEBRUARY. MONDAY ..	1	wP till 22h.; mN till 23¼h., then wN.	0·9	9·1	Nearly overcast. Rain till 2h., and from 22h. Slight damping 21¾h. till 22h.
TUESDAY ..	2	Variably wN and wP till 2¼h.; then wP.	0·5	9·1	Nearly overcast generally. Rain till 3¼h.; from 13h. till 13¼h.: and from 16¼h. till 16½h. Mist 4h. till 5h.
WEDNESDAY	3	wP till 14h., mP till 17½h.; wN till 18½h.; wP till 22¾h.; then mN.	0·0	9·2	Overcast. Fog from 4h. till 15h. Rain from 16h.
THURSDAY	4	Variably mN and wN till 5h.; then mP.	0·0	9·3	Overcast till 16½h.; clearing to cloudless by 18½h. till 22h., then nearly overcast. Rain till 5h., then damping till 7h. Slight mist 9h. till 15h. Dew at night.
FRIDAY ..	5	wP	0·1	9·3	Overcast till 17h., then variably cloudy. Rain generally between 3½h. and 12h.
SATURDAY	6	wP till 20h., then variably wP and mN.	0·0	9·4	Partially cloudy till 4h., then overcast. Damping occasionally between 14h. and 21h., then raining.
			Sum 2·1	Sum 64·4	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·39 in. at the beginning of the week to 29·09 in. by 4h. on February 2nd; increased to 29·17 in. by 23h. on February 2nd; decreased to 29·09 in. by 15h. on February 3rd; increased to 29·47 in. by 2h. on February 5th; decreased to 29·27 in. by 14h. on February 6th.; increased and was 29·32 in. by midnight on the same day

FOR OFFICIAL USE.

1926. No.6.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 13TH FEBRUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH FEBRUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and W the births registered in the sixth week of the year numbered 6,862, and corresponded to an annual rate of 18·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,715 and corresponded to an annual rate of 12·7 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 15·2, 14·2 and 13·6. Infant mortality was 80 per 1,000 births against 100, 88 and 86 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,593 births corresponding to a rate of 18·1 per 1,000, and 1,071 deaths of civilians, corresponding to a rate of 12·2, as against 15·9, 14·5 and 12·1, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·7 per 1,000. The infant mortality was 60 as against 89, 83 and 52, in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,036 to 4,715. In London the number of deaths from all causes increased from 1,062 to 1,071 ; the deaths from diphtheria which had been 16, 9, and 15 in the preceding three weeks, fell to 9 last week; and the deaths from measles, which had been 63, 60, and 39 in the three preceding weeks, rose to 49 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 13th February, 1926.

Towns	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,825*	6,862	4,715	549	2	83	14	60	26	49	90
London	4,576,505*	1,593	1,071	96	1	49	2	4	9	10	16
Towns in Outer Ring.											
Croydon C.B ..	196,000	70	47	5	1	-	-	2	-	1	1
Wimbledon ..	58,090	9	8	1	-	-	-	-	-	-	-
Ealing	68,370	21	18	1	-	-	-	-	-	-	1
Acton	62,980	11	16	1	-	-	-	-	-	-	-
Willesden ..	169,100	48	38	5	-	3	-	-	1	-	2
Hendon	57,530*	12	7	-	-	-	-	-	-	-	-
Hornsey	87,240	24	17	1	-	-	-	-	-	-	-
Wood Green ..	51,840	18	11	-	-	-	-	-	-	-	-
Tottenham ..	153,100	43	35	4	-	-	-	1	-	-	1
Edmonton ..	70,450	27	20	2	-	1	-	-	1	-	-
Enfield	62,970	15	12	1	-	-	-	-	-	1	-
West Ham C.B. ..	317,400	143	83	8	-	7	-	-	-	1	1
East Ham C.B. ..	146,900	38	26	4	-	-	-	1	-	-	-
Leyton	133,500	27	35	2	-	1	-	-	-	1	-
Walthamstow ..	131,100	42	19	4	-	-	-	-	-	-	1
Ilford	92,400	30	14	1	-	-	-	-	-	-	-
Gillingham	48,130*	21	13	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,330*	11	7	-	-	-	-	-	-	-	-
Hastings C.B.	60,510	14	22	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	54,830	19	8	1	-	-	-	-	-	-	1
Brighton C.B. ..	137,500*	40	43	5	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,000*	87	65	5	-	-	-	1	-	-	1
Bournemouth C.B. ..	84,450	20	27	1	-	1	-	-	-	1	-
Southampton C.B. ..	167,300	48	32	6	-	-	-	-	-	-	1
Reading C.B.	93,480*	27	21	1	-	1	-	-	-	-	-
Oxford C.B.	57,260	16	15	2	-	-	-	-	-	-	1
Northampton C.B. ..	93,590*	31	20	1	-	-	-	-	-	-	1
Luton	59,220	25	11	1	-	-	-	-	-	-	-
Cambridge	59,120	14	14	2	-	-	-	-	-	-	-
Southend-on-Sea C.B.	96,450	24	19	-	-	-	-	-	-	-	3
Ipswich C.B.	82,710	31	13	2	-	-	-	-	-	-	2
Great Yarmouth C.B.	57,780	20	16	1	-	-	-	-	-	-	-
Norwich C.B. ..	123,900*	31	26	2	-	-	-	-	-	-	-
Swindon	56,570	21	20	2	-	-	1	-	-	-	-
Exeter C.B.	59,880*	21	21	2	-	-	-	-	-	-	1
Plymouth C.B. ..	192,900*	70	55	10	-	-	-	-	1	-	3
Bath C.B.	69,270	13	13	1	-	-	-	-	-	-	-
Bristol C.B.	386,200*	141	86	19	-	1	1	2	2	1	3
Gloucester C.B. ..	53,090	12	13	3	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,000	109	63	15	-	-	1	1	1	2	-
Burton-upon-Trent C.B.	49,660	19	12	1	-	-	-	-	-	-	2
Wolverhampton C.B.	108,200	47	30	5	-	-	-	-	-	-	2
Walsall C.B.	101,500	40	25	5	-	-	-	-	-	1	-
West Bromwich C.B	78,730	38	17	3	-	-	-	-	-	-	-
Dudley C.B.	58,600	30	14	-	-	-	-	-	-	-	-
Worcester C.B. ..	50,220	22	23	3	-	-	-	-	-	1	1
Birmingham C.B. ..	946,980	342	194	27	-	1	1	1	-	9	-
Smethwick C.B. ..	78,790	23	11	-	-	-	-	-	-	-	1
Coventry C.B. ..	129,100	53	32	6	-	-	-	-	-	2	1
Leicester C.B. ..	241,800	70	66	6	-	-	-	-	1	1	1
Lincoln C.B.	66,850*	27	23	3	-	-	-	-	-	-	1
Grimsby C.B.	86,810	33	21	4	-	-	-	2	-	-	-
Nottingham C.B. ..	270,300	88	87	8	-	-	-	5	-	-	2
Derby C.B.	133,700*	54	26	5	-	-	-	-	-	-	-
Chesterfield ..	64,770	32	12	1	-	1	1	-	-	-	-
Stockport C.B. ..	126,000	34	28	3	-	-	-	-	-	-	-
Chester C.B.	41,730	13	10	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	154,100	66	32	4	-	1	-	1	-	2	-
Wallasey C.B. ..	90,790	25	24	2	-	-	-	-	-	-	-
Liverpool C.B. ..	851,800	374	225	38	-	2	2	2	1	2	3
Bootle C.B.	83,130	29	18	4	-	-	-	-	-	-	-
St. Helens C.B. ..	108,700	48	21	1	-	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1924.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	73,650	20	27	5	-	1	-	-	-	-	1
WIGAN C.B.	91,180	41	25	8	-	-	-	2	-	1	-
WARRINGTON C.B. ..	78,120*	38	31	7	-	-	-	-	-	-	-
BOLTON C.B.	181,100	50	46	6	-	-	-	2	-	-	1
BURY C.B.	56,830*	16	11	-	-	-	-	2	-	-	-
MANCHESTER C.B. ..	755,000	260	187	21	-	6	1	-	2	4	3
SALFORD C.B.	243,700	110	62	4	-	-	-	2	-	1	-
OLDHAM C.B	147,300	48	51	6	-	-	-	3	1	-	-
ROCHDALE C.B... ..	92,750	21	27	5	-	-	-	1	-	-	1
BURNLEY C.B.	103,400	44	19	1	-	-	-	-	-	-	-
BLACKBURN C.B. ..	127,600	33	34	2	-	-	-	4	-	-	-
PRESTON C.B.	123,100	53	24	3	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	77,410	29	26	3	-	-	1	-	-	-	1
BARROW-IN-FURNESS C.B.	73,490	25	12	3	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,000	27	20	-	-	-	-	1	-	-	1
HALIFAX C.B.	98,750*	25	33	4	-	-	-	-	1	-	-
BRADFORD C.B. ..	290,200	104	76	8	-	-	-	2	-	-	1
LEEDS C.B.	471,600	149	117	12	-	-	-	5	1	1	4
DEWSBURY C.B ..	54,790	16	14	3	-	-	-	1	-	-	-
WAKEFIELD C.B. ..	53,910	19	19	1	-	-	-	-	-	1	-
BARNSLEY C.B. ..	70,570	27	20	2	-	-	-	-	1	-	2
SHEFFIELD C.B. ..	525,000	180	129	11	-	2	-	-	-	-	5
ROTHERHAM C.B. ..	70,340	29	25	2	-	-	1	-	-	-	-
DONCASTER	55,150	26	20	1	-	-	1	-	-	-	-
YORK C.B.	84,450*	27	19	4	-	-	-	1	-	-	3
HULL C.B.	296,800	116	74	9	-	-	-	-	-	-	1
MIDDLESBROUGH C.B.	136,300	48	38	6	-	-	-	4	-	1	-
DARLINGTON C.B. ..	88,690	31	18	3	-	-	-	-	-	-	1
STOCKTON-ON-TEES ..	67,620	31	22	2	-	-	-	-	-	-	1
WEST HARTLEPOOL C.B.	71,620	34	19	2	-	-	-	1	-	-	1
SUNDERLAND C.B. ..	165,100	64	45	7	-	-	1	1	-	-	-
SOUTH SHIELDS C.B. ..	126,600	42	28	7	-	-	-	-	1	1	1
GATESHEAD C.B. ..	128,700	50	29	5	-	-	-	1	-	-	2
NEWCASTLE-ON-TYNE C.B.	285,900*	140	76	5	-	-	-	-	-	3	-
TYNEMOUTH C.B. ..	65,940	18	9	-	-	-	-	-	-	-	-
CARLISLE C.B.	54,910*	23	15	4	-	4	-	-	-	-	-
NEWPORT (MON.) C.B.	95,810	45	22	1	-	-	-	3	-	-	2
CARDIFF C.B.	226,200*	89	50	8	-	-	-	1	2	-	-
RHONDDA	167,900	52	27	5	-	-	-	-	-	-	1
MERTHYR TYDFIL C.B.	83,440	33	21	2	-	-	-	-	-	-	-
ABERDARE	58,000	16	25	3	-	-	-	-	-	-	1
SWANSEA C.B.	162,700	69	52	7	-	1	-	-	-	-	1
GREATER LONDON ..	7,665,833*	2,594	1,712	155	3	65	3	8	15	16	26
OUTER RING	3,089,328*	1,001	641	59	2	16	1	4	6	6	10
16 GREAT TOWNS IN OUTER RING	1,858,970*	578	406	40	1	12	-	4	2	4	7
REMAINDER OF OUTER RING	1,230,358*	423	235	19	1	4	1	-	4	2	3
EDINBURGH†	424,600	174	105	9	-	-	-	-	2	-	3
GLASGOW† ..	1,034,500	473	312	63	-	28	3	3	5	4	-
DUBLIN (REGISTRATION AREA)†	443,000	196	136	32	-	1	-	-	1	5	2
BELFAST†	443,000	182	111	20	-	8	-	1	1	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available perio

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
LONDON‡	4,576,505	1925–6. Feb. 13	1593	1071	12·2	1	-	49	2	4	9	10	16
CALCUTTA AND SUBURBS	1,077,273	Jan. 9	?	732§	35·3	?	10	?	?	?	?		6
BOMBAY	1,279,061	" 23	410‖	582	23·7	-	8	2	-	-	-	27	
MADRAS	526,911	Dec. 26	367	547§	53·8	-	-	-	-	1	-	23	
		Jan. 2	280	537§	52·8	-	1	-	?	2	-	13	
SYDNEY AND SUBURBS	1,012,070	Dec. 31 (31 days)	1782	767	9·1	5	-	1	1	5	2	27	2
BRISBANE (Metropolitan Area).	245,015												
PERTH (Metropolitan Area).	176,467	Jan. 2											
AUCKLAND (Urban Area).	180,790	Dec. 31											
WELLINGTON (Urban Area).	118,490	" 31											
CHRISTCHURCH (Urban Area).	118,270	" 31											
CAPE TOWN	111,381	Jan. 9											
JOHANNESBURG	165,958	" 16	61	40	12·5	-	-	-	-	-	-	-	
DURBAN	54,822	" 9	23	14	13·3	-	-	-	-	1	-	-	
		" 16	28	10	9·5	-	-	-	-	-	1	-	
PARIS	2,906,472	" 31 (11 days)	1424	1452	16·6	4	-	29	-	7	11	19	6
ANTWERP	300,021												
AMSTERDAM	718,047	Jan. 23	280	150	10·9	-	-	-	1	1	2	1	
		" 30	261	142	10·3	-	-	-	-	1	-	-	
COPENHAGEN	587,400	" 30	212	162	14·4	-	-	4	1	1	1	2	
		Feb. 6	197	133	11·8	1	-	3	-	-	2	1	
STOCKHOLM	438,896	Jan. 30	94	120	14·2	-	-	-	-	1	1	-	
GOTHENBURG	229,640	" 23											
OSLO (CHRISTIANIA) ..	257,719	" 30	67	56	11·3	-	-	-	-	-	-	-	
		Feb. 6	64	60	12·1	-	-	-	-	-	-	1	
BERLIN	2,044,000	Jan. 23	435	502	12·3	1	?	-	-	5	?	3	
BRESLAU	575,000	" 23	204	173	14·0	-	?	2	1	-	-	3	
COLOGNE	727,000	" 23	250	187	13·2	-	?	1	-	-	-	4	
DRESDEN	618,000	" 23	174	154	11·8	-	?	-	-	1	1	2	
FRANKFORT-ON-MAIN ..	474,000	" 23	102	67	6·6	-	?	1	-	-	-	-	
HAMBURG	1,115,000	" 23	269	246	10·7	-	?	-	1	-	-	-	
LEIPZIG	660,000	" 23	188	152	10·7	-	?	1	-	2	-	1	
MUNICH	685,000	" 23	182	176	12·1	-	?	-	-	1	-	-	
VIENNA	1,869,437	Dec. 31											
PRAGUE AND SUBURBS	712,700	Nov. 30											
BUDAPEST	964,270	Jan. 16	350	286	15·4	1	-	1	7	2	4	5	
WARSAW	992,450	" 23	433	258	13·6	2	-	-	6	4	1	14	
		" 30	309	264	13·9	1	-	-	7	2	-	8	
CAIRO	818,500												
ALEXANDRIA	486,600												
NEW YORK	6,251,817	Dec 26	?	1281	10·7	1	-	5	-	3	10	8	1
		Jan. 2	2188	1488	12·4	3	-	3	2	1	7	15	1
CHICAGO	2,995,239	" 29											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Citi Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unde year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 11 deaths from cholera in Calcutta and 8 and 13 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th February, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1071	96	43	34	15	40	48	64	107	184	203	237
Enteric fever	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	49	8	24	14	1	1	-	-	-	1	-	-
Scarlet fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	4	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	9	2	2	3	1	-	-	-	-	1	-	-
Influenza	16	1	1	-	-	1	-	2	2	4	3	2
Erysipelas	4	-	-	-	-	-	2	1	-	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	-	1	-
Meningococcal meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	79	-	-	-	-	21	19	11	16	8	4	-
Nervous system	1	-	-	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	5	-	-	1	1	-	-	1	1	1	-	-
Venereal diseases	2	1	-	-	-	-	-	1	-	-	-	-
Cancer	136	-	-	-	-	-	1	6	23	40	43	23
Rheumatic fever	6	-	-	-	3	1	1	-	1	-	-	-
Diabetes	9	-	-	-	-	1	-	2	2	3	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	-	-	-	1	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	48	-	-	-	-	-	-	2	4	16	12	14
Epilepsy	3	-	-	-	-	-	2	-	-	-	1	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	21	-	-	-	1	2	1	3	3	4	4	3
Pericarditis	3	-	-	1	-	-	-	-	-	-	1	1
Acute endocarditis	2	-	-	-	-	-	1	1	-	-	-	-
Other diseases of heart	148	-	-	-	2	2	3	8	13	26	37	57
Other diseases of circulatory system	52	-	-	-	-	-	-	-	3	5	20	24
Bronchitis	124	5	-	-	-	1	1	4	8	19	34	52
Broncho-pneumonia	63	14	14	7	-	-	-	4	4	9	4	7
Lobar-pneumonia	23	-	-	1	1	3	2	2	6	5	-	3
Pneumonia (type not distinguished)	5	2	-	-	-	-	-	-	-	-	2	1
Other diseases of respiratory system	19	-	1	1	1	-	2	1	1	3	6	3
Diarrhœa and enteritis	12	10	-	-	-	-	-	1	-	-	1	-
Appendicitis, Typhlitis	8	-	-	1	-	2	-	1	1	2	-	1
Hernia, Intestinal obstruction	7	-	1	-	1	-	1	-	2	1	1	-
Cirrhosis of liver	7	-	-	-	-	-	-	-	3	2	1	1
Other diseases of digestive system ..	13	-	-	-	-	-	-	2	2	5	2	2
Acute nephritis	2	-	-	-	-	-	-	-	-	1	1	-
Chronic Bright's disease	29	-	-	-	1	-	-	2	4	9	6	7
Other diseases of genito-urinary system.	13	-	-	-	-	-	2	-	3	4	2	2
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth ..	5	-	-	-	-	-	4	1	-	-	-	-
Congenital malformations	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	27	-	-	-	-	-	-	-	-	-	2	25
Suicide	7	-	-	-	-	-	1	2	1	3	-	-
Burns and Scalds	2	-	-	-	-	-	-	-	-	-	1	1
Drowning	3	-	-	-	-	1	-	2	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	-	-	2	-	2	-	2	2	-
Other deaths by violence	14	3	-	1	1	1	1	1	2	-	3	1
Other specified causes	41	14	-	1	-	1	1	1	-	9	7	7
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th February, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	232	322	4	125	C. 6 D. 2 E. 1 G. 5 M. 12
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	9	–	9	M. 1
†BERMONDSEY ...	–	9	20	–	10	–
†BETHNAL GREEN	–	4	17	1	4	M. 1
†CAMBERWELL ...	–	21	32	–	4	M. 1
†CHELSEA	–	1	6	–	1	–
†DEPTFORD ...	–	10	14	–	6	G. 1
†FINSBURY ...	–	10	1	–	2	–
†FULHAM	–	5	13	–	9	C. 1 M. 2
†GREENWICH ...	–	12	17		2	C. 1
†HACKNEY ...	–	10	10	–	–	C. 1
†HAMMERSMITH ...	–	4	4	–	4	–
†HAMPSTEAD ...	–	1	2	–	–	–
†HOLBORN... ...	–	–	1	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	17	19	–	10	G. 3 M. 2
†KENSINGTON ...	–	3	5	1	–	E. 1
†LAMBETH ...	–	20	17	–	9	D. 1
†LEWISHAM ...	–	9	7	–	2	–
†PADDINGTON ...	–	2	12	2	2	–
†POPLAR	–	11	5	–	9	–
†ST. MARYLEBONE	–	4	7	–	–	C. 1
†ST. PANCRAS ...	–	8	10	–	3	M. 1
†SHOREDITCH ...	–	6	9	–	6	D. 1 M. 2
†SOUTHWARK ...	–	10	28	–	11	C. 1
†STEPNEY	–	14	20	–	3	C. 1
†STOKE NEWINGTON	–	1	–	–	1	–
†WANDSWORTH ...	–	16	20	–	5	G. 1 M. 1
†WESTMINSTER, CITY OF	–	2	6	–	4	M. 1
†WOOLWICH ...	–	11	10	–	8	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	13	1	7	L. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	7	–	3	–
†LUTON	–	1	3	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD ...	–	1	3	–	1	–
BIGGLESWADE ..	–	1	–	1	–	L. 1
LUTON	–	–	–	–	2	–
BERKS	–	13	3	–	2	M. 1
†READING C.B. ..	–	6	1	–	1	M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	1	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD		1	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
WANTAGE ...	–		–	–	1	–
WINDSOR... ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–		–
BUCKINGHAM ...	–	2	–	–	4	C. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
†WOLVERTON ...	–	–		–	1	–
Rural Districts:—						
BUCKINGHAM ...	–		–	–	1	C. 1
NEWPORT PAGNELL ...	–	–	–		1	–
WYCOMBE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	7	1	–	2	–
Borough:—						
†CAMBRIDGE ...	–	3	1	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
LINTON	–	2	–	–	–	–
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	–	–		1	–
CHESTER	–	53	23	–	27	C. 2 G. 1 M. 11
†BIRKENHEAD C.B.	–	1	2	–	8	–
†CHESTER C.B. ...		3	1		2	–
†STOCKPORT C.B.	–	13	2	–	5	C. 1
†WALLASEY C.B. ...	–	5	5	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BOWDON	*	*	*	*	*	*
BREDBURY AND ROMILEY	–	1	–	–	1	–
†CHEADLE AND GATLEY	*	*	*	*	*	*
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	2	2	–	–	–
†DUKINFIELD ...	–	1		–	2	M. 1
†ELLESMERE PORT AND WHITBY		2	–	–	–	–
†HAZEL GROVE AND BRAMHALL		–	–	–	–	G. 1
HOOLE	–	1	–	–	1	–
†HOYLAKE AND WEST KIRBY	–		1	–		–
†HYDE	–	5	–		–	–
LYMM	–	1		–	–	–
†MACCLESFIELD ...		1	–		–	
MARPLE	–	3	–	–	–	–
NANTWICH ...	–	1		–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	1	1	–	–	–
†WINSFORD ...	–	1	1	–	–	–
YEARDSLEY CUM WHALEY	–	–	–		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	4	–	1	–
CONGLETON ...	–	–	1	–	–	C. 1
MACCLESFIELD ...	–	–	1	–	1	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	2	1	–	–	–
WIRRAL	–	–	1	–	1	–
CORNWALL ...	–	4	1	–	2	M. 1
Boroughs and Urban Districts:—						
LOOE	–	1	–	–	–	–
ST. AUSTELL ...	–	–	1	–	–	–
SALTASH... ...	–	–	–	–	1	–
†TRURO	–	1	–	–	–	–
Rural Districts:—						
HELSTON... ...	–	1	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	–	M. 1
ST. GERMANS ...	–	1	–	–	–	–
CUMBERLAND ...	–	17	6	–	3	G. 1
†CARLISLE C.B. ...	–	4	3	–	2	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	2	–	–	–
HARRINGTON ...	–	1	–	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	3	–	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	1	–	–	–	
COCKERMOUTH ...	–	2	–	–	–	G. 1
LONGTOWN ...	*	*	*	*	*	*
PENRITH... ...	–	1	–	–	–	–
WIGTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	12	51	17	1	29	G. 2 M. 1
†DERBY C.B. ...	11	8	6	–	11	–
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	–	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	2	–
†BUXTON	–	1	–	–	–	
†CHESTERFIELD ...	–	6	1	–	2	G. 1
†GLOSSOP	–	–	1	–	1	–
HEAGE	–	1	–	–	–	–
†HEANOR		–		1	2	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	3	–	–	3	–
NEW MILLS ...	–	–		–	1	G. 1
†RIPLEY	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	3	–	–	–	–
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	1	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	1	6	1	–	1	–
CHESTERFIELD ...	–	7	5	–	2	M. 1
CLOWNE	–	2	1	–	–	–
HARTSHORN AND SEALS	–	2	–	–	–	–
NORTON	–	1	–	–	–	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	3	1	–	1	–
DEVON	–	25	15	1	16	D. 1 M. 1
†EXETER C.B. ...	–	3	–	–	–	D. 1
†PLYMOUTH C.B....	–	16	8	–	4	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BRIXHAM... ...	–	–	3	–	2	–
NORTHAM ...	–	–	3	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
OKEHAMPTON ...	–	–	–	–	1	–
†PAIGNTON ...	–	–	–	1	–	M. 1
SIDMOUTH ...	–	–	–	–	2	–
†TEIGNMOUTH ...	–	2	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	1	–	–	–
NEWTON ABBOT	–	–		–	1	–
PLYMPTON ST. MARY	–	2	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
TOTNES	–	–	–	–	1	–
DORSET	–	2	–	1	6	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	1	–
†PORTLAND ..	–	1	–		–	–
SHERBORNE ...	–	1	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
DORCHESTER ...	–	–	–	–	1	–
SHERBORNE ...	–	–	–	1	–	–
STURMINSTER ...	–	–	–	–	2	–
DURHAM	146	76	22	3	64	C. 1 G. 3 M. 4
†DARLINGTON C.B	–	3	–	–	11	–
†GATESHEAD C.B.	18	6	1	1	5	–
†SOUTH SHIELDS C.B.	18	–	4	–	9	M. 2
†SUNDERLAND C.B.	–	–	1	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†WEST HARTLEPOOL C.B.	–	8	–	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–		–
BARNARD CASTLE	–	–			1	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON... ...	34	2	–	–	1	–
†BRANDON AND BYSHOTTLES	–	5	–	–	–	–
†CHESTER LE STREET	1	2	2	–	–	–
†CONSETT	–	2	–	–	–	–
†CROOK	5	2	1	–	–	–
†DURHAM	–	–	3	–	2	–
†HEBBURN ...	4	–	–	–	–	–
†HETTON	–	7	–	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	1	–
†JARROW	1	–	–	–	3	G. 1 M. 1
LEADGATE ...	–	1	–	–	–	–
†RYTON	1	–	–	–	–	–
†SHILDON	–	–	–	–	–	G. 1
†SPENNYMOOR ...	5	2	–	–	–	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	1	1	–	1	–	–
†STOCKTON ON TEES	–	3	5	–	1	–
†TANFIELD ...	3	–	1	–	–	–
†WASHINGTON ...	1	–	–	–	2	–
†WHICKHAM ...	9	1	–	–	2	–
WILLINGTON ...	–	–	–	–	–	C. 1
Rural Districts:—						
AUCKLAND ...	5	2	–	–	–	–
CHESTER LE STREET	16	6	2	1	–	–
DURHAM	–	8	–	–	5	G. 1
EASINGTON ...	2	5	1	–	5	–
HOUGHTON LE SPRING	4	1	–	–	2	–
LANCHESTER ...	7	4	1	–	–	–
SEDGEFIELD ...	1	–	–	–	–	–
SOUTH SHIELDS...	1	–	–	–	1	–
STOCKTON ...	–	–	–	–	2	–
SUNDERLAND ...	8	–	–	–	3	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
MARCH	*	*	*	*	*	*
Rural Districts:—						
ELY	–	1	–	–	–	–
ESSEX	–	52	48	3	44	C. 2 D. 1 G. 3 M. 5
†EAST HAM C.B. ..	–	5	11	–	1	–
†SOUTHEND-ON-SEA C.B.	–	5	2	–	6	M. 2
†WEST HAM C.B. ...	–	12	12	1	8	G. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	2	–	1	M. 1
BRAINTREE ...	–	2	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
BURNHAM ON CROUCH	–	–	1	–	–	–
†CHELMSFORD ...	–	–	–	–	1	–
CHINGFORD ...	–	–	–	–	–	C. 1
†COLCHESTER ...	–	–	–	–	3	M. 1
EPPING	–	–	–	–	1	–
†GRAYS THURROCK	–	–	2	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†ILFORD	–	3	2	–	2	–
†LEYTON	–	6	5	1	3	–
†ROMFORD ...	–	2	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	2	–	1	–
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW...	–	12	5	–	–	C. 1 D. 1
†WANSTEAD ..	–	–	–	–	4	–
WITHAM	–	1	–	–	1	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	–	–	–	–	M. 1
DUNMOW	–	–	–	–	3	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
LEXDEN AND WINSTREE	–	–	–	–	1	–
MALDON	–	–	–	–	1	–
ONGAR	–	–	1	–	–	–
ORSETT	–	–	1	1	–	–
ROMFORD... ...	–	–	1	–	4	G. 1
GLOUCESTER ..	–	44	25	2	23	G. 2 M. 2
†BRISTOL C.B. ...	–	26	13	1	8	G. 2
†GLOUCESTER C.B.	–	–	3	–	8	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	–	M. 1
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
STOW ON THE WOLD ...	*	*	*	*	*	*
STROUD	–	2	–	–	–	–
TETBURY... ...	–	–	–	–	1	–
TEWKESBURY ...	–	–	–	1	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	–	–	–	1	–
DURSLEY... ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	3	1	–	–	M. 1
STROUD	–	7	7	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	2	–	–	4	–
HEREFORD ..	–	1	1	–	3	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	2	–
LEOMINSTER ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD ...	–	14	1	5	2	G. 2 L. 3
Boroughs and Urban Districts:—						
BUSHEY	–	–	1	–	–	–
†CHESHUNT ...	–	–	–	–	1	–
†HITCHIN	–	2	–			–
RICKMANSWORTH	–	–	–	2	–	–
†ST. ALBANS ...	–	1	–	–		–
WARE	–	–	–		1	–
†WATFORD ...	–	7	–	–		G. 2
Rural Districts:—						
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–		–
WATFORD ...	–	2	–	3	–	L. 3
HUNTINGDON ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	1	–		–	–
NORMAN CROSS ...	–	–	1	–	–	–
KENT	–	37	32	1	28	C. 2 G. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD		1	–	–	2	–
†BECKENHAM ...		1	–	–		–
†BEXLEY	–	1	4	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	2	
†BROMLEY ...	–	–	–	–	2	M. 1
†CHATHAM ...	–		4		–	–
†CRAYFORD ...		–	1	–	–	
†DARTFORD ...	–	2	–	–	–	G. 1
†DEAL	–	1	–	1		–
†DOVER	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ERITH	–	4	–	–	–	–
†FAVERSHAM ...	–	2	–	–	–	–
†FOLKESTONE ...	–	–	1	–	2	–
†GILLINGHAM ...	–	3	3	–	–	–
†GRAVESEND ...	–	1	1	–	–	–
†HERNE BAY ...	–	2	1	–	–	–
†MAIDSTONE ...	–	1	3	–	1	–
†MARGATE ...	–	–	–	–	1	–
MILTON REGIS ...	–	–	–	–	1	
†NORTHFLEET ...	–	–	2	–	–	–
†PENGE		–	2	–	–	–
†RAMSGATE ...	–		3	–	2	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	2	–
SIDCUP	–	1		–	1	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	2	–
BROMLEY ...	–	–	–	–	–	C. 1
DARTFORD ...	–	4	1	–		–
DOVER	–	1	–		–	–
ELHAM	–	–	–		4	–
HOLLINGBOURNE	–	3	–	–	–	–
ISLE OF THANET		–		–	1	–
MAIDSTONE ...	–	1	–	–	1	M. 1
MALLING	–	2	3	–	1	–
MILTON	–	–	2	–	–	–
ROMNEY MARSH...	–	–		–	1	–
SEVENOAKS ...	–	–	1	–	1	–
TONBRIDGE ...	–	2	–	–	1	–
LANCASTER ...	7	228	117	4	236	C. 14 D. 4 G. 14 L. 1 M. 36
†BARROW IN FURNESS C.B.	–	4			–	–
†BLACKBURN C.B.	–	5	2	–	10	G. 1 M. 1
†BLACKPOOL C.B.	–	7	–	1	–	M. 1
†BOLTON C.B. ...	–	5	–	–	4	D. 1
†BOOTLE C.B. ...	–	2	1	–	1	–
†BURNLEY C.B. ...	–	3	5	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Bury C.B. ...	–	2	2	–	2	M. 1
†Liverpool C.B.	–	50	25	–	36	C. 2 D. 1 G. 5 L. 1 M. 16
†Manchester C.B	–	40	34	1	45	C. 3 G. 4 M. 11
†Oldham C.B. ..	6	3	6	–	1	–
†Preston C.B. ...	–	1	7	–	1	C. 1
†Rochdale C.B. ...	–	1	2	–	–	G. 1
†St. Helens C.B. ...	–	6	1	–	3	M. 1
†Salford C.B. ...	–	15	9	1	7	C. 1 D. 1
†Southport C.B.	–	4	2	–	5	–
†Warrington C.B.	–	–	1	–	9	–
†Wigan C.B. ...	–	2	2	–	12	–
Boroughs and Urban Districts:—						
Abram	–	–	–	–	4	–
†Accrington ...	–	–	–	–	4	–
Adlington ...	–	1	–	–	–	–
†Ashton under Lyne	–	1	–	–	7	–
†Atherton ..	–	1	–	–	5	–
Audenshaw ...	–	–	–	–	1	–
†Bacup	–	3	–	–	1	–
Billinge... ...	–	–	–	–	2	–
Blackrod ...	–	1	–	–	2	–
†Chadderton ..	–	1	–	–	–	G. 1
†Chorley	–	–	–	–	2	–
†Colne	–	–	–	–	1	–
†Crompton ...	–	1	–	–	1	–
†Darwen	–	1	–	–	–	
†Denton	–	–	–	–	–	D. 1
†Droylsden ...	–	1	1	–	–	M. 1
†Eccles	–	1	–	–	2	–
†Failsworth ...	–	2	1	–	–	G. 1
†Farnworth ...		2	–	–	1	C. 1
†Fleetwood ...	–	–	–	–	–	C. 1
Golborne ...	–	1	1	–	–	–
†Haslingden ...	–	2	–	–	3	–
†Haydock ...	–	–	–	–	3	–
†Heywood ...	–	4	–	–	–	C. 1 M. 1
†Hindley... ...	–	1	–	–	–	–
†Horwich ...	–	–	–	–	2	–
Hurst	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Huyton with Roby	*	*	*	*	*	*
†Ince in Makerfield	–	–	–	–	4	–
Irlam	–	1	–	–	–	–
Kirkham ...	–	–	1	–	–	–
†Lancaster ...	–	–	–	–	2	–
Lees	–	1	–	–	1	–
†Leigh	–	–	3	–	6	–
†Litherland ...	–	2	–	–	–	G. 1
†Littleborough	–	1		–	–	–
Longridge ...	–	2	–	–	–	–
†Lytham St. Anne's	–	2	–	–	–	–
†Middleton ...	–	3	1	–	3	C. 1
Milnrow... ...	–	–	–	–	1	–
†Nelson	–	2	–	–	–	–
†Newton in Makerfield	–	1	–	–	2	–
Ormskirk ...	–	–	–	–	–	M. 1
†Oswaldtwistle	–	–	–	–	1	–
†Padiham... ...	–	–	–	–	2	–
Preesall ...	–	1	–	–	–	–
Prescot	–	–	1	–	–	–
†Radcliffe ...	–	2	–	–	3	C. 2
†Ramsbottom ...	–	2	1	–	1	
†Rawtenstall ...	–	6	–	–	1	–
†Royton	1	2	1	–	–	–
Standish with Langtree	–	–		–	1	–
†Stretford ...	–	5	2	–	–	–
†Swinton and Pendlebury	–	1	–	–	8	–
Thornton ...	–	1	–	–	–	–
†Turton	–	2	1	–	–	–
†Tyldesley with Shakerley	–	2	–	–	2	–
†Ulverston ...	–	–	1	–	–	–
Urmston... ...	–	1		–	–	–
†Walton le Dale	–	1	–	–	–	–
†Waterloo with Seaforth	–	–	–	–	1	–
†Westhoughton	–	1	–	–	–	–
Whitefield ...		1	–	–	1	–
Whitworth ...	–	1	–	–	1	–
†Widnes	–	1	1	–	11	M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY	–	3	1	–	–	–
BURY	–	1	1	1	–	
CHORLEY	–	–	–	–	–	C. 1
FYLDE	–	1	–		–	–
GARSTANG ...	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
WEST LANCASHIRE	–	–	–	–	3	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER... ..	–	28	15	1	11	C. 1
†LEICESTER C.B. ...	–	12	6	1	4	C. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	–	–
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	4	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	–
BARROW UPON SOAR	–	7	1	–	5	–
BILLESDON ...	–	–	1	–	–	–
BLABY	–	–	1	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
LUTTERWORTH ...	–	1	3	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON		3	–	–	–	–
LINCOLN (parts of Kesteven).	–	6	1	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	3	–	–	–	–
SLEAFORD ...		–	–	–	1	–
STAMFORD ...	–	–	–	–	–	G. 1
Rural Districts:—						
BOURNE	–	1	–	–	–	–
BRANSTON ...	–	2	1		–	–
GRANTHAM ...	–	–	–		1	–
SLEAFORD ...	–	–	–	–	–	C. 1
LINCOLN (parts of Lindsey).	–	21	5	–	11	M. 2
†GRIMSBY C.B. ...	–	2	–	–	1	M. 1
†LINCOLN C.B. ...	–	15	2	–	4	
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1		1	
†GAINSBOROUGH ...	–	1	–		2	M. 1
HORNCASTLE ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	1	–
Rural Districts:—						
GRIMSBY	–	3	–	–	1	–
SPILSBY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	48	65	1	34	G. 2
Boroughs and Urban Districts:—						
†ACTON	-	1	-	-	1	-
†BRENTFORD ...	-	-	2		3	
†CHISWICK ...	-	2	2	-	1	-
†EALING	-	3	-	-	1	-
†EDMONTON ...	-	-	20	-		-
†ENFIELD	-	2	1	-	3	-
†FINCHLEY ...	-	3	6	-	1	
†HAMPTON ...	-	1	-	-	-	-
HAMPTON WICK...	-	1	-	-	-	-
†HARROW ON THE HILL	-	-	-	1	1	-
†HENDON	-	6	1	-	-	-
†HESTON AND ISLEWORTH	-	-	-		5	G. 1
†HORNSEY... ...	-	8	1		3	-
RUISLIP NORTHWOOD	-	1	-		-	-
†SOUTHGATE ...	-	3	-	-	-	G. 1
SUNBURY ON THAMES	-	1	1	-	-	-
†TEDDINGTON ...	-	-	1	-	-	-
†TOTTENHAM ...	-	6	5	-	5	-
†WEALDSTONE ...		1	-	-		-
†WEMBLEY ...	-	-	2	-	1	-
†WILLESDEN ...	-	8	11	-	9	-
Rural Districts:—						
HENDON	-	1	8	-	-	-
STAINES	-	-	4	-	-	-
NORFOLK	-	10	1	3	11	C. 1 M. 1
†GREAT YARMOUTH C.B.	-	3	-		-	-
†NORWICH C.B. ...	-	1	-	-	2	M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	-	-	4	C. 1
WALSOKEN ...	-	-	-	-	1	-
WELLS	-	-	-	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	-	1	-	-	-	-
DOCKING	-	3	-	-	-	-
ERPINGHAM ...	-	-	1	1	-	-
FREEBRIDGE LYNN	-	-	-	1	-	-
ST. FAITH'S ...	-	1	-	-	-	-
WALSINGHAM ...	-	-	-	-	1	-
WAYLAND ...		1	-	1	1	-
NORTHAMPTON ...	-	6	5	1	15	-
†NORTHAMPTON C.B.	-	2	1	1	10	-
Boroughs and Urban Districts:—						
†KETTERING ...	-	1	-	-	-	-
OUNDLE	-	1	-	-	-	-
†RUSHDEN ...	-	1	-	-	-	-
†WELLINGBOROUGH	-	1	-	-	-	-
Rural Districts:—						
BRIXWORTH ...	-	-	-	-	2	-
DAVENTRY ...	-	-	2	-		-
NORTHAMPTON ...	-		1	-	-	-
OXENDON... ...	-	-	1		-	
POTTERSPURY ...	*	*	*	*	*	*
TOWCESTER ...	-	-	-	-	2	-
WELLINGBOROUGH	-	-	-	-	1	-
NORTHUMBERLAND	45	50	5	-	42	C. 1 E. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	1	15	3	-	19	C. 1 E 1 M. 2
†TYNEMOUTH C.B.	-	3	-	-	1	-
Boroughs and Urban Districts:—						
†ASHINGTON ...	17	1	-	-	1	-
†BEDLINGTONSHIRE	3	2	-		5	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	5	–	–	8	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	1	1	–	–	–
†GOSFORTH ...	–	3	–	–	–	–
†LONGBENTON ...	1	1	–	–	1	–
MORPETH ...	5	–	–	–	–	–
†NEWBURN ...	1	3	–	–	1	–
PRUDHOE... ...	–	1	–	–	–	–
SEATON DELAVAL	–	1	1	–	–	–
†WALLSEND ...		8	–	–	1	–
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
ALNWICK... ...	1	2	–	–	–	–
BELFORD	–	–	–	–	1	–
CASTLE WARD ...	5	–	–	–	1	
HEXHAM	–	–	–	–	1	–
MORPETH... ...	11	1	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	1	24	11	–	20	G. 4 M. 2
†NOTTINGHAM C.B.	–	9	4	–	14	G. 4 M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	1		–	–
†CARLTON		1	–	–	–	
†EAST RETFORD ...	–		2			–
†HUCKNALL ...	1	–	–		1	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	M. 1
†MANSFIELD ...	–	2	1	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	2	–	–	–	–
BINGHAM... ...	–	–	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
SKEGBY	–	2	–	–	–	–
SOUTHWELL ...	–	–	2	–	1	–
WORKSOP... ...	–	4	–	–	–	–
OXFORD	–	6	3	–	1	C. 1
†OXFORD C.B. ...	–	1	1	–	1	C. 1
Rural Districts:—						
BANBURY... ...		5	–	–	–	–
BICESTER... ...	–	–	1	–	–	–
CROWMARSH ...	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	8	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	6	–
Rural Districts—						
PETERBOROUGH...	–	–	–	–	2	–
SALOP	–	8		–	4	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–		–		1	–
NEWPORT ...	–	1	–		–	–
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...		1	–	–	–	–
Rural Districts:—						
CHIRBURY ...	–	1	–	–	–	–
DRAYTON... ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts—*cont.*						
LUDLOW	–	2	–	–		–
NEWPORT ...	–	–	–		1	–
WELLINGTON ...	–	–	–	–	2	–
SOMERSET		11	1	–	24	D. 1 E. 1 G. 1
†BATH C.B. ..	–	5	–	–	2	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
GLASTONBURY ...	–	–	–	–	2	–
ILMINSTER ...	–	–	–	–	1	–
RADSTOCK ...	–	–	–	–	1	–
†TAUNTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–		–	2	–
BATH	–	3	–	–	–	–
BRIDGWATER ...	–	–	–	–	–	D. 1 G. 1
CHARD	–	–		–	3	–
CLUTTON	–	–	–	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	–	1	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON... ...	–	–	–	–	1	E. 1
WELLINGTON ...	–	–	–	–	2	–
WELLS	–	–	–	–	2	–
YEOVIL	–	–	–	–	3	–
SOUTHAMPTON ..	–	29	27	1	27	C. 2 G. 1 L 1 M. 3
†BOURNEMOUTH C.B.	–	1	1	–	2	–
†PORTSMOUTH C.B.	–	10	18	–	2	M. 2
†SOUTHAMPTON C.B.	–	4	–	–	19	C. 1 L. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	4	–	–	–	G. 1
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FAREHAM ...	–	–	2	–	–	–
†GOSPORT	–	–	1	–	–	C. 1
†WINCHESTER ...	–	2	1	1	1	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	–	–	–	2	–
BASINGSTOKE ...	–	2	–	–	–	–
HARTLEY WINTNEY	–	–	3	–	–	–
HAVANT	–	–	1	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
STAFFORD	1	49	37	1	87	C. 1 E. 1 G. 3 M. 3
†BURTON UPON TRENT C.B.	–	–	–	–	3	E. 1 G. 1 M. 1
†SMETHWICK C.B.	–	1	–	–	1	–
†STOKE ON TRENT C.B.	–	14	10	–	43	G. 1 M. 1
†WALSALL C.B. ...	–	1	5	–	4	–
†WEST BROMWICH C.B.	–	3	2	–	2	–
†WOLVERHAMPTON C.B.	–	8	1	–	5	C. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	1	–
BIDDULPH ...	–	–	–	1	4	–
†BILSTON	–	4	–	–	2	–
†BRIERLEY HILL...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	1	–	–	–	M. 1
†CANNOCK	–	3	1	–	1	–
†COSELEY	–	–	1	–	–	–
†DARLASTON ...	–	2	–	–	1	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
†ROWLEY REGIS ...	–	1	–		–	–
†SEDGLEY	–	3	–	–	–	–
†STAFFORD ...	–	1	–		5	–
STONE	–	–	–	–	2	–
TAMWORTH ...	–	–	3	–	2	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	–	1	–	–	–
†WEDNESBURY ...	–	–	4	–	5	–
†WILLENHALL ...	–	–	1	–	1	G. 1
Rural Districts:—						
KINGSWINFORD ...	–	3	2		–	–
LEEK	1	–	1	–	1	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	1	–	–	–	–
TAMWORTH (part)	–	–	2	–	–	–
UTTOXETER ...	–	1		–		–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ..	–	13	1	–	10	M. 1
†IPSWICH C.B. ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†LOWESTOFT ...	–	2	1	–	3	–
STOWMARKET ...	–	1	–	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
EAST STOW ...	–	–	–	–	–	M. 1
MUTFORD AND LOTHINGLAND	–	2	–	–	3	–
SAMFORD... ...	–	–	–	–	2	–
SUFFOLK, WEST ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	–	–
SUDBURY... ...	–	1	–	–	1	–
SURREY	–	41	29	2	15	C. 2 G 1
†CROYDON C.B. ...	–	10	9	–	5	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	–	3	–	–	–
†CATERHAM ...	–	1	1	–	–	–
†CHERTSEY ...	–	–	–	1	–	–
†EPSOM	–	3	–	–	–	–
†ESHER AND THE DITTONS	–	1	1	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	1	–
†KINGSTON ON THAMES	–	1	1	1	1	–
†MERTON AND MORDEN	–	1	2	–	–	–
†MITCHAM... ...	–	5	7	–	–	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	3	1	–	–	–
†SURBITON ...	–	1	–	–	2	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON UPON THAMES	–	–	–	–	–	G. 1
†WIMBLEDON ...	–	–	–	–	–	C. 1
†WOKING	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	–	–	–	2	–
DORKING	–	–	–	–	1	–
EPSOM	–		1	–	1	–
GODSTONE ...	–	2	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	2	–	–	2	–
SUSSEX, EAST ...	–	9	10	–	10	C. 1
†BRIGHTON C.B. ...	–	3	3	–	8	–
†EASTBOURNE C.B.	–	3	–	–	–	–
†HASTINGS C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	1	–	1	–
†HOVE	–	–	4	–	–	–
†LEWES	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	2	–	–	1	–
HAILSHAM ...	–	–		–		C. 1
RYE	*	*	*	*	*	*
SUSSEX, WEST ...	–	10	1	–	4	D. 1 M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	2	–	–	2	–
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	2	–	–	–	–
†WORTHING ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	1	1	–	–	D. 1 M. 1
WESTBOURNE ...	–	–	–	–	1	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	53	76	–	70	C. 3 E. 1 G. 10 M. 9
†BIRMINGHAM C.B.	–	38	48	–	52	C. 1 G. 5 M. 6
†COVENTRY C.B. ...	–	3	6	–	–	C. 1 G. 2 M. 2
Boroughs and Urban Districts:—						
KENILWORTH ...	–	2	–	–	–	–
†NUNEATON ...	–	3	1	–	3	–
†ROYAL LEAMINGTON SPA	–	2	1	–	1	G. 1
†RUGBY	–	–	1	–	1	G. 1
†STRATFORD ON AVON	–	–	–	–	1	C. 1
†SUTTON COLDFIELD	–	–	–	–	2	–
†WARWICK ...	–	1	1	–	–	M. 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	3	–
ATHERSTONE ...	–	1	10	–	1	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	1	1	–	2	–
MERIDEN... ...	–	–	–	–	1	G. 1
SOLIHULL ...	–	–	1	–	3	–
TAMWORTH (part)	–	1	6	–	–	–
WARWICK ...	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	13	1	–	2	D. 1
Boroughs and Urban Districts:—						
†KENDAL	–	4	1	–	–	D. 1
Rural Districts:—						
EAST WESTMORLAND	–	6	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	1	–
WEST WARD ...	–	2		–	1	–
WIGHT, ISLE OF ..	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–		–	–
†RYDE	–	2	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	–	2	–	–	–
WILTS	–	11	5	–	28	C. 1 D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
CALNE	–	1	–	–	–	–
DEVIZES	–	–	1	–	–	–
MELKSHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	2	–	–	1	–
†SWINDON... ...	–	3	4	–	14	M. 1
†TROWBRIDGE ...	–	1	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
WILTON	–	–	–	–	2	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
HIGHWORTH ...	–	–	–	–	3	G. 1
MALMESBURY ...	–	–	–	–	1	C. 1
WILTS—*cont.*						
Rural Districts—*cont.*						
MARLBOROUGH ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	1	–
RAMSBURY ...	–	2	–	–	–	–
TETBURY (part)...	–	–	–	–	2	–
TISBURY	–	1	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	D. 1
WILTON	–	–	–	–	1	–
WORCESTER ...	–	21	4	–	7	–
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	1	1	–	3	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	4	1	–	–	–
†MALVERN ...	–	5	–	–	–	–
NORTH BROMSGROVE	–	2	1	–	–	–
†OLDBURY... ...	–	1	–	–	2	–
†REDDITCH ...	–	3	1	–	1	–
†STOURBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	2	11	16	–	12	–
†KINGSTON UPON HULL C.B.	2	7	15	–	5	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	3	–
COTTINGHAM ...	–	1	–	–	–	–
HESSLE	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	–		1	–
BRIDLINGTON ...		2			–	
HOWDEN	*	*	*	*	*	*
RICCALL	–	–	–	–	1	–
SCULCOATES ...	–	1	–			–
SHERBURN ...	–	–	1	–	–	–
YORKS ... ... (North Riding.)	1	19	5	2	13	C. 2
†MIDDLESBROUGH C.B.	1	8	–	–	7	–
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	–
GUISBOROUGH ...	–	–	1	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	2	–	–	–
†THORNABY ON TEES	–	2	1	–	–	C. 1
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
EASINGWOLD ...	–	2	–	–	–	C. 1
FLAXTON	–	–	–	2	–	–
HELMSLEY ...	–	–	–	–	2	–
KIRKBY MOORSIDE	–	–	1	–	–	–
RICHMOND ...	–	1	–	–	1	–
STOKESLEY ...	–	1	–		–	–
THIRSK	–	2	–	–	1	–
WATH	–	1	–	–	–	–
WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding.)	38	134	80	4	182	C. 13 D. 1 G. 2 M. 6
†BARNSLEY C.B. ...	–	3	–	–	1	–
†BRADFORD C.B. ...	–	11	13	–	14	C. 4 D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†DEWSBURY C.B....	–	1	–	–	1	–
†HALIFAX C.B. ...	–	3	4	–	1	–
†HUDDERSFIELD C.B.	–	6	2	1	4	–
†LEEDS C.B. ...	–	16	10	–	12	
†ROTHERHAM C.B.	1	5	1	–	10	
†SHEFFIELD C.B....	1	16	28	–	76	C. 4 G. 2 M. 2
†WAKEFIELD C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	3	–	–	–
ALTOFTS	–	1	–	–	2	–
ARDSLEY, EAST AND WEST	–	–	–	–	–	M. 1
BAILDON	–	2	–	–	–	–
†BENTLEY WITH ARKSEY	–	4	–	–	1	–
†BINGLEY	–	–	–		1	–
BURLEY IN WHARFEDALE	–	–	–	–	2	–
CALVERLEY ...	–	1	–	–	–	–
CUDWORTH ...	–	1	–	–	2	–
†DARTON	–	–	1	–	2	–
DENBY AND CUMBERWORTH	–	–	–	–	1	–
DENHOLME ...	–	2	–	–	–	–
†DONCASTER ...	–	6	1	–	6	–
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	–	–	–	1	–
†ELLAND	–	–	1	–	–	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	–
GREASBROUGH ...	2		–	–	1	–
†HARROGATE ...	–	1	1	–	1	–
HEBDEN BRIDGE	–	–	–	–	–	C. 1
†HEMSWORTH ...	–	–	1	–	–	–
HOLME	–	1	–	–	–	–
†HOLMFIRTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	2	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	2	–	–	1	–
KIRKBURTON ...	–	–	–	1	–	–
LEPTON	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
MALTBY	–	1	1	–	–	–
†MEXBOROUGH ...	1	1	–	–	2	–
†MORLEY	–	–		–	1	
†NORMANTON ...	–	1	–	–	2	–
†OSSETT	–	1	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	–	2	–	–	–
†PUDSEY	–	–		–	1	–
†RAWMARSH ...	29	–	–	–	–	
SELBY	–	1	–	–	–	–
SHEPLEY	–	–	–	–	2	
†SHIPLEY	–	2	–	–	–	–
†SKIPTON	–	1	1	–	–	–
†SPENBOROUGH ...	–	–	1	–	2	–
†STANLEY	–	1	–	–	5	–
STOCKSBRIDGE ...		–	1	–	–	C. 2
†SWINTON	3	1	1	–	2	–
†TODMORDEN ...	–	2	–	–	–	–
†WATH UPON DEARNE	–	–	–	–	2	–
WHITWOOD ...	–	1		–		–
†WOMBWELL ...	–	2	–	–	4	–
Rural Districts:—						
DONCASTER ...	–	1	1	1	2	–
HEMSWORTH ...	–	4	–	1	2	M. 1
KIVETON PARK ...	–	6	1	–	–	–
PONTEFRACT ...	–	–	1	–	–	C. 1
ROTHERHAM ...	1	6	2	–	2	M. 1
SEDBERGH ...	–	–	–	–	1	–
SKIPTON	–	2	–	–	–	–
TADCASTER ...	–	3	–	–	–	–
THORNE	–	3	1	–	1	M. 1
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	–	–	–	4	–
WETHERBY ...	–	1	–	–	1	–
WHARFEDALE (SOUTH)	–	–	1	–	–	–
WORTLEY ...	–	1	–	–	–	C. 1
§YORK, CITY OF ...	–	4	–	–	3	–
†YORK C.B. ...	–	4	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	1	4	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	4	–	–	–
Rural Districts:—						
VALLEY		1	–	–	–	–
BRECKNOCK ...	–	3	1	–	6	–
Boroughs and Urban Districts:—						
BRYNMAWR ...		–	–	–	3	–
HAY	–	–	1	–	–	–
LLANWRTYD ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG).	*	*	*	*	*	*
CRICKHOWELL ...	–	2	–	–	2	–
VAYNOR AND PENDERYN	–	–	–	–	1	–
CARDIGAN	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ...	–	13	11	–	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CARMARTHEN ...	–	2	1	–	–	–
KIDWELLY ...	–	–	1	–	1	–
†LLANELLY ...	–	5	4	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	1	3	–	–	–
NEWCASTLE IN EMLYN	–	3	–	–	–	–
CARNARVON ...	–	7	1	–	2	–
Boroughs and Urban Districts:—						
†BANGOR	–	2	–	–	1	–
Rural Districts:—						
CONWAY	–	1	1	–	–	–
GEIRIONYDD ...	–	2	–	–	–	–
GWYRFAI... ...	–	1	–	–	1	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	10	4	–	4	E. 1 M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	–	E. 1
RUTHIN	–	–	–	–	1	–
†WREXHAM ...	–	2	1	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANRWST ...	–	1	–	–	–	–
RUTHIN	–	4	–	–	2	–
WREXHAM ...	–	3	3	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	4	2	1	3	D. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	1	–	–
HOLYWELL ...	–	–	1	–	–	–
MOLD	–	–	–	–	–	D. 1
PRESTATYN ...	–	–	–	–	1	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	1	–
OVERTON ...	–	–	–	–	1	–
GLAMORGAN ..	–	50	68	–	42	C. 2 D. 1 M. 5
†CARDIFF C.B. ..	–	8	9	–	1	M. 2
†MERTHYR TYDFIL C.B	–	–	4	–	–	M. 1
†SWANSEA C.B. ...	–	8	7	–	4	C. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	–	–	6	M. 1
†BARRY	–	2	8	–	1	–
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	6	2	–		–
†GELLIGAER ...	–	–	11	–	6	–
†MAESTEG ...	–	–	4	–	6	–
†NEATH	–	2	4	–		–
†OGMORE AND GARW	–	–	–		4	–
†PENARTH ...	–	1	1	–	–	–
†PONTYPRIDD ...	–	7	5	–	3	–
†PORT TALBOT ...	–	1	1	–	–	D. 1
†RHONDDA ...	–	9	6	–	9	M. 1
Rural Districts:—						
CARDIFF	–	1	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	1	2	–	–	–
NEATH	–	2	–	–	1	–
PENYBONT ...	–	–	1	–		–
PONTARDAWE ..	–		1			–
SWANSEA... ..	–	1	1	–		–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	11	14	–	7	C. 2 G. 1
†NEWPORT C.B. ...	–	–	1	–	3	G. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	–	1	–	–	C. 1
BEDWAS AND MACHEN	–	–	1	–	1	–
†BEDWELLTY ...	–	1	2	–	–	–
CAERLEON ...	–	–	1	–	–	–
†EBBW VALE ...	–	6	1	–	2	–
MONMOUTH ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	1	–	–	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†TREDEGAR ...	–	–	–	–	1	–
Rural Districts:—						
ST. MELLONS ...	–	–	3	–	–	C. 1
MONTGOMERY ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	2	–
Rural Districts:—						
LLANFYLLIN ...	–	2	–	–	1	–
PEMBROKE	–	–	–	–	1	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	1	–
Total of Part II. ...	253	1379	837	39	1226	C. 56 D. 13 E. 5 G. 56 L. 6 M. 92

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
NEWPORT (MON.) ...	–	–	–	–	1	–	PORT OF LONDON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	1	–	–	–	–							
							Total of Part III.... ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	232	322	4	125	C. 6 D. 2 E. 1 G. 5 M. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	253	1379	837	39	1226	C. 56 D. 13 E. 5 G. 56 L. 6 M. 92
Total of Part III.—Port Sanitary Districts	–	2	–	–	1	–
Total (*i.e.*, of returns received), England and Wales ...	253	1613	1159	43	1352	C. 62 D. 15 E. 6 G. 61 L. 6 M. 104

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 160, 161, 164, 166, 167, 169, 171, 172 and 173.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb 13
LONDON :—													
DEATHS—all ages	1,121	1,280	1,523	1,661	1517	1,233	1,658	1,230	1,200	1,399	1,270	1,062	1,07
„ 0 to 1 year ..	139	159	175	162	146	128	134	125	137	144	128	82	9
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,608	6,080	6,513	6,697	6,314	4,245	7,477	8,017	6,594	6,920	7,002	6,793	6,86
DEATHS—all ages	5,112	5,481	6,057	6,631	6,080	5,099	6,636	5,376	5,058	5,646	5,286	5,036	4,71
„ 0 to 1 year ..	632	665	712	715	692	613	775	609	660	694	619	585	54
ENTERIC FEVER—Cases	25	23	23	20	27	10	17	20	12	6	12	15	1
„ Deaths	3	3	1	7	1	1	4	5	—	1	5	2	
SMALL POX—Cases ..	11	30	10	26	42	51	46	44	95	102	87	99	5
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,331	1,194	1,015	1,024	1,003	811	1,082	923	895	950	1,051	1,022	86
„ Deaths	13	11	11	17	10	11	10	16	14	5	12	8	1
DIPHTHERIA—Cases ..	721	745	677	645	662	568	759	711	684	679	851	815	78
„ Deaths ..	29	54	59	38	30	36	53	53	31	50	35	45	2
MEASLES—Deaths ..	49	50	58	71	78	72	87	72	94	109	102	76	8
INFLUENZA—Deaths ..	61	73	100	116	132	85	123	115	81	87	100	78	9

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th February, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	52	34	43·0	38·4	8	HUDDERSFIELD	48	28	39·4	32·1	8
						BRADFORD ..	42	30	37·3	34·4	6
BRIGHTON ..	49	33	44·7	38·0	4	SHEFFIELD ..	49	31	40·3	33·4	7
PORTSMOUTH ..	52	36	45·4	40·1	2	YORK (MUSEUM)	47	31	40·9	34·4	3
NORWICH (EATON).	46	33	41·0	36·6	9	HULL (PEARSON PARK).	45	30	41·0	34·0	9
PLYMOUTH ..	50	32	45·9	37·9	8	TYNEMOUTH ..	43	31	39·1	35·0	19
BRISTOL (CLIFTON).	51	33	43·1	38·1	1	CARDIFF.. ..	52	32	43·0	35·6	1
BIRMINGHAM (EDGBASTON).	47	31	40·4	35·9	17						
NOTTINGHAM ..	47	32	40·1	35·3	6	EDINBURGH ..	44·0	26·0	39·1	31·3	8
BIRKENHEAD (BIDSTON).	46	32	40·3	36·0	32	GLASGOW ..	44·7	27·3	39·2	34·1	12
						DUBLIN (PHŒNIX PARK).	49·0	27·8	44·3	35·3	3
MANCHESTER (WHITWORTH PARK).	48	33	42·3	35·3	6						
						(FITZWILLIAM SQUARE†).	48·0	34·0	44·2	38·6	2
BURNLEY	45	28	38·7	33·4	1	BELFAST.. ..	47·5	29·0	43·3	35·8	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th February, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	7	..	29·303	48·9	43·7	5·2	45·0	+ 5·5	45·0	0·0	4·9	0·0	100	47·1	41·1	43·9	NE : ENE.	Calm : SW : SSW.	1·2	0·0	0·1	197	− 126	0·28
MONDAY -	8	..	29·527	52·0	42·0	10·0	46·2	+ 6·9	44·2	2·0	6·5	0·2	93	93·4	35·5	44·0	SSW : SE.	SSE : SE : ESE.	0·4	0·0	0·0	164	− 165	0·00
TUESDAY -	9	..	29·466	43·1	35·2	7·9	38·9	− 0·2	38·6	0·3	1·9	0·2	99	44·3	34·9	44·0	E	ENE : NE.	2·9	0·0	0·3	403	+ 71	0·00
WEDNESDAY	10	Greatest Declination S.	29·625	35·8	34·3	1·5	34·9	− 4·0	31·0	3·9	5·3	1·0	84	40·8	32·6	44·0	NE	NE	1·4	0·0	0·1	298	− 35	0·00
THURSDAY -	11	..	29·628	39·2	34·2	5·0	36·4	− 2·4	32·4	4·0	7·2	0·8	85	52·2	32·5	44·0	NE : ENE.	ENE : NE.	0·8	0·0	0·1	252	− 80	0·10
FRIDAY -	12	Perigee. New.	29·604	39·0	34·1	4·9	37·2	− 1·6	37·2	0·0	1·5	0·0	100	41·0	32·1	44·0	NE	NE	0·5	0·0	0·1	250	− 79	0·14
SATURDAY -	13	..	29·897	44·7	29·6	15·1	37·3	− 1·7	31·7	5·6	16·0	0·4	80	73·7	21·9	43·9	NE	N : Calm.	0·2	0·0	0·0	147	− 180	0·00
MEANS -		..	29·579	43·2	36·2	7·1	39·4	+ 0·4	37·2	2·3	6·2	0·4	92	56·1	32·9	44·0	NE		..	..	..	Sum 1,711	Sum − 594	Sum 0·52
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	Variably wP and mN till 10h.; mP till 12h., then wP.	0·0	9·4	Overcast. Rain till 6½h. and occasional slight rain between 12h. and 21h. Shower at 11h. Mist 9h. till 16h.
MONDAY ..	8	wP	1·5	9·5	Overcast with partially cloudy period between 15h. and 18h. Shower 14½h.
TUESDAY ..	9	wP	0·0	9·5	Overcast. Frequent damping 7h. till 22h.
WEDNESDAY	10	wP till 6h., then mP.	0·0	9·6	Overcast. Frequent damping between 9h. and 12h.; and between 15h. and 19½h.
THURSDAY	11	mP till 20h., then wP.	0·0	9 7	Overcast. Rain from 17½h.
FRIDAY ..	12	wP till 7h.; mP till 13h.; wP till 23½h.; then mP.	0·0	9·7	Overcast. Rain till 3h., then damping generally till 23h. Mist 9h. till 21h.
SATURDAY	13	wP till 7h.; mP till 20h.; then wP.	3 9	9 8	Overcast till 8½h., then nearly cloudless. Haze 9h. till 15h., then fog.
			Sum 5·4	Sum 67·2	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·32 in. at the beginning of the week to 29·27 in. by 6h. on 7th; increased to 29·55 in. by 11h. on 8th; decreased to 29·44 in. by 7h. on 9th; increased to 29·66 in. by 0h. on 11th; decreased to 29·56 in. by 4h. on 12th; increased and was 30·01 in. by midnight on the 13th.

FOR OFFICIAL USE

1926. No. 7.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 20TH FEBRUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH FEBRUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventh week of the year numbered 6,836, and corresponded to an annual rate of 18·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,273 and corresponded to an annual rate of 14·2 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 14·2, 13·6, and 12·7. Infant mortality was 96 per 1,000 births against 88, 86 and 80 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,565 births corresponding to a rate of 17·8 per 1,000, and 1,209 deaths of civilians, corresponding to a rate of 13·8, as against 14·5, 12·1 and 12·2, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·2 per 1,000. The infant mortality was 67 as against 83, 52 and 60, in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,715 to 5,273. In London the number of deaths from all causes increased from 1,071 to 1,209 ; the deaths from diphtheria which had been 9, 15, and 9 in the preceding three weeks, rose to 14 last week; and the deaths from measles, which had been 60, 39, and 49 in the three preceding weeks, rose to 61 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 20th February, 1926.**

Towns.	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,825*	6,836	5,273	655	3	116	13	65	50	50	76
London	4,576,505*	1,565	1,209	105	1	61	3	2	14	9	12
Towns in Outer Ring.											
Croydon C.B ..	196,000	53	46	3	-	-	-	1	-	-	1
Wimbledon ..	58,090	24	13	1	-	-	-	-	-	-	-
Ealing	68,370	19	18	1	-	-	-	-	-	-	2
Acton	62,980	26	14	2	-	-	-	-	-	-	-
Willesden ..	169,100	46	35	3	-	1	-	-	2	-	-
Hendon	67,530*	19	15	2	-	-	-	-	-	-	-
Hornsey	87,240	24	24	4	-	-	-	1	-	-	1
Wood Green ..	51,840	12	12	1	-	1	-	-	-	-	-
Tottenham ..	153,100	47	31	4	-	1	-	1	1	1	2
Edmonton ..	70,450	43	17	2	-	2	-	-	1	-	-
Enfield	62,970	18	14	2	-	2	-	-	-	-	-
West Ham C.B. ..	317,400	142	91	19	-	7	-	-	1	-	-
East Ham C.B. ..	146,900	41	36	4	-	4	1	-	1	-	2
Leyton	133,500	31	36	2	-	1	-	-	-	-	-
Walthamstow ..	131,100	47	22	1	-	-	-	-	-	-	1
Ilford	92,400	19	21	-	-	1	-	-	-	-	1
Gillingham	48,130*	18	5	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,330*	3	3	-	-	-	-	-	-	-	-
Hastings C.B.	60,510	10	17	2	-	1	-	1	-	1	-
Eastbourne C.B. ..	54,830	12	10	1	-	1	-	-	-	-	-
Brighton C.B. ..	137,500*	42	42	3	-	-	-	-	1	-	-
Portsmouth C.B. ..	232,000*	95	60	7	-	-	-	-	6	-	1
Bournemouth C.B. ..	84,450	25	27	5	-	-	-	-	-	-	2
Southampton C.B. ..	167,300	61	34	2	-	-	-	-	-	-	3
Reading C.B.	93,480*	33	34	-	-	-	-	-	-	-	-
Oxford C.B.	57,260	24	17	3	-	1	-	-	-	-	1
Northampton C.B. ..	93,590*	30	23	1	-	-	-	-	-	-	-
Luton	59,220	26	9	2	-	-	-	-	-	-	-
Cambridge	59,120	12	21	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	96,450	24	20	2	-	-	-	-	-	-	-
Ipswich C.B.	82,710	27	23	2	-	-	-	-	-	-	2
Great Yarmouth C.B.	57,780	24	16	2	-	-	-	-	-	-	-
Norwich C.B. ..	123,900*	46	36	5	-	-	-	-	-	-	-
Swindon	56,570	10	14	2	-	-	-	-	-	-	-
Exeter C.B.	59,880*	23	15	3	-	-	-	-	-	-	-
Plymouth C.B. ..	194,900*	56	77	7	-	-	-	-	-	-	-
Bath C.B.	69,270	12	17	3	-	1	-	-	-	-	-
Bristol C.B.	386,200*	111	119	23	-	-	1	3	1	1	2
Gloucester C.B. ..	53,090	22	22	2	-	-	-	-	-	-	1
Stoke-on-Trent C.B.	278,000	98	82	20	-	-	2	-	2	1	1
Burton-upon-Trent C.B.	49,660	27	10	3	-	-	-	-	-	-	-
Wolverhampton C.B.	108,200	40	28	3	-	-	-	-	-	-	-
Walsall C.B.	101,500	43	30	6	-	1	-	-	2	-	-
West Bromwich C.B	78,730	32	8	1	-	-	-	-	-	1	-
Dudley C.B.	58,600	20	12	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,220	15	16	3	-	-	-	-	-	1	-
Birmingham C.B. ..	946,980	369	236	27	-	-	-	9	1	3	6
Smethwick C.B. ..	78,790	16	13	1	-	-	-	-	-	-	1
Coventry C.B. ..	129,100	39	29	5	-	-	-	-	-	-	-
Leicester C.B. ..	241,800	86	58	10	-	-	-	-	1	1	1
Lincoln C.B.	66,850*	25	24	5	-	1	-	1	-	-	1
Grimsby C.B.	86,810	31	23	6	-	-	-	2	-	1	-
Nottingham C.B. ..	270,300	90	90	15	-	-	-	7	1	1	2
Derby C.B.	133,700*	60	42	7	-	-	1	-	-	1	-
Chesterfield ..	64,770	30	17	2	-	-	1	-	-	-	-
Stockport C.B. ..	126,000	36	36	4	-	1	-	-	-	1	1
Chester C.B.	41,730	18	7	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	154,100	78	26	3	-	-	-	-	-	1	-
Wallasey C.B. ..	90,790	25	23	5	-	-	-	-	-	-	-
Liverpool C.B. ..	851,800	384	238	46	-	1	-	4	2	4	-
Bootle C.B.	83,130	41	20	2	-	-	-	-	-	-	-
St. Helens C.B. ..	108,700	50	23	3	-	2	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	73,650	21	19	1	-	-	1	-	-	-	-
Wigan C.B.	91,180	46	31	8	-	-	-	-	-	2	2
Warrington C.B. ..	78,120*	39	23	5	-	-	-	1	-	1	-
Bolton C.B.	181,100	40	68	6	-	-	1	2	-	-	2
Bury C.B.	56,830*	22	14	-	-	-	-	1	1	-	-
Manchester C.B. ..	755,000	250	247	26	-	13	-	1	2	1	4
Salford C.B.	243,700	104	62	10	-	2	-	-	-	3	-
Oldham C.B	147,300	44	51	6	-	2	-	3	3	-	1
Rochdale C.B... ..	92,750	19	33	4	-	-	1	-	1	-	-
Burnley C.B.	103,400	36	36	4	-	-	-	1	-	-	-
Blackburn C.B. ..	127,600	28	36	2	-	-	-	2	-	-	1
Preston C.B.	123,100	40	32	9	-	-	-	-	-	-	-
Blackpool C.B. ..	77,410	32	28	4	1	-	-	1	-	-	-
Barrow-in-Furness C.B.	73,490	16	17	4	-	-	-	4	-	-	-
Huddersfield C.B. ..	112,000	34	23	1	-	1	-	1	-	-	-
Halifax C.B.	98,750*	24	35	4	-	-	-	-	-	-	1
Bradford C.B. ..	290,200	91	94	10	-	-	-	-	1	1	2
Leeds C.B.	471,600	174	154	13	-	-	-	4	1	1	2
Dewsbury C.B ..	54,790	15	18	2	-	-	-	-	-	-	-
Wakefield C.B. ..	53,910	26	23	6	-	-	-	-	1	-	-
Barnsley C.B. ..	70,570	21	20	2	-	-	-	-	-	-	-
Sheffield C.B. ..	525,000	155	131	12	-	4	-	-	2	3	6
Rotherham C.B. ..	70,340	28	23	4	-	-	1	-	-	-	-
Doncaster	55,150	17	14	1	-	1	-	-	-	1	3
York C.B.	84,450*	29	29	5	-	-	-	2	-	-	1
Hull C.B.	296,800	113	93	8	-	2	-	-	-	-	-
Middlesbrough C.B.	136,300	55	50	10	-	-	-	6	-	-	1
Darlington C.B. ..	68,690	25	18	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	67,620	29	25	3	-	-	-	1	-	-	1
West Hartlepool C.B.	71,620	29	19	3	-	-	-	-	-	-	-
Sunderland C.B. ..	165,100	79	41	6	1	-	-	-	-	1	-
South Shields C.B. ..	126,600	55	43	1	-	-	-	-	-	1	1
Gateshead C.B. ..	128,700	49	38	4	-	-	-	1	-	1	-
Newcastle-on-Tyne C.B.	285,900*	128	80	13	-	-	-	-	-	2	-
Tynemouth C.B. ..	65,940	18	23	1	-	-	-	-	-	-	-
Carlisle C.B.	54,910*	20	18	5	-	-	-	-	-	1	-
Newport (Mon.) C.B.	95,810	36	14	5	-	-	-	1	-	-	-
Cardiff C.B.	226,200*	75	38	1	-	-	-	1	-	-	-
Rhondda	167,900	67	41	13	-	-	-	-	1	2	-
Merthyr Tydfil C.B.	83,440	34	15	4	-	-	-	-	-	-	-
Aberdare	58,000	19	12	3	-	-	-	-	-	-	-
Swansea C.B.	162,700	69	38	11	-	-	-	-	-	-	-
Greater London ..	7,665,833*	2,540	1,914	182	1	85	5	7	25	11	26
Outer Ring	3,089,328*	975	705	77	-	24	2	5	11	2	14
16 Great Towns in Outer Ring	1,858,970*	611	445	51	-	20	1	3	6	1	10
Remainder of Outer Ring	1,230,358*	364	260	26	-	4	1	2	5	1	4
Edinburgh†	424,600	158	133	11	-	-	2	-	-	2	1
Glasgow† ..	1,034,500	462	312	51	-	35	3	8	2	-	1
Dublin (Registration Area)†	443,000	185	154	37	-	4	1	1	1	5	1
Belfast†	443,000	203	131	30	-	12	-	1	3	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,576,505	1925–6. Feb. 20	1565	1209	13·8	1	-	61	3	2	14	9
CALCUTTA AND SUBURBS	1,077,273	Jan. 16	?	662§	32·0	?	13	?	?	?	?	?
BOMBAY	1,279,061	„ 30	414‖	582	23·7	1	7	-	-	-	-	28
MADRAS	526,911	Jan. 9	460	534§	52·5	2	4	-	-	1	-	22
		„ 16	357	515§	50·6	-	-	-	-	2	-	31
SYDNEY AND SUBURBS	1,012,070											
BRISBANE (Metropolitan Area).	245,015											
PERTH (Metropolitan Area).	176,467	Jan. 2	48	18	5·3	-	-	-	-	-	-	1
		„ 9	81	48	14·1	-	-	-	-	-	-	2
		„ 16	88	29	8·5	-	-	-	-	-	-	3
AUCKLAND (Urban Area).	180,790											
WELLINGTON (Urban Area).	118,490											
CHRISTCHURCH (Urban Area).	118,270											
CAPE TOWN	111,381	Jan. 9	66	25	11·4	-	-	-	-	-	1	1
		„ 16	58	23	10·5	-	-	-	-	-	-	2
JOHANNESBURG	165,958	„ 23	60	30	9·4	1	-	-	1	-	-	1
		„ 30	76	29	9·1	4	-	-	-	-	-	1
DURBAN	54,822	„ 23	24	21	19·9	-	-	-	-	-	-	-
		„ 30	26	11	10·4	-	-	-	-	-	-	-
PARIS	2,906,472											
ANTWERP	300,021											
AMSTERDAM	718,047	Feb. 6	299	120	8·7	-	-	1	-	2	-	-
COPENHAGEN	587,400	„ 13	205	139	12·4	-	-	4	-	3	-	-
STOCKHOLM	438,896	„ 6	86	124	14·7	-	-	-	-	-	1	-
GOTHENBURG	229,640											
OSLO (CHRISTIANIA) ..	257,719	Feb. 13	54	59	11·9	-	-	-	-	-	-	-
BERLIN	2,044,000	Jan. 30	436	514	12·5	-	?	2	1	2	2	4
BRESLAU	575,000	„ 30	193	161	13·3	-	?	-	1	1	1	1
COLOGNE	727,000	„ 30	274	172	11·7	-	?	3	-	3	-	3
DRESDEN	618,000	„ 30	161	146	11·6	-	?	-	-	1	-	1
FRANKFORT-ON-MAIN ..	474,000	„ 30	117	72	7·1	-	?	-	-	1	-	-
HAMBURG	1,115,000	„ 30	270	333	14·1	-	?	-	-	1	-	1
LEIPZIG	660,000	„ 30	184	173	12·4	-	?	1	1	1	-	1
MUNICH	685,000	„ 30	161	186	13·2	-	?	-	-	1	2	1
VIENNA	1,869,437											
PRAGUE AND SUBURBS	712,700											
BUDAPEST	960,525	Jan. 23	306	287	15·6	3	-	1	3	-	1	5
		„ 30	329	324	17·6	-	-	-	3	-	1	2
WARSAW	992,450	Feb. 6	403	326	17·2	4	-	-	4	4	1	13
		„ 13	424	274	14·4	5	-	2	4	3	1	11
CAIRO	818 500	Dec. 9	913	428	27·2	2	-	2	-	?	4	26
ALEXANDRIA	486,600	„ 9	566	417	44·6	1	1	8	-	?	-	42
NEW YORK	6,361,664	Jan. 9	3166	1720	14·1	?	?	?	?	?	?	?
CHICAGO	2 995,239	„ 29	1013	741	12·7	-	?	-	2	3	4	14
		Feb. 5	1259	753	12·9	-	?	-	4	1	4	17

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unde year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

‖ The registration of births in Bombay is incomplete.

§ Including 21 deaths from cholera in Calcutta and 16 and 6 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th February, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1209	105	51	39	29	46	52	65	138	167	264	253
Enteric fever	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	61	13	29	16	2	-	-	1	-	-	-	-
Scarlet fever	3	-	1	1	1	-	-	-	-	-	-	-
Whooping cough	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	14	4	1	2	6	-	-	-	-	1	-	-
Influenza	12	-	-	-	-	-	1	-	2	4	3	2
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	-	-	-	1	1	1	-
Meningococcal meningitis	3	1	1	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	102	-	1	-	2	22	21	17	17	16	4	2
Nervous system	8	-	1	2	4	-	-	1	-	-	-	-
Intestines and peritoneum	5	1	-	-	-	2	1	1	-	-	-	-
Other forms	4	1	-	1	1	1	-	-	-	-	-	-
Venereal diseases	6	2	1	-	-	-	-	-	1	2	-	-
Cancer	118	-	-	-	-	1	3	9	17	39	34	15
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	10	-	-	-	-	-	-	1	2	4	3	-
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	5	1	-	2	1	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	56	-	-	-	-	-	-	-	7	9	24	16
Epilepsy	3	-	-	-	-	-	2	-	-	1	-	-
"Convulsions" (not puerperal)	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	32	-	1	1	2	3	-	4	8	4	6	3
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	6	-	-	-	1	1	1	1	2	-	-	-
Other diseases of heart	190	-	-	-	3	4	2	7	20	27	64	63
Other diseases of circulatory system	67	-	-	-	-	-	-	2	-	4	30	31
Bronchitis	116	5	1	-	-	-	2	1	13	11	46	37
Broncho-pneumonia	58	19	8	5	-	-	2	1	5	1	6	11
Lobar-pneumonia	21	-	-	-	-	-	1	1	6	4	5	4
Pneumonia (type not distinguished)	16	1	2	-	-	1	-	1	3	1	4	3
Other diseases of respiratory system	15	-	1	-	-	-	1	-	2	2	4	5
Diarrhœa and enteritis	12	8	1	-	-	-	-	-	-	2	-	1
Appendicitis, Typhlitis	12	-	-	-	1	2	1	2	2	3	-	1
Hernia, Intestinal obstruction	10	1	-	1	-	-	1	-	2	1	2	2
Cirrhosis of liver	7	-	-	-	-	-	-	1	3	3	-	-
Other diseases of digestive system	24	-	-	2	1	2	-	1	7	2	4	5
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease	34	-	-	-	-	1	2	3	5	8	8	7
Other diseases of genito-urinary system.	18	1	-	-	-	-	2	2	-	3	3	7
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth	4	-	-	-	-	1	2	1	-	-	-	-
Congenital malformations	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	29	29	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	4	4	-	-	-	-	-	-	-	-	-	-
Old age	38	-	-	-	-	-	-	-	-	-	4	34
Suicide	12	-	-	-	-	1	3	3	1	3	-	1
Burns and Scalds	3	-	-	2	-	-	-	-	1	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	-	1	2	-	1	2	2	2	-
Other deaths by violence	9	-	-	-	2	1	3	1	1	-	1	-
Other specified causes	36	8	2	2	-	1	-	1	6	7	6	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th February, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	271	311	7	113	C. 5 D. 3 G. 2 M. 7
†CITY OF LONDON	-	2	-	-	1	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	18	7	-	7	-
†BERMONDSEY ...	-	10	18	-	4	C. 1
†BETHNAL GREEN	-	4	10	-	4	-
†CAMBERWELL ...	-	27	23	-	5	-
†CHELSEA	-	1	7	-	-	-
†DEPTFORD ...	-	6	21	-	6	-
†FINSBURY ...	-	6	6	-	3	-
†FULHAM	-	14	5	-	3	-
†GREENWICH ...	-	13	16	-	1	C. 1 G. 1
†HACKNEY ...	-	17	13	-	-	C. 1
†HAMMERSMITH ...	-	2	4	-	1	-
†HAMPSTEAD ...	-	4	1	-	1	-
†HOLBORN... ...	-	1	2	-	-	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	28	14	2	8	C. 1
†KENSINGTON ...	-	3	10	1	4	-
†LAMBETH ...	-	16	18	-	4	G. 1 M. 3
†LEWISHAM ...	-	5	4	1	7	-
†PADDINGTON ...	-	2	14	-	5	D. 1
†POPLAR	-	13	11	-	6	M. 2
†ST. MARYLEBONE	-	1	7	-	3	-
†ST. PANCRAS ...	-	11	20	-	8	C. 1
†SHOREDITCH ...	-	4	10	-	3	-
†SOUTHWARK ...	-	14	19	1	8	D. 1
†STEPNEY	-	23	15	-	4	-
†STOKE NEWINGTON	-	3	3	-	-	-
†WANDSWORTH ...	-	14	19	2	10	D. 1 M. 1
†WESTMINSTER, CITY OF	-	1	1	-	1	-
†WOOLWICH ...	-	8	13	-	6	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	8	5	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	3	1	–	–	–
LEIGHTON BUZZARD	–	–	–	–	2	–
†LUTON	–	2	2	–	–	–
Rural Districts:—						
BEDFORD ...	–	–	2	–	–	–
BIGGLESWADE ...	–	3	–	–	1	–
BERKS	–	9	4	–	1	–
†READING C.B. ..	–	4	2	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	1	–		–
BRADFIELD ...	–	1	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	–	–	1	–
WANTAGE ...	–	2	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	6	3	–	4	M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BLETCHLEY ...		1	–	–	–	–
†CHEPPING WYCOMBE ...	–	2	–	–	1	–
†SLOUGH	–	–	–	–	1	–
†WOLVERTON ...	–	–	–	–	2	M. 1
Rural Districts:—						
AMERSHAM ...	–	1	1	–	–	–
AYLESBURY ...	–	–	1	–		–
NEWPORT PAGNELL ...	–	1	–	–	–	–
WYCOMBE ...	–	–	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	2	–	3	G. 1
Borough:—						
†CAMBRIDGE ...	–	2	2	–	1	G. 1
Rural Districts:—						
CHESTERTON ...	–	3	–		2	–
SWAVESEY ...	–	1	–	–	–	–
CHESTER	–	56	21	1	34	C. 1 M. 6
†BIRKENHEAD C.B.	–	5	1	–	7	M. 2
†CHESTER C.B. ...	–	2	2	–	–	–
†STOCKPORT C.B.	–	9	1	–	5	M. 2
†WALLASEY C.B. ...	–	–	6	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE		2	–	–	–	–
†ALTRINCHAM ...	–	2		–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	1	2	–
†CHEADLE AND GATLEY	–	–	–	–	2	
†CONGLETON ...	–	2	–	–	2	–
†CREWE	–	2	–		–	–
†DUKINFIELD ...	–	2	–	–	4	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	–	M. 1
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
HOOLE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–		1	–
†HYDE	–	–	1	–		C. 1
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	1	–	–	–
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...		–	–	–	2	–
†NORTHWICH ...	–	2		–	–	–
†SALE		2	1	–	–	–
SANDBACH ...	–	3	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	2	–
YEARDSLEY CUM WHALEY		–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	3	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	–	1	–	2	–
NANTWICH ...	–	3	–	–	–	
NORTHWICH ...	–	4	1	–	–	M. 1
RUNCORN... ...	–	–	2	–	–	–
TINTWISTLE ...	–	1	–	–	–	–
WIRRAL	–	3	1	–	2	–
CORNWALL ...	–	2	1		8	C. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	–	3	–
LOOE	–	–	–	–	1	–
†PENZANCE ...	–	–	1	–	–	–
ST. AUSTELL ...	–	–	–	–	2	–
†TRURO	*	*	*	*	*	*
WADEBRIDGE ...	–	–	–	–	–	C. 1
Rural Districts:—						
CAMELFORD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	2	–
ST. GERMANS ...	–	1	–	–	–	–
TRURO	*	*	*	*	*	*
CUMBERLAND ...	–	37	3	–	4	G. 1 M. 1
†CARLISLE C.B. ...	–	11	1	–	–	M. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	2	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
EGREMONT ...	–	1	2	–	–	–
KESWICK	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	–	–
PENRITH	–	6	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	2	–
†WORKINGTON ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BOOTLE		1	–	–	–	–
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	4	–	–	2	–
LONGTOWN ...	–	1	–	–	–	–
PENRITH	–	2	–	–	–	G. 1
DERBY	26	47	20	1	27	G. 1 M. 1
†DERBY C.B. ..	19	4	4	–	6	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	5	1	–	2	M. 1
ALVASTON AND BOULTON	–	1	–	–	–	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	–	–	2	–	–	–
†BOLSOVER ...	1	–	–	–	–	–
†CHESTERFIELD ...	–	7	2	–	4	–
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	1	1	–	–	–
†HEANOR	–	–	–	–	1	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	2	–	–	1	–
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	–	1	–	–	3	–
†SWADLINCOTE DISTRICT	–	4	–	–	2	–
†THE MATLOCKS...	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	6	2	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	5	4	–	4	G. 1
CLOWNE	–	1	2	–	–	–
GLOSSOP DALE ...	–	1	–	1	–	–
HARTSHORN AND SEALS	–	1	–	–	1	–
NORTON	–	–	–	–	1	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	3	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	29	8	–	8	–
†EXETER C.B. ...	–	2	–	–	–	–
†PLYMOUTH C.B....	–	25	5	–	1	–
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	1	–	1	–
LYNTON	–	–	–	–	1	–
OKEHAMPTON ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	1	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
HONITON ...	–	1	–	–	–	–
NEWTON ABBOT	–	–	–	–	1	–
PLYMPTON ST. MARY	–	–	2	–	–	–
TORRINGTON ...	–	1	–	–	–	–
TOTNES	–	–	–	–	1	–
DORSET	–	4	–	–	2	C. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
†PORTLAND ..	–	1	–	–	–	–
Rural Districts:—						
CERNE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	C. 1
SHERBORNE ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM	124	92	22	2	54	C. 3 G. 2 M. 5
†DARLINGTON C.B	–	1	–	1	7	–
†GATESHEAD C.B.	18	7	2	–	–	–
†SOUTH SHIELDS C.B.	11	3	1	–	8	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	2	5	1	5	C. 1 M. 1
†WEST HARTLEPOOL C.B.	–	7	–	–	2	M. 1
Boroughs and Urban Districts:—						
BENFIELDSIDE ...	1	4	–	–	–	–
BILLINGHAM ...	–	1	–	–	–	–
†BLAYDON... ...	35	3	–	–	1	–
†BRANDON AND BYSHOTTLES	1	1	–	–	–	–
†CHESTER LE STREET	3	2	3	–	–	–
†CONSETT	1	3	–	–	–	–
†CROOK	–	–	1	–	–	–
†DURHAM	–	1	–	–	1	–
†FELLING	–	1	–	–	1	–
†HARTLEPOOL ...	–	2	–	–	1	C. 1
†HEBBURN ...	1	2	–	–	3	–
†HETTON	1	3	–	–	–	M. 1
†HOUGHTON LE SPRING	–	1	–	–	2	–
†JARROW	–	–	–	–	3	–
LEADGATE ...	–	2	–	–	–	–
†RYTON	5	3	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	5	1	–	–	–	–
†STANLEY	2	1	–	–	–	–
†STOCKTON ON TEES	–	2	1	–	2	–
†TANFIELD ...	3	6	2	–	–	–
†WHICKHAM ...	5	2	–	–	3	–
WILLINGTON ...	2	–	–	–	–	–
Rural Districts:—						
AUCKLAND ...	4	4	–	–	–	–
BARNARD CASTLE	–	–	–	–	–	G. 1
CHESTER LE STREET	7	2	–	–	4	–
DURHAM	1	5	1	–	–	G. 1
EASINGTON ...	8	7	4	–	1	M. 1
HARTLEPOOL ...	–	1	–	–	1	–
HOUGHTON LE SPRING	7	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
LANCHESTER ...	1	6	2	–	1	C. 1
SEDGEFIELD ..	–	3	–	–	–	–
SOUTH SHIELDS...	–	2	–	–	–	M. 1
STOCKTON ...	–	–	–		2	–
SUNDERLAND ...	2	–	–	–	1	–
WEARDALE ...	*	*	*	*	*	*
ELY, ISLE OF ..	–	–	–	–	1	M. 2
Boroughs and Urban Districts:—						
†WISBECH	–	–	–	–	–	M. 2
Rural Districts:—						
WISBECH	–	–	–	–	1	–
ESSEX	–	58	80	4	21	C. 3 M. 2
†EAST HAM C.B. ...	–	4	11	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	3	M. 1
†WEST HAM C.B. ...	–	12	31	3	6	C. 2 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	–	–
BRENTWOOD ...	–	1	–	–	1	–
BRIGHTLINGSEA	–	–	–	–	1	–
†CHELMSFORD ...	–	1	–	–	1	–
CHINGFORD ...	–	–	1	–	–	–
†COLCHESTER ...	–	4	–	–	1	–
EPPING	–	–	4	–	–	–
†GRAYS THURROCK	–	–	3	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	3	1	–	2	C. 1
†LEYTON	–	5	8	1	1	–
†ROMFORD ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	1	4	–	–	–
TILBURY	–	2	2	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	4	5	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	3	–	–	–	–
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW	–	–	–	–	1	–
HALSTEAD ...	–	3	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ONGAR	–	–	7	–	–	–
ORSETT	–	2	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	1	–	–	–
STANSTED ...	–		1	–	–	–
GLOUCESTER ...	–	47	24	–	20	C. 2 G. 3 M. 2
†BRISTOL C.B. ...	–	31	18	–	13	C. 1 G. 3
†GLOUCESTER C.B.	–	2	–	–	4	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
STROUD	–	2	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	–
GLOUCESTER ...	–	1	–	–	–	C. 1
PEBWORTH ...	–	1	–	–	–	–
STROUD	–	–	2	–	–	–
THORNBURY ...	–	–	–	–	–	M. 1
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	2	–	2	–
WHEATENHURST	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HEREFORD ...	–	3	6	–	4	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1	–	1	–
LEDBURY... ...	–	–	4	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
DORE	–	1	–	–	–	–
HEREFORD ...	–	–	1	–	–	–
ROSS	–	–	–	–	2	–
WEOBLEY... ...	–	1	–	–	–	–
WIGMORE ...	–	–	–	–	1	–
HERTFORD ...	–	17	2	1	2	L. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
SAWBRIDGEWORTH	–	–	–	–	1	–
†WATFORD ...	–	6	2	–	1	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
WARE	–	2	–	–	–	–
WATFORD ...	–	4	–	1	–	L. 1
HUNTINGDON ...	–	2	–	–	5	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT	–	27	29	–	19	C. 2 G. 2 M. 2
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	1	–	1	–
†BECKENHAM ...	–	–	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	1	–
†BROMLEY ...	–	–	1	–	1	–
†CHATHAM ...	–		5	–	–	–
CHISLEHURST ...	–	3	–	–	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	1	1	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	4	1	–	2	C. 1
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	–	2	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†MAIDSTONE ...	–	3	2	–	–	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	1	2	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	–	1	–	1	M. 1
†ROCHESTER ...	–	3	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BRIDGE	–	1	–	–	1	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	1	1	–	–	–
DOVER	–	–	3	–	–	–
EAST ASHFORD ...	–	–	–	–	–	G. 1
ELHAM	–	–	–	–	2	–
MAIDSTONE ...	–	1	–	–	1	–
MALLING... ...	–	–	1	–	2	C. 1
MILTON	–	–	–	–	2	–
SEVENOAKS ...	–	–	–	–	–	G. 1
STROOD	–	–	3	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	-	239	118	3	208	C. 5 D. 2 G. 11 M. 24
†BARROW IN FURNESS C.B	-	2	1	1	2	-
†BLACKBURN C.B	-	3	-	-	2	-
†BLACKPOOL C.B	-	5	-	-	-	M. 1
†BOLTON C.B. ...	-	3	1	-	8	-
†BOOTLE C.B. ...	-	3	-	-	1	M. 1
†BURNLEY C.B. ...	-	2	2	-	2	-
†BURY C.B. ...	-	2	3	-	2	M. 1
†LIVERPOOL C.B. ...	-	61	32	1	37	C. 3 D. 1 G. 3 M. 6
†MANCHESTER C.B.	-	43	27	-	58	C. 1 D. 1 G. 2 M. 8
†OLDHAM C.B. ...	-	6	6	-	-	-
†PRESTON C.B. ...	-	2	5	-	3	-
†ROCHDALE C.B. ..	-	1	3	-	2	-
†ST. HELENS C.B....	-	4	-	-	1	-
†SALFORD C.B. ...	-	6	10	-	4	M. 3
†SOUTHPORT C.B.	-	3	1	-	2	-
†WARRINGTON C.B.	-	1	-	-	7	G. 1
†WIGAN C.B. ...	-	2	-	1	8	-
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	2	-
†ACCRINGTON ...	-	1	2	-	-	-
†ASHTON UNDER LYNE	-	4	-		2	-
ASPULL	-	1	-	-	4	-
†ATHERTON ...	-	3	1	-	2	
AUDENSHAW ...	-	-	-	-	5	-
†BACUP	-	2	-	-	-	-
†CHORLEY	-	3	1	-	5	M. 1
CHURCH	-	3	-	-	-	-
†COLNE	-	1	-	-	-	
†CROMPTON ...	-	-	-	-	2	-
†DALTON IN FURNESS	-	-	2	-	-	-
†DARWEN	-	1	1	-	3	-
†DENTON	-	2	-	-	-	-
†DROYLSDEN ...	-	-	2	-	-	-
†ECCLES	-	-	-	-	1	-
†FAILSWORTH ...	-	2	-	-	4	-
†FARNWORTH ...	-	-	-	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
GRANGE	-	-	1	-	-	-
†GREAT HARWOOD	-	-	1	-	-	-
†HASLINGDEN ...	-	4	-	-	-	-
†HAYDOCK ...	-	-	-	-	1	-
HEYSHAM ..	-	-	-	-	1	-
†HEYWOOD ...	-	1	-	-	-	G. 3
†HINDLEY... ...	-	1	-	-	5	-
†HORWICH ...	-	-	-	-	1	-
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	-	1	-	-	3	-
†LANCASTER ...	-	1	-	-	-	-
LATHOM AND BURSCOUGH	-	-	-	-	1	-
LEES	-	-	-		1	-
†LEIGH	-	1	1	-	-	-
LONGRIDGE ...	-	4	-	-	-	-
†LYTHAM ST. ANNE'S	-	3	-	-	3	-
†MORECAMBE ...	-	-	2	-	-	-
†NELSON	-	1	-	-	1	-
†NEWTON IN MAKERFIELD	-	2	-	-	3	-
NORDEN	-	1	-	-	-	C. 1
ORMSKIRK ...	-	1	-	-	-	-
†PADIHAM... ...	-	1	-	-	-	-
PREESALL ...	-	-	-	-	-	G. 1
PRESCOT	-	-	1	-	-	-
†PRESTWICH ...	-	1	-	-	-	-
†RADCLIFFE ...	-	1	-	-	-	-
RAINFORD ...	-	-	-	-	2	-
†RAMSBOTTOM ...	-	1	-	-	-	-
†RAWTENSTALL ...	-	6	1	-	1	-
RISHTON	-	-	-	-	1	-
†ROYTON	-	1	-	-	1	-
STANDISH WITH LANGTREE	-	-	-	-	3	-
†STRETFORD ...	-	4	3	-	-	-
†SWINTON AND PENDLEBURY	-	1	-	-	-	G. 1
TOTTINGTON ...	-	-	1	-	-	-
†TYLDESLEY WITH SHAKERLEY	-	1	-	-	1	-
†ULVERSTON ...	-	2	-	-	-	-
†WATERLOO WITH SEAFORTH	-	-	1	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WHITEFIELD ...	–	–	1	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	6	2	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	–	M. 1
BURNLEY... ...	–	2	–	–	–	–
BURY	–	–	–	–	–	M. 1
FYLDE	–	2	1	–	–	–
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	2	1	–	1	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON	–	3	–	–	–	–
WARRINGTON ...	–	2	–	–	1	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	7	1	–	2	–
WIGAN	–	1	–	–	2	–
LEICESTER...	–	28	20	–	18	G. 1
†LEICESTER C.B. ...	–	9	10	–	2	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	3	–	–	3	–
†COALVILLE ...	–	1	1	–	–	–
†HINCKLEY ...	–	2	–	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	2	–	–	3	G. 1
THURMASTON ...	–	1	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	3	–	2	–
BARROW UPON SOAR	–	5	2	–	–	–
CASTLE DONINGTON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
HINCKLEY ...	–	1	–	–	3	–
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	1	–	3	–
MELTON MOWBRAY	–	2	–	–	1	–
LINCOLN (parts of Holland).	–	3	4	–	3	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	2	–	–	–
†SPALDING ...	–	–	1	–	–	–
SUTTON BRIDGE	–	1	–	–	2	–
Rural Districts:—						
BOSTON	–	1	–	–	1	–
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	4	–
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	1	–
†GRANTHAM ...	–	2	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	3	–	–	–	–
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	26	4	–	8	M. 2
†GRIMSBY C.B. ...	–	2	1	–	1	M. 1
†LINCOLN C.B. ...	–	15	2	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
CROWLE	*	*	*	*	*	*
†GAINSBOROUGH ...		2	...	–	1	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	2	–	–		–
Rural Districts:—						
GAINSBOROUGH ...	–	2	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	1	–	–	–	M. 1
HORNCASTLE ...	–	–	–	–	2	–
SPILSBY	–	–	1	–	–	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	49	47	–	26	C. 2 G. 3 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	1	–
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	–	1	–	2	C. 2
†EALING	–	6	–	–	1	–
†EDMONTON ...	–	2	9	–	2	G. 1 M. 1
†ENFIELD	–	2	2	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	3	2	–	1	–
†FRIERN BARNET	–	1	–	–	2	–
†HAMPTON ...	–	1	2	–	–	–
HAMPTON WICK...	–	–	1	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	1	1	–	–	–
†HESTON AND ISLEWORTH	–	3	1	–	1	G. 1
†HORNSEY... ..	–	4	2	–	2	
†SOUTHALL NORWOOD	–	2	2	–	–	–
†SOUTHGATE ...	–	3	–	–	1	M. 1
SUNBURY ON THAMES	–	1	2	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TEDDINGTON ...	–	–	1	–	1	–
†TOTTENHAM ...	–	13	3	–	3	–
†TWICKENHAM ...	–	–	1	–	1	–
†UXBRIDGE ...	–	–	1	–	1	–
†WEALDSTONE ...	–	–	1	–	1	–
†WILLESDEN ...	–	3	11	–	3	C. 1 G. 1 M. 2
†WOOD GREEN ...	–	–	2	–	1	–
Rural Districts:—						
HENDON	–	1	1	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	19	6	–	3	C. 2 G. 2 M. 1
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	5	5	–	–	C. 1 G. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	–	C. 1
DOCKING	–	3	–	–	–	–
FREEBRIDGE LYNN	–	1	–	–	–	–
KING'S LYNN ...	–	3	–	–	–	–
MITFORD AND LAUNDITCH	–	1	1	–	1	–
ST. FAITH'S ...	–	–	–	–	1	–
SMALLBURGH ...	–	1	–	–	–	G. 1
WALSINGHAM ...	–	2	–	–	1	–
WAYLAND ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	15	4	–	4	C. 2
†NORTHAMPTON C.B.	–	–	3	–	3	C. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	4	1	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	4	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	2	–	–	–	–
NORTHAMPTON ...	–	3	–	–	–	C. 1
OUNDLE (part) ...	–	1	–	–	–	–
OXENDON... ...	–	–		–	1	–
POTTERSPURY ...	*	*	*	*	*	*
NORTHUMBERLAND	49	69	2	–	40	M. 2
†NEWCASTLE UPON TYNE C.B.	3	34	–	–	22	M. 1
†TYNEMOUTH C.B.	–	9	1	–	3	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	24	3	–	–	–	–
†BEDLINGTONSHIRE	3	–	–	–	1	–
†BLYTH	–	2	–	–	5	–
CRAMLINGTON ...	–	–	–	–	1	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH ...	3	3	–	–	–	–
NEWBIGGIN BY THE SEA	1	1	–	–	–	–
†NEWBURN ...	–	2	–	–	–	–
SEATON DELAVAL	–	2	–		3	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	4	–	–	1	–
†WHITLEY AND MONKSEATON	–	2	–	–	2	–
Rural Districts:—						
BELFORD	–	1	–	–	–	–
CASTLE WARD ...	2	–	–	–	1	–
GLENDALE ...	–	1	1	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
MORPETH... ...	13	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	8	30	11	–	16	G. 2 M. 1
†NOTTINGHAM C.B.	4	10	7	–	8	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	–	–	1	–
†CARLTON... ...	–	3	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
HUTHWAITE ...	–	–	–	–	–	G. 1
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	2	1	–	2	–
†SUTTON IN ASHFIELD	4	4	1	–	1	–
WARSOP	–	1	–	–	–	–
†WEST BRIDGFORD	–	3	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	3	1	–	1	–
BINGHAM... ...	–	–	–	–	1	–
SOUTHWELL ...	–	3	–	–	–	–
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	5	1	–	9	G. 1 M. 1
†OXFORD C.B. ...	–	1	–	–	1	G. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	2	–
BICESTER... ...	–	–	–	–	–	M. 1
HENLEY ON THAMES	–	1	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	2	–	–	–	–
CHIPPING NORTON	–	–	–	–	5	–
HEADINGTON ...	–	1	–	–	1	–
WITNEY	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	–	1	–	7	–
Borough:—						
†PETERBOROUGH...	–	–	1	–	3	–
Rural Districts—						
PETERBOROUGH...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–		–	–
SALOP	–	6	–	–	2	–
Boroughs and Urban Districts:—						
NEWPORT ...	–	1	–	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	2	–
WHITCHURCH ...	–	2	–	–	–	–
Rural Districts:—						
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	11	9	–	12	D. 1 G. 1
†BATH C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	1	–	–	–
†FROME	–	–	2	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
MINEHEAD ...	–	–	1	–	–	–
†TAUNTON ...	–	–	1	–	–	–
†WESTON SUPER MARE	–	–	1	–	–	–
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	
BATH	–	1	–	–	–	G. 1
CHARD	–	–	–	–	1	–
CLUTTON	–	–	–	–	2	D. 1
FROME	–	–		–	3	–
KEYNSHAM ...	–	3	–	–		–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON	–	–	3	–	–	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	–	44	40	2	8	C. 1 D. 1 G. 1 L 1 M. 1
†BOURNEMOUTH C.B.	–	3	4	–	–	–
†PORTSMOUTH C.B.	–	11	24	1	1	–
†SOUTHAMPTON C.B.	–	6	6	–	4	L. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	D. 1
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	–	G. 1
†FARNBOROUGH ...	*	*	*	*	*	*
†GOSPORT	–	1	–	–	1	–
ROMSEY	–	1	–	–	–	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	5	–	–	–	–
ANDOVER... ...	–	1	–	–	1	–
BASINGSTOKE ...	–	1	–	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	1	1	–
FAREHAM ...	–	–	–	–	–	C. 1
FORDINGBRIDGE ..	–	–	1	–	–	–
HARTLEY WINTNEY	–	–	3	–	–	–
HAVANT	–	2	1	–	–	–
KINGSCLERE ...	–	2	–	–	–	–
LYMINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	2	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	69	40	–	73	C. 3 E. 1 M. 10
†BURTON UPON TRENT C.B.	–	1	1	–	1	E. 1 M. 1
†SMETHWICK C.B.	–	5	4	–	5	C. 2
†STOKE ON TRENT C.B.	–	13	17	–	26	C. 1 M. 6

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
†WALSALL C.B. ...	–	5	1	–	9	–
†WEST BROMWICH C.B.	–	1	2	–	6	–
†WOLVERHAMPTON C.B.	–	1	1	–	1	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ..	–	–	–	–	2	–
†BILSTON	–	–	3	–	5	–
†BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	6	–	–	–	–
†CANNOCK	–	3	–	–	–	–
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	4	–	–	–	–
QUARRY BANK ...	–	–	–	–	2	–
†ROWLEY REGIS ...	–	12	–	–	–	–
†SEDGLEY	–	–	–	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	1	–	–	3	–
STONE	–	–	–	–	2	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
†WEDNESBURY ...	–	–	3	–	2	M. 1
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	1	–	–	1	–
Rural Districts:—						
BLORE HEATH ...	–	–	1	–	–	–
CANNOCK	–	1	–	–	1	–
CHEADLE	–	5	–	–	–	–
KINGSWINFORD ...	–	–	3	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	1	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
STONE	–	1	1	–	1	–
WALSALL... ...	–	1	–	–	1	–
SUFFOLK, EAST ..	–	8	4	–	10	C. 2
†IPSWICH C.B. ...	–	1	–	–	6	C. 1
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	4	–		–
†LOWESTOFT ...	–	3	–	–	2	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	–	–	–	1	–
EAST STOW ...	–	–	–	–	–	C. 1
HARTISMERE ...	–	1		–	–	–
HOXNE	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	7	–	–	1	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	–	G. 1
SUDBURY... ...	–	2	–	–	–	–
Rural Districts:—						
COSFORD	*	*	*	*	*	*
MELFORD... ...	–	2	–	–	–	–
THEDWASTRE ...	–	1	–	–	–	–
SURREY	–	41	16	2	15	C. 1 D. 1 G 1 M. 2
†CROYDON C.B. ...	–	4	3	1	2	–
Boroughs and Urban Districts:—						
†BARNES	–	4	1	–	1	M. 1
†CARSHALTON ...	–	1	2	–	–	–
†CATERHAM ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COULSDON AND PURLEY	–	1	1	1	1	–
DORKING	–	–	1	–	–	G. 1
†EGHAM	–	–	1	–	1	–
†EPSOM	–	–	–	–	2	–
†FARNHAM ...	–	5	1	–	–	–
†FRIMLEY	–	1	–	–		–
GODALMING ...	–	1	–	–	–	–
HASLEMERE ...	–	3	–	–	–	–
†KINGSTON ON THAMES	–	4	1	–	1	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	–	3	–	–	C. 1
†REIGATE	–	2	–	–	–	D. 1
†SURBITON ...	–	–	–	–	2	–
†SUTTON	–	3	–	–	1	–
†WALTON UPON THAMES	–	–	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	2	–
EPSOM	–	5	–	–	–	M. 1
GODSTONE ...	–	2	–	–	2	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	27	9	1	12	G. 2 M. 1
†BRIGHTON C.B. ...	–	12	4	–	2	G. 1
†EASTBOURNE C.B.	–	2	–	–	2	–
†HASTINGS C.B. ...	–	1	–	–	1	G. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	3	–	–	–	–
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	–	3	–	–	1	–
HAYWARDS HEATH	–	1	–		–	–
†HOVE	–	–	3	–	2	–
SEAFORD	–	–	–	–	1	M. 1
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY	–	–	–	1	–	–
CUCKFIELD ...	–	1	–	–	1	–
EASTBOURNE ...	–	2	–	–	–	–
EAST GRINSTEAD	–	–	–	–	1	–
HAILSHAM ...	–	–	1	–	–	–
NEWHAVEN ...	–	–	1	–	–	–
UCKFIELD ...	–	2	–	–	–	–
SUSSEX, WEST ...	–	7	2	–	9	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	–	–	–	M. 1
†HORSHAM ...	–	3	1	–	1	–
†LITTLEHAMPTON	–	–	–	–	3	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	2	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ...	–	–	–	–	1	–
MIDHURST ...	–	1	–		–	–
THAKEHAM ...	–	–	–	–	1	–
WESTHAMPNETT	–	1	–	–	1	–
WARWICK	–	57	71	–	69	C. 3 G. 3 M. 6
†BIRMINGHAM C.B.	–	42	51	–	46	C. 2 G. 2 M. 4
†COVENTRY C.B. ...	–	2	3	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	5	2	–	5	–
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	–	–	–	–	C. 1
†SUTTON COLDFIELD	–	–	1	–	1	–
†WARWICK ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	4	–
ATHERSTONE ...	–	–	5	–	1	–
BRAILES	–	–	–	–	1	–
FOLESHILL ...	–	2	1	–	–	–
MERIDEN... ...	–	–	–	–	1	–
RUGBY	–	–	–	–	3	–
SOLIHULL ...	–	1	–	–	1	–
SOUTHAM... ...	–	–	–	–	3	M. 1
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	8	–	–	–
WARWICK ...	*	*	*	*	*	*
WESTMORLAND ...	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	3	–	–	5	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	–	–	–	3	–
†RYDE	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT	–	3	–	–	2	–
WILTS	–	6	5	–	15	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES	–	–	1	–	–	–
MELKSHAM ...	–	–	–	–	–	G. 1
†SALISBURY ...	–	1	–	–	–	–
†SWINDON... ...	–	1	3	–	10	–
†TROWBRIDGE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
CHIPPENHAM ...	–	–	–	–	–	C. 1
DEVIZES	–	1	–	–	1	–
HIGHWORTH ...	–	–	–	–	1	–
MALMESBURY ...	–	–	–	–	1	–
WILTON	–	1	–	–	–	M. 2
WORCESTER ...	–	14	7	–	8	C. 1
†WORCESTER C.B.	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	1	–	–	–
KIDDERMINSTER	–	–	–	–	1	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	3	1	–	–	–
†OLDBURY... ...	–	–	–	–	1	C. 1
†REDDITCH ...	–	2	–	–	1	–
†STOURBRIDGE ...	–	1	1	–	1	–
STOURPORT ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	1	–	–	–
DROITWICH ...	–	3	2	–	–	–
PERSHORE ...	–	–	–	–	1	–
SHIPSTON ON STOUR	–	1	–	–	–	–
YORKS ... ... (East Riding.)	4	20	22	–	9	D. 1
†KINGSTON UPON HULL C.B.	4	12	20	–	4	D. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	2	–
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding —*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
SCULCOATES ...	–	4	–	–	1	–
YORKS ... ... (North Riding.)	–	14	10	–	17	C. 1 M. 1
†MIDDLESBROUGH C.B.	–	4	2	–	5	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	2	–	–	–
GUISBOROUGH ...	–	1	1	–	–	–
LOFTUS	–	–	1	–	–	–
†SCARBOROUGH ...	–	1	1	–	3	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
BEDALE	–	–	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
HELMSLEY ...	–	–	–	–	3	–
KIRKBY MOORSIDE	–	1	–	–	–	–
LEYBURN... ...	–	–	1	–	2	–
MALTON	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	1	M. 1
THIRSK	–	3	–	–	1	–
WHITBY	–	–	1	–	1	–
YORKS ... ... (West Riding.)	31	156	82	3	200	C. 5 E. 1 G. 2 M. 4
†BARNSLEY C.B. ...	–	7	–	1	3	–
†BRADFORD C.B. ...	–	12	7	–	19	M. 1
†DEWSBURY C.B....	–	2	–	–	2	–
†HALIFAX C.B. ...	–	3	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†HUDDERSFIELD C.B.	–	11	2	–	1	C. 1 M. 1
†LEEDS C.B. ...	–	11	12	1	30	M. 1
†ROTHERHAM C.B.	–	1	1	–	5	–
†SHEFFIELD C.B....	1	20	32	–	61	C. 2 E. 1
†WAKEFIELD C.B.	–	5	6	–	2	
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	2	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY	–	–	–	–	4	–
†BOLTON UPON DEARNE	1	–	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CONISBROUGH ...	–	3	–	–	–	–
†DARTON	–	1	–	–	–	
DENHOLME ...	–	1	–	–	–	–
†DONCASTER ...	–	13	1	–	3	–
†ELLAND	–	1	1	–	–	G. 1
†FEATHERSTONE ...	–	–	–	–	1	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	1	1	–	5	–
†HARROGATE ...	–	–	1	1	2	–
HECKMONDWIKE	–	1	–	–	–	M. 1
†HEMSWORTH ...	–	1	1	–	–	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	–	1	–	–	–
†HOYLAND NETHER	–	2	1	–	5	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	3	1	–	1	–
KNOTTINGLEY ...	–		–	–	1	–
LEPTON	–	1	–	–	–	–
LINTHWAITE ...	–	1	–	–	–	–
MALTBY	–	2	–	–	1	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	1	–	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORLEY	–	–	–	–	2	–
NEW MILL ...	–		1	–	5	–
†NORMANTON ...	–	–	–	–	2	–
OTLEY	–	–	-	–	4	-
†PONTEFRACT ...	–	1	–	–	1	-
†PUDSEY	–	–		–	2	-
†RAWMARSH ...	27	1	–	-	1	
RIPON	–	2	–	–	–	–
†SHIPLEY	–	1	–	–	1	–
SKELMANTHORPE	–	–	–	–	1	-
†SPENBOROUGH ...	–	-	1	–	4	–
†STANLEY	–	–	–	–	2	–
STOCKSBRIDGE ...		–	–	-	2	C. 1
†SWINTON... ...	1	–	1	–	–	–
†TODMORDEN ...	–	6	-	–	–	-
†WOMBWELL ...	-	2	2	–	1	–
†WORSBOROUGH ...	–	1	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	4	–	–	3	G. 1
HEMSWORTH ...	-	5	–	–	10	-
KIVETON PARK ...	-	8	1	–	–	-
KNARESBOROUGH		1	-	–	–	–
PATELEY BRIDGE	–	-	–	-	1	-
RIPON	–	1	–	-	–	–
ROTHERHAM ...	-	4	2	–	-	–
SEDBERGH ...	-	2	–	–	1	–
SKIPTON		1	–	–	-	-
TADCASTER ...	–	1	1	–	1	–
THORNE	-	-	1	–	–	-
TODMORDEN ...	–	2		-	–	–
WAKEFIELD ...	–	1	–	–	1	-
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	4	–	–	–	C. 1
§YORK, CITY OF ...	–	4	4	–	2	–
†YORK C.B. ...	–	4	4	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	2	3	–	1	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	2	–	–	–
Rural Districts:—						
TWRCELYN ...	–	2	1	–	1	–
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	3	–
Rural Districts:—						
BUILTH	–	–	–	–	1	-
CARDIGAN	–	1	–	-	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
CARMARTHEN ...	–	5	7	–	4	C. 1
Boroughs and Urban Districts:—						
†LLANELLY ...	–	3	3	–	4	–
Rural Districts:—						
LLANDILO FAWR	–	–	2	–	–	
LLANELLY ...	–	1	2	–	–	C. 1
NEWCASTLE IN EMLYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	4	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	2	–	–	–
CARNARVON ...	–	–	–	–	–	M. 1
Rural Districts:—						
GEIRIONYDD ...	–	4	–	–	–	–
DENBIGH	–	6	4	–	2	C. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	1	–	1	–
DENBIGH ...		1	–		–	–
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	–	3	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANGOLLEN ...	*	*	*	*	*	*
LLANRWST ...	–	–	–	–	–	C. 1
RUTHIN		2	–	–	–	–
WREXHAM ...	–	2	–	–	1	–
FLINT	–	8	4	–	5	C. 1
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	1	1	–	1	–
MOLD	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ..	–	4	–	–	–	–
HOLYWELL (HOLYWELL DIV.	–	–	2	–	4	–
HOLYWELL (MOLD DIV.)	–	–	–	–	–	C 1
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ..	–	65	55	1	43	C. 3 G. 1 L. 1 M. 4
†CARDIFF C.B. ..	–	9	12	–	3	G. 1 M. 3
†MERTHYR TYDFIL C.B	–	1	8	–	–	–
†SWANSEA C.B. ...	–	11	3	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	1	1	–	6	–
†BARRY	–	4	5	–	5	–
†CAERPHILLY ...	–	4	1	–	–	–
†GELLIGAER ..	–	1	8	1	4	L. 1
†MAESTEG ...	–	–	5	–	1	–
†MOUNTAIN ASH ...	–	2	1	–	3	–
†NEATH	–	1	1	–	–	C. 1
†OGMORE AND GARW	–	–	–		2	C. 1
†PENARTH ...	–	1	–	–	1	–
†PONTYPRIDD ...	–	6	–	–	3	–
†PORT TALBOT ...	–	2	2	–	–	–
†RHONDDA ...	–	16	3	–	5	–
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	1	–
NEATH	–	–	–	–	5	–
PENYBONT ...	–	2	1	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	2	3	–	–	–
MERIONETH ...	–	4	2	–	2	–
Urban Districts:—						
FESTINIOG ...	–	1	–	–	1	–
Rural Districts:—						
DOLGELLEY ...	–	–	–	–	1	–
EDEIRNION ...	–	3	–	–	–	–
PENLLYN	–	–	2	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	–	20	6	–	14	G. 1 M. 1
†NEWPORT C.B. ...	–	3	–	–	8	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	4	–	–	–	–
†ABERTILLERY ...	–	3	4	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ...	–	8	–	–	–	G. 1
MONMOUTH ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
†TREDEGAR ...	–	2	–	–	3	–
MONTGOMERY ...	–	–	–	–	4	M. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
WELSHPOOL ...	–	–	–	–	2	–
MONTGOMERY— *cont.*						
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	1	M. 1
PEMBROKE	–	2	–	1	2	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	1	–	–	–	–
GOODWICK ...	–	–	–	–	1	–
MILFORD HAVEN	–	–	–	1	1	–
†PEMBROKE ...	–	1	–	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	1	–	–	–	–
Total of Part II. ...	242	1553	852	22	1114	C. 48 D. 6 E. 2 G. 44 L. 3 M. 92

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
WISBECH	–	1	–	–	2	–	PORT OF LONDON ...	–	–	2	–	–	–
							Total of Part III.... ...	–	1	2	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	271	311	7	113	C. 5 D. 3 G. 2 M. 7
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	242	1553	852	22	1114	C. 48 D. 6 E. 2 G. 44 L. 3 M. 92
Total of Part III.—Port Sanitary Districts	-	1	2	-	2	-
Total (*i.e.*, of returns received), England and Wales ...	242	1825	1165	29	1229	C. 53 D. 9 E. 2 G. 46 L. 3 M. 99

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 190, 191, 192, 197, 201, 202 and 203.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13	Fe 2
LONDON:—													
DEATHS—all ages	1,280	1,523	1,661	1517	1,233	1,658	1,230	1,200	1,399	1,270	1,062	1,071	1,2
„ 0 to 1 year ..	159	175	162	146	128	134	125	137	144	128	82	96	1
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,080	6,513	6,697	6,314	4,245	7,477	8,017	6,594	6,920	7,002	6,793	6,862	6,8
DEATHS—all ages	5,481	6,057	6,631	6,080	5,099	6,636	5,376	5,058	5,646	5,286	5,036	4,715	5,2
„ 0 to 1 year ..	665	712	715	692	613	775	609	660	694	619	585	549	6
ENTERIC FEVER—Cases	23	23	20	27	10	17	20	12	6	12	15	14	
„ Deaths	3	1	7	1	1	4	5	—	1	5	2	2	
SMALL POX—Cases ..	30	10	26	42	51	46	44	95	102	87	99	59	
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	-
SCARLET FEVER—Cases	1,194	1,015	1,024	1,003	811	1,082	923	895	950	1,051	1,022	869	9
„ Deaths	11	11	17	10	11	10	16	14	5	12	8	14	
DIPHTHERIA—Cases ..	745	677	645	662	568	759	711	684	679	851	815	787	8
„ Deaths ..	54	59	38	30	36	53	53	31	50	35	45	26	
MEASLES—Deaths ..	50	58	71	78	72	87	72	94	109	102	76	83	1
INFLUENZA—Deaths ..	73	100	116	132	85	123	115	81	87	100	78	90	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th February, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	57	26	53·0	38·0	24	HUDDERSFIELD	55	29	50·0	37·6	23
BRIGHTON ..	50	41	48·9	42·4	29	BRADFORD ..	53	31	49·4	37·0	23
PORTSMOUTH ..	55	35	52·0	42·1	19	SHEFFIELD ..	55	30	49·4	38·6	14
NORWICH (EATON).	55	29	51·3	38·0	18	YORK (MUSEUM)	55	33	49·1	38·9	12
PLYMOUTH ..	56	41	52·1	44·7	35	HULL (PEARSON PARK).	54	34	49·7	39·4	18
BRISTOL (CLIFTON).	53	35	50·9	40·7	41	TYNEMOUTH ..	54	35	47·1	38·6	11
BIRMINGHAM (EDGBASTON).	55	31	49·4	38·6	17	CARDIFF.. ..	52	32	50·0	39·7	54
NOTTINGHAM ..	56	29	51·4	37·6	11	EDINBURGH ..	52·0	31·0	46·7	36·6	20
BIRKENHEAD (BIDSTON).	54	34	48·6	41·1	26	GLASGOW ..	50·6	33·0	47·6	36·9	33
MANCHESTER (WHITWORTH PARK).	54	34	49·4	40·3	23	DUBLIN (PHŒNIX PARK).	56·0	33·3	50·9	39·6	12
BURNLEY.. ..	51	29	48·1	36·9	40	(FITZWILLIAM SQUARE†).		Not	receive	d.	
						BELFAST.. ..	54·5	32·5	49·4	36·0	31

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th February, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	14	..	29·963	47·2	26·0	21·2	39·1	− 0·2	37·0	2·1	5·2	0·6	93	70·0	18·5	43·6	Calm: SSE.	SSW: SW.	1·8	0·0	0·1	248	− 78	0·02
MONDAY	15	In Equator	29·721	56·0	43·8	12·2	49·8	+10·4	47·4	2·4	6·4	1·0	91	90·3	36·9	43·7	SW	SW: SSW.	3·4	0·0	0·4	401	+ 74	0·02
TUESDAY	16	...	29·666	53·1	41·4	11·7	47·6	+ 8·1	40·7	6·9	12·2	2·2	76	94·6	33·8	43·6	WSW: SW.	SW	6·8	0·0	0·6	466	+ 137	0·00
WEDNESDAY	17	..	29·400	48·1	37·2	10·9	42·2	+ 2·6	39·9	2·3	11·5	0·0	91	60·0	30·3	43·6	WSW: SW.	SW: Calm: WSW.	4·4	0·0	0·3	352	+ 21	0·77
THURSDAY	18	..	29·643	49·4	38·2	11·2	42·8	+ 3·3	33·8	9·0	17·9	1·5	70	92·2	31·2	43·7	WSW: W.	WNW: WSW: SW.	2·8	0·0	0·3	410	+ 78	0·08
FRIDAY	19	First Quarter.	29·726	56·6	42·5	14·1	51·1	+11·6	45·2	5·9	11·5	2·2	81	90·3	39·0	43·8	SW: W.	W	5·6	0·0	0·7	587	+ 255	0·05
SATURDAY	20	..	29·949	53·0	44·9	8·1	49·1	+ 9·6	42·2	6·9	11·3	2·2	77	64·9	40·7	43·8	W: WSW.	WSW: SW.	3·2	0·0	0·3	375	+ 46	0·00
MEANS		..	29·724	51·9	39·1	12·8	46·0	+ 6·5	40·9	5·1	10·9	1·4	83	80·3	32·9	43·7	WSW		..	..	..	Sum 2,839	Sum + 533	Sum 0·94
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	14	wP	0·0	9·8	Cloudless till 7½h., becoming overcast by 9h. Fog till 7½h. Occasional slight rain from 13½h. Hoar frost in morning.
MONDAY ..	15	wP till 22h., then mP.	1·6	9·9	Overcast generally till 21h., then partially cloudy. Occasional damping from 7h. till 9h. Rain generally from 10¾h. till 13h. Brisk wind 4h. till 13h. Dew at night.
TUESDAY ..	16	mP till 1h.: wP till 12h.; variably mN and mP till 12½h.; then wP.	4·2	10·0	Cloudless till 9h., then variably cloudy. Brisk wind 8h. till 12h. Slight shower at 11h. Dew in morning.
WEDNESDAY	17	Variably wP and wN till 4½h.; wP till 12½h.; then variably mN and wP.	0·0	10·1	Nearly overcast. Rain at 1h.; from 3½h. till 4h ; and from 12¼h. till 21¾h.
THURSDAY	18	Variably wP and wN till 3h.; mP till 2.h ; then variably wP and wN.	5·5	10·1	Overcast till 7h ; partially cloudy till 16¼h., then overcast. Haze 9h. till 15h. Brisk wind 11h. till 16h. Partial solar halo 14¾h. Rain from 21¾h.
FRIDAY ..	19	wP	0·2	10·2	Overcast. Rain till 4h. Brisk wind from 4h.
SATURDAY	20	wP.	0·0	10·2	Overcast generally. Brisk wind till 3h. Lunar halo 23h.
			Sum 11·5	Sum 70·3	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·01 in. at the beginning of the week to 30·02 in. by 9h. on 14th; decreased generally to 29·16 in. by 21h. on 17th; increased to 29·74 in. by 18h. on 18th; decreased to 29·53 in. by 5h. on 19th; increased to 29·98 in. by 12h. on 20th; decreased and was 29·95 in. by midnight on the same day

FOR OFFICIAL USE

1926. No. 8.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 27TH FEBRUARY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926

Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. **The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.**

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH FEBRUARY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighth week of the year numbered 7,359, and corresponded to an annual rate of 19·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,904 and corresponded to an annual rate of 13·2 per 1,000 of their aggregate civilian population, which is estimated at 19,358,825 in the year 1924. In the preceding three weeks the rates had been 13·6, 12·7, and 14·2. Infant mortality was 73 per 1,000 births against 86, 80 and 96 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,702 births corresponding to a rate of 19·4 per 1,000, and 1,121 deaths of civilians, corresponding to a rate of 12·8, as against 12·1, 12·2 and 13·8, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·7 per 1,000. The infant mortality was 65 as against 52, 60 and 67, in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,273 to 4,904. In London the number of deaths from all causes decreased from 1,209 to 1,121 ; the deaths from diphtheria which had been 15, 9, and 14 in the preceding three weeks, rose to 18 last week; and the deaths from measles, which had been 39, 48, and 61 in the three preceding weeks, fell to 47 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 27th February, 1926.

Towns.	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,358,625*	7,359	4,904	540	3	105	7	57	56	46	89
London	4,576,505*	1,702	1,121	110	2	47	2	4	18	11	20
Towns in Outer Ring.											
Croydon C.B ..	196,000	80	52	4	-	-	-	-	1	-	-
Wimbledon ..	58,090	16	7	-	-	-	-	-	-	-	-
Ealing	68,370	30	14	2	-	1	-	-	-	1	-
Acton	62,920	20	8	1	-	1	-	-	-	-	-
Willesden ..	169,100	42	33	4	-	4	-	-	1	-	-
Hendon	67,550*	18	11	-	-	-	-	-	-	-	-
Hornsey	87,240	25	23	3	-	2	-	-	-	-	-
Wood Green ..	51,840	10	9	1	-	-	-	-	-	-	-
Tottenham ..	158,100	51	30	2	-	-	-	1	1	-	3
Edmonton ..	70,450	40	14	2	-	1	-	-	1	-	-
Enfield	62,970	20	13	-	-	4	-	-	-	-	-
West Ham C.B. ..	317,400	100	74	8	-	7	-	-	-	2	-
East Ham C.B. ..	146,500	37	30	2	-	3	-	-	1	-	-
Leyton	133,500	24	27	2	-	1	-	-	-	-	-
Walthamstow ..	131,100	54	20	2	-	-	-	-	-	-	-
Ilford	92,400	30	18	-	-	-	-	-	-	-	-
Gillingham	48,180*	19	12	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,380*	12	5	-	-	1	-	-	-	-	-
Hastings C.B.	60,510	19	20	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	54,850	12	17	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,500*	45	28	3	-	-	-	-	-	-	1
Portsmouth C.B. ..	232,000*	89	56	1	-	-	-	-	1	-	-
Bournemouth C.B. ..	84,450	22	19	3	-	-	-	-	-	-	-
Southampton C.B. ..	167,300	61	46	1	-	-	-	-	1	-	-
Reading C.B.	93,480*	41	19	1	-	-	-	-	-	-	-
Oxford C.B.	57,260	22	12	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,590*	34	25	6	-	-	-	-	-	-	2
Luton	59,220	11	14	-	-	-	-	-	1	-	1
Cambridge	59,120	19	7	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	96,450	22	26	3	-	-	-	-	-	-	-
Ipswich C.B.	82,710	23	19	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,780	24	8	-	-	-	-	-	-	-	-
Norwich C.B. ..	123,900*	50	32	4	-	-	-	-	-	1	3
Swindon	56,570	17	11	-	-	-	-	-	-	-	-
Exeter C.B.	59,880*	20	20	3	-	-	-	-	-	1	1
Plymouth C.B. ..	192,900*	73	73	10	-	1	-	1	1	-	6
Bath C.B.	69,270	13	22	-	-	-	-	-	-	-	-
Bristol C.B.	386,200*	125	113	16	-	1	-	2	2	-	2
Gloucester C.B. ..	53,090	19	25	3	-	1	-	-	-	-	-
Stoke-on-Trent C.B.	278,000	110	72	10	-	1	-	1	-	-	4
Burton-upon-Trent C.B.	49,660	11	13	2	-	-	-	-	-	1	-
Wolverhampton C.B.	108,200	46	20	1	-	-	-	-	-	-	-
Walsall C.B.	101,500	41	26	1	-	-	1	-	-	-	-
West Bromwich C.B	78,730	34	21	2	-	1	-	-	-	-	1
Dudley C.B.	58,600	23	10	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,220	12	18	2	-	-	-	-	-	-	1
Birmingham C.B. ..	946,980	389	235	19	-	3	-	-	3	1	1
Smethwick C.B. ..	78,790	15	11	1	-	-	-	-	-	-	1
Coventry C.B. ..	129,100	44	22	3	-	-	-	-	-	-	1
Leicester C.B. ..	241,800	93	56	8	-	-	1	-	1	-	-
Lincoln C.B.	66,850*	25	18	3	-	1	-	-	-	-	-
Grimsby C.B.	86,810	37	23	4	-	-	-	-	-	-	1
Nottingham C.B. ..	270,300	102	75	17	-	-	-	6	4	-	-
Derby C.B.	133,700*	54	55	1	-	-	-	-	1	-	-
Chesterfield ..	84,770	38	18	4	-	2	-	-	-	1	-
Stockport C.B. ..	126,000	40	35	2	-	-	-	-	-	-	1
Chester C.B.	41,730	18	7	-	-	-	-	-	-	-	1
Birkenhead C.B. ..	154,100	88	32	3	-	1	-	-	-	-	3
Wallasey C.B. ..	90,790	29	26	2	-	-	-	-	2	-	-
Liverpool C.B. ..	851,800	405	238	40	-	3	-	9	1	2	5
Bootle C.B.	83,130	38	23	4	-	-	-	-	-	-	-
St. Helens C.B. ..	108,700	38	17	4	-	-	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1924.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	73,650	13	21	2	-	1	-	-	-	-	1
Wigan C.B.	91,180	34	25	2	-	-	-	-	-	-	1
Warrington C.B. ..	78,120*	29	20	4	-	-	-	1	-	-	1
Bolton C.B.	181,100	68	75	5	-	-	-	6	-	-	3
Bury C.B.	56,830*	23	15	2	-	-	-	-	-	1	-
Manchester C.B. ..	755,000	288	224	22	1	10	-	-	3	2	5
Salford C.B.	243,700	107	48	8	-	1	-	-	1	-	-
Oldham C.B	147,300	49	41	6	-	-	-	3	-	2	3
Rochdale C.B... ..	92,750	28	18	2	-	-	-	-	-	-	2
Burnley C.B.	103,400	32	37	2	-	-	-	2	1	2	1
Blackburn C.B. ..	127,600	36	38	4	-	-	-	-	-	-	-
Preston C.B.	123,100	51	30	1	-	-	-	-	-	-	-
Blackpool C.B. ..	77,410	21	27	2	-	-	-	-	1	-	-
Barrow-in-Furness C.B.	73,490	15	26	1	-	-	-	1	-	-	2
Huddersfield C.B. ..	112,000	21	26	2	-	1	-	2	-	-	-
Halifax C.B.	98,750*	30	49	4	-	-	-	-	1	1	1
Bradford C.B. ..	290,200	87	94	12	-	-	-	-	-	1	-
Leeds C.B.	471,600	184	125	18	-	-	-	5	1	2	-
Dewsbury C.B ..	54,790	17	15	3	-	-	-	1	-	1	-
Wakefield C.B. ..	53,910	24	16	4	-	-	-	-	-	2	-
Barnsley C.B. ..	70,570	30	25	4	-	-	-	-	-	1	-
Sheffield C.B. ..	525,000	202	129	12	-	2	-	-	-	-	1
Rotherham C.B. ..	70,340	39	22	2	-	-	-	-	1	-	-
Doncaster	55,150	30	13	1	-	-	-	-	-	-	-
York C.B.	84,450*	29	25	2	-	-	-	-	1	1	1
Hull C.B.	296,800	115	60	10	-	-	1	2	-	-	1
Middlesbrough C.B.	136,300	78	49	10	-	-	-	4	-	-	1
Darlington C.B. ..	88,690	25	23	2	-	-	-	-	-	-	1
Stockton-on-Tees ..	67,620	27	13	4	-	-	-	2	-	1	-
West Hartlepool C.B.	71,620	23	13	2	-	-	-	1	-	-	-
Sunderland C.B. ..	165,100	81	31	3	-	-	1	1	-	-	-
South Shields C.B. ..	126,600	59	25	3	-	1	1	-	-	-	1
Gateshead C.B. ..	128,700	53	32	3	-	-	-	-	1	-	1
Newcastle-on-Tyne C.B.	285,900*	154	91	17	-	-	-	-	1	4	-
Tynemouth C.B. ..	65,940	26	18	2	-	-	-	-	-	-	-
Carlisle C.B.	54,910*	22	22	2	-	2	-	-	-	1	-
Newport (Mon.) C.B.	95,810	51	26	4	-	-	-	1	-	1	1
Cardiff C.B.	228,200*	96	38	5	-	-	-	1	-	-	-
Rhondda	167,900	63	38	3	-	-	-	-	1	-	1
Merthyr Tydfil C.B.	83,440	34	15	2	-	-	-	-	1	-	-
Aberdare	58,000	25	7	-	-	-	-	-	-	-	-
Swansea C.B.	162,700	59	35	8	-	-	-	-	1	-	1
Greater London ..	7,665,833*	2,753	1,756	167	3	72	2	8	24	15	28
Outer Ring	3,089,328*	1,051	635	57	1	25	-	4	6	4	8
16 Great Towns in Outer Ring	1,858,970*	657	383	33	-	24	-	1	5	3	3
Remainder of Outer Ring	1,230,358*	394	252	24	1	1	-	3	1	1	5
Edinburgh†	424,600	167	135	14	1	-	-	-	1	2	8
Glasgow† ..	1,034,500	475	361	69	-	43	2	4	2	6	6
Dublin (Registration Area)†	443,000	231	149	21	-	1	1	-	-	2	4
Belfast†	443,000	181	140	26	-	8	-	1	1	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1925–6.											
London‡	4,576,505	Feb. 27	1702	1121	12·8	2	–	47	2	4	18	11	20
Calcutta and Suburbs	1,077,273	Jan. 23	?	788§	38·0	?	27	?	?	?	?	?	11
Bombay	1,279,061	Feb. 6	391‖	527	21·4	1	4	–	–	–	–	22	1
Madras	526,911	Jan. 23	473	536§	52·7	3	2	–	–	2	1	27	–
Sydney and Suburbs	1,012,070												
Brisbane (Metropolitan Area).	245,015												
Perth (Metropolitan Area).	176,467												
Auckland (Urban Area).	180,790												
Wellington (Urban Area).	118,490												
Christchurch (Urban Area).	118,270												
Cape Town	113,709	Jan. 23	45	26	11·9	–	–	–	–	–	–	5	–
		„ 30	48	23	10·5	–	–	–	–	–	–	2	–
Johannesburg	165,958												
Durban	54,822												
Paris	2,906,472												
Antwerp	300,021	Jan. 9	80	64	11·1	–	–	–	–	–	–	2	–
		„ 16	93	57	9·9	–	–	–	–	–	–	2	2
		„ 23	93	66	11·5	–	–	–	–	–	–	1	1
Amsterdam	718,047	Feb. 13	294	116	8·4	–	–	–	–	1	1	1	1
Copenhagen	587,400	„ 20	228	179	16·0	–	–	6	–	–	1	1	2
Stockholm	438,896	„ 13	98	109	12·9	–	–	–	–	–	–	–	5
Gothenburg	230,804	Jan. 23	?	33	7·4	–	–	–	–	–	–	1	–
		„ 30	?	49	11·0	1	–	–	–	–	–	–	3
Oslo (Christiania) ..	257,719	Feb. 20	63	72	14·5	–	–	–	–	–	–	–	1
Berlin	2,044,000	„ 6											
Breslau	575,000	„ 6											
Cologne	727,000	„ 6											
Dresden	618,000	„ 6											
Frankfort-on-Main..	474,000	„ 6											
Hamburg	1,115,000	„ 6											
Leipzig	660,000	„ 6											
Munich	685,000	„ 6											
Vienna	1,869,437												
Prague and Suburbs	712,700												
Budapest	960,535	Feb. 6	253	322	17·4	1	–	1	8	1	1	4	3
Warsaw	992,450	„ 20	370	237	12·5	–	–	–	6	2	2	9	1
Cairo	818,500												
Alexandria	486,600												
New York	6,361,664												
Chicago	2,995,239	Feb. 12	895	674	11·5	–	?	1	–	2	2	17	4

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 50 deaths from cholera in Calcutta and 10 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th February, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1121	110	51	34	28	42	43	67	116	158	216	256
Enteric fever..	2	-	-	-	-	1	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	47	10	24	12	1	-	-	-	-	-	-	-
Scarlet fever	2	-	-	2	-	-	-	-	-	-	-	-
Whooping cough	4	-	2	2	-	-	-	-	-	-	-	-
Diphtheria	18	1	3	5	9	-	-	-	-	-	-	-
Influenza	20	-	-	1	1	-	-	1	6	8	1	2
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	1	-	-	-	1	-	-
Meningococcal meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	75	-	-	-	-	16	17	18	13	9	2	-
Nervous system	5	-	-	1	3	-	-	-	1	-	-	-
Intestines and peritoneum	2	1	-	-	-	1	-	-	-	-	-	-
Other forms	3	-	-	1	1	1	-	-	-	-	-	-
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	108	-	-	-	-	-	-	9	23	26	31	19
Rheumatic fever	4	-	-	-	1	1	-	1	-	-	1	-
Diabetes	7	-	-	-	1	-	-	-	1	2	3	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	-	1	-	-	-	1	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	64	-	-	-	-	-	1	1	3	10	21	28
Epilepsy	2	-	-	-	-	-	1	1	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	-	-	-	3	4	1	2	7	2	4	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	2	-	-	1	1	-	-
Other diseases of heart	169	-	-	-	1	2	3	8	16	39	41	59
Other diseases of circulatory system	47	-	-	-	-	-	-	-	3	8	17	19
Bronchitis	84	3	1	-	-	-	1	2	5	16	19	37
Broncho-pneumonia	59	20	16	5	-	-	-	-	1	7	4	6
Lobar-pneumonia	21	2	2	-	2	2	1	-	2	2	6	2
Pneumonia (type not distinguished)	12	-	-	-	1	-	1	2	-	3	3	2
Other diseases of respiratory system	27	-	-	-	-	1	-	2	3	4	11	6
Diarrhœa and enteritis	16	9	2	-	-	-	-	2	-	1	1	1
Appendicitis, Typhlitis	5	-	-	-	-	2	-	-	1	-	1	1
Hernia, Intestinal obstruction.. ..	15	2	-	-	-	1	3	1	2	1	3	2
Cirrhosis of liver	2	-	-	-	-	-	-	-	1	-	1	-
Other diseases of digestive system ..	22	1	-	2	-	1	2	2	5	2	5	2
Acute nephritis	3	-	-	-	-	-	-	-	-	-	2	1
Chronic Bright's disease..	27	-	-	-	-	1	1	1	7	4	8	5
Other diseases of genito-urinary system.	20	1	-	-	-	-	1	-	-	2	5	11
Puerperal sepsis	4	-	-	-	-	1	-	3	-	-	-	-
Other causes incident to childbirth..	3	-	-	-	-	1	1	1	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	31	31	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	9	9	-	-	-	-	-	-	-	-	-	-
Old age	48	-	-	-	-	-	-	-	1	-	6	41
Suicide	14	-	-	-	-	1	1	2	3	4	2	1
Burns and Scalds	2	-	-	-	1	-	-	-	-	-	1	-
Drowning	1	-	-	-	-	-	-	-	1	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	20	-	-	1	2	1	2	1	5	3	3	2
Other deaths by violence	14	-	-	-	-	-	2	3	2	-	5	2
Other specified causes	36	9	-	1	1	1	4	3	2	2	8	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th February, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	247	328	3	109	C. 12 D. 1 G. 2 M. 17
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	16	15	–	7	M. 1
†BERMONDSEY ...	–	17	18	–	2	–
†BETHNAL GREEN	–	7	12	–	6	C. 1 M. 2
†CAMBERWELL ...	–	18	39	–	5	C. 1
†CHELSEA	–	1	5	–	–	–
†DEPTFORD ...	–	5	13	–	5	C. 1 M. 1
†FINSBURY ...	–	8	5	–	1	–
†FULHAM	–	9	12	–	5	C. 1
†GREENWICH ...	–	5	16	–	–	C. 1
†HACKNEY ...	–	12	12	–	1	C. 2
†HAMMERSMITH ...	–	7	9	–	1	C. 1
†HAMPSTEAD ...	–	3	7	1	–	–
†HOLBORN... ...	–	3	4	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	17	24	–	10	C. 1 M. 2
†KENSINGTON ...	–	9	13	–	1	–
†LAMBETH ...	–	16	10	–	–	D. 1 G. 1 M. 2
†LEWISHAM ...	–	7	6	1	3	G. 1
†PADDINGTON ...	–	3	13	–	3	M. 1
†POPLAR	–	9	13	1	10	M. 1
†ST. MARYLEBONE	–	5	9	–	4	M. 1
†ST. PANCRAS ...	–	9	8	–	6	–
†SHOREDITCH ...	–	10	9	–	8	M. 1
†SOUTHWARK ...	–	15	21	–	3	C. 1 M. 3
†STEPNEY	–	17	15	–	12	C. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	7	15	–	9	C. 1 M. 1
†WESTMINSTER, CITY OF	–	2	1	–	–	M. 1
†WOOLWICH ...	–	8	4	–	7	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD ...	–	6	8	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	1	–	1	–
BIGGLESWADE ...	–	–	1	–	–	–
†LUTON	–	1	2	–	1	–
Rural Districts:—						
AMPTHILL ...	–	1	1	–	–	–
BEDFORD ...		2	2		–	–
BIGGLESWADE	–	1	–	–	–	–
EATON SOCON ...	–	–	–	–	1	–
LUTON	–	–	1	–		–
BERKS	–	8	2	1	3	D. 1 M. 1
†READING C.B. ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	–	1	–	D. 1
WALLINGFORD ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRADFIELD ...	–	–	–		1	–
HUNGERFORD ...		1	–	–	–	–
NEWBURY ...	–	–	–	–	1	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	9	–	–	3	M. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–		–	M. 1
†SLOUGH	–	–	–	–	1	–
†WOLVERTON ...	–	1	–		1	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
LONG CRENDON...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
WING	–	1	–	–	–	
WYCOMBE ...	–	4	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	7	–	–	3	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	2	–
NEWMARKET ...	–	6	–	–	1	–
CHESTER	–	62	25	1	29	C. 2 G. 2 M. 2
†BIRKENHEAD C.B.	–	4	2	–	5	M. 1
†CHESTER C.B. ...		1	–	–	6	–
†STOCKPORT C.B.	–	12	2	–	1	–
†WALLASEY C.B. ...		6	3	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE		1	1	–	–	–
†ALTRINCHAM ...	–	4	–	–	–	–
ASHTON UPON MERSEY	–	2	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	1	–
BOWDON	*	*	*	*	*	*
BREDBURY AND ROMILEY	–	1		–	2	–
†CHEADLE AND GATLEY	–	–	1		1	–
†CONGLETON ...	–	–	–	–	2	
†CREWE	–	7	1			–
†DUKINFIELD ...	–	–		–	1	C. 2
HALE	–	2	–		–	–
†HYDE	–	1	1	–	–	–
†MACCLESFIELD ...	–		2	–	3	M. 1
NANTWICH ...		–	–	–	–	G. 1
†RUNCORN ...	–	–	–	–	1	G. 1
†SALE	–	4	1	–		–
SANDBACH ...	–	2			–	–
†STALYBRIDGE ...	–	1	–	–	–	–
TARPORLEY ...	–	1	–		–	–
†WINSFORD ...	–	1	1	–	–	–
YEARDSLEY CUM WHALEY	–	1	–		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	2	–		–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	3	–	–	2	
MACCLESFIELD ...	–	–	1	–		–
NANTWICH ...	–	4	1	–	–	–
NORTHWICH ...	–		1	–	–	–
RUNCORN... ...	–	1	1	–	1	–
TARVIN	–	–	1	–	–	
WIRRAL	–	–	2	1		–
CORNWALL ...	–	3	–	–	9	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	*	*	*	*	*	*
LAUNCESTON ...		–	–		2	
LOOE	–	1	–	–	1	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	–	–	1	–
SALTASH... ...			–		1	–
Rural Districts:—						
CALSTOCK ...	–	2	–	–	–	–
LAUNCESTON ...		–		–	2	
LISKEARD ...	*	*	*	*	*	*
REDRUTH ...	–		–	–	1	
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ...	–	34	7	–	4	E. 1 M. 1
†CARLISLE C.B. ...	–	4	3	–	–	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	6	1	–	–	–
ASPATRIA ...	–	–	–		1	
CLEATOR MOOR ...	–	2	–	–	–	–
EGREMONT ..	–	2	–	–	–	–
KESWICK	–	1	–	–	1	
†MARYPORT ...	–	3	–	–	–	–
MILLOM	–	–		–	–	E. 1
PENRITH	–	2	–	–	–	–
†WHITEHAVEN ...	–	3	–	–	1	–
†WORKINGTON ...	–	6	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	–	–	2	–	–	–
COCKERMOUTH ...	–	1	–	–	1	–
PENRITH	–	2	–	–	–	–
WHITEHAVEN ...	–	2	1	–	–	–
DERBY	48	49	28	–	28	C. 1 D. 1 L. 1 M. 2
†DERBY C.B. ..	38	5	10	–	7	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	2	L. 1
†BELPER	–	–	2	–	–	–
†BOLSOVER ...	1	–	–	–	–	–
†CHESTERFIELD ...	–	4	2	–	4	M. 1
CLAY CROSS ...	–	2	–	–	–	–
DRONFIELD ...	–	1		–	1	–
†GLOSSOP	–	–	–	–	1	–
†HEANOR	–	–	–	–	3	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	7	–	–	–	–
NEW MILLS ...	–	–	–	–	2	–
†RIPLEY	–	2	3	–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
†THE MATLOCKS...	–	2	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	1	–
BAKEWELL ...	–	–	–	–	–	D. 1
BLACKWELL ...	8	3	1	–	1	M. 1
CHESTERFIELD ..	–	9	3	–	4	C.
CLOWNE	–	2	2	–	–	–
REPTON	–	6	–	–	–	–
SHARDLOW ...	1	1	4	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	23	16	–	16	C. 1 G. 2 J. 1 M. 3
†EXETER C.B. ...	–	–	–	–	1	M. 1
†PLYMOUTH C.B....	–	15	8	–	6	M. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	–	1	–	–	–
BIDEFORD ...	–	–	–	–	1	–
BRIXHAM... ...	–	–	1	–	1	–
HONITON ...	–	–	–	–	–	G. 1
†NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	–	–	1	–
†PAIGNTON ...	–	2	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	–	C. 1
CREDITON ...	–	–	1	–	–	G. 1
HONITON ...	–	–	–	–	2	–
KINGSBRIDGE ...	–	–	3	–	–	–
PLYMPTON ST. MARY	–	1	2	–	2	J. 1
TIVERTON ...	–	1	–	–	–	M. 1
TORRINGTON ...	–	3	–	–		–
DORSET	–	4	1	–	7	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	–	–	–	2	–
†PORTLAND ..	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	2	–	–	–	–
POOLE	–	–	1	–	–	–
SHERBORNE ...	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	–			4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	157	81	21	1	51	C. 4 G. 1 M. 7
†DARLINGTON C.B.	–	–	–	–	8	–
†GATESHEAD C.B.	14	6	3	–	–	C. 1
†SOUTH SHIELDS C.B.	25	6	1	–	10	–
†SUNDERLAND C.B.	–	4	3	–	4	G. 1 M. 3
†WEST HARTLEPOOL C.B.	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	–	–	1	C. 1
BENFIELDSIDE ...	–	3	–	–	–	–
BILLINGHAM ...	–	2	–	–	–	–
†BLAYDON... ...	31	3	–	–	1	–
†BRANDON AND BYSHOTTLES	–	3	–	–	–	–
†CHESTER LE STREET	1	5	–	–	1	–
†CONSETT	–	2	–	–	–	C. 1
†CROOK	1	–	1	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	5	–	–	–	–	M. 1
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	3	2	1	–	–	–
†HETTON	3	2	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	3	–
†JARROW	–	–	–	–	7	C. 1
LEADGATE ...	–	2	–	–	–	–
†RYTON	3	6	1	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	5	1	–	–	–	–
†STANLEY	6	4	1	–	–	–
†STOCKTON ON TEES	–	3	–	–	3	–
†TANFIELD ...	2	1	1	–	–	–
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	1		–	1	–
†WHICKHAM ...	7	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	6	1	1	–	–	–
BARNARD CASTLE	–	2	–	–	–	–
CHESTER LE STREET	13	3	2	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
DURHAM	6	–	–	–	–	–
EASINGTON ...	8	5	2	–	–	M. 1
HOUGHTON LE SPRING	11	–	–	–	2	–
LANCHESTER ...	2	5	2	–	1	–
SEDGEFIELD ...	1	–	–	–	–	–
SUNDERLAND ...	3	–	–	–	4	–
WEARDALE ...	–	–	–	1	–	–
ELY, ISLE OF ...	–	5	–	1	1	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	–	–	1	–
†WISBECH	–	2	–	1	–	–
Rural Districts:—						
ELY	–	2	–	–	–	–
ESSEX	–	70	55	2	41	C. 3 M. 1
†EAST HAM C.B. ...	–	2	7	–	1	C. 1
†SOUTHEND-ON-SEA C.B.	–	7	–	–	8	M. 1
†WEST HAM C.B. ...	–	20	25	1	14	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	2	–	–	–
BRAINTREE ...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	–	–	1	–
†CLACTON	–	–	–	–	–	C. 1
†COLCHESTER ...	–	6	–	–	2	–
EPPING	–	–	1	–	–	–
FRINTON ON SEA	–	–	–	–	1	–
†GRAYS THURROCK	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	1	1	–	3	–
†LEYTON	–	2	4	–	–	C. 1
LOUGHTON ...	–	–	–	–	1	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
MALDON	–	–	–	–	1	–
SHOEBURYNESS ...	–	–	2	–	–	–
TILBURY	–	2	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	10	9	–	2	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
CHELMSFORD ...	–	–	–	1	1	–
DUNMOW	–	–	–	–	1	–
HALSTEAD ...	–	6	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	–	1	–	–	–
ONGAR	–	1	–	–	1	–
ORSETT	–	1	–	–	–	–
ROMFORD... ...	–	1	2	–	3	–
GLOUCESTER ..	–	30	24	–	25	G. 3 M. 3
†BRISTOL C.B. ...	–	19	18	–	15	G. 3 M. 1
†GLOUCESTER C.B.	–	–	1	–	3	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	2	–	1	–
†KINGSWOOD ...	–	1	–	–	–	M. 1
STROUD	–	3	–	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	–
GLOUCESTER ...	–	–	–	–	1	–
STROUD	–	–	3	–	2	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	3	–	–	–	–
WINCHCOMB (part)	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	1	12	–	6	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	1	–	2	–
†HEREFORD ...	–	–	1	–	1	–
LEDBURY... ...	–	–	7	–	–	–
ROSS	*	*	*	*	*	*
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	1	–	1	–
LEDBURY... ...	–	–	1	–	–	–
LEOMINSTER ...	–	–	1	–	–	–
ROSS	*	*	*	*	*	*
WEOBLEY... ...	–	1	–	–	–	–
WIGMORE ...	–	–	–	–	1	–
HERTFORD ...	–	12	1	5	2	–
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
CHORLEYWOOD ...	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
RICKMANSWORTH	–	1	–	2	–	–
†ST. ALBANS ...	–	1	–	–	1	–
STEVENAGE ...	–	–	–	1	–	–
†WATFORD ...	–	4	–	–	–	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
WATFORD ...	–	1	–	2	–	–
HUNTINGDON ...	–	1	1	–	–	G. 1
Rural Districts:—						
NORMAN CROSS ...	–	1	1	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	29	35	–	32	C. 1 L. 4 M. 1
†CANTERBURY C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	3	1	–	1	–
†BEXLEY	–	–	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	1	1	–	1	
†CHATHAM ...	–	2	7	–	–	–
†CRAYFORD ...	–	3	–	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†ERITH	–	2	1	–	1	C. 1
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	1	1	–	2	–
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	2	3	–	–	–
†HERNE BAY ...	–	1	–	–	2	–
†MAIDSTONE ...	–	3	–	–	2	–
MILTON REGIS ...	–	–	–	–	1	–
†PENGE	–	3	–	–	–	–
†RAMSGATE ...	–	–	2	–	2	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	2	–
SANDWICH ...	–	1	–	–	–	–
SOUTHBOROUGH	–	1	–	–	–	M. 1
WHITSTABLE ...	–	–	2	–	1	L. 4
Rural Districts:—						
BROMLEY ...	–	–	–	–	1	–
DARTFORD ...	–	1	1	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
ELHAM	–	–	–	–	2	–
FAVERSHAM ...	–	1	–	–	1	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING... ...	–	–	6	–	4	–
ROMNEY MARSH...	–	–	–	–	1	–
SEVENOAKS ...	–	2	–	–	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	–	3	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ..	4	248	148	9	263	C. 8 D. 1 G. 14 M. 23
†BARROW IN FURNESS C.B.	–	4	–	5	4	–
†BLACKBURN C.B	–	4	–	–	5	C. 1 M. 1
†BLACKPOOL C.B.	–	2	2	–	3	–
†BOLTON C.B. ...	–	13	2	–	11	G. 1 M. 1
†BOOTLE C.B. ..	–	2	2	–	2	–
†BURNLEY C.B. ..	–	2	5	1	5	–
†BURY C.B. ..	–	4	2	–	1	D. 1
†LIVERPOOL C.B. ..	–	51	37	–	40	C. 1 G. 3 M. 16
†MANCHESTER C.B	–	47	36	1	90	C. 2 G. 4 M. 1
†OLDHAM C.B. ..	4	6	3	–	3	–
†PRESTON C.B. ..	–	1	5	1	3	–
†ROCHDALE C.B ..	–	4	–	–	–	–
†ST. HELENS C.B...	–	–	1	–	3	C. 1
†SALFORD C.B. ..	–	8	15	1	12	G. 1 M. 1
†SOUTHPORT C.B.	–	1	1	–	4	–
†WARRINGTON C.B	–	4	3	–	4	
†WIGAN C.B. ..	–	2	–	–	8	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ..	–	1	1	–	1	–
†ASHTON IN MAKERFIELD	–	2	–	–	2	–
†ASHTON UNDER LYNE	–	1		–	2	–
ASPULL	–	2	–	–	–	–
†ATHERTON ..	–	1	1	–	1	G. 1
AUDENSHAW ...	–	1	–	–	2	–
†BACUP	–	2	1	–	–	–
BLACKROD ...	–	2	–	–	–	–
BRIERFIELD ...	–	–	1	–	–	–
†CHADDERTON ...	–	1	–	–	5	–
†CHORLEY	–	–	–	–	1	–
CLAYTON LE MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DALTON IN FURNESS	–	1	1	–	–	–
†DARWEN	–	2	1	–	1	–
†DENTON	–	5	–	–	–	G. 1
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	–	–	–	1	–
†FAILSWORTH ...	–	2	1	–	3	–
†FARNWORTH ...	–	–	–	–	1	M. 1
†FLEETWOOD ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	–	–	2	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	1	1	–	–	–
†HEYWOOD ...	–	1	–	–	2	G. 1
†HINDLEY... ...	–	1	–	–	1	–
†HORWICH ...	–	1	2	–	4	–
†INCE IN MAKERFIELD	–	1	–	–	1	–
†LANCASTER ...	–	–	1	–	–	–
LEES	–	1	–	–	–	–
†LEIGH	–	1	3	–	–	–
LEYLAND... ...	–	–	–	–	1	–
†LITHERLAND ...	–	1	–	–	–	–
LONGRIDGE ...	–	1		–	–	–
†LYTHAM ST. ANNE'S	–	2	–	–	–	–
†MIDDLETON ...		4	2	–	1	–
†MORECAMBE ...	–	3	–	–	–	–
†NELSON	–	2	–	–	–	–
NORDEN	–	1	–	–	–	–
ORMSKIRK ...	–	2	1		–	–
†OSWALDTWISTLE	–	1	–		–	–
†PADIHAM... ...	–	1	–	–	5	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	–	–		1	–
†RADCLIFFE ...	–	1	1	–	–	M. 1
†RAMSBOTTOM ...	–	4	–	–	1	C. 1
†RAWTENSTALL ...	–	7	1	–	2	–
STANDISH WITH LANGTREE	–	1	–	–	3	G. 1
†STRETFORD ...	–	3	4	–	–	–
†SWINTON AND PENDLEBURY	–	2	–	–	3	–
TOTTINGTON ...	–	1	3	–	2	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	C. 1
UPHOLLAND ...	–	2	–	–	–	–
URMSTON... ..	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON LE DALE	–	3	2	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	2	M. 1
†WESTHOUGHTON	–	–	–	–	2	–
†WIDNES	–	1	2	–	1	G. 1
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	1	–
BLACKBURN ...	–	1	–	–	–	–
BURNLEY... ...	–	3	–	–	1	–
CLITHEROE ...	*	*	*	*	*	*
FYLDE	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ..	–	1	–	–	2	C. 1
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER... ..	–	21	13	–	10	C. 1 E. 1 G. 1
†LEICESTER C.B. ..	–	15	4	–	–	C. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	G. 1
ASHBY WOULDS...	–	–	1	–	–	–
†HINCKLEY ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	4	–
WIGSTON MAGNA	–	–	1	–	–	–
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	4	–
BARROW UPON SOAR	–	1	1	–	–	E. 1
BILLESDON ...	–	–	1	–	–	–
BLABY	–	–	3	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	–	1	–
MELTON MOWBRAY	–	3	–	–	–	–
LINCOLN (parts of Holland).	–	1	2	–	2	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	1	–	–	–
†SPALDING ...	–	1	1	–	–	–
Rural Districts:—						
BOSTON	–	–	–	–	2	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Rural Districts:—						
BRANSTON ...	–	1	1	–	–	–
LINCOLN (parts of Lindsey).	–	27	11	–	12	D. 1
†GRIMSBY C.B. ...	–	1	1	–	1	–
†LINCOLN C.B. ...	–	21	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	5	–	–	D. 1
BRIGG	–	–	–		1	–
†CLEETHORPES ...	–	1	1	–	–	–
†GAINSBOROUGH ...		–	1		6	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM		1	1	–	1	–
Rural Districts:—						
GLANFORD BRIGG	–	1	1	–	–	–
GRIMSBY	–	2	–	–	–	..
ISLE OF AXHOLME	–	–	1		–	–
MIDDLESEX ..	–	50	53	1	33	G. 4 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	6	1	–	1	–
†BRENTFORD ..	–	1	–	–	–	–
†CHISWICK ..	–	1	1	–	1	–
†EALING	–	5	–	–	–	–
†EDMONTON ..	–	3	6	–	1	–
†ENFIELD		–	2	–	3	–
†FINCHLEY ...	–	5	1	–	1	M. 1
†FRIERN BARNET	–	1	–	–	4	–
†HAMPTON ...		–	1	–	1	–
†HANWELL ...	–	–	–	–	1	–
HAYES	–	1	–		–	–
†HENDON	–	2	1	–	1	–
†HESTON AND ISLEWORTH	–	2	1	–	6	G. 3
†HORNSEY	–	–	4	–	1	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ..	–	1	1	–	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
STAINES	*	*	*	*	*	*
SUNBURY ON THAMES	–	1	1	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	5	12	–	5	–
†TWICKENHAM ...	–	1	–	–	–	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	2	–	1	–
†WILLESDEN ...	–	10	13	–	3	G. 1
†WOOD GREEN ...	–	1	1	–	1	–
Rural Districts:—						
HENDON	–	2	2	–	–	–
SOUTH MIMMS ...	–	–	–	1	–	–
STAINES	–	–	1	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	13	3	–	9	C. 1
†GREAT YARMOUTH C.B.	–	2	–	–	3	–
†NORWICH C.B. ...	–	1	1	–	2	C. 1
Boroughs and Urban Districts:—						
NEW HUNSTANTON	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	3	–
DOWNHAM ...	–	–			1	–
ERPINGHAM ...	–	1	–		–	–
FOREHOE ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	–	1	–	–	–
ST. FAITH'S ...	*	*	*	*	*	*
WALSINGHAM ...	–	7	–		–	–
WAYLAND ...	–	–	1	–		

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ..	–	11	4	–	17	C. 1
†NORTHAMPTON C.B.	–	3	1	–	5	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	–	1	–
FINEDON	–	–	–	–	1	–
HIGHAM FERRERS	–	1	–	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	2	–	–	3	C. 1
†RUSHDEN ...	–	–	1	–	2	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	1	–	–	–
KETTERING ...	–	1	–		2	–
OUNDLE (part) ...	–	1	–	–	–	–
OXENDON... ...	–	–	–	–	1	–
POTTERSPURY ...	–	–	–	–	1	
THRAPSTON (part)	–	–	1	–	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND	43	72	12	–	43	C. 1 D. 1 E. 1 G. 1 M. 4
†NEWCASTLE UPON TYNE C.B.	3	28	9	–	11	C. 1 E. 1 M. 2
†TYNEMOUTH C.B	–	1	1		10	M. 1
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	28	6	–	–	–	–
†BEDLINGTONSHIRE	1	7	–		3	–
†BERWICK UPON TWEED	–	–	–		–	G. 1
†BLYTH	–	1	1	–	–	–
†EARSDON... ...	–	5	–	–	2	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	4	–	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts— *cont.*						
MORPETH ...	–	–	1	–	–	–
NEWBIGGIN BY THE SEA	–	1	–		–	–
†NEWBURN ...	*	*	*	*	*	*
PRUDHOE... ...	2	–	–	–	–	–
SEATON DELAVAL	–	–	–	–	2	–
SEGHILL	–	1	–	–	1	–
†WALLSEND ...	–	5	–	–	5	D. 1
WEETSLADE ...	2	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	–		2	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–		–
CASTLE WARD ...	3	2	–	–	2	–
GLENDALE ...	–	–	–	–	2	–
HALTWHISTLE ...	–	1	–	–	–	–
MORPETH... ..	4	1	–	–		–
NORHAM AND ISLANDSHIRES	–	5	–	–	–	–
NOTTINGHAM ...	3	17	18	–	32	G. 1 M. 2
†NOTTINGHAM C.B	1	7	10	–	16	M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–	4	–	–	–
†CARLTON... ...		3	–	–	1	–
†EAST RETFORD ...	–	–	–	–	3	..
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	–	–	2	
†MANSFIELD ...	–	1	–	–	2	G. 1
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†SUTTON IN ASHFIELD	2	–	–	–	1	–
WARSOP	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	–	5	1	–	–	–
BINGHAM... ...	–	–	–		2	–
EAST RETFORD ...	–	–	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	–	2	–	–	–
OXFORD	–	1	1		3	C. 1
†OXFORD C.B. ...	–	1	–	–	–	C. 1
Rural Districts:—						
BICESTER... ...	–	–	–	–	1	–
CULHAM	–	–	1	–	–	–
HENLEY	–	–	–	–	1	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	3	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	2	–
Rural Districts—						
BARNACK... ...	–	1	–		–	–
PETERBOROUGH.	–	–	–	–	1	–
RUTLAND		1	–	–	–	–
Rural Districts:—						
UPPINGHAM ...	–	1	–		–	–
SALOP	–	7	1	–	6	–
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
NEWPORT ...	–	1	–		–	–
†OAKENGATES ..	–	3	–	–	1	–
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ..	–	2	–	–	1	–
SALOP— *cont.*						
Rural Districts:—						
ATCHAM	–	–	–	–	1	–
LUDLOW	–	–	–		1	–
NEWPORT ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	–	1	–
SOMERSET	–	19	9	1	20	D. 1 G. 1
†BATH C.B. ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	2	–
CREWKERNE ...	–	3		–	2	–
†FROME	–	–	3	–	–	G. 1
GLASTONBURY ...	–	–		–	1	–
PORTISHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	D. 1
†YEOVIL	–	–	–	–	3	–
Rural Districts:—						
CLUTTON... ...	–	–	–	–	1	–
FROME	–	1	1	–	3	–
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	1	–	1	2	–
SHEPTON MALLET	–	2	–	–	–	–
TAUNTON... ...	–	–	3		1	–
WELLS	–	–	–	–	3	–
WINCANTON ...	–	2	–	–	–	–
YEOVIL	–	3	–	–	1	–
SOUTHAMPTON ..	–	30	29	–	15	C. 1 M. 2
†BOURNEMOUTH C.B.	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	5	20	–	3	–
†SOUTHAMPTON C.B.	–	6	8	–	5	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ANDOVER... ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	3	–	–	–	–
†GOSPORT	–	1	–	–	3	–
ROMSEY	–	1	–	–	–	–
†WINCHESTER ...	–	1	–	–	1	C. 1
Rural Districts:—						
ALTON	–	2	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FORDINGBRIDGE ..	–	–	–	–	1	–
HAVANT	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	1	–
SOUTH STONEHAM	–	1	–	–	–	–
STAFFORD	–	68	32	1	87	C. 4 D. 1 L 4 M. 6
†BURTON UPON TRENT C.B	–	–	–	–	1	D. 1
†SMETHWICK C.B.	–	1	1	–	4	–
†STOKE ON TRENT C.B.	–	15	4	–	42	C. 2 L. 1 M. 1
†WALSALL C.B. ..	–	7	5	–	3	–
†WEST BROMWICH C.B.	–	3	1	–	9	–
†WOLVERHAMPTON C.B.	–	7	–	–	2	C. 1 M. 5
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	1	–	–	–	–
†AUDLEY	–	1	–	–	1	–
†BILSTON	–	–	4	–	–	–
†BRIERLEY HILL...	–	–	1	–	2	–
†BROWNHILLS ...	–	2	–	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	–	1	1	–	–	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	3	–	–	3	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	1	–
†LEEK	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	2	1		5	–
PERRY BARR ...	–	1	–	–	–	–
QUARRY BANK ...	–	–	1	–	–	–
†ROWLEY REGIS ...	–	3	1	–	1	–
†SEDGLEY	–	1	1	–	2	–
SHORT HEATH ...	–	1	–	–	1	–
†STAFFORD ...	–	2	–	–	3	–
TAMWORTH ...	–	–	2	–	–	–
†TIPTON	–	2	–	–		–
†WEDNESBURY ...	–	–	–	–	1	–
†WILLENHALL ...	–	1	1	–	–	–
†WOLSTANTON UNITED	–	1	2	–	1	–
Rural Districts:—						
CANNOCK	–	–	–	–	1	–
CHEADLE... ...	–	2	–	–	1	–
KINGSWINFORD ...	–	–	2	–		–
LICHFIELD ...	–	3	1	–	1	L. 3
SEISDON	–	2	–	–	–	–
STAFFORD ...	–	1	–	1		C. 1
TAMWORTH (part)	–	–	1	–		–
TUTBURY... ...	–	–	–	–	1	–
WALSALL... ...	–	3	1		1	–
SUFFOLK, EAST ...	–	8	2	1	9	M. 1
†IPSWICH C.B. ...	–	2	1	–	4	M. 1
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†LOWESTOFT ...	–	2	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	1	–	–
HOXNE	–	2	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	1	–	–	–
SAMFORD... ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	4	–	–	3	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
NEWMARKET ...	–	3	–	–	–	–
Rural Districts:—						
COSFORD	–	–	–	–	1	–
THEDWASTRE ...	–	1	–	–	–	
THINGOE	–	–	–	–	1	–
SURREY	–	53	22	4	21	C. 2 L. 1 M. 1
†CROYDON C.B. ...	–	8	5	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	–
†CARSHALTON ...	–	–	3	–	–	–
†CATERHAM ...	–	3	–	–	–	–
†CHERTSEY ...	–	–	–	–	3	M. 1
†COULSDON AND PURLEY	–	1	1	–	–	–
†EGHAM	–	1	1	–	–	C. 1
†EPSOM	–	–	1	–	1	L. 1
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	3	–	–	1	–
†GUILDFORD ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	5	–	–	1	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	1	–	–	1	–
†MITCHAM... ...	–	5	1	–	2	–
†REIGATE	–	2	–	1	–	–
†RICHMOND ...	–	2	–	–	2	–
†SURBITON ...	–	1	–	–	3	–
†SUTTON	–	5	1	–	–	C. 1
†THE MALDENS AND COOMBE	–	–	–	1	2	–
†WALTON UPON THAMES	–	–	2	–	–	–
†WIMBLEDON ...	–	2	–	1	–	–
†WOKING	–	4	2	–	–	–
Rural Districts:—						
EPSOM	–	1	4	1	–	–
FARNHAM ...	–	1	1		–	–
GODSTONE ...	–	2	–	–	–	–
GUILDFORD ...	–	2	–		–	–
HAMBLEDON ...	–	–	–	–	2	–
REIGATE	–	–	–	–	2	–
SUSSEX, EAST ...	–	11	22	1	8	C. 1 G. 1
†BRIGHTON C.B. ...	–	3	8	–	3	G. 1
†EASTBOURNE C.B.	–		–	–	1	–
†HASTINGS C.B. ...	–	3	–	1	3	C. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	1	–	1	–
EAST GRINSTEAD	–	–	1	–	–	–
HASTINGS ...	–	1	–	–	–	–
NEWHAVEN ...	–	–	12	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
SHOREHAM BY SEA	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
MIDHURST ...	–	2	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	53	82	1	70	C. 5 M. 8
†BIRMINGHAM C.B.	–	40	61	1	46	C. 5 M. 7
†COVENTRY C.B. ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	3	1	–	4	M. 1
†ROYAL LEAMINGTON SPA	–	2	1	–	1	–
†RUGBY	–	–	–	–	2	–
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	1	–	2	–
†WARWICK ...	–	2	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	1	–	–	–
ATHERSTONE ...	–	1	6	–	1	–
FOLESHILL ...	–	–	2	–	3	–
MERIDEN... ...	–	–	–	–	1	–
SOLIHULL ...	–	–	3	–	1	–
SOUTHAM... ...	–	–	1	–	3	–
STRATFORD ON AVON	–	–	–	–	1	–
TAMWORTH (part)	–	–	3	–	–	–
WARWICK ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ..	–	10	–	–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	6	–	–	2	–
WEST WARD ...	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
†RYDE	–	–	1	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	2	1	–	1	–
WILTS	–	14	4	–	8	C. 1 E. 1 G. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	6	2	–	5	C. 1 E. 1
†TROWBRIDGE ...	–	3	–	–	–	–
WESTBURY ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
DEVIZES	–	–	–	–	2	–
HIGHWORTH ...	–	4	1	–	–	–
PEWSEY	–	–	–	–	–	G. 1
WARMINSTER ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis: F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	-	14	5	-	12	C. 1 G. 2
†DUDLEY C.B. ...	-	1	1	-	-	-
†WORCESTER C.B.	-	1	-	-	4	-
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
†HALESOWEN ...	-	2	-	-	1	-
†LYE AND WOLLESCOTE	-	-	1	-	1	-
†MALVERN ...	-	-	-	-	-	G. 1
NORTH BROMSGROVE	-	1	-	-	-	-
†OLDBURY... ...	-	-	-	-	4	-
†REDDITCH ...	-	2	-	-	-	-
†STOURBRIDGE ...	-	1	1	-	1	C. 1
Rural Districts:—						
BROMSGROVE ...	-	1	1	-	1	-
DROITWICH ...	-	-	1	-	-	-
SHIPSTON ON STOUR		4	-	-	-	-
UPTON ON SEVERN	-	-	-	-	-	G. 1
YORKS ... ... (East Riding.)	5	19	14	1	12	C. 1
†KINGSTON UPON HULL C.B.	1	12	12	1	8	-
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	1	-	2	-
†BRIDLINGTON ...	-	1	-	-	-	-
GREAT DRIFFIELD	-	-	1	-	-	-
HESSLE	-	-	-	-	1	-
NORTON	-	1	-	-	-	-
Rural Districts:—						
BRIDLINGTON ...	-	1	-	-	-	-
HOWDEN	4	-	-		1	-
PATRINGTON ...	-	1	-	-	-	-
SCULCOATES ...	-	3	-	-	-	-
SKIRLAUGH ...	-	-	-	-	-	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	-	20	2	-	18	-
†MIDDLESBROUGH C.B.	-	11	1	-	5	-
Boroughs and Urban Districts:—						
†ESTON	-	1	-		-	-
MASHAM	*	*	*	*	*	*
†REDCAR	-	-	-	-	1	
†SCARBOROUGH ...	-	1	-	-	1	-
†SKELTON AND BROTTON	-	-	-	-	1	-
†THORNABY ON TEES	-	2	-	-	-	-
Rural Districts:—						
AYSGARTH ...	-	1	-	-	-	-
FLAXTON	-	2	-	-	-	-
KIRKBY MOORSIDE	-	-	-	-	1	-
LEYBURN... ...	-	-	1		-	-
MALTON	-	1	-	-	-	-
RICHMOND ...	-	-	-	-	4	-
STOKESLEY ...	-	-	-	-	4	-
THIRSK	-	1	-	-	-	-
WHITBY	-	-	-	-	1	-
YORKS ... ... (West Riding.)	32	178	78	5	227	C. 7 D. 2 G. 3 M. 10
†BARNSLEY C.B. ...	-	5	4	-	6	C. 2 M. 1
†BRADFORD C.B. ...	-	14	10	1	24	-
†DEWSBURY C.B....	-	3	2	-	2	-
†HALIFAX C.B. ...	-	1	3	-	1	-
†HUDDERSFIELD C.B.	-	18	3	-	1	-
†LEEDS C.B. ...	-	24	6	-	23	C. 3 M. 2
†ROTHERHAM C.B.	1	2	1	2	8	-
†SHEFFIELD C.B....	-	20	21	-	93	D. 1 G. 3 M. 4
†WAKEFIELD C.B.	-	3	2	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	-	-	-	-
†BARNOLDSWICK ...	-	-	-	-	2	-
†BATLEY	-	-	1	-	-	-
†BENTLEY WITH ARKSEY	-	1	1	-	3	-
†BINGLEY	-	-	-	-	1	-
BIRKENSHAW ...	-	-	-	-	-	M. 1
†BOLTON UPON DEARNE	-	-	1	-	3	-
BURLEY IN WHARFEDALE	-	-	-	-	1	-
CALVERLEY ...	-	4	-	-	-	-
†CASTLEFORD ...	-	-	1	-	-	-
CUDWORTH ...	-	-	1	-	2	-
DARFIELD ...	-	1	-	-	-	-
†DARTON	-	-	-	-	2	-
DENBY AND CUMBERWORTH	-	1	-	-	-	-
DODWORTH ...	-	2	-	-	-	-
†DONCASTER ...	-	5	-	-	5	-
EARBY	-	-	-	-	1	-
†ELLAND	-	1	2	-	1	-
†FEATHERSTONE ...	-	-	-	-	2	-
†GOLCAR	-	-	1	1	1	-
†GOOLE	-	4	1	-	-	-
GREASBROUGH ...	1	1	-	-	-	-
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	-	2	1	-	2	-
HAWORTH ...	-	1	-	-	-	-
HEBDEN BRIDGE	-	1	-	-	-	-
HECKMONDWIKE	-	-	-	-	1	-
†HEMSWORTH ...	-	-	-		1	C. 1 M. 2
HIPPERHOLME ...	-		-	-	1	-
†HOLMFIRTH ...	-	-		-	1	-
HONLEY	-	-	-	-	1	-
HORSFORTH ...	-	1	1	-	-	-
†HOYLAND NETHER	-	3	-	-	2	-
HOYLAND SWAINE	*	*	*	*	*	*
HUNSWORTH ...	-	1	-	-	-	-
ILKLEY	-	-	-	-	-	D. 1
†KEIGHLEY ...	-	2	1	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
LEPTON	-	1	-	-	-	-
†LUDDENDEN FOOT	-	-	-	-	1	-
MALTBY	-	-	1	-	-	-
MELTHAM ...	-	-	-	1	-	-
†MEXBOROUGH ...	-	-	1	-	2	-
MIDGLEY... ...	-	-	-	-	1	-
†MORLEY	-	-	1	-	-	-
NEW MILL ...	-	-	-	-	1	
†NORMANTON ...	-	-	1	-	-	-
OTLEY	-	1	-	-	-	
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	-	2	-	-	-	-
†PUDSEY	-	1	-	-	-	-
†RAWMARSH ...	23	1	-	-	2	-
†ROTHWELL ...	-	-	-	-	1	-
†SADDLEWORTH ...		-	1	-	-	C. 1
SHELF	-	-	-	-	1	-
SHELLEY	-	1	-	-	-	-
SHEPLEY	-	-	-	-	1	-
†SHIPLEY	-	1	-	-	-	-
†SKIPTON	-	-	1	-	-	-
SOUTH CROSLAND	-	3	-	-	1	-
†SOWERBY BRIDGE	-	1	-	-	-	-
†SPENBOROUGH ...	-	-	-	-	2	-
†STANLEY	-	1	-	-	-	-
STOCKSBRIDGE ...	-	2	-	-	3	-
†SWINTON... ...	1	-	-	-	-	-
TICKHILL ...	-	1	-	-	-	-
†TODMORDEN ...	-	3	-	-	-	-
†WATH UPON DEARNE	-	1	1	-	-	-
†WOMBWELL ...	-	2	1	-	3	-
†WORSBOROUGH ...	-	1	-	-	3	-
Rural Districts:—						
BOWLAND ...	1	-	-	-	-	-
DONCASTER ...	-	3	2	-	4	-
GOOLE	-	-	-	-	1	-
HEMSWORTH ...	-	5	-	-	3	-
KIVETON PARK ...	-	10	-	-	-	-
KNARESBOROUGH	-	-	-	-	2	-
PONTEFRACT ...	-	-	1	-	1	-
ROTHERHAM ...	5	3	1	-	-	-
SEDBERGH ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
SETTLE	–	1	–	–	–	–
SKIPTON	–	2	–	–	–	–
THORNE	–	–	–	–	1	–
TODMORDEN ...	–	3	–	–	–	–
WORTLEY ...	–	4	2	–	–	–
§YORK, CITY OF ...	–	5	2	–	2	C. 3
†YORK C.B. ...	–	5	2	–	2	C. 3
WALES.						
ANGLESEY	–	5	17	–	–	M. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
LLANGEFNI ...	–	–	9	–	–	M. 1
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	3	8	–	–	–
BRECKNOCK ...	–	–	1	–	3	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	–	–	–	1	–
LLANWRTYD ...	–	–	–	–	2	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG).	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	7	5	–	1	C. 2
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	C. 2
†LLANELLY ...	–	2	2	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	5	–	–	–	–
CARNARVON ...	–	12	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CONWAY	–	3	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	5	–	–	–	–
LLEYN	–	1	–		–	–
OGWEN	–	2	–	–	–	–
DENBIGH		7	3	–	5	–
Boroughs and Urban Districts:—						
DENBIGH ...	*	*	*	*	*	*
†WREXHAM ...	–	–	2	–	–	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANSILIN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	2	–
ST. ASAPH (DENBIGH)	–	3	–	–	–	–
WREXHAM ...	–	2	1	–	3	–
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (Parishes)	–	1	–	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
FLINT	–	10	1	–	4	G. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	4	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	3	G. 1
HOLYWELL (MOLD DIV.)	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	4	–	–	–	–
GLAMORGAN ...	–	75	68	–	50	C. 3 J. 1 M. 8
†CARDIFF C.B. ...	–	7	5	–	3	C. 1 M. 5
†MERTHYR TYDFIL C.B	–	3	2	–	–	C. 1
†SWANSEA C.B. ...	–	10	11	–	9	C. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	3	–
†BARRY	–	2	9	–	3	–
†CAERPHILLY ...	–	7	2	–	–	–
†GELLIGAER ...	–	2	6	–	10	–
†GLYNCORWG ...	–	–	1	–	2	–
†MAESTEG ...	*	*	*	*	*	*
†MOUNTAIN ASH ...	–	2	1	–	1	–
†NEATH	–	–	3	–	–	–
†OGMORE AND GARW	–	1	–	–	–	–
†PENARTH ...	–	2	–	–	2	–
†PONTYPRIDD ...	–	5	1	–	1	–
PORTHCAWL ...	–	–	3	–	–	J. 1
†PORT TALBOT ...	–	3	2	–	–	–
†RHONDDA ...	–	11	4	–	7	M. 2
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
GOWER	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	4	9	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
NEATH	–	3	1	–	5	–
PENYBONT ...	–	7	4	–	–	–
PONTARDAWE ...	–	1	2	–	1	–
SWANSEA... ...	–	2	2	–	1	–
MERIONETH ...	–	–	–	–	1	G. 1
Urban Districts:—						
BALA	*	*	*	*	*	*
FESTINIOG ..	–	–	–	–	1	–
Rural Districts:—						
DOLGELLEY ...	–	–	–	–	–	G. 1
PENLLYN	*	*	*	*	*	*
MONMOUTH ...	–	8	11	–	7	C. 4 E. 1 G. 2 M. 3
†NEWPORT C.B. ...	–	1	2	–	3	C. 3 E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	–	–	–	G. 1
†ABERSYCHAN ...	–	3	–	–	–	–
†ABERTILLERY ...	–	–	2	–	–	C. 1
BEDWAS AND MACHEN	–	–	1	–	–	–
†BEDWELLTY ...	–	–	2	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	1	M. 1
†RISCA	–	–	1	–	1	–
†TREDEGAR ...	–	1	1	–	2	M. 1
Rural Districts—						
CHEPSTOW ...	–	1	–	–	1	–
MAGOR	–	–	–	–	1	–
ST. MELLONS ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ..	–	–	1	–	–	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE	–	–	–	1	1	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST	–	–	–	1	–	–
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts:—						
KNIGHTON ...	–	–	–	–	1	–
Total of Part II. ...	292	1545	915	37	1288	C. 60, D. 9, E. 5, G. 42, J. 2, L. 10, M. 92

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	–	–	–	1	–	–
HARTLEPOOL	*	*	*	*	*	*
LIVERPOOL	–	–	1	1	–	–
PLYMOUTH	–	–	–	–	1	L. 1
PORT OF LONDON ...	–	–	–	1	1	–
Total of Part III. ...	–	–	1	3	2	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	247	328	3	109	C. 12 D. 1 G. 2 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	292	1545	915	37	1288	C. 60 D. 9 E. 5 G. 42 J. 2 L. 10 M. 92
Total of Part III.—Port Sanitary Districts	–	–	1	3	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	292	1792	1244	43	1399	C. 72 D. 10 E. 5 G. 44 J. 2 L. 11 M. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; 'uerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-›halitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued r; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases nall-pox notified appear on pages 220, 221, 222, 224, 227, 232 and 233.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certai FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.
LONDON :—												
DEATHS—all ages	1,523	1,661	1517	1,233	1,658	1,230	1,200	1,399	1,270	1,062	1,070	1,209
" 0 to 1 year ..	175	162	146	128	134	125	137	144	128	82	95	105
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,513	6,697	6,314	4,245	7,477	8,017	6,594	6,920	7,002	6,793	6,862	6,836
DEATHS—all ages	6,057	6,631	6,080	5,099	6,636	5,376	5,058	5,646	5,286	5,036	4,714	5,273
" 0 to 1 year ..	712	715	692	613	775	609	660	694	619	585	548	655
ENTERIC FEVER—Cases	23	20	27	10	17	20	12	6	12	15	14	20
" Deaths	1	7	1	1	4	5	—	1	5	2	2	3
SMALL POX—Cases ..	10	26	42	51	46	44	95	102	87	99	59	60
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,015	1.024	1,003	811	1,082	923	895	950	1,051	1,022	869	959
" Deaths	11	17	10	11	10	16	14	5	12	8	14	13
DIPHTHERIA—Cases ..	677	645	662	568	759	711	684	679	851	815	787	816
" Deaths ..	59	38	30	36	53	53	31	50	35	45	26	50
MEASLES—Deaths ..	58	71	78	72	87	72	94	109	102	76	82	116
INFLUENZA—Deaths ..	100	116	132	85	123	115	81	87	100	78	90	76

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th February, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Ra M me
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	61	39	57·4	43·4	3	HUDDERSFIELD	59	42	55·3	45·0	
BRIGHTON ..	53	39	51·3	44·3	0·2	BRADFORD ..	55	41	52·9	45·0	
PORTSMOUTH ..	59	43	55·2	46·1	1	SHEFFIELD ..	57	41	54·4	44·7	
NORWICH (EATON).	57	39	54·1	43·7	3	YORK (MUSEUM)	60	42	56·1	45·0	
PLYMOUTH ..	57	45	54·0	47·4	3	HULL (PEARSON PARK).	58	42	55·1	44·1	
BRISTOL (CLIFTON).	55	42	53·0	45·4	5	TYNEMOUTH ..	56	42	52·7	45·1	
BIRMINGHAM (EDGBASTON).	56	40	52·7	43·6	6	CARDIFF.. ..	58	41	53·7	44·9	
NOTTINGHAM ..	57	42	54·6	43·9	1	EDINBURGH ..	56·0	38·0	52·1	42·4	
BIRKENHEAD (BIDSTON).	56	43	53·7	45·9	12	GLASGOW ..	54·4	42·1	51·0	44·7	
MANCHESTER (WHITWORTH PARK).	58	44	55·0	46·6	10	DUBLIN (PHŒNIX PARK).	59·2	41·1	55·6	44·2	
BURNLEY.. ..	56	43	53·1	44·7	20	(FITZWILLIAM SQUARE†).	58·0	43·8	56·3	46·5	
						BELFAST.. ..	57·0	40·5	54·0	44·2	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th February, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	21	..	29·799	60·1	43·5	16·6	50·9	+11·3	45·5	5·4	13·2	3·2	81	99·7	38·0	44·0	SSW	SW: WSW.	5·2	0·0	0·5	363	+ 38	0·00
MONDAY -	22	Greatest Declination N.	29·956	55·9	43·3	12·6	48·7	+ 9·0	40·9	7·8	16·4	2·5	74	106·1	35·2	44·1	WSW	WSW: SW.	3·2	0·0	0·5	410	+ 88	0·07
TUESDAY -	23	..	30·003	56·4	47·4	9·0	50·7	+10·9	46·2	4·5	10·6	3·0	85	74·8	42·9	44·3	SW	SW: WSW.	1·6	0·0	0·3	325	+ 5	0·01
WEDNESDAY	24	..	30·097	56·9	44·1	12·8	50·2	+10·2	46·8	3·4	9·0	1·2	87	81·9	35·8	44·4	WSW	WSW: SW.	0·4	0·0	0·1	185	− 134	0·02
THURSDAY -	25	Apogee	30·202	55·3	39·6	15·7	47·6	+ 7·5	43·7	3·9	10·3	0·8	86	98·3	29·0	44·6	Calm: SW.	SW: Calm.	1·3	0·0	0·0	168	− 155	0·00
FRIDAY -	26	..	30·202	61·0	39·3	21·7	50·0	+ 9·8	43·3	6·7	16·0	2·5	78	111·0	28·6	44·8	S	SSW: SW.	1·2	0·0	0·1	237	− 93	0·00
SATURDAY -	27	Full	30·104	57·1	46·5	10·6	51·6	+11·3	48·6	3·0	8·1	1·0	89	84·2	38·3	44·8	SW	SW: WSW.	4·3	0·0	0·4	342	+ 8	0·03
MEANS -		..	30·052	57·5	43·4	14·1	50·0	+10·0	47·0	5·0	11·9	2·0	83	93·7	35·4	44·4	WSW		..	..	..	Sum 2,030	Sum − 243	Sum 0·13
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	21	wP	1·1	10·3	Overcast generally. Solar halo 14½h. till 15h. Lunar halo 20¾h. Damping 0h.
MONDAY ..	22	wP till 8h.; mP till 19h.; variably wN and wP till 21h.; then wP.	6 7	10·4	Partially cloudy till 14½h., then clouding up to overcast by 17½h. Rain 18½h. till 23¼h.
TUESDAY ..	23	wP	0·0	10·4	Overcast. Damping 2h., and occasionally between 8¼h. and 15h. Slight rain 18½h. till 21¼h.
WEDNESDAY	24	wP till 7h; mP till 11h.: then wP.	0 3	10·5	Overcast till 14h.; then variably cloudy. Rain 1h. till 3h. Occasional slight damping 11h. till 12h. Lunar halo 22¼h. till 23½h. Dew at night.
THURSDAY	25	wP till 16½h.; mP till 19h., then wP.	2 9	10·5	Variably cloudy till 16h., then clearing to cloudless by 17¼h. Mist and dew in morning.
FRIDAY ..	26	wP till 16h., then mP.	2·2	10·6	Variably cloudy becoming nearly overcast by 13h. Dew in morning. Lunar halo 19½h.
SATURDAY	27	wP.	0·0	10·7	Overcast. Damping 2½h. till 3h.; and 6h. till 7h. Slight rain 20½h. and 21h.
			Sum 13·2	Sum 73·4	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·95 in. at the beginning of the week to 29·70 in. by 20h. on 21st; increased generally to 30·23 in. by 22h. on 26th; decreased to 30·03 in. by 22h. on 27th; increased and was 30·05 in. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 9.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 6TH MARCH 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH MARCH, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the ninth week of the year numbered 6,836, and corresponded to an annual rate of 18·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,674 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 12·7, 14·2, and 13·2. Infant mortality was 82 per 1,000 births against 80, 96 and 73 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,590 births corresponding to a rate of 18·0 per 1,000, and 1,099 deaths of civilians, corresponding to a rate of 12·5, as against revised rates of 12·1, 13·7 and 12·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·8 per 1,000. The infant mortality was 65 as against 60, 67 and 65, in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,904 to 4,674. In London the number of deaths from all causes decreased from 1,121 to 1,099 ; the deaths from diphtheria which had been 9, 14, and 18 in the preceding three weeks, declined to 13 last week ; and the deaths from measles, which had been 48, 61, and 47 in the three preceding weeks, further fell to 40 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 6th March, 1926.**

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,417,320*	6,836	4,674	562	2	102	8	59	48	40
London	4,602,000*	1,590	1,099	103	-	40	3	9	13	10
Towns in Outer Ring.										
Croydon C.B ..	199,300	52	38	4	-	2	-	-	-	-
Wimbledon ..	58,170	14	15	1	-	2	-	-	-	-
Ealing	68,410	14	17	1	-	-	-	-	-	-
Acton	63,110	15	13	1	-	1	-	-	-	-
Willesden ..	168,900	50	46	5	-	1	-	-	2	2
Hendon	59,150*	16	8	-	-	-	-	-	-	-
Hornsey	87,210	24	24	1	-	1	-	-	-	-
Wood Green ..	51,960	12	10	-	-	-	-	-	-	-
Tottenham ..	153,600	40	33	3	-	1	-	1	-	-
Edmonton ..	71,210	29	15	-	-	3	-	-	2	-
Enfield	63,740	12	14	2	-	-	-	-	-	-
West Ham C.B. ..	318,500	136	66	6	-	6	-	1	-	-
East Ham C.B. ..	147,200	41	31	1	-	1	-	-	1	-
Leyton	132,700	26	27	-	-	1	-	1	-	-
Walthamstow ..	130,800	35	31	5	-	-	-	-	-	2
Ilford	93,590	23	12	1	-	-	-	-	-	-
Gillingham	48,680*	24	18	2	-	-	-	-	1	-
Canterbury C.B ..	23,270*	9	5	2	-	1	-	-	-	-
Hastings C.B.	60,470	19	21	3	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	12	18	1	-	-	-	-	-	-
Brighton C.B. ..	137,800*	43	21	2	-	-	-	-	-	2
Portsmouth C.B. ..	232,900*	70	59	8	-	-	-	1	-	-
Bournemouth C.B. ..	85,840	29	24	2	1	-	-	-	-	-
Southampton C.B. ..	168,600	51	38	3	-	-	-	-	1	-
Reading C.B.	93,670*	28	16	1	-	-	-	-	-	-
Oxford C.B.	57,090	23	17	5	-	-	-	-	-	-
Northampton C.B. ..	93,780*	28	16	2	-	-	-	-	-	-
Luton	59,230	14	13	1	-	-	-	-	-	-
Cambridge	59,020	18	14	2	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	39	37	-	-	1	-	-	-	-
Ipswich C.B.	83,120*	34	15	3	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	17	16	5	-	-	-	-	-	-
Norwich C.B. ..	124,000*	45	23	2	-	-	-	-	-	-
Swindon	56,880	18	9	1	-	-	-	-	-	-
Exeter C.B.	59,820*	22	14	3	-	-	-	-	1	-
Plymouth C.B. ..	192,100*	68	68	5	-	-	-	1	1	1
Bath C.B.	69,050	20	22	2	-	-	1	-	1	-
Bristol C.B.	385,700*	125	96	11	-	-	-	-	-	1
Gloucester C.B. ..	53,060	24	6	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	114	80	15	-	-	-	1	-	2
Burton-upon-Trent C.B.	49,530	16	15	2	-	-	-	-	-	-
Wolverhampton C.B.	108,800	51	29	5	-	1	-	-	-	-
Walsall C.B.	102,300	32	18	5	-	-	-	1	-	-
West Bromwich C.B	79,490	36	16	2	-	-	-	-	-	-
Dudley C.B.	58,810	25	10	3	-	-	-	-	-	-
Worcester C.B. ..	50,230	15	13	1	-	-	-	-	-	-
Birmingham C.B. ..	945,900	357	204	24	-	1	-	4	2	-
Smethwick C.B. ..	78,840	35	10	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	45	23	2	-	-	-	-	-	-
Leicester C.B. ..	242,100	89	48	2	-	-	-	-	1	-
Lincoln C.B.	66,600*	28	20	2	-	2	-	-	-	1
Grimsby C.B.	87,190	35	20	4	-	-	-	-	-	-
Nottingham C.B. ..	270,600	90	73	12	-	-	-	5	2	-
Derby C.B.	134,400*	48	24	3	-	1	-	-	1	-
Chesterfield ..	65,800	37	22	2	-	2	-	-	-	-
Stockport C.B. ..	125,900	55	30	3	-	2	-	-	-	-
Chester C.B.	41,670	18	10	2	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	53	26	-	-	-	-	-	-	2
Wallasey C.B. ..	91,720	26	23	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	380	209	27	-	6	-	7	1	3
Bootle C.B.	83,260	42	17	2	-	-	-	1	-	-
St. Helens C.B. ..	109,600	44	24	7	-	1	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	18	18	4	-	-	-	-	-	2	-
WIGAN C.B.	91,010	30	22	8	-	-	-	2	-	-	-
WARRINGTON C.B. ..	77,970*	33	19	4	-	-	-	-	-	-	-
BOLTON C.B.	180,400	73	58	13	-	-	-	4	-	2	5
BURY C.B.	56,700*	13	16	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	295	238	35	-	9	-	1	4	2	17
SALFORD C.B.	244,700	82	69	15	-	3	-	1	1	2	-
OLDHAM C.B	146,200	45	45	6	-	-	-	2	-	-	2
ROCHDALE C.B... ..	92,190	11	26	3	-	-	-	-	-	-	-
BURNLEY C.B.	102,300	31	29	1	-	-	-	1	-	-	-
BLACKBURN C.B. ..	126,900	37	33	5	-	-	-	1	-	-	-
PRESTON C.B.	122,900	44	29	6	-	-	1	-	-	-	-
BLACKPOOL C.B. ..	80,750	14	17	-	-	-	-	-	-	-	1
BARROW-IN-FURNESS C.B.	73,470	25	14	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	39	27	3	-	-	1	-	1	-	2
HALIFAX C.B.	97,860*	31	26	1	-	-	1	-	-	-	-
BRADFORD C.B. ..	290,200	83	67	9	-	-	-	1	-	-	-
LEEDS C.B.	472,900	149	119	10	-	2	-	4	1	-	2
DEWSBURY C.B ..	54,570	15	8	1	-	-	-	-	1	-	-
WAKEFIELD C.B. ..	53,980	9	6	-	-	-	-	1	-	-	-
BARNSLEY C.B. ..	71,170	33	20	4	-	1	-	1	-	1	1
SHEFFIELD C.B. ..	526,900*	165	112	17	-	-	-	-	4	2	5
ROTHERHAM C.B. ..	70,600	29	15	3	-	-	-	-	-	-	-
DONCASTER	55,610	31	14	1	-	-	-	-	1	-	-
YORK C.B.	84,630*	30	36	2	-	-	-	1	-	-	2
HULL C.B.	297,300	112	85	11	-	5	-	-	3	-	1
MIDDLESBROUGH C.B.	136,200	60	25	9	-	-	-	1	-	-	-
DARLINGTON C.B. ..	69,130	29	22	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	33	21	-	-	-	-	1	-	-	-
WEST HARTLEPOOL C.B.	71,590	29	14	2	-	1	-	1	-	-	-
SUNDERLAND C.B. ..	166,000	66	38	7	-	-	-	1	-	-	-
SOUTH SHIELDS C.B. ..	124,600	40	25	2	1	2	-	-	1	-	-
GATESHEAD C.B. ..	129,000	59	39	4	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	286,300*	134	52	12	-	1	1	1	-	-	1
TYNEMOUTH C.B. ..	66,180	35	12	-	-	-	-	-	-	-	-
CARLISLE C.B.	55,160*	13	14	1	-	1	-	-	1	-	-
NEWPORT (MON.) C.B.	96,420*	33	34	5	-	-	-	1	-	1	1
CARDIFF C.B.	227,100*	70	55	7	-	-	-	-	-	1	1
RHONDDA	167,570	64	28	8	-	-	-	-	-	-	-
MERTHYR TYDFIL C.B.	82,920	39	20	1	-	-	-	-	-	-	-
ABERDARE	57,700	21	12	3	-	-	-	-	-	-	1
SWANSEA C.B.	163,200	54	43	11	-	-	-	-	-	1	-
GREATER LONDON ..	7,719,622*	2,498	1,725	158	-	68	6	13	18	14	18
OUTER RING	3,117,622*	908	626	55	-	28	3	4	5	4	6
6 GREAT TOWNS IN OUTER RING	1,867,550*	539	400	31	-	19	-	3	5	4	4
REMAINDER OF OUTER RING	1,250,072*	369	226	24	-	9	3	1	-	-	2
EDINBURGH†	424,600	161	160	23	-	-	-	-	3	-	8
GLASGOW† ..	1,034,500	452	306	42	-	23	3	6	5	5	4
DUBLIN (REGISTRATION AREA)†	443,000	209	140	34	1	1	-	-	3	5	1
BELFAST†	443,900	209	111	16	-	4	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
London‡	4,602,000	1925–6. Mar. 6	1590	1099	12·5	–	–	40	3	9	13	1
Calcutta and Suburbs	1,077,273	Jan. 30	?	762§	38·0	?	40	?	?	?	?	?
Bombay	1,279,061	Feb. 13	345‖	619	25·2	1	12	3	–	–	–	2
Madras	526,911	Jan. 30	383	545§	53·6	3	1	–	–	–	–	27
Sydney and Suburbs	1,012,070	„ 31 (31 days)										
Brisbane (Metropolitan Area).	245,015	Dec. 31 (31 days)										
Perth (Metropolitan Area).	176,467	Jan. 23										
Auckland (Urban Area).	180,790	Dec. 31 (31 days)	310	140	9·2	–	–	–	–	–	–	1
Wellington (Urban Area).	118,490	Dec. 31 (31 days)	176	84	8·5	–	–	–	–	–	1	1
Christchurch (Urban Area).	118,270	„	161	82	8·3	–	–	–	–	–	–	–
Cape Town	113,709	Feb. 6	44	26	11·9	1	–	–	–	–	–	2
Johannesburg	165,958	„ 6	71	27	8·5	1	–	–	–	–	–	–
Durban	54,822	„ 6	23	13	12·3	–	–	–	–	–	–	–
Paris	2,906,472	„ 10 (10 days)	1338	1263	15·8	4	–	27	2	5	3	22
Antwerp	300,021	Jan. 30	106	56	9·7	–	–	–	–	–	–	–
Amsterdam	718,250	Feb. 20	308	167	12·1	–	–	1	–	1	–	–
Copenhagen	587,400	„ 27	211	150	13·4	–	–	2	–	–	–	2
Stockholm	438,896	„ 20	122	122	14·5	–	–	–	–	1	–	–
Gothenburg	230,804	„ 6	?	36	8·1	–	–	–	–	–	–	–
Oslo (Christiania) ..	257,719	„ 27	76	58	11·7	–	–	–	–	–	–	–
Berlin	2,044,000	„ 6	435	472	11·7	–	?	–	–	3	3	6
Breslau	575,000	„ 6	164	139	11·6	–	?	1	–	1	–	4
Cologne	727,000	„ 6	240	182	12·9	–	?	–	1	–	1	2
Dresden	618,000	„ 6	161	169	13·3	–	?	2	–	2	–	–
Frankfort-on-Main ..	474,000	„ 6	125	99	10·1	–	?	–	–	–	–	–
Hamburg	1,115,000	„ 6	370	303	12·8	–	?	–	–	–	–	–
Leipzig	660,000	„ 6	190	178	12·8	–	?	–	1	3	1	–
Munich	685,000	„ 6	189	174	13·2	–	?	1	3	–	1	1
Vienna	1,869,437	Dec 31										
Prague and Suburbs	712,700	Nov. 30										
Budapest	960,535	Feb. 13										
Warsaw	992,450	„ 27	316	321	16·9	5	–	–	2	3	1	24
Cairo	818,500	Dec. 16	890	480	30·5	2	–	–	–	?	9	32
Alexandria	486,600	„ 16	599	452	48·3	1	–	11	–	?	3	36
New York	6,361,664	Jan. 9	3166	1720	14·1	?	?	?	?	?	?	?
Chicago	2,995,239	Feb. 19										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 29 deaths from cholera in Calcutta and 2 in Madras, and 2 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th March, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1099	103	50	38	22	39	45	75	109	187	211	220
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	40	11	22	6	1	-	-	-	-	-	-	-
Scarlet fever	3	-	-	2	1	-	-	-	-	-	-	-
Whooping cough	9	3	3	2	1	-	-	-	-	-	-	-
Diphtheria	13	-	2	8	3	-	-	-	-	-	-	-
Influenza	12	-	-	-	1	1	3	3	-	1	1	2
Erysipelas	4	2	-	-	-	-	-	2	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	2	1	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	82	-	-	1	1	13	19	21	16	7	3	1
Nervous system	4	-	1	2	-	1	-	-	-	-	-	-
Intestines and peritoneum	4	-	-	1	-	1	-	1	-	1	-	-
Other forms	8	-	-	-	1	-	-	3	1	2	-	1
Venereal diseases	1	-	-	-	-	-	-	1	-	-	-	-
Cancer	128	-	-	-	-	2	4	7	14	42	32	27
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	12	-	-	-	-	-	-	-	-	4	5	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	46	-	-	-	-	-	-	2	2	8	14	20
Epilepsy	4	-	-	-	-	-	1	-	2	-	1	-
"Convulsions" (not puerperal)	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	37	1	-	1	1	4	1	4	10	6	6	3
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	8	-	-	1	-	2	2	2	1	-	-	-
Other diseases of heart	147	-	-	-	-	1	3	3	14	33	45	48
Other diseases of circulatory system	51	-	-	-	-	-	-	-	5	11	18	17
Bronchitis	81	4	-	-	-	-	1	1	8	14	19	34
Broncho-pneumonia	88	17	15	9	-	-	1	5	3	10	18	10
Lobar-pneumonia	27	1	2	1	1	1	1	5	1	2	11	1
Pneumonia (type not distinguished)	6	-	-	-	-	-	-	-	1	3	1	1
Other diseases of respiratory system	20	-	1	-	-	1	-	2	2	1	6	7
Diarrhœa and enteritis	12	9	1	-	-	-	-	1	-	-	-	1
Appendicitis, Typhlitis	5	-	-	-	3	2	-	-	-	-	-	-
Hernia, Intestinal obstruction	9	1	-	-	-	-	-	1	-	2	4	1
Cirrhosis of liver	3	-	-	-	-	-	-	-	2	1	-	-
Other diseases of digestive system	25	-	1	-	-	-	1	2	6	11	1	3
Acute nephritis	1	-	-	-	-	-	-	1	-	-	-	-
Chronic Bright's disease	26	-	-	-	-	1	-	-	4	9	10	2
Other diseases of genito-urinary system.	18	-	-	-	-	1	-	2	2	8	2	3
Puerperal sepsis	1	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to childbirth	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	10	8	-	-	1	-	-	-	1	-	-	-
Premature birth	24	24	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	2	2	-	-	-	-	-	-	-	-	-	-
Old age	30	-	-	-	-	-	-	-	-	-	3	27
Suicide	12	-	-	-	-	-	3	2	3	3	1	-
Burns and Scalds	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	1	3	-	-	-	2	2	2	1
Other deaths by violence	10	1	1	-	-	3	-	-	1	-	1	3
Other specified causes	48	12	-	1	3	3	3	3	8	5	6	4
Ill-defined causes	2	-	1	-	-	-	-	-	-	-	1	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th March, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	225	313	3	115	C. 7 D. 2 E. 3 G. 4 M. 10
†CITY OF LONDON	-	1	1	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ..	-	18	12	-	11	E. 1
†BERMONDSEY ...	-	10	10	-	3	C. 1
†BETHNAL GREEN	-	7	14	-	4	G. 1 M. 2
†CAMBERWELL ...	-	16	32	-	4	E. 1
†CHELSEA ...	-	1	10	-	1	-
†DEPTFORD ..	-	5	20	-	2	-
†FINSBURY ...	-	3	4	-	-	-
†FULHAM ...	-	6	5	-	9	M. 1
†GREENWICH ..	-	6	13	-	2	G. 1
†HACKNEY ..	-	10	23	-	2	-
†HAMMERSMITH	-	5	10	-	1	-
†HAMPSTEAD ..	-	5	4	1	1	-
†HOLBORN...	-	3	-	-	1	D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	19	9	-	2	C. 1 M. 1
†KENSINGTON ...	-	5	8	-	3	-
†LAMBETH ...	-	14	13	-	1	C. 1 G. 1
†LEWISHAM ...	-	13	3	-	2	-
†PADDINGTON ...	-	4	6	-	5	C. 1
†POPLAR	-	5	18	-	7	D. 1
†ST. MARYLEBONE	-	-	8	-	3	-
†ST. PANCRAS ...	-	12	17	-	6	C. 1 M. 1
†SHOREDITCH ...	-	3	8	-	6	M. 2
†SOUTHWARK ...	-	12	22	-	6	-
†STEPNEY	-	12	18	-	7	C. 1 G. 1 M. 1
†STOKE NEWINGTON	-	1	2	-	1	M. 1
†WANDSWORTH ...	-	11	9	2	13	E. 1
†WESTMINSTER, CITY OF	-	6	3	-	3	-
†WOOLWICH ...	-	12	11	-	9	C. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	7	7	–	4	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ...	–	–	4	–	–	–
DUNSTABLE ...	–	–	1	–		–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	–	1	–	1	–
Rural Districts:—						
BEDFORD ...	–	2	1	–	–	–
BIGGLESWADE ...	–	1	–		2	–
LUTON	–	2	–	–	1	–
BERKS	–	8	4	–	2	–
†READING C.B. ...	–	3	4	–	1	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	–	1	–
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
HUNGERFORD ...	–	2	–	–	–	
NEWBURY ...	–	1	–	–	–	–
WINDSOR... ...	–	1	–	–	–	–
BUCKINGHAM ...	–	5	–	1	2	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–		1	–
†CHEPPING WYCOMBE ...	–	–	–	–	1	–
MARLOW	*	*	*	*	*	*
Rural Districts:—						
AMERSHAM ...	–	1	–			–
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	–	–	1		–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	2	–	1	M. 1
Borough:—						
†CAMBRIDGE ...	–	–	2	–	1	M. 1
Rural Districts:—						
SWAVESEY ...	–	3	–	–	–	–
CHESTER		54	22	1	31	C. 1 G. 2 M. 3
†BIRKENHEAD C.B.	–	4	3	1	7	M 1
†CHESTER C.B. ...	–	2	–	–	2	–
†STOCKPORT C.B.	–	10	4	–	3	–
†WALLASEY C.B. ...		3	3	–	3	G. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE		–		–	1	–
†ALTRINCHAM ...	–	3	–	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	1	1	–	1	–
BOWDON	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–		–			M. 1
†CREWE	–	2	1	–	1	–
†DUKINFIELD ...	–	1	–	–	4	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	*	*	*	*	*	*
HOOLE	–	3	–	–	1	–
†HYDE	–	1	–	–	1	–
KNUTSFORD ...		–	–		1	–
†MACCLESFIELD ...	–	2	1	–	1	–
MARPLE	–	–	–	–	1	–
†NORTHWICH ...	–	1		–		C. 1
†RUNCORN ...	–	1	–	–	–	–
†SALE	–	2	–	–		–
SANDBACH ...	–	1	–	–	–	–
TARPORLEY ...		1	–	–	–	–
†WINSFORD ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	
CHESTER	–	1	–		–	–
CONGLETON ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
MACCLESFIELD ...	-	4	1	-	-	-
NANTWICH ...	-	2	-	-	-	-
NORTHWICH ...	-	4	-	-	-	G. 1
RUNCORN... ...	-	1	6	-	-	-
WIRRAL	-	-	1	-	2	-
CORNWALL ...	-	1	3	-	5	-
Boroughs and Urban Districts:—						
HAYLE	-	-	1	-	-	-
LAUNCESTON ...	-	-	-		1	-
TORPOINT ...		-	1	-	-	-
Rural Districts:—						
LAUNCESTON ...	-	1	-	-	4	-
ST. GERMANS ...	-	-	1		-	-
CUMBERLAND ...	-	22	3	-	4	C. 1
†CARLISLE C.B. ..	-	7	3	-	1	C. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	-	5	-		-	-
EGREMONT ...	*	*	*	*	*	*
KESWICK	-	1		-	-	-
†MARYPORT ...	-	1	-	-	-	-
MILLOM	-	1	-	-	-	-
†WHITEHAVEN ..	-	1	-	-	-	-
†WORKINGTON ...	-	3	-	-	-	-
Rural Districts:—						
BRAMPTON ...	-	1	-	-	-	-
COCKERMOUTH ...	-	2	-	-	2	-
WIGTON	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	39	51	24	1	26	C. 1 D. 1 M. 3
†DERBY C.B. ...	34	7	11	-	5	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	-	1	-	-	1	-
†BELPER	-		1	-		-
†BOLSOVER ...	1	-	-	-	2	-
†CHESTERFIELD ...	1	6	1	-	5	M. 1
CLAY CROSS ...	-	1	-	-	-	
DRONFIELD ...	-	-	-	-	1	-
†GLOSSOP	-	-	2	1	1	-
†HEANOR	-	2	-	-	-	-
†LONG EATON ...	-	8	-	-	-	-
†RIPLEY	-	4	1	-	1	-
†SWADLINCOTE DISTRICT	-	3	-	-	2	-
Rural Districts:—						
BAKEWELL ...	-	1	-	-	-	M. 1
BELPER	1	1	-	-	-	-
BLACKWELL ...	1	4	-	-	2	-
CHESTERFIELD ...	-	3	2	-	2	C. 1
CLOWNE	-	-	-	-	1	-
HARTSHORN AND SEALS	-	-	-	-	1	-
HAYFIELD ...	-	1	3	-	-	-
NORTON	-	-	-	-	1	-
REPTON	-	2	-	-	-	-
SHARDLOW ..	1	6	3	-	1	-
CODNOR PARK AND SHIPLEY (Parishes)	-	1	-	-	-	-
DEVON	-	17	10	-	13	M. 1
†EXETER C.B. ...	-	3	-	-	-	-
†PLYMOUTH C.B....	-	10	6		2	—
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	-	-	-	1	-
BRIXHAM... ...	-	-	-	-	2	-
†EXMOUTH ...	-	-	-	-	3	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
SOUTH MOLTON...	–	–	–	–	1	–
†TEIGNMOUTH ...	*	*	*	*	*	*
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
BROADWOOD WIDGER	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	2	–	–	–
NEWTON ABBOT	–	–	–	–	3	–
PLYMPTON ST. MARY	–	2	1	–	–	–
ST. THOMAS ...	–	–	1	–	–	–
TOTNES	–	–	–	–	–	M. 1
DORSET	–	5	1	–	3	–
Boroughs and Urban Districts:—						
†POOLE	–	–	1	–	–	–
†PORTLAND ..	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
SHERBORNE ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	2	–
DURHAM	106	90	29	1	61	C. 1 G. 3 M. 5
†DARLINGTON C.B	–	5	–	–	7	–
†GATESHEAD C.B.	10	7	6	–	3	–
†SOUTH SHIELDS C.B.	21	7	4	1	6	G. 1
†SUNDERLAND C.B.	1	2	1	–	9	M. 2
†WEST HARTLEPOOL C.B	–	12	1	–	4	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2		–	1	–
BENFIELDSIDE ...	–	1	1	–	–	–
BILLINGHAM ...	1	5	–	–		–
†BISHOP AUCKLAND	–	–	–	–	–	G. 1
†BLAYDON... ...	10	3	–	–	2	–
†BRANDON AND BYSHOTTLES	5	–	1	–	–	–
†CHESTER LE STREET	2	2	–	–	–	–
†CONSETT	–	1	1	–	1	–
†DURHAM	–	1	1	–	–	–
†FELLING	–	–	–	–	3	–
†HARTLEPOOL ...	–	1	–	–	2	–
†HEBBURN ...	1	3	–	–	–	–
†HETTON	2	1	–	–	–	–
†HOUGHTON LE SPRING	–	2	–	–	–	–
†JARROW	1	–	1	–	1	M. 1
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	4	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SOUTHWICK ON WEAR	–	–	1	–	1	–
†SPENNYMOOR ...	5	–	–	–	–	–
†STANLEY	6	1	2	–	1	M. 2
†STOCKTON ON TEES	–	3	–	–	2	–
†TANFIELD ...	–	1	–	–	–	G. 1
TOW LAW ...	*	*	*	*	*	*
†WASHINGTON ...	–	–	1	–	–	–
†WHICKHAM ...	1	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	1	3	2	–	–	–
CHESTER LE STREET	12	5	–	–	4	–
DURHAM	–	4	–	–	3	–
EASINGTON ...	12	6	2	–	6	–
HOUGHTON LE SPRING	11	3	2	–	3	–
LANCHESTER ...	1	2	1	–	–	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS...	2	–	–	–	–	–
SUNDERLAND ...	1	–	–	–	1	–
WEARDALE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
MARCH	–	1	–	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	–	1	–	–	–
WHITTLESEY ...		–	–	–	1	–
WISBECH	–	–	1	–	–	–
ESSEX	–	61	56	1	25	D. 1 G. 1 L. 1 M. 2
†EAST HAM C.B. ...	–	5	5	–	1	–
†SOUTHEND-ON-SEA C.B.	–	2	2	1	5	–
†WEST HAM C.B. ...	–	21	14	–	3	M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	5	D. 1
BRENTWOOD ...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	–	–	2	G. 1
†COLCHESTER ...	–	1	1	–	–	–
EPPING	–	–	2	–	–	–
†GRAYS THURROCK	–	–	2	–	–	–
†ILFORD	–	4	–	–	1	L. 1
†LEYTON	–	3	7	–	1	–
†ROMFORD ...	–	1		–	–	–
TILBURY	–	1	3	–	–	–
WALTHAM HOLY CROSS	–	2	1	–	–	–
†WALTHAMSTOW...	–	10	10	–	3	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRAINTREE ...	–	2	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ONGAR	–	–	2	–	1	–
ORSETT	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROCHFORD ...	–	1	2	–	–	–
ROMFORD... ...	–	4	2	–	2	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ..	–	39	22	–	16	G. 1
†BRISTOL C.B. ...	–	27	15	–	12	G. 1
†GLOUCESTER C.B.	–	–	2	–	–	–
Boroughs and Urban Districts:—						
STROUD	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	1	–	3	–
GLOUCESTER ...	–	–	1	–	–	–
MARSTON SICCA .	–	1	–	–	–	–
NORTHLEACH ...	–	2	–	–	–	–
STROUD	–	4	2	–	–	–
THORNBURY ...	–	2	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
WINCHCOMB(part)	–	–	–	–	1	–
HEREFORD ..	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	1	–		1	–
WIGMORE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	16	2	–	–	C. 1
Boroughs and Urban Districts:—						
†BARNET		1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
RICKMANSWORTH		1	–	–	–	–
†ST. ALBANS ...	–	1	–		–	–
TRING	–	–	–	–	–	C. 1
†WATFORD ...	–	6	–	–	–	–
Rural Districts:—						
BARNET	–	3	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WATFORD ...	–	1	–	–	–	–
WELWYN	–	–	1	–	–	
HUNTINGDON ...	–	–	1	–	3	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	3	–
ST. NEOTS ...	–	–	1	–	–	–
KENT	–	42	33	1	34	C. 2 D. 1
†CANTERBURY C.B.		1	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	–	1	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	3	–
†BROMLEY ...		–		–	1	–
†CHATHAM ...	–	2	6			–
CHERITON ...	–	–	–	–	1	–
CHISLEHURST ...	–	2	–		–	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	1	3	–	1	
†DOVER	–	–	–	–	1	–
†ERITH	–	5	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAVERSHAM ...	–	2	–	1	–	–
†FOLKESTONE ...	–	2	1	–	1	D. 1
†GILLINGHAM ...	–	–	4	–	4	–
†GRAVESEND ...	–	1	–	–	–	C. 1
†MAIDSTONE ...	–	3	2	–	1	–
†MARGATE ...	–	1	1	–	1	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	1		–	1	–
†RAMSGATE ...	–	5	–	–	–	–
†ROCHESTER ...	–	1	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	3	–	–	–
SANDWICH ...	–	1	–	–	3	–
SITTINGBOURNE	–	–	–	–	2	–
SOUTHBOROUGH	–	1	–	–	–	–
WHITSTABLE ...	–	–	4	–	1	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BRIDGE	–	–	–	–	1	–
DARTFORD ..	–	2	1	–	–	–
ISLE OF THANET		–	1	–	–	–
MALLING	–	2	1	–	3	–
MILTON	–	1	–		–	–
SEVENOAKS ...	*	*	*	*	*	*
SHEPPEY		–	–	–	2	–
STROOD	–	1	2	–	–	C. 1
TONBRIDGE ...		–	–	–	3	–
WEST ASHFORD...	–	2	–	–	1	–
LANCASTER ...	1	218	101	16	236	C. 4 D. 2 G. 14 L. 1 M. 22
†BARROW IN FURNESS C.B	–	6	1	–	2	–
†BLACKBURN C.B	–	5	1	–	–	G. 1 M. 1
†BLACKPOOL C.B.	–	1	–	–	–	M. 2
†BOLTON C.B. ...	–	1		–	11	–
†BOOTLE C.B. ...	–	3	2	–	–	M. 1
†BURNLEY C.B. ...	–	3	2	14	4	–
†BURY C.B. ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Liverpool C.B ..	–	51	16	1	27	C. 1 D. 1 G. 1 M. 10
†Manchester C.B	–	37	29	–	76	C. 2 G. 3 M. 4
†Oldham C.B. ...	–	6	3	–	–	G. 2
†Preston C.B. ..	–	1	5	–	2	G. 1
†Rochdale C.B. ...	–	2	2	–	2	–
†St. Helens C.B...	–	2	–	–	5	–
†Salford C.B. ..	–	7	10	–	11	–
†Southport C.B.	–	1	–	–	6	M. 1
†Warrington C.B	–	2	1	–	7	–
†Wigan C.B. ...		–	1	–	10	D. 1
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
†Accrington ...	–	–	–	–	1	–
†Ashton in Makerfield	–	2	–	–	–	–
†Ashton under Lyne	–	1	–	–	–	–
Aspull	–	1	1	–	–	–
†Atherton ..	–	1	–	–	1	G. 1
†Bacup	–	1	–	–	1	M. 1
Blackrod ...	–	–	–	–	1	–
†Chadderton ..	–	2	–	–	–	–
†Chorley	–	–	–	–	3	–
Church	–	1	–	–	–	–
Clayton le Moors	–	–	1	–	–	–
†Colne	–	–	–	–	1	–
†Crompton ...	–	–	–	–	–	C. 1
†Darwen	–	1	1	–	1	–
†Denton	–	4	2	–	–	G. 1
†Droylsden ..	–	1	–	–	1	–
†Eccles	–	2	–	–	2	G. 1
†Failsworth ...	–	–	–	–	3	–
†Farnworth ..	–	1	–	–	–	–
†Fleetwood ..	–	–	–	–	1	–
Golborne ..	–	–	–	–	1	G. 1 M. 2
†Great Crosby ...		4	2	–	–	–
†Great Harwood	–	–	1	–	–	–
†Haslingden ...	–	–	2	–	–	–
†Haydock ...	–	–	–	–	2	–
†Heywood ..	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hindley... ...	–	–	–	–	5	–
†Horwich ...	–	–	–	–	4	–
†Ince in Makerfield	–	4	–	–	1	–
Irlam	–	–	–	–	3	–
Kirkham ...	–	–	2	–	–	–
†Lancaster ...	–	–	–	–	1	–
Lathom and Burscough	–	–	1	–	1	–
Lees	–	–		–	1	–
†Leigh	–	–	1	–	–	–
†Litherland ...	*	*	*	*	*	*
†Littleborough	–	1	3	–	–	–
Longridge ...	–	1	–	–	–	–
†Lytham St. Anne's	–	1	–	–	1	–
†Middleton ...	–	1	–	–	2	G. 1
Milnrow... ...	–	1	–	–	1	–
†Morecambe ...	–	–	1	–	–	–
†Newton in Makerfield	–	2	–	–	3	–
Norden	–	1	–	–	–	–
Orrell	–	1	–	1	–	–
†Oswaldtwistle		5	–	–	1	–
†Padiham... ...	–	2		–	1	–
Prescot	–	1	–	–	–	–
†Prestwich ...	–	10	–	–	1	–
†Radcliffe ...	–	1	–	–	–	–
†Ramsbottom ...	–	5	1	–	1	–
†Rawtenstall ...	–	1	–	–	–	–
Rishton	–	–	–	–	1	–
†Royton	1	2	–	–	1	–
†Stretford ...	–	5	1	–	1	–
†Swinton and Pendlebury		–	1	–	1	G. 1
Tottington ...	–	–	1	–	–	–
Trawden ...	–	–	–	–	1	–
†Turton	–	1	1	–	–	–
†Tyldesley with Shakerley	–	2	–	–	2	–
†Ulverston ...	–	–	1	–	–	–
†Walton le Dale	–	1	–	–	–	–
†Waterloo with Seaforth	–	–	1	–	2	–
†Westhoughton	–	2	–	–	1	–
Whitefield ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WIDNES	–	1	–	–	5	–
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
BURNLEY... ...	–	3	1	–	–	–
BURY	–	2	–	–	–	–
CHORLEY... ...	–	–	–	–	2	–
CLITHEROE ...	–	–	–	–	1	L. 1
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	–	–	–	1	–
LIMEHURST ...	–	–	–	–	1	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	2	–	–	1	–
LEICESTER... ..	–	25	17	1	12	C. 2 G. 1
†LEICESTER C.B. ...	–	14	11	–	4	C. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	2	–
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	2	–
MELTON MOWBRAY	–	1	–	–	–	–
QUORNDON ...	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	2	G. 1
BARROW UPON SOAR	–	6	1	–	–	–
BILLESDON ...	–	1	1	–	–	–
HINCKLEY ...	–		2	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	–	1	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	–	3	G. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	1	–	2	–
Rural Districts:—						
GRANTHAM ...	–	–	–	–	–	G. 1
LINCOLN (parts of Lindsey).	–	31	5		10	G. 1
†GRIMSBY C.B. ...	–	4	–	–	3	–
†LINCOLN C.B. ...	–	24	–	–	2	G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–		2	–
†GAINSBOROUGH ...	–	–	3		1	–
MARKET RASEN...	*	*	*	*	*	*
WOODHALL SPA...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GAINSBOROUGH ...	-	2	-	-	-	-
GLANFORD BRIGG	-	-	2	-	-	-
GRIMSBY	-	1		-	1	-
MIDDLESEX ..	-	66	64	-	25	C. 1 G. 2 M. 4
Boroughs and Urban Districts:—						
†ACTON	-	2	-	-	-	-
†BRENTFORD ...	-	1	-	-	-	-
†CHISWICK ...	-	3	1	-	-	M. 1
†EALING	-	9	1	-	1	-
†EDMONTON ..	-	3	5	-	-	-
†ENFIELD	-	2	8	-	-	-
†FINCHLEY ...	-	2	6	-	1	-
†FRIERN BARNET	-	-	-	-	4	-
†HAMPTON ...	-	-	1	-		-
†HANWELL ...	-	2	-	-	2	-
†HARROW ON THE HILL	-	2	-	-	-	-
†HENDON	-	1	1	-	3	-
†HESTON AND ISLEWORTH	-	2	2	-	2	G. 1
†HORNSEY	-	4	3	-		-
†SOUTHALL NORWOOD	-	-	1		-	-
SUNBURY ON THAMES	-	1	2	-	-	-
†TEDDINGTON ...	-	-	-	-	1	-
†TOTTENHAM ..	-	12	8	-	5	G. 1
†TWICKENHAM ...	-	-	2	-	-	-
†WEALDSTONE ...	-	2	-	-	2	-
†WEMBLEY ...	-	-	-	-	1	-
†WILLESDEN ...	-	12	20	-	3	M. 2
†WOOD GREEN ...	-	1	3	-	-	C. 1 M. 1
Rural Districts:—						
HENDON	-	3	-	-	-	-
STAINES	-	2	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	-	9	-	-	6	C. 2 M. 2
†GREAT YARMOUTH C.B.	-	2	-	-	2	M. 1
†NORWICH C.B. ...	-	2	-	-	-	C. 1 M. 1
Boroughs and Urban Districts:—						
EAST DEREHAM ...	-	-	-	-	-	C. 1
KING'S LYNN ...	-	-			1	-
SHERINGHAM ...	-	-	-	-	1	-
Rural Districts:—						
AYLSHAM... ...	-	1	-	-	-	-
BLOFIELD ...	-	1	-	-	-	-
FOREHOE ...	-	1	-	-	-	-
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	-	-		-	1	-
WALSINGHAM ...	-	1	-	-	1	-
WAYLAND ...	-	1	-	-	-	-
NORTHAMPTON ...	-	17	5	-	16	C. 1 D. 1 M. 1
†NORTHAMPTON C.B.	-	3	1	-	7	C. 1 D. 1
Boroughs and Urban Districts:—						
FINEDON	-	1	-	-	1	M. 1
†KETTERING ...	-	7	2	-	1	-
†RUSHDEN ...	-	-	-	-	2	-
†WELLINGBOROUGH	-	1	1	-	-	-
Rural Districts:—						
HARDINGSTONE ...	-	1	1	-	1	-
KETTERING ...	-	1	-		4	-
OXENDON... ...	-	3	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND	40	44	14	2	35	M. 2
†NEWCASTLE UPON TYNE C.B.	3	13	8	–	17	M. 1
†TYNEMOUTH C.B	1	1	2	–	5	–
Boroughs and Urban Districts:—						
AMBLE	1	–	–	–	–	–
†ASHINGTON ...	23	4	–	–	–	–
†BEDLINGTONSHIRE	2	–	–	–	5	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	2	2	–	–	3	–
†EARSDON... ...	–	2	–	–	–	–
†GOSFORTH ...	–	1	1	–	–	–
†LONGBENTON ...	–	2	–	–	–	M. 1
MORPETH ...	–	1	1	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	1	1	–	1	1	–
SEATON DELAVAL	–	–	2	–	2	–
†WALLSEND ..		6	–	–	2	–
WEETSLADE ...	2	–	–	–	–	–
†WHITLEY AND MONKSEATON	1	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	2	–	–	–	–
MORPETH... ..	4	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
ROTHBURY ...	–	–	–	1	–	–
NOTTINGHAM ..	–	16	19	–	17	M. 4
†NOTTINGHAM C.B	–	5	9	–	11	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	1	–
†CARLTON... ...	–	1	–	–	1	–
†HUCKNALL ...	–		–	–	1	–
†MANSFIELD ...		3	2	–	1	–
†NEWARK	–	–	3	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	1	M. 1
Rural Districts:—						
BASFORD	–	5	1	–	–	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	1	1	–	–	–
SKEGBY	–	–	–	–	–	M. 1
SOUTHWELL ...	–	–	1	–	–	–
OXFORD	–	2	2	–	9	C. 1 M. 1
†OXFORD C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	1	–
BICESTER... ...		–	–	–	–	M. 1
THAME	–	1		–	–	–
Rural Districts:—						
CHIPPING NORTON		–	–	–	4	–
CULHAM		–	1	–	–	–
HEADINGTON ...	–	–	–	–	1	C. 1
THAME	–	1	–		–	–
WITNEY	–	–	1	–	2	–
PETERBOROUGH (Soke of)	–	2	–	–	4	F. 1
Borough:—						
†PETERBOROUGH...	–	2	–	–	2	F. 1
Rural Districts—						
PETERBOROUGH..	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND	–	1	–	–	–	–
Urban District:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	7	1	–	5	D. 2
Boroughs and Urban Districts:—						
NEWPORT ...	–	1	–	–	–	–
†OAKENGATES ...	–	4	1	–	–	–
†SHREWSBURY ...	–	–	–	–	–	D. 2
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	–	–	–	2	–
NEWPORT ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	3	–
SOMERSET	–	9	5	–	13	–
†BATH C.B. ...	–	5	1	–	3	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CLEVEDON ...	–	–	–	–	1	–
RADSTOCK ...	–	1	–	–	1	–
STREET	–	1	–	–	–	–
†TAUNTON ...	–	–	1	–	–	–
†WESTON SUPER MARE	–	–	–		1	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1		1	–
CLUTTON	–	–	–	–	3	–
LONG ASHTON ...	–	1	–	–	–	–
TAUNTON... ...	–	–	2	–	–	–
WELLINGTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	–	43	24	1	16	M. 7
†BOURNEMOUTH C.B.	–	3	2	1	–	–
†PORTSMOUTH C.B	–	8	16	–	–	M. 2
†SOUTHAMPTON C.B.	–	5	4	–	3	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	3	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE		1	–	–	–	–
†FARNBOROUGH ...	–	–	–	–	1	–
†GOSPORT	–	1	2		2	–
WARBLINGTON ...	–	–	–	–	1	–
†WINCHESTER ...	–	7	–	–	2	M. 2
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	4	–	–	–	–
BASINGSTOKE ...	–	2	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	–	–	–	M. 1
FORDINGBRIDGE ..	–	–	–	–	1	M. 1
HURSLEY... ...	–	–	–	–	2	–
NEW FOREST ...	–	–	–	–	3	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	2	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	55	35	3	93	C. 5 L 1 M. 9
†BURTON UPON TRENT C.B	–	5	–	–	–	M. 1
†SMETHWICK C.B.	–	1	4	2	3	–
†STOKE ON TRENT C.B.	–	8	12	–	43	C. 3 M. 6
†WALSALL C.B. ...	–	3	2	–	6	C. 1
†WEST BROMWICH C.B.	–	2	4	–	2	C. 1
†WOLVERHAMPTON C.B.	–	3	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	2	1	–	–	–
BIDDULPH ..	–	–	–	–	2	M. 1
†BILSTON	–	–	1	–	1	–
†BRIERLEY HILL...	–	–	1	–	1	–
†BROWNHILLS ...	–	2	–	–	3	–
†CANNOCK	–	2	1	–	2	–
†DARLASTON ...	–	–	–	–	3	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	2	–	–	–
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	3	–
PERRY BARR ...	–	1	–	–	–	–
QUARRY BANK ...	–	–	2	–	–	–
†ROWLEY REGIS ...	–	2	–	–	1	M. 1
†SEDGLEY	–	–	–	–	1	–
†STAFFORD ...	–	1	1	–	2	–
TAMWORTH ...	–	1	1	–	–	–
†TIPTON	–	2	–	–	–	–
†WEDNESBURY ...	–	–	–	–	3	–
WEDNESFIELD ...	–	2	–	–	–	–
†WILLENHALL ...	–	1	–	–	1	–
Rural Districts:—						
CANNOCK	–	1	–	–	1	–
CHEADLE... ...	–	1	.	–	2	–
GNOSALL	–	–	–	–	1	–
KINGSWINFORD...	–	–	1	–	1	–
LEEK	–	3	–	–	2	.
LICHFIELD ...	–	4		–	3	L. 1
SEISDON	–	2	1	–	–	–
STAFFORD ...	–	1	.	–	1	–
STONE	–	–	1	1	–	–
TUTBURY... ...	–	–	–	–	1	–
WALSALL... ...	–	1	–	–	1	–
SUFFOLK, EAST ..	–	8	1	–	11	C. 1 G. 1 M. 2
†IPSWICH C.B. ..	–	–	–	–	6	G. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	–	–	–	–	C. 1
†LOWESTOFT ...	–	4	–	–	–	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
EAST STOW ...	–	–	1	–	–	M. 1
HARTISMERE ...	–	–	–	–	2	–
SAMFORD... ...	–	–	–	–	2	–
WANGFORD ...	–	2	–	–		–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
HADLEIGH ...	–	1	–	–	–	–
NEWMARKET ...	–	2	–	–	–	–
SUDBURY... ...	–	3	–	–	–	–
SURREY	–	36	9	4	13	C. 3 G. 4 M. 1
†CROYDON C.B. ...	–	9	4	–	–	C. 1 G. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	2	–	2	–
†CARSHALTON ...	–	–	2	.	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	1	1	–
†EGHAM	–	1	–	–	1	C. 1
†EPSOM	–	–	–	1	1	–
†ESHER AND THE DITTONS	–	2	–	–	–	–
GODALMING ...		–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	–		1	–	G. 1 M. 1
†KINGSTON ON THAMES	–	2	–	–	1	–
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	4	–	–	–	C. 1
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	2	–	–	–	–
†SUTTON	–	3	–	–	–	–
†THE MALDENS AND COOMBE	–		–	–	1	–
†WIMBLEDON ...	–	2	1	–	–	G. 1
WINDLESHAM ...	–	–	–		1	–
Rural Districts:—						
EPSOM	–	–	–	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–		–
GUILDFORD ...	–	–	–	–	–	G. 1
HAMBLEDON ...	–	2	–	1	–	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	11	1	11	E. 1 G. 3
†BRIGHTON C.B. ...	–	2	7	–	3	E. 1 G. 1
†EASTBOURNE C.B.	–	–	1	–	2	–
†HASTINGS C.B. ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
EAST GRINSTEAD	–	2		1	–	–
†HOVE	–	2	–		–	–
†LEWES	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	G. 1
EASTBOURNE ...	–	1	–	–	1	–
EAST GRINSTEAD	–	–	–	–	3	G. 1
HAILSHAM ...	–	–	1	–	–	–
TICEHURST ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	8	2	–	3	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†HORSHAM ...	–	–	–	–	1	–
†LITTLEHAMPTON	–	1	1			–
SHOREHAM BY SEA	–	–	1	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	4	–	–	1	–
HORSHAM ...	–	1	–	–	–	–
THAKEHAM ...	–	–	–	–	1	–
WARWICK	–	37	97	–	64	C. 3 G. 3 M. 14
†BIRMINGHAM C.B.	–	30	67	–	41	C. 1 M. 12
†COVENTRY C.B. ...	–	1	5	–	3	G. 2 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	4	–	6	C. 1 M. 1
†ROYAL LEAMINGTON SPA	–	1	4	–	–	–
†STRATFORD ON AVON	–	–	–	–	3	–
†SUTTON COLDFIELD	–	–	2	–	–	–
†WARWICK ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	-	-	-	-	2	C. 1 G. 1
ATHERSTONE ...	-	-	6	-	-	-
FOLESHILL ..	-	-	3	-	-	-
MERIDEN... ...	-	1	-	-	2	-
NUNEATON ...	-	-	-	-	2	-
RUGBY	-	-	-	-	2	-
SOLIHULL ...	-	-	-	-	3	-
SOUTHAM... ...	-	1		-	-	-
TAMWORTH (part)	-	1	5	-	-	-
WESTMORLAND ..	-	8	-	-	-	-
Boroughs and Urban Districts:—						
†KENDAL	-	1	-	-	-	-
Rural Districts:—						
EAST WESTMORLAND	-	5	-	-	-	-
SOUTH WESTMORLAND	-	2	-	-	-	-
WIGHT, ISLE OF ..	-	1	-	-	-	-
Boroughs and Urban Districts:—						
VENTNOR... ...	-	1	-	-	-	-
WILTS	-	10	5	-	9	D. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
MALMESBURY ...	-	-	-	-	-	D. 1 M. 1
†MELKSHAM ...	-	1	-	-	-	-
†SALISBURY ...	-	3	-	-	-	-
†SWINDON... ...	-	2	2	-	2	G. 1 M. 1
†TROWBRIDGE ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CALNE	-	1	-	-	-	-
DEVIZES	-	-	1	-	-	M. 1
HIGHWORTH ...	-	2	2		-	-
MALMESBURY ...	-	-	-	-	1	-
MERE	-	-		-	1	-
SALISBURY ...	-	-	-	-	1	-
TISBURY	-	-	-	-	1	-
WESTBURY AND WHORWELLSDOWN	-	-	-	-	2	-
WILTON	-	-	-	-	1	-
WORCESTER ..	-	16	6	1	16	-
†DUDLEY C.B. ...	-	3	-	-	-	-
†WORCESTER C.B.	-	-	-	-	7	-
Boroughs and Urban Districts:—						
†HALESOWEN ...	-	4	-	-	1	-
†LYE AND WOLLESCOTE	-	-	2	-	-	-
†MALVERN ...	-	2	-	-	-	-
NORTH BROMSGROVE	-	-	1	-	-	-
†OLDBURY... ...	-	1	1	-	4	-
†STOURBRIDGE ..	-	-	1	-	-	-
Rural Districts:—						
BROMSGROVE ...	-	2	1	-	-	-
DROITWICH ...	-	-	-	1	-	-
MARTLEY... ...	-	-	-	-	3	-
PERSHORE ...	-	1	-	-		-
SHIPSTON ON STOUR	-	2	-	-	1	-
TEWKESBURY (part)	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	8	14	–	12	C. 2 G. 1 M. 2
†KINGSTON UPON HULL C.B.	–	7	12	–	6	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	4	–
†BRIDLINGTON ...	–	–	1	–	–	–
HESSLE	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	2	–
DRIFFIELD ...	–	–	1	–	–	–
PATRINGTON ...	–	–	–	–	–	C. 1
YORKS ... ... (North Riding.)	–	10	6	–	9	M. 1
†MIDDLESBROUGH C.B.	–	4	2	–	5	M. 1
Boroughs and Urban Districts:—						
†REDCAR	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	–	2	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
LEYBURN... ...	–	–	1	–	–	–
MIDDLESBROUGH	–	2	–	–	–	–
RICHMOND ...	–	–	–	–	1	–
WATH	–	1	–	–	1	–
WHITBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	13	167	90	–	179	C. 3 D. 1 G. 6 L. 1 M. 3
†BARNSLEY C.B. ...	–	4	2	–	3	–
†BRADFORD C.B. ...	–	11	12	–	6	G. 3
†DEWSBURY C.B....	–	3	2	–	–	–
†HALIFAX C.B. ...	–	1	3	–	1	–
†HUDDERSFIELD C.B.	–	16	3	–	2	–
†LEEDS C.B. ...	–	17	14	–	42	–
†ROTHERHAM C.B.	–	1	2	–	4	–
†SHEFFIELD C.B....	3	22	28	–	54	C. 3 D. 1 G. 1 M. 2
†WAKEFIELD C.B.	–	3	1	–	–	L. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	–
ALTOFTS	–	1	–	–	1	–
†BATLEY	–	2	1	–	3	–
†BENTLEY WITH ARKSEY	–	2	–	–	–	–
†BINGLEY	–	4	1	–	5	–
†BOLTON UPON DEARNE	–	3	–	–	–	–
†BRIGHOUSE ...	–	1	1	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	2	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	–	2	–	–	–
†CONISBROUGH ...	–	2	–	–	2	–
CUDWORTH ...	–	–	–	–	1	–
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	–	2	–	–	–	–
†DONCASTER ...	–	3	2	–	2	–
†FEATHERSTONE ...	–	–	1	–	2	–
†GOLCAR	–	3	–	–	–	–
†GOOLE	–	2	–	–	2	–
GREASBROUGH ...	3	–	–	–	–	–
GREETLAND ...	–	2	–	–	–	–
†HARROGATE ...	–	1	–	–	1	–
†HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	–	–	–	1	–
HORSFORTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases .—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAND NETHER	–	4	–	–	1	–
KNOTTINGLEY ...	–		–	–	4	–
LEPTON	–	1	–	–	–	–
MARSDEN ...	–	–	–	–	1	–
METHLEY ...	–	–	–	–	2	–
†MEXBOROUGH ...	–	1	1	–	–	–
†MIRFIELD ...	–	–	–	–	1	G. 1
†MORLEY	–	–	–	–	4	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ...	–	–	1	–	1	–
†PONTEFRACT ...	–	1	1	–	2	–
†RAWMARSH ...	5	–	–	–	1	–
RIPON	–	1	–	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	–	1	–
SOUTH CROSLAND	–	1	–	–	–	–
SOWERBY ...	–	1	–	–	–	–
SOYLAND	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
STAINLAND ...	–	–	1	–	–	–
†STANLEY	–	–	–	–	3	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON	–	1	–	–	–	–
THURSTONLAND AND FARNLEY TYAS.	–	–	–	–	–	G. 1
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	1	–	1	–	–	–
WHITWOOD ...	–	–	1	–	–	–
†WOMBWELL ..	–	4	–	–	1	–
†WORSBOROUGH ...	–	4	1	–	–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	4	–	–	6	–
HEMSWORTH ...	–	4	1	–	4	M. 1
KIVETON PARK ...	–	11	2	–	–	–
KNARESBOROUGH	–	1	1	–	1	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	–	2	–	–	–
RIPON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
ROTHERHAM ...	1	2	–	–	–	–
SEDBERGH ...	–	4	–	–	–	–
SETTLE	–	1		–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	2	1	–	–	–
WAKEFIELD ...	–	–	–	–	2	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	2	–	–	2	–
§YORK, CITY OF ...	–	3	1	–	–	G. 1
†YORK C.B. ...	–	3	1	–	–	G. 1
WALES.						
ANGLESEY	–	1	6	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	5	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	1	–	–	–
BRECKNOCK ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	1	–	–	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	-	1	1	-	-	-
Rural Districts:—						
CARDIGAN ...	*	*	*	*	*	*
LAMPETER ...	-	-	1	-	-	-
TREGARON ...	-	1	-		-	-
CARMARTHEN ..	-	7	5	-	2	G. 1
Boroughs and Urban Districts:—						
AMMANFORD ...			-	-	1	-
BURRY PORT ...	-	1	-	-	-	-
KIDWELLY ...	*	*	*	*	*	*
†LLANELLY ...	-	1	1	-	-	-
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:—						
LLANDILO FAWR	-	1	-	-	-	-
LLANELLY ...	-	4	4	-	1	G. 1
NEWCASTLE IN EMLYN	*	*	*	*	*	*
CARNARVON ...	-	5	2	-	-	C. 1
Boroughs and Urban Districts:—						
BETHESDA ...	-	1	-	-	-	-
CONWAY	-	1	1		-	C. 1
Rural Districts:—						
CONWAY		2	1	-	-	-
LLEYN		1	-	-	-	-
DENBIGH	-	11	8	-	3	C. 1
Boroughs and Urban Districts:—						
RUTHIN	-	1	-	-	-	-
†WREXHAM ...	-	-	4	-	-	-
DENBIGH—*cont.*						
Rural Districts:—						
LLANRWST ...	-	1	-	-		-
RUTHIN	-	1	-	-	1	-
ST. ASAPH (DENBIGH)	-	3	-	-	-	-
WREXHAM ...	-	5	4	-	2	C. 1
FLINT	-	9	3	-	5	-
Boroughs and Urban Districts:—						
BUCKLEY	-	-	-	-	1	-
FLINT	-	1	1	-	-	-
HOLYWELL ...	-		-	-	1	-
PRESTATYN ...	*	*	*	*	*	*
Rural Districts:—						
HAWARDEN ...	-	3	-	-	-	-
HOLYWELL (HOLYWELL DIV.)	-	2	1	-	3	-
HOLYWELL (MOLD DIV.)	-	2	-	-	-	-
ST. ASAPH (FLINT)	-	1	1	-	-	-
GLAMORGAN .	-	74	57	-	38	C. 1 G. 1 M. 6
†CARDIFF C.B. ..	-	10	11	-	2	C. 1 M. 3
†MERTHYR TYDFIL C.B	-	4	2	-	-	-
†SWANSEA C.B. ...	-	3	8	-	6	-
Boroughs and Urban Districts:—						
†ABERDARE ...	-	6	-	-	1	-
†BARRY	-	3	2	-	4	G. 1
†CAERPHILLY ...	-	3	2	-	-	-
†GELLIGAER ...	-	-	7	-	1	-
†MAESTEG ...	-	-	6	-	1	-
†MOUNTAIN ASH ...	-	5	1	-	3	-
†NEATH	-	2	1	-	1	-
†OGMORE AND GARW	-	1	-	-	1	M. 1

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PENARTH ...	–	1	–	–	2	–
†PONTYPRIDD ...	–	4	–	–	1	–
†PORT TALBOT ...	–	5	2	–	1	–
†RHONDDA ...	–	21	7	–	12	M. 2
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	3	–	–	–
NEATH	–	2	1	–	2	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	3	3	–	–	–
MERIONETH ...	–	1	–	–	–	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
Rural Districts:—						
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	7	16	1	10	E. 1
†NEWPORT C.B. ...	–	–	2	–	6	E. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	–	–	1	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	3	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	–	3	–	–	–
†EBBW VALE ...	–	3	2	–	–	–
MONMOUTH ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	1	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RHYMNEY ...	–	–	2	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	–	1	–	2	–
Rural Districts—						
MAGOR	*	*	*	*	*	*
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY ...	–	1	–	–	3	C. 2
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	2	C. 1
NEWTOWN AND LLANIDLOES	–	–	–	–	1	C. 1
PEMBROKE... ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	–	–	2	–
RADNOR	–	–	–	–	1	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts:—						
KNIGHTON ...	–	–	–	–	1	–
Total of Part II. ...	199	1418	856	36	1127	C. 40 D. 10 E. 2 F. 1 G. 48 L. 4 M. 99

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
COLCHESTER	*	*	*	*	*	*	PORT OF LONDON ...	–	–	1	–	–	–
PLYMOUTH	–	–	–	–	.	L. 3							
SOUTHAMPTON ...	–	–	1	–	–	–							
TEIGNMOUTH	*	*	*	*	*	*							
							Total of Part III.... ...	–	–	2	–	–	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	225	313	3	115	C. 7 D. 2 E. 3 G. 4 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	199	1418	856	36	1127	C. 40 D. 10 E. 2 F. 1 G. 48 L. 4 M. 99
Total of Part III.—Port Sanitary Districts	–	–	2	–	–	L. 3
Total (*i.e.*, of returns received), England and Wales ...	199	1643	1171	39	1242	C. 47 D. 12 E. 5 F. 1 G. 52 L. 7 M. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 250, 251, 254, 257, 262 and 263.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar 6.
LONDON:—													
DEATHS—all ages	1,661	1517	1,233	1,658	1,230	1,200	1,399	1,270	1,062	1,070	1,209	1,121	1,09
" 0 to 1 year ..	162	146	128	134	125	137	144	128	82	95	105	110	10
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,697	6,314	4,245	7,477	6,017	6,594	6,920	7,002	6,793	6,862	6,836	7,359	6,83
DEATHS—all ages	6,631	6,080	5,099	6,636	5,376	5,058	5,646	5,286	5,036	4,714	5,273	4,904	4,67
" 0 to 1 year ..	715	692	613	775	609	660	694	619	585	548	655	540	56
ENTERIC FEVER—Cases	20	27	10	17	20	12	6	12	15	14	20	20	2
" Deaths	7	1	1	4	5	—	1	5	2	2	3	3	
SMALL POX—Cases ..	26	42	51	46	44	95	102	87	99	59	60	88	7
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,024	1,003	811	1,082	923	895	950	1,051	1,022	869	959	934	86
" Deaths	17	10	11	10	16	14	5	12	8	14	13	7	
DIPHTHERIA—Cases ..	645	662	568	759	711	684	679	851	815	787	816	830	82
" Deaths ..	38	30	36	53	53	31	50	35	45	26	50	56	4
MEASLES—Deaths ..	71	78	72	87	72	94	109	102	76	82	116	105	10
INFLUENZA—Deaths ..	116	132	85	123	115	81	87	100	78	90	76	89	97

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th March, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	61	33	53·7	39·7	3
BRIGHTON ..	52	34	49·3	40·7	14
PORTSMOUTH ..	57	35	52·7	41·5	7
NORWICH (EATON).	57	32	52·3	38·3	5
PLYMOUTH ..	56	36	51·9	42·4	11
BRISTOL (CLIFTON).	55	34	49·9	40·3	4
BIRMINGHAM (EDGBASTON).	57	31	51·3	38·4	8
NOTTINGHAM ..	56	32	52·0	37·7	7
BIRKENHEAD (BIDSTON).	53	33	48·3	40·7	11
MANCHESTER (WHITWORTH PARK).	53	32	49·9	38·9	15
BURNLEY	51	27	47·7	35·7	24

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	53	32	49·1	37·0	18
BRADFORD ..	52	30	49·1	37·6	25
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	55	32	50·7	38·1	9
HULL (PEARSON PARK).	57	30	52·6	37·7	7
TYNEMOUTH ..	57	31	50·1	40·4	4
CARDIFF	54	34	49·9	39·4	8
EDINBURGH ..	54·0	29·0	47·4	37·6	14
GLASGOW ..	52·2	31·2	48·2	39·2	23
DUBLIN (PHŒNIX PARK).	56·1	31·0	51·7	38·1	15
(FITZWILLIAM SQUARE†).	56·0	33·0	51·0	40·7	15
BELFAST	58·0	31·5	51·8	37·4	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th March, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	28	..	30·387	50·2	34·1	16·1	42·2	+ 1·9	35·9	6·3	15·1	2·6	79	96·3	25·0	44·9	NNW: NNE.	NE: Calm.	4·9	0·0	0·4	306	− 31	0·00
MARCH. MONDAY -	1	..	30·335	55·2	34·1	21·1	45·5	+ 5·1	39·1	6·4	14·7	3·2	79	105·1	25·0	45·0	WSW	WSW	2·0	0·0	0·1	301	− 40	0·00
TUESDAY -	2	In Equator	30·106	60·5	48·0	12 5	52·3	+11·9	44·3	8·0	12·6	5·1	74	109·1	44·1	45·0	WSW	W	3·2	0·0	0·6	483	+ 141	0·00
WEDNESDAY	3	..	29·796	53·7	42·0	11·7	47·4	+ 6·9	41·2	6·2	17·1	4·4	79	81·4	34·8	45·0	WSW: SW.	WSW	9·7	0·0	0·2	599	+ 257	0·02
THURSDAY -	4	..	29·505	46·9	34·1	12·8	39·3	− 1·4	30·2	9·1	17·7	0·9	69	101·9	29·7	45·0	WSW: W.	W	13·5	0·2	1·9	707	+ 363	0·03
FRIDAY -	5	..	29·996	47·8	33·2	14·6	41·1	+ 0·2	29·1	12·0	20·4	1·8	61	96·6	28·4	45·0	NW: NNW.	NNW: WSW.	5·2	0·0	1·0	454	+ 105	0·01
SATURDAY -	6	..	29·722	60·3	43·7	16·6	51·5	+10·5	45·4	6·1	18·9	1·4	80	90·3	41·2	45·0	WSW	WNW: WSW.	4·5	0·0	0·9	517	+ 166	0·05
MEANS -		..	29·978	53·5	38·5	15·1	45·6	+ 5·0	37·9	7·7	16·6	2·8	74	97·2	32·6	45·0	WSW		..	..	..	Sum 3,367	Sum + 961	Sum 0·11
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	28	wP till 9h.; then mP.	2·4	10·8	Overcast till 12h., clearing to partially cloudy by 13½h.; cloudless from 17½h. Damping 4h. Haze from 19h.
MARCH. MONDAY ..	1	mP till 12h.; then wP.	5·0	10·8	Partially cloudy, becoming overcast by 14h.
TUESDAY ..	2	wP till 7h.; mP till 21h.; then wP.	2·6	10·9	Nearly overcast generally with partially cloudy interval 13½h. till 17½h. Brisk wind from 8h.
WEDNESDAY	3	wP till 16h., then mP.	1·3	10·9	Overcast generally till 14½h., then partially cloudy. Brisk wind throughout. Occasional damping between 12h. and 14h. Heavy rain 14h. till 14½h.
THURSDAY	4	wP till 5½h.; variably wN and wP till 6h.; mP till 16h.; variably sN and sP till 17½h., then mP.	3·1	11·0	Variably cloudy. High wind generally till 12h., then brisk wind.
FRIDAY ..	5	mP till 1½h.; variably mN and mP till 3h.; mP till 8h.; sP till 16h.; mP till 20h., then wP.	6·6	11·1	Partially cloudy till 18½h., then overcast. Brisk wind till 8h. Snow 1½h. till 2h. Haze 9h. till 15h. Damping 21½h.
SATURDAY	6	wP till 9h.; mP till 22h., then wP.	2·0	11·1	Overcast till 12h., then partially cloudy. Rain 3½h. Damping 5h. till 9h.
			Sum 23·0	Sum 76·6	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·05 in. at the beginning of the week to 30·43 in. by 22h. on February 28th; decreased generally to 29·43 in. by 16h. on March 4th; increased to 30·05 in. by 15h. on March 5th; decreased to 29·69 in. by 8h. on March 6th; increased and was 29·79 in. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 10.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 13TH MARCH 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH MARCH, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the tenth week of the year numbered 7,238, and corresponded to an annual rate of 19·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,785 and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 14·2, 13·2, and 12·6. Infant mortality was 83 per 1,000 births against 96, 73 and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,700 births corresponding to a rate of 19·2 per 1,000, and 1,112 deaths of civilians, corresponding to a rate of 12·6, as against revised rates of 13·7, 12·7 and 12·5, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·9 per 1,000. The infant mortality was 65 as against 67, 65 and 65, in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,674 to 4,785. In London the number of deaths from all causes increased from 1,099 to 1,112 ; the deaths from diphtheria which had been 14, 18, and 13 in the preceding three weeks, rose to 16 last week; and the deaths from measles, which had been 61, 47, and 40 in the three preceding weeks, increased to 60 last week.

The death of a person, stated to have been unvaccinated, from small-pox (variola hæmorrhagica) was registered last week in Cambridge M.B.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 13th March, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 GREAT TOWNS ..	19,417,320*	7,238	4,785†	598	2	119	9	52	51	43	8
LONDON	4,602,000*	1,700	1,112	110	1	60	3	3	16	12	1
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	69	41	1	-	-	-	-	1	-	
WIMBLEDON ..	58,170	17	11	-	-	-	-	-	-	-	
EALING	68,410	14	10	-	-	1	-	-	-	-	
ACTON	63,110	15	11	-	-	3	-	-	-	-	
WILLESDEN ..	168,900	50	39	7	-	-	-	-	3	-	
HENDON	59,150*	15	10	-	-	-	-	-	-	-	
HORNSEY	87,210	20	21	1	-	1	-	-	-	-	
WOOD GREEN ..	51,960	20	7	1	-	-	-	-	-	-	
TOTTENHAM ..	153,600	40	39	5	-	1	-	-	1	-	
EDMONTON ..	71,210	38	13	1	-	1	-	-	1	-	
ENFIELD	63,740	16	15	-	-	-	-	-	1	-	
WEST HAM C.B. ..	318,500	146	71	7	-	3	2	-	2	1	
EAST HAM C.B. ..	147,200	30	31	3	-	5	-	-	-	-	
LEYTON	132,700	30	32	6	-	3	-	-	-	-	
WALTHAMSTOW ..	130,800	36	19	-	-	-	-	-	-	-	
ILFORD	93,590	25	20	2	-	1	-	-	-	-	
GILLINGHAM	48,680*	21	8	-	-	-	-	-	-	-	
CANTERBURY C.B ..	23,270*	9	8	-	-	-	-	-	-	-	
HASTINGS C.B.	60,470	17	26	2	-	-	-	1	-	-	
EASTBOURNE C.B. ..	55,060	16	5	-	-	-	-	-	-	-	
BRIGHTON C.B. ..	137,800*	43	42	6	-	-	-	-	-	-	
PORTSMOUTH C.B. ..	232,900*	98	57	6	-	-	-	2	-	-	
BOURNEMOUTH C.B. ..	85,840	18	19	-	-	-	-	-	-	-	
SOUTHAMPTON C.B. ..	168,600	59	43	6	-	-	-	-	1	-	
READING C.B.	93,670*	38	17	-	-	-	-	-	-	-	
OXFORD C.B.	57,090	17	9	1	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,780*	35	23	1	-	1	-	-	-	-	
LUTON	59,230	16	9	2	-	-	-	-	-	-	
CAMBRIDGE	59,020	10	7†	-	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	98,060	41	27	2	-	-	-	-	-	2	
IPSWICH C.B.	83,120*	32	18	1	-	-	-	-	-	-	
GREAT YARMOUTH C.B.	57,890	22	20	1	-	-	-	-	-	-	
NORWICH C.B. ..	124,000*	46	25	4	-	-	-	-	-	-	
SWINDON	56,880	23	16	1	-	-	-	-	-	-	
EXETER C.B.	59,820*	19	15	-	-	-	-	-	-	-	
PLYMOUTH C.B. ..	192,100*	73	65	1	-	1	-	-	1	-	
BATH C.B.	69,050	17	16	3	-	-	-	-	-	-	
BRISTOL C.B.	385,700*	129	95	13	-	-	1	-	1	-	
GLOUCESTER C.B. ..	53,060	24	11	-	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	278,900	110	83	19	-	1	-	3	1	1	
BURTON-UPON-TRENT C.B.	49,530	29	7	1	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	108,800	49	32	3	-	-	-	-	-	-	
WALSALL C.B.	102,300	54	22	3	-	-	-	1	2	-	
WEST BROMWICH C.B	79,490	22	19	3	-	-	-	-	-	1	
DUDLEY C.B.	58,810	19	13	3	-	-	-	1	-	-	
WORCESTER C.B. ..	50,230	13	16	2	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	945,900	345	224	28	-	5	-	4	2	1	
SMETHWICK C.B. ..	78,840	18	5	1	-	-	-	-	-	-	
COVENTRY C.B. ..	129,100	49	21	1	-	-	-	-	-	-	
LEICESTER C.B. ..	242,100	86	63	5	-	-	-	-	2	-	
LINCOLN C.B.	66,600*	16	17	1	-	1	-	-	-	-	
GRIMSBY C.B.	87,190	25	19	5	-	-	-	2	-	-	
NOTTINGHAM C.B. ..	270,600	103	75	13	-	1	-	2	-	-	
DERBY C.B.	134,400*	61	35	6	-	-	-	-	-	2	
CHESTERFIELD ..	65,800	35	15	1	-	1	-	-	-	-	
STOCKPORT C.B. ..	125,900	41	41	4	-	2	-	-	1	-	
CHESTER C.B.	41,670	16	8	2	-	-	-	-	-	-	
BIRKENHEAD C.B. ..	155,500	54	34	5	-	1	-	-	1	3	
WALLASEY C.B. ..	91,720	29	22	1	-	-	-	-	-	-	
LIVERPOOL C.B. ..	856,000	416	199	32	-	2	-	4	3	2	
BOOTLE C.B.	83,260	31	17	4	-	-	-	-	-	-	
ST. HELENS C.B. ..	109,600	51	23	3	-	-	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.
† Including 1 death from Small-pox.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	25	26	1	-	1	-	-	-	-	-
WIGAN C.B.	91,010	24	29	4	-	-	-	1	-	1	-
WARRINGTON C.B. ..	77,970*	26	14	2	-	-	-	1	-	1	-
BOLTON C.B.	180,400	60	55	11	-	-	-	5	-	2	2
BURY C.B.	56,700*	20	17	4	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	301	239	39	-	9	-	3	4	4	5
SALFORD C.B.	244,700	90	51	11	-	3	-	-	1	3	1
OLDHAM C.B	146,200	57	53	6	-	1	1	3	-	-	3
ROCHDALE C.B... ..	92,190	21	16	3	-	1	-	-	-	-	-
BURNLEY C.B.	102,300	37	21	3	-	-	-	-	-	-	-
BLACKBURN C.B. ..	126,900	43	23	2	-	-	-	-	-	-	1
PRESTON C.B.	122,900	43	25	2	-	-	-	-	-	-	5
BLACKPOOL C.B. ..	80,750	24	17	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	24	17	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	112,100	34	24	3	-	1	-	-	-	-	-
HALIFAX C.B.	97,860*	33	31	4	-	-	-	2	-	-	2
BRADFORD C.B. ..	290,200	100	79	10	-	-	-	1	-	1	1
LEEDS C.B.	472,900	165	144	25	-	-	-	-	-	-	3
DEWSBURY C.B ..	54,570	17	17	3	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	26	10	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	36	13	1	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	526,900*	182	116	17	-	-	-	-	-	-	1
ROTHERHAM C.B. ..	70,600	38	15	2	-	-	-	-	-	-	-
DONCASTER	55,610	22	19	4	-	-	-	-	-	1	1
YORK C.B.	84,630*	36	14	5	-	-	-	2	-	-	-
HULL C.B.	297,300	100	80	11	-	1	-	-	1	-	3
MIDDLESBROUGH C.B.	136,200	77	50	17	-	1	-	6	-	1	1
DARLINGTON C.B. ..	69,130	36	23	1	-	-	-	1	-	-	-
STOCKTON-ON-TEES ..	68,000	31	12	2	-	-	-	2	-	-	-
WEST HARTLEPOOL C.B.	71,590	20	16	3	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	166,000	80	58	14	-	-	-	-	-	-	3
SOUTH SHIELDS C.B. ..	124,600	53	38	5	-	-	-	-	-	1	1
GATESHEAD C.B. ..	129,000	61	36	3	-	1	-	1	1	1	1
NEWCASTLE-ON-TYNE C.B.	286,300*	133	73	10	-	1	1	-	2	1	-
TYNEMOUTH C.B. ..	66,180	26	13	1	-	-	-	1	-	-	-
CARLISLE C.B.	55,160*	34	25	3	-	3	1	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	45	16	1	-	-	-	-	-	-	1
CARDIFF C.B.	227,100*	112	56	9	1	-	-	-	1	1	2
RHONDDA	167,570	64	41	6	-	-	-	-	-	-	1
MERTHYR TYDFIL C.B.	82,920	31	30	6	-	-	-	-	1	-	1
ABERDARE	57,700	15	12	1	-	-	-	-	-	-	1
SWANSEA C.B.	163,200	60	28	1	-	1	-	-	-	-	-
GREATER LONDON ..	7,719,622*	2,693	1,777	175	1	84	5	5	26	15	27
OUTER RING	3,117,622*	993	665	65	-	24	2	2	10	3	12
16 GREAT TOWNS IN OUTER RING	1,867,550*	581	390	34	-	19	2	-	9	1	3
REMAINDER OF OUTER RING	1,250,072*	412	275	31	-	5	-	2	1	2	9
EDINBURGH†	424,600	164	146	19	-	-	-	-	-	1	9
GLASGOW† ..	1,034,500	472	305	49	-	25	1	6	2	1	2
DUBLIN (REGISTRATION AREA)†	443,000	199	133	22	-	1	1	1	2	1	1
BELFAST†	443,900	220	136	28	-	6	-	-	1	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available peri**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
		1925-6.										
London‡	4,576,505	Mar. 13	1700	1112	12·6	1	–	60	3	3	16	12
Calcutta and Suburbs	1,077,273	Feb. 6	?	722§	34·9	?	22	?	?	?	?	?
Bombay	1,279,061	„ 20	377‖	549§	22·3	1	5	2	–	–	–	19
Madras	526,911	„ 6	371	536§	52·7	1	3	–	–	5	–	30
Sydney and Suburbs	1,038,950	Jan. 31 (31 days)	1825	780	9·0	5	–	5	1	9	5	44
Brisbane (Metropolitan Area).	245,015	Dec. 31 (31 days)	505	256	12·5	2	–	–	1	–	5	18
Perth (Metropolitan Area).	176,467	Jan. 23	85	31	9·1	–	–	–	–	–	1	–
		„ 30	69	40	11·8	–	–	–	–	1	–	1
		Feb. 6	61	39	11·5	–	–	–	–	–	–	1
Auckland (Urban Area).	180,790	Jan. 31 (31 days)										
Wellington (Urban Area).	118,490	„										
Christchurch (Urban Area).	118,270	„										
Cape Town	113,709	Feb. 6	44	26	11·9	1	–	–	–	–	–	2
		„ 13	49	31	14·1	1	–	–	–	–	1	1
		„ 20	52	16	7·3	–	–	–	–	–	–	2
Johannesburg	165,958	„ 13	67	29	9·1	–	–	–	–	–	1	–
Durban	54,822	„ 13	28	15	14·2	–	–	–	–	–	–	–
Paris	2,906,472	„ 20 (10 days)	1323	1284	16·0	4	–	22	2	3	4	31
Antwerp	300,053	Feb. 6	109	54	9·4	–	–	–	–	–	–	2
		„ 13	100	64	11·1	–	–	–	–	1	1	2
Amsterdam	718,250	„ 27										
Copenhagen	587,400	Mar. 6	222	168	14·9	–	–	1	–	1	–	–
Stockholm	438,896	Feb. 27	108	111	13·2	–	–	–	–	–	–	–
Gothenburg	230,804	„ 13	?	50	11·5	–	–	–	–	–	–	–
Oslo (Christiania) ..	257,719	Mar. 6	64	53	10·7	–	–	–	–	–	–	–
Berlin	2,044,000	Feb. 13	467	554	13·4	1	?	–	2	1	1	5
		„ 20	450	517	12·7	–	?	–	–	3	2	4
Breslau	575,000	„ 13	212	151	12·6	–	?	1	–	–	–	2
		„ 20	193	142	11·6	–	?	–	1	–	1	1
Cologne	727,000	„ 13	279	192	13·4	–	?	–	–	–	–	4
		„ 20	300	196	14·0	–	?	–	–	1	3	3
Dresden	618,000	„ 13	172	161	12·3	–	?	–	1	–	–	1
		„ 20	159	152	12·0	–	?	–	–	1	–	1
Frankfort-on-Main ..	474,000	„ 13	126	87	8·7	–	?	–	–	–	–	1
		„ 20	118	95	8·9	1	?	–	–	1	–	–
Hamburg	1,115,000	„ 13	278	270	11·4	–	?	–	–	–	1	2
		„ 20	328	237	10·1	–	?	–	1	1	1	–
Leipzig	660,000	„ 13	210	173	12·7	–	?	–	–	4	–	–
		„ 20	199	169	12·3	–	?	–	–	1	–	–
Munich	685,000	„ 13	180	169	12·2	–	?	–	–	1	–	2
		„ 20	192	183	12·9	–	?	–	1	1	1	–
Vienna	1,869,437	Dec. 31										
Prague and Suburbs	712,700	Nov. 30										
Budapest	960,525	Feb. 13	361	322	17·4	1	–	–	6	3	–	2
		„ 20	324	330	17·9	2	–	2	4	–	2	4
Warsaw	992,450	Mar. 6	405	250	13·2	–	–	1	7	1	–	6
Cairo	818,500	Dec. 23										
Alexandria	486,600	„ 23										
New York	6,361,664	Jan. 16	?	1557	12·8	?	?	?	?	?	?	?
		„ 23	?	1689	13·8	?	?	?	?	?	?	?
Chicago	2,995,239	Feb. 19	1151	797	13·6	–	?	1	2	2	8	10

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Citi Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unde year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

‖ The registration of births in Bombay is incomplete.

§ Including 34 deaths from cholera in Calcutta and 9 in Madras, and 6 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th March, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1112	110	54	47	35	36	43	74	107	185	208	213
Enteric fever	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	60	17	22	18	3	-	-	-	-	-	-	-
Scarlet fever	3	-	1	1	1	-	-	-	-	-	-	-
Whooping cough	3	-	1	2	-	-	-	-	-	-	-	-
Diphtheria	16	-	4	7	5	-	-	-	-	-	-	-
Influenza	15	-	-	-	-	1	3	1	-	2	3	5
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	75	-	-	-	1	18	16	19	11	8	2	-
Nervous system	7	-	1	4	1	1	-	-	-	-	-	-
Intestines and peritoneum	2	1	-	-	1	-	-	-	-	-	-	-
Other forms	4	1	-	-	1	2	-	-	-	-	-	-
Venereal diseases	3	2	-	-	-	-	-	-	-	-	1	-
Cancer	129	-	-	1	-	-	2	4	20	48	35	19
Rheumatic fever	4	-	-	1	1	-	-	-	1	-	1	-
Diabetes	12	-	-	-	-	-	1	2	-	2	4	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	49	-	-	-	-	-	-	-	7	9	14	19
Epilepsy	3	-	-	-	-	1	1	-	1	-	-	-
"Convulsions" (not puerperal) ..	5	5	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	2	-	2	2	1	6	6	4	3	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	9	-	-	1	1	-	3	2	-	1	1	-
Other diseases of heart	151	-	-	-	4	2	4	5	18	28	42	48
Other diseases of circulatory system	61	-	-	-	-	1	-	1	7	15	20	17
Bronchitis	90	5	-	1	-	-	-	1	11	11	29	32
Broncho-pneumonia	69	16	14	7	-	-	1	4	3	10	4	10
Lobar-pneumonia	30	1	2	-	-	1	1	7	6	5	4	3
Pneumonia (type not distinguished)	7	1	-	-	1	-	-	-	-	1	4	-
Other diseases of respiratory system	24	3	1	1	1	-	-	2	-	3	4	9
Diarrhœa and enteritis	15	12	-	-	-	-	-	-	1	1	1	-
Appendicitis, Typhlitis	9	-	-	-	1	2	-	-	2	3	1	-
Hernia, Intestinal obstruction.. ..	5	2	-	-	-	-	-	-	-	2	-	1
Cirrhosis of liver	7	-	-	-	-	-	-	2	1	2	1	1
Other diseases of digestive system ..	17	1	-	3	1	-	-	1	3	4	3	1
Acute nephritis	4	-	-	-	-	-	1	1	2	-	-	-
Chronic Bright's disease..	26	-	-	-	-	-	1	3	1	8	9	4
Other diseases of genito-urinary system.	13	-	1	-	-	-	2	1	-	2	6	1
Puerperal sepsis	3	-	-	-	-	-	1	2	-	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	5	4	-	-	-	-	-	1	-	-	-	-
Premature birth	24	24	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	34	-	-	-	-	-	-	-	-	-	4	30
Suicide	6	-	-	-	-	1	-	1	-	3	1	-
Burns and Scalds	2	-	-	-	1	-	-	-	-	-	-	1
Drowning	3	-	-	-	-	-	-	1	1	1	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	-	3	1	-	-	1	-	1	2
Other deaths by violence	13	1	-	-	-	-	-	3	1	4	1	3
Other specified causes	45	7	4	-	4	3	4	2	2	7	9	3
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th March, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	224	332	5	115	C. 10 D. 2 G. 2 J. 1 L. 1 M. 13
†CITY OF LONDON	–	2	2	–	–	G. 1
Metropolitan Boroughs:—						
†BATTERSEA ..	–	11	10	–	11	L. 1 M. 1
†BERMONDSEY ..	–	16	10	–	3	–
†BETHNAL GREEN	–	5	20	–	2	C. 1
†CAMBERWELL ..	–	19	24	–	5	C. 2
†CHELSEA	–	4	9	–	3	–
†DEPTFORD ...	–	2	10	–	3	–
†FINSBURY ...	–	4	6	–	3	C. 1
†FULHAM	–	6	9	–	7	–
†GREENWICH ...	–	15	12	–	–	–
†HACKNEY ...	–	11	22	–	–	M. 1
†HAMMERSMITH ...	–	8	2	–	–	M. 1
†HAMPSTEAD ...	–	4	2	–	–	–
†HOLBORN.... ..		1	3	2	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	19	22	–	4	M. 1
†KENSINGTON ...	–	3	9	1	3	D. 1
†LAMBETH ...	–	12	17	–	5	C. 1 M. 1
†LEWISHAM ...	–	7	5	–	6	C. 1
†PADDINGTON ...	–	6	11	–	6	C. 1 M. 1
†POPLAR	–	9	17	–	10	C. 1 D. 1 M. 1
†ST. MARYLEBONE	–	1	4	–	1	–
†ST. PANCRAS ...	–	9	14	–	5	M. 1
†SHOREDITCH ...	–	7	19	–	7	M. 1
†SOUTHWARK ...	–	10	24	–	3	C. 1 M. 2
†STEPNEY	–	10	13	1	5	C. 1 G. 1
†STOKE NEWINGTON	–	–	3	–	1	–
†WANDSWORTH ...	–	14	14	1	17	J. 1 M. 1
†WESTMINSTER, CITY OF	–	1	6	–	–	–
†WOOLWICH ...	–	8	13	–	4	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	7	5	–	10	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ...	–	3	1	–	2	–
†LUTON	–	1	–	–	4	–
Rural Districts:—						
AMPTHILL ...	–	1	–		2	–
BEDFORD ...	–	1	2	–	1	–
BIGGLESWADE ...	–	–	–	–	1	–
EATON SOCON ...	–	–	2	–	–	–
BERKS	–	7	1	1	1	M. 2
†READING C.B. ...	–	1	–	–	–	M. 2
Rural Districts:—						
ABINGDON ...	–	–	1	–		–
COOKHAM ...	–	–	–	–	1	–
EASTHAMPSTEAD	–	3	–	–	–	–
WANTAGE ...	–	2	–	–	–	–
WINDSOR... ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	–	1	–	–
BUCKINGHAM ...	–	12	–	–	4	G. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	–	G. 1
†CHEPPING WYCOMBE ...	–	6	–	–	1	–
MARLOW	*	*	*	*	*	*
†SLOUGH	–	1	–		1	–
†WOLVERTON ...	–	1	–			–
Rural Districts:—						
AYLESBURY ...	–	–	–	–	1	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE	1	7	–	–	2	–
Borough:—						
†CAMBRIDGE ..	1	5	–	–	1	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	1	–
CHESTER	–	51	13	2	28	C. 1 D 1 M. 2
†BIRKENHEAD C.B	–	2	1	–	7	M 2
†CHESTER C.B. ..	–	3	–	1	1	–
†STOCKPORT C.B.	–	13	3	–	4	–
†WALLASEY C.B. ...	–	4	1	–		–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
ALSAGER	–	1	–	–	–	–
†ALTRINCHAM ...	–	2	–	–	1	–
†CONGLETON ...	–		1	–	2	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	–	–	–	4	–
HALE	–	2	–	–		–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	–	–	2	C. 1
†MACCLESFIELD ...	–	1	–	–	1	–
NANTWICH ...	–	–	–	–	1	–
†RUNCORN ...	–	1	2	–	–	
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	1	–
†WINSFORD ...		–	–		1	–
Rural Districts:—						
BUCKLOW ...	–	2	1	–	–	–
CHESTER		1	2	–	1	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	3	–	–	–	–
NORTHWICH ...	–	5	1	–	–	–
RUNCORN... ...	–	–	–	1		–
TARVIN	–	2	1	–	1	D. 1
WIRRAL	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL	-	8	-	-	5	-
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
LAUNCESTON ...	-	-	-	-	3	-
REDRUTH ...	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	-	3	-	-	1	-
HELSTON	-	4	-	-	-	-
ST. GERMANS ...	-	1	-	-	-	-
TRURO	-	-	-	-	1	-
CUMBERLAND ...	-	22	4	-	1	C. 1
†CARLISLE C.B. ...	-	4	-	-	1	-
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	-	5	-	-	-	-
EGREMONT ..	-	1	2	-	-	-
HARRINGTON ...	-	1	-	-	-	-
HOLME CULTRAM	-	-	-	-	-	C. 1
†MARYPORT ...	-	2	-	-	-	-
PENRITH	-	3	-	-	-	-
†WHITEHAVEN ...	-	1	-	-	-	-
†WORKINGTON ...	-	4	-	-	-	-
Rural Districts:—						
CARLISLE ...	-	-	1	-	-	-
LONGTOWN ...	-	1	-	-	-	-
WHITEHAVEN ...	-	-	1	-	-	-
DERBY	34	43	16	2	26	C. 1 F. 1
†DERBY C.B. ...	32	4	7	1	11	-
Boroughs and Urban Districts:—						
†ALFRETON ...	-	-	-	-	1	-
ALVASTON AND BOULTON	-	-	1	-	-	-
†BELPER	-	-	1	-	-	F. 1
†CHESTERFIELD ...	-	13	2	-	2	-
†GLOSSOP	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEANOR	-	1	-	-	2	-
†LONG EATON ...	-	1	1	-	-	-
NEW MILLS ...	-	-	1	-	-	-
†RIPLEY	-	1	-	-	-	-
†SWADLINCOTE DISTRICT	-	4	-	-	-	-
WIRKSWORTH ...	-	-	-	-	1	-
Rural Districts:—						
ASHBOURNE ...	-	1	-	-	-	-
BAKEWELL ...	-	-	-	-	1	-
BELPER	-	2	-	-	1	-
BLACKWELL ...	1	4	1	-	1	-
CHAPEL EN LE FRITH	-	2	-	-	-	-
CHESTERFIELD ...	-	3	1	1	3	-
CLOWNE	-	1	-	-	1	-
REPTON	-	3	-	-	-	C. 1
SHARDLOW ...	1	3	1	-	1	-
DEVON	-	23	17	-	14	-
†EXETER C.B. ...	-	3	-	-	-	-
†PLYMOUTH C.B. ...	-	13	10	-	6	-
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	1	1	-	-	-
BRIXHAM... ...	-	-	2	-	-	-
†EXMOUTH ...	-	1	-	-	2	-
NORTHAM ...	-	-	-	-	1	-
†PAIGNTON ...	-	-	-	-	1	-
TAVISTOCK ...	-	-	-	-	2	-
†TEIGNMOUTH ...	-	2	-	-	1	-
Rural Districts:—						
CREDITON ...	-	1	-	-		-
NEWTON ABBOT	-	-	1	-	-	-
OKEHAMPTON ...	-	-	1	-	-	-
PLYMPTON ST. MARY	-	1	-	-	1	-
ST. THOMAS ...	-	-	1	-	-	-
SOUTH MOLTON ...	-	-	1	-	-	-
TORRINGTON ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	6	2	–	3	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	3	–	–	–	–
BRIDPORT ...	–	–	1	–	–	–
†PORTLAND ..	–	1	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BLANDFORD ...	–	–	–	–	1	–
POOLE	–	–	–	–	1	–
SHAFTESBURY ...	–	–	1	–	–	–
STURMINSTER ...	–	–	–	–	1	–
DURHAM	99	94	20	4	53	G. 3 M. 8
†DARLINGTON C.B.	–	4	–	–	2	–
†GATESHEAD C.B.	5	13	4	1	5	M. 1
†SOUTH SHIELDS C.B.	20	1	–	2	6	G. 1 M. 2
†SUNDERLAND C.B.	–	–	1	–	7	–
†WEST HARTLEPOOL C.B	–	6	1	–	3	–
Boroughs and Urban Districts:—						
BENFIELDSIDE ...	–	2	1	–	–	–
BILLINGHAM ...	–	2	–	–	–	–
†BLAYDON... ...	14	4	–	–	–	–
†BRANDON AND BYSHOTTLES	4	2	–	–	–	–
†CHESTER LE STREET	9	–	–	–	2	–
†CONSETT	–	1	–	–	–	–
†CROOK	*	*	*	*	*	*
†DURHAM	–	1	–		–	G. 1 M. 1
†FELLING	–	2	–	–	1	–
†HARTLEPOOL ...	–	7	–	–	–	–
†HEBBURN ...	–	2	1	1	1	G. 1
†HETTON	–	1	–		–	–
†JARROW	–	1	2		2	M. 1
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEADGATE ...	2	–	–	–	–	–
†RYTON	2	2	–	–	–	–
†SEAHAM HARBOUR	–	2	–	–	4	–
†SHILDON	2	1	–	–	–	–
†SPENNYMOOR ...	1	1	–	–	–	–
†STANLEY	7	–	–	–	4	M. 1
†STOCKTON ON TEES	–	8	1	–	3	–
†TANFIELD ...	–	1		–	–	–
TOW LAW ...	*	*	*	*	*	*
†WHICKHAM ...	5	4	–	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	1	–	–	–	–
CHESTER LE STREET	12	2	3	–	3	–
DARLINGTON ...	–	1	2	–	–	–
DURHAM	3	2	1	–	2	–
EASINGTON ...	3	8	3	–	1	–
HARTLEPOOL ...	–	4	–	–	–	–
HOUGHTON LE SPRING	7	1	–	–	4	–
LANCHESTER ...	1	4	–	–	–	–
SEDGEFIELD ...	–	–	–	–	–	M. 1
SOUTH SHIELDS...	1	–	–	–	–	–
SUNDERLAND ...	1	1	–	–	3	M. 1
ELY, ISLE OF ...	–	–	–	1	5	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	–	–	4	–
WISBECH	–	–	–	1	1	–
ESSEX	–	51	54	3	34	C. 2 M. 1
†EAST HAM C.B. ...	–	4	5	–	1	–
†SOUTHEND-ON-SEA C.B.	–	1	–	1	8	–
†WEST HAM C.B. ...	–	14	23	1	7	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	2	M. 1
†CLACTON	–	1	–	–	1	–
†COLCHESTER ...	–	2	–	–	5	–
†GRAYS THURROCK	–	–	1	–	1	–
HALSTEAD ...	–	2	–	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	5	2	–	3	–
†LEYTON	–	1	9	–	2	G. 1
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	–	–	1	–	–
SHOEBURYNESS ...	–	–	2	–	–	–
WALTHAM HOLY CROSS	–	4	2	–	–	–
†WALTHAMSTOW...	–	6	3	–	2	–
†WANSTEAD ..	–	2	1	–	1	–
Rural Districts:—						
CHELMSFORD ...	–	–	–	–	1	–
HALSTEAD ...	–	1	–	–	–	–
MALDON	–	1	–	–	–	–
ONGAR	–	–	3	–	–	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	1	1	–	–	–
ROMFORD... ...	–	2	–	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	46	38	–	22	C. 1 D. 1 G. 4 M. 1
†BRISTOL C.B. ...	–	33	22	–	12	C. 1 D. 1 G. 2 M. 1
†GLOUCESTER C.B.	–	1	6	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	G. 2
CIRENCESTER ...	–	2	–	–	–	–
STOW ON THE WOLD	–	–	–	–	1	–
STROUD	–	–	3	–	–	–
TEWKESBURY ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	2	–		–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	1	1	–	1	–
GLOUCESTER ...	–	–	5	–	–	–
LYDNEY	–	1	–	–	–	–
NORTHLEACH ...	–	3	–	–	–	–
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	2	–
WHEATENHURST	–	–	1	–	–	–
HEREFORD ..	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	2	–	–	–
ROSS	*	*	*	*	*	*
Rural Districts:—						
BREDWARDINE ...	–	–	1	–	–	–
ROSS	*	*	*	*	*	*
WEOBLEY... ...	–	–	1	–	–	–
HERTFORD ...	–	23	2	1	2	E. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†CHESHUNT ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	2	1	1	–	–
†HITCHIN	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
RICKMANSWORTH	–	2	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
TRING	–	–	–	–	–	E. 1
†WATFORD ...	–	9	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	2	–	–	–	–
HATFIELD ...	–	–	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	1	–
HUNTINGDON ...	–	1	3	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	1	–	–	–
RAMSEY	–	–	–	–	1	–
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	–	2	–	–	–
KENT	–	38	36	1	24	G. 2
†CANTERBURY C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	4	2		–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–		–	–
†CHATHAM ...	–	–	7	1	2	–
CHISLEHURST ...	–	1	–	–	–	
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	1	5	–	2	
†DOVER	–	2	–	–	–	–
†ERITH	–	4	1	–	1	–
†FAVERSHAM ...	–	3	–	–	–	–
†FOLKESTONE ...	–	3	–	–	1	–
†GILLINGHAM ...	–	–	5	–	–	–
†GRAVESEND	–	–	5	–		–
†HERNE BAY ...	–	2	–	–		–
†MAIDSTONE ...	–	1	–		–	–
†MARGATE ...	–	3	–	–	2	G. 1
MILTON REGIS ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PENGE	–	–	–	–	1	–
†RAMSGATE ...	–	1	–	–	2	–
†ROCHESTER ...	–	–	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	2	1	–		–
†SHEERNESS ...	–	–	–	–	1	–
SIDCUP	–	1	–	–	–	–
SITTINGBOURNE	–	–	–	–	2	G. 1
WHITSTABLE ...	–	–	1	–	1	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
DARTFORD ...	–	1	5	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
ELHAM	–	1	–	–	1	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	1	–
MILTON	–	1	–	–	–	–
SHEPPEY	–	1	–	–	–	–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	–	236	138	11	245	C. 5 D. 1 E. 2 G. 14 L. 2 M. 26
†BARROW IN FURNESS C.B.	–	1	1	–	1	–
†BLACKBURN C.B	–	2	3	–	2	–
†BLACKPOOL C.B.	–	–	1	–	3	–
†BOLTON C.B. ...	–	2	1	–	6	M. 1
†BOOTLE C.B. ...	–	2	1	–	–	C. 1 M. 2
†BURNLEY C.B. ...	–	2	4	2	3	–
†BURY C.B. ...	–	4	1	–	–	–
†LIVERPOOL C.B. ...	–	59	29	5	27	D. 1 E. 1 G. 2 M. 11
†MANCHESTER C.B.	–	42	27	1	77	C. 2 E. 1 G. 4 M. 6

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Oldham C.B. ..	–	3	1	–	3	–
†Preston C.B. ...	–	–	5	–	1	–
†Rochdale C.B. ...	–	5	1	–	–	–
†St. Helens C.B....	–	4	3	–	6	C. 1
†Salford C.B. ...	–	7	22	–	15	C. 1
						G. 1
						M. 1
†Southport C.B.	–	4	–	–	2	–
†Warrington C.B.	–	4	3	–	3	G. 3
†Wigan C.B. ...	–	2	–	–	8	–
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
†Accrington ...	–	–	1	–	–	–
†Ashton in Makerfield	–	1	–	–	2	–
†Ashton under Lyne	–	2	–	–	6	–
Aspull	–	–	1	–	1	–
†Atherton ..	–	2	1	–	–	–
Audenshaw ...	–	1	–	–	3	
†Bacup	–	–	–	–	–	M. 1
Barrowford ...	–	7	–	–	–	–
Blackrod ...	–	–	–	–	1	–
†Chorley	–	–	–	–	8	–
Church	–	1	–	–	–	–
Clayton le Moors	–	1	–	–	–	–
†Clitheroe ...	–	–	4	–	2	–
†Colne	–	–	–	–	2	–
†Crompton ...	–	1	–	–	1	–
†Dalton in Furness	–	–	2	–	–	–
†Darwen	–	2	–	–	–	G. 1
†Denton	–	5	–	–	2	–
†Droylsden ...	–	1	1	–	1	–
†Eccles	–	3	–	–	1	–
†Failsworth ...	–	1	–	–	1	–
†Farnworth ...	–	–	–	–	3	–
Golborne ...	–	1	2	–	2	G. 1
						M. 1
†Great Crosby ...	–	–	1	–	–	–
†Great Harwood	–	–	1	–	–	–
†Haslingden ...	–	2	–	–	–	M. 1
†Heywood ...	–	3	–	–	–	–
†Hindley... ...	–	1	1	–	2	–
†Horwich ...	–	1	–	–	2	–
Hurst	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ince in Makerfield	–	2	–	–	3	–
†Lancaster ...	–	–	–	–	1	L. 1
Lathom and Burscough	–	–	1	–	1	–
†Leigh	–	1	2	–	5	M. 1
Leyland... ...	–	1	–	–	–	–
†Litherland ...	–	–	3	–	–	–
†Littleborough	–	6	–	–	–	–
Little Lever ...	–	–	–	–	1	–
†Lytham St. Anne's	–	1	–	–	1	–
†Middleton ...	–	–	–	–	2	G. 1
†Morecambe ...	–	1	1	–	–	–
†Newton in Makerfield	–	3	–	–	3	–
†Oswaldtwistle	–	–	–	–	1	–
†Prestwich ...	–	1	–	–	–	–
†Radcliffe ...	–	1	1	–	–	–
†Ramsbottom ...	–	1	–	–	1	–
†Rawtenstall ...	–	8	–	–	–	G. 1
Rishton	–	–	–	–	1	–
†Royton	–	1	–	–	–	–
Skelmersdale ...	–	1	–	–	–	–
†Stretford ...	–	3	2	–	1	–
†Swinton and Pendlebury	–	2	–	1	4	–
Thornton ...	–	–	–	–	1	–
Tottington ...	–	1	1	–	–	M. 1
†Turton	–	–	–	–	3	–
†Tyldesley with Shakerley	–	3	–	–	3	–
†Ulverston ...	–	1	–	–	–	–
Upholland ...	–	–	–	1	1	–
Urmston... ..	–	–	1	–	–	–
†Waterloo with Seaforth	–	2	1	–	1	–
†Westhoughton	–	–	–	–	1	–
†Widnes	–	1	2	1	4	–
†Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Burnley... ...	–	–	3	–	–	–
Clitheroe ...	–	–	1	–	1	L. 1
Fylde	–	1	–	–	–	–
Lancaster ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LEIGH	–	2	–	–	1	–
PRESTON	–	–	1	–	–	–
SEFTON	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	2	–	–	2	–
WHISTON... ...	–	2	–	–	–	–
WIGAN	–	1	–	–	2	–
LEICESTER... ...	–	32	17	–	11	G. 2 M. 2
†LEICESTER C.B. ...	–	17	11	–	7	G. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–		2	–	–	–
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	7	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	1	–
MELTON MOWBRAY	–	2	–	–	1	–
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	1	–	–	–	–
BELVOIR	–	–	–	–	1	–
BILLESDON ...	–	1	–	–	–	–
BLABY	–	–	3	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	–	–	M. 1
MELTON MOWBRAY	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Holland).	–	1	2	1	1	–
Boroughs and Urban Districts:—						
†BOSTON	–		–	1	1	–
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
SPALDING (part)..	–	1	2	–	–	–
LINCOLN (parts of Kesteven).	–	3	1	–	3	G. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–		1	–
SLEAFORD ...		–	–		1	–
Rural Districts:—						
BRANSTON ...		3	1	–		G. 1
CLAYPOLE ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	41	9		13	M. 2
†GRIMSBY C.B. ..	–	5	1	–	3	–
†LINCOLN C.B. ...	–	22	1	–	2	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	2	–	1	M. 1
†GAINSBOROUGH ...	–	2	2	–	3	–
LOUTH	–	1	1		–	–
†SCUNTHORPE AND FRODINGHAM		–	1		2	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	1	–		–	M. 1
GLANFORD BRIGG	–	1	1	–	–	–
GRIMSBY	–	1	–	–	2	–
HORNCASTLE ...		1	–	–		–
SPILSBY	–	7	–			–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ..	–	56	65	–	29	C. 6 F. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	1	–
†BRENTFORD ..	–	1	1	–	1	–
†CHISWICK ...		–	–	–	1	–
†EALING	–	1		–	–	–
†EDMONTON ..		1	9	–	–	C. 2
†ENFIELD	–	–	18	–	–	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ..	–	6	1	–	–	–
†FRIERN BARNET	–	–	2	–	–	–
†HAMPTON ...	–	2	4	–	–	–
†HANWELL ..	–	1	–	–	1	–
†HARROW ON THE HILL	–	2	–	–		–
†HENDON	–	4	1	–	–	–
†HESTON AND ISLEWORTH	–	4	3	–	3	G. 1
†HORNSEY... ..	–	3	2	–	1	–
KINGSBURY ...	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	–	1		–	–
†SOUTHGATE ...	–	–	1	–	2	–
SUNBURY ON THAMES	*	*	*	*	*	*
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ..	–	7	3		3	C. 2
†TWICKENHAM ..	–	1	–	–	–	–
†UXBRIDGE ...	–	–	–		1	–
†WEALDSTONE ..	–	–	1	–	1	–
†WEMBLEY ..		–	1	–	3	F. 1
†WILLESDEN ..	–	9	12	–	8	C. 2 M. 1
†WOOD GREEN ...	–	3	3	–		–
Rural Districts:—						
HENDON	–	4	1	–	–	–
STAINES	–	2	–	–	–	–
UXBRIDGE ...	–	–	–	–	2	–
NORFOLK ...	–	16	1	–	8	M. 3
†GREAT YARMOUTH C.B	–	8	–	–	1	–
†NORWICH C.B. ...	–	4	–	–	5	–
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
BLOFIELD ...	–	–	–	–	1	M. 1
DEPWADE ...	–	1	–	–	1	–
DOCKING	–	1	–	–	–	–
DOWNHAM ...	–	–	–	–	–	M. 1
ERPINGHAM ...	–	–	–	–	–	M. 1
FREEBRIDGE LYNN	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
NORTHAMPTON ...	–	21	1	–	10	C. 1 G. 1
†NORTHAMPTON C.B.	–	2	1	–	9	C. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	7	–	–	–	G. 1
OUNDLE	–	9	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
NORTHUMBERLAND	47	44	11	–	27	C. 1 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	5	21	5	–	12	C. 1 G. 1 M. 1
†TYNEMOUTH C.B	1	4	–	–	3	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
ALNWICK... ...	–	–	2	–	–	–
†ASHINGTON ...	28	4	1	–	–	–
†BEDLINGTONSHIRE	3	2	–	–	1	–
†BLYTH	–	2	1	–	2	M. 1
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	2	–	–	1	–
MORPETH ...	1	–	2	–	–	–
NEWBIGGIN BY THE SEA	–	3	–	–	–	–
PRUDHOE... ...	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	2	3	–	–	4	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
GLENDALE ...	–	–	–	–	1	–
MORPETH... ...	7	1	–	–	–	–
NOTTINGHAM ...	2	10	12	1	14	C. 1 G. 1
†NOTTINGHAM C.B.	1	2	8	1	6	G. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	–	–
†CARLTON... ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	1	–	–	1	–
†NEWARK	–	–	–	–	–	C. 1
†SUTTON IN ASHFIELD	1	–	2		1	–
WARSOP	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	–	–	1	–	1	–
BINGHAM... ...	*	*	*	*	*	*
EAST RETFORD ...	–	–	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
SOUTHWELL ...	–	4	–	–	1	–
OXFORD	–	3	–	–	4	C. 1 M. 1
†OXFORD C.B. ...	–	2	–	–	–	C
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	1	–
BICESTER... ...	–	–	–	–	–	M. 1
Rural Districts:—						
BICESTER... ...	–	–	–	–	2	–
CHIPPING NORTON	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	5	–	–	4	–
Borough:—						
†PETERBOROUGH...	–	3	–	–	3	–
Rural Districts—						
BARNACK... ...	–	2	–	–	–	–
PETERBOROUGH...	–	–	–	–	1	–
SALOP	–	4	1	–	7	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	2	–
NEWPORT ...	–	–	–		1	–
†OAKENGATES ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	–	1	–	1	–
CLUN	–	–	–	–	2	–
WELLINGTON ...	–	–	–	–	1	–
SOMERSET	–	22	–	–	12	–
†BATH C.B. ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
STREET	*	*	*	*	*	*
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	2	–	–	1	–
Rural Districts:—						
BATH	–	1	–	–	–	–
CHARD	–	–	–	–	2	–
CLUTTON	–	6	–	–	–	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
SHEPTON MALLET	–	2	–	–	–	–
TAUNTON... ...	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	–	–	–	2	–
SOUTHAMPTON ...	–	33	13	–	13	D. 1 G. 1 M. 1
†BOURNEMOUTH C.B.	–	3	–	–	–	D. 1 G. 1
†PORTSMOUTH C.B.	–	6	9	–	2	–
†SOUTHAMPTON C.B.	–	6	4	–	6	–
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	5	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT	–	2	–	–	–	M. 1
HAVANT		1	–	–	–	
PETERSFIELD ...	*	*	*	*	*	*
ROMSEY	–	2	–	–	–	–
†WINCHESTER ...	–	3	–	–	1	–
Rural Districts:—						
ANDOVER... ...	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	1	–
FAREHAM ...	–	1	–	–	1	–
HAVANT	–	1	–	–	–	–
HURSLEY... ...	–	–	–	–	2	–
STAFFORD	–	64	56	1	83	C. 6 E. 1 G. 1 L. 2 M. 10
†BURTON UPON TRENT C.B	–	5	–	–	1	M. 1
†SMETHWICK C.B.	–	3	9	1	1	C. 1 M. 1
†STOKE ON TRENT C.B.	–	10	13	–	33	C. 2 E. 1 L. 1 M. 2
†WALSALL C.B. ...	–	10	3	–	3	M. 1
†WEST BROMWICH C.B.	–	1	2	–	1	C. 1 G. 1
†WOLVERHAMPTON C.B.	–	3	3	–	2	C. 1 M. 2
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	1	–	–	–
†AUDLEY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
BIDDULPH ...	–	1	–	–	–	–
†BILSTON	–	–	–	–	3	–
†BRIERLEY HILL...	–	3	2	–	2	–
†BROWNHILLS ...	–	4	1	–	4	–
†CANNOCK	–	2	1	–	2	C. 1
†DARLASTON ...	–	1	–	–	3	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	–	–	1	M. 1
†LEEK	–	4	–	–	–	M. 1
LICHFIELD ...	–	–	2	–	–	–
†NEWCASTLE UNDER LYME	–	1	2	–	4	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	2	–	2	–
†SEDGLEY	–	–	–	–	2	–
†STAFFORD ...	–	2	–	–	4	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	–	2	–	1	–
†WILLENHALL ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	–	2	–	2	–
Rural Districts:—						
CANNOCK	–	2	1	–	–	–
CHEADLE	–	2	4	–	1	–
KINGSWINFORD ...	–	–	2	–	–	–
LEEK	–	–	–	–	–	M. 1
LICHFIELD ...	–	–	1	–	3	L. 1
NEWCASTLE UNDER LYME	–	–	–	–	2	–
SEISDON	–	–	1	–	–	–
STAFFORD ...	–	2	–	–		–
TAMWORTH (part)	–	–	1	–	1	–
TUTBURY... ...	–	3	–	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	12	1	–	7	C. 1 G. 1 M. 1
†IPSWICH C.B. ...	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	1	1	–	2	–
STOWMARKET ...	–	5	–	–	–	–
Rural Districts:—						
EAST STOW ...	–	3	–	–	–	–
HARTISMERE ...	–	–	–	–	1	C. 1 G. 1 M. 1
SAMFORD... ...	–	1	–	–	1	–
SUFFOLK, WEST ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	3	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	1	–
SURREY	–	32	13	2	24	C. 2 M. 5
†CROYDON C.B. ...	–	8	5	1	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	3	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	1	C. 1
DORKING	–	–	–	–		M. 1
†EGHAM	–	–	–	–	1	–
†FARNHAM ...	–	1	1	–	–	–
†FRIMLEY	–	–	–	–	–	M. 1
†GUILDFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON ON THAMES	–	3	–	–	–	–
LEATHERHEAD ...	–	–	–	–	4	–
†MERTON AND MORDEN	–	4	–	–	2	–
†MITCHAM... ...	–	1	–	–	–	–
†RICHMOND ...	–	–	–	–	–	M. 1
†SURBITON ...	–	–	–	–	3	–
†SUTTON	–	2	3	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
WEYBRIDGE ...	–	2	–	–	–	–
†WIMBLEDON ...	–	–	1	1	–	–
†WOKING	–	–	1	–	2	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	M. 1
EPSOM	–	–	1	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	2	–	–	2	–
HAMBLEDON ...	–	–	–	–	3	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	23	3	1	7	M. 1
†BRIGHTON C.B. ...	–	3	3	1	2	–
†EASTBOURNE C.B.	–	–	–	–	1	–
†HASTINGS C.B. ...	–	–	–	–	3	M. 1
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAYWARDS HEATH	–	1	–	–	–	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
HAILSHAM ...	–	–	–	–	1	–
HASTINGS ...	–	2	–	–	–	–
TICEHURST ...	–	10	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	10	–	1	7	C. 1
Boroughs and Urban Districts:—						
†LITTLEHAMPTON	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
†WORTHING ...	–	4	–	1	–	C. 1
Rural Districts:—						
HORSHAM ...	–	–	–	–	1	–
STEYNING WEST...	–	–	–	–	3	–
THAKEHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	2	–
WESTHAMPNETT	–	3	–	–	1	–
WARWICK	–	51	74	–	58	C. 4 G. 4 M. 10
†BIRMINGHAM C.B.	–	38	59	–	42	C. 1 G. 3 M. 7
†COVENTRY C.B. ...	–	2	3	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	1	–	2	C. 1 M. 1
†ROYAL LEAMINGTON SPA	–	1	1	–	2	–
Rural Districts:—						
ATHERSTONE ...	–	–	6	–	–	
BRAILES	–	1	–	–	–	–
FOLESHILL ...	–	–	–	–	2	–
MERIDEN... ...	–	5	–	–	6	C. 1 M. 1
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	–	1	–	–	G. 1
SOLIHULL ...	–	1	–	–	1	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	3	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	4	–	–	1	M. 1
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	1	–
SANDOWN ...	–	–	–	–	–	M. 1
VENTNOR... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	2	–	–	–	–
WILTS	–	2	9	–	16	–
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	–	–	–	1	–
†SWINDON... ...	–	–	4	–	7	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
CHIPPENHAM ...	–	1	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	3	–	–	–
HIGHWORTH ...	–	1	–	–	2	–
MALMESBURY ...	–	–	–	–	2	–
MARLBOROUGH ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	1	–
RAMSBURY ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	13	6	–	18	C. 1 G. 1
†DUDLEY C.B. ...	–	4	–	–	–	–
†WORCESTER C.B.	–	–	2	–	12	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	–	G. 1
†HALESOWEN ...	–	5	1	–	–	–
KIDDERMINSTER	–	–	–	–	–	C. 1
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY... ...	–	1	1	–	1	–
†STOURBRIDGE ...	–	–	–	–	5	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–
TENBURY... ...	–	1	1	–	–	–
YORKS ... ... (East Riding.)	1	9	19	–	23	D. 1 M. 1
†KINGSTON UPON HULL C.B.	1	6	17	–	9	D. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	4	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	1	–	–	1	–
HORNSEA... ...	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	4	–
DRIFFIELD ...	–	1	–	–	–	–
HOWDEN	–	–	–	–	4	–
POCKLINGTON ...	–	–	1	–	–	–
SCULCOATES ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	–	14	5	–	15	G. 1 M. 2
†MIDDLESBROUGH C.B.	–	6	4	–	7	M. 2
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†SCARBOROUGH ...	–	1	–	–	2	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	–	–	–	–	G. 1
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
KIRKBY MOORSIDE	–	–	–	–	1	–
MIDDLESBROUGH	–	3	–	–	–	–
STARTFORTH ...	–	–	1	–	–	–
STOKESLEY ...	–	1	–	–	–	–
YORKS ... ... (West Riding.)	28	181	54	2	186	C. 5 G. 2 L. 2 M. 8
†BARNSLEY C.B. ...	–	2	1	–	–	–
†BRADFORD C.B. ...	–	8	4	–	14	G. 1
†DEWSBURY C.B....	–	3	–	–	–	–
†HALIFAX C.B. ...	–	1	–	–	–	–
†HUDDERSFIELD C.B.	7	18	3	–	3	C. 1 G. 1
†LEEDS C.B. ...	–	16	2	–	36	C. 2 M. 1
†ROTHERHAM C.B.	–	6	2	–	9	–
†SHEFFIELD C.B....	2	20	20	1	61	C. 1 M. 5
†WAKEFIELD C.B.	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
BARKISLAND ...	–	–	–	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	2	–	–	–	–
†BENTLEY WITH ARKSEY	–	2	–	–	–	–
†BINGLEY	–	–	2	–	–	–
†BOLTON UPON DEARNE	3	1	–	–	1	C. 1
†BRIGHOUSE ...	–	1	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	3	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†DARTON	–	–	1	–	2	–
DENBY AND CUMBERWORTH	–	–	–	–	2	–
†DONCASTER ...	–	1	1	–	4	–
DRIGHLINGTON ...	–	1		–	3	–
†ELLAND	–	1	–	–	–	–
†GOOLE	–	1	–	–	–	–
GREASBROUGH ...	3	–	–	–	–	–
GREETLAND ...	–	2	–	–	–	–
GUISELEY ...	–	–	1	–	–	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–		–	–	4	M. 1
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–		2	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	2	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	–	M. 1
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	–	2	–	–	–
KNOTTINGLEY ...	–	–	–	–	1	–
LUDDENDEN FOOT	–	–	–	–	1	
METHLEY ...	–	–	–	–	2	–
†MEXBOROUGH ...	4	–	–	–	2	–
†MORLEY	–	1	–	–	3	–
MYTHOLMROYD ...	–	1	–	–	–	
NEW MILL ...	–	1	–	–	2	
†NORMANTON ..	–	–	–	–	2	–
OAKWORTH ...	–	3	–	–	–	–
†OSSETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENISTONE ...	*	*	*	*	*	*
†RAWMARSH ...	9	1	–	–	1	–
RIPON	–	1	–	–	–	–
SHELF	–	1	–	–	–	–
SHEPLEY	–	1	–	–	1	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–		–	1	–
†SKIPTON	–	3	–	–	–	–
SOYLAND	–	–	1	–	–	–
†SPENBOROUGH ...	–	2	1	–	1	
SPRINGHEAD ...	*	*	*	*	*	*
†STANLEY	–	1	–	–	1	–
†SWINTON	–	–	–	1	–	–
THURLSTONE ...	–	5	–	–	–	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND AND FARNLEY TYAS.	–	1	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
†WATH UPON DEARNE	–	2	1	–	–	–
†WOMBWELL ...	–	4	1	–	–	–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	1	–	–	–	–
DONCASTER ...	–	–	2	–	5	–
HEMSWORTH ...	–	12	2	–	3	–
KIVETON PARK ...	–	8	4	–	1	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	–	2	–	–	–
RIPON	–	3	–	–	–	–
ROTHERHAM ...	–	4	–	–	–	–
SEDBERGH ...	–	16	–	–	–	–
SELBY	–	–	–	–	1	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	2	–	–	1	–
THORNE	–	–	–	–	1	–
TODMORDEN ...	–	–	–	–	1	–
WETHERBY ...	–	2	–	–	2	–
WHARFEDALE (SOUTH)	–	–	–	–	2	L. 2
WORTLEY ...	–	3	1	–	–	–
§YORK, CITY OF ...	–	4	1	–	–	C. 1
†YORK C.B. ...	–	4	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	2	6	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
LLANGEFNI ...	–	–	3	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	1	–	–	–
VALLEY	–	1	2	–	–	–
BRECKNOCK ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	1	–	–	–
YSTRADFELLTE (parish)	–	–	–	–	1	–
CARDIGAN ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
CARMARTHEN ...	–	3	5	–	5	C. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	–
KIDWELLY ...	–	1	–	–	1	–
†LLANELLY ...	–	1	1	–	4	–
Rural Districts:—						
LLANDILO FAWR	–	–	2	–	–	–
LLANELLY ...		1	–	–	–	C. 1
WHITLAND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	-	6	-	-	-	-
Boroughs and Urban Districts:—						
†BANGOR	-	2	-	-	-	-
Rural Districts:—						
GEIRIONYDD ...	-	4	-	-	-	-
DENBIGH	-	12	2	-	-	-
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
DENBIGH ...	*	*	*	*	*	*
RUTHIN	-	1	-	-	-	-
†WREXHAM ...	-	1	-	-	-	-
Rural Districts:—						
CHIRK	-	-	1	-	-	-
RUTHIN		1	-	-	-	-
ST. ASAPH (DENBIGH)	-	2	-		-	-
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	-	7	1	-	-	-
FLINT	-	20	1	1	1	-
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	-	1	-	-	-	-
FLINT	-	2	-	1	-	-
HOLYWELL ...	-	3	-	-	1	-
MOLD	-	1	-	-	-	-
Rural Districts:—						
HAWARDEN ...	-	5	1	-	-	-
HOLYWELL (HOLYWELL DIV.)	-	3	-	-	-	-
HOLYWELL (MOLD DIV.)	-	2	-	-	-	-
ST. ASAPH (FLINT)	-	3	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ..	-	62	52	-	33	C. 4 M. 4
†CARDIFF C.B. ..	-	11	6	-	5	C. 1 M. 2
†MERTHYR TYDFIL C.B	-	3	1	-	1	-
†SWANSEA C.B. ...	-	6	2	-	1	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	-	5	-	-	3	-
†BARRY	-	5	5	-	-	-
†CAERPHILLY ...	-	-	3	-	1	C. 1
†GELLIGAER ...	-	2	3	-	3	-
†MAESTEG ...	-	-	8		2	
†MOUNTAIN ASH...	-	-	1	-	1	-
†NEATH	-	2	2	-	-	C. 1
†OGMORE AND GARW	-	5	3	-	-	-
†PENARTH ...		1		-	5	-
†PONTYPRIDD ...	-	2	2	-	-	-
PORTHCAWL ...	-	1	-	-	1	-
†PORT TALBOT ...	-	1	1	-	-	-
†RHONDDA ...	-	11	4	-	9	M. 2
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	-	4	9	-	-	-
PENYBONT ...	-	1		-	-	-
PONTARDAWE ...	-	-			1	-
SWANSEA... ...	-	2	2	-	-	-
MERIONETH ...	-	-	-	-	1	-
Rural Districts:—						
DEUDRAETH ...	-	-	-	-	1	-
MONMOUTH ...	-	12	11	-	14	M. 3
†NEWPORT C.B. ...	-	2	4		7	M. 2
Boroughs and Urban Districts:—						
ABERGAVENNY ...	-	1	-	-	-	-
†ABERSYCHAN ...	-	4	-		-	
†ABERTILLERY ...	-	2	3	-	-	-

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	–	1	–	2	–
†EBBW VALE ...	–	–	–	–	3	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†MYNYDDISLWYN	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
†TREDEGAR ...	–	1	2	–	–	–
MONTGOMERY ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	–
PEMBROKE	–	–	–	–	–	D. 1 G. 1
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST	–	–	–	–	–	G. 1
PEMBROKE ...	–	–	–	–	–	D. 1
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II. ...	212	1514	807	36	1139	C. 47 D. 6 E. 4 F. 2 G. 43 L. 6 M. 99

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
BARRY	–	–	–	1	–	–	SOUTHAMPTON ...	–	–	–	–	1	
BEAUMARIS	*	*	*	*	*	*	SWANSEA	–	–	–	1	–	
PLYMOUTH	–	–	–	–	2	–							
							Total of Part III.... ...	–	–	–	2	3	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	224	332	5	115	C. 10 D. 2 G. 2 J. 1 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	212	1514	807	36	1139	C. 47 D. 6 E. 4 F. 2 G. 43 L. 6 M. 99
Total of Part III.—Port Sanitary Districts	–	–	–	2	3	–
Total (*i.e.*, **of returns received), England and Wales** ...	212	1738	1139	43	1257	C. 57 D. 8 E. 4 F. 2 G. 45 J. 1 L. 7 M. 112

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases f Small-pox notified appear on pages 280, 281, 286, 287, 292 and 293.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.
LONDON:—												
DEATHS—all ages	1517	1,233	1,658	1,230	1,200	1,399	1,270	1,062	1,070	1,209	1,121	1,099
" 0 to 1 year ..	146	128	134	125	137	144	128	82	95	105	110	103
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,314	4,245	7,477	8,017	6,594	6,920	7,002	6,793	6,862	6,836	7,359	6,836
DEATHS—all ages	6,080	5,099	6,636	5,376	5,058	5,646	5,286	5,036	4,714	5,273	4,904	4,674
" 0 to 1 year ..	692	613	775	609	660	694	619	585	548	655	540	562
ENTERIC FEVER—Cases	27	10	17	20	12	6	12	15	14	20	20	24
" Deaths	1	1	4	5	—	1	5	2	2	3	3	2
SMALL POX—Cases ..	42	51	46	44	95	102	87	99	59	60	88	74
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,003	811	1,082	923	895	950	1,051	1,022	869	959	934	866
" Deaths	10	11	10	16	14	5	12	8	14	13	7	8
DIPHTHERIA—Cases ..	662	568	759	711	684	679	851	815	787	816	830	823
" Deaths ..	30	36	53	53	31	50	35	45	26	50	56	48
MEASLES—Deaths ..	78	72	87	72	94	109	102	76	82	116	105	102
INFLUENZA—Deaths ..	132	85	123	115	81	87	100	78	90	76	89	97

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th March, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rai in Mi met
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	59	37	55·0	44·4	0	HUDDERSFIELD	56	35	50·6	40·9	
BRIGHTON ..	57	37	52·3	43·9	0·3	BRADFORD ..	55	32	50·0	42·0	
PORTSMOUTH ..	56	39	54·0	45·3	0·4	SHEFFIELD ..	59	35	51·6	42·4	
NORWICH (EATON).	59	34	53·3	42·6	3	YORK (MUSEUM)	60	35	53·9	42·0	
PLYMOUTH ..	55	37	51·7	44·4	2	HULL (PEARSON PARK).	63	35	55·1	40·6	
BRISTOL (CLIFTON).	54	39	51·0	44·7	17	TYNEMOUTH ..	58	33	52·7	43·6	
BIRMINGHAM (EDGBASTON).	56	37	52·3	44·3	1	CARDIFF.. ...	54	38	50·9	43·0	
NOTTINGHAM ..	59	34	53·1	43·4	6	EDINBURGH ..	54·0	30·0	50·1	39·4	
BIRKENHEAD (BIDSTON).	56	36	49·6	44·4	9	GLASGOW ..	52·0	33·0	49·5	41·1	
MANCHESTER (WHITWORTH PARK).	58	35	51·3	43·6	17	DUBLIN (PHŒNIX PARK).	59·0	35·3	52·7	42·9	
BURNLEY	56	33	48·6	41·4	31	(FITZWILLIAM SQUARE†).	59·2	37·8	53·1	45·0	
						BELFAST.. ..	57·5	33·5	52·1	41·1	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th March, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	7	Last Quarter.	29·952	57·0	49·0	8·0	52·9	+11·9	47·1	5·8	8·6	3·2	81	69·6	43·3	45·0	WSW : W.	W : WSW.	2·7	0·0	0·6	453	+ 101	0·00
MONDAY -	8	..	30·081	58·5	46·6	11·9	52·5	+11·4	43·4	9·1	15·7	3·0	71	103·7	39·2	45·0	WSW	WSW	7·3	0·0	1·0	517	+ 164	0·00
TUESDAY -	9	Greatest Declination S.	29·890	53·8	37·6	16·2	45·7	+ 4·7	37·5	8·2	27·0	5·8	74	89·0	30·1	45·1	WSW	NW : W	15·0	0·2	2·0	693	+ 346	0·00
WEDNESDAY	10	..	30·232	50·6	36·6	14·0	43·7	+ 2·8	26·3	17·4	24·1	8·7	49	98·7	29·4	45·2	W : NW.	NW : NNW.	12·5	0·0	1·5	595	+ 258	0·00
THURSDAY -	11	..	30·325	53·0	37·1	15·9	45·9	+ 4·9	38·6	7·3	13·6	5·5	76	92·9	28·8	45·3	WSW : W.	W	4·9	0·0	0·8	502	+ 176	0·00
FRIDAY -	12	Perigee	30·258	54·7	45·0	9·7	49·7	+ 8·6	43·5	6·2	12·6	2·6	79	83·0	36·9	45·2	WSW	W	3·2	0·0	0·6	431	+ 114	0·00
SATURDAY -	13	..	30·254	56·1	41·4	14·7	48·3	+ 7·0	40·4	7·9	14·7	2·1	74	99·9	31·2	45·2	W : WNW : NW.	WNW : W.	1·3	0·0	0·2	271	− 39	0·00
MEANS -		..	30·142	54·8	41·9	12·9	48·4	+ 7·3	39·5	8·8	16·6	4·4	72	91·0	34·1	45·1	WSW		..	..	..	Sum 3462	Sum +1120	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	wP	0·0	11·2	Overcast. Damping 0½h.
MONDAY ..	8	wP	3·1	11·3	Overcast generally with nearly cloudless interval between 5h. and 10h. Slight damping 14h. Brisk wind from 10h.
TUESDAY ..	9	wP till 15h., then mP.	0·9	11·3	Overcast till 15½h., then clearing to cloudless by 17½h. Brisk wind till 19h., rising to moderate gale from 12h. to 18h. Occasional slight rain between 9h. and 15½h. Aurora borealis 19½h.
WEDNESDAY	10	wP till 6h.; then mP.	4·6	11·4	Nearly cloudless, with cloudy period from 10h. to 17½h.
THURSDAY	11	mP till 2h.; wP till 7h., mP till 22h., then wP.	0·3	11·5	Nearly overcast generally till 20¾h., nearly cloudless till 22h., then overcast. Brisk wind 9h. till 22h.
FRIDAY ..	12	wP till 8h., mP till 21h., then wP.	0·0	11·5	Overcast generally.
SATURDAY	13	wP till 9h.; then mP.	3·0	11·6	Overcast till 12h., then variably cloudy, becoming cloudless by 23h. Haze 12h. till 21h.
			Sum 11·9	Sum 79·8	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·79 in. at the beginning of the week to 30·10 in. by 13h. on 8th; decreased to 29·82 in. by 13h. on 9th; increased to 30·42 in. by 1h. on 11th; decreased to 30·25 in. by 4h. on 12th; increased to 30·28 in. by 9h. on 13th; decreased and was 30·26 in. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 11.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 20TH MARCH 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH MARCH, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eleventh week of the year numbered 7,128, and corresponded to an annual rate of 19·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,776 and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 13·2, 12·6, and 12·9. Infant mortality was 79 per 1,000 births against 73, 82 and 83 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,577 births corresponding to a rate of 17·8 per 1,000, and 1,159 deaths of civilians, corresponding to a rate of 13·1, as against revised rates of 12·7, 12·5 and 12·6, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·7 per 1,000. The infant mortality was 74 as against 65, in each of the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,786 to 4,776. In London the number of deaths from all causes increased from 1,112 to 1,159 ; the deaths from diphtheria which had been 18, 13, and 16 in the preceding three weeks, were 17 last week; and the deaths from measles, which had been 47, 40, and 60 in the three preceding weeks, fell to 56 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 20th March, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,128	4,776	564	3	116	12	43	49	53	136
London	4,602,000*	1,577	1,159	116	-	56	2	1	17	22	19
Towns in Outer Ring.											
Croydon C.B ..	199,300	74	58	3	-	1	-	-	-	-	-
Wimbledon ..	58,170	11	16	1	-	3	-	-	-	-	2
Ealing	68,410	25	9	1	-	-	-	-	-	-	1
Acton	63,110	15	17	3	-	1	-	-	-	-	-
Willesden ..	168,900	49	30	1	-	-	-	-	2	-	-
Hendon	59,150*	19	10	3	-	-	-	-	-	-	1
Hornsey	87,210	18	18	1	-	1	-	-	-	-	-
Wood Green ..	51,960	16	6	1	-	-	-	-	-	-	-
Tottenham ..	153,600	33	32	2	-	5	-	-	-	-	-
Edmonton ..	71,210	35	16	3	-	3	-	-	1	-	-
Enfield	63,740	16	20	3	-	1	-	-	-	-	-
West Ham C.B. ..	318,500	167	75	8	-	6	-	-	1	1	-
East Ham C.B. ..	147,200	45	35	7	-	3	-	-	1	-	-
Leyton	132,700	33	28	6	-	-	-	-	1	1	-
Walthamstow ..	130,800	40	25	2	-	1	-	-	-	-	-
Ilford	93,590	18	14	-	-	-	-	-	-	-	-
Gillingham	48,680*	24	10	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	8	3	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	14	12	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	16	9	-	-	1	-	-	-	-	1
Brighton C.B. ..	137,800*	56	37	3	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	89	73	4	-	-	1		1	-	9
Bournemouth C.B. ..	85,840	22	22	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	53	35	2	-	-	-	-	-	-	3
Reading C.B.	93,670*	29	25	2	-	1	-	-	-	-	-
Oxford C.B.	57,090	28	17	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	30	16	-	-	-	-	-	-	-	1
Luton	59,230	11	7	1	-	-	-	-	-	-	-
Cambridge	59,020	14	7	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	24	25	2	-	-	-	-	-	-	1
Ipswich C.B.	83,120*	35	16	1	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,890	20	19	1	-	-	-	-	-	1	1
Norwich C.B. ..	124,000*	47	17	2	-	-	-	-	-	-	-
Swindon	56,880	20	11	2	-	-	-	-	-	-	-
Exeter C.B.	59,820*	17	23	1	-	-	-	-	-	-	4
Plymouth C.B. ..	192,100*	61	56	3	-	1	1	2	-	-	3
Bath C.B.	69,050	19	25	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	154	110	10	-	-	2	-	2	-	2
Gloucester C.B. ..	53,060	18	16	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	116	74	12	-	-	-	-	1	1	1
Burton-upon-Trent C.B.	49,530	19	14	-	-	-	-	-	-	-	1
Wolverhampton C.B.	108,800	45	28	3	-	-	-	-	1	-	1
Walsall C.B.	102,300	43	21	2	-	-	-	-	1	-	-
West Bromwich C.B	79,490	39	28	6	-	1	-	-	-	-	1
Dudley C.B.	58,810	26	8	-	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	24	14	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	344	187	15	-	1	-	1	2	2	6
Smethwick C.B. ..	78,840	29	7	-	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	56	27	5	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	88	50	2	-	-	-	-	2	-	-
Lincoln C.B.	66,600*	22	15	2	-	-	-	1	-	-	-
Grimsby C.B.	87,190	44	19	1	-	-	-	-	-	-	1
Nottingham C.B. ..	270,600	85	66	11	-	-	-	1	-	-	2
Derby C.B.	134,400*	45	34	4	-	1	-	-	1	-	2
Chesterfield ..	65,800	35	10	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	43	40	7	-	1	-	-	-	-	6
Chester C.B.	41,670	19	10	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	57	38	9	-	-	-	-	-	1	2
Wallasey C.B. ..	91,720	29	15	-	-	-	-	-	1	-	1
Liverpool C.B. ..	856,000	413	212	39	-	6	1	8	3	4	-
Bootle C.B.	83,260	58	19	6	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	46	23	2	-	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	10	16	-	-	-	-	-	-	-	-
Wigan C.B.	91,010	34	23	8	-	-	-	1	-	-	-
Warrington C.B. ..	77,970*	29	25	2	-	-	-	1	-	-	1
Bolton C.B.	180,400	58	53	8	-	-	-	1	1	1	4
Bury C.B.	56,700*	14	18	2	-	-	-	-	-	-	1
Manchester C.B. ..	755,800	306	218	21	-	8	1	1	5	2	13
Salford C.B.	244,700	88	60	8	-	3	-	-	-	2	3
Oldham C.B	146,200	49	45	10	-	-	-	2	-	1	3
Rochdale C.B... ..	92,190	22	23	5	-	-	-	-	-	-	1
Burnley C.B.	102,300	34	22	1	1	-	-	-	-	-	-
Blackburn C.B. ..	126,900	44	34	9	-	-	-	-	-	-	1
Preston C.B.	122,900	46	24	6	-	-	-	-	1	1	-
Blackpool C.B. ..	80,750	27	18	2	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	73,470	15	17	3	1	-	-	1	-	-	1
Huddersfield C.B. ..	112,100	36	28	2	-	2	-	-	-	-	-
Halifax C.B.	97,860*	25	24	-	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	108	78	10	-	-	-	2	-	1	3
Leeds C.B.	472,900	148	162	19	-	-	-	5	-	1	4
Dewsbury C.B ..	54,570	23	12	3	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	17	9	1	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	38	21	6	-	-	-	-	-	-	1
Sheffield C.B. ..	526,900	184	102	15	-	2	-	1	-	2	2
Rotherham C.B. ..	70,600	23	19	2	-	-	-	-	-	-	-
Doncaster	55,610	23	16	2	-	-	-	-	-	-	-
York C.B.	84,630*	21	17	-	-	-	-	1	1	-	-
Hull C.B.	297,300	111	95	16	-	2	2	1	1	1	4
Middlesbrough C.B.	136,200	70	40	13	-	-	-	3	-	1	-
Darlington C.B. ..	69,130	24	27	4	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	27	23	-	-	-	1	-	-	-	3
West Hartlepool C.B.	71,590	36	22	5	-	-	-	1	-	1	2
Sunderland C.B. ..	166,000	86	40	8	-	-	-	2	-	-	-
South Shields C.B. ..	124,600	49	38	9	1	-	-	-	-	1	1
Gateshead C.B. ..	129,000	64	37	5	-	-	-	1	1	2	1
Newcastle-on-Tyne C.B.	286,300*	130	59	10	-	4	1	1	1	1	1
Tynemouth C.B. ..	66,180	32	14	2	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	32	14	3	-	1	-	1	-	2	-
Newport (Mon.) C.B.	96,420*	33	16	3	-	-	-	1	-	-	3
Cardiff C.B.	227,100*	92	43	3	-	-	-	-	-	-	1
Rhondda	167,570	82	40	2	-	-	-	-	-	-	4
Merthyr Tydfil C.B.	82,920	26	21	5	-	-	-	-	-	-	2
Aberdare	57,700	19	10	-	-	-	-	-	-	-	-
Swansea C.B.	163,200	68	35	4	-	-	-	2	-	-	-
Greater London ..	7,719,622*	2,592	1,808	185	-	86	2	3	24	25	29
Outer Ring	3,117,622*	1,015	649	69	-	30	-	2	7	3	10
16 Great Towns in Outer Ring	1,867,550*	614	409	45	-	25	-	-	6	2	4
Remainder of Outer Ring	1,250,072*	401	240	24	-	5	-	2	1	1	6
Edinburgh†	424,600	167	139	17	-	-	3	-	2	5	4
Glasgow† ..	1,034,500	530	360	67	-	30	2	2	4	2	7
Dublin (Registration Area)†	443,000	171	118	23	1	1	-	2	3	3	2
Belfast†	443,900	220	115	36	-	4	-	-	-	3	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available per**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths. Exclusive of Still born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1925–6.										
London‡	4,576,505	Mar. 20	1577	1159	13·1	–	–	56	2	1	17	22
Calcutta and Suburbs	1,077,273	Feb. 13	?	721§	34·8	?	45	?	?	?	?	?
Bombay	1,279,061	„ 27	398	580§	23·6	–	16	2	–	1	–	25
Madras	526,911	„ 13	352	495§	48·7	–	–	1	?	2	–	18
Sydney and Suburbs	1,038,950	„ 28										
Brisbane (Metropolitan Area).	245,015	Jan. 31										
Perth (Metropolitan Area).	176,467	Feb. 13										
Auckland (Urban Area).	180,790	Jan. 31 (31 days)										
Wellington (Urban Area).	118,490	„										
Christchurch (Urban Area).	118,270	„										
Cape Town	113,709	Feb. 27	37	16	7·3	–	–	–	–	–	–	1
Johannesburg	165,958	„ 20	74	32	10·0	1	–	–	–	–	–	–
		„ 27	49	37	11·6	–	–	–	–	–	–	–
Durban	54,822	„ 20	32	14	13·3	1	–	–	–	–	–	–
		„ 27	23	6	5·7	–	–	–	–	–	–	–
Paris	2,906,472	„ 28 (8 days)	1057	1042	16·3	3	–	17	2	4	12	24
Antwerp	300,053	Feb. 20										
Amsterdam	718,250	„ 27										
Copenhagen	587,400	Mar. 13	183	152	13·6	–	–	5	–	1	1	–
Stockholm	438,896	„ 6	92	124	14·7	–	–	–	–	–	–	–
Gothenburg	230,804	Feb. 20										
Oslo (Christiania) ..	257,719	Mar. 13	81	64	12·9	–	–	–	–	–	–	–
Berlin	2,044,000	Feb. 27	456	516	12·6	–	?	–	3	3	4	1
Breslau	575,000	„ 27	214	134	11·5	1	?	–	1	–	–	1
Cologne	727,000	„ 27	238	151	10·4	–	?	1	–	1	2	3
Dresden	618,000	„ 27	171	152	11·6	–	?	–	–	2	–	2
Frankfort-on-Main ..	474,000	„ 27	121	85	8·8	–	?	–	–	–	–	–
Hamburg	1,115,000	„ 27	252	315	13·6	–	?	–	–	–	–	1
Leipzig	660,000	„ 27	196	162	11·4	–	?	–	–	1	–	1
Munich	685,000	„ 27	187	163	11·2	–	?	–	–	1	1	1
Vienna	1,869,437	Dec. 31										
Prague and Suburbs	712,700	Nov. 30										
Budapest	960,525	Feb. 27	393	339	18·4	1	–	–	3	1	2	6
		Mar. 6	301	289	15·7	1	–	–	4	–	1	–
Warsaw	992,450	„ 13	321	292	15·4	2	–	5	6	–	1	18
Cairo	818,500	Dec. 23	851	498	31·6	2	–	–	–	?	11	31
Alexandria	486,600	„ 23	576	434	46·4	2	1	11	–	?	–	25
New York	6,361,664	Jan. 30	2267	1524	12·5	–	–	13	–	2	9	8
Chicago	2,995,239	Feb. 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 27 deaths from cholera in Calcutta and 3 in Madras, and 1 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th March, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1159	116	55	47	36	45	62	79	107	161	220	231
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	56	12	24	12	8	-	-	-	-	-	-	-
Scarlet fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	17	-	4	7	3	1	-	1	-	1	-	-
Influenza	19	1	-	-	-	-	2	2	3	2	2	7
Erysipelas	3	-	-	-	-	1	-	-	-	1	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	5	-	-	2	-	-	2	-	1	-	-	-
Meningococcal meningitis	4	2	1	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	97	1	1	1	3	17	20	22	16	6	10	-
Nervous system	5	-	-	1	3	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	6	-	-	1	3	-	-	1	-	-	-	1
Venereal diseases	3	-	-	-	-	-	1	1	-	1	-	-
Cancer	117	-	-	-	-	-	1	5	13	42	35	21
Rheumatic fever	5	-	-	1	3	-	-	-	-	1	-	-
Diabetes	11	-	-	-	-	2	1	2	1	1	4	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	46	-	-	-	-	-	1	1	7	9	14	14
Epilepsy	5	-	-	-	1	-	3	-	1	-	-	-
"Convulsions" (not puerperal)	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	28	-	1	-	1	2	3	7	4	6	3	1
Pericarditis	1	-	-	-	-	1	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	1	1	-	1	-	1	-	1
Other diseases of heart	167	-	-	-	1	4	4	7	16	26	54	55
Other diseases of circulatory system	64	-	-	-	-	1	-	3	6	11	19	24
Bronchitis	82	3	1	1	-	-	-	2	7	7	24	37
Broncho-pneumonia	67	17	14	11	-	2	1	1	3	7	2	9
Lobar-pneumonia	24	-	2	2	-	4	5	2	2	2	3	2
Pneumonia (type not distinguished)	9	-	-	-	-	-	-	4	2	-	2	1
Other diseases of respiratory system	17	-	-	-	-	1	1	1	1	4	6	3
Diarrhœa and enteritis	25	20	2	1	-	-	-	-	1	-	1	-
Appendicitis, Typhlitis	7	-	-	2	-	1	-	-	3	-	-	1
Hernia, Intestinal obstruction	10	2	-	1	-	-	-	1	2	2	1	1
Cirrhosis of liver	9	-	-	-	-	-	-	-	2	5	1	1
Other diseases of digestive system	27	-	-	1	-	3	1	3	5	6	6	2
Acute nephritis	2	-	-	-	-	-	1	1	-	-	-	-
Chronic Bright's disease	25	-	-	-	1	1	1	1	1	7	8	5
Other diseases of genito-urinary system.	13	-	1	-	-	-	2	2	-	-	5	3
Puerperal sepsis	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth	3	-	-	-	-	-	1	2	-	-	-	-
Congenital malformations	9	6	1	1	1	-	-	-	-	-	-	-
Premature birth	32	32	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	7	7	-	-	-	-	-	-	-	-	-	-
Old age	37	-	-	-	-	-	-	-	-	-	4	33
Suicide	13	-	-	-	1	1	1	3	3	3	-	1
Burns and Scalds	2	-	1	-	-	-	-	-	1	-	-	-
Drowning	3	-	-	-	1	-	1	-	1	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	1	-	-	2	-	2	1	2	2
Other deaths by violence	18	1	-	-	1	-	2	1	2	2	6	3
Other specified causes	37	10	1	-	3	1	3	1	1	7	7	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th March 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	242	315	8	90	C. 12 D. 2 G. 2 M. 9
Metropolitan Boroughs:—						
†BATTERSEA ...	-	15	13	-	6	C. 2
†BERMONDSEY ...	-	6	12	-	2	-
†BETHNAL GREEN	-	5	11	-	6	M. 1
†CAMBERWELL ...	-	21	21	1	3	-
†CHELSEA	-	1	10	-	1	-
†DEPTFORD ...		13	19	-	1	-
†FINSBURY ...	-	5	4	1	4	M. 1
†FULHAM	-	11	6	-	3	C. 1 D. 1
†GREENWICH ...	-	6	8	-	4	-
†HACKNEY ...	-	12	23	1	-	C. 1 D. 1
†HAMMERSMITH ...	-	15	4	-	2	-
†HAMPSTEAD ...	-	3	3	-	-	-
†HOLBORN... ...	-	1	3	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	17	16	1	5	C. 2 G. 1 M. 1
†KENSINGTON ...	-	4	12	-	2	-
†LAMBETH ...	-	13	10	-	5	C. 2
†LEWISHAM ...	-	7	5	-	3	M. 1
†PADDINGTON ...	-	3	13	-	4	-
†POPLAR	-	12	13	-	4	M. 1
†ST. MARYLEBONE	-	4	5	-	4	-
†ST. PANCRAS ...	-	12	10	1	6	C. 1 G. 1
†SHOREDITCH ...	-	8	11	-	3	-
†SOUTHWARK ...	-	11	34	1	6	-
†STEPNEY	-	14	26	2	-	C. 1 M. 2
†STOKE NEWINGTON	-	1	1	-	-	M. 1
†WANDSWORTH ...	-	9	12	-	11	M. 1
†WESTMINSTER, CITY OF	-	3	3	-	3	C. 1
†WOOLWICH ...	-	10	7	-	2	C. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	11	–	2	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	2	5	–	–	–
Rural Districts:—						
BEDFORD ...	–	–	3	–	–	M. 1
BIGGLESWADE ...	–	–	1		1	–
LUTON	–	1	1	–	1	–
BERKS	–	6	1	–	1	–
†READING C.B. ...	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	1	–	–	–	–
BUCKINGHAM ...	–	8	2	–	3	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	3	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	2	–
ETON	–	–	2	–		–
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	3	–	–	–	–
CAMBRIDGE ...	–	6	2	–	1	G. 1
Borough:—						
†CAMBRIDGE ...	–	3	2	–	–	G. 1
CAMBRIDGE—*cont.*						
Rural Districts:—						
CHESTERTON ...	–	1	–	–	1	–
NEWMARKET ...	–	2	–	–	–	–
CHESTER	–	45	19	–	33	C. 1 D. 2 G. 1 M. 3
†BIRKENHEAD C.B.	–	4	2	–	11	M 2
†CHESTER C.B. ...	–	–	2	–	3	M. 1
†STOCKPORT C.B.	–	8	2	–	4	D. 1
†WALLASEY C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	–	–	–	1	–
†ALTRINCHAM ...	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	1	–	–	–	D. 1
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	1	1	–	–	C. 1
†DUKINFIELD ...	–	1	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
†HYDE	–	2	2	–	1	–
†MACCLESFIELD ...	–	1	–	–	–	–
†RUNCORN ...	–	1	1	–	–	–
†SALE	–	3	–	–	–	–
TARPORLEY ...	–	1	–	–	–	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	3	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	2	6	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	1	–	–	1	–
MACCLESFIELD ...	–	2	–	–	2	–
NANTWICH ...	–	2	–	–	1	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	1	–	–	2	G. 1
WIRRAL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	2	–	–	5	–
Boroughs and Urban Districts:—						
REDRUTH ...	*	*	*	*	*	*
SALTASH... ...	–	–	–	–	2	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
LAUNCESTON ...	–	–	–	–	2	–
LISKEARD ...	*	*	*	*	*	*
SAINT COLUMB MAJOR	–	1	–	–	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND ...	–	20	12	–	3	–
†CARLISLE C.B. ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	3	–	–	–	–
ASPATRIA ...	–	–	5	–	–	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM		–	–	–	1	–
†WHITEHAVEN ...	–	1	1	–	–	–
†WORKINGTON ...	–	4	4	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
WHITEHAVEN ...	–	5	–	–	–	–
DERBY	46	40	22	2	29	C. 1 M. 2
†DERBY C.B. ...	41	4	9	–	10	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	–	–	1	–
†BELPER	–	1	2	–	–	–
†BOLSOVER ...	1	–	1	–	–	–
†CHESTERFIELD ...	–	2	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	1	1	–	–	–
†HEANOR	–	1	–	–	1	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	3	–	–	–	–
†RIPLEY	–	3	–	–	1	–
†SWADLINCOTE DISTRICT	–	2	–	–	2	–
†THE MATLOCKS...	–	–	–	1	3	–
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BAKEWELL ...	–	3	–	–	1	–
BELPER	–	–	1	–	2	–
BLACKWELL ...	4	7	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	3	4	–	1	M. 1
REPTON	–	–	–	1		–
SHARDLOW ...	–	5	1	–	3	C. 1 M. 1
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–	–	1	–
DEVON	–	25	7	6	10	G. 2
†EXETER C.B. ...	–	2	–	1	1	–
†PLYMOUTH C.B....	–	15	7	–	3	G. 1
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	–	–	–	G. 1
†EXMOUTH ...	–	–	–	–	1	–
†PAIGNTON ...	–	–	–	3	–	–
†TEIGNMOUTH ...	–	2	–	–	–	–
Rural Districts:—						
KINGSBRIDGE ...	–	–	–	1	–	–
NEWTON ABBOT	–	1	–	–	1	–
PLYMPTON ST. MARY	–	4	–	–	4	–
ST. THOMAS ...	–	–	–	1	–	–
TORRINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	4	2	–	3	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–		-
BRIDPORT ...	–	–	–	-	1	-
†POOLE	–	–	1	–	–	-
†PORTLAND ..	–	3			1	-
Rural Districts:—						
BRIDPORT ...	–	–	–	–	–	G. 1
WAREHAM AND PURBECK	-	–	1	–	-	–
WEYMOUTH ...	–	–	–	–	1	–
DURHAM	89	58	25	1	63	C. 1 E. 1 G. 2 H. 1 M. 3
†DARLINGTON C.B	–	2	–	–	5	–
†GATESHEAD C.B.	3	4	3	–	6	–
†SOUTH SHIELDS C.B.	16	2	2	-	7	M. 1
†SUNDERLAND C.B.		5	1	–	6	H. 1
†WEST HARTLEPOOL C.B.		4	2	–	2	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	–	–	-	2	-
BENFIELDSIDE ...	-	2	1	–	–	-
†BISHOP AUCKLAND	-	1	-	–	–	-
†BLAYDON... ...	5	3	–	–	–	-
†BRANDON AND BYSHOTTLES	17	2	–	–	–	-
†CHESTER LE STREET	1		1	–	-	-
†CONSETT	–	1		-	–	-
†DURHAM	–	–	1	-	–	–
†FELLING	2	–	-	–	2	
†HARTLEPOOL ...		2		–	–	–
†HEBBURN ...	–	3	1	–	-	–
†HETTON	2	2	–	–	1	-
†HOUGHTON LE SPRING	–	–	–	-	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†JARROW	–	–	1	–	3	–
†RYTON	–	1	–	–	-	–
†SEAHAM HARBOUR	1			–	2	–
†SHILDON	–	-	–	1	–	–
†SOUTHWICK ON WEAR	1	–		–	3	–
†SPENNYMOOR ...	2	–	–	–	–	–
†STANLEY	5	2	–	–	1	M. 1
†STOCKTON ON TEES	–	1	3	–	2	–
†TANFIELD ...	1		1	–	-	–
TOW LAW ...	–	1	–		–	–
†WASHINGTON ...	–	2	1	–	1	-
†WHICKHAM ...	2	1	–		1	–
WILLINGTON ...	-	2		-	–	–
Rural Districts:—						
AUCKLAND ...	2	3	-	–	-	–
BARNARD CASTLE	-	–			–	E. 1
CHESTER LE STREET	5	3	1	–	3	–
DURHAM	1	1	–	–	1	–
EASINGTON ...	5	2	3		1	G. 1
HARTLEPOOL ...	–	-	–	-	–	G. 1
HOUGHTON LE SPRING	6	2	-	–	5	–
LANCHESTER ...	8	2	2	–	1	–
SEDGEFIELD ...	1	–	–	–	–	G. 1
SOUTH SHIELDS...	1	–	1	-	–	–
STOCKTON ...	–	1	–	–	1	-
SUNDERLAND ...	-	–	–	–	5	–
WEARDALE ...	–	1		–	–	–
ELY, ISLE OF ...	-	2	1	1	–	–
Boroughs and Urban Districts:—						
ELY	-	–	1	–	–	-
†WISBECH	-	1		–	–	–
Rural Districts:—						
ELY	–	1	–	–	–	–
WISBECH	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	65	59	3	45	C. 2 G. 1 M. 4
†EAST HAM C.B. ...	–	8	10	–	3	–
†SOUTHEND-ON-SEA C.B.	–	–	1	–	6	–
†WEST HAM C.B. ...	–	18	23	–	18	C. 2 M. 3
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	2	–	–	–	–
†CHELMSFORD ...	–	–	–	–	2	G. 1
†COLCHESTER ...	–	3	–	1	1	–
EPPING	–	–	2	–	–	–
†GRAYS THURROCK	–	2	1	–	–	–
HALSTEAD ...	–	–		–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	4	–	–	2	–
†LEYTON	–	4	8	–	3	–
MALDON	–	–	–	1	–	–
†ROMFORD ...	–	1	2	–	1	–
TILBURY	–	3		–	–	–
†WALTHAMSTOW ...	–	5	9	–	4	M. 1
†WANSTEAD ..	–	1	–	–	–	–
†WOODFORD ...	–	2	–	–	1	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
CHELMSFORD ...	–	2	–	–	–	–
EPPING	–	5	–		1	–
HALSTEAD ...	–	2	–	–	–	–
ONGAR	–	–	2	–	–	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	–	–	1	1	–
ROMFORD... ...	–	–	–	–	1	–
GLOUCESTER ...	–	38	36	–	11	C. 1
†BRISTOL C.B. ...	–	30	22	–	4	C. 1
†GLOUCESTER C.B.	–	3	6	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	2	–	–	–	–
DURSLEY	–	–	–	–	2	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	2	–
LYDNEY	–	2	2	–	–	–
MARSTON SICCA .	–	–	–	–	1	–
STROUD	–	1	3	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
WARMLEY ...	–	–	1	–	–	–
HEREFORD ..	–	1	1	–	4	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	2	–
ROSS	*	*	*	*	*	*
Rural Districts:—						
BREDWARDINE ...	–	–	1	–	–	–
BROMYARD ...	–	–	–	–	2	–
LEDBURY... ...	–	1	–	–	–	–
ROSS	*	*	*	*	*	*
HERTFORD ..	–	18	1	5	5	D. 1
Boroughs and Urban Districts:—						
BUSHEY	–	2	–	–	–	–
†EAST BARNET VALLEY	–	–	–	–	1	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	2	–	–	2	–
†WATFORD ...	–	8	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	2	–	–	–	–
HADHAM	–	–	–	–	1	D. 1
ST. ALBANS ...	–	–	–	1	-	–
WARE	–	–	–	–	1	–
WATFORD ...	–	–	–	4	–	–
HUNTINGDON ...	–	4	2	-	–	–
Boroughs and Urban Districts:—						
ST. IVES	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	–	1	–	–	–
OUNDLE (part) ...	–	–	1	–		–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	26	35	–	26	C. 1 M. 3
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BEXLEY	–	4	1	–	–	–
†BROMLEY ...	–	1	3	–	4	M. 1
†CHATHAM ...	–	–	3	–	–	M. 1
CHERITON ...	–	–	–	–	2	–
CHISLEHURST ...	–	1	-	-	-	–
†CRAYFORD ...	–	2	1	–	–	–
†DARTFORD ...	–	1	2	–	1	-
†ERITH	–	2	–	–	1	–
†FAVERSHAM ...	-	1	-	–	–	–
†FOLKESTONE ...	–	1	4	–	–	–
†GILLINGHAM ...	–	–	1	–	1	–
†GRAVESEND	-	3	8	–	–	–
†HERNE BAY ...	–	1	–	-	1	–
†MAIDSTONE ...	–	–	1	–	1	–
†MARGATE ...	–	2	2	–	1	-
MILTON REGIS ...	-	–	–	–	2	–
†NORTHFLEET ...	-	1	1	–	–	-
†PENGE	–	1	–	–	–	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROCHESTER ...	–	1	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	3	–
†SHEERNESS ...	–	1	-	–	-	–
SITTINGBOURNE	–	–	1	–	1	M. 1
Rural Districts:—						
BROMLEY ...	–	1	–	–	1	–
DARTFORD ...	–	–	2	–	–	–
EAST ASHFORD ...	–	–	1	–	–	–
ELHAM	–	–	-	–	1	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING	–	–	–	–	2	–
MILTON	–	1	–	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
STROOD	–	-	1	–	–	–
TONBRIDGE ...	–	–	–	–	-	C. 1
WEST ASHFORD...	–	–	.	–	1	–
LANCASTER ...	–	189	119	5	215	C. 8 E. 1 G. 11 M. 25
†BARROW IN FURNESS C.B	-	4	7	–	2	–
†BLACKBURN C.B	–	3	1	–	4	–
†BLACKPOOL C.B.	–	1	–	–	-	M. 1
†BOLTON C.B. ...	–	2	3	-	1	–
†BOOTLE C.B. ...	–	1	–	–	1	G. 1
†BURNLEY C.B. ...	–	1	8	–	8	–
†BURY C.B. ...	–	–	1	-	4	–
†LIVERPOOL C.B. ...	–	54	28	3	48	C. 1 G. 5 M. 15
†MANCHESTER C.B.	–	38	29	–	61	C. 4 E. 1 G. 1 M. 6
†OLDHAM C.B. ...	-	5	2	–	2	–
†PRESTON C.B. ...	–	-	6	.	1	G. 1
†ROCHDALE C.B. ...	–	2	1	–	–	–
†ST. HELENS C.B....	-	3	2		2	C. 2
†SALFORD C.B. ...	–	10	10	–	15	M. 1
†SOUTHPORT C.B.	–	–	3	.	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†WARRINGTON C.B	–	4	1	–	5	G. 1
†WIGAN C.B. ...	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	2	–
†ASHTON UNDER LYNE	–	–	–	–	4	–
†ATHERTON ..	–	1	–	–	1	C. 1
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	2	1	–	1	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY	–	–	–	–	5	–
CHURCH	–	1	–	–	–	–
†COLNE	–	2	–	–	–	–
†DALTON IN FURNESS	–	2	2	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	4	–	–	–	–
†DROYLSDEN ...	–	4	–	–	1	–
†ECCLES	–	1	–	–	1	M. 1
†FAILSWORTH ...	–	1	–	–	–	–
†FARNWORTH ...	–	–	–	–	1	–
FORMBY	–	1	–	1	–	–
†GREAT CROSBY ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	–	–
†HORWICH ...	–	–	–	–	4	–
HURST	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	1	–	–	2	–
KEARSLEY ...	–	–	1	–	1	–
†LEIGH	–	–	–	–	2	–
†LITHERLAND ...	–	–	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LONGRIDGE ...	–	2	–	–	–	–
†LYTHAM ST. ANNE'S	–	2	–	–	–	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	–	1	–	–	1	–
†NEWTON IN MAKERFIELD	–	–	1	–	1	–
NORDEN	–	1	–	–	1	–
†OSWALDTWISTLE	–	–	–	–	1	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	1	–	3	–
†RAMSBOTTOM ...	–	–	–	–	3	–
†RAWTENSTALL ...	–	9	–	–	1	–
†ROYTON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRETFORD ...	–	4	–	–	2	–
†SWINTON AND PENDLEBURY	–	1	–	–	5	–
TOTTINGTON ...	–	–	–	1	–	–
†TURTON	–	–	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†ULVERSTON ...	–	–	1	–	–	–
URMSTON... ...	–	–	–	–	2	G. 1
†WATERLOO WITH SEAFORTH	–	1	1	–	1	–
†WESTHOUGHTON	–	–	–	–	–	G. 1
WHITEFIELD ...	–	–	2	–	–	–
†WIDNES	–	–	–	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	1	2	–	–	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	–	–	–	1	–
GARSTANG ...	–	3	–	–	–	–
LEIGH	–	1	2	–	–	–
LIMEHURST ...	*	*	*	*	*	*
PRESTON	–	1	–	–	–	–
ULVERSTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	1	1	–	1	–
LEICESTER... ...	–	23	10	–	11	G. 1 M. 1
†LEICESTER C.B. ...	–	10	8	–	1	M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	–	–
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MELTON MOWBRAY	–	2	–	–	2	–
WIGSTON MAGNA	–	1	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	1	–	1	–
BARROW UPON SOAR	–	1	–	–	2	–
BILLESDON ...	–	1	–	–	–	–
CASTLE DONINGTON	–	–	1	–	–	–
HINCKLEY ...	–	–	–	–	–	G. 1
LUTTERWORTH ...	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†SPALDING ...	*	*	*	*	*	*
SUTTON BRIDGE	–	–	–	–	2	–
Rural Districts:—						
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	4	1	3	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	–	1	2	–	–
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	1	–	–
UFFINGTON ...	–	3	–	–	–	–
LINCOLN (parts of Lindsey).	–	43	7	1	6	G. 1 M. 2
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN C.B. ...	–	30	–	–	1	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	–	3	–
†GAINSBOROUGH ...	–	1	1	–	1	M. 1
MARKET RASEN...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	2	–	–	M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	3	1	–	–	–
GRIMSBY	–	1	–		–	G. 1
HORNCASTLE ...	–	–	–	–	1	–
SPILSBY	–	2	1	–	–	–
WELTON	–	–	–	1	–	–
MIDDLESEX ...	–	53	54	–	22	D. 1 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	5	1	–	–	–
†CHISWICK ...	–	4	2	–	–	–
†EALING	–	3	–	–	–	M. 2
†EDMONTON ...	–	2	9	–	–	–
†ENFIELD	–	1	10	–	4	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	4	2	–	–	–
†HAMPTON ...	–	–	–	–	1	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	2	1	–	1	–
†HESTON AND ISLEWORTH	–	3	1	–	4	–
†HORNSEY... ...	–	1	2	–	1	M. 2
KINGSBURY ...	–	–	1	–	–	–
†SOUTHGATE ...	–	–	1	–	2	–
†TOTTENHAM ...	–	7	8	–	1	–
†TWICKENHAM ...	–	1	2	–	–	–
†UXBRIDGE ...	–	–	–	–	–	D.
†WEALDSTONE ...	–	1	–	–	1	–
†WILLESDEN ...	–	10	13	–	7	–
†WOOD GREEN ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	4	–	–	–	–
STAINES	–	–	1	–	–	–
NORFOLK	–	16	1	1	8	G. 1 M. 1
†GREAT YARMOUTH C.B.	–	3	1	–	1	M. 1
†NORWICH C.B. ...	–	4	–	–	4	–
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	–	–	–	1	–
WALSOKEN ...	–	–	–	–	–	G. 1
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	–	–	–	1	–
FOREHOE ...	–	2	–	–	–	–
FREEBRIDGE LYNN	–	3	–	–	1	–
HENSTEAD ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	–	–	1		–
WALSINGHAM ...	–	1	–	–	–	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	16	1	–	8	G. 1 L. 1 M. 2
†NORTHAMPTON C.B.	–	1	1	–	5	–
Boroughs and Urban Districts:—						
FINEDON	–	1	–	–	–	–
HIGHAM FERRERS	–	–	–	–	1	–
†KETTERING ...	–	2	–	–		M. 2
OUNDLE	–	9		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	–	–	–	–	G. 1
HARDINGSTONE ...	–	1	–	–	1	–
KETTERING ...	–	–	–	–	–	L. 1
OUNDLE (part) ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	–	1	–
NORTHUMBERLAND	29	34	8	1	37	C. 1 E. 1 G. 2 M. 2
†NEWCASTLE UPON TYNE C.B.	–	6	5	1	23	E. 1 G. 2 M. 1
†TYNEMOUTH C.B.	2	3	1	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
ALNWICK... ...	–	–	1		–	–
AMBLE	1	–	–	–	–	–
†ASHINGTON ...	21	3	–	–	–	–
†BEDLINGTONSHIRE	1	2	–	–	1	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1	1	–	2	–
CRAMLINGTON ...	–	2		–	1	–
†EARSDON... ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
†LONGBENTON ...	–	2	–	–	–	–
MORPETH ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	2	–		1	–
PRUDHOE... ...	–	–	–	–	1	–
†WALLSEND ...	–	6	–	–	3	–
Rural Districts:—						
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	2	–	–	–	–	–
MORPETH... ...	1	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM ...	2	20	12	1	15	G. 2
†NOTTINGHAM C.B	1	6	7	–	10	–
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	–	–
†BEESTON... ...	–	–	1	–	–	–
†HUCKNALL ...	–	–	–		–	G. 1
†KIRKBY IN ASHFIELD		1	–	–	–	–
†MANSFIELD ...	–	3	–	1	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	2	–	–	G. 1
Rural Districts:—						
BASFORD	–	3	1	–	3	–
BINGHAM... ...	–	3	–	–	1	–
SOUTHWELL ...	1	2	–	–	–	–
KINGSTON UPON SOAR AND RATCLIFFE UPON SOAR (PARISHES)	–	1	–	–	–	–
OXFORD	–	10	–	1	1	C. 2 M. 2
†OXFORD C.B. ..	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	–	C. 1
THAME	–	1	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	–	–	1	–	–
BICESTER... ...		1	–	–	–	–
CHIPPING NORTON	–	–		–	1	C. 1 M. 1
CROWMARSH ...		3	–	–	–	–
HEADINGTON ...	–	–	–	–	–	M. 1
THAME	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	–	–
RUTLAND	–	–	–	–	1	–
Rural Districts:—						
KETTON	–	–	–	–	1	–
SALOP	–	12	1	1	5	C. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
†OAKENGATES ...	–	4	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	4	1	–	1	–
BRIDGNORTH ...	–	–	–	–	–	C. 1
LUDLOW	–	–	–	1	–	–
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	2	–
SOMERSET	–	26	2	–	15	G. 2 M. 1
†BATH C.B. ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CREWKERNE ...	*	*	*	*	*	*
GLASTONBURY ...	–	–	–	–	–	G. 1
PORTISHEAD ...	–	–	–	–	–	G 1
†TAUNTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	2	–	–	1	–
†YEOVIL	–	–	–	–	4	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
BATH	-	2	1	-	-	M. 1
CHARD	-	1	-	-	-	-
CLUTTON	-	2	-	-	1	-
FROME	-	1	-	-	1	-
KEYNSHAM ...	-	8	1	-	-	-
SHEPTON MALLET	-	-	-	-	2	-
TAUNTON... ...	-	-	-	-	2	-
WELLS	-	1	-	-	-	-
WILLITON ...		1	-	-	-	-
WINCANTON ...	-	-	-	-	1	-
SOUTHAMPTON ...	-	34	30	-	11	G. 1 M. 4
†BOURNEMOUTH C.B.	-	4	1	-	1	G. 1
†PORTSMOUTH C.B.	-	5	18	-	3	M. 2
†SOUTHAMPTON C.B.	-	5	9		5	-
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	2	-	-	-	-
ANDOVER... ...	-	1	-	-	-	-
†BASINGSTOKE ...	-	2	-	-	-	-
CHRISTCHURCH ...		1	-	-	-	-
†EASTLEIGH AND BISHOPSTOKE	-	3	-	-	-	-
†FAREHAM ...	-	-	2	-	-	-
†GOSPORT	-	1	-	-	1	-
Rural Districts:—						
ALTON	-	2	-	-	-	-
FORDINGBRIDGE..	-	-	-	-	-	M. 1
HARTLEY WINTNEY		-	-	-	-	M. 1
HAVANT	-	2	-	-	-	-
KINGSCLERE ...	-	1	-	-	-	-
SOUTH STONEHAM	-	5	-	-	-	-
WHITCHURCH ...	-	-	-	-	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	-	56	47	-	65	C. 1 D. 1 G. 1 L. 3 M. 6
†BURTON UPON TRENT C.B.	-	9	2	-	2	C. 1
†SMETHWICK C.B.	-	-	3	-	4	-
†STOKE ON TRENT C.B.	-	9	11	-	34	M. 4
†WALSALL C.B. ...	-	3	3	-	3	-
†WEST BROMWICH C.B.	-	3	2	-	-	-
†WOLVERHAMPTON C.B.	-	2	2	-	4	-
Boroughs and Urban Districts:—						
†AUDLEY	-	3	-	-	1	M. 1
†BILSTON	-	1	-	-	1	-
†BROWNHILLS ...	-	-	-	-	2	G. 1
†CANNOCK	-	2	6	-	-	-
†COSELEY	-	-	1	-	3	-
†DARLASTON ...	-	2	-	-	-	-
†HEATHTOWN OR WEDNESFIELD HEATH	-	1	1	-	-	-
KIDSGROVE ...	-	1	-	-	1	-
†LEEK	-	1	-	-	-	-
†NEWCASTLE UNDER LYME	-	1	-	-	1	-
QUARRY BANK ...	-	1	-	-	-	-
†ROWLEY REGIS ...	-	2	1	-	-	-
†SEDGLEY	-	-	2	-	1	-
SHORT HEATH ...	-	1	-	-	-	-
TAMWORTH ...	-	-	1	-	-	-
†TIPTON	-	3	1	-	-	D. 1
†WEDNESBURY ...	-	1	2	-	-	-
WEDNESFIELD ...	-	2	-	-	-	-
†WILLENHALL ...	-	1	2	-	-	-
†WOLSTANTON UNITED	-	-	1	-	4	-
Rural Districts:—						
CANNOCK	-	1	1	-	-	M. 1
CHEADLE... ...	-	1	-	-	-	L. 3
GNOSALL	-	-	-	-	3	-
KINGSWINFORD...	-	1	2	-	-	-
NEWCASTLE UNDER LYME	-	-	-	-	1	-
SEISDON	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
STAFFORD ...	–	–	1	–	–	–
STONE	–	1		–	–	–
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY... ...	–	–	1	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	10	–	–	8	G. 2
†IPSWICH C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
BUNGAY	–	1	–	–	–	–
EYE	–	–	–	–	–	G. 1
†LOWESTOFT ...	–	2	–	–	1	–
STOWMARKET ...	–	2	–	–	–	G. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	2	–
EAST STOW ...	–	1	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
WANGFORD ...	–	2	–	–	–	–
SUFFOLK, WEST ...	–	3	–	–	1	C. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	*	*	*	*	*	*
Rural Districts:—						
COSFORD	–	2	–	–	–	C. 2
MILDENHALL ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	35	21	3	12	C. 2 D. 2 G. 1 M. 2
†CROYDON C.B. ...	–	10	11	–	1	C. 2 D. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	1	1	–	–	–
†CATERHAM ...	–	1	–	2	1	–
†CHERTSEY ...	–	1	–	–	–	M. 1
EAST AND WEST MOLESEY	–	–	–	–	1	–
†ESHER AND THE DITTONS	–	–	–	–	–	G. 1
†FARNHAM ...	–	1	–		3	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	1	–	–	–
LEATHERHEAD ...	–	–	–	–	–	D. 1
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	1	2	1	1	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	2	1	–	1	–
†SUTTON	–	2	–	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WIMBLEDON ...	–	2	2	–	–	–
†WOKING	–	–	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	–	1	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	12	4	1	5	E. 1
†BRIGHTON C.B. ...	–	5	3	–	2	–
†EASTBOURNE C.B.	–	2	–	–	–	E. 1
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	1	–
†HOVE	–	2	1	–	1	–
Rural Districts:—						
CHAILEY	–	–	–	1	–	–
CUCKFIELD ...	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	1		–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	1	–	–	1	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	2	–
WARWICK	–	51	79	2	66	C. 6 G. 3 M. 8
†BIRMINGHAM C.B.	–	38	64	2	53	C. 5 G. 2 M. 7
†COVENTRY C.B. ...	–	7	3	–	–	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	2		5	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	–	8	–	–	–
FOLESHILL ...	–	–	–	–	2	C. 1
MERIDEN... ...	–	2	–	–	1	–
SOLIHULL ...	–	–	2	–	–	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	–	–	–	M. 1
WESTMORLAND ...	–	9	–	–	4	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL	–	5	–	–	–	–
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	2	–
SOUTH WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	2	–	–	–	–
†RYDE	–	–	–	–	1	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	7	6	1	7	C. 2 L. 1
Boroughs and Urban Districts:—						
DEVIZES	–	–	3	–	–	–
†SALISBURY ...	–	1	–	–	2	–
†SWINDON... ...	–	–	–	–	1	C. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TROWBRIDGE ...	–	2	–	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
BRADFORD ON AVON	–	–	–	1	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	3	–	1	–
DEVIZES	–	–	–	–	–	L. 1
HIGHWORTH ...	–	–	–	–	2	–
MELKSHAM ...	–	1	–	–	–	–
WILTON	–	1	–	–	–	–
WORCESTER ...	–	8	3	–	6	G. 1 M. 1
†WORCESTER C.B.	–	–	1	–	4	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	1	2	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	2	–	–	–	M. 1
†STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
MARTLEY... ...	–	1	–	–	1	–
UPTON ON SEVERN	–	–	–	–	–	G. 1
YORKS ... ... (**East Riding.**)	–	6	14	–	24	C. 1 G. 1 M. 2
†KINGSTON UPON HULL C.B.	–	4	13	–	14	C. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–		6	–
†BRIDLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
DRIFFIELD ...	–	1	–	–	1	–
HOWDEN	–	1	–	–	–	–
SCULCOATES ...	–	–	–	–	1	–
SHERBURN ...	–	–	–	–	–	G. 1
SKIRLAUGH ...	–	–	–	–	1	–
YORKS ... ... (**North Riding.**)	–	6	7	–	14	C. 1
†MIDDLESBROUGH C.B.	–	1	5	–	6	–
Boroughs and Urban Districts:—						
†ESTON	–	–	–	–	2	–
GUISBOROUGH ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	1	1	–	3	–
†SKELTON AND BROTTON	–	–	–	–	–	C. 1
†THORNABY ON TEES	–	1	1	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	1	–
MIDDLESBROUGH	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
WHITBY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	23	145	56	3	166	C. 2 G. 2 M. 7
†BARNSLEY C.B. ...	-	4	1	-	4	-
†BRADFORD C.B. ...	-	9	5	-	8	-
†DEWSBURY C.B....	-	1	1	-	-	
†HALIFAX C.B. ...	-	2	1	-	1	-
†HUDDERSFIELD C.B.	1	12	1	-	1	M. 1
†LEEDS C.B. ...	-	17	5	-	32	C. 1
†ROTHERHAM C.B.	2	4	-	1	8	M. 1
†SHEFFIELD C.B....	1	13	31	-	70	C. 1 G. 1 M. 1
†WAKEFIELD C.B.	-	1	-	-	-	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	-	-	-	-
ALTOFTS		-	-	-	2	-
†BARNOLDSWICK ...	-	-	-	-	1	-
†BATLEY	-	1	-		1	-
†BENTLEY WITH ARKSEY	-	2	-	-	1	-
†BINGLEY	-	-	-	-	1	-
†BRIGHOUSE ...	-	1	-	-	-	-
BURLEY IN WHARFEDALE	-	-	-	-	1	-
†CASTLEFORD ...	-	1	-	-	1	-
†CONISBROUGH ...	-	1	-	-	2	-
DARFIELD ...	-	-	-		1	-
†DONCASTER ...	-	3	1	-	2	-
†ELLAND	-	-	-	1	-	-
†GOOLE	-	3	-	-	-	-
GREASBROUGH ...	1	-		-	-	-
GREETLAND ...	*	*	*	*	*	*
GUISELEY ...	-	-	1	-	-	-
†HARROGATE ...	-	3	-	-	1	-
HECKMONDWIKE	-	1	-	-	-	M. 1
†HEMSWORTH ...	-	-	-		2	-
†HOLMFIRTH ...	-	-	-	-	1	-
HORBURY ...	-	1	-	-	-	-
HORSFORTH ...	-	-	2	-	-	-
†HOYLAND NETHER	-	6	1	-	1	-
†KEIGHLEY ...	-	-	-	-	-	M. 1
KIRKBURTON ...	-	5	-	-	-	-
KNOTTINGLEY ...	-	2	-	-	-	-
LEPTON	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
MALTBY	-	-	-	-	-	G. 1
METHLEY ...	-	-		-	1	-
†MEXBOROUGH ...	7	1	-	-	-	-
†MORLEY	-	-	-	-	2	-
MYTHOLMROYD ...	-	1	-	-	-	-
NEW MILL ...	-	-	-	-	4	-
†NORMANTON ...	-	1	-	-	2	-
†RAWMARSH ...	7	1	-	-	-	-
RIPON	-	2	-	-	-	-
†SADDLEWORTH ...	-	-	-	-	-	M. 1
SHELF	-	1		-	-	-
SLAITHWAITE ...	*	*	*	*	*	*
†SPENBOROUGH ...	-	1	-	-	2	-
†STANLEY	-	-	-	-	3	-
STOCKSBRIDGE ...	-	1	-	-	1	-
†SWINTON... ...	-	1	-	-	1	-
TICKHILL ...	-	2	-	-	-	-
†TODMORDEN ...	-	2	-	-	2	-
†WATH UPON DEARNE	2	-	-	-	-	-
†WOMBWELL ...	-	2	1	-	-	-
†WORSBOROUGH ...	-	3	-	-	-	-
Rural Districts:—						
DONCASTER ...	-	2	-	-	-	-
GOOLE	-	-	-	-	-	M. 1
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	-	8	2	-	1	-
HUNSLET... ...	-		1	-	-	-
KIVETON PARK ...	-	7	-	-	-	-
PONTEFRACT ...	-	2	1		-	-
ROTHERHAM ...	2	1	1	1	3	-
SEDBERGH ...	-	10	-	-	-	-
SKIPTON	-	1	-		1	-
THORNE	-	-	-	-	1	-
§YORK, CITY OF ...	-	3	1	-	2	C. 1
†YORK C.B. ...	-	3	1	-	2	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	1	6	–	1	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
TWRCELYN ...	–	1	5	–	1	–
BRECKNOCK ...	–	1	2	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	2	–
HAY	–	–	1	–	–	–
Rural Districts:—						
CRICKHOWELL ...	–	–	1	–	–	–
YSTRADFELLTE (parish)	–	–	–	–	1	–
CARDIGAN ...	–	1	–	–	–	C. 1 G. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	–	G. 1
Rural Districts:—						
LLANDYSSIL ...	–	–	–	–	–	C. 1
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	4	7	–	1	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	1	4	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	1	–	–	–	–
CARNARVON ...	–	8	1	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	5	1	–	–	–
CONWAY		1	–	–	–	–
†LLANDUDNO ...	–	1	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	1	–	–	–	–
DENBIGH	–	10	2	–	–	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
RUTHIN	–	1	–	–	–	–
†WREXHAM ...	–	–	2	–	–	–
Rural Districts:—						
RUTHIN	–	2	–	–	–	–
ST. ASAPH (DENBIGH)	–	5	–	–	–	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	15	2	–	1	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	1	–	–	–
FLINT	–	3	–	–	–	–
†RHYL	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	7	–	–	1	–
OVERTON ...	*	*	*	*	*	*
ST. ASAPH (FLINT)	–	2	–	–	–	–
GLAMORGAN ...	–	40	41	–	34	C. 3 G. 1 M. 5
†CARDIFF C.B. ...	–	4	3	–	2	G. 1 M. 2
†MERTHYR TYDFIL C.B.	–	4	1	–	–	–
†SWANSEA C.B. ...	–	3	2	–	2	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	–	–	2	–
†BARRY	–	1	1	–	2	–
†CAERPHILLY ...	–	1	–	–	1	C. 1
†GELLIGAER ...	–	–	3	–	5	–
†MAESTEG ...	–	1	7	–	1	–
†MOUNTAIN ASH ...	–	1	–	–	1	–
†NEATH	–	2	1	–	–	–
†OGMORE AND GARW	–	6	1	–	2	C. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	3	3	–	1	C. 1
PORTHCAWL ...	–	–	1	–	1	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	9	8	–	9	M. 3
Rural Districts:—						
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	6	–	–	–
NEATH	–	–	–	–	4	–
PENYBONT ...	–	–	1	–	–	–
SWANSEA... ...	–	1	2	–	1	–
MERIONETH ...	–	1	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	10	13	–	15	M. 4
†NEWPORT C.B. ...	–	1	3	–	7	M. 2
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	–	–	–	M. 1
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	4	1		–	–
†ABERTILLERY ...	–	–	1	–	–	–
BEDWAS AND MACHEN	–	–	–	–	3	–
†BEDWELLTY ...	–	–	–	–	1	–
†EBBW VALE ...	–	–	–	–	1	–
LLANFRECHFA UPPER	–	1		–	–	–
MONMOUTH ...	–	–	4	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
PONTYPOOL ...	–	–	1	–	–	–
†RISCA	–	–	1	–		–
†TREDEGAR ...	–	–	1	–	–	–
Rural Districts—						
ABERGAVENNY ...	–	2	–	–	–	–
CHEPSTOW ...	–	–	–	–	–	M. 1
PONTYPOOL ...	–	–	–	–	1	–
ST. MELLONS ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	–	1	–	4	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	1	–	–	–
LLANFYLLIN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	–	–	–	1	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
MILFORD HAVEN	–			–	1	–
†PEMBROKE ...	*	*	*	*	*	*
Total of Part II. ...	189	1302	799	42	1048	C. 41 D. 7 E. 4 G. 43 H. 1 L. 5 M. 96

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Liverpool	–	–	–	1	–	–
Penzance	*	*	*	*	*	*
Southampton ...	–	–	–	–	1	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Wisbech	–	–	–	–	2
Port of London ...	–	–	1	–	1
Total of Part III.... ...	–	–	1	1	4

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	242	315	8	90	C. 12 D. 2 G. 2 M. 9
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	189	1302	799	42	1048	C. 41 D. 7 E. 4 G. 43 H. 1 L. 5 M. 96
Total of Part III.—Port Sanitary Districts	–	–	1	1	4	–
Total (*i.e.*, of returns received), England and Wales ...	189	1544	1115	51	1142	C. 53 D. 9 E. 4 G. 45 H. 1 L. 5 M. 105

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. The cases of Small-pox ified appear on pages 310, 311, 316, 317 and 322.

The case of Typhus Fever notified appears on page 311.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certai FECTIOUS DISEASES in the last THI WEEKS.

Week ended:—	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16	Jan. 23	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6	Mar. 3
LONDON:—												
DEATHS—all ages	1,233	1,658	1,230	1,200	1,399	1,270	1,062	1,070	1,209	1,121	1,099	1,112
" 0 to 1 year ..	128	134	125	137	144	128	82	95	105	110	103	110
GREAT TOWNS, aggregate (including London):—												
BIRTHS	4 245	7,477	8,017	6,594	6,920	7,002	6.793	6,862	6.836	7,359	6.836	7,238
DEATHS—all ages	5,099	6,636	5.376	5,058	5,646	5,286	5.036	4,714	5.273	4,904	4.674	4,786
" 0 to 1 year ..	613	775	609	660	694	619	585	548	655	540	562	598
ENTERIC FEVER—Cases	10	17	20	12	6	12	15	14	20	20	24	26
" Deaths	1	4	5	—	1	5	2	2	3	3	2	3
SMALL POX—Cases ..	51	46	44	95	102	87	99	59	60	88	74	75
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	1
SCARLET FEVER—Cases	811	1,082	923	895	950	1,051	1,022	869	959	34	866	882
" Deaths	11	10	16	14	5	12	8	14	13	7	8	9
DIPHTHERIA—Cases ..	568	759	711	684	679	851	815	787	816	830	823	809
" Deaths ..	36	53	53	31	50	35	45	26	50	56	48	51
MEASLES—Deaths ..	72	87	72	94	109	102	76	82	116	105	102	110
INFLUENZA—Deaths ..	85	123	115	81	87	100	78	90	76	89	97	88

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 20th March, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rai Mi mete
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	53	34	48·9	37·6	0	HUDDERSFIELD	54	28	48·7	34·9	
BRIGHTON ..	53	34	48·9	38·0	0·1	BRADFORD ..	51	30	46·3	36·6	
PORTSMOUTH ..	55	36	50·1	40·5	0	SHEFFIELD ..	Not received.				
NORWICH (EATON).	53	32	47·0	37·4	1	YORK (MUSEUM)	56	28	49·1	36·3	
PLYMOUTH ..	58	34	51·4	40·3	0	HULL (PEARSON PARK).	55	32	49·4	36·7	
BRISTOL (CLIFTON).	54	34	47·6	38·9	0	TYNEMOUTH ..	54	32	48·3	39·1	
BIRMINGHAM (EDGBASTON).	54	34	46·7	37·6	0.1	CARDIFF.. ..	55	35	50·1	39·1	
NOTTINGHAM ..	54	37	47·9	39·4	1	EDINBURGH ..	51·0	35·0	47·1	38·6	
BIRKENHEAD (BIDSTON).	51	35	45·7	38·7	0	GLASGOW ..	52·1	37·0	48·8	40·5	
MANCHESTER (WHITWORTH PARK).	52	31	47·0	37·7	0	DUBLIN (PHŒNIX PARK).	59·7	26·5	50·6	34·1	
BURNLEY	53	29	47·6	33·7	2	(FITZWILLIAM SQUARE†).	57·8	33·2	50·4	38·7	
						BELFAST.. ..	57·0	29·5	52·4	37·1	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th March, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	14	New	30·175	53·3	36·9	16·4	45·4	+ 3·9	40·1	5·3	12·4	2·1	82	74·0	24·5	45·2	Calm: SW.	WSW	1·0	0·0	0·1	216	− 91	0·00
MONDAY -	15	In Equator	30·070	51·8	36·8	15·0	45·5	+ 3·8	38·9	6·6	14·3	2·9	78	70·8	23·8	45·3	WSW: W: N.	NNE: NE: E.	0·7	0·0	0·1	177	− 133	0·00
TUESDAY -	16	..	30·121	42·9	36·1	6·8	40·3	− 1·6	35·3	5·0	8·9	2·9	82	54·9	22·8	45·3	Calm: N.	E : ESE	0·8	0·0	0·1	164	− 149	0·00
WEDNESDAY	17	..	29·924	48·5	36·4	12·1	42·1	+ 0·1	34·5	7·6	15·3	1·8	74	96·0	24·5	45·3	Calm	Calm	0·5	0·0	0·0	117	− 200	0·00
THURSDAY -	18	..	29·866	48·4	34·7	13·7	41 5	− 0·5	33·4	8·1	17·0	2·1	73	85·0	23·6	45·1	Calm: NNE.	NE: Calm.	0·6	0·0	0·1	156	− 164	0·00
FRIDAY -	19	..	29·949	46·6	39·2	7·4	42·1	+ 0·2	35·5	6·6	14·0	3·3	78	61·8	35·6	45·2	Calm: NE.	NE	1·0	0·0	0·1	180	− 141	0·00
SATURDAY -	20	..	30·049	46·6	34·1	12·5	38·8	− 3·1	30·5	8·3	20·2	3·0	71	92·0	27·9	45·0	NE: ENE.	E: NE	6·2	0·0	0·7	417	+ 98	0·00
MEANS -		..	30·022	48·3	36·3	12·0	42·2	+ 0·4	35·5	6·8	14·6	2·6	77	76·4	26·1	45·2	E		..	..	..	Sum 1427	Sum − 780	Sum 0·00
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	14	wP till 9½h., mP till 11h., then wP.	0 0	11·7	Cloudless by 2h., then becoming overcast by 4h. Dew and mist in morning.
MONDAY ..	15	wP till 6h., mP till 19½h., then wP.	0 0	11·7	Overcast till 18h., then variably cloudy. Mist in morning.
TUESDAY ..	16	wP till 3½h., mP till 19½h., then wP.	0·0	11·8	Variably cloudy, becoming overcast by 5h. Occasional slight damping between 11h. and 15h.
WEDNESDAY	17	wP till 10½h., mP. till 13h., wP till 16½h., mP till 19h., then wP.	1·7	11·9	Variably cloudy. Haze 9h. till 21h.
THURSDAY	18	wP till 6h., mP till 19h., then wP.	0·1	11 9	Overcast generally. Fog 1h. to 2h.
FRIDAY ..	19	wP till 6½h., mP till 22h., then wP.	0·0	12·0	Overcast throughout. Occasional damping between 17½h. and 22h.
SATURDAY	20	wP till 6h., mP. till 11½h., then wP.	2·1	12·1	Nearly overcast generally till 15h., then variably cloudy. Frequent slight rain between 13¾h. and 14¾h. Slight hail 13¾h. and 15h. Brisk wind 12h. till 19h.
			Sum 3·9	Sum 83·1	
No. of Col...	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·26 ins. at the beginning of the week to 30·04 ins. by 5h. on 15th; increased to 30·15 ins. by 11h. on 16th; decreased to 29·84 ins. by 15h. on 18th; increased to 30·07 ins. by 12h. on 20th; decreased and was 30·01 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 12.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 27TH MARCH 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH MARCH, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twelfth week of the year numbered 6,684, and corresponded to an annual rate of 17·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,177 and corresponded to an annual rate of 13·9 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 12·6, 12·9, and 12·8. Infant mortality was 86 per 1,000 births against 82, 83 and 79 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,509 births corresponding to a rate of 17·1 per 1,000, and 1,228 deaths of civilians, corresponding to an annual rate of 13·9, against 12·5, 12·6 and 13·1, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·0 per 1,000. The infant mortality was 75 as against 65, 65 and 74 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,776 to 5,177. In London the number of deaths from all causes increased from 1,159 to 1,228 ; the deaths from diphtheria which had been 13, 16, and 17 in the preceding three weeks, were 16 last week; and the deaths from measles, which had been 40, 60, and 56 in the three preceding weeks, fell to 49 last week.

A fatal case of typhus fever was registered in Sunderland C.B.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 27th March, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	1
105 Great Towns ..	19,417,320*	6,684	5,177†	574	7	121	9	66	47	38	1
London	4,602,000*	1,509	1,228	113	2	49	3	4	16	11	
Towns in Outer Ring.											
Croydon C.B ..	199,300	63	40	4	-	1	-	-	3	-	
Wimbledon ..	58,170	10	15	1	-	-	-	-	-	-	
Ealing	68,410	23	21	-	-	-	-	-	-	-	
Acton	63,110	17	15	-	-	1	-	-	-	-	
Willesden ..	168,900	47	29	2	-	1	-	-	-	-	
Hendon	59 150*	10	7	1	1	-	-	-	-	-	
Hornsey	87,210	14	18	-	-	-	-	-	-	-	
Wood Green ..	51,960	9	11	-	-	-	-	-	-	-	
Tottenham ..	153,600	49	36	3	-	3	-	1	-	1	
Edmonton ..	71,210	37	21	3	-	5	-	-	2	-	
Enfield	63,740	15	21	4	-	2	-	-	-	-	
West Ham C.B. ..	318,500	167	78	6	-	5	-	-	-	1	
East Ham C.B. ..	147.200	36	29	2	-	4	-	-	-	-	
Leyton	132,700	19	28	4	-	1	-	-	-	1	
Walthamstow ..	130,800	40	23	2	-	-	-	-	-	1	
Ilford	93,590	27	18	-	-	1	-	-	-	-	
Gillingham	48,680*	19	7	1	-	-	-	-	-	-	
Canterbury C.B ..	23,270*	6	4	-	-	-	-	-	-	-	
Hastings C.B.	60,470	13	18	1	-	1	-	-	-	-	
Eastbourne C.B. ..	55,060	20	16	-	-	-	-	-	-	-	
Brighton C.B. ..	137,800*	46	39	7	-	-	-	1	-	-	
Portsmouth C.B. ..	232,900*	105	71	5	-	3	-	1	1	-	
Bournemouth C.B. ..	85,840	21	33	4	-	-	-	-	-	1	
Southampton C.B. ..	168,600	47	43	4	-	-	-	-	-	-	
Reading C.B.	93,670*	26	19	2	-	-	-	-	-	-	
Oxford C.B.	57,090	11	14	2	-	1	-	-	-	-	
Northampton C.B. ..	93,780*	30	18	1	-	-	-	-	-	1	
Luton	59,230	22	11	1	-	-	-	-	-	-	
Cambridge	59,020	21	23	-	-	-	-	-	-	-	
Southend-on-Sea C.B.	98,060	20	35	2	-	-	-	-	-	-	
Ipswich C.B.	83,120*	28	23	1	-	-	-	-	1	-	
Great Yarmouth C.B.	57,890	26	22	1	-	-	-	-	-	-	
Norwich C.B. ..	124,000*	50	39	3	-	-	-	-	-	-	
Swindon	56,880	24	13	-	-	-	-	-	-	-	
Exeter C.B.	59,820*	20	20	4	-	-	-	-	-	-	
Plymouth C.B. ..	192,100*	60	50	5	-	1	-	1	-	-	
Bath C.B.	69,050	13	22	-	-	-	-	-	1	-	
Bristol C.B.	385,700*	136	120	10	-	1	-	2	2	-	
Gloucester C.B. ..	53,060	30	5	-	-	-	-	-	-	-	
Stoke-on-Trent C.B.	278,900	114	85	18	-	1	2	-	-	1	
Burton-upon-Trent C.B.	49,530	19	10	-	-	-	-	-	-	-	
Wolverhampton C.B.	108,800	42	28	5	-	-	-	-	-	-	
Walsall C.B.	102,300	35	20	-	-	-	-	-	-	-	
West Bromwich C.B	79,490	18	18	3	-	-	-	-	-	1	
Dudley C.B.	58,810	32	21	3	-	-	-	-	-	-	
Worcester C.B. ..	50,230	18	11	-	-	-	-	-	-	-	
Birmingham C.B. ..	945,900	313	205	24	-	3	1	5	3	4	
Smethwick C.B. ..	78,840	22	10	-	-	-	-	-	-	-	
Coventry C.B. ..	129,100	37	35	2	-	-	-	-	-	-	
Leicester C.B. ..	242,100	71	63	5	-	-	-	-	3	-	
Lincoln C.B.	66,600*	21	19	3	-	-	-	1	-	1	
Grimsby C.B.	87,190	41	18	4	-	-	-	1	-	-	
Nottingham C.B. ..	279,600	122	96	15	-	-	-	2	-	-	
Derby C.B.	134,400*	48	34	7	-	-	-	-	-	-	
Chesterfield ..	65,800	25	13	1	-	2	-	-	-	-	
Stockport C.B. ..	125,900	41	33	2	-	2	-	-	-	-	
Chester C.B.	41,670	20	5	1	-	-	-	-	1	-	
Birkenhead C.B. ..	155,500	55	44	8	-	-	-	-	-	1	
Wallasey C.B. ..	91,720	24	26	1	-	-	-	1	-	-	
Liverpool C.B. ..	856,000	343	252	38	1	7	1	9	3	1	
Bootle C.B.	83,260	38	18	4	-	-	1	-	-	-	
St. Helens C.B. ..	109,600	48	27	4	-	5	-	-	-	-	

* Population adjusted by the exclusion of non-civilians.
† Including 1 death from Typhus fever.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
)UTHPORT C.B ..	74,360	17	12	-	-	-	-	-	-	-	-
IGAN C.B.	91,010	34	41	5	-	-	-	1	-	-	1
ARRINGTON C.B. ..	77,970*	37	24	5	-	-	-	1	-	-	-
OLTON C.B.	180,400	61	49	9	-	-	-	2	-	-	3
URY C.B.	56,700*	17	15	1	-	-	-	1	2	-	1
ANCHESTER C.B. ..	755,800	267	256	27	1	8	-	1	3	4	8
ALFORD C.B.	244,700	109	56	11	-	1	-	-	2	1	1
OLDHAM C.B	146,200	49	42	4	-	-	-	2	-	-	2
OCHDALE C.B... ..	92,190	21	22	1	-	2	-	1	-	-	-
URNLEY C.B.	102,300	26	32	4	1	-	-	1	-	-	2
LACKBURN C.B. ..	126,900	29	34	4	-	-	-	2	-	-	-
LESTON C.B.	122,900	42	35	2	-	-	-	-	-	-	-
LACKPOOL C.B. ..	80,750	25	25	2	-	-	-	-	1	-	2
ARROW-IN-FURNESS C.B.	73,470	22	22	2	-	-	-	-	1	-	-
UDDERSFIELD C.B. ..	112,100	35	36	3	-	-	-	1	-	-	-
ALIFAX C.B.	97,860*	28	31	7	-	1	-	-	-	-	-
RADFORD C.B. ..	290,200	67	77	9	-	-	-	1	-	-	2
EEDS C.B.	472,900	153	148	24	-	-	1	10	1	1	7
EWSBURY C.B ..	54,570	19	11	2	-	-	-	-	-	-	1
AKEFIELD C.B. ..	53,980	24	13	2	-	-	-	-	-	1	-
ARNSLEY C.B. ..	71,170	23	14	-	-	-	-	-	-	-	-
HEFFIELD C.B. ..	526,900*	152	124	13	-	4	-	-	-	-	4
OTHERHAM C.B. ..	70,600	42	14	5	-	-	-	-	-	-	-
ONCASTER	55,610	22	9	-	-	-	-	-	-	-	-
ORK C.B.	84,630*	21	11	1	-	-	-	-	-	-	-
ULL C.B.	297,300	111	99	15	-	2	-	-	-	1	3
IDDLESBROUGH C.B.	136,200	86	42	7	-	-	-	2	-	-	-
ARLINGTON C.B. ..	69,130	25	11	1	1	-	-	-	-	-	-
OCKTON-ON-TEES ..	68,000	29	20	4	-	-	-	1	1	-	2
EST HARTLEPOOL C.B.	71,590	37	17	1	-	-	-	1	-	-	-
UNDERLAND C.B. ..	166,000	57	49‡	9	-	-	-	1	-	1	-
OUTH SHIELDS C.B. ..	124,600	45	27	5	-	-	-	-	-	-	1
ATESHEAD C.B. ..	129,000	58	35	8	-	1	-	-	-	-	2
EWCASTLE-ON-TYNE C.B.	286,300*	128	78	4	-	2	-	1	-	1	-
YNEMOUTH C.B. ..	66,180	26	21	3	-	-	-	2	-	-	-
ARLISLE C.B.	55,160*	25	18	4	-	-	-	1	-	-	-
EWPORT (MON.) C.B.	96,420*	30	20	3	-	-	-	3	-	-	-
ARDIFF C.B.	227,100*	87	58	6	-	-	-	-	-	1	1
HONDDA	167,570	64	45	4	-	-	-	1	-	-	1
ERTHYR TYDFIL C.B.	82,920	20	27	3	-	-	-	-	-	-	1
BERDARE	57,700	16	20	2	-	-	-	-	-	1	-
VANSEA C.B.	163,200	65	43	5	-	-	-	-	-	-	1
REATER LONDON ..	7,719,622*	2,480	1,893	164	5	80	5	6	23	17	46
UTER RING	3,117,622*	971	665	51	3	31	2	2	7	6	19
GREAT TOWNS IN OUTER RING	1,867,550*	583	410	32	1	24	-	1	5	4	13
EMAINDER OF OUTER RING	1,250,072*	388	255	19	2	7	2	1	2	2	6
DINBURGH†	424,600	173	141	16	-	-	3	-	-	3	4
LASGOW† ..	1,034,500	490	470	83	-	28	2	7	5	1	24
UBLIN (REGISTRATION AREA)†	443,000	192	133	21	1	1	-	2	-	2	1
ELFAST†	443,000	185	153	26	-	3	1	-	-	5	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of idents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and lfast are corrected by the exclusion of deaths of persons admitted into public institutions from thout the respective areas.

‡ Including 1 death from Typhus fever.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1925–6.										
London‡	4,602,000	Mar. 27	1509	1228	13·9	2	–	49	3	4	16	11
Calcutta and Suburbs	1,077,273	Feb. 20	?	690§	33·3	?	36	?	?		?	?
Bombay	1,279,061	Mar. 6	398‖	549	22·3	3	21	4	–	–	–	17
Madras	526,911	Feb. 20	386	525§	51·6	5	3	–	?	–	–	25
Sydney and Suburbs	1,038,950	„ 28										
Brisbane (Metropolitan Area).	245,015	Jan. 31										
Perth (Metropolitan Area).	176,467	Feb. 13										
Auckland (Urban Area).	180,790	Jan. 31										
Wellington (Urban Area).	118,490	„ 31										
Christchurch (Urban Area).	118,270	„ 31										
Cape Town	113,709	Mar. 6										
Johannesburg	165,958	„ 6	82	32	10·0	–	–	–	–	–	–	1
Durban	54,822	„ 6	22	15	14·2	–	–	–	–	–	–	–
Paris	2,906,472	„ 10 (10 days)	1334	1258	15·8	3	1	34	3	3	7	34
Antwerp	300,150	Feb. 20										
Amsterdam	718,250	„ 27										
Copenhagen	587,400	Mar. 13										
Stockholm	438,896	„ 13	115	109	12·8	–	–	–	–	1	–	1
Gothenburg	230,804	Feb. 20	?	47	10·6	–	–	–	–	2	–	–
		„ 27	?	39	8·8	–	–	–	–	–	–	–
Oslo (Christiania) ..	257,719	Mar. 20	59	45	9·1	–	–	–	–	–	–	–
Berlin	2,044,000	„ 6	468	511	12·5	–	?	1	1	3	1	2
Breslau	575,000	„ 6	157	114	9·3	–	?	–	–	–	–	2
Cologne	727,000	„ 6	248	161	11·2	–	?	–	2	1	–	2
Dresden	618,000	„ 6	180	149	11·5	–	?	–	–	–	1	–
Frankfort-on-Main ..	474,000	„ 6	131	75	7·2	–	?	–	–	1	–	–
Hamburg	1,115,000	„ 6	342	306	13·0	–	?	–	–	–	2	2
Leipzig	660,000	„ 6	220	167	12·0	–	?	1	–	4	–	–
Munich	685,000	„ 6	206	155	10·6	–	?	–	–	1	1	–
Vienna	1,869,437	Dec. 31										
Prague and Suburbs	712,700	Nov. 30										
Budapest	960,525	Mar. 13										
Warsaw	992,450	„ 20	279	280	14·8	2	1	3	4	–	1	12
Cairo	818,500	Dec. 30										
Alexandria	486,600	„ 30										
New York	6,361,664	Feb. 6	2363	1654	13·5	–	–	25	1	3	4	20
Chicago	2,995,239	„ 26	1215	755	12·9	–	?	–	–	4	5	4

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Ci Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children und year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 37 deaths from cholera in Calcutta and 7 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th March, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1228	113	56	33	29	43	56	70	122	189	258	259
Enteric fever..	2	-	-	-	-	1	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	49	12	21	13	3	-	-	-	-	-	-	-
Scarlet fever	3	-	-	2	1	-	-	-	-	-	-	-
Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria	16	-	5	4	7	-	-	-	-	-	-	-
Influenza	27	-	-	2	-	1	4	1	4	3	7	5
Erysipelas	4	1	-	-	-	-	1	-	-	2	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	1	-	-	-	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	97	1	-	-	2	21	23	16	19	9	5	1
Nervous system	8	1	1	3	1	2	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	-	1	-	-
Other forms	4	1	1	-	1	-	-	-	-	-	1	-
Venereal diseases	9	5	-	-	-	-	-	1	2	1	-	-
Cancer	128	-	-	-	-	1	2	6	19	37	43	20
Rheumatic fever	2	-	-	-	2	-	-	-	-	-	-	-
Diabetes	9	-	-	-	-	-	-	-	1	3	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	64	-	-	-	-	-	-	1	1	13	25	24
Epilepsy	3	-	-	-	-	-	-	-	2	1	-	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	-	-	-	4	2	1	7	6	4	2	2
Pericarditis	1	-	-	-	-	-	-	-	1	-	-	-
Acute endocarditis	5	-	-	-	-	-	2	-	2	-	1	-
Other diseases of heart	182	-	-	-	1	6	2	9	19	32	62	51
Other diseases of circulatory system	54	-	-	-	-	-	1	5	3	10	15	20
Bronchitis	115	5	2	-	1	-	3	-	6	19	21	58
Broncho-pneumonia	69	24	14	5	-	-	1	1	2	4	8	10
Lobar-pneumonia	37	2	2	2	1	-	1	5	7	7	9	1
Pneumonia (type not distinguished)	14	1	1	2	-	-	-	2	1	1	3	3
Other diseases of respiratory system	15	-	-	-	-	-	2	1	-	3	2	7
Diarrhœa and enteritis	13	8	3	-	-	-	-	-	-	-	2	-
Appendicitis, Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
Hernia, Intestinal obstruction.. ..	8	-	-	-	-	1	-	-	1	2	3	1
Cirrhosis of liver	7	-	-	-	1	-	-	1	1	-	3	1
Other diseases of digestive system ..	21	1	1	-	-	2	-	1	4	5	5	2
Acute nephritis	3	-	-	-	-	-	-	-	1	1	1	-
Chronic Bright's disease..	34	-	-	-	-	-	1	-	5	9	12	7
Other diseases of genito-urinary system.	26	-	-	-	-	1	-	1	3	8	7	6
Puerperal sepsis	8	-	-	-	-	1	3	4	-	-	-	-
Other causes incident to childbirth..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	3	2	-	-	1	-	-	-	-	-	-	-
Premature birth	27	27	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	38	-	-	-	-	-	-	-	-	-	3	35
Suicide	11	-	-	-	-	-	3	4	3	-	1	-
Burns and Scalds	5	1	2	-	-	1	-	-	-	-	1	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	4	4	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	-	-	1	-	-	1	2	3	1
Other deaths by violence	15	-	-	-	1	-	4	3	1	3	2	1
Other specified causes	37	9	-	-	1	1	2	-	7	8	7	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th March, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	237	252	6	121	C. 7 D. 2 G. 2 M. 15
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	17	13	–	7	–
†BERMONDSEY ...	–	6	10	–	2	–
†BETHNAL GREEN	–	2	6	–	4	–
†CAMBERWELL ...	–	14	28	–	3	C. 1
†CHELSEA	–	7	9	–	6	–
†DEPTFORD ...	–	11	17	–	7	C. 1
†FINSBURY ...	–	5	1	–	2	M. 1
†FULHAM	–	10	8	–	4	–
†GREENWICH ...	–	6	10	–	3	–
†HACKNEY ...	–	7	18	–	2	C. 1 M. 2
†HAMMERSMITH ...	–	6	3	–	1	C. 1 G. 1
†HAMPSTEAD ...	–	2	–	–	3	–
†HOLBORN... ...	–	2	2	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	24	11	2	5	M. 5
†KENSINGTON ...	–	3	5	1	1	D. 1
†LAMBETH ...	–	17	13	–	3	C. 1
†LEWISHAM ...	–	14	6	–	2	M. 1
†PADDINGTON ...	–	7	5	–	6	M. 1
†POPLAR	–	12	17	–	14	C. 1 M. 1
†ST. MARYLEBONE	–	1	1	–	5	–
†ST. PANCRAS ...	–	4	9	–	2	M. 2
†SHOREDITCH ...	–	11	3	–	–	M. 1
†SOUTHWARK ...	–	7	16	–	3	–
†STEPNEY	–	18	14	–	9	C. 1
†STOKE NEWINGTON	–	4	1	–	–	–
†WANDSWORTH ...	–	12	11	2	13	G. 1 M. 1
†WESTMINSTER, CITY OF	–	1	3	1	2	–
†WOOLWICH ...	–	6	12	–	11	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	5	–	2	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	2	–	–	–	–
†BEDFORD... ...	–	1	2	–	2	–
DUNSTABLE ...	–	–	1			–
Rural Districts:—						
BEDFORD ...		1	2	–		–
BIGGLESWADE ...	–	1	–	–	–	–
BERKS	–	9	–	–	3	D. 2 M. 1
†READING C.B. ...	–	4	–	–	1	M. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	–	–	–	D. 2
WANTAGE .		–	–		1	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
HUNGERFORD ...	–	1	–	–		–
NEWBURY ...	–	–	–		1	–
WALLINGFORD ...		1	–	–	–	–
WINDSOR... ...	–	1	–	–		–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	7	4	1		M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...		1	–	–	–	
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE	–	–	–	–	–	M. 1
Rural Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
ETON	–	–	4	1	–	–
WINSLOW... ...	–	3	–	–	–	–
WYCOMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	7	1	–	6	M. 1
Borough:—						
†CAMBRIDGE ...	–	7	1	–	2	M. 1
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	1	–
CHESTERTON ...	–	–	–		3	–
CHESTER	–	42	17	1	21	G. 1 M. 1
†BIRKENHEAD C.B.	–	1	2	1	6	–
†CHESTER C.B. ...	–	2	1	–	–	–
†STOCKPORT C.B.	–	8	1	–	4	–
†WALLASEY C.B. ...	–	6	4	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	1	–	–	–
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
BOWDON	–	1	1	–	–	–
BREDBURY AND ROMILEY	–	1	1	–	1	–
BUGLAWTON ...	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	2	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	–	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	*	*	*	*	*	*
HOOLE	–	1	–	–	–	–
†HYDE	–	–	3	–	1	G. 1
†MACCLESFIELD ...	–	1	–	–	–	–
†RUNCORN ...	–	1	–	–	1	–
†SALE	–	3	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	1	–
MACCLESFIELD ...	–	2	1	–	–	–
NANTWICH ...	–	5	–	–	–	M. 1
NORTHWICH ...	–	1	–	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	1	4	–	7	G. 1
Boroughs and Urban Districts:—						
HELSTON... ...	*	*	*	*	*	*
LISKEARD ...	*	*	*	*	*	*
MADRON	–	–	2	–	–	–
NEWQUAY ...		–	–	–		G. 1
†PENZANCE ...	–	–	1	–	–	–
REDRUTH ...	–	–	–	–	1	–
SALTASH... ...	–	1	–	–	1	–
Rural Districts:—						
BODMIN	–	–	–	–	1	–
HELSTON	*	*	*	*	*	*
HOLSWORTHY (part)	–	–	–		1	–
REDRUTH ...	–	–	–	–	1	–
ST. AUSTELL ...	–	–	–	–	2	–
ST. GERMANS ...	–	–	1	–	–	–
CUMBERLAND ...	–	11	6	–	2	–
†CARLISLE C.B. ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	1	–	–	–
HARRINGTON ...	–	1	–	–	–	–
†WHITEHAVEN ...	–	2	–	–	1	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...	–	–	1	–	–	–
CARLISLE ...	–	1	–	–	–	–
WHITEHAVEN ...	–		2		–	–
WIGTON	–	–	2		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	47	38	18	–	36	L. 1 M. 1
†DERBY C.B. ..	43	6	6	–	13	L. 1 M. 1
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	1	–	–	–	–	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	1	–	–	–	–	–
†BOLSOVER ...	–	1	–	–	1	–
†CHESTERFIELD ...	–	8	3	–	7	–
DRONFIELD ...	–	1	–	–	–	–
†HEANOR	–	1	–	–	–	–
†LONG EATON ...	–	3	–	–	1	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	2		–	1	–
BAKEWELL ...	–	1	–	–	1	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	3	2	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	1	2	2	–	8	–
CLOWNE		–	1	–	1	–
GLOSSOP DALE ...	*	*	*	*	*	*
NORTON	–	–	–	–	1	
REPTON	–	1	–	–	–	–
SHARDLOW ...	1	2	4	–	1	–
SUDBURY... ...	–	1	–	–	–	–
DEVON	–	29	8	–	11	C. 2 G. 1 M. 1
†EXETER C.B. ...	–	4	–	–	2	G. 1
†PLYMOUTH C.B....	–	19	5	–	3	–
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	1	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
DARTMOUTH ...	–	1	–		–	–
GREAT TORRINGTON	*	*	*	*	*	*
HOLSWORTHY ...	–	–	–	–	2	–
OKEHAMPTON ...		–	–	–	–	C. 1
TIVERTON ...		1	–	–	–	–
†TORQUAY ...	–	1		–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
AXMINSTER ...	–	2	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
CREDITON ...	–	1	–	–	–	–
CULMSTOCK ...	*	*	*	*	*	*
HOLSWORTHY (part)	–	–	–	–	2	–
OKEHAMPTON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	–	1	–	–	C. 1
TOTNES	–	–	–	–	–	M. 1
DORSET	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	–	M. 1
†PORTLAND ..	–	2	–	–	–	–
SWANAGE ...	–	–	1	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
STURMINSTER ...	–	1	–	–	–	–
WEYMOUTH ...		1	–	–	–	–
DURHAM	90	78	22	2	64	C. 3 M. 6
†DARLINGTON C.B	–	8	–	1	6	–
†GATESHEAD C.B.	4	3	1	–	3	–
†SOUTH SHIELDS C.B.	16	1	2	–	2	C. 1
†SUNDERLAND C.B	1	3	1	–	20	C. 1 M. 2
†WEST HARTLEPOOL C.B	–	11	–	–	3	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	5	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	1	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BILLINGHAM ...	–	4	–	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	*	*	*	*	*	*
†BRANDON AND BYSHOTTLES	2	–	–	1	–	–
†CHESTER LE STREET	4		4	–	1	–
†CONSETT	–	1	1	–	–	–
†CROOK	–	1	–	–	–	–
†DURHAM	1			–	–	–
†FELLING	–	–	1	–	4	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	1	1	1	–		–
†HETTON	4	3	1	–	–	–
†HOUGHTON LE SPRING	5	1	–	–	1	–
†JARROW	–	–	–	–	4	–
†RYTON	–	2	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SOUTHWICK ON WEAR	1	–	–	–	1	–
†SPENNYMOOR ...	10	1	–	–	–	–
†STANLEY	6	–	1	–	–	–
†STOCKTON ON TEES	–	1	2	–	8	M. 1
†TANFIELD ...	1	1	1	–	–	–
TOW LAW ...	1	2	–	–	–	–
†WASHINGTON ...	–	1	–			–
†WHICKHAM ...	1	–	–	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	2	5	1	–	–	–
CHESTER LE STREET	8	3	1	–	1	–
DURHAM	–	2	3	–	–	–
EASINGTON ...	2	4	1		4	C. 1
HOUGHTON LE SPRING	8	2	–	–	1	M. 1
LANCHESTER ..	5	5	–	–	–	–
SEDGEFIELD ..	–	3	–	–	–	–
SOUTH SHIELDS...	1	–	–	–	–	M. 1
STOCKTON ...	–	1		–	–	–
SUNDERLAND ...	1	2	–	–	–	–
WEARDALE ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	1	G. 1
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	1	–	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	–	–	–	–	G. 1
WISBECH	–	–	–	–	1	–
ESSEX	–	76	55	2	37	–
†EAST HAM C.B. ...	–	9	4	–	1	–
†SOUTHEND-ON-SEA C.B.	–	12	2	1	3	–
†WEST HAM C.B. ...	–	20	24	–	14	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	2	–
BRAINTREE ...	–	2	–	–	–	–
BRENTWOOD ...	–	–	1	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
†GRAYS THURROCK	–	–	1	–	2	–
†HARWICH ...	–	1	–	–	1	–
†ILFORD	–	–	1	–	4	–
†LEYTON	–	6	4	–	3	–
†ROMFORD ...	–	3	–	–	–	–
TILBURY	–	2	1	–	–	–
WALTHAM HOLY CROSS	–	4	–	–	–	–
†WALTHAMSTOW...	–	3	4	–	2	–
†WANSTEAD ..	–	–	2	–	1	–
WITHAM	–	–	–	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BELCHAMP ...	*	*	*	*	*	*
BILLERICAY ...	–	2	1	–	–	–
DUNMOW	–	–	–	–	2	–
EPPING	–	1	–	–	–	–
ONGAR	–	1	4	–	–	–
ORSETT	–	1	5	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
ROCHFORD ...	–	1	–	1	–	–
ROMFORD... ...	–	2	–	–	–	–
TENDRING ...	–	3	–	–	–	–
GLOUCESTER ...	–	34	18	–	18	C. 1 E. 1 M. 1
†BRISTOL C.B. ...	–	16	14	–	8	C. 1 M. 1
†GLOUCESTER C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
†KINGSWOOD ...	–	3	–	–	–	–
NAILSWORTH ...	–	3	–	–	–	–
STROUD	–	1	–	–	–	–
TEWKESBURY ...	–	–	–	–	3	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	–	–	–	2	–
DURSLEY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	4	E. 1
NORTHLEACH ...	–	1	–	–	–	–
STROUD	–	2	–	–	–	–
THORNBURY ...	–	1	–	–	1	–
WARMLEY ...	–	2	–	–	–	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	2	4	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
DORE	–	1	–	–	–	–
KINGTON	–	–	1	–	–	–
HERTFORD ...	–	8	2	3	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	–	M. 1
WARE	–	–	–	–	–	G. 1
†WATFORD ...	–	6	1	–	3	–
Rural Districts:—						
WARE	–	–	1	–	–	–
WATFORD ...	–	1	–	3	–	–
HUNTINGDON ...	–	–	–	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	–	G. 1 M. 1
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
KENT	–	38	27	4	32	G. 2 M. 1
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	3	1	–	2	–
†BEXLEY	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	3	–
†BROMLEY ...	–	–	–	–	1	–
†CHATHAM ...	–	3	7	–	2	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†CRAYFORD ...	–	3	4	1	1	–
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	1	–	–	–	G. 1
†ERITH	–	2	2	–	–	–
†FAVERSHAM ...	–	3	–	–	–	–
†GILLINGHAM ...	–	3	3	–	–	–
†GRAVESEND	–	–	2	–	–	–
†HERNE BAY ...	–	1	–	–	1	–
†MAIDSTONE ...	–	–	–	–	–	M. 1
†MARGATE ...	–	3	2	–	–	–
MILTON REGIS ...	–	1	–	–	3	–
NEW ROMNEY .	–	–	–	–	2	–
†NORTHFLEET ...	–	–	–	–	–	G. 1
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	2	–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	3	–
SANDGATE ...	–	1	–	–	–	–
SANDWICH ...	–	–	–	1	–	–
SIDCUP	–	1	–	–	–	–
SITTINGBOURNE	–	1	–	1	4	–
†TONBRIDGE ...	–		–	1	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	–		–	1	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
MAIDSTONE ...		1	1	–	–	–
MALLING	–	–	1	–	–	–
MILTON	–	1	–	–	–	–
ROMNEY MARSH...	–	–	–	–	1	–
SHEPPEY	–	–	–	–	1	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	180	107	6	219	C. 5 D. 1 G. 9 L. 1 M. 18
†BARROW IN FURNESS C.B	–	4	2	–	1	–
†BLACKBURN C.B	–	4	–	–	3	–
†BLACKPOOL C.B.	–	–	2	1	1	–
†BOLTON C.B. ...	–	5	1	–	6	G. 1
†BOOTLE C.B. ..	–	1	1	–	4	–
†BURNLEY C.B. ..	–	–	3	–	4	–
†BURY C.B. ...	–	3	2	–	4	–
†LIVERPOOL C.B. ..	–	49	19	–	53	C. 1 G. 3 M. 9
†MANCHESTER C.B.	–	32	23	2	50	C. 2 G. 2 M. 4
†OLDHAM C.B. ...	–	6	2	–	–	–
†PRESTON C.B. ...	–	3	7	–	–	–
†ROCHDALE C.B. ..	–	1	1	–	–	–
†ST. HELENS C.B....	–	3	1	–	6	M. 1
†SALFORD C.B. ...	–	6	13	–	15	C. 2 G. 1 M. 1
†SOUTHPORT C.B.	–	2	2	–	1	M. 1
†WARRINGTON C.B	–	–	–	–	4	–
†WIGAN C.B. ...	–	5	–	3	6	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	2	–	–	3	–
†ATHERTON ..	–	2	–	–	–	–
AUDENSHAW ...	–	–	1	–	3	–
†BACUP	–	–	–	–	1	–
BILLINGE... ...	–	–	1	–	–	–
†CHADDERTON ...	–	2	–	–	1	–
†CHORLEY	–	–	–	–	1	–
CHURCH	–	–	–	–	1	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	2	–	–	–	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	2	–	–	–	D. 1
†DENTON	–	–	–	–	3	–
†DROYLSDEN ...	–	4	1	–	3	–
†FAILSWORTH ...	–	1	–	–	2	M. 1
†FARNWORTH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FLEETWOOD ...	–	1		–	2	–
GOLBORNE ..	–	–	1	–	1	–
†GREAT CROSBY ...	–	–	1	–	2	–
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	1	–	–	–
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	–	1	–	1	–
†INCE IN MAKERFIELD	–	–	1	–	1	G. 1
KIRKHAM ...	–	2	–	–	–	–
†LANCASTER ...	–	–	1	–	3	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	2	1	–	3	–
†LITTLEBOROUGH	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	3	–	–	–
†MIDDLETON ...	–	1	–	–	2	–
MILNROW... ...	–	1	–	–	–	–
†MORECAMBE ...	–	–	–	–	1	–
†NELSON	–	1	–	–	–	M. 1
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	2	–	–	–
†PADIHAM... ...	–	–	2	–	–	–
†PRESTWICH ...	–	2	–	–	–	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	2	–	–	1	–
†ROYTON	–	2	–	–	–	–
†STRETFORD ...	–	4	1	–	2	G. 1
†SWINTON AND PENDLEBURY	–	3	–	–	7	–
TOTTINGTON ...	–	–	1	–	–	–
†TURTON	–	4	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	–	–
URMSTON... ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	–	2	–	–	–
WHITEFIELD ...	–	–	2	–	–	–
†WIDNES	–	1	1	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURY	–	1	–	–	1	–
CHORLEY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	2	–	–	–	–
LIMEHURST ...	–	–	–	–	3	–
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	3	–
WEST LANCASHIRE	–	–	–	–	1	–
WIGAN	–	1	–	–	–	–
LEICESTER... ...	–	24	20	–	10	C. 1 G. 1
†LEICESTER C.B. ..	–	12	12	–	1	C. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	3	1	–	–	–
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	1	–	–	1	G. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	3	1	–	4	–
BLABY	–	1	2	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	2	–	–	2	–
MARKET BOSWORTH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	6	2	–	–	C. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	–	C. 1
†SPALDING ...	–	2	1	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	2	–	–	–	–
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	2	G. 1
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	1	–
†GRANTHAM ...	–	–	–	–	–	G. 1
SLEAFORD ...	–	1	–	–	1	–
Rural Districts:—						
BOURNE	–	1	–	–	–	–
BRANSTON ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	39	7	–	15	G. 1 M. 2
†GRIMSBY C.B. ..	–	4	1	–	1	–
†LINCOLN C.B. ...	–	24	–	–	2	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH ...	–	–	4	–	4	–
LOUTH	–	–	–	–	–	G. 1
MABLETHORPE AND SUTTON		1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	2	–	–	–	M. 2
GLANFORD BRIGG	–	1	–	–	1	–
GRIMSBY	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	1	–
SPILSBY		7	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	53	63	3	25	G. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	–
†BRENTFORD ...	–	1	–	–	1	–
†CHISWICK ...	–	2	1	–	–	–
†EALING	–	1	2	–	1	–
†EDMONTON ...	–	1	10	–	–	–
†ENFIELD	–	2	8	–	2	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	1	2	–	1	–
†FRIERN BARNET	*	*	*	*	*	*
†HAMPTON ...	–	–	–	–	1	–
HAMPTON WICK...	–	–	1		–	–
†HANWELL ...	–	–	–	1		–
†HARROW ON THE HILL	–	2	–	–	–	M. 1
†HENDON	–	3	2	1	–	–
†HESTON AND ISLEWORTH	–	–	1	–	3	–
†HORNSEY... ...	–	3	5	–	3	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	2	–	1	–	–
†TOTTENHAM ...	–	8	6	–	2	–
†TWICKENHAM ...	–	–	2	–	1	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	2	2	–	1	–
†WEMBLEY ...	–	1	1	–	2	–
†WILLESDEN ...	–	6	16	–	6	G. 1 M. 1
†WOOD GREEN ...	–	9	2	–	–	–
Rural Districts:—						
HENDON	–	2	1	–	–	–
STAINES	–	2	–	–	–	–
NORFOLK	–	13	3	1	8	C. 1 M. 3
†GREAT YARMOUTH C.B.	–	3	–	–	4	M. 1
†NORWICH C.B. ...	–	2	–	–	2	M. 2
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	–	–	1	–	–
†KING'S LYNN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTH WALSHAM	–	–	1	–	–	–
SWAFFHAM ...	–	1	–	–	–	–
Rural Districts:—						
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	–	–	–	–	C. 1
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	–	–	–	1	–
SMALLBURGH ...	–	3	–	–	–	–
WALSINGHAM ...	–	2	–	–	1	–
WAYLAND ...	–	1	1	–	–	–
NORTHAMPTON ...	–	23	2	1	13	C. 1 G. 1
†NORTHAMPTON C.B.	–	1	1	–	5	–
Boroughs and Urban Districts:—						
FINEDON	*	*	*	*	*	*
†KETTERING ...	–	8	–	–	3	G. 1
OUNDLE	–	9	–	–	–	–
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	–	–	–	–	C. 1
†RUSHDEN ...	–	–	–	–	2	–
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
CRICK	–	–	–	–	1	–
DAVENTRY ...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	–	1	–	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	33	62	13	–	40	G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	3	16	8	–	27	M. 3
†TYNEMOUTH C.B.	–	9	2	–	4	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	22	4	–	–	–	–
†BEDLINGTONSHIRE	2	1	–	–		–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	3	–	–	–	G. 1
†EARSDON	–	4	–	–	–	–
†GOSFORTH ...	–	1	–		–	–
†LONGBENTON ...	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	4	–		–	–
†NEWBURN ...	–	3			3	–
PRUDHOE... ...	–	–	–		2	–
SEGHILL	–	1		–		–
†WALLSEND ...	–	3	–	–	2	–
WEETSLADE ...	3	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	2	–
Rural Districts:—						
BELFORD	–	1	–	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	5	–	–		–
HEXHAM	–	2	–	–	–	–
MORPETH... ...	3	–	–	–		–
ROTHBURY ...	–	–	3	–	–	–
NOTTINGHAM ...	1	15	10	–	21	C. 1 M. 2
†NOTTINGHAM C.B.	–	7	7	–	9	–
Boroughs and Urban Districts:—						
†HUCKNALL ...	–	–	–		1	–
HUTHWAITE ...	–	3	–	–	–	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	–	1	–	2	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD WOODHOUSE	–	–	1	–	–	–
†SUTTON IN ASHFIELD	1	–	–		1	–
†WORKSOP... ...	–	–	–		–	C. 1
Rural Districts:—						
BASFORD	–	1	1		1	–
EAST RETFORD ...	–	1	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
SKEGBY	–	–	–	–	2	–
SOUTHWELL ...	–	2	–		–	–
STAPLEFORD ...	–	–	–	–	2	–
OXFORD	–	7	1	–	1	–
†OXFORD C.B. ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	5	–	–	–	–
WITNEY	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	2	–	–	1	M. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	M. 1
Rural Districts—						
PETERBOROUGH...	–	1	–	–	–	–
RUTLAND	–	2	–	–	1	–
Urban District:—						
OAKHAM	–	1	–	–	–	–
Rural Districts:—						
UPPINGHAM ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	-	5	-	-	2	C. 1
Boroughs and Urban Districts:—						
LUDLOW	-	2	-	-	-	-
OSWESTRY ...	-	1	-	-		-
†SHREWSBURY ...	-	-	-	-	1	-
WELLINGTON ...	-	-	-	-	-	C. 1
Rural Districts:—						
CLUN	-	1	-	-	-	-
NEWPORT ...	-	1	-	-	-	-
WELLINGTON ...	-	-	-		1	
SOMERSET	-	15	3	-	9	C. 2
†BATH C.B. ...	-	5	1	-	-	C. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	-	1	-	-	-	-
MIDSOMER NORTON	-	1	-	-	-	-
†YEOVIL	-	-	-	-	1	-
Rural Districts:—						
AXBRIDGE ...	-	-	1		3	-
BRIDGWATER ...	-	1	-	-	-	-
CHARD	-	2	-	-	-	-
CLUTTON	-	2	-	-	-	-
DULVERTON ...	-	-	-	-	-	C. 1
FROME	-	1	-	-	1	-
KEYNSHAM ...	-	-	1	-	-	-
LONG ASHTON ...	-	1	-	-	-	-
TAUNTON... ...	-	-	-	-	2	-
WELLS	-	-	-	-	2	-
WILLITON ...	-	1	-	-	-	-
SOUTHAMPTON ...	-	28	34	-	17	-
†BOURNEMOUTH C.B.	-	5	1	-	2	-
†PORTSMOUTH C.B.	-	10	23	-	1	-
†SOUTHAMPTON C.B.	-	5	8	-	9	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	-	-	-	-	3	-
†BASINGSTOKE ...		1	-	-	-	-
FLEET	*	*	*	*	*	*
†GOSPORT	-	-	1	-	-	-
Rural Districts:—						
ALTON	-	1	1	-	-	-
ANDOVER... ...	-	1	-	-	-	-
CATHERINGTON ...	-	1	-	-	-	-
DROXFORD ...	-	-	-	-	1	-
FORDINGBRIDGE ..	-	2	-	-	-	-
HARTLEY WINTNEY	-	1	-	-	-	-
NEW FOREST ...	-	-	-	-	1	-
SOUTH STONEHAM	-	1	-	-	-	-
STAFFORD	-	66	25	-	59	C. 2 L. 1 M. 14
†BURTON UPON TRENT C.B.	-	10	-	-	-	M. 1
†SMETHWICK C.B.	-	3	4	-	4	-
†STOKE ON TRENT C.B.	-	14	-	-	23	M. 8
†WALSALL C.B. ...	-	8	7	-	3	-
†WEST BROMWICH C.B.	-	2	-	-	1	-
†WOLVERHAMPTON C.B.	-	2	1	-	5	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	-	2	-	-	-	-
BIDDULPH ..	-	-	-	-	-	M. 1
†BILSTON	-	3	2	-	-	-
†BROWNHILLS ...	-	3	2	-	2	-
†CANNOCK	-	2	2	-	-	M. 1
†DARLASTON ...	-	-	-	-	1	-
KIDSGROVE ...		1			4	-
†NEWCASTLE UNDER LYME	-	-	-	-	4	-
QUARRY BANK	-	-	1	-	-	C. 1
†ROWLEY REGIS ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEDGLEY	–	1	1	–	–	–
SHORT HEATH ...	–	–	1	–	1	–
†STAFFORD ...	–	–	–	–	3	–
†WEDNESBURY ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	2	–	–	–	–
Rural Districts:—						
CANNOCK	–	–	–	–	1	–
CHEADLE	–	4	–	–	1	L. 1
KINGSWINFORD ...	–	2	–	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	–	–	1	–
MAYFIELD ...	–	2	–	–	–	C. 1
SEISDON	–	1	–	–	2	–
STAFFORD ...	–	1	1	–	–	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	–	2	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	4	1	–	12	C. 1 G. 1
†IPSWICH C.B. ...	–	–	–	–	1	C. 1
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
BUNGAY	–	–	–	–	1	–
†LOWESTOFT ...	–	1	–	–	3	–
STOWMARKET ...	–	1	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	2	–
HARTISMERE ...	–	–	–	–	1	G. 1
HOXNE	–	2	–	–	–	–
PLOMESGATE ...	–	–	1	–	1	–
SAMFORD... ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	2	1	–	1	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	1	–
Rural Districts:—						
MILDENHALL ...	–	–	1	–	–	–
THEDWASTRE ...	–	–	–	–	–	M. 1
SURREY	–	35	18	3	23	C. 1 G. 2 L. 1
†CROYDON C.B. ...	–	6	9	–	3	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	1	–	1	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	L. 1
†EGHAM	–	–	1	–	3	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	1	1	–
HAM	–	1	–	–	–	–
†KINGSTON ON THAMES	–	2	1	–	3	–
LEATHERHEAD ...	–	–	1	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	–	1	–	1	–
†REIGATE	–	4	–	–	1	–
†RICHMOND ...	–	4	–	–	1	–
†SURBITON ...	–	–	1	1	–	–
WEYBRIDGE ...	–	3	–	–	–	–
†WIMBLEDON ..	–	2	1	1	1	–
†WOKING	–	1	–	–	–	G. 1
Rural Districts:—						
CHERTSEY ...	–	1	–	–	2	–
DORKING	–	–	–	–	–	G 1
EPSOM	–	–	–	–	1	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	1	–	–	4	–
GUILDFORD ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	11	7	–	7	–
†BRIGHTON C.B. ...	–	5	4	–	1	–
†EASTBOURNE C.B.	–	2	–	–	–	–
†HASTINGS C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	1	–	–	–
HAYWARDS HEATH	–	1	1	–	–	–
†HOVE	–	2	1	–	1	–
Rural Districts:—						
CUCKFIELD ...	–		–	–	2	–
HASTINGS ...	*	*	*	*	*	*
UCKFIELD ...	–	1	–	–	2	–
SUSSEX, WEST ...	–	6	1	–	2	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†HORSHAM ...	–	–	1	–	–	–
SHOREHAM BY SEA	–	1	–	–	1	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	2	–	–	–	–
WARWICK	–	40	63	1	52	C. 3 G. 2 M. 13
†BIRMINGHAM C.B.	–	27	47	–	40	C. 3 G. 2 M. 13
†COVENTRY C.B. ...	–	4	3	–	4	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–		–
†NUNEATON ...	–	4	–	–	2	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	2	–
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	1	–	–
ATHERSTONE ...	–	–	12	–	–	–
MERIDEN... ...	–	–	–	–	1	–
SOLIHULL ...	–	–	–	–	1	–
STRATFORD ON AVON	–	–	–	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
WESTMORLAND ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	–	–	1	–
WINDERMERE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–		–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
VENTNOR... ...	–	2	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	–	2		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	4	8	–	7	C. 1 M. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	1	–	1	–
DEVIZES	*	*	*	*	*	*
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	2	–	–	–	–
†SWINDON... ...	–	2	5	–	4	M. 2
Rural Districts:—						
AMESBURY ...		–	–	–	1	–
CHIPPENHAM ...	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	1	–	–	–
DEVIZES	*	*	*	*	*	*
MARLBOROUGH ...	–	–	–	–	–	C. 1
MELKSHAM ...	*	*	*	*	*	*
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	15	4	1	5	C. 1 D. 1 G. 1 M. 1
†DUDLEY C.B. ...	–	1		–	1	–
†WORCESTER C.B.	–	1	1	–	–	D. 1 G. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	1	1	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–		–
†MALVERN ...	–	–	–	1	–	–
†REDDITCH ...	–	–	1	–	2	–
†STOURBRIDGE ...	–	1	–	–	2	C. 1 M. 1
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
MARTLEY... ...	–	8	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	1	6	17	–	24	C. 1 G. 2
†KINGSTON UPON HULL C.B.	1	4	12	–	19	C. 1 G. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–		3	–
†BRIDLINGTON ...	–	1	–	–	–	–
POCKLINGTON ...	–	–	4	–	–	–
Rural Districts:—						
DRIFFIELD ...	–		1	–	1	–
HOWDEN	–	–	–	–	1	–
SCULCOATES ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	9	3	1	3	M. 2
†MIDDLESBROUGH C.B.	–	2	3	1	1	–
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	M. 1
†SCARBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
FLAXTON	–	–	–	–	–	M. 1
STOKESLEY ..	–	1	–	–	1	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	5	173	59	9	176	C. 4 G. 3 M. 17
†BARNSLEY C.B. ...	–	1	2	1	1	–
†BRADFORD C.B. ...	–	8	7	1	12	M. 2
†DEWSBURY C.B....	–	5	1	–	–	–
†HALIFAX C.B. ...	–	1	2	–	–	–
†HUDDERSFIELD C.B	–	12	2	2	5	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†LEEDS C.B. ...	-	17	3	2	44	C. 2 M. 4
†ROTHERHAM C.B.	2	6	1	-	7	G. 1
†SHEFFIELD C.B....	-	38	19	1	48	M. 5
†WAKEFIELD C.B.	-	3	-	-	3	C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	1	2	-	-	-
ALTOFTS	-	-		1	-	-
†BARNOLDSWICK ...	-	-	-	-	1	-
†BATLEY	-		-	-	1	-
†BENTLEY WITH ARKSEY	-	4	1	-	2	-
†BINGLEY		1		-	4	
BIRSTAL	*	*	*	*	*	*
†BOLTON UPON DEARNE	1	2	1	-	1	-
†BRIGHOUSE ...	-		1	-	-	-
BURLEY IN WHARFEDALE	-	2	-	-	1	-
†CASTLEFORD ...	-		1	-	-	-
†CONISBROUGH ...	-	2	-	-	1	-
DARFIELD ...	-	1	-	-	-	
†DARTON	-	1	-		1	-
DENBY AND CUMBERWORTH	-	2		-	-	-
†DONCASTER ...	-	2	-	-	1	-
EARBY	-	-	-	-	1	-
†ELLAND	-	-	-	-	1	-
FARSLEY	-	-	1	-	-	-
†FEATHERSTONE ...	-	1	-	-	1	-
GILDERSOME ...	-	-	-	-	1	-
†GOOLE	-	3	-	-	2	G. 1
GREETLAND ...	-	-	-	-	-	M. 1
†HARROGATE ...	-	3	1	-	-	-
HAWORTH ...	-	1	-	-	-	
HECKMONDWIKE	-	1	-	-	1	M. 1
†HEMSWORTH ...	-	-	-		1	
†HOLMFIRTH ...	-	1	-	-	2	M. 1
HONLEY	-	1	-		2	-
HORBURY ...	*	*	*	*	*	*
†HOYLAND NETHER	-	2		-	1	-
KIRKBURTON ...		2	-	-	1	G. 1
KNOTTINGLEY ...	-	1	-	-	3	C. 1
†MEXBOROUGH ...	2	-	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
MIDGLEY... ...	-	-		-	1	-
†MORLEY	-	2	-	-	-	-
NEW MILL ...	-	1	-	-	-	-
†NORMANTON ...	-	-	-	-	1	-
†OSSETT	-	1	1	-	-	-
†PONTEFRACT ...	-	-	1	-	-	-
†RAWMARSH ...	-	1	-	-	-	-
RIPON	-	1		-	-	-
†ROTHWELL ...	-	-	-	-	1	-
†SADDLEWORTH ...	-	-	1	-	-	-
SHELLEY... ...	-	1	-	-	-	-
SHEPLEY	-	-	-	-	1	-
SOUTH CROSLAND	-	1	-	-	-	-
†SPENBOROUGH ...	-	-	-	-	3	-
STOCKSBRIDGE ...	-	-	-	-	1	-
†SWINTON... ...	-	1	-	-	1	-
THURSTONLAND AND FARNLEY TYAS.	-	1	-	-	-	-
†TODMORDEN ...	-	1	-	-	1	-
†WATH UPON DEARNE	-	2	-	-	-	-
†WOMBWELL ...	-	5	-	-	1	-
†WORSBOROUGH ...	-	2	2	-	1	-
Rural Districts:—						
BARNSLEY ...	-		1	-	-	-
DONCASTER ...	-	6	3	-	6	-
HEMSWORTH ...	-	4	2	1	3	M. 1
KIVETON PARK ...	-	4	1			-
KNARESBOROUGH	-	-	1	-	-	-
PONTEFRACT ...	-	3	-	-	-	-
ROTHERHAM ...	-	1	-		2	-
SEDBERGH ...	-	5	-	-	-	-
TADCASTER ...	-	-	-		1	-
THORNE	-	1	-		-	-
WAKEFIELD ...	-	-		-	1	-
WORTLEY ...	-	4	1	-	1	-
§YORK, CITY OF ...	-	4	1	-	1	-
†YORK C.B. ...	-	4	1	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WALES.						
BRECKNOCK ...	–	1	2	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	1	1	–	–	–
YSTRADGYNLAIS	–	–	1	–	–	–
CARDIGAN ...	–	1	–	–	2	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
TREGARON ...	–	1	–	–	1	–
CARMARTHEN ...	–	1	6	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	–	1	–	–	–
†LLANELLY ...	–	–	3	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	1	1	–	1	–
CARNARVON ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
BETHESDA ...	–	1	–	–	–	–
CARNARVON ...	–	–	1	–	–	–
PORTMADOC ...	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GEIRIONYDD ...	–	1	–	–	–	–
DENBIGH	–	9	3	–	–	C. 1
Boroughs and Urban Districts:—						
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	–	–	–	C. 1
RUTHIN	–	2	1	–		–
ST. ASAPH (DENBIGH)	–	3	1	–	–	–
WREXHAM ...	–	2	1	–	–	–
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (Parishes)	–	1	–	–	–	–
FLINT	–	12	–	–	3	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	2	–	–	–	–
HOLYWELL ...	–	–	–	–	1	–
MOLD	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	1	–
ST. ASAPH (FLINT)	–	7	–	–	–	–
GLAMORGAN ..	–	57	62	–	31	C. 3 G. 1 M. 4
†CARDIFF C.B. ..	–	8	4	–	3	C. 1 M. 3
†MERTHYR TYDFIL C.B	–	4	3	–	–	–
†SWANSEA C.B. ...	–	5	6	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	1	–	3	G. 1
†BARRY	–	1	8	–	2	–
†CAERPHILLY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GELLIGAER ..	–	1	8	–	1	–
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	1	11	–	–	M. 1
†MOUNTAIN ASH ..	–	–	–	–	2	C. 1
†NEATH	–	2	2	–	1	–
†OGMORE AND GARW	–	3	1	–	–	–
†PENARTH ..	–	1	–	–	–	–
†PONTYPRIDD ..	–	2	–	–	1	C. 1
PORTHCAWL ..	–	–	1	–	–	–
†PORT TALBOT ..	–	7	3		–	–
†RHONDDA ...	–	11	1	–	12	–
Rural Districts:—						
LLANTRISANT AND LLANTWIT FARDRE	–	4	8	–	–	–
NEATH	–	–	1	–	4	–
PENYBONT ...	–	1	–	–	–	–
SWANSEA... ..	–	2	4	–	–	–
MONMOUTH ..	–	9	12	–	10	M. 2
†NEWPORT C.B. ...	–	4	5	–	6	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERTILLERY ..	–	–	3	–	–	–
†BEDWELLTY ...	–	–	–	–	2	M. 1
†EBBW VALE ..	–	–	–	–	1	–
LLANTARNAM ...	–	1	–	–	–	–
MONMOUTH ...	–	–	4	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts—						
MAGOR	–	–	–	–	1	–
MONTGOMERY ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
WELSHPOOL ...	–	–	–	–	2	–
PEMBROKE... ...	–	1	–	–	1	C. 1
Boroughs and Urban Districts:—						
NARBERTH ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	–	–	1	C. 1
RADNOR	–	–	–	–	–	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	177	1345	753	39	1061	C. 3 D. – E. – G. 3 L. – M. 10

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

ame of Port itary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
ES	–	1	–	–	–	–	WISBECH	–	1	–	–	–	–
IOUTH	1	1	–	–	–	L. 2	PORT OF LONDON ...	–	1	–	–	–	–
HAMPTON ...	–	–	–	1	1	–							
							Total of Part III.... ...	1	4	–	1	1	L. 2

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	‡
Total of Part I.—London	–	237	252	6	121	C, D, G, M
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	177	1345	753	39	1061	C, D, E, G, L, M
Total of Part III.—Port Sanitary Districts	1	4	–	1	1	L
Total (*i.e.*, of returns received), England and Wales ...	178	1586	1005	46	1183	C, D, E, G, L, M

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. The cases of Small- notified appear on pages 340, 341, 347, 351, 352 and 355.

5.—LONDON and GREAT TOWNS in the GREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.
ON :—													
HS—all ages	1,658	1,230	1,200	1,399	1,270	1,062	1,070	1,209	1,121	1,099	1,112	1159	1,228
0 to 1 year ..	134	125	137	144	128	82	95	105	110	103	110	116	113
T TOWNS, aggre- (including Lon-):—													
HS	7,477	8,017	6,594	6,920	7,002	6,793	6,862	6,836	7,359	6,836	7,238	7,128	6,684
HS—all ages	6,636	5,376	5,058	5,646	5,286	5,036	4,714	5,273	4,904	4,674	4,786	4,776	5,177
0 to 1 year ..	775	609	660	694	619	585	548	655	540	562	598	564	574
RIC FEVER—Cases	17	20	12	6	12	15	14	20	20	24	26	16	25
„ Deaths	4	5	—	1	5	2	2	3	3	2	3	3	7
L POX—Cases ..	46	44	95	102	87	99	59	60	88	74	75	67	70
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	1	—	—
LET FEVER—Cases	1,082	923	895	950	1,051	1,022	869	959	34	866	882	827	894
„ Deaths	10	16	14	5	12	8	14	13	7	8	9	13	9
THERIA—Cases ..	759	711	684	679	851	815	787	816	830	823	809	827	688
„ Deaths ..	53	53	31	50	35	45	26	50	56	48	51	49	47
LES—Deaths ..	87	72	94	109	102	76	82	116	105	102	119	116	121
UENZA—Deaths ..	123	115	81	87	100	78	90	76	89	97	88	136	136

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th March, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON	61	32	49·9	35·0	1	HUDDERSFIELD	50	29	43·7	31·1	1
REENWICH).						BRADFORD ..	48	32	43·1	33·4	0·2
HTON ..	52	31	47·3	35·6	1	SHEFFIELD ..	48	30	43·7	33·3	2
SMOUTH ..	53	32	48·0	37·2	2	YORK (MUSEUM)	50	29	45·1	33·1	1
VICH (EATON).	57	28	48·1	33·1	2	HULL (PEARSON PARK).	49	32	44·9	34·1	4
OUTH ..	54	31	46·3	37·1	5	TYNEMOUTH ..	49	36	44·3	37·4	3
OL (CLIFTON).	51	30	45·1	34·7	6	CARDIFF.. ..	54	30	45·7	35·1	2
INGHAM DGBASTON).	47	30	43·9	32·9	6						
INGHAM ..	53	29	45·7	33·7	1	EDINBURGH ..	44·0	32·0	40·7	33·3	9
ENHEAD (BIDSTON).	51	32	44·9	34·7	0	GLASGOW ..	46·5	31·0	43·4	34·9	1
HESTER VHITWORTH PARK).	50	30	45·0	35·0	4	DUBLIN (PHŒNIX PARK).	50·0	32·0	44·9	34·9	3
LEY	50	29	43·9	32·0	2	(FITZWILLIAM SQUARE†).	49·2	36·9	45·3	38·3	3
						BELFAST.. ..	50·5	34·0	47·3	37·1	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th March, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	21	First Quarter.	29·928	41·6	32·1	9·5	35·7	− 6·2	25·6	10·1	20·0	4·0	62	90·7	23·6	45·0	NE : ENE.	ENE	4·5	0·0	1·0	450	+ 133	0·00
MONDAY -	22	Greatest Declination N.	29·925	41·6	33·0	8·6	36·7	− 5·3	21·9	14·8	28·1	5·8	54	104·0	26·4	44·9	ENE : E.	E	10·2	0·1	1·4	566	+ 248	0·00
TUESDAY -	23	..	29·806	43·9	35·4	8·5	38 2	− 4·0	25·4	12·8	18·6	6·7	57	110·0	27·5	44·9	E	E	8·2	0·0	1·5	546	+ 228	0·00
WEDNESDAY	24	..	29·691	49·4	33·2	16·2	41·1	− 1·3	29·6	11 5	21·9	2·9	63	110·2	26·1	44·8	E : ENE.	ESE : E.	2·8	0·0	0·4	331	+ 11	0·00
THURSDAY -	25	Apogee	29·613	53·7	35·0	18·7	42·6	− 0·1	37·1	5·5	16·8	2·4	81	103·1	23·1	44·5	Calm	Calm : SW.	0·4	0·0	0·0	124	− 202	0·00
FRIDAY -	26	..	29·587	60·6	39·3	21·3	48·3	+ 5·3	39·1	9·2	21·6	2·0	70	123·7	31·2	44·6	Calm : E.	SE : Calm.	0·6	0·0	0·1	152	− 177	0·01
SATURDAY -	27	..	29·271	56·5	38·1	18·4	46·8	+ 3·5	42·1	4·7	14·9	2·4	84	116·0	27·3	44·5	Calm : E.	ESE : Calm.	1·0	0·0	0·0	141	− 188	0·01
MEANS -		..	29·689	49·6	35·2	14·5	41·3	− 1·2	31·5	9·8	20·3	3·7	67	108·2	26·5	44·7	E		..	..	..	Sum 2310	Sum + 53	Sum 0·02
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	21	wP till 21h., then mP.	1·1	12·1	Overcast till 15h., then partially cloudy. Brisk wind 7h. till 19h.
MONDAY ..	22	wP till 7h., mP till 8½h., then wP.	1·1	12·2	Variably cloudy, becoming overcast by 12h. Brisk wind from 8h. Occasional slight snow between 7h. and 8h.; and 19h. till 20h.
TUESDAY ..	23	wP.	3·1	12·3	Variably cloudy. Brisk wind till 18h.
WEDNESDAY	24	wP.	7·2	12·3	Partially cloudy becoming nearly overcast by 17¾h.
THURSDAY	25	wP.	1·8	12·4	Nearly overcast till 12¼h.; partially cloudy till 16h., then variably cloudy. Mist 9h. till 21h.
FRIDAY ..	26	wP till 5¾h., variably wP and wN till 7½h.; then wP.	2·7	12·5	Nearly overcast generally. Slight rain 6h. till 7h. Mist from 20h.
SATURDAY	27	wP till 14¾h., sN till 15¼h., then wP.	1·8	12·5	Partially cloudy becoming overcast by 4h. Fog 3h. till 7h., then mist till 9h. Frequent slight rain 13h. till 14½h. Shower 15½h.
			Sum 18·8	Sum 86·3	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·01 ins. at the beginning of the week to 29·23 ins. by 15h. on 27th; increased and was 29·24 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 13.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 3RD APRIL 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD APRIL, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirteenth week of the year numbered 6,571, and corresponded to an annual rate of 17·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,583 and corresponded to an annual rate of 15·0 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 12·9, 12·8, and 13·9. Infant mortality was 93 per 1,000 births against 83, 79 and 86 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,482 births corresponding to a rate of 16·8 per 1,000, and 1,340 deaths of civilians, corresponding to an annual rate of 15·2, against 12·6, 13·1 and 13·9, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·7 per 1,000. The infant mortality was 72 as against 65, 74 and 75 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 5,177 to 5,583; the deaths from influenza, which had been 88, 136, and 136 in the three preceding weeks, further rose to 223 last week. In London the number of deaths from all causes increased from 1,228 to 1,340; the deaths from diphtheria which had been 16, 17, and 16 in the preceding three weeks, were again 16 last week; and the deaths from measles, which had been 60, 56, and 49 in the three preceding weeks, further fell to 44 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { Births and Deaths registered in t week ended 3rd April, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,417,320*	6,571	5,583	609	3	107	8	66	50	46
London	4,602,000*	1,482	1,340	107	1	44	2	8	16	10
Towns in Outer Ring.										
Croydon C.B ..	199,300	73	59	7	-	2	-	-	1	1
Wimbledon ..	58,170	10	16	-	1	1	-	-	-	-
Ealing	68,410	20	23	3	-	-	-	-	-	-
Acton	63,110	15	14	4	-	-	-	-	-	-
Willesden ..	168,900	36	45	3	-	2	-	-	-	-
Hendon	59,150*	8	12	1	-	-	-	-	-	-
Hornsey	87,210	14	14	1	-	-	-	-	-	-
Wood Green ..	51,960	8	8	1	-	-	-	-	-	-
Tottenham ..	153,600	45	42	3	-	3	-	-	-	-
Edmonton ..	71,210	38	21	2	-	3	-	-	-	-
Enfield	63,740	13	9	1	-	2	-	-	-	1
West Ham C.B. ..	318,500	124	83	12	-	3	1	-	1	2
East Ham C.B. ..	147,200	29	32	3	-	1	-	-	1	-
Leyton	132,700	22	18	1	-	-	-	-	-	-
Walthamstow ..	130,800	41	28	2	-	1	-	-	1	-
Ilford	93,590	29	21	2	-	-	-	-	-	-
Gillingham	48,680*	11	14	-	-	1	-	-	-	-
Canterbury C.B ..	23,270*	7	3	-	-	1	-	-	-	-
Hastings C.B.	60,470	13	18	-	-	-	-	1	-	-
Eastbourne C.B. ..	55,060	8	18	1	-	-	-	-	-	-
Brighton C.B. ..	137,800*	50	28	3	-	-	-	-	-	1
Portsmouth C.B. ..	232,900*	90	82	7	-	1	-	2	2	-
Bournemouth C.B. ..	85,840	21	28	2	-	-	-	-	-	-
Southampton C.B. ..	168,600	54	43	2	-	-	-	-	-	-
Reading C.B.	93,670*	32	24	2	-	-	-	-	-	-
Oxford C.B.	57,090	21	16	1	-	-	-	-	-	-
Northampton C.B. ..	93,780*	26	20	1	-	-	-	-	-	-
Luton	59,230	22	9	-	-	-	-	-	-	-
Cambridge	59,020	20	13	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	25	24	3	-	-	-	-	1	1
Ipswich C.B.	83,120*	35	28	2	-	-	-	1	-	-
Great Yarmouth C.B.	57,890	13	19	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	36	27	3	-	-	-	-	-	-
Swindon	56,880	20	12	4	-	-	-	-	1	-
Exeter C.B.	59,820*	23	17	3	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	60	46	2	-	-	-	1	1	-
Bath C.B.	69,050	18	23	1	-	-	-	-	-	-
Bristol C.B.	385,700*	130	105	9	-	-	-	-	-	-
Gloucester C.B. ..	53,060	22	12	2	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	105	69	9	-	2	-	-	1	-
Burton-upon-Trent C.B.	49,530	21	12	-	-	-	-	-	1	-
Wolverhampton C.B.	108,800	37	30	4	-	-	-	2	-	-
Walsall C.B.	102,300	33	28	2	-	-	-	1	2	-
West Bromwich C.B	79,490	36	23	2	-	1	-	-	-	-
Dudley C.B.	58,810	24	9	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	15	15	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	359	216	19	-	1	1	2	4	1
Smethwick C.B. ..	78,840	36	20	3	-	-	-	-	2	-
Coventry C.B. ..	129,100	46	28	6	-	-	-	1	-	-
Leicester C.B. ..	242,100	87	74	6	-	-	-	2	1	2
Lincoln C.B.	66,600*	23	19	3	-	-	-	-	-	-
Grimsby C.B.	87,190	28	18	3	-	1	-	-	-	-
Nottingham C.B. ..	270,600	105	85	17	-	-	1	2	-	-
Derby C.B.	134,400*	42	33	3	-	-	-	-	-	-
Chesterfield ..	65,800	40	20	6	-	1	-	-	2	-
Stockport C.B. ..	125,900	48	36	5	-	2	-	-	1	-
Chester C.B.	41,670	23	12	1	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	51	35	10	-	-	-	-	-	3
Wallasey C.B. ..	91,720	35	26	-	-	-	1	-	-	-
Liverpool C.B. ..	856,000	342	304	49	-	13	1	7	4	4
Bootle C.B.	83,260	41	34	4	-	-	-	-	-	-
St. Helens C.B. ..	109,600	48	34	8	-	1	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
HPORT C.B ..	74,260	7	23	2	-	1	-	-	-	-	-
AN C.B.	91,010	31	52	7	-	-	-	2	-	-	1
RINGTON C.B. ..	77,970*	23	25	4	-	-	-	1	-	-	-
ON C.B.	180,400	43	52	6	-	-	-	1	-	1	3
Y C.B.	56,700*	16	23	1	-	-	-	1	-	1	1
CHESTER C.B. ..	755,800	268	243	35	-	5	1	1	2	3	7
ORD C.B.	244,700	83	77	17	-	1	-	-	1	3	5
HAM C.B	146,200	34	78	5	-	1	-	6	1	-	9
IDALE C.B... ..	92,190	22	35	5	-	-	-	-	-	1	-
NLEY C.B.	102,300	28	31	6	-	-	-	-	1	-	-
EKBURN C.B. ..	126,900	35	27	2	-	-	-	-	-	1	2
TON C.B.	122,900	43	36	4	-	-	-	-	-	-	2
KFOOL C.B. ..	80,750	22	32	6	-	-	-	-	-	-	-
ROW-IN-FURNESS	73,470	25	14	-	-	-	-	3	-	-	1
DERSFIELD C.B. ..	112,100	23	32	1	1	2	-	-	-	-	-
FAX C.B.	97,860*	39	30	3	-	-	-	1	-	-	-
OFORD C.B. ..	290,200	72	101	14	-	-	-	-	-	3	3
DS C.B.	472,900	131	154	10	-	-	-	5	-	-	8
SBURY C.B ..	54,570	22	13	-	-	-	-	-	-	-	-
EFIELD C.B. ..	53,980	19	15	1	-	-	-	-	-	-	-
NSLEY C.B. ..	71,170	26	9	-	-	-	-	-	-	-	-
TFIELD C.B. ..	526,900*	166	124	13	-	4	-	1	-	-	1
HERHAM C.B. ..	70,600	22	9	1	-	-	-	-	-	-	-
OASTER	55,610	18	14	2	-	-	-	-	-	1	1
K C.B.	84,630*	24	22	1	-	-	-	1	-	-	1
L C.B.	297,300	136	149	17	-	1	-	2	-	1	15
OLESBROUGH C.B.	136,200	61	47	9	-	1	-	2	-	2	2
LINGTON C.B. ..	69,130	25	14	2	-	-	-	-	-	-	1
KTON-ON-TEES ..	68,000	29	24	4	-	-	-	2	-	2	1
T HARTLEPOOL C.B.	71,590	33	18	4	-	-	-	-	-	-	-
DERLAND C.B. ..	166,000	67	81	20	-	-	-	3	-	1	9
TH SHIELDS C.B. ..	124,600	64	28	2	-	-	-	-	-	-	1
ESHEAD C.B. ..	129,000	44	45	5	-	-	-	2	-	-	2
CASTLE-ON-TYNE	286,300*	144	76	9	-	3	-	1	-	-	2
EMOUTH C.B. ..	66,180	24	15	4	-	-	-	-	-	-	-
LISLE C.B.	55,160*	16	10	3	-	-	-	-	-	-	-
PORT (MON.) C.B.	96,420*	39	22	3	-	-	-	1	-	-	2
DIFF C.B.	227,100*	91	52	8	-	-	-	-	-	-	2
NDDA	167,570	67	57	1	-	-	-	-	2	-	7
THYR TYDFIL C.B.	82,920	32	17	4	-	-	-	-	-	-	-
RDARE	57,700	18	22	4	-	1	-	-	-	-	1
NSEA C.B.	163,200	50	41	3	-	-	-	-	-	-	1
ATER LONDON ..	7,719,622*	2,336	2,124	176	2	75	4	8	22	15	84
ER RING	3,117,622*	854	784	69	1	31	2	-	6	5	36
GREAT TOWNS IN TER RING	1,867,550*	525	445	46	1	18	1	-	4	4	23
AINDER OF OUTER NG	1,250,072*	329	339	23	-	13	1	-	2	1	13
NBURGH†	424,600	163	103	8	-	-	1	1	-	2	5
GOW† ..	1,034,500	416	615	109	-	27	3	10	3	3	67
LIN (REGISTRATION EA)†	443,000	233	139	21	-	1	-	-	1	5	1
AST†	443,000	206	142	25	-	2	-	2	1	9	2

Population adjusted by the exclusion of non-civilians.

The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected he deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of ents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and st are corrected by the exclusion of deaths of persons admitted into public institutions from out the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available pe**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
London‡	4,602,000	1925–6. Apr. 3	1482	1340	15·2	1	–	44	2	8	16	10
Calcutta and Suburbs	1,077,273	Feb. 27	?	682§	32·9	–	19	–	–	–	–	–
Bombay	1,279,061	Mar. 13	375	551§	22·4	1	18	8	–	–	–	30
Madras	526,911	Feb. 27	338	482§	47·4	1	1	–	?	1	–	22
Sydney and Suburbs	1,038,950	„ 28										
Brisbane (Metropolitan Area).	253 568	Jan. 31	505	205	9·7	1	–	–	–	1	–	16
Perth (Metropolitan Area).	176,467	Feb. 13	69	36	10·6	–	–	–	–	–	–	5
		„ 20	66	36	10·6	–	–	–	–	1	1	2
		„ 27	81	39	11·5	–	–	–	–	–	–	1
Auckland (Urban Area).	180,790	Jan. 31	339	132	8·8	–	–	–	–	1	1	2
Wellington (Urban Area).	118,490	„ 31	207	82	8·4	–	–	–	–	–	–	–
Christchurch (Urban Area).	118,270	„ 31	218	75	7·6	–	–	–	2	–	1	–
Cape Town	113,709	Mar. 6	43	19	8·7	–	–	–	–	–	1	–
Johannesburg	165,958	„ 13	78	32	10·0	–	–	–	1	–	–	–
Durban	54,822	„ 13	22	11	10·4	–	–	–	–	–	–	–
Paris	2,906.472	„ 20 (10 days)	1261	1311	16·5	4	–	33	5	13	11	23
Antwerp	300,150	Feb. 20										
Amsterdam	719,132	Mar. 6	256	119	8·7	–	–	–	–	1	2	–
Copenhagen	587,400	„ 13	183	152	13·6	–	–	5	–	1	1	–
Stockholm	442,528	„ 20	116	104	12·2	–	–	–	–	–	1	–
Gothenburg	230,804	„ 6	?	50	11·3	–	–	–	–	–	–	–
Oslo (Christiania) ..	257,719	„ 27	65	25	5·0	–	–	–	–	–	1	–
Berlin	2,062,000	„ 13	501	501	12·3	–	?	1	1	4	1	–
Breslau	555,000	„ 13	131	145	11·9	–	?	–	–	1	–	–
Cologne	704,000	„ 13	257	149	10·4	–	?	–	–	–	–	
Dresden	620,000	„ 13	178	158	12·2	–	?	–	–	3	–	–
Frankfort-on-Main ..	474,000	„ 13	134	83	7·6	–	?	–	–	–	–	–
Hamburg	1,123,000	„ 13	213	228	9·7	–	?	–	–	–	–	
Leipzig	661,000	„ 13	189	174	12·0	–	?	–	–	1	–	–
Munich	680,000	„ 13	235	182	12·8	–	?	–	1	–	–	
Vienna	1,869,437											
Prague and Suburbs	712,700											
Budapest	960,535	Mar. 13	356	347	18·8	1	–	1	3	–	1	
		„ 20	308	300	16·2	–	–	–	1	–	2	
Warsaw	992,450	„ 27	288	255	13·3	2	–	–	3	2	–	
Cairo	818,500	Dec. 31	981	542	34·4	4	–	–	–	?	7	
Alexandria	486,600	„ 31	618	478	51·1	1	–	11	–	?	–	
New York	6,361,664	Feb. 13	2239	1599	13·1	–	–	23	2	3	10	
Chicago	2,995,239	Mar. 5	1249	803	13·7	–	?	–	2	2	3	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 52 deaths from cholera and 20 from plague in Calcutta 2 from plague in Bombay and 2 from in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd April, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1340	107	49	34	28	45	57	98	129	209	280	304
Enteric fever..	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	44	11	18	12	3	-	-	-	-	-	-	-
Scarlet fever	2	-	1	-	1	-	-	-	-	-	-	-
Whooping cough	8	1	4	3	-	-	-	-	-	-	-	-
Diphtheria	16	1	2	6	6	-	1	-	-	-	-	-
Influenza	48	1	-	-	1	1	4	4	5	13	9	10
Erysipelas	4	1	1	1	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	100	-	-	-	2	21	16	23	21	11	5	1
Nervous system	6	1	2	-	1	1	-	1	-	-	-	-
Intestines and peritoneum	1	1	-	-	-	-	-	-	-	-	-	-
Other forms	3	-	-	-	-	-	1	1	-	1	-	-
Venereal diseases	2	1	-	-	-	-	-	-	-	-	1	-
Cancer	143	-	-	-	-	1	2	11	22	43	40	24
Rheumatic fever	2	-	-	-	-	-	1	-	1	-	-	-
Diabetes	9	-	-	-	-	-	-	1	2	2	3	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	1	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	52	-	-	-	-	-	-	1	3	10	16	22
Epilepsy	2	-	-	-	-	1	-	-	-	1	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	2	-	-	2	1	3	4	6	8	1
Pericarditis	1	-	-	-	1	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	1	1	1	-	1	-	-
Other diseases of heart	223	-	-	-	1	2	5	10	24	31	73	77
Other diseases of circulatory system	52	-	-	-	-	-	1	1	5	3	22	20
Bronchitis	124	3	-	2	-	-	2	6	10	23	31	47
Broncho-pneumonia	87	20	12	4	1	-	3	6	4	10	7	20
Lobar-pneumonia	45	1	-	2	4	3	3	8	6	6	8	4
Pneumonia (type not distinguished)	19	3	2	-	-	-	1	1	2	2	6	2
Other diseases of respiratory system	13	-	-	-	-	-	-	1	3	2	3	4
Diarrhœa and enteritis	10	8	2	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	5	-	-	1	1	-	1	-	1	1	-	-
Hernia, Intestinal obstruction.. ..	13	-	-	-	-	1	-	1	1	-	4	6
Cirrhosis of liver	6	-	-	-	-	-	-	1	1	3	1	-
Other diseases of digestive system ..	25	2	1	-	-	-	3	1	2	9	4	3
Acute nephritis	3	-	-	-	-	1	-	-	1	1	-	-
Chronic Bright's disease..	44	-	-	-	-	-	3	6	5	12	12	6
Other diseases of genito-urinary system.	12	-	-	-	-	1	-	2	-	-	5	4
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	-	2	-	-	-	-	-
Congenital malformations	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	25	25	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	45	-	-	-	-	-	-	-	-	1	8	36
Suicide	13	-	-	-	-	1	3	1	2	5	1	-
Burns and Scalds	3	-	-	1	-	1	-	-	-	-	-	1
Drowning	1	-	-	-	-	-	-	-	-	1	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	1	2	1	-	-	-	-	4	-
Other deaths by violence	24	1	-	-	-	2	1	4	1	4	4	7
Other specified causes	41	11	2	-	4	2	-	3	2	4	5	8
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd April 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	261	308	4	186	C. 2 E. 1 G. 4 J. 1 M. 15
†CITY OF LONDON	-	-	-	-	1	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	18	12	-	14	M. 2
†BERMONDSEY ...	-	16	10	-	1	-
†BETHNAL GREEN	-	5	8	-	3	-
†CAMBERWELL ...	-	31	62	1	6	-
†CHELSEA	-	4	10	-	6	-
†DEPTFORD ...	-	12	14	-	7	G. 1
†FINSBURY ...	-	6	4	-	4	M. 1
†FULHAM	-	12	6	-	11	E. 1
†GREENWICH ...	-	9	6	-	-	-
†HACKNEY ...	-	10	20	-	1	G. 1 M. 1
†HAMMERSMITH ...	-	4	5	-	2	-
†HAMPSTEAD ...	-	1	-	-	4	-
†HOLBORN... ...	-	1	3	-	3	M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	14	12	-	4	G. 1 J. 1 M. 3
†KENSINGTON ...	-	6	3	-	3	C. 1
†LAMBETH ...	-	20	20	-	7	M. 1
†LEWISHAM ...	-	13	3	-	6	-
†PADDINGTON ...	-	5	6	-	10	-
†POPLAR	-	9	6	-	21	G. 1 M. 1
†ST. MARYLEBONE	-	2	2	-	2	-
†ST. PANCRAS ...	-	9	10	1	17	M. 1
†SHOREDITCH ...	-	9	4	1	1	M. 1
†SOUTHWARK ...	-	7	30	-	10	C. 1
†STEPNEY	-	15	23	-	10	-
†STOKE NEWINGTON	-	3	1	-	2	-
†WANDSWORTH ...	-	10	16	1	14	M. 1
†WESTMINSTER, CITY OF	-	1	2	-	4	-
†WOOLWICH ...	-	9	10	-	12	M. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD ...	–	5	6	–	5	C. 1 D. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	3	–	1	–
LEIGHTON BUZZARD	–	–	–	–	2	–
†LUTON	–	2	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	–	C. 1 D. 1
BEDFORD ...	–	2	1	–	–	–
BIGGLESWADE ...	–	–	1	–	1	–
EATON BRAY ...	–	–	–	–	1	–
LUTON	–	–	1	–	–	–
BERKS ...	–	7	–	1	1	–
†READING C.B. ...	–	3	–	–	1	–
Rural Districts:—						
BRADFIELD ...	–	–	–	1	–	–
NEWBURY ...	–	1	–	–	–	–
WANTAGE .	–	1	–	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	5	–	–	3	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	3	–	–	1	–
†SLOUGH	–	–	–	–	1	–
Rural Districts:—						
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ...	–	3	–	–	3	–
Borough:—						
†CAMBRIDGE ...	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE—*cont.*						
Rural Districts:—						
CHESTERTON ...	–	–	–		1	–
CHESTER	–	70	18	–	47	G. 2 L. 3
†BIRKENHEAD C.B.	–	5	1	–	7	–
†CHESTER C.B. ...	–	8	–	–	4	–
†STOCKPORT C.B.	–	10	1	–	12	G. 1
†WALLASEY C.B. ...	–	6	3	–	2	G. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	2	1	–	–	
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
BOLLINGTON ...	–	–	–	–	1	–
BOWDON	–	1	–	–	–	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	2	2	–	2	–
†CONGLETON ...	–	–	–	–	4	–
†CREWE	–	–	1	–	–	–
†DUKINFIELD ...	–	–	–	–	3	–
HALE	–	3	–	–	–	–
HOOLE	–	–	–	–	1	–
†HYDE	–	2	–		5	–
†MACCLESFIELD ...	–	3	1	–	–	L. 3
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	–	1	–	1	–
†RUNCORN ...	–	1	2	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
TARPORLEY ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	1	
†WINSFORD ...	–	3	–	–	1	–
YEARDSLEY CUM WHALEY	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	3	–	–	–	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
NORTHWICH ...	–	7	–	–	–	–
RUNCORN... ...	–	4	1	–	1	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	-	1	1	–	5	C. 1 G. 1
Boroughs and Urban Districts:—						
HAYLE	–	–	1	–	–	–
LISKEARD ...	*	*	*	*	*	*
NEWQUAY ...	–	–	–	-	-	G. 1
PENRYN	–	–	–	–	3	–
SALTASH... ...	–	–	–	-	1	–
WADEBRIDGE ...	–	–	–	-	1	-
Rural Districts:—						
REDRUTH ...	–	–	–	–	–	C. 1
TRURO	*	*	*	*	*	*
WEST PENWITH...	–	1	-	–	–	–
CUMBERLAND ...	–	14	10	–	2	M. 2
†CARLISLE C.B. ...	–	2	3	–	-	M. 2
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
COCKERMOUTH ...	–	–	1	–	–	-
EGREMONT ..	-	–	2	–	–	–
†MARYPORT ...	–	1	2	–	–	–
PENRITH	–	3	–	–	–	-
†WHITEHAVEN ...	–	1	–	–	2	–
†WORKINGTON ...	–	2	1	-	–	–
Rural Districts:—						
COCKERMOUTH ...	–	3	–	–	–	-
PENRITH	–	1	–	-	–	–
WHITEHAVEN ...	–	1	1	–	–	-
WIGTON	*	*	*	*	*	*
DERBY	38	29	14	–	31	C. 1 M. 2
†DERBY C.B. ...	33	3	5	–	9	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
ALVASTON AND BOULTON	*	*	*	*	*	*
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	1	–	–	-	2	–
†BUXTON	–	1	–	–	-	–
†CHESTERFIELD ...	–	3	3	–	5	–
†GLOSSOP	–	1	–	–	2	–
†HEANOR		2	1	–	1	–
†ILKESTON ...	–	1	–	–	1	–
†LONG EATON ...	–	3	1	–	–	-
†SWADLINCOTE DISTRICT	1	3	–	–	3	–
WIRKSWORTH ...	*	*	*	*	*	*
Rural Districts:—						
BLACKWELL ...	–	1	2	–	1	-
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	6	2	–	5	M. 1
HARTSHORN AND SEALS	–	2	–	–	-	–
REPTON	–	2	–	–	1	–
SHARDLOW ...	3	–	–	–	–	-
DEVON	–	34	8	1	10	G. 1
†EXETER C.B. ...	–	3	1	1	–	–
†PLYMOUTH C.B...	–	15	3	–	–	–
Boroughs and Urban Districts:—						
ASHBURTON ...	*	*	*	*	*	*
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM... ...	–	–	–	–	1	–
†EXMOUTH ...	–	–	–	–	1	-
HOLSWORTHY ...	–	–	–	–	2	–
HONITON ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	–	–	–	–	G. 1
OTTERY ST. MARY	–	–	1	–	–	–
†PAIGNTON ...	–	2	–	–	–	–
SALCOMBE ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	7	–	–	–	–
TIVERTON ...	–	–	-	–	1	–
Rural Districts:—						
AXMINSTER ...	–	2	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
CULMSTOCK ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	–	–	–	2	–
OKEHAMPTON ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	1	–
ST. THOMAS ...	–	–	1	–	–	–
TIVERTON ...	–	–	1	–	–	–
TOTNES	–	2	–	–	–	–
DORSET	–	11	1	1	4	M. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	1	–
†POOLE	–	3	–	1	–	M. 1
†PORTLAND ..	–	1	–		–	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	2	–	–	–	–
POOLE	–	2	–	–	–	–
STURMINSTER ...	–	–	–	–	2	–
WAREHAM AND PURBECK	–	1	1	–	–	–
WEYMOUTH ...	–	–	–	–	1	–
DURHAM	57	60	20	–	63	C. 1 E. 1 M. 9
†DARLINGTON C.B.	–	–	–	–	8	–
†GATESHEAD C.B.	3	5	6	–	7	–
†SOUTH SHIELDS C.B.	5	2	–	–	4	–
†SUNDERLAND C.B.	–	–	–	–	21	M. 1
†WEST HARTLEPOOL C.B	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	M. 1
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	–	–	–	2	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	7	3	–	–	–	–
†BRANDON AND BYSHOTTLES	4	3	–	–	–	–
†CHESTER LE STREET	8	2	–	–	–	–
†CONSETT	–	1	1	–	–	–
†CROOK	1	2	2	–	–	–
†DURHAM	–	1	1	–	–	M. 1
†FELLING	–	1	1	–	–	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	–	4	–	–	1	–
†HETTON	2	–	1	–	1	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	–	–	–	2	–
†SEAHAM HARBOUR	1	–	–	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
STANHOPE ...	–	–	–		1	–
†STANLEY	6	–	2	–	–	M. 1
†STOCKTON ON TEES	–	–	2	–	–	C. 1 M. 2
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	–	1	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	1	3	–	–	–	E. 1
CHESTER LE STREET	2	4	1	–	1	–
DURHAM	1	3	–	–	2	M. 1
EASINGTON ...	5	4	–	–	–	–
HOUGHTON LE SPRING	10	–	1	–	5	–
LANCHESTER ...	–	6	1	–	–	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	2	–	–	6	M. 1
WEARDALE ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
ESSEX	–	66	57	3	45	C. 1 L. 1 M. 7
†EAST HAM C.B. ...	–	6	8	–	3	–
†SOUTHEND-ON-SEA C.B.	–	4	2	–	10	M, 2
†WEST HAM C.B. ...	–	16	22	–	14	C. 1 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	–	–	3	–
BRAINTREE ...	–	1	–	1	–	–
BRENTWOOD ...	–	–	2	–	–	–
†CHELMSFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	–	–	–	–	L. 1
DAGENHAM ...	–	2	–	–	–	–
EPPING	–	–	1	–	–	–
†GRAYS THURROCK	–	–	3	–	2	–
HALSTEAD ...	–	–	–	1	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	8	3	–	–	M. 1
†LEYTON	–	7	8	–	4	M. 1
MALDON	–	–	–	–	–	M. 1
SAFFRON WALDEN	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	3	3	–	–	–
†WALTHAMSTOW ...	–	8	1	–	2	–
†WANSTEAD ..	–	–	–	–	2	–
WITHAM	–	–	–	–	1	–
Rural Districts:—						
BRAINTREE ...	–	2	–	1	2	–
CHELMSFORD ...	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
ONGAR	–	1	2	–	–	–
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	1	–	–	–
TENDRING ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER .	–	31	22	1	22	–
†BRISTOL C.B. ...	–	19	17	1	15	–
†GLOUCESTER C.B.	–	–	–	–	4	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	1	1	–	–	–
GLOUCESTER ...	–	–	1	–	–	–
NORTHLEACH ...	–	1	–	–	–	–
STROUD	–	4	2	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	4	–	–	–	–
HEREFORD ..	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
Rural Districts:—						
ROSS	–	–	1	–	–	–
WEOBLEY... ...	–	–	–	–	1	–
HERTFORD ...	–	16	1	3	3	–
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
BUSHEY	–	1	1	–	–	–
†HITCHIN	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
SAWBRIDGEWORTH	–	–	–	–	1	–
†WATFORD ...	–	6	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BERKHAMPSTEAD.	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
WATFORD ...	–	4	–	3	–	–
HUNTINGDON ...	–	7	2	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	3	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	3	–	–	–	–
NORMAN CROSS ...	–	–	2	–	–	–
ST. IVES	–	1	–	–	–	–
SIBSON CUM STIBBINGTON (parish).	*	*	*	*	*	*
KENT	–	34	16	2	19	M. 2
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1	–	–	–	–
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	7	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1		1	–
†BROMLEY ...	–	–		–	1	–
†CHATHAM ...	–	2	–	–	–	–
CHERITON ...	–	–	–	–	1	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	1	4	–	–	–
†DOVER	–	–	–	–	1	–
†ERITH	–	1	–	–	1	–
†FOLKESTONE ...	–	3	2	–	–	–
†GILLINGHAM ...	–	2	1	–	1	–
†GRAVESEND ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HERNE BAY ...	–	3	–	–	–	–
†MARGATE ...	–	1	–	–	1	–
MILTON REGIS ...	–	1	–	–	1	–
NEW ROMNEY .	–	–	–	–	2	–
†NORTHFLEET ...	–	–	2	–	–	–
†PENGE	–	–	–	–	2	–
†RAMSGATE ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	1	–
SANDGATE ...	–	1	–	–	–	–
SEVENOAKS ...		–	–	1	–	–
SWANSCOMBE ...	*	*	*	*	*	*
TENTERDEN ...	–	–	–	–	–	M. 1
†TONBRIDGE ...	–	–	–	1	–	–
WHITSTABLE ...	–	1	–	–	1	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	–
DARTFORD ...	–	3	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING	–	–	–	–	2	–
SEVENOAKS ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD...	–	1	–	–	–	M. 1
LANCASTER ...	–	196	124	4	258	C. 9 E. 1 G. 9 M. 22
†BARROW IN FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B	–	2	–	1	3	G. 1
†BLACKPOOL C.B.	–	5	–	–	2	–
†BOLTON C.B. ...	–	2	1	–	4	M. 1
†BOOTLE C.B. ...	–	3	1	–	3	G. 1
†BURNLEY C.B. ...	–	2	1	–	5	–
†BURY C.B. ...	–	2	2	–	4	–
†LIVERPOOL C.B. ...	–	60	41	1	53	C. 1 G. 2 M. 13
†MANCHESTER C.B.	–	30	26	1	45	C. 5 G. 1 M. 7

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†OLDHAM C.B. ...	–	6	2	–	10	–
†PRESTON C.B. ...	–	3	5	–	3	–
†ST. HELENS C.B....	–	1	–	–	2	–
†SALFORD C.B. ...	–	12	9	–	12	C. 1
†SOUTHPORT C.B.	–	–	–	–	2	–
†WARRINGTON C.B.	–	1	3	–	9	–
†WIGAN C.B. ...	–	2	1	–	12	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	–	C. 1
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON UNDER LYNE	–	2	5	–	1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	2	G. 1
†BACUP	–	4	–	–	1	–
BARROWFORD ...	–	–	–	–	1	–
BILLINGE... ...	–	2	–	–	–	–
BLACKROD ...	–	–	1	–	–	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY	–	1	–	–	1	–
†COLNE	–	–	–	–	–	E. 1
†CROMPTON ...	–	1	–	–	–	C. 1
†DARWEN	–	2	–	–	–	–
†DENTON	–	2	1	–	5	–
†DROYLSDEN ...	–	–	1	–	1	–
†ECCLES	–	4	–	–	2	–
†FAILSWORTH ...	–	2	2	–	–	M. 1
†FARNWORTH ...	–	–	1	–	–	–
†FLEETWOOD ...	–	–	–	–	1	–
FORMBY	*	*	*	*	*	*
GOLBORNE ...	–	1	–	–	–	–
GRANGE	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	1	–	1	–
†HASLINGDEN ...	–	–	–	–	2	–
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	–	–	2	–
†HINDLEY... ...	–	–	–	–	10	–
†HORWICH ...	–	2	–	–	–	–
HURST	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	–	–	–	5	–
†LANCASTER ...	–	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LEES	–	–	–	–	1	–
†LEIGH	–	1	5	–	–	–
LEYLAND... ...	–	1	–	–	–	–
LITTLE LEVER ...	*	*	*	*	*	*
†LYTHAM ST. ANNE'S	–	–	–	–	–	G. 1
†MIDDLETON ...	–	2	–	–	11	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	3	–
ORMSKIRK ...	–	–	2	–	–	–
†OSWALDTWISTLE	–	2	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	2	–	1	–
RAINFORD ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	4	–	–	–	–
RISHTON	–	–	–	–	1	–
†ROYTON	–	–	–	–	1	–
SKELMERSDALE...	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	5	–
†STRETFORD ...	–	2	1	–	1	–
†SWINTON AND PENDLEBURY	–	4	–	–	4	–
TOTTINGTON ...	–	–	2	–	2	G. 1
†TYLDESLEY WITH SHAKERLEY	–	–	–	1	4	–
URMSTON... ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	G. 1
†WESTHOUGHTON	–	–	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	2	2	–	5	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURNLEY... ...	–	2	–	–	1	–
WARRINGTON ...	–	–	–	–	3	–
WEST LANCASHIRE	–	–	1	–	–	–
WHISTON... ...	–	2	1	–	–	–
WIGAN	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	11	11	1	11	–
†LEICESTER C.B. ...	–	4	7	–	2	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
ASHBY WOULDS...	–	3	–	–	–	–
†COALVILLE ...	–	–	–	–	1	–
†HINCKLEY ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	–
BARROW UPON SOAR	–	1	–	1	2	–
HINCKLEY ...	–	–	3	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	2	–	–	2	–
Rural Districts:—						
CROWLAND ...	–	–	–	–	1	–
SPALDING (part)..	–	2	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	–	–	4	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	–	–	–	–	3	–
UFFINGTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	1	11	3	–	6	G. 3
†GRIMSBY C.B. ...	–	–	1	–	2	G. 3
†LINCOLN C.B. ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	2	–
†GAINSBOROUGH ...	–	2	1	–	1	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	1	1	–	–	1	–
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	–	–
MIDDLESEX ..	–	57	53	–	42	C. 3 G. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	1	–
†BRENTFORD ...	–	–	–	–	1	–
†CHISWICK ...	–	1	–	–	–	–
†EALING	–	4	1	–	3	–
†EDMONTON ...	–	–	6	–	–	–
†ENFIELD	–	5	5	–	1	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	2	1	–	4	–
†FRIERN BARNET	–	–	3	–	1	–
†HAMPTON ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	4	–	–	–	–
†HENDON	–	8	3	–	4	M. 1
†HESTON AND ISLEWORTH	–	–	3	–	4	C. 2
†HORNSEY... ...	–	–	1	–	–	G. 1
KINGSBURY ...	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	–	–	1	–
†TOTTENHAM ...	–	7	6	–	3	–
†TWICKENHAM ...	–	–	–	–	3	–
†WEALDSTONE ...	–	1	–	–	–	–
†WILLESDEN ...	–	15	22	–	15	C. 1 M. 1
†WOOD GREEN ...	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
STAINES	–	–	1		–	–
NORFOLK	–	7	1	2	8	–
†GREAT YARMOUTH C.B	–	1	–	–	2	–
†NORWICH C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	–		1	–	–
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
FOREHOE ...	–	3	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	–	–	–	1	–	–
MITFORD AND LAUNDITCH	–	–	–	–	4	–
NORTHAMPTON ..	–	8	1	–	13	C. 3
†NORTHAMPTON C.B.	–	1	1	–	6	C. 2
Boroughs and Urban Districts:—						
FINEDON	–	–	–	–	–	C. 1
HIGHAM FERRERS	*	*	*	*	*	*
†KETTERING	–	2	–	–	–	–
RAUNDS	–	–	–	–	3	–
†RUSHDEN ..		1	–	–	–	–
†WELLINGBOROUGH	–	2		–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRACKLEY ...	–	–	–	–	1	–
DAVENTRY ...	–	–	–	–	1	
EASTONON-THE-HILL	*	*	*	*	*	*
OUNDLE (part) ...	–	1	–	–	–	–
WELLINGBOROUGH	–	1	–	–	2	–
NORTHUMBERLAND	24	55	5	–	47	C. 1 D. 1 G. 3 M. 2
†NEWCASTLE UPON TYNE C.B.	4	23	5	–	33	C. 1 G. 2 M. 2
†TYNEMOUTH C.B.	–	2	–	–	3	G. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	12	3	–	–	–	–
†BEDLINGTONSHIRE	2	4	–	–	3	–
†BERWICK UPON TWEED	–	–	–	–	1	–
†BLYTH	–	4	–	–	–	–
CRAMLINGTON ...	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	1	–	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	2	–	–	1	–
PRUDHOE... ...	–	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	2	–
†WALLSEND ...	–	7	–	–	2	–
WEETSLADE ...	3	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	D. 1
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
GLENDALE ...	*	*	*	*	*	*
MORPETH... ...	1	–	–	–		–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	1	18	7	–	19	D. 1 M. 1
†NOTTINGHAM C.B	1	5	4	–	7	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	3	–
†CARLTON	–	2	–	–	2	–
†EAST RETFORD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	4	–	–	2	–
†MANSFIELD WOODHOUSE	–	2	1	–	–	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	*	*	*	*	*	*
†WEST BRIDGFORD	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	2	–	–	1	D. 1
BINGHAM... ...	*	*	*	*	*	*
EAST RETFORD ...	*	*	*	*	*	*
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
OXFORD	–	4	1	–	2	C. 1
†OXFORD C.B. ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	–	–	–	–	C. 1
Rural Districts:—						
BICESTER... ...	–	–	–	–	1	–
CHIPPING NORTON	–	–	–	–	1	–
HEADINGTON ...	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	2	–	–	5	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)—*cont.*						
Rural Districts—						
BARNACK... ...	*	*	*	*	*	*
PETERBOROUGH...	–	–	–	–	1	–
RUTLAND	–	–	4	–	–	–
Rural Districts:—						
KETTON	*	*	*	*	*	*
UPPINGHAM ...	–	–	4	–	–	–
SALOP	–	3	–	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	–	–	–	–	G. 1
Rural Districts:—						
SHIFNAL	–	1	–	–	–	–
SOMERSET	–	12	1	–	17	E. 1 M. 1
†BATH C.B. ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	1	–	–	–	–
GLASTONBURY ...	–	3	–	–	–	–
ILMINSTER ...	–	–	–	–	1	–
MIDSOMER NORTON	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON ...	–	–	–	–	1	–
WATCHET ...	–	–	–	–	1	–
WELLS	–	–			1	–
†WESTON SUPER MARE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
CHARD	–	–	–	–	3	M. 1
CLUTTON	–	–	–	–	1	–
DULVERTON ...	–	–	–	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	2	–	–	–	–
TAUNTON	–	–	–	–	1	–
WELLINGTON ...	*	*	*	*	*	*
WELLS	–	–	–	–	2	–
WILLITON ...	–	1	–	–	–	–
YEOVIL	–		–	–	–	E. 1
SOUTHAMPTON ..	–	33	26	–	23	M. 3
†BOURNEMOUTH C.B.	–	4	–	–	–	–
†PORTSMOUTH C.B.	–	10	20	–	2	–
†SOUTHAMPTON C.B.	–	1	4	–	15	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	4	1	–	–	–
ALTON	*	*	*	*	*	*
†BASINGSTOKE ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	–	1	–	–	–
†FARNBOROUGH ...	–	–	–	–	1	–
†GOSPORT	–	1	–	–	–	–
LYMINGTON ...	–	–	–	–	–	M. 1
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
ANDOVER... ...	–	1	–	–	1	–
FAREHAM ...	–	2	–	–	–	–
FORDINGBRIDGE ..	*	*	*	*	*	*
HARTLEY WINTNEY	–	–	–	–	–	M. 1
HAVANT	*	*	*	*	*	*
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	–	–	–	1	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	4	–	–	1	–
WHITCHURCH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	77	42	–	55	C. 4 M. 4
†BURTON UPON TRENT C.B.	–	3	–	–	1	–
†SMETHWICK C.B.	–	1	2	–	2	–
†STOKE ON TRENT C.B.	–	18	10	–	23	C. 3 M. 2
†WALSALL C.B. ...	–	7	9	–	–	–
†WEST BROMWICH C.B.	–	7	–	–	–	–
†WOLVERHAMPTON C.B.	–	6	–	–	1	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	1	–	–	3	–
†BILSTON	–	4	4	–	4	–
†BRIERLEY HILL...	–	1	–	–	1	–
†BROWNHILLS ...	–	6	1	–	2	–
†CANNOCK	–	1	3	–	–	–
†COSELEY	–	–		–	1	–
†DARLASTON ...	–	–	–	–	1	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	–	–
KIDSGROVE ...	–	–	–	–	4	–
†LEEK	–	1	1	–	–	–
LICHFIELD ...	–	1	–	–	–	M. 1
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK	–	–	–	–	2	–
†ROWLEY REGIS...	–	1	–	–	–	–
RUGELEY... ...	–	–	–	–	1	–
†SEDGLEY	–	1	–	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	–	–	–	3	–
TAMWORTH ...	–	–	2	–	–	–
†TIPTON	–	–	1	–	2	–
†WEDNESBURY ...	–	1	1	–	1	–
WEDNESFIELD ...	–	2	–	–	–	–
†WILLENHALL ...	–	2	1	–	–	–
†WOLSTANTON UNITED	–	5	–	–	–	–
Rural Districts:—						
CHEADLE... ...	–	2	1	–	–	C. 1
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	–	1	–	–	–
LICHFIELD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
SEISDON	–	2	2	–	–	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ..	–	8	1	–	7	C. 1
†IPSWICH C.B. ..	–	2	1	–	–	–
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	2	–
†LOWESTOFT ...	–	–	–	–	1	–
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	3	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	1	–
SAMFORD... ...	–	2	–	–	–	C. 1
SUFFOLK, WEST ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
GLEMSFORD ...	–	1	–	–	–	–
SURREY	–	33	19	1	20	D. 1 G. 1 L. 1
†CROYDON C.B. ...	–	10	6	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	1	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	1	–	–	1	–
†EPSOM	–	–	–	–	–	
†ESHER AND THE DITTONS	–	–	2	–	–	–
†FARNHAM ...	–	1	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	1	1	–
†KINGSTON ON THAMES	–	1	–	–	–	–
LEATHERHEAD ...	–	–	1	–	–	–
†MERTON AND MORDEN	–	3	2	–	3	–
†MITCHAM... ...	–	1	1	–	1	–
†REIGATE	–	2	–	–	–	–
†RICHMOND ...	–	–	–		2	–
†SURBITON ...	–	–	1	–	1	–
†SUTTON	–	–	2	–	–	–
†WIMBLEDON ...	–	4	–	–	2	D. 1
†WOKING	–	–	1	–	1	–
Rural Districts:—						
CHERTSEY ...	–	–	2	–	2	–
EPSOM	–	–	1	–	2	–
GODSTONE ...	–	2	–	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ..	–	11	5	–	9	C
†BRIGHTON C.B. ...	–	4	3	–	2	–
†EASTBOURNE C.B.	–	2	–	–	1	C. 1
†HASTINGS C.B. ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†HOVE	–	–	–	–	2	–
PORTSLADE BY SEA	–	–	–	–	1	–
Rural Districts:—						
NEWHAVEN ...	–	–	1	–	1	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	1	3	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†HORSHAM ...	–	–	–	–	–	M. 1
†LITTLEHAMPTON	–	–	–	–	1	–
SHOREHAM BY SEA	–	–	1	–	–	–
Rural Districts:—						
THAKEHAM ...	–	–	–	–	1	E. 1
WESTHAMPNETT	–	–	2	–	–	–
WARWICK	–	58	48	–	76	C. 1 G. 5 M. 5
†BIRMINGHAM C.B.	–	45	32	–	63	C. 1 G. 5 M. 4
†COVENTRY C.B. ...	–	1	5	–	–	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	1	–	1	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1
†RUGBY	–	–	–	–	3	–
†SUTTON COLDFIELD	–	–	–	–	2	–
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	1	7	–	1	–
COVENTRY ...	–	1	–	–	–	–
FARNBOROUGH ...	–	–	–	–	1	–
FOLESHILL ...	–	1	1	–	2	–
MERIDEN... ...	–	1	–	–	–	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	2	–	–	–	–
STRATFORD ON AVON	–	2	1	–	1	–
TAMWORTH (part)	–	1	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	3	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	–	1	–	–	–
WILTS	–	5	2	–	9	G. 1
Boroughs and Urban Districts:—						
DEVIZES	–	–	2	–	1	–
†SALISBURY ...	–	–	–	–	1	–
†SWINDON... ...	–	2	–	–	3	–
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
DEVIZES	–	–	–	–	1	–
PEWSEY	–	2	–	–	–	G. 1
TISBURY	–	–	–	–	1	–
WILTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	13	4	2	10	L. 1
†DUDLEY C.B. ...	–	5	–	–	–	–
†WORCESTER C.B.	–	2	1		3	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	1	..
†MALVERN ...	–	2	–	–	–	–
†OLDBURY... ...	–	1	2	–	4	–
†REDDITCH ...	–	–	–	–	–	L. 1
†STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
YORKS ... ... **(East Riding.)**	–	5	10	–	10	M. 1
†KINGSTON UPON HULL C.B.	–	5	8	–	9	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	*	*	*	*	*	*
Rural Districts:—						
SCULCOATES ...	*	*	*	*	*	*
SHERBURN ...	–	–	–	–	1	–
YORKS ... ... **(North Riding.)**	–	18	2	–	9	D. 1
†MIDDLESBROUGH C.B.	–	3	–	–	3	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	3	1	–	–	–
GUISBOROUGH ...	–	1	–	–	1	–
†REDCAR	–	–	–	–	1	–
SALBURN BY THE SEA	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	3	–	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
FLAXTON	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
NORTHALLERTON	–	3	–	–	–	–
STOKESLEY ...	–	–	–	–	1	–
THIRSK	–	1	–	–	–	–
YORKS ... .. **(West Riding.)**	7	152	58	15	187	C. 3 G. 5 M. 7
†BARNSLEY C.B. ...	–	1	4	–	1	–
†BRADFORD C.B. ...	–	13	9	–	21	–
†DEWSBURY C.B....	–	3	–	–	1	–
†HALIFAX C.B. ...	–	2	–	–	2	–
†HUDDERSFIELD C.B.	–	14	1	10	1	–
†LEEDS C.B. ...	–	11	5	–	48	M. 1
†ROTHERHAM C.B.	3	1	–	–	3	M. 1
†SHEFFIELD C.B....	1	22	21	2	66	C. 1 G. 2 M. 4
†WAKEFIELD C.B.	–	6	1	1	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	1	–
ALTOFTS	–	1	–	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	4		–	–	–
†BOLTON UPON DEARNE	–	2	1	–	–	–
CLAYTON WEST ...	–	–	1	–	1	–
†CONISBROUGH ...	–	2	1	–	3	–
†DARTON	–	–	–	–	2	–
†DONCASTER ...	–	5	1	–	1	
DRIGHLINGTON ...	–	–	1	–	1	–
EARBY	–	–	–	–	1	–
GILDERSOME ...	–	–	–	–	2	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	4	–	–	–	–
GREASBROUGH ...	–	1	–		–	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	3	–	–	1	G. 1
HECKMONDWIKE	–	2	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	C. 1
†HOLMFIRTH ...	–	2	–	–	–	–
HONLEY	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	1	–
†HOYLAND NETHER	–	2	–	–	–	–
†KEIGHLEY ...	–	1	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
LEPTON	–	–	–	–	1	–
MARSDEN... ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	–	–	–	1	C. 1 G. 1
†MIRFIELD ...	–	1	–	–	1	M. 1
†MORLEY	–	–	–	1	5	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	–	1	–	3	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	3	–	–	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
SHELLEY... ...	–	1	–	–	–	–
SHEPLEY... ...	–	–	–	–	1	–
†SHIPLEY	–	1	–	–	–	G. 1
SOUTHOWRAM ...	*	*	*	*	*	*
†SPENBOROUGH ...	–	2	–	–	2	–
†STANLEY	–	–	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	–	–	–	–	1	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	3	1	–	1	–
†WOMBWELL ...	–	2	1	–	1	–
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	–	–		1	–
Rural Districts:—						
DONCASTER ...	–	3	–	–	1	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	5	1	–	–	–
KIVETON PARK ...	–	9	3	–	2	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	5	–	–	1	–
TADCASTER ...	–	1	–	–	–	–
THORNE	–	1	–	–	–	–
WORTLEY ...	–	2	–	1	–	–
§YORK, CITY OF ...	–	1	1	–	2	–
†YORK C.B. ...	–	1	1	–	2	–
WALES.						
ANGLESEY	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	*	*	*	*	*	*
Rural Districts:—						
HAY	*	*	*	*	*	*
CARDIGAN ...	–	1	–	–	1	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	1	–	–	–	–
TREGARON ...	–	–	–	–	1	–
CARMARTHEN ...	–	3	5	–	4	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	1	–	–	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	1	1	–	4	–
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	1	2	–	–	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
CARNARVON ...	–	2	2	–	–	M. 1
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	1	–	–	M. 1
CONWAY	–	1	–	–	–	–
†LLANDUDNO ...	–	1	–	–	–	–
Rural Districts:—						
LLEYN	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	14	3	–	3	G. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	–	–	–	–
†WREXHAM ...	–	5	2	–	–	G. 1
Rural Districts:—						
LLANSILIN ...	*	*	*	*	*	*
RUTHIN	–	3	–	–	1	–
WREXHAM ...	–	4	1	–	2	–
LLANELIAN YN RHÔS AND LLANSANTFFRAID GLAN CONWAY (Parishes)	–	1	–	–	–	–
FLINT	–	13	2	–	5	C. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	1	–	–	–	–
CONNAH'S QUAY...	–	3	1	–	–	–
HOLYWELL ...	–	2	–	–	2	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	3	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	3	C. 1
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
ST. ASAPH (FLINT)	–	3	–	–	–	–
GLAMORGAN ...	–	55	37	–	47	C. 3 M. 3
†CARDIFF C.B. ...	–	7	8	–	–	M. 1
†MERTHYR TYDFIL C.B.	–	1	2	–	3	–
†SWANSEA C.B. ...	–	7	3	–	–	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	3	–
†BARRY	–	1	3	–	3	–
†CAERPHILLY ...	–	1	1	–	3	–
†GELLIGAER ...	–	–	1	–	1	–
†MAESTEG ...	–	–	1	–	1	–
†MOUNTAIN ASH ...	–	2	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	5	–	–	–	–
†OGMORE AND GARW	–	5	1	–	1	–
†PENARTH ...	–	2	–		2	–
†PONTYPRIDD ...	–	6	1	–	5	–
PORTHCAWL ...	–	–	1	–	1	M. 1
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	10	6	–	20	C. 1 M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	5	–	–	C. 1
NEATH	–	–	–	–	3	–
SWANSEA... ...	–	1	1	–	–	–
MERIONETH ...	–	–	–	–	–	–
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
MONMOUTH ...	–	6	6	1	10	M. 1
†NEWPORT C.B. ...	–	2	–	–	7	M. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	–	1	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDWELLTY ...	–	–	–	–	1	–
†BLAENAVON ...	–	1	1	–	1	–
†EBBW VALE ..	–	1	–	1	–	–
MONMOUTH ...	–	–	3	–	–	–
†PANTEG	–	1	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–	–	–
USK	*	*	*	*	*	*
Rural Districts—						
PONTYPOOL ...	*	*	*	*	*	*
MONTGOMERY ..	–	–	1	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE						
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
Total of Part II. ...	128	1302	668	38	1190	C. 3 D. E. G. 3 L. M. 7

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
ARTLEPOOL	*	*	*	*	*	*	TYNE	–	–	1	–	–	–
ULL AND GOOLE ...	–	–	1	–	–	–	PORT OF LONDON ...	2	1	–	–	–	–
LYMOUTH	–	–	–	–	–	L. 1							
OUTHAMPTON ...	–	–	1	–	–	–	Total of Part III.... ...	2	1	3	–	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see note below).
Total of Part I.—London	–	261	308	4	186	C. G. J. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	128	1302	668	38	1190	C. D. E. G. L. M.
Total of Part III.—Port Sanitary Districts	2	1	3	–	–	L.
Total (*i.e.*, of returns received), England and Wales ...	130	1564	979	42	1376	C. D. E. G. J. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. The cases of Small-p notified appear on pages 370, 371, 376, 377, 381, 382 and 385.

5.—London and Great Towns in the REGATE. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.
ON :—													
HS—all ages	1,230	1,200	1,399	1,270	1,062	1,070	1,209	1,121	1,099	1,112	1159	1,228	1,340
0 to 1 year ..	125	137	144	128	82	95	105	110	103	110	116	113	107
T TOWNS, aggregate (including Lon- :—													
IS	8,017	6,594	6,920	7,002	6,793	6,862	6,836	7,359	6,836	7,238	7,128	6 687	6,571
HS—all ages	5,376	5,058	5,646	5,286	5.036	4,713	5,272	4,904	4,674	4,786	4.776	5,177	5,583
0 to 1 year ..	609	660	694	619	585	548	655	540	562	598	564	574	609
RIC FEVER—Cases	20	12	6	12	15	14	20	20	24	26	16	25	24
„ Deaths	5	—	1	5	2	2	3	3	2	3	3	7	3
L POX—Cases ..	44	95	102	87	99	59	60	88	74	75	67	70	50
„ Deaths ..	—	—	—	—	—	—	—	—	—	1	—	—	—
LET FEVER—Cases	923	895	950	1,051	1,022	869	959	934	866	882	827	894	895
„ Deaths	16	14	5	12	8	14	13	7	8	9	13	9	8
THERIA—Cases ..	711	684	679	851	815	787	816	830	823	809	827	688	716
„ Deaths ..	53	31	50	35	45	26	50	56	48	51	49	47	50
LES—Deaths ..	72	94	109	102	76	82	116	105	102	119	116	121	107
ENZA—Deaths ..	115	81	87	100	78	90	76	89	97	88	136	136	223

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 3rd April, 1926. (*Supplied by the Meteorological Office.*)

Towns	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON	73	29	61·1	38·3	0
REENWICH).					
HTON ..	70	32	57·6	40·3	0
SMOUTH ..	64	33	57·0	41·6	0
VICH (EATON).	67	30	58·3	39·6	0
OUTH ..	66	34	56·9	42·3	0·2
TOL (CLIFTON).	72	34	58·6	40·3	0
INGHAM (DGBASTON).	69	33	55·0	40·1	0·1
INGHAM ..	70	33	56·4	39·7	1
ENHEAD (BIDSTON).	66	37	54·3	43·1	3
CHESTER WHITWORTH PARK).	69	35	55·6	42·7	1
NLEY	65	34	54·6	41·1	1

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	67	35	55·3	40·4	1
BRADFORD ..	64	36	54·1	41·3	1
SHEFFIELD ..	68	35	55·7	41·1	1
YORK (MUSEUM)	68	36	57·6	41·9	0
HULL (PEARSON PARK).	62	33	55·1	40·9	1
TYNEMOUTH ..	63	37	51·0	42·1	3
CARDIFF.. ..	68	34	57·0	40·7	0
EDINBURGH ..	60·0	34·0	50·3	40·1	3
GLASGOW ..	62·1	35·0	51·2	41·2	21
DUBLIN (PHŒNIX PARK).	60·6	30·0	55·4	40·7	11
(FITZWILLIAM SQUARE†).	58·0	37·0	54·0	44·1	9
BELFAST.. ..	62·0	36·0	54·1	40·9	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd April, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	28	..	29·299	45·3	37·9	7·4	41·2	− 2·5	39·5	1·7	4·3	1·1	94	50·0	27·0	44·5	Calm	Calm.	0·2	0·0	0·0	80	− 246	0·00
MONDAY -	29	Full In Equator	29·297	58·4	36·6	21·8	48·1	+ 4·0	35·1	13·0	22·8	2·4	60	103·1	26·0	44·6	Calm	WSW : N.	1·0	0·0	0·0	125	− 196	0·00
TUESDAY -	30	..	29·645	52·9	34·2	18·7	43·6	− 0·9	25·9	17·7	24·5	5·1	48	105·0	20·7	44·8	N : NNW.	NNW : Calm.	1·8	0·0	0·1	234	− 78	0·00
WEDNESDAY	31	..	29·861	58·6	29·4	29·2	45·5	+ 0·6	32·0	13·5	23·5	1·7	59	122·1	16·4	44·8	SSW : SW	SW.	1·1	0·0	0·1	230	− 75	0·00
APRIL. THURSDAY -	1	..	29·994	66·1	34·8	31·3	51·1	+ 5·8	39·3	11·8	24·7	2·7	65	126·1	20·2	45·0	Calm : SSW.	SW : SSW	1·1	0·0	0·1	201	− 100	0·00
FRIDAY -	2	..	29·973	73·2	41·6	31·6	55·8	+10·1	41·7	14·1	30·9	2·3	58	135·2	25·6	45·0	Calm : ESE.	SE : Calm.	2·0	0·0	0·2	188	− 115	0·00
SATURDAY -	3	..	29·854	72·0	46·3	25·7	60·5	+14·5	48·6	11·9	23·4	2·8	64	118·7	36·0	45·0	Calm	SE : Calm.	0·5	0·0	0·0	126	− 181	0·00
MEANS -		..	29·703	60·9	37·3	23·7	49 4	+ 4·5	37·4	12·0	23·3	2·6	64	108·6	24·6	44·8	Southerly		..	..	..	Sum 1184	Sum − 991	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	28	wP.	0·0	12·6	Overcast generally. Mist from 3h. till 22h. Gloom 12½h. to 14½h. Lunar halo 23½h. Dew at night.
MONDAY ..	29	wP till 6h., mP till 11h., wP till 16h., then mP.	1·2	12·7	Overcast. Mist 6h. till 9h. Solar halo 15h.
TUESDAY ..	30	wP till 6h., mP till 23h., then wP.	6·7	12·7	Overcast till 9h., becoming partially cloudy by 14h., and clearing from 16h to nearly cloudless by 18h. Haze from 15h. Solar halo 12¼h.
WEDNESDAY	31	wP.	7·4	12·8	Cloudless or little cloud generally till 13h.; overcast 15h. till 21h., nearly cloudless from 23h. Solar halo 14¾h. till 16¾h.
APRIL. THURSDAY	1	wP till 18h., then mP and wP.	7 1	12·9	Nearly cloudless till 9h., then very cloudy (thin cloud). Overcast 14h. till 19¾h.; little cloud from 20h. Haze at night.
FRIDAY ..	2	wP.	6·6	12·9	Very cloudy by 1h.; overcast 3h. till 9h.; cloudy 11h. till 21h.; clearing to cloudless by 24h. Mist 4h. till 9h. Sky hazy during day.
SATURDAY	3	wP.	0 7	13 0	Cloudless, becoming overcast generally from 4h. Thin cloud in forenoon. Solar halo 9h.
			Sum 29·7	Sum 89·6	
No. of Col...	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·24 ins. at the beginning of the week to 29·33 ins. by 22h. on March 28th; decreased to 29·27 ins. by 15h. on March 29th; increased generally to 30·15 ins. by 0h. on April 2nd; decreased generally and was 29·82 ins by 0h. on April 4th.

FOR OFFICIAL USE

1926. No. 14.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 10TH APRIL 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH APRIL, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourteenth week of the year numbered 6,914, and corresponded to an annual rate of 18·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,613 and corresponded to an annual rate of 15·1 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 12·8, 13·9, and 15·0. Infant mortality was 87 per 1,000 births against 79, 86 and 93 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,530 births corresponding to a rate of 17·3 per 1,000, and 1,347 deaths of civilians, corresponding to an annual rate of 15·3, against 13·1, 13·9 and 15·2, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 14·4 per 1,000. The infant mortality was 84 as against 74, 75 and 72 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 5,583 to 5,613; the deaths from influenza, which had increased from 88 to 223 in the four preceding weeks, further rose to 294 last week. In London the number of deaths from all causes increased from 1,340 to 1,347; the deaths from diphtheria which had been 17, 16, and 16 in the preceding three weeks, fell to 11 last week; the deaths from measles, which had declined from 60 to 44 in the four preceding weeks, were 45 last week; and the deaths from influenza, which had been 19, 27, and 48 in the three preceding weeks, further rose to 74 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 10th April, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	6,914	5,613	600	6	100	6	55	45	45	294
London	4,602,000*	1,530	1,347	128	1	45	1	5	11	12	74
Towns in Outer Ring. Croydon C.B ..	199,300	65	47	1	-	-	-	-	1	-	6
Wimbledon ..	58,170	14	8	1	-	-	-	-	-	-	-
Ealing	68,410	24	26	1	-	-	-	-	-	-	1
Acton	63,110	23	16	1	-	-	-	-	-	-	1
Willesden ..	168,900	39	40	3	-	-	-	-	2	-	2
Hendon	59,150*	12	7	-	-	-	-	-	-	-	2
Hornsey	87,210	19	26	1	-	-	-	-	-	-	3
Wood Green ..	51,960	18	7	-	-	1	-	-	-	-	2
Tottenham ..	153,600	34	40	4	-	2	-	-	-	-	1
Edmonton ..	71,210	37	20	-	-	3	-	-	1	-	-
Enfield	63,740	24	21	1	-	2	-	-	-	-	-
West Ham C.B. ..	318,500	146	84	6	-	1	1	-	-	1	4
East Ham C.B. ..	147,200	49	37	1	-	1	-	-	-	1	1
Leyton	132,700	34	26	2	-	-	-	-	-	-	1
Walthamstow ..	130,800	44	29	1	-	-	-	-	-	-	1
Ilford	93,590	28	18	1	-	-	-	-	1	-	1
Gillingham	48,680*	17	11	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	10	3	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	13	26	-	-	-	-	-	-	-	1
Eastbourne C.B. ..	55,060	9	9	-	-	1	-	-	-	-	-
Brighton C.B. ..	137,800*	43	40	2	-	-	-	-	1	1	-
Portsmouth C.B. ..	232,900*	83	67	6	-	-	-	-	3	-	4
Bournemouth C.B. ..	85,840	25	28	2	-	-	-	-	-	-	1
Southampton C.B. ..	168,600	54	44	2	-	-	-	-	-	-	6
Reading C.B. .. .	93,670*	26	39	1	-	1	-	-	-	-	3
Oxford C.B.	57,090	19	16	1	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	27	24	1	-	-	-	-	-	-	2
Luton	59,230	13	10	1	-	-	-	-	-	1	1
Cambridge	59,020	15	9	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	25	26	1	-	-	-	1	-	1	2
Ipswich C.B.	83,120*	28	18	2	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,890	14	13	1	-	-	-	-	-	-	1
Norwich C.B. ..	124,000*	50	27	2	1	-	-	-	-	-	-
Swindon	56,880	17	14	-	-	-	-	-	1	-	-
Exeter C.B.	59,820*	17	19	4	-	-	-	-	-	1	3
Plymouth C.B. ..	192,100*	84	47	4	-	2	-	-	-	-	-
Bath C.B.	69,050	19	19	-	-	1	-	-	-	-	-
Bristol C.B.	385,700*	120	108	8	-	-	-	1	2	-	5
Gloucester C.B. ..	53,060	34	15	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	119	56	7	-	-	-	1	1	-	2
Burton-upon-Trent C.B.	49,530	18	12	3	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	40	26	-	-	-	-	-	-	-	1
Walsall C.B.	102,300	39	29	3	-	-	-	-	1	-	-
West Bromwich C.B	79,490	38	21	3	-	-	-	-	-	-	-
Dudley C.B.	58,810	27	15	2	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	19	12	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	329	281	23	-	1	-	4	2	2	16
Smethwick C.B. ..	78,840	26	8	-	-	-	-	-	-	-	1
Coventry C.B. ..	129,100	41	36	2	1	-	-	-	-	-	-
Leicester C.B. ..	242,100	75	78	8	-	-	-	-	3	2	2
Lincoln C.B.	66,600*	28	24	4	-	-	-	1	-	-	4
Grimsby C.B.	87,190	43	24	4	-	-	-	2	-	-	1
Nottingham C.B. ..	270,600	91	74	11	-	-	-	4	1	-	2
Derby C.B.	134,400*	55	35	5	-	1	1	-	-	-	2
Chesterfield ..	65,800	37	15	6	-	-	-	-	-	1	1
Stockport C.B. ..	125,900	42	45	4	-	3	-	-	1	-	2
Chester C.B.	41,670	20	15	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	76	50	4	-	-	-	-	-	1	-
Wallasey C.B. ..	91,720	27	19	1	-	-	-	-	-	-	1
Liverpool C.B. ..	856,000	380	302	47	-	5	-	8	2	4	10
Bootle C.B.	83,260	39	29	2	-	1	-	-	-	-	5
St. Helens C.B. ..	109,600	64	26	6	-	2	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	11	27	2	-	-	-	-	-	1	3
Wigan C.B.	91,010	40	18	-	-	-	-	1	-	-	1
Warrington C.B. ..	77,970*	27	31	6	-	-	-	1	-	2	4
Bolton C.B.	180,400	58	43	5	-	-	-	-	1	-	-
Bury C.B.	56,700*	14	18	3	-	-	-	1	-	-	1
Manchester C.B. ..	755,800	303	235	29	-	4	-	3	3	4	14
Salford C.B.	244,700	94	92	19	-	3	-	-	-	2	5
Oldham C.B	146,200	52	80	9	-	1	-	1	-	1	15
Rochdale C.B... ..	92,190	20	32	2	-	-	-	-	-	-	3
Burnley C.B.	102,300	31	30	3	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	26	41	3	1	-	-	-	-	-	-
Preston C.B.	122,900	48	33	5	-	-	-	-	-	-	1
Blackpool C.B. ..	80,750	24	26	4	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	73,470	23	14	1	-	-	-	-	-	-	1
Huddersfield C.B. ..	112,100	29	25	2	1	1	-	-	-	-	-
Halifax C.B.	97,860*	21	29	2	-	-	-	-	-	1	-
Bradford C.B. ..	290,200	83	83	10	-	-	-	1	-	1	2
Leeds C.B.	472,900	161	151	25	-	1	1	9	2	1	7
Dewsbury C.B ..	54,570	19	10	3	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	23	16	-	-	-	-	-	-	-	2
Barnsley C.B. ..	71,170	35	10	-	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	177	127	14	-	5	-	-	2	-	3
Rotherham C.B. ..	70,600	31	12	1	-	-	-	1	1	-	-
Doncaster	55,610	21	11	3	-	-	-	1	-	-	-
York C.B.	84,630*	22	17	-	-	-	-	-	-	-	-
Hull C.B.	297,300	116	96	6	1	3	-	-	-	-	11
Middlesbrough C.B.	136,200	67	40	8	-	-	-	1	-	1	-
Darlington C.B. ..	69,130	33	28	5	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	32	26	6	-	-	-	-	-	-	2
West Hartlepool C.B.	71,590	24	25	2	-	2	-	-	-	-	1
Sunderland C.B. ..	166,000	80	98	16	-	-	-	4	-	1	5
South Shields C.B. ..	124,600	55	45	10	-	-	-	-	-	1	1
Gateshead C.B. ..	129,000	62	52	14	-	-	-	-	-	-	12
Newcastle-on-Tyne C.B.	286,300*	119	78	11	-	6	-	1	-	-	3
Tynemouth C.B. ..	66,180	32	18	5	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	25	16	-	-	1	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	42	29	3	-	-	-	-	-	-	3
Cardiff C.B.	227,100*	86	66	4	-	-	-	-	1	-	2
Rhondda	167,570	50	54	11	-	-	-	3	-	-	6
Merthyr Tydfil C.B.	82,920	45	18	1	-	-	-	-	-	-	1
Aberdare	57,700	20	16	4	-	-	-	-	-	-	-
Swansea C.B.	163,200	58	34	4	-	-	2	-	1	-	2
Greater London ..	7,719,622*	2,537	2,095	180	1	66	4	7	16	15	107
Outer Ring	3,117,622*	1,007	748	52	-	21	3	2	5	3	33
16 Great Towns in Outer Ring	1,867,550*	610	452	24	-	10	1	-	5	2	26
Remainder of Outer Ring	1,250,072*	397	296	28	-	11	2	2	-	1	7
Edinburgh†	424,600	190	115	8	-	-	1	1	1	1	7
Glasgow† ..	1,034,500	550	508	80	-	19	4	10	7	6	81
Dublin (Registration Area)†	443,000	193	123	10	-	2	1	-	1	3	3
Belfast†	443,000	192	132	26	-	3	1	3	-	3	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases(un-
		1925-6.										
LONDON‡	4,602,000	Apr. 10	1530	1347	15·3	1	–	45	1	5	11	1
CALCUTTA AND SUBURBS	1,077,273	Mar. 6	?	637§	30·7	?	37	?	?	?	?	?
BOMBAY	1,279,061	„ 20	327	554	22·5	1	9	1	–	1	–	2
MADRAS	528,791	„ 6	347	500§	49·1	2	1	–	?	10	–	3
SYDNEY AND SUBURBS	1,038,950	Feb. 28 (28 days)	1669	694	8·0	–	–	1	2	3	4	4
BRISBANE (Metropolitan Area).	253,568	Feb. 28										
PERTH (Metropolitan Area).	176,467	Mar. 6										
AUCKLAND (Urban Area).	180,790	Feb. 28										
WELLINGTON (Urban Area).	118,490	„ 28										
CHRISTCHURCH (Urban Area).	118,270	„ 28										
CAPE TOWN	113,709	Mar. 13	38	25	11·4	–	–	–	–	–	–	
JOHANNESBURG	165,958	„ 20	86	39	12·2	1	–	–	–	1	–	
DURBAN	54,822	„ 20	28	8	7·6	–	–	–	–	–	–	
PARIS	2,906.473	„ 31										
ANTWERP	300,150	Feb. 20	94	59	10·0	–	–	–	–	1	–	
AMSTERDAM	719,132	Mar. 13	247	137	9·9	1	–	–	–	–	1	
COPENHAGEN	587,400	„ 20										
STOCKHOLM	442,528	„ 27	103	106	12·5	–	–	–	–	–	–	
GOTHENBURG	230,804	„ 13	?	57	12·8	–	–	–	–	–	–	
OSLO (CHRISTIANIA) ..	257,719	April 3	83	43	8·7	–	–	–	–	–	–	
BERLIN	2,062,000	Mar. 20	457	465	11·5	1	?	–	2	3	4	
BRESLAU	555,000	„ 20	219	172	13·7	–	?	–	–	1	–	
COLOGNE	704,000	„ 20	253	164	11·1	–	?	–	–	1	2	
DRESDEN	620,000	„ 20	168	148	11·2	–	?	–	1	2	–	
FRANKFORT-ON-MAIN..	474,000	„ 20	159	85	8·7	–	?	–	–	–	1	
HAMBURG	1,123,000	„ 20	422	260	11·3	–	?	–	–	–	–	
LEIPZIG	661,000	„ 20	213	163	11·8	–	?	–	–	1	–	
MUNICH	680,000	„ 20	206	186	12·4	–	?	–	1	1	–	
VIENNA	1,869,437	Dec. 31										
PRAGUE AND SUBURBS	712,700	Nov. 30 (30 days)	743	666	11·3	4	–	–	2	1	4	
BUDAPEST	960,535	Mar. 27	351	322	17·3	–	–	2	2	4	4	
WARSAW	992,450	April 3	229	361	19·0	–	–	–	4	6	2	
CAIRO	829,200	Jan. 7	763	433	27·2	3	–	–	–	?	4	
ALEXANDRIA	492,100	„ 7	531	454	48·1	2	–	23	–	?	–	
NEW YORK	6,361,664	Feb. 20	2484	1861	15·3	1	–	29	6	5	9	
CHICAGO	2,995,239	Mar. 12	1201	944	16·1	–	?	1	–	1	6	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the Germa Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childre year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 45 deaths from cholera in Calcutta and 5 from cholera in Madras.

ERRATUM.—Return for week ended 3rd April.—For 20 deaths from plague in Calcutta during week en 27th read —.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th April, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1347	128	56	48	23	36	46	73	138	208	269	322
Enteric fever..	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	45	10	22	11	2	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	5	1	3	1	-	-	-	-	-	-	-	-
Diphtheria	11	2	1	5	3	-	-	-	-	-	-	-
Influenza	74	2	-	-	1	4	2	5	9	22	14	15
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	-	1	-	1	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	85	-	-	-	1	14	16	17	22	10	4	1
Nervous system	8	4	1	2	1	-	-	-	-	-	-	-
Intestines and peritoneum	4	1	-	-	1	1	-	-	1	-	-	-
Other forms	10	2	1	2	1	2	-	-	1	1	-	-
Venereal diseases	2	1	-	-	-	-	-	-	1	-	-	-
Cancer	122	-	-	-	-	1	1	3	20	40	38	19
Rheumatic fever	3	-	-	-	1	1	1	-	-	-	-	-
Diabetes	10	-	-	-	-	-	-	-	2	3	3	2
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	3	-	-	1	1	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	52	-	-	-	-	-	-	-	6	7	18	21
Epilepsy	6	-	-	-	-	1	-	2	3	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	26	-	-	4	-	2	1	3	7	1	6	2
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	4	-	-	-	-	-	1	-	1	1	1	-
Other diseases of heart	203	-	-	1	-	1	4	10	14	41	57	75
Other diseases of circulatory system	45	-	-	-	-	-	-	-	2	5	14	24
Bronchitis	116	5	2	-	-	-	1	2	6	21	32	47
Broncho-pneumonia	114	28	17	17	-	-	1	3	7	10	11	20
Lobar-pneumonia	36	1	2	2	-	-	2	5	9	4	9	2
Pneumonia (type not distinguished)	21	1	1	-	1	1	1	-	1	2	7	6
Other diseases of respiratory system	31	-	-	-	-	-	2	2	4	1	10	12
Diarrhœa and enteritis	17	10	2	-	2	-	-	1	-	-	2	-
Appendicitis, Typhlitis	4	-	-	-	2	-	1	-	1	-	-	-
Hernia, Intestinal obstruction.. ..	15	2	1	-	-	1	-	-	1	4	3	3
Cirrhosis of liver	3	-	-	-	-	-	1	-	1	-	1	-
Other diseases of digestive system ..	29	2	-	-	1	-	-	7	4	2	5	8
Acute nephritis	3	-	-	1	-	-	-	-	-	1	1	-
Chronic Bright's disease..	31	-	-	-	-	-	2	3	3	9	8	6
Other diseases of genito-urinary system.	20	-	-	-	-	-	2	1	1	4	6	6
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	7	-	-	-	-	1	4	2	-	-	-	-
Congenital malformations	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	25	25	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	46	-	-	-	-	-	-	-	-	-	5	41
Suicide	14	-	-	-	-	1	1	2	1	5	3	1
Burns and Scalds	4	1	1	-	-	-	-	-	-	1	1	-
Drowning	2	-	-	-	-	1	-	-	-	1	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	7	-	-	-	2	3	-	1	-	1	-	-
Other deaths by violence	14	1	-	-	1	-	-	1	3	3	1	4
Other specified causes	43	11	2	-	2	1	-	2	4	5	9	7
Ill-defined causes	1	-	-	-	-	-	-	-	-	1	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th April 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	213	288	5	271	C. 7 D. 1 G. 9 M. 14
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	14	–	13	M. 1
†BERMONDSEY ...	–	7	8	–	3	G. 1
†BETHNAL GREEN	–	7	7	1	12	M. 2
†CAMBERWELL ...	–	19	31	–	15	–
†CHELSEA	–	2	7	–	4	–
†DEPTFORD ...	–	2	24	–	6	–
†FINSBURY ...	–	5	3	–	2	M. 1
†FULHAM	–	5	6	–	15	G. 1 M. 1
†GREENWICH ...	–	10	7	–	11	–
†HACKNEY ...	–	15	9	–	1	C. 1
†HAMMERSMITH ...	–	7	5	–	4	–
†HAMPSTEAD ...	–	2	3	1	2	M. 1
†HOLBORN... ...	–	–	6	–	1	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	26	21	–	15	M. 3
†KENSINGTON ...	–	5	12	2	7	–
†LAMBETH ...	–	17	24	–	11	C. 2 G. 1 M. 3
†LEWISHAM ...	–	8	13	–	11	–
†PADDINGTON ...	–	2	5	–	15	C. 1
†POPLAR	–	7	10	–	30	G. 1
†ST. MARYLEBONE	–	4	2	1	8	G. 1
†ST. PANCRAS ...	–	10	8	–	15	C. 1 M. 1
†SHOREDITCH ...	–	3	5	–	9	D. 1 G. 1
†SOUTHWARK ...	–	6	20	–	8	C. 1
†STEPNEY	–	15	10	–	9	G. 1
†STOKE NEWINGTON	–	3	3	–	–	C. 1
†WANDSWORTH ...	–	8	16	–	29	G. 2 M. 1
†WESTMINSTER, CITY OF	–	–	3	–	3	–
†WOOLWICH ..	–	7	6	–	12	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	9	–	11	–
Boroughs and Urban Districts:—						
AMPTHILL ...	*	*	*	*	*	*
†BEDFORD... ...	–	1	2	–	6	–
BIGGLESWADE ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	1	–	–	1	–
†LUTON	–	1	5	–	2	–
Rural Districts:—						
AMPTHILL ...	–	1	1	–	–	–
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
EATON BRAY ...	–	–	–	–	1	–
LUTON	–	–	1	–	–	–
BERKS	–	12	1	–	1	–
†READING C.B. ...	–	10	–	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	–	–	–	1	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE .	–	1	–	–	–	–
BUCKINGHAM ...	–	3	–	–	7	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	1	–	–	2	–
LINSLADE ...	–	–	–	–	2	–
†SLOUGH	–	1	–	–	2	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	1	–	4	–
Borough:—						
†CAMBRIDGE ...	–	2	1	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	1	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER	–	48	19	1	55	C. 2 D. 1 G. 1 L. 1 M. 1
†BIRKENHEAD C.B.	–	6	6	–	8	C. 1 D. 1 L. 1
†CHESTER C.B. ...	–	2	–	1	2	–
†STOCKPORT C.B.	–	15	2	–	9	C. 1
†WALLASEY C.B. ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
ALSAGER	–	–	–	–	1	–
†ALTRINCHAM ...	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	4	–
BREDBURY AND ROMILEY	–	–	–	–	3	–
†CHEADLE AND GATLEY	–	1	–	–	1	–
†CONGLETON ...	–	–	–	–	4	–
†CREWE	–	3	1	–	1	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	G. 1
†HYDE	–	1	1	–	3	–
†MACCLESFIELD ...	–	–	–	–	2	–
MARPLE	–	–	–	–	1	–
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	–	–	–	1	–
†RUNCORN ...	–	3	1	–	–	–
†SALE	–	1	1	–	–	–
†STALYBRIDGE ...	–	–	1	–	–	–
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	–	1	–	–	1	–
YEARDSLEY CUM WHALEY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	2	–	–	–
CHESTER ...	–	–	–	–	2	–
CONGLETON ...	–	–	3	–	2	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	5	–	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN... ...	–	–	–	–	3	M. 1
TARVIN	–	1	–	–	–	–
WIRRAL	–	–	–		1	–
CORNWALL ..	–	2	–	–	10	–
Boroughs and Urban Districts:—						
FOWEY	–	–			2	
LISKEARD ...	*	*	*	*	*	*
PHILLACK ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	–	–	2	–
Rural Districts:—						
LAUNCESTON ..		–	–		1	–
LISKEARD ...	–	–	–		1	–
REDRUTH ...	–	1	–	–	1	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	–	–	–	2	–
TRURO	–	–	–	–	1	
CUMBERLAND ...	–	17	6	–	1	C. 2
†CARLISLE C.B. ...	–	3	–	–	1	C. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	2	–	–	–
EGREMONT ...	–	1	–		–	–
PENRITH	–	1	–	–	–	C. 1
†WHITEHAVEN ...	–	3	–	–	–	–
WIGTON	*	*	*	*	*	*
†WORKINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	–	–	1	–	–	–
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...	–	6		–	–	–
WIGTON	–	–	3	–	–	–
DERBY	48	32	11	1	46	C. 1 F. 1 M. 2
†DERBY C.B. ..	45	–	6	–	15	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
†BELPER	1	–	–		–	–
†BOLSOVER ...	1	1	1	–	–	–
BRAMPTON AND WALTON		1	–			–
†CHESTERFIELD ...	–	5	–	–	1	
†GLOSSOP	–	2	–	1	7	F. 1
†HEANOR	–	–	–	–	1	–
†ILKESTON ...	–	1	–	–		C. 1
†LONG EATON ...		2	1	–	1	–
†SWADLINCOTE DISTRICT	–	2	–	–	2	–
†THE MATLOCKS...	*	*	*	*	*	*
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	2		–	1	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	6	–	–	3	–
CHESTERFIELD ...	–	7	1	–	5	–
CLOWNE	–	–	2	–	–	–
GLOSSOP DALE ...	–	1	–	–		–
HARTSHORN AND SEALS	–	–	–	–	5	–
NORTON	–	–	–	–	1	–
SHARDLOW ...	1	–	–	–	3	–
DEVON	–	13	13	–	22	C. 1 G. 1 M. 2
†EXETER C.B. ...	–	2	1	–	5	–
†PLYMOUTH C.B....	–	2	6	–	8	G. 1 M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	1	–
BRIXHAM... ...	–	–	1	–	–	–
CREDITON ...	–	–	1	–	–	–
DARTMOUTH ...	–	–	–	–	1	–
†EXMOUTH ...	–	–		–	1	–
HONITON ...	–	–	1	–		–
†ILFRACOMBE ...	–	–	–	–	1	–
NORTHAM ...	–	–	1	–	–	–
†PAIGNTON ...	–	2	–	–	1	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	1	1	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BROADWOOD WIDGER	–		–	–	2	–
CREDITON ...	–	–	–		–	C. 1
HONITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	4	–	–	2	
ST. THOMAS ...	–	–	1	–	–	–
DORSET	–	8	2	–	2	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
DORCHESTER ...	–	1	–	–		–
†POOLE	–	1		–	–	–
†PORTLAND ..	–	2	–	–	–	–
SHERBORNE ...	–	2	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	*	*	*	*	*	*
Rural Districts:—						
BEAMINSTER ...	–	–	2	–	–	G. 1
BLANDFORD ...	–	–	–	–	1	–
SHAFTESBURY ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	93	69	17	1	124	C. 2 M. 6
†DARLINGTON C.B.	1	1	–	–	2	–
†GATESHEAD C.B.	5	–	1	–	16	C. 1
†SOUTH SHIELDS C.B.	3	3	1	–	10	C. 1
†SUNDERLAND C.B.	–	–	2		34	M. 1
†WEST HARTLEPOOL C.B.	–	17	–	–	5	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	5	2	–	–	4	–
BENFIELDSIDE ...	–	1	–	–	3	
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	2	–	–		–
†BLAYDON... ...	6	1	–	–	1	–
†BRANDON AND BYSHOTTLES	4	4	–	–	–	–
†CHESTER LE STREET	4	3		–	3	–
†CONSETT	–	1	–	–	–	–
†CROOK	2	–	–	–		–
†DURHAM	1	2	1	1	–	–
†FELLING	1	2	–	–	5	–
†HEBBURN ...	–	4	1	–	–	–
†HETTON	8	–	–	–	2	–
†HOUGHTON LE SPRING	4	–	1	–	1	–
†JARROW	–	–	1	–	8	M. 1
†RYTON	1	2	–		3	–
†SEAHAM HARBOUR	1	–	–		4	–
†SHILDON	–	–	–	–	2	–
†SOUTHWICK ON WEAR		–	1	–	1	–
†SPENNYMOOR ...	6	–	–	–	–	
†STANLEY	4	–	–		–	–
†STOCKTON ON TEES	–	3	1		2	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	1	–	2	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	3	1	–	–	–	M. 1
CHESTER LE STREET	7	4	1	–	5	–
DARLINGTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
DURHAM	1	2	1	–	1	–
EASINGTON ...	5	1	3	–	2	–
HOUGHTON LE SPRING	9	1	–	–	3	M. 2
LANCHESTER ...	12	2	1	–	–	–
SEDGEFIELD ..	–	2	–	–	–	–
STOCKTON ...	–	1	–	–	1	–
SUNDERLAND ...	–	1	–	–	4	–
ELY, ISLE OF ...	–	–	–	–	2	–
Rural Districts:—						
WHITTLESEY ...	–	–	–	–	2	–
ESSEX	–	77	42	3	78	C. 1 G. 2 M. 2
†EAST HAM C.B. ...	–	10	9	–	5	–
†SOUTHEND-ON-SEA C.B.	–	9	–	1	15	M. 2
†WEST HAM C.B. ...	–	10	15	1	26	G. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	2	–	7	–
BRENTWOOD ...	–	1	1	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
†CHELMSFORD ...	–	1	–	–	1	–
CHINGFORD ...	–	1	–	–	1	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	4	–	–	2	–
DAGENHAM ...	–	1	–	–	1	–
†GRAYS THURROCK	–	–	3	–	–	–
†ILFORD	–	7	2	–	–	–
†LEYTON	–	10	8	–	4	–
LOUGHTON ...	–	1	–	1	–	–
MALDON	–	–	–	–	1	–
†ROMFORD ...	–	3	–	–	–	–
TILBURY	–	4	1	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	6	1	–	7	–
†WOODFORD ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BRAINTREE ...	–	1	–	–	1	–
EPPING	–	1	–	–	2	–
HALSTEAD ...	–	1	–	–	–	–
MALDON	–	1	–	–	1	–
ONGAR	–	1	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	–	–	–	1	–
STANSTED ...	–	–	–	–	1	–
TENDRING ...	–	1	–	–	1	–
GLOUCESTER ..	1	18	17	1	27	C. 2 G. 1 M. 2
†BRISTOL C.B. ...	–	9	9	–	21	C. 1 G. 1 M. 2
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS		–	1	–	–	–
†CHELTENHAM ...	1	–	1	–	–	–
NAILSWORTH ...	–	2	–	–	–	–
STROUD	–	1	–	–	1	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	–	C. 1
GLOUCESTER ...	–	–	4	–	–	–
NORTHLEACH ...	–	2	–	–	–	–
STROUD	–	1	–	–	1	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	2	–	1	–	–
HEREFORD ..	–	1	–	–	3	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	2	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	7	–	1	1	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	–	–	1	–
†HERTFORD ...	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†WATFORD ...	–	5	–	–	–	–
Rural Districts:—						
WATFORD ...	–	–	–	1	–	–
HUNTINGDON ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	–	–
KENT	–	33	21	2	40	C. 1 G. 1 M. 4
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	–	1	–	1	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1		3	–
†BROMLEY ...		–	–	–	3	–
†CHATHAM ...	–	3	3	2	–	–
†DARTFORD ...	–	2	1		4	C. 1
†DOVER	–	–	–	–	1	M. 2
†ERITH	–	1	2	–	–	–
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	–	1	–	5	–
†GRAVESEND ...	–	–	2	–	–	–
†HERNE BAY ...	–	2	1	–	3	M. 1
†MAIDSTONE ...	–	3	1	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARGATE ...	–	4	–	–	2	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	–	–	–	1	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	5	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	3	–
SEVENOAKS ...	–	2	–	–	–	–
†SHEERNESS ...	–	–	–	–	1	–
SIDCUP	–	1	–	–	–	–
Rural Districts:—						
BRIDGE	–	–	–	–	2	–
BROMLEY ...	–	3	–	–	–	–
DARTFORD ...	–	1	2	–	–	–
DOVER	–	–	–	–	–	G. 1
EASTRY	–	1	–	–	–	–
MALLING	–	–	2	–	2	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	1	1	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	–	189	100	3	401	C. 9 D. 4 E. 1 F. 1 G. 12 L. 2 M. 15
†BARROW IN FURNESS C.B.	–	3	3	–	–	–
†BLACKBURN C.B	–	2	1	–	–	C. 1
†BLACKPOOL C.B.	–	4	–	–	5	G. 1
†BOLTON C.B. ...	–	2	3	1	6	G. 1
†BOOTLE C.B. ...	–	3	–	–	5	C. 1
†BURNLEY C.B. ...	–	2	2	–	4	–
†BURY C.B. ...	–	–	2	–	1	–
†LIVERPOOL C.B. ...	–	46	28	–	101	D. 2 E. 1 G. 2 M. 11

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Manchester C.B	–	47	27	–	92	C. 6 D. 2 G. 4 L. 1 M. 1
†Oldham C.B. ...	–	6	3	–	14	–
†Preston C.B. ...	–	1	–	1	1	–
†Rochdale C.B. ...	–	–	–	–	2	C. 1 G. 1
†St. Helens C.B. ...	–	4	–	–	5	M. 1
†Salford C.B. ...	–	10	6	–	8	F. 1 G. 1 M. 1
†Southport C.B.	–	2	–	–	5	–
†Warrington C.B	–	1	1	–	18	G. 1
†Wigan C.B. ...	–	1	–	–	12	–
Boroughs and Urban Districts:—						
Abram	–	–	–	–	1	–
†Accrington ...	–	1	–	–	2	–
†Ashton in Makerfield	–	1	1	–	–	–
†Ashton under Lyne	–	1	–	–	3	–
Aspull	–	1	–		3	–
Audenshaw ...	–	–	–	–	2	–
†Bacup	–	1	–	–	–	–
Barrowford ...	–	1	–	–	–	–
Blackrod ...	–	–	–	–	1	–
†Chadderton ...	–	2	–	–	1	–
†Chorley	–	1	–	–	2	–
Church	–	–	–	–	2	–
†Dalton in Furness	–	1	2	–	–	–
†Darwen	–	1	–	–	2	–
†Denton	–	2	–	–	5	–
†Droylsden ...	–	–	–	–	1	–
†Eccles	–	1	1	–	2	–
†Failsworth ...	–	1	1	–	2	–
†Farnworth ...	–	1	–	–	–	–
†Fleetwood ...	–	–	–	–	3	–
Golborne ...	–	2	–	–	–	–
†Great Crosby ...	–	1	–	–	1	–
†Haslingden ...	–	–	–	–	2	–
†Heywood ...	–	1	–	–	–	–
†Hindley... ...	–	–	–	–	7	–
†Horwich ...	–	1	1	–	1	–
Hurst	–	–		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Huyton with Roby	*	*	*	*	*	*
†Ince in Makerfield	–	–	–	–	1	–
Kearsley ...	–	1	–	–	–	–
†Lancaster ...		3	1	–	2	–
†Leigh	–	–	1	–	4	–
†Littleborough	–	1	–	–	–	–
Little Hulton..	*	*	*	*	*	*
Longridge ...	–	1	–	–	–	–
†Lytham St. Anne's		2	1	–	–	–
†Middleton ...	–	1	–		8	–
†Morecambe ...	–	–	1	–	1	–
†Nelson	–	–	1	–	–	–
†Newton in Makerfield	–	–	–	–	3	–
Ormskirk ...	–	–	2	–	–	–
†Oswaldtwistle		1	1	–	3	–
†Prestwich ...	–	4	–	–	–	–
†Radcliffe ...	–	–	1	–	–	–
Rainford ...	–	–	1	–	–	–
†Rawtenstall ...	–	3	–	–	–	–
†Royton	–	1	–	–	–	–
Skelmersdale...	–	–	–	–	1	–
Standish with Langtree	–	–	–	–	9	–
†Stretford ...	–	2	2	–	2	–
†Swinton and Pendlebury	–	1	–	–	5	–
Tottington ...	–	–	–	–	–	G. 1
†Turton	*	*	*	*	*	*
†Tyldesley with Shakerley		3	–	1	5	–
Urmston... ...	–	–	1	–	1	–
†Walton le Dale	–	–	1	–	–	–
†Waterloo with Seaforth	–	–	–	–	4	M. 1
†Westhoughton	–	–	–	–	1	–
†Widnes	–	–	2	–	11	–
Withnell ...	–	1	–	–	–	–
†Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell	–	–	–	–	3	–
Chorley	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	–	–	–	–	5	L. 1
LEIGH	–	1	1	–	–	–
LIMEHURST ...	–	–	–	–	2	–
PRESTON	–	2	1	–	–	–
WARRINGTON ...	–	–	–	–	3	–
WEST LANCASHIRE	–	1	–	–	4	–
WHISTON... ...	–	2	–	–	–	–
LEICESTER... ...	–	19	19	1	20	D. 1 G. 1 M. 3
†LEICESTER C.B. ...	–	11	11	–	5	D. 1 M. 3
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
ASHBY WOULDS...	–	2	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
†HINCKLEY ...	–	–	1	–	1	–
†LOUGHBOROUGH	–	–	2	–	–	–
MARKET HARBOROUGH	–	1	–	–	3	–
MELTON MOWBRAY	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–		–
BARROW UPON SOAR	–	2	2	1	6	–
BLABY	–	–	–	–	1	–
HINCKLEY ...	–	1	2	–	1	–
MARKET BOSWORTH	–	–	–	–	–	G. 1
LINCOLN (parts of Holland).	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
SUTTON BRIDGE	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	6	2	–	2	–
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	1	–
STAMFORD ...	–	–	2	–	1	–
Rural Districts:—						
BOURNE	–	4	–	–	–	–
BRANSTON ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	1	27	11	1	13	C. 1 G. 1 M. 2
†GRIMSBY C.B. ...	–	4	3	1	5	–
†LINCOLN C.B. ...	–	15	1	–	4	C. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
†CLEETHORPES ...	–	–		–	1	–
†GAINSBOROUGH ...	–	2	1	–	1	–
†SCUNTHORPE AND FRODINGHAM	1	1	–	–	2	M. 2
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	–	2	4	–	–	–
GLANFORD BRIGG	–	2	–	–	–	–
SPILSBY	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX ..	–	44	35	1	48	M. 3
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	4	–
†BRENTFORD ...	–	1	1	–	2	–
†CHISWICK ...	–	3	–	–	1	–
†EALING	–	1	1	–	1	–
†EDMONTON ...	–	–	2	–	1	–
†ENFIELD	–	3	2	–	–	–
FELTHAM ...		2	–	–	1	–
†FINCHLEY ...	–	3	1	–	2	–
†FRIERN BARNET	–	–	–	–	2	–
†HANWELL ...	–	–	1	–	2	–
HAYES	–	–	–	–	1	–
†HENDON	–	1	2	–	4	–
†HESTON AND ISLEWORTH	–	1	5	1	–	–
†HORNSEY... ...	–	2	4	–	3	–
†SOUTHGATE ...	–	1	–	–	2	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	2	–
†TOTTENHAM ...	–	8	4	–	8	M. 2
†TWICKENHAM ...	–	–	–	–	1	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	–	1	–	1	–
†WILLESDEN ...	–	13	7	–	7	M. 1
†WOOD GREEN ...	–	–	2	–	2	–
Rural Districts:—						
HENDON	–	1	–	–	1	–
STAINES	–	2	–	–	–	–
NORFOLK	–	6	–	1	10	G. 1
†GREAT YARMOUTH C.B.	–	–	–	–	1	–
†NORWICH C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
NORTH WALSHAM	–	1	–	–	–	–
SHERINGHAM ...	–	–	–	–	1	–
THETFORD ..	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
BLOFIELD ...	–	–	–	1	–	–
DEPWADE ...	–	–	–	–	3	–
FOREHOE ...	–	2	–	–	–	–
FREEBRIDGE LYNN	–	2	–	–		–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
SWAFFHAM ...	–	–	–	–	–	G. 1
WALSINGHAM ...	–	–	–	–	2	–
NORTHAMPTON ...	–	12	6	1	16	G. 1
†NORTHAMPTON C.B.	–	2	3	–	11	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	1	–	–	–	–
HIGHAM FERRERS	*	*	*	*	*	*
†KETTERING ...	–	6	1	–	1	G. 1
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	1		–	–	–
†WELLINGBOROUGH	–	1	–	–	1	–
Rural Districts:—						
CRICK	–	–		–	1	–
NORTHAMPTON ...	–	–	1	1	–	–
OXENDON... ...	–	–	–	–	1	–
POTTERSPURY ...	–	–	1	–	–	–
NORTHUMBERLAND	29	44	2	–	63	G. 5 M. 5
†NEWCASTLE UPON TYNE C.B.	1	14	1	–	45	G. 2 M. 3
†TYNEMOUTH C.B.	–	1	–	–	2	G. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	18	5	–	–	2	–
†BEDLINGTONSHIRE	1	–	–	–	–	G. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–		–	–	1	–
†BLYTH	–	11	1	–	2	M. 1
†EARSDON	–	1		–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	3	–
NEWBIGGIN BY THE SEA	–	1	–	–		–
†NEWBURN ...	3	1	–	–	3	–
SEGHILL	–	–	–	–	1	
†WALLSEND ...	–	6	–	–	1	M. 1
WEETSLADE ...	1	–	–	–	–	–
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
GLENDALE ...	–	–	–	–	2	–
HEXHAM	–	1	–		1	–
MORPETH... ...	5	1	–	–	–	–
NOTTINGHAM ...	2	27	13	1	25	G. 1 M. 1
†NOTTINGHAM C.B.	–	9	10	–	13	M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	3	–	–	–	–
†CARLTON	–	1	–	–	4	–
†EAST RETFORD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	
HUTHWAITE ...	*	*	*	*	*	*
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	1	–	–	2	G. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	2	–	–	–	–	–
WARSOP	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	4	2	–	1	–
EAST RETFORD ...	–	1	–	–	–	–
NEWARK	–	1	–	–	–	–
SKEGBY	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	2	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	6	2	–	5	–
†OXFORD C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
THAME	–	2	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	2	–
CULHAM	–	–	2	–	–	–
HEADINGTON ...	–	–	–	–	1	–
HENLEY	–	1	–	–	1	
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	1	
Rural Districts—						
PETERBOROUGH...	–	–	–	–	1	
RUTLAND	–	1	–	–	1	–
Rural Districts:—						
KETTON	–	1	–	–	–	–
UPPINGHAM ...	–	–		–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	–	–	3	C. 3 M. 1
Boroughs and Urban Districts:—						
MARKET DRAYTON	–	–	–	–	1	–
†OAKENGATES ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	–	M. 1
CHIRBURY ...	–	2	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
SHIFNAL	–	–	–	–	–	C. 1
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	–	C. 1
WHITCHURCH ...	–	–	–	–	–	C. 1
SOMERSET	–	19	2	–	24	–
†BATH C.B. ...	–	6	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	–	–
CREWKERNE ...	–	–	–	–	1	–
RADSTOCK ...	–	1	–	–	1	–
SHEPTON MALLET	–	–	–	–	2	–
†TAUNTON ...	–	2	–	–	2	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	2	–
†YEOVIL	–	–	–	–	4	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON	–	1	–	–	2	–
FROME	–	2	–	–	–	–
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	2	–
TAUNTON... ...	–	–	–	–	2	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	34	28	–	23	C. 2 M. 1
†BOURNEMOUTH C.B.	–	4	–	–	–	–
†PORTSMOUTH C.B.		15	20	–	1	–
†SOUTHAMPTON C.B.	–	4	6	–	16	C. 1 M. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	3	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT	–	1	–	–	1	–
LYMINGTON ...	*	*	*	*	*	*
ROMSEY	–	1	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ANDOVER... ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	2	–
HARTLEY WINTNEY	–	–	1	–	–	–
HAVANT	–	2	–	–	–	–
LYMINGTON ...	*	*	*	*	*	*
NEW FOREST ...	–	–	–	–	1	C. 1
PETERSFIELD ...	–	1	–	–	–	–
STAFFORD	–	69	40	–	108	C. 6 E. 1 M. 5
†BURTON UPON TRENT C.B.	–	2	1	–	–	–
†SMETHWICK C.B.	–	–	4	–	4	–
†STOKE ON TRENT C.B.	–	13	6	–	50	C. 2 M. 2
†WALSALL C.B. ...	–	6	5	–	9	C. 1
†WEST BROMWICH C.B.	–	1	1	–	9	–
†WOLVERHAMPTON C.B.	–	7	1	–	5	C. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	2	–	–	–
†AUDLEY	–	2	1	–	–	–
BIDDULPH ...	–	–	–	–	6	–
†BILSTON	–	1	2	–	1	–
†BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	3	3	–	–	C. 1
†CANNOCK	–	1	1	–	–	–
†COSELEY	–	1	1	–	–	E. 1
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	–	1	–	7	–
†LEEK	–	3	–	–	–	M. 1
†NEWCASTLE UNDER LYME	–	–	1	–	2	–
QUARRY BANK	–	2	1	–	–	–
†ROWLEY REGIS...	–	4	–	–	1	–
RUGELEY... ...	–	–	–	–	1	–
†STAFFORD ...	–	–	–	–	2	–
†TIPTON	–	2	–	–	–	–
†WEDNESBURY ...	–	3	–	–	–	–
WEDNESFIELD ...	–	2	–	–	–	–
†WILLENHALL ...	–	–	2	–	–	–
†WOLSTANTON UNITED	–	2	–	–	1	M. 1
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	3	2	–	3	M. 1
KINGSWINFORD...	–	–	1	–	3	–
LEEK	–	4	–	–	–	–
LICHFIELD ...	–	1	2	–	2	–
NEWCASTLE UNDER LYME	–	–	–	–	2	–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL... ...	–	4	–	–	–	–
SUFFOLK, EAST ..	–	8	1	–	20	–
†IPSWICH C.B. ...	–	1	–	–	8	–
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–	2	–	–	–	–
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LOWESTOFT ...	–	2	–	–	3	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	1	–
HARTISMERE ...	–	–	1	–	–	–
HOXNE	–	1	–	–	1	–
PLOMESGATE ...	–	–	–	–	1	–
SAMFORD... ...	–	1	–	–	4	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
Rural Districts:—						
MILDENHALL ..	*	*	*	*	*	*
SURREY	–	35	24	1	32	C. 1
†CROYDON C.B. ...	–	3	3	–	2	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	2		–	–	–
†CARSHALTON ...	–	–	–	–	1	–
†CATERHAM ...	–	2	–	–	–	–
†CHERTSEY ...	–	–	6	–	–	–
†COULSDON AND PURLEY	–	3	2	–	1	–
†EGHAM	–	–	–	–	1	–
†EPSOM	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ESHER AND THE DITTONS	–	1	1	–	–	–
†FARNHAM ...	–	1	–	–	–	–
GODALMING ...	–	–	1	–	1	–
†GUILDFORD ...	–	1		–	2	–
†KINGSTON ON THAMES	–	–	–	–	2	–
†MERTON AND MORDEN	–	1	1	–	4	–
†MITCHAM... ...	–	5	3	–	–	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	1	–	–	2	–
†SURBITON ...	–	–	2	–	2	–
†WALTON UPON THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	2	1	–	1	–
†WIMBLEDON ...	–	1	2	–	1	C. 1
WINDLESHAM ...	–	1	–	–	–	–
†WOKING	–	6	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	2	–
EPSOM	–	–	–	–	4	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	–	1	2	–
SUSSEX, EAST ...	–	8	4	2	10	G. 1 M. 1
†BRIGHTON C.B. ...	–	1	4	1	1	–
†EASTBOURNE C.B.	–	4	–	1	–	–
†HASTINGS C.B. ...	–	1	–	–	6	M. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	–		–	–	G. 1
BURGESS HILL ...	*	*	*	*	*	*
CUCKFIELD ...	*	*	*	*	*	*
EAST GRINSTEAD	–	1	–	–	–	–
HAYWARDS HEATH	*	*	*	*	*	*
PORTSLADE BY SEA	–		–	–	3	–
SEAFORD	*	*	*	*	*	*
UCKFIELD ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
BATTLE	*	*	*	*	*	*
CHAILEY	–	1	–	–	–	–
CUCKFIELD ...	*	*	*	*	*	*
EASTBOURNE ...	*	*	*	*	*	*
EAST GRINSTEAD	*	*	*	*	*	*
HAILSHAM ...	*	*	*	*	*	*
NEWHAVEN ...	*	*	*	*	*	*
TICEHURST ...	*	*	*	*	*	*
UCKFIELD ...	*	*	*	*	*	*
SUSSEX, WEST ...	–	9	–	1	7	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	1	–	–
†HORSHAM ...	–	–	–	–	1	–
SHOREHAM BY SEA	–	3	–	–	–	–
†WORTHING ...	–	2	–	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	3	–	–	–	–
PETWORTH ...	–	–	–	–	2	–
THAKEHAM ...	–	–	–	–	2	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	59	54	–	140	C. 3 G. 2 M. 5
†BIRMINGHAM C.B.	–	42	45	–	126	C. 3 G. 1 M. 3
†COVENTRY C.B. ...	–	3	–	–	1	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	4	–	1	M. 1
†ROYAL LEAMINGTON SPA		1	–	–	–	–
†SUTTON COLDFIELD	–	1	1	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	2	–
ATHERSTONE ...	–	1	3	–	–	–
FOLESHILL ...	–	1	–	–	1	–
MERIDEN... ...	–	2	–	–	2	–
NUNEATON ...	–	–	–	–	2	–
SOLIHULL ...	–	1	–	–	1	M. 1
SOUTHAM... ...	–	–	1	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ...	–	5	–	–	–	G. 1
Boroughs and Urban Districts:—						
APPLEBY... ...	–	2	–	–		–
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	G. 1
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	1	–	–	–
ST. HELENS ..	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS	–	6	5	–	10	G. 1 M. 1
Boroughs and Urban Districts:—						
DEVIZES	–	1	1	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	2	–	–	–
†SWINDON... ...	–	3	1	–	2	–
†TROWBRIDGE ...	*	*	*	*	*	*
WILTON	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
DEVIZES	–	–	–	–	1	–
HIGHWORTH ...	–	1	–	–	1	M. 1
MELKSHAM ...	*	*	*	*	*	*
MERE	–	–	–	–	1	–
PEWSEY	–	–	–	–	1	–
RAMSBURY ...	–	–	–	–	1	–
WARMINSTER ...	–	–	–	–	–	G. 1
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON	–	–	1	–	–	–
WORCESTER ...	–	6	3	–	20	C. 1 M. 1
†DUDLEY C.B. ...	–	–	–	–	2	–
†WORCESTER C.B.	–	–	–	–	9	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1		–	–	–
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...	–	2	–	–	2	C. 1
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	5	–
†REDDITCH ...	–	–	–	–	1	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	–	2	–	–	–
DROITWICH ...	*	*	*	*	*	*
FECKENHAM ...	–	–	–	–	1	–
MARTLEY... ...	*	*	*	*	*	*
PERSHORE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	13	10	3	25	M. 2
†KINGSTON UPON HULL C.B.	–	9	10	2	21	M. 2
Boroughs and Urban Districts:—						
COTTINGHAM ...	–	–	–	–	1	–
GREAT DRIFFIELD	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	–	–	–		1	–
DRIFFIELD ...	–	–	–	1	1	–
HOWDEN	–	3	–		–	–
SCULCOATES ...	–	1	–	–	–	–
YORKS ... .. (North Riding.)	–	17	4	–	15	G. 1
†MIDDLESBROUGH C.B.	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	1	–
GUISBOROUGH ...	–	–	–	–	2	–
LOFTUS	–	–	–	–	2	–
PICKERING ...	–	–	1	–	–	–
†SCARBOROUGH ...	–	1	–	–	1	–
†SKELTON AND BROTTON	–	1	2	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
AYSGARTH ...	–	1	1	–	–	–
CROFT	–	1	–	–	–	–
EASINGWOLD ...	–	1	–	–	–	–
GUISBOROUGH ...	–	–		–	1	–
HELMSLEY ...	–	–	–	–	1	–
KIRKBY MOORSIDE	–	–	–	–	–	G. 1
MALTON	–	1	–	–	–	–
MIDDLESBROUGH	–	2	–	–	–	–
NORTHALLERTON	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	2	–
STOKESLEY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	16	133	46	12	213	C. 6 G. 3 M. 10
†BARNSLEY C.B. ...	–	5	1	–	2	–
†BRADFORD C.B. ...	–	9	6	1	21	G. 1 M. 1
†DEWSBURY C.B....	–	–	–	–	1	–
†HALIFAX C.B. ...	–	1	–	–	–	–
†HUDDERSFIELD C.B.	–	15	2	5	3	C. 1 M. 1
†LEEDS C.B. ...	–	7	3	–	35	C. 1
†ROTHERHAM C.B.	6	2	2	–	6	–
†SHEFFIELD C.B....	2	22	12	–	79	C. 2 G. 2 M. 5
†WAKEFIELD C.B.	–	1	–	–	5	C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ALTOFTS	–	1	–	–	–	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	–
†BINGLEY	–	1	–		–	–
†BOLTON UPON DEARNE	–	–	–	–	1	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CASTLEFORD ...	–	–	1	–	–	–
†CONISBROUGH ...	–	–	1	–	1	–
DARFIELD ...	–	–	–	–	–	M. 1
†DARTON	–	–	–	–	1	–
†DONCASTER ...	–	3	2	–	–	–
DRIGHLINGTON ...	–	–	–	–	2	–
EARBY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	1		–	–
†GOLCAR	–	–	2	–	3	–
†GOOLE	–	1	–	–	3	–
GREETLAND ...	–	1	–	–	–	–
†HARROGATE ...	–	7	–	–	2	–
†HEMSWORTH ...	–	1		–	1	M. 1
†HOLMFIRTH ...	–	1	–	–	3	–
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	–	3	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†KEIGHLEY ...	–	1	–	–	–	–
KIRKBURTON ...	–	–	–	–	5	–
KNOTTINGLEY ...	–	–	–	–	1	–
LINTHWAITE ...	–	1	–	1	–	–
MELTHAM ...	–	–	–	1	–	–
†MEXBOROUGH ...	1	2	–	–	–	–
†MIRFIELD ...	–	–	–	1	–	–
†MORLEY	–	1	–	1	6	–
NEW MILL ...	–	–	–	–	2	–
†OSSETT	*	*	*	*	*	*
†PONTEFRACT ...	–	–		–	1	–
RAWDON ...	–	–	–	–	–	C. 1
†RAWMARSH ...	2	1	–	–	1	–
†ROTHWELL ...	–	–	–	–	1	–
†SADDLEWORTH ...	–	–	–	–	1	–
SHELLEY	–	1	–	–	–	–
SHEPLEY	–	–	–	–	1	–
†SHIPLEY	–	2	1	–	–	–
SILSDEN	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	2	M. 1
†STANLEY	–	1	–	–	1	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON	5	–	–	–	1	–
THURLSTONE ...	*	*	*	*	*	*
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	2	1	–	1	–
†WATH UPON DEARNE	–	4	–	–	–	–
†WOMBWELL ...	–	2	–	1	–	–
†WORSBOROUGH ...	–	1	–	–	1	–
YEADON	–	–	1	–	–	–
Rural Districts:—						
DONCASTER ...	–	4	2	–	1	–
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN	–	2	–	–	–	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	1	2	–	3	–
KEIGHLEY ...	–	–	–	–	1	–
KIVETON PARK ...	–	4	1	–	1	–
KNARESBOROUGH	–	1	–	–	1	–
PONTEFRACT ...	–	1	1	–	3	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
SELBY	–	–	–	–	1	–
SKIPTON	–	3	–	–	1	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ...	–	–	1	1	–	–
§YORK, CITY OF ...	–	4	–	1	–	–
†YORK C.B. ...	–	4	–	1	–	–
WALES.						
ANGLESEY	–	2	–	–	5	–
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	–		–	5	–
BRECKNOCK ...	–	–	–	–	5	M. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	3	–
BUILTH WELLS ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG).	*	*	*	*	*	*
CRICKHOWELL ...	–	–	–	–	1	–
VAYNOR AND PENDERYN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	–	–	–	–	2	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	1	–
LAMPETER ...	–	–	–	–	1	–
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN ...	–	5	5	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	1	1	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	1	1	–	–	–
LLANDILO FAWR	–	1	2	–	–	–
LLANELLY ...	–	1	1	–	1	C. 1 M. 1
CARNARVON ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	4	–	–	–	–
CARNARVON ...	–	–	2	–	–	–
Rural Districts:—						
OGWEN	–	1	–	–	–	–
DENBIGH	–	3	3	–	4	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	1	–
DENBIGH ...	–	–	1	–	–	–
Rural Districts:—						
CHIRK	–	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	3	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which hey are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	16	2	–	16	–
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	4	–
CONNAH'S QUAY...	–	2	–	–	–	–
HOLYWELL ...	–	–	–	–	2	–
Rural Districts:—						
HAWARDEN ...	–	8	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	9	–
HOLYWELL (MOLD DIV.)	–	–	1	–	–	–
OVERTON ...	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	5	–	–	–	–
GLAMORGAN ...	–	56	33	1	58	C. 3 E. 1 M. 5
†CARDIFF C.B. ...	–	6	4	–	9	–
†MERTHYR TYDFIL C.B.	–	–	–	1	2	E. 1 M. 1
†SWANSEA C.B. ...	–	5	3	–	2	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	3	–	2	–
†BARRY	–	3	3	–	1	M. 1
†GELLIGAER ...	–	–	3	–	2	M. 1
†GLYNCORWG ...	–	–	–	–	4	–
†MAESTEG ...	–	1	2	–	5	–
†MOUNTAIN ASH ...	–	–	–	–	2	–
†NEATH	–	3	1	–	2	–
†OGMORE AND GARW	–	1	–	–	–	–
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	6	–	–	3	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	3	1	–	4	M. 1
†RHONDDA ...	–	6	3	–	13	C. 1 M. 1

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	1	–
GOWER	–	3	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	1	–
NEATH	–	6	2	–	4	–
PENYBONT ...	–	–	2	–	–	C. 1
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	7	2	–	1	–
MONMOUTH ...	–	9	13	–	13	C. 2 M. 3
†NEWPORT C.B. ...	–	–	1	–	10	C. 2 M. 2
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
ABERGAVENNY ...	–	4	–	–	–	–
†ABERSYCHAN ...	–	–	2	–	–	–
†ABERTILLERY ...	–	–	3	–	–	–
BEDWAS AND MACHEN	–	–	–	–	–	M. 1
†BEDWELLTY ...	–	–	2	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ...	–	–	2	–	–	–
†MYNYDDISLWYN	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–	1	–
USK	*	*	*	*	*	*
Rural Districts—						
ABERGAVENNY ...	–	3	–	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
ST. MELLONS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ..	–	–	1	–	2	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE... ..	–	–	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
NEYLAND... ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	–
Urban District:—						
KNIGHTON ...	–	–	–	–	1	–
Total of Part II. ...	190	1268	631	40	1800	C. 50 D. 6 E. 3 F. 2 G. 38 L. 3 M. 85

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Hartlepool	*	*	*	*	*	*	Wisbech	–	2	–	–	1
Plymouth	–	–	–	–	–	L. 2	Port of London ...	–	–	–	–	–
Southampton ...	–	–	–	–	1	–						
Tyne	–	–	–	–	1	–	**Total of Part III....** ...	–	2	–	–	3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
Total of Part I.—London	–	213	288	5	271	C. 7 D. 1 G. 9 M. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	190	1268	631	40	1800	C. 50 D. 6 E. 3 F. 2 G. 38 L. 3 M. 85
Total of Part III.—Port Sanitary Districts	–	2	–	–	3	L. 3
Total (*i.e.*, of returns received), England and Wales ...	190	1483	919	45	2074	C. 57 D. 7 E. 3 F. 2 G. 47 L. 6 M. 99

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. The cases of Small-pox notified appear on pages 400, 401, 402, 405, 406, 407, 412 and 413.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain (and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.
LONDON :—												
DEATHS—all ages	1,200	1,399	1,270	1,062	1,070	1,209	1,121	1,099	1,112	1159	1,228	1,340
" 0 to 1 year ..	137	144	128	82	95	105	110	103	110	116	113	107
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,594	6,920	7,002	6,793	6,862	6,836	7,359	6,836	7,238	7,128	6,687	6,571
DEATHS—all ages	5,058	5,646	5,286	5,036	4,713	5,272	4,904	4,674	4,786	4,776	5,177	5,583
" 0 to 1 year ..	660	694	619	585	548	655	540	562	598	564	574	610
ENTERIC FEVER—Cases	12	6	12	15	14	20	20	24	26	16	25	24
" Deaths	—	1	5	2	2	3	3	2	3	3	7	3
SMALL POX—Cases ..	95	102	87	99	59	60	88	74	75	67	70	50
" Deaths ..	—	—	—	—	—	—	—	—	1	—	—	—
SCARLET FEVER—Cases	895	950	1,051	1,022	869	959	934	866	882	827	894	895
" Deaths	14	5	12	8	14	13	7	8	9	13	9	8
DIPHTHERIA—Cases ..	684	679	851	815	787	816	830	823	809	827	688	716
" Deaths ..	31	50	35	45	26	50	56	48	51	49	47	50
MEASLES—Deaths ..	94	109	102	76	82	116	105	102	119	116	121	107
INFLUENZA—Deaths ..	81	87	100	78	90	76	89	97	88	136	136	223

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th April, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	71	40	61·4	46·1	25
BRIGHTON ..		Not	receive	d.	
PORTSMOUTH ..	62	39	57·0	43·9	14
NORWICH (EATON).	75	42	61·1	46·1	22
PLYMOUTH ..	62	36	58·1	43·7	13
BRISTOL (CLIFTON).	62	38	56·6	44·3	8
BIRMINGHAM (EDGBASTON).	65	39	58·1	43·7	5
NOTTINGHAM ..	66	39	59·6	43·9	2
BIRKENHEAD (BIDSTON).	62	42	55·3	45·7	0·2
MANCHESTER (WHITWORTH PARK).	64	42	58·4	45·7	0·1
BURNLEY	61	37	56·4	42·0	1

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rai M met
	°	°	°	°	
HUDDERSFIELD	68	39	58·9	42·7	
BRADFORD ..	64	39	57·6	43·3	
SHEFFIELD ..	69	42	59·1	45·3	
YORK (MUSEUM)	67	38	60·7	43·0	
HULL (PEARSON PARK).	72	39	61·9	43·0	
TYNEMOUTH ..	65	39	56·1	42·6	
CARDIFF.. ..	62	34	57·9	42·3	
EDINBURGH ..	63·0	38·0	56·7	41·9	
GLASGOW ..	60·9	38·8	56·0	43·6	
DUBLIN (PHŒNIX PARK).	64·7	34·6	59·0	41·6	1
(FITZWILLIAM SQUARE†).	63·0	42·0	58·0	45·7	
BELFAST.. ..	68·0	39·0	60·7	44·1	1

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th April, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	4	..	29·937	70·7	53·7	17·0	61·4	+15·2	51·7	9·7	15·4	2·0	71	134·0	47·3	45·3	SSW: SW.	SW: NW.	1·1	0·0	0·1	234	− 81	0·13
MONDAY -	5	Greatest Declination S. Last Quarter.	30·089	68·1	48·3	19·8	56·0	+ 9·7	48·2	7·8	16·5	1·6	75	100·1	35·4	45·6	NW: Calm.	Calm	0·5	0·0	0·0	146	− 176	0·32
TUESDAY -	6	..	29·903	60·6	43·1	17·5	52·1	+ 5·8	46·5	5·6	12·6	0·8	81	106·2	31·0	45·9	Calm: SW.	SSW: Calm.	0·6	0·0	0·1	167	− 160	0·00
WEDNESDAY	7	..	29·689	61·5	48·9	12·6	52·1	+ 5·8	49·1	3·0	12·9	1·0	90	110·9	42·3	46·0	Calm: WSW.	WSW: W.	1·6	0·0	0·1	249	− 78	0·42
THURSDAY -	8	..	29·674	55·8	44·8	11·0	47·5	+ 1·4	43·8	3·7	13·8	2·2	87	112·9	40·7	46·4	WSW: SW.	Calm: NW.	1·1	0·0	0·2	260	− 62	0·13
FRIDAY -	9	..	29·861	55·0	41·0	14·0	49·1	+ 3·1	37·2	11·9	16·8	3·7	64	113·1	34·2	46·6	NW: WNW: NNW.	NW: WNW.	2·0	0·0	0·3	339	+ 24	0·00
SATURDAY -	10	Perigee	29·868	58·2	38·2	20·0	47·8	+ 1·9	38·7	9·1	17·9	3·8	71	116·7	29·1	46·7	W: WSW: N.	N: NE: SE.	0·7	0·0	0·1	222	− 84	0·00
MEANS -		..	29·860	61·4	45·4	16·0	52·3	+ 6·1	45·0	7·3	15·1	2·2	77	113·4	37·1	46·1	SW		..	..	..	Sum 1617	Sum − 617	Sum 1·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	4	wP till 21h., then variably sN and sP.	4·9	13·0	Overcast till 6h., partially cloudy till 14½h., then becoming overcast by 15h. Damping 6h. and 20h. Rain between 21h. and 22h. Occasional thunder and lightning 19¼h. till 21h.
MONDAY ..	5	Variably sN and sP till 3¾h.; wP till 7h.; mP till 21h.; then loss of register.	5·3	13·1	Variably cloudy. Rain till 3h. Thunder and lightning between 0h. and 1h. Haze from 12h.
TUESDAY ..	6	Loss of register till 11½h.; then wP.	2·2	13·2	Partially cloudy, becoming nearly overcast by 9h. Haze till 12h. Solar halo 16¾h. Damping at 23¾h.
WEDNESDAY	7	wP. till 2½h.; variably sP and sN till 5½h.; variably wP and wN till 14h.; variably sP and sN till 20h.; then wP.	3·1	13·2	Overcast generally till 20h., then partially cloudy. Rain 0¾h. till 5h., and from 7h. till 12¼h. Showers at 15h., 18h. and 19½h. Distant thunder and lightning 18¼h.
THURSDAY	8	wP till 3h., wN till 4½h.; wP till 11h.; sN till 13h.; then mP.	2·4	13·3	Overcast generally. Rain 1h. till 4h., and generally from 10½h. till 21½h.
FRIDAY ..	9	mP.	6·5	13·4	Partially cloudy, becoming overcast by 13h.
SATURDAY	10	mP till 18h.; then wP.	5·5	13·4	Partially cloudy till 9h., nearly overcast till 17½h., then partially cloudy, becoming nearly cloudless by 21h.
			Sum 29·9	Sum 92·6	
No. of Col...	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·82 ins. at the beginning of the week to 30·12 ins. by 9h. on 5th; decreased generally to 29·63 ins. by 15h. on 8th; increased generally and was 29·89 ins. by midnight on the 10th.

FOR OFFICIAL USE

1926. No. 15.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 17TH APRIL 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH APRIL, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifteenth week of the year numbered 7,976, and corresponded to an annual rate of 21·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,342 and corresponded to an annual rate of 14·3 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 13·9, 15·0, and 15·1. Infant mortality was 69 per 1,000 births against 86, 93 and 87 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,770 births corresponding to a rate of 20·0 per 1,000, and 1,264 deaths of civilians, corresponding to an annual rate of 14·3, against 13·9, 15·2 and 15·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 14·7 per 1,000. The infant mortality was 53 as against 75, 72 and 84 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,613 to 5,342; the deaths from influenza, which had increased from 88 to 294 in the five preceding weeks, further rose to 302 last week. In London the number of deaths from all causes decreased from 1,347 to 1,264; the deaths from diphtheria which had been 16, 16, and 11 in the preceding three weeks, rose to 13 last week; the deaths from measles, which had been 49, 44 and 45 in the three preceding weeks, fell to 43 last week; and the deaths from influenza, which had been 27, 48, and 74 in the three preceding weeks, declined to 59 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 17th April, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,417,320*	7,976	5,342	552	1	99	9	59	41	66
London	4,602,000*	1,770	1,264	93	-	43	3	4	13	11
Towns in Outer Ring. Croydon C.B ..	199,300	85	56	5	-	-	-	1	-	1
Wimbledon ..	58,170	15	13	1	-	-	-	-	-	-
Ealing	68,410	26	20	3	-	1	-	-	-	-
Acton	63,110	22	16	1	-	1	-	-	-	-
Willesden ..	168,900	56	45	6	-	-	-	-	1	-
Hendon	59,150*	15	12	-	-	-	-	-	-	-
Hornsey	87,210	24	14	-	-	-	-	-	-	-
Wood Green ..	51,960	11	13	2	-	1	-	-	-	-
Tottenham ..	153,600	48	45	4	-	1	-	2	1	-
Edmonton ..	71,210	38	15	3	-	2	-	-	1	-
Enfield	63,740	18	17	1	-	-	-	-	-	-
West Ham C.B. ..	318,500	176	72	11	-	5	1	-	-	1
East Ham C.B. ..	147,200	41	28	2	-	2	-	-	2	-
Leyton	132,700	44	25	3	-	-	-	-	-	-
Walthamstow ..	130,800	39	30	1	-	-	-	-	-	-
Ilford	93,590	31	23	1	-	1	-	-	-	1
Gillingham	48,680*	23	11	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	7	5	1	-	-	-	-	-	-
Hastings C.B.	60,470	12	23	-	-	2	-	1	-	-
Eastbourne C.B. ..	55,060	13	12	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	46	32	4	-	1	-	1	1	-
Portsmouth C.B. ..	232,900*	93	55	3	-	-	-	-	3	-
Bournemouth C.B. ..	85,840	24	19	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	59	36	3	-	-	-	-	-	-
Reading C.B.	93,670*	29	28	5	-	-	-	2	-	1
Oxford C.B.	57,090	17	21	1	-	-	-	-	-	-
Northampton C.B. ..	93,780*	31	18	1	-	-	-	-	-	-
Luton	59,230	23	11	-	-	-	-	-	-	-
Cambridge	59,020	25	17	1	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	41	30	3	-	-	-	2	1	1
Ipswich C.B.	83,120*	27	22	2	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	21	13	1	-	-	-	-	-	1
Norwich C.B. ..	124,000*	55	25	5	-	-	-	-	-	-
Swindon	56,880	22	11	-	-	-	-	-	-	-
Exeter C.B.	59,820*	20	17	3	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	69	66	6	-	2	-	1	3	2
Bath C.B.	69,050	21	25	-	-	-	-	-	-	-
Bristol C.B.	385,700*	167	107	8	-	-	-	1	-	-
Gloucester C.B. ..	53,060	20	12	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	145	89	13	-	-	-	2	-	3
Burton-upon-Trent C.B.	49,530	17	13	1	-	-	-	-	-	-
Wolverhampton C.B.	108,800	50	21	2	-	2	-	-	-	-
Walsall C.B.	102,300	40	24	3	-	-	-	-	-	-
West Bromwich C.B	79,490	53	21	5	-	-	-	-	1	-
Dudley C.B.	58,810	24	10	1	-	-	-	-	-	-
Worcester C.B. ..	50,230	20	11	1	-	-	-	-	-	-
Birmingham C.B. ..	945,900	439	271	44	-	1	-	5	5	8
Smethwick C.B. ..	78,840	27	18	1	-	-	-	-	-	-
Coventry C.B. ..	129,100	50	41	5	-	1	-	-	1	-
Leicester C.B. ..	242,100	102	61	3	-	1	-	-	-	-
Lincoln C.B.	66,600*	22	22	2	-	-	-	-	-	-
Grimsby C.B.	87,190	37	21	4	-	-	-	-	-	-
Nottingham C.B. ..	270,600	118	79	9	-	2	-	1	-	2
Derby C.B.	134,400*	51	33	3	-	-	-	-	1	1
Chesterfield ..	65,800	50	19	3	-	-	-	-	-	-
Stockport C.B. ..	125,900	48	33	4	-	1	-	-	-	-
Chester C.B.	41,670	24	14	3	-	-	-	-	-	1
Birkenhead C.B. ..	155,500	81	41	7	-	2	-	1	-	3
Wallasey C.B. ..	91,720	34	14	4	-	-	-	-	-	1
Liverpool C.B. ..	856,000	425	283	50	-	7	2	4	2	8
Bootle C.B.	83,260	41	30	3	-	-	-	2	-	-
St Helens C.B. ..	109,600	63	29	2	-	1	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B ..	74,260	17	28	1	-	-	-	1	-	-	-
IGAN C.B.	91,010	41	30	5	-	-	-	-	-	-	4
ARRINGTON C.B. ..	77,970*	36	31	3	-	-	-	-	-	1	5
OLTON C.B.	180,400	68	39	5	-	-	-	4	-	-	1
URY C.B.	56,700*	16	14	4	-	-	-	1	-	-	-
ANCHESTER C.B. ..	755,800	379	219	18	-	4	-	1	1	5	14
ALFORD C.B.	244,700	99	62	6	-	3	-	-	-	2	4
LDHAM C.B	146,200	44	74	6	-	3	-	2	1	-	10
OCHDALE C.B... ..	92,190	27	22	1	-	-	1	-	-	1	4
URNLEY C.B.	102,300	40	21	1	-	-	-	1	-	-	1
LACKBURN C.B. ..	126,900	37	35	4	-	-	-	1	-	-	1
RESTON C.B.	122,900	34	28	5	-	-	-	-	-	-	1
LACKPOOL C.B. ..	80,750	28	30	1	-	-	-	-	-	-	3
ARROW-IN-FURNESS C.B.	73,470	23	14	3	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	35	36	3	-	-	-	-	-	-	2
ALIFAX C.B.	97,860*	42	24	2	-	-	-	1	-	-	-
RADFORD C.B. ..	290,200	94	83	13	-	-	-	1	1	2	4
EEDS C.B.	472,900	216	143	21	-	-	-	6	1	1	7
EWSBURY C.B ..	54,570	20	15	1	-	-	-	-	-	1	-
AKEFIELD C.B. ..	53,980	22	12	2	-	-	-	-	-	-	1
ARNSLEY C.B. ..	71,170	20	16	2	-	-	-	-	-	-	1
HEFFIELD C.B. ..	526,900*	207	110	11	-	3	-	-	1	1	2
OTHERHAM C.B. ..	70,600	31	20	4	-	-	-	-	-	1	-
ONCASTER	55,610	21	10	-	-	-	-	-	-	-	-
ORK C.B.	84,630*	25	22	1	-	-	-	-	-	-	-
ULL C.B.	297,300	123	78	13	-	2	-	-	-	-	9
IDDLESBROUGH C.B.	136,200	79	41	6	-	-	-	1	-	1	2
ARLINGTON C.B. ..	69,130	28	14	3	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	68,000	57	28	2	-	-	-	3	-	-	3
EST HARTLEPOOL C.B.	71,590	22	23	5	-	-	-	1	-	-	1
UNDERLAND C.B. ..	166,000	83	64	8	-	-	-	-	-	-	8
OUTH SHIELDS C.B. ..	124,600	70	43	2	-	1	-	1	-	-	5
ATESHEAD C.B. ..	129,000	63	57	6	-	-	-	2	-	1	7
EWCASTLE-ON-TYNE C.B.	286,300*	169	86	8	-	2	1	1	-	1	7
YNEMOUTH C.B. ..	66,180	21	25	2	-	-	-	-	-	-	3
ARLISLE C.B.	55,160*	19	13	1	-	1	-	-	-	-	1
EWPORT (MON.) C.B.	96,420*	30	30	2	-	-	-	1	-	1	4
ARDIFF C.B.	227,100*	103	59	4	-	-	-	-	-	-	1
HONDDA	167,570	69	38	5	-	-	1	-	-	-	2
ERTHYR TYDFIL C.B.	82,920	39	33	4	1	-	-	-	-	-	1
ERDARE	57,700	22	13	-	-	-	-	-	-	-	1
WANSEA C.B.	163,200	69	37	1	-	-	-	-	-	-	2
REATER LONDON ..	7,719,622*	2,919	2,008	153	1	63	5	12	18	14	101
UTER RING	3,117,622*	1,149	744	60	1	20	2	8	5	3	42
3 GREAT TOWNS IN OUTER RING	1,867,550*	689	444	44	-	14	1	3	5	3	22
EMAINDER OF OUTER RING	1,250,072*	460	300	16	1	6	1	5	-	-	20
DINBURGH†	424,600	181	123	18	-	2	-	-	3	-	10
LASGOW† ..	1,034,500	549	453	75	-	18	4	9	4	8	45
UBLIN (REGISTRATION AREA)†	443,000	264	116	24	-	-	-	-	-	2	-
ELFAST†	443,000	198	120	20	-	2	-	3	1	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1925–6.										
LONDON‡	4,602,000	Apr. 17	1770	1264	14·3	–	–	43	3	4	13	
CALCUTTA AND SUBURBS	1,077,273	Mar. 13	?	693§	33·5	?	46	?	?	?	?	
BOMBAY	1,279,061	„ 27	354	552	22·4	3	13	4	–	–	–	
MADRAS	528,791	„ 13	442	489§	48·1	1	6	–	?	1	–	
SYDNEY AND SUBURBS	1,038,950	„ 31 (31 days)										
BRISBANE (Metropolitan Area).	253,568	Feb. 28 (28 days)										
PERTH (Metropolitan Area).	176,467	Mar. 6										
AUCKLAND (Urban Area).	180,790	Feb. 28 (28 days)										
WELLINGTON (Urban Area).	118,490	„										
CHRISTCHURCH (Urban Area).	118,270	„										
CAPE TOWN	113,709	Mar. 20	45	25	11·4	–	–	–	–	–	–	
JOHANNESBURG	165,958	„ 27	79	33	10·3	–	–	–	–	–	–	
DURBAN	54,822	„ 27	28	16	15·2	–	–	–	–	–	1	
PARIS	2,906,472	„ 31 (11 days)	1509	1604	18·3	5	1	44	2	4	14	
ANTWERP	300,150	Feb. 27	90	73	12·6	–	–	–	–	1	–	
AMSTERDAM	719,132	Mar. 20	242	138	10·0	–	–	2	–	3	1	
COPENHAGEN	587,400	„ 20	178	145	12·9	–	–	3	–	3	–	
STOCKHOLM	442,528	April 3	102	105	12·3	1	–	1	–	–	–	
GOTHENBURG	230,804	Mar. 20										
OSLO (CHRISTIANIA) ..	257,719	April 10	56	57	11·5	–	–	–	–	–	–	
BERLIN	2,062,000	Mar. 27	436	502	12·3	–	?	–	–	2	4	
BRESLAU	555,000	„ 27	191	174	14·1	–	?	–	1	1	1	
COLOGNE	704,000	„ 27	240	148	10·4	1	?	–	–	–	1	
DRESDEN	620,000	„ 27	185	151	11·9	–	?	–	–	2	–	
FRANKFORT-ON-MAIN ..	474,000	„ 27	145	84	8·2	–	?	–	–	1	1	
HAMBURG	1,123,000	„ 27	212	239	10·1	–	?	–	–	–	1	
LEIPZIG	661,000	„ 27	191	164	12·4	–	?	–	–	1	–	
MUNICH	880,000	„ 27	254	183	13·1	–	?	–	2	1	–	
VIENNA	1,869,437	Dec. 31 (31 days)										
PRAGUE AND SUBURBS	712,700	„	744	802	13·2	5	–	–	1	2	7	
BUDAPEST	960,535	April 3	321	327	17·7	1	–	1	6	3	–	
WARSAW	992,450	„ 10										
CAIRO	829,200	Jan. 14										
ALEXANDRIA	492,100	„ 14										
NEW YORK	6,361,664	Feb. 27	2535	1809	14·8	2	–	32	2	6	10	
CHICAGO	2,995,239	Mar. 19	867	1036	17·7	–	?	1	3	1	6	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 55 deaths from cholera in Calcutta and 4 from cholera in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th April, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1264	93	49	48	31	53	53	87	124	206	253	267
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	43	12	20	11	-	-	-	-	-	-	-	-
Scarlet fever	3	-	-	1	1	1	-	-	-	-	-	-
Whooping cough	4	1	-	3	-	-	-	-	-	-	-	-
Diphtheria	13	1	1	6	4	1	-	-	-	-	-	-
Influenza	59	1	-	-	1	2	3	5	8	14	6	19
Erysipelas	1	-	-	-	-	-	-	-	-	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	5	-	-	2	-	-	1	1	-	-	-	1
Meningococcal meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	90	-	-	-	-	20	19	18	15	12	5	1
Nervous system	9	2	1	4	-	2	-	-	-	-	-	-
Intestines and peritoneum	3	-	-	1	-	2	-	-	-	-	-	-
Other forms	2	-	-	-	-	1	1	-	-	-	-	-
Venereal diseases	3	3	-	-	-	-	-	-	-	-	-	-
Cancer	130	-	-	-	-	1	2	12	25	47	32	11
Rheumatic fever	5	-	-	-	3	1	1	-	-	-	-	-
Diabetes	13	-	-	-	-	-	-	-	-	7	5	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	-	1	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	-	1	-	-	-	-	-	4	5	16	13
Epilepsy	1	-	-	-	-	-	-	-	-	-	1	-
"Convulsions" (not puerperal) ..	3	2	-	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	24	-	-	1	3	-	4	3	4	6	1	2
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	5	-	-	-	-	1	2	1	1	-	-	-
Other diseases of heart	204	-	-	1	3	3	6	11	18	35	64	63
Other diseases of circulatory system	55	-	-	-	-	-	-	1	4	6	19	25
Bronchitis	114	4	2	-	1	1	2	3	4	14	31	52
Broncho-pneumonia	71	15	17	4	1	1	1	3	5	3	9	12
Lobar-pneumonia	49	2	4	-	-	1	5	7	9	9	8	4
Pneumonia (type not distinguished)	27	-	1	2	-	-	-	2	3	9	7	3
Other diseases of respiratory system	19	-	-	-	-	-	-	1	1	2	8	7
Diarrhœa and enteritis	15	11	-	2	-	-	-	1	-	-	-	1
Appendicitis, Typhlitis	8	-	-	1	1	2	-	1	1	1	1	-
Hernia, Intestinal obstruction.. ..	9	-	-	-	-	1	-	1	-	2	4	1
Cirrhosis of liver	3	-	-	-	-	-	-	1	1	-	-	1
Other diseases of digestive system ..	26	1	-	1	1	2	-	1	4	9	4	3
Acute nephritis	2	-	-	-	1	-	-	-	-	-	1	-
Chronic Bright's disease..	30	-	-	-	2	-	-	3	5	6	5	9
Other diseases of genito-urinary system.	19	-	-	-	1	2	-	-	1	4	7	4
Puerperal sepsis	4	-	-	-	-	1	2	1	-	-	-	-
Other causes incident to childbirth..	4	-	-	-	-	-	1	2	1	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	29	-	-	-	-	-	-	-	-	-	2	27
Suicide	10	-	-	-	-	-	-	2	1	3	4	-
Burns and Scalds	3	-	1	-	-	-	-	-	-	-	-	2
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	2	6	4	-	-	-	1	2	-
Other deaths by violence	9	1	-	1	-	1	-	-	1	3	-	2
Other specified causes	49	7	1	4	-	1	2	6	8	7	10	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th April, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	228	267	6	228	C. 6 D. 2 G. 7 M. 9
†CITY OF LONDON	–	4	1	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	14	13	–	11	M. 2
†BERMONDSEY ...	–	4	8	1	2	C. 1
†BETHNAL GREEN	–	7	9	–	5	M. 1
†CAMBERWELL ...	–	17	34	–	7	C. 1
†CHELSEA	–	7	1	–	9	–
†DEPTFORD ...	–	9	10	–	4	–
†FINSBURY ...	–	5	3	–	4	–
†FULHAM	–	5	12	2	16	C. 2 G. 1
†GREENWICH ...	–	3	6	–	7	–
†HACKNEY ...	–	10	14	–	2	–
†HAMMERSMITH ...	–	5	3	–	9	–
†HAMPSTEAD ...	–	2	2	–	2	–
†HOLBORN... ...	–	6	2	–	1	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	12	–	6	C. 1 G. 1
†KENSINGTON ...	–	4	9	2	10	–
†LAMBETH ...	–	16	19	–	10	D. 1 M. 1
†LEWISHAM ...	–	12	6	–	9	D. 1 M. 1
†PADDINGTON ...	–	6	6	–	9	–
†POPLAR	–	13	6	–	33	G. 2 M. 1
†ST. MARYLEBONE	–	4	3	–	1	–
†ST. PANCRAS ...	–	7	12	–	10	C. 1 M. 3
†SHOREDITCH ...	–	11	8	–	6	–
†SOUTHWARK ...	–	10	18	–	7	G. 1
†STEPNEY	–	15	17	1	10	–
†STOKE NEWINGTON	–	4	4	–	1	–
†WANDSWORTH ...	–	6	12	–	19	G. 2
†WESTMINSTER, CITY OF	–	1	2	–	3	–
†WOOLWICH ...	–	7	15	–	14	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	7	8	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ...	–	2	1	–	–	–
†LUTON	–	3	6	–	1	G. 1
Rural Districts:—						
BEDFORD ...	–	1	–	–	–	C. 1
EATON SOCON ...	–	–	1	–	–	–
BERKS	–	8	4	–	–	G. 1 M. 1
†READING C.B. ...	–	6	1	–	–	G. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	1	–	–	–
†NEW WINDSOR ...	–	2	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	1	–	–	–
WINDSOR... ...	–	–	1	–	–	–
WOKINGHAM ...	–	–	–	–	–	M. 1
BUCKINGHAM ...	–	5	1	–	5	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
†SLOUGH	–	–	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	–	1	–	–	–
BUCKINGHAM ...	–	–	–	–	4	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	2	–	2	–
Borough:—						
†CAMBRIDGE ..	–	1	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	6	–	–	2	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	46	12	–	36	G. 1 L. 9 M. 5
†BIRKENHEAD C.B.	–	5	2	–	7	M. 1
†CHESTER C.B. ..	–	3	–	–	1	–
†STOCKPORT C.B.	–	13	1	–	4	M. 2
†WALLASEY C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
ALSAGER	–	1	–	–	–	–
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	3	–
BOLLINGTON ...	–	1	–	–	–	–
BOWDON	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	1	–	1	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	3	–
†DUKINFIELD ...	–	–	–	–	2	–
HALE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	–	–	–	2	–
†MACCLESFIELD ...	–	1	–	–	1	L. 9
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	1	1	–	–	–
†SALE	–	3	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	–	1	1	–	2	M. 1
YEARDSLEY CUM WHALEY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	-	2	-	-	-	-
CHESTER	-	-	1	-	-	-
CONGLETON ...	-	-	1	-	1	G. 1
MACCLESFIELD ...	-	-	-	-	1	-
NANTWICH ...	-	2	-	-	-	-
NORTHWICH ...	-	3	-	-	-	-
RUNCORN... ...	-	2	1	-	1	-
WIRRAL	-	1	-	-	-	M. 1
CORNWALL ...	-	3	2	1	6	G. 1
Boroughs and Urban Districts:—						
LAUNCESTON ...	-	2	-	-	-	-
LOSTWITHIEL ...	-	-	-	-	1	-
†PENZANCE ...	-	-	1	-	-	-
REDRUTH ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN	-	1	-	-	-	-
HELSTON	-	-	-	-	-	G. 1
LAUNCESTON ..	-	-	-	-	2	-
LISKEARD ...	-	-	-	-	1	-
REDRUTH ...	-	-	-	-	1	-
SAINT COLUMB MAJOR	-	-	1	-	-	-
ST. GERMANS ...	-	-	-	1	1	-
CUMBERLAND ...	-	11	3	-	2	G. 1 M. 1
†CARLISLE C.B. ...	-	4	-	-	1	-
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
CLEATOR MOOR ...	-	1	-	-	-	-
COCKERMOUTH ...	-	-	-	-	-	M. 1
†MARYPORT ...	-	-	1	-	-	-
PENRITH	-	1	-	-	-	-
†WORKINGTON ...	-	2	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	-	1	-	-	-	-
COCKERMOUTH ...	-	1	1	-	1	-
PENRITH	-	-	-	-	-	G. 1
WHITEHAVEN ...	-	1	-	-	-	-
WIGTON	*	*	*	*	*	*
DERBY	46	36	15	1	38	C. 1 M. 2
†DERBY C.B. ..	43	3	6	-	12	-
Boroughs and Urban Districts:—						
†ALFRETON ...	-	-	-	-	-	M. 1
BAKEWELL ...	-		-	-	1	-
†BELPER	-	2	-	-	-	-
†BOLSOVER ...	-	-	-	-	2	-
†BUXTON	-	-	1	-	-	-
†CHESTERFIELD ...	-	8	1	-	5	-
CLAY CROSS ...	-	-	1	-	-	-
†GLOSSOP	-	-	-	-	4	-
†HEANOR	-	-	-	1	2	-
†ILKESTON ...	-	-	-	-	1	-
†LONG EATON ...	-	2	1	-	-	-
NORTH DARLEY...	-	-	1	-	-	-
†RIPLEY	-	1	-	-	-	-
†SWADLINCOTE DISTRICT	1	1	-	-	-	-
Rural Districts:—						
ASHBOURNE ...	-	1	-	-	-	-
BELPER	-	1	-	-	1	-
BLACKWELL ...	1	1	-	-	1	-
CHAPEL EN LE FRITH	-	7	-	-	-	-
CHESTERFIELD ..	1	4	3	-	3	M. 1
CLOWNE	-	4	1	-	1	-
HARTSHORN AND SEALS	*	*	*	*	*	*
HAYFIELD ...	-	-	-	-	1	-
REPTON	-	-	-	-	1	-
SHARDLOW ...	-	1	-	-	3	-
SUDBURY... ...	-	-	-	-	-	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	14	7	2	16	G. 2 M. 2
†EXETER C.B. ...	–	–	–	–	3	–
†PLYMOUTH C.B....	–	7	6	–	3	G. 1 M. 2
Boroughs and Urban Districts:—						
DARTMOUTH ...	–	1	–	–	–	–
†EXMOUTH ...	–	–	–	–	1	–
HOLSWORTHY ...	–	–	–	–	1	–
†ILFRACOMBE ...	–	–	1	–	–	–
NORTHAM ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	–	–	1	–
OTTERY ST. MARY	–	–	–	1	–	–
†PAIGNTON ...	–	–	–	1	–	G. 1
†TEIGNMOUTH ...	–	1	–	–	1	–
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	–	–	–	1	–
NEWTON ABBOT	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	2	–
ST. THOMAS ...	–	1	–	–	1	–
TAVISTOCK ...	–	–	–	–	1	–
DORSET	–	3	–	1	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	1	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
STURMINSTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	103	73	16	1	121	C. 2 E. 1 G. 2 M. 8
†DARLINGTON C.B	–	2	–	–	2	G. 1
†GATESHEAD C.B.	9	4	1	–	9	–
†SOUTH SHIELDS C.B.	3	3	1	1	17	–
†SUNDERLAND C.B	1	2	2	–	39	M. 1
†WEST HARTLEPOOL C.B.	–	9	1	–	6	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	3	–	–	–	–	–
BARNARD CASTLE	–	3	–	–	–	–
BILLINGHAM ...	1	1	–	–	–	–
†BLAYDON... ...	7	4	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	2	–	–	–	–	M. 1
†CHESTER LE STREET	3	4	1	–	1	–
†CONSETT	–	1	1	–	–	–
†DURHAM	–	3	2	–	–	G. 1
†FELLING	1	2	1	–	3	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	–	2	–	–	1	M. 1
†HETTON	5	3	–	–	7	–
†HOUGHTON LE SPRING	2	1	–	–	2	–
†JARROW	–	–	–	–	7	–
LEADGATE ...	2	–	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	3	–	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	3	–
†SPENNYMOOR ...	2	–	–	–	–	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	6	6	–	–	–	–
†STOCKTON ON TEES	–	2	–	–	2	C. 2 M. 1
†TANFIELD ...	–	1	–	–	2	–
TOW LAW ...	–	–	–	–	1	–
†WASHINGTON ...	1	–	1	–	2	–
†WHICKHAM ...	1	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
Auckland ..	2	3	–	–	–	–
Chester le Street	9	4	2	–	2	–
Durham	2	2	–	–	1	M. 1
Easington ...	6	3	2	–	–	M. 1
Hartlepool ...	–	–	–	–	1	–
Houghton le Spring	7	1	1	–	5	–
Lanchester ...	24	1	–	–	–	–
Sedgefield ...	1	3	–	–	1	–
Sunderland ...	–	–	–	–	3	E. 1 M. 1
ELY, ISLE OF ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†Wisbech	–	–	–	–	1	–
ESSEX	–	82	55	4	72	C. 1 G. 1 L. 1 M. 1
†East Ham C.B. ...	–	4	7	–	4	–
†Southend-on-Sea C.B.	–	7	3	4	8	M. 1
†West Ham C.B. ...	–	24	15	–	23	–
Boroughs and Urban Districts:—						
†Barking Town...	–	1	1	–	4	–
Buckhurst Hill	–	1	–	–	–	–
Canvey Island...	–	1	–	–	–	–
Chingford ...	–	1	–	–	–	–
†Clacton	–	1	–	–	–	–
†Colchester ...	–	2	–	–	5	–
Dagenham ...	–	3	–	–	–	–
Epping	–	–	–	–	1	–
†Grays Thurrock	–	–	4	–	1	–
Halstead ...	–	4	–	–	–	–
†Hornchurch ...	–	1	1	–	–	–
†Ilford	–	3	4	–	2	L. 1
†Leyton	–	8	9	–	8	–
†Romford ...	–	1	–	–	–	–
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
Tilbury	–	2	2	–	–	C. 1
†Walthamstow...	–	8	6	–	7	G. 1
†Wanstead ..	–	3	–	–	–	–
Rural Districts:—						
Billericay ...	–	1	–	–	1	–
Braintree ...	–	–	–	–	6	–
Epping	–	2	–	–	–	–
Halstead ...	–	1	–	–	–	–
Maldon	–	1	1	–	–	–
Ongar	–	–	2	–	–	–
Rochford ...	–	–	–	–	1	–
Romford... ...	–	1	–	–	–	–
Tendring ...	–	1	–	–	1	–
GLOUCESTER ..	–	24	21	–	23	C. 1 G. 1 M. 1
†Bristol C.B. ...	–	12	11	–	17	M. 1
†Gloucester C.B.	–	–	1	–	–	G. 1
Boroughs and Urban Districts:—						
Awre	–	1	–	–	–	–
Charlton Kings	–	1	–	–	–	–
†Cheltenham ...	–	1	–	–	–	–
Cirencester ...	–	2		–	–	–
Stroud	–	1	1	–	–	–
Rural Districts:—						
Chipping Sodbury	–	1	–	–	–	–
Cirencester ...	–	2	–	–	–	–
Dursley	–	–	1	–	1	–
East Dean and United Parishes	–	2	4	–	1	–
Gloucester ...	–	–	2	–	–	–
Northleach ...	–	–	–	–	–	C. 1
Stroud	–	1	1	–	–	–
Thornbury ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	1	3	–	4	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
BREDWARDINE ...	–	–	2	–	–	–
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	1	–	–	–
LEDBURY... ...	–	–	–	–	1	–
WEOBLEY... ...	–	–	–	–	1	–
HERTFORD ...	–	7	2	–	3	C. 1
Boroughs and Urban Districts:—						
BUSHEY	–	3	–	–	1	–
†EAST BARNET VALLEY	–	–	–	–	–	C. 1
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	–	–	–	1	–
Rural Districts:—						
HITCHIN	–	1	–	–	–	–
WATFORD ...	–	1	–	–	1	–
HUNTINGDON ...	–	6	1	–	2	C. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	3	–	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	–	–	–	–	1	–
RAMSEY	–	–	–	–	–	C 1
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. IVES	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	23	25	–	32	G. 2 M. 2
†CANTERBURY C.B.	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	–	1	–	3	G. 1
†BEXLEY	–	–	5	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	–	–	1	–
†CHATHAM ...	–	–	5	–	–	M. 1
CHERITON ...	–	–	–	–	1	–
CHISLEHURST ...	–	–		–	1	–
†DARTFORD ...	–	1	1	–	2	–
†DEAL	–	1	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	1	1	–	–	–
†GILLINGHAM ...	–	5	–	–	2	–
†GRAVESEND ...	–	–	3	–	–	–
†MAIDSTONE ...	–	–	–	–	3	–
†MARGATE ...	–	3	1	–	2	*
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	1	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	3	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
SIDCUP	–	–	–	–	1	–
SITTINGBOURNE	–	–	–	–	2	–
SWANSCOMBE ...	–	1	–	–	–	G. 1
Rural Districts:—						
BLEAN	–	–	3	–	–	–
BROMLEY ...	–	–	–	–	1	–
DARTFORD ...	–	3	1	–	–	–
EASTRY	–	–	–	–	2	–
FAVERSHAM ...	–	1	–	–	–	–
ISLE OF THANET	–	–	1	–	–	–
MILTON	–	–	–	–	3	–
SHEPPEY	–	–	–	–	2	–
STROOD	–	–	–	–	1	–
WEST ASHFORD...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	167	91	6	380	C. 6 D. 1 G. 12 L. 1 M. 25
†BARROW IN FURNESS C.B	–	3	3	–	2	–
†BLACKBURN C.B	–	–	2	–	8	–
†BLACKPOOL C.B.	–	1	1	–	5	–
†BOLTON C.B. ...	–	1	–	–	10	M. 1
†BOOTLE C.B. ...	–	1	–	1	4	M. 1
†BURNLEY C.B. ..	–	1	3	–	5	–
†BURY C.B. ...	–	2	–	–	7	–
†LIVERPOOL C.B. ..	–	35	20	1	91	G. 2 M. 14
†MANCHESTER C.B	–	36	18	–	56	C. 4 D. 1 G. 3 L. 1 M. 3
†OLDHAM C.B. ..	–	7	2	–	8	–
†PRESTON C.B. ..	–	2	3	–	4	–
†ROCHDALE C.B. ...	1	1	3	–	–	–
†ST. HELENS C.B...	–	3	2	–	9	–
†SALFORD C.B. ...	–	6	8	–	14	M. 1
†SOUTHPORT C.B.	–	1	1	–	5	–
†WARRINGTON C.B	–	–	3	–	17	G. 1
†WIGAN C.B. ..	–	1	–	1	21	G. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	–	1	–	1	C. 1 M. 1
†ASHTON IN MAKERFIELD	–	2	–	–	1	–
†ASHTON UNDER LYNE	–	1	1	–	3	–
ASPULL	–	1	–	–	1	–
†ATHERTON ..	–	1	–	–	–	–
AUDENSHAW ...	–	–	1	–	–	–
†BACUP	–	–	–	–	1	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY	–	–	–	–	5	–
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	2	–	–	–	5	G. 1
†CROMPTON ...	–	–	1	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	–	–	–	2	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DROYLSDEN ...	–	1	1	–	1	–
†ECCLES	–	–	1	–	1	–
†FAILSWORTH ...	–	2	4	–	3	–
†FARNWORTH ...	–	–	–	–	3	–
†FLEETWOOD ...	–	–	–	–	1	–
FULWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	–	–	2	1	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	4	–	–	3	G. 1
†HINDLEY... ...	–	–	–	–	1	G. 1
†HORWICH ...	–	2	–	–	1	M. 1
†INCE IN MAKERFIELD	–	–	–	–	3	–
†LANCASTER ...	–	–	1	–	4	M. 1
†LEIGH	–	2	1	–	5	–
†LYTHAM ST. ANNE'S	–	–	1	–	1	–
†MIDDLETON ...	–	1	–	–	6	–
†MORECAMBE ...	–	–	–	–	–	G. 1 M. 1
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
ORRELL	–	–	–	1	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	5	–	–	–	–
†RAMSBOTTOM ...	–	8	–	–	3	–
†RAWTENSTALL ...	–	–	–	–	1	M. 1
†ROYTON	–	2	–	–	1	–
SKELMERSDALE ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	4	–
†STRETFORD ...	–	2	1	–	3	–
†SWINTON AND PENDLEBURY	–	1	–	–	6	–
THORNTON ...	–	–	–	–	1	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
UPHOLLAND ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	1	–
†WATERLOO WITH SEAFORTH		3	3	–	3	–
†WIDNES	–	1	–	–	13	–
†WORSLEY... ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY	–	1	–	–	–	–
BURY	–	–	–	–	1	G. 1
CHORLEY	–	1	–	–	1	–
CLITHEROE ...	–	–	–	–	3	–
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	2	–	–	–	–
LANCASTER ...	–	2	–	–	–	–
LEIGH	–	2	1	–	–	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...	–	4	2	–	–	–
WARRINGTON ...	–	–	–	–	4	–
WEST LANCASHIRE	–	2	–	–	2	–
WHISTON... ...	–	3	1	–		–
WIGAN	–	–	–	–	4	–
LEICESTER... ..	–	11	9	–	15	D. 1 M. 1
†LEICESTER C.B. ...	–	1	4	–	6	D. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	M. 1
ASHBY WOULDS...	*	*	*	*	*	*
†LOUGHBOROUGH	–	2	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	1	–	3	–
BARROW UPON SOAR	–	–	–	–	1	–
HALLATON ...	–	–	1	–	–	–
HINCKLEY ...	–	3	2	–	1	–
LUTTERWORTH ...		1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	3	6	–	1	–
Boroughs and Urban Districts:—						
SUTTON BRIDGE	–	3	1	–	1	–
Rural Districts:—						
BOSTON	–	–	5	–	–	–
LINCOLN (parts of Kesteven).	–	6	1	–	3	–
Rural Districts:—						
BOURNE	–	–	–	–	1	–
BRANSTON ...	–	5	–	–	–	–
CLAYPOLE ...	–	–		–	1	–
SLEAFORD ...	–	1	1	–	1	–
LINCOLN (parts of Lindsey).	1	26	1	–	19	–
†GRIMSBY C.B. ..	–	3	–	–	4	–
†LINCOLN C.B. ...	–	13	–	–	3	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	2	–
†GAINSBOROUGH ...	1	2	–	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
MABLETHORPE AND SUTTON	–	–	–	–	1	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	5	–
SKEGNESS ...	–	2	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	2	–
SPILSBY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	37	39	–	52	G. 2 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	–	–	–	1	–
†BRENTFORD ...	–	2	–	–	–	–
†CHISWICK ...	–	–	–	–	2	–
†EALING	–	–	–	–	2	–
†EDMONTON ...	–	5	3	–	2	G. 1
†ENFIELD	–	1	8	–	3	–
FELTHAM ...	–	–	–	–	1	M. 1
†FINCHLEY ...	–	2	–	–	1	–
†HAMPTON ...	–	2	–	–	–	–
†HANWELL ...	–	–	1	–	2	–
†HARROW ON THE HILL	–	1	2	–	–	–
HAYES	–	1	–	–	–	–
†HENDON	–	2	2	–	1	M. 1
†HESTON AND ISLEWORTH	–	1	1	–	2	–
†HORNSEY	–	–	1	–	2	G. 1
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	–	–	1	–
†TEDDINGTON ...	–	–	1	–	2	–
†TOTTENHAM ...	–	5	7	–	7	M. 1
†TWICKENHAM ...	–	–	2	–	1	–
UXBRIDGE ...	–	1	1	–	2	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	–	–	3	–
†WILLESDEN ...	–	7	10	–	11	M. 1
†WOOD GREEN ...	–	2	–	–	5	–
Rural Districts:—						
HENDON	–	4	–	–	–	–
NORFOLK	–	2	3	–	14	G. 1
†GREAT YARMOUTH C.B.	–	–	–	–	2	–
†NORWICH C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	–	–	–	1	–
†KING'S LYNN ...	–	–	–	–	1	–
NORTH WALSHAM		1	–	–	–	–
WALSOKEN ...	–	–	–	–	–	G. 1
WELLS	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	–	–	–	1	–
DOWNHAM ...	–	–	–	–	3	–
ERPINGHAM ...	–	–	–	–	1	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	–	–	–	–	2	–
MITFORD AND LAUNDITCH	–	–	–	–	1	–
THETFORD ..	–	–	2	–	–	–
NORTHAMPTON ...	–	10	2	–	7	C
†NORTHAMPTON C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	–	–	C. 1
†KETTERING ...	–	5	–	–	2	–
ROTHWELL ...	–	–	1	–	–	–
†RUSHDEN ...	–	2	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	2	–
Rural Districts:—						
CRICK	–		–	–	1	–
TOWCESTER ...	–	–	–	–	1	
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	29	46	9	1	67	C. 3 G. 4 M. 3
†NEWCASTLE UPON TYNE C.B.	–	20	3	1	33	C. 2 G. 3 M. 2
†TYNEMOUTH C.B	–	1	1	–	5	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
AMBLE	1	–	–	–	–	–
†ASHINGTON ...	17	6	–	–	1	–
†BEDLINGTONSHIRE	3	2	–	–	5	–
†BLYTH	–	5	–	–	2	M. 1
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	–	1	–	1	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	2	–
†LONGBENTON ...	2	–	–	–	2	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	–	–	1	–	3	–
ROTHBURY ...	–	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	4	–
†WALLSEND ...	–	6	1	–	4	–
WEETSLADE ...	6	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	–	1	–	–	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	1	–	–	–	C. 1
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	–	–	1	–
MORPETH... ...	–	3	1	–	–	–
NOTTINGHAM ..	9	19	11	3	18	G. 1
†NOTTINGHAM C.B	–	7	7	3	12	G. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	2	–	–	–
†EAST RETFORD ...	–	–	–	–	2	–
EASTWOOD ...	–	2	1	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	2	–	–	1	–
†MANSFIELD WOODHOUSE	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†SUTTON IN ASHFIELD	9	–	–	–	–	–
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	1	–	–	–	–
BINGHAM... ...	–	–	1	–	–	–
SOUTHWELL ...	–	4	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	2	–	–	3	–
Boroughs and Urban Districts:—						
THAME	–	1	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	2	–
CROWMARSH ...	–	1		–	–	–
WOODSTOCK ...	–	–	–	–	1	
PETERBOROUGH (Soke of)	–	2	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
Rural Districts—						
BARNACK... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	4	–	–	4	C. 2 G. 1 M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	C. 1
†OAKENGATES ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	–	–	–	M. 1
WELLINGTON ...	–	–	–	–	2	
WHITCHURCH ...	–	–	–	–	–	M. 1
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
CLEOBURY MORTIMER	–	–	–	–	–	C. 1
NEWPORT ...	–	–	–	–	–	G. 1
TEME	–	–	–	–	1	–
WEM	–	1	–	–	1	–
SOMERSET	–	12	3	–	22	C. 1
†BATH C.B. ..	–	5	–	–	–	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	1	–
CREWKERNE ...	–	2	–	–	1	–
MIDSOMER NORTON	–	–	–	–	1	–
†TAUNTON ...	–	–	–	–	2	–
†WESTON SUPER MARE	–	1	–	–	–	–
WIVELISCOMBE ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	–	–	–	2	–
CHARD	–	–	1	–	1	–
CLUTTON	–	–	–	–	1	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	1	–	–	–	C. 1
LONG ASHTON ...	–	–	–	–	3	–
TAUNTON... ...	–	–	–	–	1	–
WINCANTON ...	–	–	2	–	5	–
YEOVIL	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	41	27	1	24	M. 3
†BOURNEMOUTH C.B.	–	8	–	–	2	–
†PORTSMOUTH C.B.	–	16	19	–	2	M. 1
†SOUTHAMPTON C.B.	–	2	3	–	10	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ANDOVER... ...	–	1	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	–	–	–	–	M. 1
†GOSPORT	–	–	4	–	–	–
ROMSEY	–	1	–	–	–	M. 1
WARBLINGTON ...	–	–	–	–	1	–
†WINCHESTER ...	–	–	–		1	–
Rural Districts:—						
HARTLEY WINTNEY	–	1	1	–	–	–
HAVANT	–	7	–	–	–	–
NEW FOREST ...	–	–	–	1	4	–
SOUTH STONEHAM	–	4	–	–	1	–
WHITCHURCH ...	–	–	–	–	1	–
STAFFORD	–	59	34	–	91	C. 3 G. 2 M. 8
†BURTON UPON TRENT C.B.	–	5	–	–	–	–
†SMETHWICK C.B.	–	–	2	–	3	–
†STOKE ON TRENT C.B.	–	9	7	–	48	C. 1 M. 4
†WALSALL C.B. ...	–	4	2	–	6	–
†WEST BROMWICH C.B.	–	3	4	–	3	–
†WOLVERHAMPTON C.B.	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	1	–
BIDDULPH ...	–	–	–	–	3	–
†BILSTON	–	–	1	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	3	2	–	–	C. 1
†CANNOCK	–	2	2	–	–	–
†COSELEY	–	–	2	–	1	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	1	M. 1
†LEEK	–	4	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	2	G. 2
QUARRY BANK	–	–	2	–	–	–
†ROWLEY REGIS...	–	3	–	–	2	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	3	–	–	4	–
STONE	–	–	–	–	1	–
†TIPTON	–	3	–	–	2	–
†WEDNESBURY ...	–	–	–	–	3	–
WEDNESFIELD ...	–	5	–	–	–	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	2	3	–	–	–
Rural Districts:—						
CANNOCK	–	–	2	–	–	–
CHEADLE... ...	–	4	1	–	3	–
KINGSWINFORD...	–	1	–	–	1	–
LICHFIELD ...	–	–	1	–	–	C. 1 M. 1
NEWCASTLE UNDER LYME	–	–	1	–	1	–
STAFFORD ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY... ...	*	*	*	*	*	*
WALSALL... ...	–	–	1	–	1	–
SUFFOLK, EAST ..	–	3	–	–	15	C. 1
†IPSWICH C.B. ...	–	–	–	–	5	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	–	–	5	
SAXMUNDHAM ...	*	*	*	*	*	*
STOWMARKET ...	–	1	–	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
EAST STOW ...	–	–	–	–	1	–
HARTISMERE ...	–	1	–	–	2	–
PLOMESGATE ...	–	–	–	–	1	C. 1
SAMFORD... ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS		2	–	–	–	–
GLEMSFORD ...	*	*	*	*	*	*
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
THEDWASTRE ...	–	–	–	–	1	–
SURREY	–	28	18	–	25	C. 2 M. 2
†CROYDON C.B. ..	–	7	5	–	2	C. 2 M. 2
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CHERTSEY ...	–	–	1	–	2	–
†EGHAM	–	–	2	–	–	–
†EPSOM	–	–	–	–	2	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	–	1	–	2	–
HAM	–	–	–	–	1	–
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	–	1	–	–	–
†MERTON AND MORDEN	–	1	1	–	–	–
†MITCHAM... ...	–	1	1	–	1	–
†REIGATE	–	5	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†THE MALDENS AND COOMBE	–	1	–	–	2	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WIMBLEDON ...	–	7	1	–	2	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
EPSOM	–	1	–	–	2	–
FARNHAM ...	–	–	1	–	–	–
GODSTONE	–	–	–	–	1	–
REIGATE	–	–	–	–	2	–
SUSSEX, EAST ...	–	3	5	–	12	G. 1
†BRIGHTON C.B. ...	–	1	3	–	1	G. 1
†EASTBOURNE C.B.	–	–	–	–	2	–
†HASTINGS C.B. ...	–	–	–	–	8	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	2	–	–	–
Rural Districts:—						
HAILSHAM ...	–	1	–	–	1	–
SUSSEX, WEST ...	–	5	1	–	6	E. 1 G. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†HORSHAM ...	–	–	–	–	1	–
†LITTLEHAMPTON	–	1	–	–	1	–
SHOREHAM BY SEA	–	2	1	–	–	–
†WORTHING ...	–	–	–	–	1	G. 1
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
PETWORTH ...	–	–	–	–	–	E. 1
STEYNING WEST...	–	–	–	–	–	G. 1
WESTHAMPNETT	–	–	–	–	3	–
WARWICK	–	38	62	4	144	C. 4 G. 8 M. 8
†BIRMINGHAM C.B.	–	27	51	3	118	C. 4 G. 7 M. 8
†COVENTRY C.B. ...	–	4	2	1	3	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	3	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	1	–	–	4	–
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	3	–
ATHERSTONE ...	–	2	2	–	–	–
BRAILES	–	2	–	–	2	–
FOLESHILL ...	–	–	–	–	2	–
MERIDEN... ...	–	–	1	–	5	–
RUGBY	–	–	–	–	3	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ..	–	6	–	1	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	4	–	1	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	1	–	–	–
†RYDE	–	–	–	–	1	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	7	3	–	13	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	–	2	–	1	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	–	–	–	–
†SWINDON... ...	–	3	–	–	4	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	3	–
CHIPPENHAM ...	–	–	–	–	2	–
DEVIZES	–	–	–	–	2	–
HIGHWORTH ...	–	1	1	–	–	–
MELKSHAM ...	*	*	*	*	*	*
SALISBURY ...	–	1		–	–	–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	8	6	–	15	C. 1 G. 1 M. 1
†DUDLEY C.B. ...	–	2	–	–	1	M. 1
†WORCESTER C.B.	–	–	1	–	4	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
†HALESOWEN ...	–	2	2	–	2	C. 1
†KIDDERMINSTER	–	–	1	–	–	–
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LYE AND WOLLESCOTE	–	–	1	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	–	–	–	4	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
PERSHORE ...	–	–	1	–	–	–
SHIPSTON ON STOUR	–	–	–	–	1	–
TENBURY... ...	–	–	–	–	–	G. 1
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... (East Riding.)	–	12	11	2	24	G. 1 M. 3
†KINGSTON UPON HULL C.B.	–	7	8	–	19	G. 1 M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	–	–	1	–	–
COTTINGHAM ...	–	1	–	–	2	–
GREAT DRIFFIELD	–	–	3	1	–	–
POCKLINGTON ...	–	–	–		1	–
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
ESCRICK	–	1	–	–	–	–
HOWDEN	–		–	–	1	–
NORTON	*	*	*	*	*	*
POCKLINGTON ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (North Riding.)	–	17	3	–	17	C. 1
†MIDDLESBROUGH C.B	–	9	1	–	9	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
LOFTUS	–	1	1	–	2	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	–	–	1	–
SALTBURN BY THE SEA	–	–		–	1	–
†SCARBOROUGH ...	–	–	–	–	1	–
†THORNABY ON TEES	*	*	*	*	*	*
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
CROFT	*	*	*	*	*	*
EASINGWOLD ...	–	1	–	–	1	–
MALTON	*	*	*	*	*	*
MIDDLESBROUGH	*	*	*	*	*	*
REETH	–	1	–	–	–	–
SCARBOROUGH ..	*	*	*	*	*	*
STOKESLEY ..	–	1	–	–	1	–
THIRSK	–	–	1	–	–	–
YORKS ... ... (West Riding.)	22	118	34	–	193	C. 4 D. 1 G. 3 M. 13
†BARNSLEY C.B. ..	–	1	–	–	2	C. 2 M. 2
†BRADFORD C.B. ...	–	2	3	–	12	C. 1 G. 1 M. 3
†DEWSBURY C.B....	–	–	–	–	5	–
†HALIFAX C.B. ...	–	–	1	–	2	M. 1
†HUDDERSFIELD C.B	–	5	1	–	2	M. 1
†LEEDS C.B. ..	–	11	3	–	33	–
†ROTHERHAM C.B.	–	3	–	–	9	G. 1
†SHEFFIELD C.B...	8	21	12	–	56	D. 1 G. 1 M. 1
†WAKEFIELD C.B.	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
ALTOFTS	–	1	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	3	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BATLEY	–	1	–	–	1	–
†BENTLEY WITH ARKSEY	–	–	–	–	1	–
†BINGLEY	–	1	–	–	–	–
BIRSTAL	–	–		–		M. 1
†BOLTON UPON DEARNE	–	1	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	1	–
†CASTLEFORD ...	–	–	–	–	1	–
CLAYTON	–	1	1	–	–	–
†CONISBROUGH ...	1	2	1	–	–	–
DARFIELD ...	–	–	–	–	2	–
†DARTON	–	–	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	1		–	–	–
DRIGHLINGTON ...	–	–	–	–	3	–
†FEATHERSTONE ...	–	–	1	–	–	–
†GOLCAR	–	1		–	1	–
†GOOLE	–	2	–	–	6	–
GREETLAND ...	–	1	–	–	–	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	2	–	–	3	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	3	M. 1
†HOLMFIRTH ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	1	–
†HOYLAND NETHER	–	5	–	–	–	M. 1
HOYLAND SWAINE	*	*	*	*	*	*
KIRKBURTON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	1	–	–	1	–
LINTHWAITE ...	–	1	–	–	–	–
MARSDEN... ...	–	1	–	–	–	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	1	1	–	–	1	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	–	–	–	4	–
NEW MILL ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	*	*	*	*	*	*
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	-	–	–	–	1	–
†RAWMARSH ...	–	3	1	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SHEPLEY	–	1	-	–	–	–
†SKIPTON	–	2	-	–	–	–
SOUTH CROSLAND	-	3	–	–	–	–
†SPENBOROUGH ...	–	–		–	2	–
†STANLEY	–	1	-	–	–	–
†SWINTON... ...	4	-	–	–	–	–
THURSTONLAND AND FARNLEY TYAS.	-	–	–	–	1	–
†TODMORDEN ...	–	4	1	–	–	–
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ..	–	2	–	–	-	–
†WORSBOROUGH ...	–	1	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	–	–	–	6	M. 2
GOOLE	–	–	1	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	7	1	–	-	–
KIVETON PARK ...	–	6	2	-	3	–
KNARESBOROUGH	-	1	–	-	2	–
PATELEY BRIDGE	–	–	-	–	1	–
PONTEFRACT ...	–	1	–	–	1	–
ROTHERHAM ...	8	4	1	–	5	–
SETTLE	–	2	2	–	–	–
TADCASTER ...	–	–	–	–	–	C. 1
THORNE	–	–	–	–	2	–
WAKEFIELD ...	–	–	–	–	4	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (NORTH)	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
§YORK, CITY OF ...	–	7	1	–	1	–
†YORK C.B. ...	–	7	1	–	1	–
WALES.						
ANGLESEY	–	3	2	–	6	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	2	–	–	–
Rural Districts:—						
TWRCELYN ...	–	2	–	–	2	–
VALLEY	–	1	–	–	4	–
BRECKNOCK ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	2	–
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADGYNLAIS	-	1	–	–	–	–
CARDIGAN ...	–	1	1	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
TREGARON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ..	–	6	13	–	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	3	–	–	–
BURRY PORT ...	–	–	1	–	–	–
†CARMARTHEN ...	–	1	–	–	–	–
†LLANELLY ...	–	1	5	–	3	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	1	2	–	–	–
LLANELLY ...	–	3	1	–	–	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	4	3	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	–	1	–	–	–
BETHESDA ...	–	1	–	–	–	–
CAERNARVON ...	–	1	1	–	–	–
CONWAY	–	2	–	–	–	–
Rural Districts:—						
LLEYN	–	–	1	–	–	..
DENBIGH	–	7	1	–	2	G. 1
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	–	G. 1
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
CHIRK	–	–	–	–	1	–
LLANGOLLEN ...	*	*	*	*	*	*
LLANRWST ...	–	1	1	–	–	–
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
WREXHAM ...	–	4	–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	12	1	–	3	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	3	–	–	–	–
MOLD	–	1	–	–	–	–
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	4	–	–	3	–
GLAMORGAN ..	–	51	39	1	50	C. 2 G. 2 L. 1 M. 4
†CARDIFF C.B. ..	–	3	9	–	9	G. 1 L. 1 M. 1
†MERTHYR TYDFIL C.B	–	–	2	1	2	M. 1
†SWANSEA C.B. ...	–	10	6	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ..	–	3	–	–	4	–
†BARRY	–	4	–	–	–	–
BRIDGEND ...	–	–	–	–	–	C. 1
†CAERPHILLY ..	–	–	1	–	1	–
†GELLIGAER ..	–	–	3	–	2	M. 1
†GLYNCORWG ...	–	–	–	–	2	–
†MAESTEG ...	–	–	5	–	8	–
†MOUNTAIN ASH ..	–	1	1	–	3	G. 1
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	–	8	–	–	3	–
†PENARTH ..	–	1	–	–	–	–
†PONTYPRIDD ..	–	2	–	–	1	–
PORTHCAWL ..	–	1	–	–	1	C. 1
†PORT TALBOT ..	–	2	1	–	1	–
†RHONDDA ..	–	6	3	–	12	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

'able 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

oroughs, Urban d Rural Districts, d the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
AMORGAN—*cont.*						
ural Districts:—						
CARDIFF	–	1	–	–	–	–
COWBRIDGE ...	*	*	*	*	*	*
GOWER	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	4	–	–	–
NEATH	–	5	1	–	–	–
PENYBONT ...	–	–	1	–	1	–
SWANSEA... ...	–	1	1	–	–	M. 1
ERIONETH ...	–	–	–	–	1	–
rban Districts:—						
FESTINIOG ...	–	–	–	–	1	–
ONMOUTH ...	–	10	5	–	20	C. 1 G. 2 M. 2
NEWPORT C.B. ...	–	2	1	–	10	M. 1
Boroughs and Urban Districts:—						
ABERCARN ...	–	–	–	–	2	C. 1
ABERGAVENNY ...	–	1	–	–	–	–
ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	1	–	3	–
BEDWELLTY ...	–	–	1	–	–	–
BLAENAVON ...	–	–	1	–	–	G. 1
CHEPSTOW ...	–	–	–	–	–	G. 1
EBBW VALE ...	–	–	–	–	2	M. 1
LLANTARNAM ...	–	1	–	–	–	–
MONMOUTH ...	–	–	1	–	–	–
NANTYGLO AND BLAINA	–	–	–	–	1	–
PANTEG	–	2	–	–	–	–
TREDEGAR ...	–	1	–	–	2	–
Rural Districts—						
ABERGAVENNY ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MONTGOMERY ...	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	–	–	–	–	M. 1
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	1	–
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE... ..	–	–	3	–	1	D. 1
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	*	*	*	*	*	*
PEMBROKE ...	–	–	–	–	–	D. 1
ST. DOGMELLS ...	–	–	3	–	1	–
RADNOR	–	–	–	–	–	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	213	1158	626	29	1645	C. 40 D. 4 E. 2 G. 57 L. 12 M. 103

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	–	–	–	I
COWES	–	1	–	–	–	–	WELLS (NORFOLK) ...	*	*	*	*	*	
EXETER	–	–	–	–	1	–	PORT OF LONDON ...	–	1	–	–	–	
LIVERPOOL	–	–	–	–	1	–							
PLYMOUTH	–	–	–	1	1	–	**Total of Part III....** ...	–	2	–	1	3	I

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	228	267	6	228	C. 6 D. 2 G. 7 M. 9
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	213	1158	626	29	1645	C. 40 D. 4 E. 2 G. 57 L. 12 M. 103
Total of Part III.—Port Sanitary Districts	–	2	–	1	3	L. 1
Total (*i.e.*, of returns received), England and Wales ...	213	1388	893	36	1876	C. 46 D. 6 E. 2 G. 64 L. 13 M. 112

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 430, 431, 432, 434, 435, 437, 442 and 443.

Table 5.—London and Great Towns in the Aggregate. } { Births, Deaths (distinguishing certain Ca and Deaths of Infants under 1 Year Age) and Notified Cases of certain fectious Diseases in the last Thirt Weeks.

Week ended :—	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	A
LONDON :—													
Deaths—all ages	1,399	1,269	1,062	1,070	1,209	1,121	1,099	1,112	1159	1,228	1,340	1,347	1
" 0 to 1 year ..	144	127	82	95	105	110	103	110	116	113	107	128	
GREAT TOWNS, aggregate (including London):—													
Births	6,920	7,002	6,793	6,862	6,836	7,359	6,836	7,238	7,128	6,687	6,571	6,909	7
Deaths—all ages	5,646	5,285	5,036	4,713	5,272	4,904	4,674	4,786	4,776	5,177	5,583	5,613	5
" 0 to 1 year ..	694	618	585	548	655	540	562	598	564	574	610	600	
Enteric Fever—Cases	6	12	15	14	20	20	24	26	16	25	24	23	
" Deaths	1	5	2	2	3	3	2	3	3	7	3	6	
Small Pox—Cases ..	102	87	99	59	60	88	74	75	67	70	50	63	
" Deaths ..	—	—	—	—	—	—	—	1	—	—	—	—	
Scarlet Fever—Cases	950	1,051	1,022	869	959	934	866	882	827	894	895	787	
" Deaths	5	12	8	14	13	7	8	9	13	9	8	6	
Diphtheria—Cases ..	679	851	815	787	816	830	823	809	827	688	716	649	
" Deaths ..	50	35	45	26	50	56	48	51	49	47	50	45	
Measles—Deaths ..	109	102	76	82	116	105	102	119	116	121	107	100	
Influenza—Deaths ..	87	100	78	90	76	89	97	88	136	136	223	294	

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th April, 1926. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainf in Milli metre
	°	°	°	°			°	°	°	°	
London (Greenwich).	68	35	59·4	39·1	22	Huddersfield	62	28	54·9	35·4	14
Brighton ..	63	36	54·7	41·4	17	Bradford ..	59	33	53·0	38·1	17
Portsmouth ..	62	37	56·0	42·3	28	Sheffield ..	65	35	55·6	39·7	20
Norwich (Southwell Lodge).	68	32	56·5	39·5	15	York (Museum)	62	34	55·9	38·1	5
Plymouth ..	60	36	54·7	43·6	26	Hull (Pearson Park).	65	30	56·0	38·6	29
Bristol (Clifton).	64	37	55·3	41·0	23	Tynemouth ..	62	35	53·3	40·1	11
Birmingham (Edgbaston).	63	34	53·4	39·6	24	Cardiff.. ..	64	36	54·6	39·1	31
Nottingham ..	63	29	55·4	38·9	18	Edinburgh ..	58·0	35·0	53·7	38·4	4
Birkenhead (Bidston).	59	35	54·1	41·4	10	Glasgow ..	57·8	36·6	53·8	39·5	28
Manchester (Whitworth Park).	63	34	55·4	41·1	26	Dublin (Phœnix Park).	59·0	33·0	55·9	38·3	14
Burnley	60	27	53·4	36·4	29	(Fitzwilliam Square†).	59·0	40·0	56·1	42·8	13
						Belfast.. ..	61·0	35·0	59·0	40·4	22

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th April, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	In Equator	29·880	53·0	34·7	18·3	42·9	− 2·9	35·7	7·2	16·7	2·7	75	122·4	23·4	46·9	Calm: ENE.	E	1·8	0·0	0·2	266	− 31	0·00
MONDAY -	12	New	29·848	57·9	37·2	20·7	47·9	+ 2·0	35·6	12·3	24·0	1·9	62	123·4	27·9	47·0	ENE: E.	ESE: E: ENE.	3·5	0·0	0·3	275	− 16	0·00
TUESDAY -	13	..	29·973	66·0	36·0	30·0	49·0	+ 2·9	41·2	7·8	27·7	1·4	74	119·1	20·5	47·1	Calm	Calm: SSW.	0·3	0·0	0·0	127	− 162	0·00
WEDNESDAY	14	..	29·945	67·8	36·5	31·3	52·1	+ 5·7	42·0	10·1	22·8	3·2	69	128·2	25·0	47·0	SSW: SW.	SW: SSW.	3·6	0·0	0·3	308	+ 20	0·00
THURSDAY -	15	..	29·574	57·9	43·8	14·1	48·9	+ 2·1	47·7	1·2	11·2	0·0	95	76·9	36·0	47·0	SSW	SW	4·3	0·0	0·7	427	+ 138	0·52
FRIDAY -	16	..	29·374	56·2	39·2	17·0	46·0	− 1·2	41·1	4·9	12·9	2·4	83	122·1	33·8	47·0	SSW	SSW: WSW.	8·5	0·0	0·7	410	+ 119	0·29
SATURDAY -	17	..	29·409	57·0	37·8	19·2	46·3	− 1·3	39·1	7·2	17·3	2·4	76	119·5	30·5	47·0	SW: WSW.	WSW	14·4	0·0	0·6	392	+ 100	0·06
MEANS -		..	29·715	59·4	37·9	21·5	47·6	+ 1·0	40·3	7·2	18·9	2·0	76	115·9	28·2	47·0	SW		..	..	..	Sum 2205	Sum + 168	Sum 0·87
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	11	wP.	4·2	13·5	Cloudless till 7h.; nearly overcast 8½h. till 15h.; very cloudy till 19½h.; cloudless 21½h. till 22¾h.; nearly overcast from 23h. Dew in morning.
MONDAY ..	12	wP.	10·0	13·6	Becoming nearly cloudless by 0¼h. Clouding up 1h. to overcast by 3h.; clearing at 7h. to little cloud by 9h. Cloudless generally from 12h. Mist and dew in morning. Dew at night.
TUESDAY ..	13	wP till 5h., mP and wP till 17h.; then wP.	5·2	13·6	Cloudless till 3h.; overcast by 3¾h. Clearing 9h. to cloudless by 9½h. Dew in morning. Fog 4h. to 9h., then haze till 21h.
WEDNESDAY	14	wP till 7h.; mP till 9h.; then wP.	7·3	13·7	Cloudless till 7½h., cloudy, thin cloud till 15h.; overcast by 17½h. Clearing 19h. to little cloud by 20¼h. Clouding up 22h. to very cloudy by 23h. Solar halo frequently 10¾h. till 15h. Dew at night.
THURSDAY	15	wP till 15¾h.; V till 17½h.; then wP.	0·0	13·8	Nearly overcast till 4h., then overcast. Clearing 20¼h., little cloud from 21h. Rain 5h. till 6h., generally from 7½h. till 17½h., heavy at times, and slight rain 19¼h. till 19¾h.
FRIDAY ..	16	wP.	2·2	13·8	Cloudless till 2h., overcast by 4h. Clearing 22¼h. to nearly cloudless 22¾h. Partially cloudy period 7½h. till 10h. Showers 10½h. till 16¼h. Rain 17¼h. till 18½h., and 18¾h. till 20h. Shower 22h. Brisk wind 10h. till 15h.
SATURDAY	17	wP till 10½h.; V and wP till 20h.; then wP.	7·7	13·9	Little cloud till 4h., variably cloudy till 19¾h., cloudless generally from 20h. Showery 10¾h. till 19½h. Hail 11h. Thunder occasionally 11¼h. till 12h.
			Sum 36·6	Sum 95·9	
No. of Col...	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·89 ins. at the beginning of the week to 30·00 ins. by 1h. on 14th; decreased to 29·24 ins. by 17h. on 16th; increased to 29·44 ins. by 10h. on 17th; decreased and was 29·38 ins. by midnight of the same day.

FOR OFFICIAL USE

1926. No. 16.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 24TH APRIL 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH APRIL, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the sixteenth week of the year numbered 7,585, and corresponded to an annual rate of 20·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,890 and corresponded to an annual rate of 13·1 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 15·0, 15·1, and 14·3. Infant mortality was 67 per 1,000 births against 93, 87 and 69 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,678 births corresponding to a rate of 19·0 per 1,000, and 1,127 deaths of civilians, corresponding to an annual rate of 12·8, against 15·2, 15·3 and 14·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 14·4 per 1,000. The infant mortality was 66 as against 72, 84 and 53 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 5,342 to 4,890; the deaths from influenza, which had been 223, 294 and 302 in the three preceding weeks, further declined to 209 last week. In London the number of deaths from all causes decreased from 1,264 to 1,127; the deaths from diphtheria which had been 16, 11, and 13 in the preceding three weeks, were again 13 last week; the deaths from measles, which had been 44, 45 and 43 in the three preceding weeks, fell to 35 last week; and the deaths from influenza, which had been 48, 74, and 59 in the three preceding weeks, declined to 35 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 24th April, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa, and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 GREAT TOWNS ..	19,417,320*	7,585	4,890	511	1	81	6	57	38	51	209
LONDON	4,602,000*	1,678	1,127	110	1	35	1	7	13	17	35
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	69	43	2	-	2	-	-	-	-	1
WIMBLEDON ..	58,170	18	10	1	-	-	-	-	-	-	-
EALING	68,410	21	12	-	-	-	-	-	-	-	2
ACTON	63,110	25	15	-	-	-	-	-	-	-	-
WILLESDEN ..	168,900	53	32	1	-	-	-	-	-	-	1
HENDON	59,150*	18	10	1	-	-	-	-	-	-	-
HORNSEY	87,210	21	15	2	-	-	-	-	-	-	-
WOOD GREEN ..	51,960	16	9	-	-	-	-	-	-	-	2
TOTTENHAM ..	153,600	51	35	-	-	-	-	-	-	-	-
EDMONTON ..	71,210	39	15	-	-	-	-	-	-	-	-
ENFIELD	63,740	19	19	2	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	157	78	10	-	2	-	-	1	3	3
EAST HAM C.B. ..	147,200	35	20	-	-	1	-	-	-	-	-
LEYTON	132,700	28	23	2	-	-	-	-	-	-	-
WALTHAMSTOW ..	130,800	46	22	2	-	-	-	-	-	1	-
ILFORD	93,590	28	21	-	-	-	-	-	-	-	-
GILLINGHAM	48,680*	27	10	1	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,270*	3	7	-	-	-	-	-	-	-	-
HASTINGS C.B.	60,470	17	20	-	-	-	-	-	-	-	2
EASTBOURNE C.B. ..	55,060	23	10	-	-	-	-	-	-	-	1
BRIGHTON C.B. ..	137,800*	45	35	2	-	-	-	-	-	-	2
PORTSMOUTH C.B. ..	232,900*	93	60	3	-	-	-	-	2	-	2
BOURNEMOUTH C.B. ..	85,840	24	22	1	-	-	-	-	-	-	2
SOUTHAMPTON C.B. ..	168,600	59	44	3	-	-	-	-	-	1	2
READING C.B.	93,670*	30	28	1	-	-	-	-	-	-	4
OXFORD C.B.	57,090	20	11	1	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,780*	29	29	3	-	-	-	-	1	-	1
LUTON	59,230	16	5	2	-	-	-	-	1	-	-
CAMBRIDGE	59,020	17	16	5	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	98,060	31	21	1	-	-	-	-	-	-	3
IPSWICH C.B.	83,120*	37	13	1	-	-	-	-	-	-	1
GREAT YARMOUTH C.B.	57,890	29	14	-	-	-	-	-	-	-	2
NORWICH C.B. ..	124,000*	42	23	2	-	-	-	-	-	-	-
SWINDON	56,880	22	8	-	-	-	-	-	-	-	-
EXETER C.B.	59,820*	25	11	-	-	-	-	-	-	-	1
PLYMOUTH C.B. ..	192,100*	73	58	-	-	2	-	-	2	-	-
BATH C.B.	69,050	18	25	1	-	-	-	1	-	-	-
BRISTOL C.B.	385,700*	150	86	9	-	-	1	3	-	-	3
GLOUCESTER C.B. ..	53,060	13	10	1	-	-	-	-	-	-	1
STOKE-ON-TRENT C.B.	278,900	122	73	11	-	-	-	1	-	2	1
BURTON-UPON-TRENT C.B.	49,530	22	15	-	-	1	-	-	-	-	1
WOLVERHAMPTON C.B.	108,800	57	29	3	-	-	-	-	-	-	-
WALSALL C.B.	102,300	44	18	2	-	-	-	-	-	-	1
WEST BROMWICH C.B	79,490	35	21	3	-	-	-	-	-	-	2
DUDLEY C.B.	58,810	13	14	1	-	-	-	-	-	1	1
WORCESTER C.B. ..	50,230	11	12	1	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	945,900	408	259	24	-	1	-	-	6	5	14
SMETHWICK C.B. ..	78,840	17	8	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	129,100	45	31	2	-	-	-	2	-	-	2
LEICESTER C.B. ..	242,100	99	61	7	-	1	-	-	1	-	-
LINCOLN C.B.	66,600*	20	20	1	-	-	-	-	-	-	1
GRIMSBY C.B.	87,190	45	21	6	-	-	-	1	-	-	1
NOTTINGHAM C.B. ..	270,600	104	64	6	-	-	-	-	-	-	-
DERBY C.B.	134,400*	62	29	3	-	-	-	-	-	-	-
CHESTERFIELD ..	65,800	31	14	1	-	-	-	-	-	-	-
STOCKPORT C.B. ..	125,900	42	31	1	-	1	1	-	-	-	1
CHESTER C.B.	41,670	25	14	1	-	1	-	-	-	-	2
BIRKENHEAD C.B. ..	155,500	75	32	5	-	-	-	1	-	2	2
WALLASEY C.B. ..	91,720	35	27	2	-	-	-	-	-	-	3
LIVERPOOL C.B. ..	856,000	474	282	41	-	10	-	7	1	6	17
BOOTLE C.B.	83,260	45	24	4	-	1	-	3	-	-	3
ST. HELENS C.B. ..	109,600	56	37	9	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	20	19	1	-	-	-	-	-	-	3
Wigan C.B.	91,010	43	24	3	-	-	-	1	-	-	3
Warrington C.B. ..	77,970*	36	28	2	-	-	-	1	1	-	4
Bolton C.B.	180,400	78	45	7	-	-	-	1	-	-	-
Bury C.B.	56,700*	13	17	2	-	-	-	1	-	-	-
Manchester C.B. ..	755,800	335	173	16	-	4	1	3	-	3	9
Salford C.B.	244,700	85	61	12	-	2	-	-	-	1	2
Oldham C.B	146,200	52	54	6	-	1	-	2	-	-	8
Rochdale C.B... ..	92,190	23	21	1	-	-	-	-	-	-	3
Burnley C.B.	102,300	30	36	1	-	-	-	-	-	-	1
Blackburn C.B. ..	126,900	40	34	2	-	-	-	-	-	1	1
Preston C.B.	122,900	37	27	3	-	-	-	-	1	-	2
Blackpool C.B. ..	80,750	24	22	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	33	14	2	-	-	-	2	-	-	1
Huddersfield C.B. ..	112,100	36	34	4	-	-	-	-	-	-	1
Halifax C.B.	97,860*	31	25	4	-	-	-	1	2	-	1
Bradford C.B. ..	290,200	111	83	11	-	-	-	3	1	-	2
Leeds C.B.	472,900	194	126	19	-	1	-	3	-	1	5
Dewsbury C.B ..	54,570	16	14	1	-	-	-	-	-	1	4
Wakefield C.B. ..	53,980	18	11	1	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	34	16	2	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	175	120	15	-	5	-	1	1	1	1
Rotherham C.B. ..	70,600	37	11	3	-	-	-	-	-	-	1
Doncaster	55,610	30	15	2	-	-	-	2	-	-	1
York C.B.	84,630*	27	15	1	-	-	-	1	-	-	-
Hull C.B.	297,300	101	104	13	-	4	1	2	-	-	6
Middlesbrough C.B.	136,200	76	31	2	-	-	-	-	-	-	3
Darlington C.B. ..	69,130	28	18	2	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	24	29	6	-	-	-	2	-	-	1
West Hartlepool C.B.	71,590	32	20	4	-	1	-	1	-	-	-
Sunderland C.B. ..	166,000	83	58	9	-	-	-	-	-	1	7
South Shields C.B. ..	124,600	67	32	8	-	-	-	-	-	2	2
Gateshead C.B. ..	129,000	60	44	6	-	-	-	2	-	-	5
Newcastle-on-Tyne C.B.	286,300*	146	91	14	-	4	-	1	-	1	3
Tynemouth C.B. ..	66,180	23	22	4	-	-	-	-	1	-	1
Carlisle C.B.	55,160*	25	10	2	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	40	18	1	-	-	-	1	-	-	1
Cardiff C.B.	227,100*	99	47	1	-	-	-	-	2	-	2
Rhondda	167,570	65	32	1	-	-	-	-	-	-	1
Merthyr Tydfil C.B.	82,920	39	24	2	-	-	-	-	-	-	1
Aberdare	57,700	9	25	2	-	-	1	-	-	1	-
Swansea C.B.	163,200	58	32	2	-	-	-	-	1	-	-
Greater London ..	7,719,622*	2,722	1,778	155	1	50	1	7	16	21	55
Outer Ring	3,117,622*	1,044	651	45	-	15	-	-	3	4	20
16 Great Towns in Outer Ring	1,867,550*	644	379	23	-	5	-	-	1	4	9
Remainder of Outer Ring	1,250,072*	400	272	22	-	10	-	-	2	-	11
Edinburgh†	424,600	153	112	16	-	1	1	-	1	1	3
Glasgow† ..	1,034,500	515	356	55	-	12	-	10	5	2	20
Dublin (Registration Area)†	443,000	227	127	21	-	1	-	-	1	2	1
Belfast†	443,000	217	121	22	-	1	-	1	1	7	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available pe

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)
London‡	4,602,000	1926. Apr. 24	1678	1127	12·8	1	-	35	1	7	13	17
Calcutta and Suburbs	1,077,273	Mar. 20										
Bombay	1,279,061	April 3	357	564§	22·9	-	16	6	-	-	-	26
Madras	528,791	Mar. 20	374	477§	46·9	2	2	1	?	2	-	21
Sydney and Suburbs	1,038,950	„ 31 (31 days)										
Brisbane (Metropolitan Area).	253,568	Feb. 28 (28 days)										
Perth (Metropolitan Area).	179,388	Mar. 6	61	24	7·0	-	-	-	-	-	-	3
		„ 13	70	26	7·5	1	-	-	-	-	-	-
		„ 20	62	19	5·5	-	-	-	-	-	-	-
Auckland (Urban Area).	180,790	Feb. 28 (28 days)										
Wellington (Urban Area).	118,490	„										
Christchurch (Urban Area).	118,270	„										
Cape Town	113,709	Mar. 27	36	28	12·8	-	-	-	-	-	1	1
Johannesburg	165,958	April 3										
Durban	54,822	„ 3										
Paris	2,906,472	„ 10 (10 days)	1326	1418	18·0	6	-	44	4	4	8	26
Antwerp	300,150	Mar. 6	93	74	12·6	-	-	1	-	-	-	5
Amsterdam	719,132	„ 27	261	150	10·9	-	-	-	-	2	-	1
Copenhagen	587,400	„ 27	205	136	12·1	-	-	-	-	-	-	1
Stockholm	442,528	April 10	102	97	11·4	-	-	1	-	1	-	-
Gothenburg	230,804	Mar. 20										
Oslo (Christiania) ..	257,719	April 17	73	62	12·5	-	-	-	-	-	-	-
Berlin	2,062,000	„ 3	439	502	12·4	-	?	-	1	2	7	5
Breslau	555,000	„ 3	212	168	13·5	-	?	-	-	-	1	1
Cologne	704,000	„ 3	251	166	11·2	-	?	1	-	2	2	-
Dresden	620,000	„ 3	176	136	10·1	-	?	-	1	-	-	2
Frankfort-on-Main ..	474,000	„ 3	120	84	8·4	-	?	1	-	-	-	-
Hamburg	1,123,000	„ 3	230	261	11·0	-	?	-	-	-	-	3
Leipzig	661,000	„ 3	226	177	12·5	-	?	-	1	-	-	1
Munich	680,000	„ 3	199	173	12·7	-	?	-	-	-	1	3
Vienna	1,869,437	Dec. 31 '25 (31 days)										
Prague and Suburbs	712,700	Jan. 31 (31 days)										
Budapest	960,535	April 10	346	282	15·3	-	-	1	-	-	3	6
Warsaw	992,450	„ 10										
Cairo	829,200	Jan. 14										
Alexandria	492,100	„ 14										
New York	6,361,664	Mar. 6	2432	1851	15·1	4	-	49	-	8	9	9
Chicago	2,995,239	„ 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Ci Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 4 deaths from cholera in Madras and 1 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th April, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1127	110	40	27	27	39	47	90	109	165	244	229
Enteric fever..	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	35	12	15	6	2	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	7	3	1	3	-	-	-	-	-	-	-	-
Diphtheria	13	1	4	5	3	-	-	-	-	-	-	-
Influenza	35	2	-	-	1	-	3	4	3	3	12	7
Erysipelas	2	-	-	-	-	-	-	-	-	1	1	-
Acute Poliomyelitis, Poliioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	1	-	-	-	1	-	-	-	-
Meningococcal meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	76	-	-	-	2	9	14	25	12	7	6	1
Nervous system	9	2	2	1	3	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	5	-	-	-	-	2	1	-	1	1	-	-
Venereal diseases	5	5	-	-	-	-	-	-	-	-	-	-
Cancer	111	-	-	-	-	-	-	10	22	28	36	15
Rheumatic fever	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	10	-	-	-	-	1	-	-	2	3	2	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	1	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	44	-	-	-	-	-	-	2	1	11	15	15
Epilepsy	12	-	-	-	1	1	2	3	-	3	2	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	33	1	1	1	4	-	3	4	8	7	2	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	1	1	2	-	1	-	-	1
Other diseases of heart	183	-	-	-	1	7	7	6	15	37	63	47
Other diseases of circulatory system	52	-	-	-	-	-	-	2	4	12	17	17
Bronchitis	77	2	1	1	-	-	-	1	7	7	21	37
Broncho-pneumonia	74	20	11	6	2	1	2	3	2	4	13	10
Lobar-pneumonia	25	-	-	-	-	3	1	4	6	7	2	2
Pneumonia (type not distinguished)	19	-	-	-	1	2	-	1	3	2	5	5
Other diseases of respiratory system	19	-	1	-	-	-	-	1	1	5	4	7
Diarrhœa and enteritis	22	16	1	-	-	-	1	-	-	2	1	1
Appendicitis, Typhlitis	3	-	-	-	-	-	-	-	-	1	1	1
Hernia, Intestinal obstruction.. ..	9	1	-	-	-	-	-	-	-	-	4	4
Cirrhosis of liver	9	-	-	-	-	1	-	1	2	1	4	-
Other diseases of digestive system ..	25	4	-	-	-	-	2	5	1	5	6	2
Acute nephritis	5	-	-	1	1	1	1	-	1	-	-	-
Chronic Bright's disease..	30	-	-	-	-	2	1	5	5	3	7	7
Other diseases of genito-urinary system.	14	1	-	-	-	-	-	-	2	2	6	3
Puerperal sepsis	3	-	-	-	-	2	-	1	-	-	-	-
Other causes incident to childbirth..	6	-	-	-	-	1	3	2	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	41	-	-	-	-	-	-	-	-	-	4	37
Suicide	9	-	-	-	-	-	1	3	2	3	-	-
Burns and Scalds	3	-	1	-	-	1	-	1	-	-	-	-
Drowning	5	1	-	-	-	-	-	1	1	1	1	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	1	1	2	-	-	2	2	1	-
Other deaths by violence	9	1	-	-	1	-	-	1	3	2	1	-
Other specified causes	35	8	2	-	1	1	1	2	2	5	7	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th April, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	201	273	12	165	C. 9 D. 2 E. 1 G. 5 M. 14
†CITY OF LONDON	-	-	1	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	21	11	-	12	C. 1
†BERMONDSEY ...	-	3	11	-	5	-
†BETHNAL GREEN	-	5	5	3	9	M. 1
†CAMBERWELL ...	-	10	18	1	6	-
†CHELSEA	-	1	5	1	6	-
†DEPTFORD ...	-	4	16	-	4	-
†FINSBURY ...	-	10	5	-	4	M. 1
†FULHAM	-	11	10	-	7	-
†GREENWICH ...	-	7	13	-	4	-
†HACKNEY ...	-	10	20	-	2	G. 1
†HAMMERSMITH ...	-	3	6	-	2	-
†HAMPSTEAD ...	-	1	2	1	2	-
†HOLBORN... ..	-	2	-	2	3	D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	16	8	-	5	C. 2 M. 4
†KENSINGTON ...	-	4	8	1	5	-
†LAMBETH ...	-	14	19	-	7	C. 3 M. 2
†LEWISHAM ..	-	8	3	2	8	-
†PADDINGTON ..		3	9	-	14	C. 1 M. 1
†POPLAR	-	14	12	-	18	M. 1
†ST. MARYLEBONE	-	1	5	-	3	C. 1
†ST. PANCRAS ..	-	5	12	-	6	M. 1
†SHOREDITCH ..		5	5	-	4	E. 1 G. 1 M. 2
†SOUTHWARK ..	-	7	24	-	4	G. 1
†STEPNEY	-	12	15	1	5	C. 1 G. 1
†STOKE NEWINGTON	-	3	2	-	1	-
†WANDSWORTH ...	-	14	13	-	10	D. 1 G. 1 M. 1
†WESTMINSTER, CITY OF	-	-	4	-	1	-
†WOOLWICH ..	-	7	11	-	8	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	6	–	2	C. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ...	–	2	2	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	2	–	1	–
BEDFORD ...	–	1	1	–	–	–
BIGGLESWADE ...	–	–	–	–	–	C. 1
BERKS	–	7	1	1	–	C. 1 M. 2
†READING C.B. ...	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	1	–	–	–	–
WANTAGE	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	1	–	–
NEWBURY ...	–	–	1	–	–	–
WANTAGE ...	–	–	–	–	–	M. 1
WOKINGHAM ...	–	–	–		–	C. 1
BUCKINGHAM ...	–	6	–	–	2	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	1	–
BLETCHLEY ...	–	2	–	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	2	–	–	–	–
NEWPORT PAGNELL ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	1	3	–	2	–
Borough:—						
†CAMBRIDGE ...	–	1	3	–	1	–
Rural Districts:—						
NEWMARKET ...	–	–	–	–	1	–
CHESTER	–	62	14	–	29	M. 2
†BIRKENHEAD C.B.	–	3	–	–	–	–
†CHESTER C.B. ..	–	1	2	–	3	M. 1
†STOCKPORT C.B.	–	20		–	7	M. 1
†WALLASEY C.B. ...	–	1	1	–	6	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BOWDON	–	1	1	–	–	–
†CHEADLE AND GATLEY	–	1	1	–	3	–
†CREWE	–	7	–	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
HALE	–	2	–	–	–	–
†MACCLESFIELD ..	–	–	1	–	–	–
NANTWICH ...	–	5	–	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	3	–	1	–
†SALE	–	3	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
WILMSLOW ...	–	–	1		1	–
Rural Districts:—						
BUCKLOW ...	–	6	1	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	–	–	2	–
NANTWICH ...	–	2	–	–	–	–
NORTHWICH ...	–	5	1	–	–	–
RUNCORN... ...	–	1	1	–	1	–
TARVIN	–	1	–	–	–	
TINTWISTLE ...	–	–		–	1	–
WIRRAL	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ..	–	1	–	–	1	–
Boroughs and Urban Districts:—						
HELSTON... ...	*	*	*	*	*	*
Rural Districts:—						
LAUNCESTON ..	–	–	–	–	1	–
ST. GERMANS ...	–	1	–	–	–	–
CUMBERLAND ..	–	18	2	–	3	G. 1 M. 2
†CARLISLE C.B. ..	–	6	2	–	2	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
HOLME CULTRAM	–	2	–	–	–	–
†MARYPORT ...	–	1	–	–	–	–
WIGTON	–	–	–	–	–	M. 1
†WORKINGTON ...		2	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	3	–	–	–	–
COCKERMOUTH ...	–	2	–	–	–	–
PENRITH	–	–		–	1	G. 1
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	26	40	9	2	38	C. 2 M. 1
†DERBY C.B. ...	22	2	3	–	12	C. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
ASHBOURNE ...		–	–		1	–
†BOLSOVER ...	1	1			–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTERFIELD ...	–	6	2	–	3	C. 1 M. 1
CLAY CROSS ...	–	1	–	–	–	–
†GLOSSOP	–	–	–	–	3	–
†ILKESTON ...	–	1	–	–	2	–
†LONG EATON ...	–	1	1	–	1	–
†RIPLEY	–	2	–	–	–	–
†SWADLINCOTE DISTRICT	3	2	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	–
BELPER	–	1	–	1	2	–
BLACKWELL ...	–	2	2	1	1	–
CHAPEL EN LE FRITH	–	4	–	–	–	–
CHESTERFIELD ..	–	6	1	–	7	–
CLOWNE	–	2	–	–	1	–
HARTSHORN AND SEALS	–	2	–	–	–	–
NORTON	–	1	–	–	–	–
REPTON	–	4	–	–	–	–
SHARDLOW ..	–	–	–	–	4	–
DEVON	–	11	9	–	9	C. 1 M. 3
†EXETER C.B. ...	–	–	1	–	1	–
†PLYMOUTH C.B....	–	9	3	–	2	M. 2
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	1	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
†ILFRACOMBE ...	–	1	–	–	–	–
IVYBRIDGE ...	–	–	1	–	–	–
NORTHAM ...	–	–	3	–	2	–
OKEHAMPTON ...	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
BROADWOOD WIDGER	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
HOLSWORTHY (part)	–	–	–	–	1	–
HONITON ...	–	1	–	–	–	C. 1
KINGSBRIDGE ...	–	–	–	–	1	–
OKEHAMPTON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	–	–	–	–	–	M. 1
DORSET	–	2	–	–	–	G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	–	G. 1
†PORTLAND ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	*	*	*	*	*	*
POOLE	–	1	–	–	–	–
DURHAM	70	64	12	1	84	C. 3 E. 1 G. 1 M. 8
†DARLINGTON C.B.	–	–	–	–	7	C. 1 M. 1
†GATESHEAD C.B.	7	3	–	–	10	-
†SOUTH SHIELDS C.B.	3	4	3	–	12	E. 1 M. 1
†SUNDERLAND C.B.	–	2	–	–	19	M. 2
†WEST HARTLEPOOL C.B.	–	6	–	–	1	C. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	1	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BILLINGHAM ...	–	1	–	–	–	–
†BLAYDON... ...	4	2	–	–	2	–
†BRANDON AND BYSHOTTLES	3	–	-	–	–	–
†CHESTER LE STREET	3	2	–	–	–	–
†CONSETT	–	–	1	–	–	–
†DURHAM	–	–	–	–	1	M. 1
†FELLING	–	3	–	–	2	–
†HARTLEPOOL ...	–	5	–	–	–	-
†HEBBURN ...		4	–	1	3	–
†HETTON	3	2	1	–	–	–
†HOUGHTON LE SPRING	-	–	–	–	1	–
†JARROW	–	–	–	-	7	–
LEADGATE ...	3	–	–	-	–	–
†RYTON	–	5	–	–	–	–
†SEAHAM HARBOUR	–	1	-	–	–	–
†SHILDON	–	–	1	-		–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†SPENNYMOOR ...	3	–	–	–	–	–
†STANLEY	8	–	2	–		–
†STOCKTON ON TEES	–	–	–	–	3	–
†TANFIELD ...	–	–	1	–	2	–
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	–	–	–	2	–
†WHICKHAM ...	-	2	–	–	2	–
Rural Districts:—						
AUCKLAND ...	4	–	2	–	–	–
CHESTER LE STREET	1	1	–	–	–	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	4	–	–	–	2	M. 1
EASINGTON ...	3	6	1	–	1	G. 1
HARTLEPOOL ...	–	1	–	–	–	M. 1
HOUGHTON LE SPRING	6	1	–	–	3	–
LANCHESTER ...	12	4	-	–	–	–
SEDGEFIELD ...	-	3	–	–	–	-
SOUTH SHIELDS...	–	1	–	–	–	-
SUNDERLAND ...	1	-	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	–	1	1	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
ELY	–	1	–	–	1	–
Rural Districts:—						
NORTH WITCHFORD	–	–	–	1	–	
WISBECH	–	–	–	–	–	M. 1
ESSEX	–	90	48	1	33	C. 5 G. 2 D. 1 M. 2
†EAST HAM C.B. ...	–	12	6	–	–	–
†SOUTHEND-ON-SEA C.B	–	3	–	–	7	–
†WEST HAM C.B. ...	–	27	14	–	8	C. 4 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–		–	–	4	–
CHINGFORD ...	–	–		–	1	–
†COLCHESTER ...	–	1	–	–	3	D. 1
DAGENHAM ...	–	3			1	–
EPPING	–	3	1		–	–
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK	–	1	1	–	–	–
HALSTEAD ...		6		–	–	–
†HORNCHURCH ...	–	1	–		–	–
†ILFORD	–	4	4	1	2	–
†LEYTON	–	8	6	–	4	G. 1
SHOEBURYNESS ...	–	–	–	–	–	M. 1
TILBURY	–	–	1		–	–
WALTHAM HOLY CROSS	–	3	2	–		–
†WALTHAMSTOW...	–	7	6	–	1	C. 1
†WANSTEAD ..	–	3	–	–	–	–
†WOODFORD ...	–	–	2	–	–	–
Rural Districts:—						
BILLERICAY ...	–	4	–	–	–	–
BRAINTREE ...	–	–	2	–	–	–
ESSEX—*cont.*						
Rural Districts—*cont.*						
CHELMSFORD ...	–	–	–	–	1	–
EPPING	–	2	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	–	G. 1
MALDON	–	–	–	–	1	–
ONGAR	–	1	3	–	–	–
GLOUCESTER ..	–	22	16	2	24	C. 1 G. 2
†BRISTOL C.B. ...	–	12	10	–	23	C. 1 G. 2
†GLOUCESTER C.B.	–	–	2	1	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
STROUD	–	2	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–		1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES	–		1	–	–	–
GLOUCESTER ...	–	–	–	1	–	–
STROUD	–	3	–	–	–	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ..	–	2	2	–	1	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	1	–	–	–	–
†HEREFORD ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
LEDBURY... ...	–	1	–	–	–	–
HERTFORD ...	–	15	1	2	2	D. 1
Boroughs and Urban Districts:—						
GREAT BERKHAMPSTEAD	–	–	–	–	–	D. 1
†HERTFORD ...	–	1	–	–	–	–
†HITCHIN	–		1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	1	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	3	–	–	–	–
Rural Districts:—						
HITCHIN	–	1	–	–	–	–
WATFORD ...	–	7	–	2	1	–
HUNTINGDON ...	–	3	1	–	1	M. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	2	–	–	–	–
OLD FLETTON ...	–	–	–	–	–	M. 1
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	–	1	–	1	–
KENT	–	47	21	1	20	C. 1 D. 1 G. 1 M. 1
†CANTERBURY C.B.	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY ...	–	2	1	–	3	–
†CHATHAM ...	–	1	8	–	–	–
CHERITON ...	–	–	–	–	1	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–	–	–	–	3	–
†DEAL	–	1	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	–	1	–	1	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	1	–	1	–
†GILLINGHAM ...	–	4	–	–	–	–
†GRAVESEND ...	–	1	2	–	–	–
†HERNE BAY ...	–	1	–	–	1	–
†MAIDSTONE ...	–	2	–	–	1	–
†MARGATE ...	–	3	–	–	1	–
NEW ROMNEY .	–	2	–	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	1	–	–	1	C. 1
†ROCHESTER ...	–	–	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	4	–	–	–	–
SIDCUP	–	2	–	–	–	–
SITTINGBOURNE	–	2	1	–	–	–
SOUTHBOROUGH	–	1	–	–	–	–
†TONBRIDGE ...	–	–	–	–	–	D. 1
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BRIDGE	–	–	1	1	–	–
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
DOVER	–	1	–	–	–	–
EASTRY	–	–	–	–	1	–
ELHAM	–	–	–	–	1	–
HOLLINGBOURNE	–	–	–	–	1	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	2	2	–	–	–
MILTON	–	1	–	–	–	G. 1
SEVENOAKS ...	–	1	–	–	–	–
SHEPPEY	–	2	–	–	1	–
TONBRIDGE ...	–	1		–	–	–
WEST ASHFORD...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ..	–	174	90	2	271	C. 8 D. 3 E. 1 G. 13 L. 1 M. 20
†BARROW IN FURNESS C.B	–	3	–	–	1	–
†BLACKBURN C.B	–	1	–	–	4	C. 1 M. 1
†BLACKPOOL C.B.	–	3	1	–	1	D. 1
†BOLTON C.B. ...	–	2	1	–	3	M. 3
†BOOTLE C.B. ...	–	3	–	–	5	M. 1
†BURNLEY C.B. ..	–	5	1		4	–
†BURY C.B. ...	–	2	–	–	5	–
†LIVERPOOL C.B. ...	–	35	25	–	67	C. 1 D. 1 G. 1 L. 1 M. 7
†MANCHESTER C.B	–	29	22	–	44	C. 4 D. 1 G. 4 M. 3
†OLDHAM C.B. ..	–	6	3	–	8	–
†PRESTON C.B. ..	–	4	4	–	–	–
†ROCHDALE C.B. ..	–	–	1	–	–	G. 1
†ST. HELENS C.B....	–	4	1	–	9	–
†SALFORD C.B. ...	–	16	9	–	9	M. 1
†SOUTHPORT C.B.	–	2	2	–	2	–
†WARRINGTON C.B	–	1	–	–	10	G. 1
†WIGAN C.B. ..	–	2	1	–	9	C. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	–	1	–	–	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	–
†ASHTON UNDER LYNE	–	1	–	–	2	–
AUDENSHAW ...	–	–	–	–	–	E. 1
†BACUP	–	3	–	–	3	M. 1
BARROWFORD ...	–	1	–	–	1	–
†CHADDERTON ...	–	–	1	–	1	–
†CHORLEY	–	–	–	–	5	G. 1
†COLNE	–	–	–	–	2	M. 1
†CROMPTON ...	–	2	–	–	–	–
†DARWEN	–	2	–	–	2	C. 1
†DENTON	–	–	1	–	–	–
†DROYLSDEN ..	–	1	–	–	2	–
†ECCLES	–	–	–	–	4	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts— *cont.*						
†FAILSWORTH ...	–	6	1	1	2	–
FULWOOD ...	–	1	–	–	1	–
GOLBORNE ...	–	2	–	–	–	–
†GREAT CROSBY ...	–	–	–	–	2	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	–	–	–	1	–
†HEYWOOD ...	–	4	1	–	–	–
†HINDLEY... ...	–	–	1	–	–	–
†HORWICH ...	–	1	–	–	3	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	1	–	–	–	–
†LEIGH	–	1	–	–	3	–
†LITHERLAND ...	–	1	–	–	–	–
†MIDDLETON ...	–	2	–	–	1	–
MILNROW... ...	–	–	–	–	1	–
†MORECAMBE ...	–	–	2	–	–	–
†NEWTON IN MAKERFIELD	–	2	–	–	1	–
NORDEN	–	1	–	–	–	G. 1
ORMSKIRK ...	–	–	1	–	5	–
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM ...	–	1	–	–	–	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	1	1	–	1	–
†RAWTENSTALL ...	–	–	–	–	2	G. 1
RISHTON	–	–	1	–	1	–
†ROYTON	–	1	–	–	–	–
SKELMERSDALE ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	2	M. 1
†STRETFORD ...	–	3	1	–	2	G. 1
†SWINTON AND PENDLEBURY	–	–	–	1	4	–
TOTTINGTON ...	–	1	–	–	–	M. 1
†TURTON	–	–	1	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
URMSTON... ...	–	–	–	–	2	–
†WALTON LE DALE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	1	–	–	1	–
†WIDNES	–	–	–	–	8	–
†WORSLEY... ...	–	–	–	–	–	G. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	2	–
BURNLEY... ...	–	1	–	–	–	–
CLITHEROE ..	–	–	–	–	2	–
FYLDE	–	1	–	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	2	1	–	2	–
WARRINGTON ...	–	–	–	–	4	–
WEST LANCASHIRE	–		1	–	1	–
WHISTON... ...	–	1	1	–	2	–
WIGAN	–	–	–	–	2	–
LEICESTER... ..	–	16	8	–	13	M. 4
†LEICESTER C.B. ..	–	6	4	–	5	M. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	–	–
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	–	–	–	M. 1
†LOUGHBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	1	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	1	–
BARROW UPON SOAR	–	2	–	–	6	M. 1
CASTLE DONINGTON	–	–	1	–	–	–
HINCKLEY ...	–	–	1	–	–	–
LUTTERWORTH ...	–	2	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	1	–	–	–	–
SUTTON BRIDGE	–	3	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	–	–	1	–
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	5	3	–	1	C. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–		–	–	C. 1
RUSKINGTON ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	–	4	–		–	–
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	–	–	–		1	–
SLEAFORD ...	–	–	1	–	–	–
SPALDING (part)..	–	–	2	–	–	–
LINCOLN (parts of Lindsey).	–	29	3	1	2	C. 1 G. 1 M. 1
†GRIMSBY C.B. ...	–	3	–	–	1	
†LINCOLN C.B. ...	–	18	–	–	–	G. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	2	–	–	–	–
†GAINSBOROUGH ...	–	–	–	–	1	–
LOUTH	–	–	–	–	–	M. 1
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	2	–	–	–
WINTERTON ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GAINSBOROUGH ...	–	5	–	–	–	–
GLANFORD BRIGG	–	1	–	1	–	–
MIDDLESEX ..	–	64	37	2	40	C. 1 E. 1 G. 3 M. 5
Boroughs and Urban Districts:—						
†ACTON	–	6	1	–	1	–
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	2	–	–	1	E. 1
†EALING	–	3	1	–	4	M. 1
†EDMONTON ...	–	3	14	–	1	M. 1
†ENFIELD	–	3	1	–	–	G. 1
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	3	–	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HAMPTON ...	–	4	–	–	–	–
HAMPTON WICK...	–	–	–	–	1	–
†HANWELL ...	–	–	3		–	–
†HARROW ON THE HILL	–	–		–	2	–
†HENDON	–	4		–	5	–
†HESTON AND ISLEWORTH	–	2	2	–	1	G. 1
†HORNSEY... ...	–	2	–	1	3	–
RUISLIP NORTHWOOD	–	–	–	1	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	–	1	–	2	–
SUNBURY ON THAMES	–	–	–	–	1	–
†TEDDINGTON ...	–	–	–	–	1	M. 3
†TOTTENHAM ...	–	11	3		4	–
†TWICKENHAM ...	–	1	3	–	2	–
†UXBRIDGE ...	*	*	*	*	*	*
†WEMBLEY ...	–	1	–	–	1	–
†WILLESDEN ...	–	11	3		9	G. 1
†WOOD GREEN ...	–	1	2	–	–	–
YIEWSLEY ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	3	–	–	–	–
STAINES	–	2	–	–	–	–
UXBRIDGE ...	–	–	1	–	1	–
NORFOLK	–	13	–	3	5	C. 2 G. 1
†GREAT YARMOUTH C.B.	–	2	–	–	1	–
†NORWICH C.B. ...	–	3		–	3	C. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	–	1	–	–
SWAFFHAM ...	–	1	–		–	–
WALSOKEN ...	–	–	–	–	–	G. 1
Rural Districts:—						
BLOFIELD ...	–	–	–	2	–	C. 1
DEPWADE ...	–	–	–	–	1	–
ST. FAITH'S ...	*	*	*	*	*	*
SWAFFHAM ...	–	5	–		–	–
WALSINGHAM ...	–	1	–	–	–	–
NORTHAMPTON ...	–	21	5		10	–
†NORTHAMPTON C.B.	–	–	3		7	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	11	–	–	2	–
RAUNDS	–	1	–	–	1	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	1	1	–		–
Rural Districts:—						
BRIXWORTH ...	–	5	–	–	–	–
KETTERING ...	–	1	–		–	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–		1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	23	27	6	–	59	G. 2
†NEWCASTLE UPON TYNE C.B.	–	12	3	–	40	G. 1
†TYNEMOUTH C.B.	–	1	1	–	5	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	16	1	–	–	–	–
†BEDLINGTONSHIRE	3	2	–	–	2	–
†BLYTH	–	3	–	–	2	G. 1
†EARSDON	–	2	–	–	–	–
†LONGBENTON ...	3	1	–	–	2	–
†NEWBURN ...	–	1	–	–	2	–
SEATON DELAVAL	–	–	1	–	–	
†WALLSEND ...	–	4		–	3	–
WEETSLADE ...	1	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	1	–
GLENDALE ...	–	–		–	1	
NOTTINGHAM ...	6	21	11	1	18	M. 1
†NOTTINGHAM C.B.	2	8	8	–	8	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	–	–
†CARLTON	–	3	–	–	4	–
†EAST RETFORD ...	–	1	–	–		–
†MANSFIELD ...	–	–	–	1	1	–
†SUTTON IN ASHFIELD	4	–	1	–	1	–
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	2	1	–	–	–
BINGHAM... ...	–	4	–		1	–
MISTERTON ...	–	–	–		1	–
SKEGBY	–	1	–	–	2	–
SOUTHWELL ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	4	–	–	2	–
†OXFORD C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BICESTER... ...	–	1	–	–	–	–
Rural Districts:—						
HEADINGTON ...	–	–	–	–	1	–
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	10	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	3	–
Rural Districts—						
BARNACK... ...	–	8	–	–	–	–
PETERBOROUGH...	–	1	–	–		–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	9	–	–	–	M. 1
Boroughs and Urban Districts:—						
ELLESMERE ...	–	1	–	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
Rural Districts:—						
CHURCH STRETTON	–	1	–	–	–	–
CLUN	–	2	–	–	–	M. 1
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	14	2	–	14	C. 1 G. 2
†BATH C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	-	–	–	–
CREWKERNE ...	–	1	–	-	1	-
MINEHEAD ...	-	–	1	-	-	-
†TAUNTON ...	-	1		–	1	-
WATCHET ...	*	*	*	*	*	*
†WESTON SUPER MARE	–	1	–	-	–	G. 1
†YEOVIL	-	–	–	–	2	–
Rural Districts:—						
BRIDGWATER ...	–	1	–	-	–	-
CHARD	–	–	–	-	1	-
CLUTTON	–	1	–	–	-	–
KEYNSHAM ...	–	2	–	–	-	-
LANGPORT ...	–	–	–	-	1	-
LONG ASHTON ...	–		–	-	1	–
SHEPTON MALLET	–	-	–	–	1	-
TAUNTON... ...	–	–	–	–	1	–
WELLS	–	–	–	–	4	C. 1
WILLITON ...	-	1	–	–	–	-
WINCANTON ...	–	1	1	–	–	–
YEOVIL	–	–	–	–	1	G. 1
SOUTHAMPTON ..	–	32	31	–	12	–
†BOURNEMOUTH C.B.	–	2	1	–	–	-
†PORTSMOUTH C.B.	-	16	24	–	-	–
†SOUTHAMPTON C.B.	-	4	3	-	6	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
†GOSPORT	-	2	–	–	1	–
ROMSEY	*	*	*	*	*	*
†WINCHESTER ...	-	1	–	–	1	–
Rural Districts:—						
FAREHAM ...	–	–	–	–	1	–
HAVANT	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts—*cont.*						
NEW FOREST ...	–	–	2	-	3	-
ROMSEY	*	*	*	*	*	*
SOUTH STONEHAM	–	2	1	–	–	–
WINCHESTER ...	–	1	·	–	–	–
STAFFORD	–	65	31	1	81	C. 1 L. 2 M. 6
†BURTON UPON TRENT C.B.	–	4	1	–	–	–
†SMETHWICK C.B.	–	–	2	1	4	–
†STOKE ON TRENT C.B.	–	13	7	–	26	C. 1 M. 2
†WALSALL C.B. ...	–	5	4	–	7	–
†WEST BROMWICH C.B.	–	–	1	–	4	-
†WOLVERHAMPTON C.B.	–	2	–	-	4	M. 2
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	–	–	1	-
†AUDLEY	–	1	–	–	1	M. 2
BIDDULPH ...	–	1	–	–	1	–
†BILSTON	–	1	1	–	4	–
†BROWNHILLS ...	-	1	-	-	–	-
†CANNOCK	–	2	1	–	-	–
†COSELEY	–	1	1	–	1	–
†DARLASTON ...	-	2	–	-	3	–
†HEATH TOWN OR WEDNESFIELD HEATH	-	–	1	–	1	–
KIDSGROVE ...	-	–	–	–	1	-
†LEEK	–	4	1	–	-	–
†NEWCASTLE UNDER LYME	–	2	1	–	4	-
QUARRY BANK	–	–	2	–	2	–
†ROWLEY REGIS...	–	3	–	–	3	–
RUGELEY... ...	–	–	-	–	1	-
†SEDGLEY	–	–	2	–	–	-
SHORT HEATH ...	–	1	–	–	–	-
†STAFFORD ...	–	2	–	–	1	–
STONE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TIPTON	-	2	-	-	-	-
†WEDNESBURY ...	-	3	-	-	1	-
WEDNESFIELD ...	-	1	-	-	-	-
†WILLENHALL ...	-	1	3	-	·	-
†WOLSTANTON UNITED	-	-	1	-	1	-
Rural Districts:—						
CANNOCK	-	1	1	-	-	-
CHEADLE	-	2	-	-	2	L. 2
GNOSALL	-	-	-	-	1	-
KINGSWINFORD ...	-	1	-	-	-	-
LEEK	-	2	-	-	-	-
LICHFIELD ...	-	1	-	-	1	-
NEWCASTLE UNDER LYME	-	3	-	-	1	-
SEISDON	-	1	-	-	1	-
STAFFORD ...	-	-	-	-	1	
STONE	-	1	-	-	1	-
TAMWORTH (part)	-	-	1	-	-	-
WALSALL... ...	-	1	-	-	1	-
SUFFOLK, EAST ...	-	7	2	-	6	C. 1 D. 2 M. 2
†IPSWICH C.B. ...	-	5	1	-	-	C. 1 D. 2
Boroughs and Urban Districts:—						
ALDEBURGH ...	*	*	*	*	*	*
BECCLES	*	*	*	*	*	*
†FELIXSTOWE ...	-	-	1	-	-	-
LEISTON CUM SIZEWELL	-	-	-	-	1	-
†LOWESTOFT ...	-	2	-	-	3	M. 2
SOUTHWOLD ...	*	*	*	*	*	*
Rural Districts:—						
BOSMERE AND CLAYDON	-	-	-	-	1	-
HARTISMERE ...	-	-	-	-	1	-
SUFFOLK, WEST ...	-	2	-	-	3	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	1	-	-	2	-
GLEMSFORD ...	-	-	-	-	1	-
NEWMARKET ...	-	1	-	-	-	-
Rural Districts:—						
COSFORD	*	*	*	*	*	*
SURREY	-	32	21	-	15	M. 1
†CROYDON C.B. ...	-	16	10	-	-	M. 1
Boroughs and Urban Districts:—						
†BARNES	-	2	-	-	1	-
†BEDDINGTON AND WALLINGTON	-	1	1	-	-	-
†CHERTSEY ...	-	1	-	-	-	-
†COULSDON AND PURLEY	-	2	-	-	1	-
DORKING	-	1	1	-	-	-
EAST AND WEST MOLESEY	-	-	-	-	1	-
†EGHAM	-	-	1	-	-	-
†EPSOM	-	-	-	-	1	-
†GUILDFORD ...	-	-	-	-	1	-
HASLEMERE ...	-	1	-	-	-	-
†KINGSTON ON THAMES	-	-	-	-	1	-
†MERTON AND MORDEN	-	-	2	-	1	-
†MITCHAM... ...	-	2	3	-	-	-
†REIGATE	-	2	-	-	-	-
†SURBITON ...	-	2	1	-	-	-
†SUTTON	-	1	-	-	-	-
†THE MALDENS AND COOMBE	-	-	-	-	4	-
WEYBRIDGE ...	-	-	1	-	-	-
†WIMBLEDON ...	-	-	-	-	1	-
†WOKING	-	-	-	-	1	-
Rural Districts:—						
CHERTSEY ...	-	1	-	-	-	-
EPSOM	-	-	-	-	2	-
GODSTONE ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ..	–	10	5		1	G. 2 M. 1
†BRIGHTON C.B. ...	–	3	4	–	1	G. 1 M. 1
†EASTBOURNE C.B.	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
BATTLE	–	2	–	–	–	–
†HOVE	–	–	1	–	–	–
†LEWES	–	2	–	–		–
Rural Districts:—						
HAILSHAM ...	–	2	–	–	–	–
SUSSEX, WEST ..	–	4	–	–	2	G. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON ...		1	–	–	–	–
HORSHAM ...	–	1		–	–	–
PETWORTH ...	–	–	–	–	1	–
STEYNING WEST...	–	–	–	–	–	G. 1
WESTHAMPNETT	–	–	–	–	1	–
WARWICK		45	58	3	116	C. 7 E. 1 G. 1 L. 1 M. 14
†BIRMINGHAM C.B.	–	33	49	3	101	C. 7 G. 1 L. 1 M. 13
†COVENTRY C.B. ...	–	2	–	–	5	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	2	–	5	–
†ROYAL LEAMINGTON SPA	–	2	–	–	2	E. 1
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	1	3	–	1	–
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	2	1	–	–	–
BRAILES	–	1	–	–	–	–
RUGBY		–	–	–	1	–
SOUTHAM... ...	–	1	1	–	1	–
WARWICK ...	–	–	1		–	–
WESTMORLAND ..	–	3	–	–	2	C. 1
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	1	C. 1
WEST WARD ...	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†RYDE	–	–	–	–	1	–
ST. HELENS ...	*	*	*	*	*	*
WILTS	–	9	4	–	7	C. 2
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	3	3	–	2	C. 1
WILTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	-	–	–	–	2	–
CHIPPENHAM ...	–	3	–	–	1	–
DEVIZES	-	1	-	–	–	–
MELKSHAM ...	–	2	–	-	–	–
RAMSBURY ...	-	–	–	–	1	C. 1
WORCESTER ...	–	8	8	-	12	C. 1 G. 2
†DUDLEY C.B. ...	–	2	1	–	–	–
†WORCESTER C.B.	–	–	2	–	3	G. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	-	–	-	–	2	–
†KIDDERMINSTER	–	-	1	–	–	–
†OLDBURY... ...	-	2	1	–	3	–
†REDDITCH ...	–	3	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	C. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–		–	–
DROITWICH ...	*	*	*	*	*	*
PERSHORE ...	–	–	1	–	2	–
SHIPSTON ON STOUR	–	–	2	–	–	–
UPTON ON SEVERN	-	-	-	–	1	G. 1
YORKS ... ... (East Riding.)	–	8	14	–	19	C. 3 G. 1 M. 2
†KINGSTON UPON HULL C.B.	–	4	10	–	10	C. 2 G. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	2	1	–	3	–
COTTINGHAM ...	–	1	-	–	1	-
HESSLE	–	–	-	–	2	–
HORNSEA... ...	–	–	1	-	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN	-	–	–	–	2	–
PATRINGTON ...	–	–	–	–	–	C. 1
SCULCOATES ...	–	1	1	-	1	–
YORKS ... ... (North Riding.)	–	16	6	–	12	C. 2 G. 1 M. 1
†MIDDLESBROUGH C.B.	–	6	5	–	4	C. 1 G. 1
Boroughs and Urban Districts:—						
†ESTON	–	4	1	–	2	C. 1
†REDCAR	-	–	–	–	2	–
RICHMOND ...	–	–	-	–	1	–
SALTBURN BY THE SEA	-	–		–	3	–
Rural Districts:—						
FLAXTON ...	–	–	-	–	–	M. 1
GUISBOROUGH ...	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	-
STOKESLEY ...	-	3		–	–	-
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	5	141	42	1	152	C. 3 G. 3 L. 1 M. 6
†BARNSLEY C.B. ...	–	6	2	–	3	
†BRADFORD C.B. ...	–	10	4	–	14	C. 1 M. 1
†HALIFAX C.B. ...	–	4	2	–	–	-
†HUDDERSFIELD C.B.	-	9	2	–	2	–
†LEEDS C.B. ...	–	7	7	–	16	C. 2 M. 1
†ROTHERHAM C.B.	1	3	-	-	12	–
†SHEFFIELD C.B....	–	24	12	1	53	G. 1 M. 3
†WAKEFIELD C.B.	–	2	-	–	1	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	1	–
ALTOFTS	–	–	–	–	1	–
†BATLEY	–	1	–	–	1	–
†BINGLEY	–	–	–	–	3	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CONISBROUGH ...	–	–	–	–	2	–
†DARTON	–	1	–	–	1	–
DENBY AND CUMBERWORTH	–	2	–	–	–	–
†DONCASTER ...	–	1	1	–	1	–
†FEATHERSTONE ...	–	1	1	–	1	–
†GOLCAR	–	–	1	–	–	–
†GOOLE	–	6	–	–	–	–
GREETLAND ...	–	1	–	–	–	–
†HARROGATE ...	–	3	2	–	3	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	2		–	3	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	4		–	3	–
ILKLEY	–	–		–		G. 1
KIRKHEATON ...	*	*	*	*	*	*
KNOTTINGLEY ...	–	–	–	–	2	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	1	1	–	–	–	–
†MORLEY	–	–		–	4	–
MYTHOLMROYD ...	–	–	–	–	–	G. 1
NEW MILL ...	–	–	–	–	2	–
†NORMANTON ..	–	–	–	–	1	–
†OSSETT	–	3	1	–	–	–
†RAWMARSH ...		–	–	–	1	–
SELBY		–	–	–	1	–
†SHIPLEY	–	–	1	–	–	–
SKELMANTHORPE	–	–	–	–	1	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ..	–	–	–	–	1	–
†STANLEY	–	–	–	–	3	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	3	–	–	–	–	–
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	2	1	–	1	–
†WATH UPON DEARNE	–	3	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†WOMBWELL ...	–	3	–	–	1	–
†WORSBOROUGH ...	–	2	–	–	2	–
YEADON	–	1	–	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	8	–	–	3	–
GOOLE	–	2	–	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	5	–	–	–	M. 1
KIVETON PARK ...	–	2	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...		1	–	–	–	–
ROTHERHAM ...	–	1	–	–	1	–
SETTLE	–	2	2	–	–	–
SKIPTON	–	1	–	–	1	–
THORNE	–	4	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	2	–	–	–
WORTLEY ...	–	–	–	–	1	–
§YORK, CITY OF ...	–	3	3	–	3	–
†YORK C.B. ...	–	3	3	–	3	–
WALES.						
ANGLESEY	–	5	–	–	3	–
Rural Districts:—						
AETHWY	–	1	–	–	–	–
TWRCELYN ...	–	3	–	–	–	–
VALLEY	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADFELLTE (parish)	–	–	–	–	1	–
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ..	–	7	5	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
†LLANELLY ...	–	1	2	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	2	1	–	–	–
LLANDILO FAWR	–	3	–	–	–	–
LLANELLY ...	–	1	1	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	1	–
CONWAY	–	2	–	–	–	–
†LLANDUDNO ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	4	4	–	1	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
DENBIGH ...	–	–	2	–	–	–
LLANRWST ...	–	2	–	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
WREXHAM ...	–	1	2	–	1	–
FLINT	–	6	–	–	3	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	3	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	3	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	73	41	–	55	G. 4 M. 4
†CARDIFF C.B. ...	–	9	10	–	7	G. 2 M. 1
†MERTHYR TYDFIL C.B.	–	1	–	–	3	–
†SWANSEA C.B. ...	–	5	8	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	1	G. 1
†BARRY	–	3	2	–	–	–
BRIDGEND ...	–	4		–	–	–
†CAERPHILLY ...	–	1	3	–	2	–
†GELLIGAER ...	–	2	5	–	–	–
†GLYNCORWG ...	–	–	–	–	3	–
†MAESTEG ...	–	1	2	–	6	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MOUNTAIN ASH ...	–	3	–	–	3	–
†NEATH	–	–	2	–	2	–
†OGMORE AND GARW	–	2	–	–	1	–
†PENARTH ...	–	2	–		–	–
†PONTYPRIDD ...	–	5	–		3	M. 1
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	·	2	1	–		–
†RHONDDA ...	–	25	1	–	16	M. 2
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	4	G. 1
GOWER	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	4	–	1	–
PONTARDAWE ...	–	–	–	–	2	–
SWANSEA... ..	–	3	2	–	–	–
MERIONETH ...	–	–	–	–	1	–
Urban Districts:—						
TOWYN	*	*	*	*	*	*
Rural Districts:—						
EDEIRNION ...	–	·	–	–	1	–
MONMOUTH ...	–	6	4	2	14	C. 1 G. 2 M. 1
†NEWPORT C.B. ...	–	–		–	7	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	2	–	–	–
BEDWAS AND MACHEN	–	1	–	–	–	G. 1
†BEDWELLTY ...	–		1	–	4	–
†EBBW VALE ..	–	–	1	2	–	–
†TREDEGAR ...	–	4	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts—						
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	–	1	3	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	–		–	1	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	1	2	–
PEMBROKE... ...	–	–	·	–	3	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	–	–	1	–
MILFORD HAVEN	–	–	–		2	–
NEYLAND... ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts:-						
PAINSCASTLE ...	–	–	–	–	1	–
Total of Part II. ..	130	1301	591	28	1225	C. 51 D. 8 E. 4 G. 47 L. 5 M. 93

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARDIFF	–		–	–	1	–	SOUTHAMPTON ...	–	–	2	–	–	–
HARTLEPOOL	*	*	*	*	*	*							
LITTLEHAMPTON ...	*	*	*	*	*	*							
PLYMOUTH	–	–	–	2	–	L. 1	Total of Part III.... ...	–	–	2	2	1	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see note below).
Total of Part I.—London	–	201	273	12	165	C. D. E. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	130	1301	591	28	1225	C. D. E. G. L. M.
Total of Part III.—Port Sanitary Districts	–	–	2	2	1	L.
Total (*i.e.*, of returns received), England and Wales ...	130	1502	866	42	1391	C. D. E. G. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The ca of Small-pox notified appear on pages 460, 461, 467, 471 and 472.

.e 5.—London and Great Towns in the GGREGATE.

Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	A 24
IDON :—													
ATHS—all ages	1,269	1,062	1,070	1,209	1,121	1,099	1,112	1159	1,228	1,340	1,347	1,264	1 127
" 0 to 1 year ..	127	82	95	105	110	103	110	116	113	107	128	93	110
EAT TOWNS, aggre-ate (including Lon-on):—													
ATHS	7,002	6,793	6,862	6,836	7,359	6,836	7,238	7,128	6,687	6,571	6,909	7,976	7,585
ATHS—all ages	5,285	5,036	4,713	5,272	4,904	4,674	4,786	4,776	5,177	5,583	5 613	5,342	4,890
" 0 to 1 year ..	618	585	548	655	540	562	598	564	574	610	600	552	511
TERIC FEVER—Cases	12	15	14	20	20	24	26	16	25	24	23	23	20
" Deaths	5	2	2	3	3	2	3	3	7	3	6	1	1
ALL POX—Cases ..	87	99	59	60	88	74	75	67	70	50	63	65	35
" Deaths ..	—	—	—	—	—	—	1	—	—	—	—	—	—
ARLET FEVER—Cases	1,051	1,022	869	959	934	866	882	827	894	895	787	742	799
" Deaths	12	8	14	13	7	8	9	13	9	8	6	9	6
PHTHERIA—Cases ..	851	815	787	816	830	823	809	827	688	716	649	622	639
" Deaths ..	35	45	26	50	56	48	51	49	47	50	45	41	38
ASLES—Deaths ..	102	76	82	116	105	102	119	116	121	107	100	99	81
FLUENZA—Deaths ..	100	78	90	76	89	97	88	136	136	223	294	302	209

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th April, 1926. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	61	36	54·4	40·0	25	HUDDERSFIELD	54	32	51·4	36·7	13
RIGHTON ..	54	40	52·9	41·6	17	BRADFORD ..	52	36	50·3	38·3	9
ORTSMOUTH ..	57	37	53·7	40·9	10	SHEFFIELD ..	54	37	51·6	39·6	9
ORWICH (SOUTHWELL LODGE).	58	37	52·7	40·2	18	YORK (MUSEUM)	55	34	52·6	37·3	10
LYMOUTH ..	56	38	53·7	40·9	17	HULL (PEARSON PARK).	56	35	52·7	38·1	9
RISTOL (CLIFTON).	55	37	51·7	39·4	13	TYNEMOUTH ..	56	37	50·4	39·9	3
IRMINGHAM (EDGBASTON).	57	36	51·4	37·9	11	CARDIFF	56	36	52·3	38·9	13
OTTINGHAM ..	57	33	52·7	37·9	6	EDINBURGH ..	52·0	36·0	49·1	38·7	14
IRKENHEAD (BIDSTON).	53	40	50·7	41·9	2	GLASGOW ..	53·9	38·1	52·8	40·0	5
ANCHESTER (WHITWORTH PARK).	53	35	51·6	39·7	7	DUBLIN (PHŒNIX PARK).		Not	receive	d.	
URNLEY	51	30	50·0	37·4	20	(FITZWILLIAM SQUARE†).	55·0	35·9	53·1	39·6	12
						BELFAST	57·0	34·5	55·4	39·6	11

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th April, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	18	Greatest Declination N. First Quarter.	29·392	60·9	38·5	22·4	48·0	− 0·0	38·4	9·6	22·1	1·9	69	134·5	31·9	47·1	WSW	WSW : SW.	2·5	0·0	0·2	253	− 39	0·11
MONDAY	19		29·283	57·8	41·0	16·8	47·8	− 0·5	36·9	10·9	20·5	4·5	66	119·1	33·6	47·0	W	W : NW	4·2	0·0	0·2	305	+ 12	0·03
TUESDAY	20	..	29·114	53·9	38·6	15·3	45·1	− 3·4	40·5	4·6	13·0	0·4	84	104·1	29·6	47·2	WSW	SSW : E : NE.	1·4	0·0	0·2	256	− 36	0·38
WEDNESDAY	21	Apogee	29·203	51·7	39·6	12·1	42·4	− 6·3	39·3	3·1	13·0	0·9	89	102·2	33·5	47·1	N : NNW	Var : NW.	2·5	0·0	0·3	252	− 39	0·29
THURSDAY	22	..	29·466	52·2	36·1	16·1	43·8	− 4·9	38·8	5·0	14·1	0·8	83	90·0	30·3	47·2	WSW : NNW.	N	1·6	0·0	0·1	190	− 99	0·16
FRIDAY	23	..	29·824	52·0	42·0	10·0	46·1	− 2·5	37·0	9·1	15·5	1·4	70	98·5	36·1	47·1	NNE : NE.	NNE	1·6	0·0	0·2	283	− 4	0·00
SATURDAY	24	..	29·968	52·1	40·1	12·0	45·2	− 3·4	36·6	8·6	15·8	2·9	72	97·8	35·5	47·1	N : NNE	NE	1·4	0·0	0·2	283	− 3	0·00
MEANS		..	29·464	54·4	39·4	15·0	45·5	− 3·0	38·2	7·3	16·3	1·8	76	106·6	32·9	47·1	NE		..	..	..	Sum 1822	Sum − 208	Sum 0·97
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	18	wP till 14h., variably sP and sN till 17h.; wP till 20h., then mP.	8·6	14·0	Partially cloudy becoming nearly overcast by 16h. Rain 15½h. till 16h. and at 23¼h. Slight dew at night.
MONDAY ..	19	Variably sP and sN till 1½h.; wP till 4h.; mP till 12h.; variably mP and mN till 20h.; then wP.	5·3	14·0	Variably cloudy. Haze 6h. till 15h. Thunder 13½h., and between 16¾h. and 17h. Lightning 16¾h. till 17h. Slight rain 13½h., 14h., and 15½h.
TUESDAY ..	20	wP till 13h.; then variably wP and sN.	2·2	14·1	Cloudless till 3h., then clouding up to overcast by 9h. Parhelia 7½h. Rain 11¾h. till 17½h., and from 19h.
WEDNESDAY	21	Variably wN and wP till 3h.; wP till 6h; mP till 11h.; variably sN and sP till 18h.; then mP.	1·1	14·1	Overcast generally. Rain till 5h.; from 11h. till 11¾h.; and from 12¼h. till 15h. Slight mist at night.
THURSDAY	22	mP till 15h.; variably mP and mN till 18h.; variably mP and sN till 20h.; then mP.	0·2	14·2	Overcast generally. Slight shower 8½h. Rain generally from 11¾h. till 23h.
FRIDAY ..	23	wP till 6h.; mP till 19h.; then wP.	0·4	14·3	Nearly overcast till 17h.; variably cloudy till 20¾h., then overcast.
SATURDAY	24	wP till 3½h.; mP till 15h.; then wP.	0·2	14·3	Overcast generally.
			Sum 18·0	Sum 99·0	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·38 ins. at the beginning of the week to 29·16 ins. by 4h. on 19th; increased to 29·39 ins. by 6h. on 20th; decreased to 28·92 ins. by 21h. on 20th; increased to 29·99 ins. by 9h. on 24th; decreased and was 29·89 ins. by midnight on the same day.

FOR OFFICIAL USE.

1926. No. 17.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 1ST MAY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st MAY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventeenth week of the year numbered 7,009, and corresponded to an annual rate of 18·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,704 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 15·1, 14·3, and 13·1. Infant mortality was 73 per 1,000 births against 87, 69 and 67 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,580 births corresponding to a rate of 17·9 per 1,000, and 1,108 deaths of civilians, corresponding to an annual rate of 12·6, against 15·3, 14·3 and 12·8, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·8 per 1,000. The infant mortality was 65 as against 84, 53 and 66 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,889 to 4,704; the deaths from influenza, which had been 294, 302 and 209 in the three preceding weeks, further declined to 166 last week. In London the number of deaths from all causes decreased from 1,127 to 1,108; the deaths from diphtheria which had been 11, 13, and 13 in the preceding three weeks, fell to 10 last week; the deaths from measles, which had been 45, 43 and 35 in the three preceding weeks, further fell to 25 last week; and the deaths from influenza, which had been 74, 59, and 35 in the three preceding weeks, further declined to 28 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 1st May, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,009	4,704	511	-	55	5	51	43	49	166
London	4,602,000*	1,580	1,108	103	-	25	1	4	10	13	28
Towns in Outer Ring.											
Croydon C.B ..	199,300	55	34	3	-	-	-	-	-	-	-
Wimbledon ..	58,170	14	9	-	-	-	-	-	-	-	1
Ealing	68,410	21	8	-	-	-	-	-	-	-	-
Acton	63,110	17	17	1	-	1	-	-	-	-	-
Willesden ..	168,900	57	37	5	-	1	-	-	1	-	1
Hendon	59,150*	14	7	-	-	1	-	-	-	-	2
Hornsey	87,210	17	16	1	-	-	-	-	-	-	1
Wood Green ..	51,960	15	8	1	-	-	-	-	-	-	-
Tottenham ..	153,600	39	28	4	-	-	-	-	-	-	2
Edmonton ..	71,210	33	13	1	-	-	-	-	-	-	-
Enfield	63,740	29	13	3	-	1	-	-	-	-	1
West Ham C.B. ..	318,500	148	66	10	-	1	-	-	-	1	3
East Ham C.B. ..	147,200	32	21	1	-	-	-	-	-	-	1
Leyton	132,700	20	15	1	-	-	-	-	-	1	1
Walthamstow ..	130,800	37	25	-	-	-	-	-	1	-	1
Ilford	93,590	21	16	1	-	-	-	-	-	-	1
Gillingham	48,680*	15	13	1	-	1	-	-	-	-	-
Canterbury C.B ..	23,270*	9	4	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	17	17	-	-	-	-	-	-	-	2
Eastbourne C.B. ..	55,060	11	10	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	39	27	2	-	-	-	1	1	1	-
Portsmouth C.B. ..	232,900*	92	58	6	-	-	-	1	3	-	1
Bournemouth C.B. ..	85,840	22	32	-	-	-	-	-	-	-	1
Southampton C.B. ..	168,600	81	47	3	-	-	-	-	-	-	2
Reading C.B.	93,670*	25	21	-	-	1	-	-	-	-	3
Oxford C.B.	57,090	18	7	1	-	-	-	-	-	-	1
Northampton C.B. ..	93,780*	21	21	3	-	-	-	-	-	-	2
Luton	59,230	17	13	-	-	-	-	-	-	-	1
Cambridge	59,020	12	9	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	27	17	1	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	28	16	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	25	16	1	-	-	-	-	-	1	2
Norwich C.B. ..	124,000*	42	20	1	-	-	-	-	-	1	-
Swindon	56,880	12	13	-	-	1	-	-	-	-	-
Exeter C.B.	59,820*	18	14	-	-	-	-	-	-	-	1
Plymouth C.B. ..	192,100*	77	47	8	-	-	-	3	1	1	-
Bath C.B.	69,050	17	17	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	131	67	6	-	-	-	2	-	1	5
Gloucester C.B. ..	53,060	25	14	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	130	80	13	-	-	-	2	1	-	1
Burton-upon-Trent C.B.	49,530	22	17	1	-	-	-	-	-	-	2
Wolverhampton C.B.	108,800	36	24	1	-	1	-	-	-	-	1
Walsall C.B.	102,300	47	24	3	-	-	-	-	-	1	1
West Bromwich C.B	79,490	34	10	2	-	-	-	-	-	1	-
Dudley C.B.	58,810	26	12	2	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	18	14	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	340	252	25	-	-	-	3	8	1	15
Smethwick C.B. ..	78,840	28	15	1	-	-	-	-	-	-	3
Coventry C.B. ..	129,100	47	33	4	-	-	-	-	-	1	1
Leicester C.B. ..	242,100	73	45	5	-	-	-	1	1	-	-
Lincoln C.B.	66,600*	27	17	1	-	-	-	1	-	-	1
Grimsby C.B.	87,190	27	15	1	-	-	-	1	-	-	1
Nottingham C.B. ..	270,600	92	61	5	-	-	-	-	4	1	1
Derby C.B.	134,400*	48	25	2	-	-	-	-	-	-	1
Chesterfield ..	65,800	30	18	6	-	-	-	-	-	-	1
Stockport C.B. ..	125,900	43	38	3	-	-	-	-	-	-	5
Chester C.B.	41,670	14	8	-	-	1	-	-	-	-	-
Birkenhead C.B. ..	155,500	64	31	6	-	-	-	1	1	-	-
Wallasey C.B. ..	91,720	37	13	1	-	-	-	-	-	-	3
Liverpool C.B. ..	856,000	425	260	40	-	5	-	7	-	3	6
Bootle C.B.	83,260	41	18	2	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	58	43	11	-	1	-	-	-	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	13	18	1	-	-	-	-	-	-	1
Wigan C.B.	91,010	55	30	5	-	-	-	-	-	-	1
Warrington C.B. ..	77,970*	30	21	3	-	-	-	-	-	-	1
Bolton C.B.	180,400	50	52	6	-	1	-	-	-	-	1
Bury C.B.	56,700*	10	20	-	-	-	-	-	-	-	2
Manchester C.B. ..	755,800	302	217	21	-	3	1	-	3	6	8
Salford C.B.	244,700	64	71	14	-	4	-	-	1	2	1
Oldham C.B	146,200	39	54	8	-	-	-	4	-	-	6
Rochdale C.B... ..	92,190	21	28	6	-	-	-	-	-	-	3
Burnley C.B.	102,300	27	26	3	-	-	-	-	1	-	-
Blackburn C.B. ..	126,900	36	35	2	-	-	-	-	-	-	-
Preston C.B.	122,900	44	35	5	-	-	-	-	-	3	-
Blackpool C.B. ..	80,750	30	24	3	-	-	1	-	-	-	1
Barrow-in-Furness C.B.	73,470	16	13	2	-	-	-	2	1	1	-
Huddersfield C.B. ..	112,100	34	33	1	-	1	-	-	-	-	-
Halifax C.B.	97,860*	26	20	1	-	-	-	-	1	-	-
Bradford C.B. ..	290,200	89	67	1	-	-	-	1	-	-	-
Leeds C.B.	472,900	169	114	13	-	-	-	4	-	-	3
Dewsbury C.B ..	54,570	20	9	-	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	27	19	3	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	42	17	6	-	-	-	-	-	-	1
Sheffield C.B. ..	526,900*	167	129	18	-	2	1	1	-	4	4
Rotherham C.B. ..	70,600	33	12	2	-	-	-	-	-	-	1
Doncaster	55,610	24	14	-	-	-	-	-	-	-	1
York C.B.	84,630*	30	24	3	-	-	-	1	-	-	-
Hull C.B.	297,300	147	100	7	-	1	-	-	-	1	2
Middlesbrough C.B.	136,200	69	34	6	-	-	-	-	-	1	-
Darlington C.B. ..	69,130	25	15	2	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	35	27	1	-	-	-	3	-	-	1
West Hartlepool C.B.	71,590	15	20	5	-	1	1	1	-	-	1
Sunderland C.B. ..	166,000	74	44	6	-	-	-	-	-	1	2
South Shields C.B. ..	124,600	62	31	9	-	-	-	1	-	-	3
Gateshead C.B. ..	129,000	62	35	9	-	-	-	-	-	1	5
Newcastle-on-Tyne C.B.	286,300*	132	69	8	-	1	-	3	-	-	5
Tynemouth C.B. ..	66,180	19	21	2	-	-	-	-	-	-	1
Carlisle C.B.	55,160*	26	16	5	-	-	-	1	-	-	-
Newport (Mon.) C.B.	96,420*	45	17	1	-	-	-	-	1	-	2
Cardiff C.B.	227,100*	87	37	-	-	-	-	-	-	-	-
Rhondda	167,570	59	36	9	-	-	-	-	1	1	-
Merthyr Tydfil C.B.	82,920	37	25	4	-	-	-	1	1	-	-
Aberdare	57,700	19	14	5	-	-	-	1	-	-	-
Swansea C.B.	163,200	61	27	1	-	-	-	-	1	-	-
Greater London ..	7,719,622*	2,548	1,701	157	-	41	1	6	12	15	51
Outer Ring	3,117,622*	968	593	54	-	16	-	2	2	2	23
16 Great Towns in Outer Ring	1,867,550*	569	333	32	-	5	-	-	2	2	15
Remainder of Outer Ring	1,250,072*	399	260	22	-	11	-	2	-	-	8
Edinburgh†	424,600	201	100	14	1	3	-	1	-	2	1
Glasgow† ..	1,034,500	521	332	49	-	16	-	4	1	3	13
Dublin (Registration Area)†	443,000	175	133	21	-	2	-	2	-	3	3
Belfast†	443,000	222	164	20	-	-	1	1	1	1	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available perio**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza
London‡	4,602,000	1926. May 1	1580	1108	12·6	-	-	25	1	4	10	13	2
Calcutta and Suburbs	1,077,273	Mar. 20	?	649§	31·3	?	32	?	?	?	?	?	
Bombay	1,279,061	April 10	423	555§	22·6	2	20	1	-	-	-	18	
Madras	528,791	Mar. 27	406	462§	45·4	1	1	-	?	2	-	31	
Sydney and Suburbs	1,038,950	„ 31											
Brisbane (Metropolitan Area).	253,568	Feb. 28											
Perth (Metropolitan Area).	179,388	Mar. 27											
Auckland (Urban Area).	180,790	Feb. 28 (28 days)	262	132	8·8	-	-	-	-	2	-	1	
Wellington (Urban Area).	118,490	„	161	59	6·0	-	-	-	-	-	-	1	
Christchurch (Urban Area).	118,270	„	174	60	6·1	1	-	-	-	1	-	1	
Cape Town	113,709	April 3	51	20	9·1	-	-	-	-	-	-	1	
Johannesburg	165,958	„ 3	76	28	8·8	-	-	-	-	-	-	-	
Durban	54,822	„ 3	20	5	4·7	-	-	-	-	-	1	-	
Paris	2,906,472												
Antwerp	300,150	Mar. 13	125	52	9·1	-	-	-	-	1	-	2	
Amsterdam	719,132	April 3	267	164	11·9	1	-	1	-	3	1	-	
Copenhagen	587,400	„ 3	193	175	15·6	-	-	-	1	3	1	-	
Stockholm	442,528	„ 17	125	115	13·5	-	-	1	-	-	2	-	
Gothenburg	230,804	Mar. 20	?	59	13·3	-	-	-	-	1	1	-	
Oslo (Christiania) ..	257,719	April 24	88	45	9·1	-	-	-	-	-	-	-	
Berlin	2,062,000	„ 10	494	505	12·7	-	?	1	2	1	6	2	
Breslau	555,000	„ 10	235	165	13·9	-	?	-	-	2	-	1	
Cologne	704,000	„ 10	286	179	12·2	-	?	3	-	1	1	2	
Dresden	620,000	„ 10	170	144	11·0	-	?	-	-	1	-	-	
Frankfort-on-Main .	474,000	„ 10	137	83	9·0	-	?	-	-	2	-	-	
Hamburg	1,123,000	„ 10	360	271	11·6	-	?	1	-	-	-	3	
Leipzig	661,000	„ 10	226	158	11·5	1	?	-	-	-	1	1	
Munich	680,000	„ 10	214	187	13·2	-	?	-	-	-	-	6	
Vienna	1,869,437	Dec. 31 '25											
Prague and Suburbs	712,700	Jan. 31											
Budapest	960,535	April 17	333	330	17·9	3	-	3	1	1	1	2	
Warsaw	992,450	„ 17	381	259	13·6	1	-	-	3	1	-	7	
Cairo	829 200	Jan. 14											
Alexandria	492,100	„ 14											
New York	6,361,664	Mar. 13	2477	2183	17·9	2	-	42	1	6	8	20	
Chicago	2 995,239	„ 26											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

Including 45 deaths from cholera in Calcutta and 9 in Madras, and 1 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st May, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1108	103	29	33	21	45	62	59	126	179	215	236
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	25	9	10	6	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	10	-	2	5	3	-	-	-	-	-	-	-
Influenza	28	-	-	1	-	2	4	3	2	5	6	5
Erysipelas	3	-	-	-	-	-	-	-	1	-	2	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	82	-	-	-	1	22	21	13	13	9	2	1
Nervous system	5	1	-	2	2	-	-	-	-	-	-	-
Intestines and peritoneum	3	1	-	-	-	-	-	-	1	-	1	-
Other forms	11	-	-	-	1	3	2	2	1	1	1	-
Venereal diseases	5	4	-	-	-	-	-	-	1	-	-	-
Cancer	132	-	-	-	-	-	6	6	25	33	40	22
Rheumatic fever	7	-	-	-	2	2	2	-	-	-	1	-
Diabetes	9	-	-	-	-	-	-	-	1	1	4	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	1	-	1	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	54	-	-	1	1	-	1	-	5	13	18	15
Epilepsy	4	-	-	-	-	-	1	-	-	3	-	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	-	-	1	1	2	3	9	5	4	2
Pericarditis	2	-	-	-	-	-	-	-	-	-	1	1
Acute endocarditis	5	-	-	-	-	2	1	-	1	1	-	-
Other diseases of heart	182	-	-	-	1	1	3	4	19	38	50	66
Other diseases of circulatory system	63	-	-	-	-	-	-	2	5	8	18	30
Bronchitis	75	2	1	2	-	-	-	4	1	12	26	27
Broncho-pneumonia	47	15	10	5	-	1	1	-	3	3	4	5
Lobar-pneumonia	28	2	1	1	2	-	2	4	3	6	4	3
Pneumonia (type not distinguished)	10	1	-	1	-	-	-	2	3	2	1	-
Other diseases of respiratory system	18	-	-	-	-	-	-	1	3	2	1	11
Diarrhœa and enteritis	15	13	-	-	-	1	-	-	-	1	-	-
Appendicitis, Typhlitis	8	-	-	1	2	-	1	-	-	2	1	1
Hernia, Intestinal obstruction.. ..	10	1	1	1	-	-	-	-	3	2	1	1
Cirrhosis of liver	7	-	-	-	-	-	-	1	2	1	1	2
Other diseases of digestive system ..	18	-	-	-	-	2	1	4	4	4	1	2
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease..	31	-	-	-	-	1	2	3	7	6	8	4
Other diseases of genito-urinary system.	13	-	1	-	-	-	-	-	-	4	4	4
Puerperal sepsis	4	-	-	-	-	1	2	1	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	8	7	-	-	1	-	-	-	-	-	-	-
Premature birth	28	28	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	8	8	-	-	-	-	-	-	-	-	-	-
Old age	27	-	-	-	-	-	-	-	-	-	6	21
Suicide	13	-	-	-	-	2	2	-	6	2	1	-
Burns and Scalds	3	-	-	2	-	-	-	-	-	1	-	-
Drowning	2	-	-	-	-	-	-	1	-	1	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	1	3	1	1	1	1	1	1	-
Other deaths by violence	18	-	-	1	-	1	2	1	2	5	2	4
Other specified causes	35	4	1	1	-	-	4	3	4	7	5	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st May, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	241	242	9	117	C. 5 D. 3 G. 4 J. 2 M. 5
†CITY OF LONDON	–	–	2	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	16	15	–	4	G. 1
†BERMONDSEY ...	-	8	6	–	3	J. 2
†BETHNAL GREEN		7	8	–	4	C. 1
†CAMBERWELL ...	-	20	21	–	4	M. 2
†CHELSEA		2	4	1	2	–
†DEPTFORD ..		4	9	-	2	–
†FINSBURY ...	-	6	2	–	1	–
†FULHAM		7	5	–	9	–
†GREENWICH ..	-	5	7	1	2	–
†HACKNEY ...	-	12	12	–	-	–
†HAMMERSMITH ...	–	4	3	–	2	–
†HAMPSTEAD ...	-	1	3	–	1	–
†HOLBORN... ..	-	1	3	–	–	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	21	7	–	7	M. 1
†KENSINGTON ...	–	3	13	1	6	G. 1
†LAMBETH ...	–	19	14	–	7	G. 1
†LEWISHAM ...	–	11	7	-	3	–
†PADDINGTON ...	–	4	6	1	4	–
†POPLAR	–	12	11	–	14	C. 1
†ST. MARYLEBONE	–	3	5	1	4	–
†ST. PANCRAS ...	-	15	12	–	4	M. 1
†SHOREDITCH ...	-	11	4	1	2	D. 1
†SOUTHWARK ...	-	7	18	–	3	D. 2
†STEPNEY	–	16	13	1	6	M. 1
†STOKE NEWINGTON	–	5	3	–	1	–
†WANDSWORTH ...	-	13	19	–	11	C. 3
†WESTMINSTER, CITY OF	–	1	3	–	3	G. 1
†WOOLWICH ...	–	7	7	2	7	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	13	1	4	G. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	–	–	–	G. 1
DUNSTABLE ...	–	–	2	–	–	–
†LUTON	–	2	4	1	2	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD ...	–	2	4	–	–	–
BIGGLESWADE ...	–	–	1	–	1	–
EATON SOCON ...	–	–	2	–	–	–
LUTON	–	–	–	–	1	–
BERKS	–	5	3	1	2	–
†READING C.B. ...	–	5	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	–	1	–
COOKHAM ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	–	–	1	–	–
WINDSOR... ...	–	–	1	–	1	–
BUCKINGHAM ...	–	6	7	–	3	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	–	1	–	–	–
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
CHESHAM... ...	–	–	1	–	–	–
†SLOUGH	–	–	1	–	1	–
Rural Districts:—						
AMERSHAM ...	–	–	1	–	–	–
ETON	–	1	1	–	1	–
NEWPORT PAGNELL ...	–	–	1	–	1	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	10	6	–	1	–
Borough:—						
†CAMBRIDGE ...	–	9	5	–	1	–
Rural Districts:—						
NEWMARKET ...	–	1	1	–	–	–
CHESTER	–	61	20	–	26	C. 4 M. 4
†BIRKENHEAD C.B.	–	4	2	–	9	C. 2 M. 2
†CHESTER C.B. ...	–	2	–	–	2	–
†STOCKPORT C.B.	–	26	2	–	3	C 1
†WALLASEY C.B. ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
ALSAGER	–	–	1	–	–	–
†ALTRINCHAM ...	–	2	–	–	1	–
BOWDON	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	1	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	–	1	–	2	–
†CREWE	–	1	1	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HALE	–	4	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	1	–	–	–	–
†HYDE	–	–	–	–	1	–
MIDDLEWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	1	1	–	2	–
†SALE	–	2	–	–	–	–
SANDBACH ...	–	2	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	–	M. 1
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	–	–	1	–
CONGLETON ...	–	–	–	–	1	–
MACCLESFIELD ...	–	–	–	–	1	M. 1
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	–	2	–	–	–
TARVIN	–	–	–	–	–	C. 1
TINTWISTLE ...	–	1	–	–	–	–
WIRRAL	–	2	2	–	–	–
CORNWALL ...	–	4	1	–	2	M. 1
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
†CAMBORNE ...	–	–	–	–	–	M. 1
HELSTON... ...	–	–	1	–		–
NEWQUAY ...	–	1	–	–	–	–
PADSTOW... ...	*	*	*	*	*	*
REDRUTH ...	*	*	*	*	*	*
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
HELSTON... ...	–	1	–	–	–	–
LISKEARD ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ..	–	15	6	–	2	–
†CARLISLE C.B. ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	1	3	–	–	–
†MARYPORT ...	–	–	1	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	5	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	1	–	–	–	–
BRAMPTON ...	*	*	*	*	*	*
PENRITH	–	1	–	–	–	–
WIGTON	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	18	31	22	–	20	C. 1 G. 1 M. 1
†DERBY C.B. ...	14	1	10	–	6	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	4	–	–	2	–
ASHBOURNE ...	–	–	–	–	–	M. 1
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	1	–	–	–	–	–
†BUXTON	–	1	1	–	–	–
†CHESTERFIELD ...	–	6	2	–		–
†GLOSSOP	–	–	3	–	–	–
†HEANOR	–	–	–	–	2	C. 1
†LONG EATON ...	–	–	2	–	1	–
NEW MILLS ...	–	2	–	–	2	–
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	2	2	–	–	1	–
WIRKSWORTH ...	1	–	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	3	–	–	1	–
CHESTERFIELD ...	–	3	3	–	3	–
CLOWNE	–	3	–	–	–	G. 1
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	1	1	–	1	–
CODNOR PARK AND SHIPLEY (Parishes)	–	–	–	–	1	–
DEVON	–	10	11	1	5	C. 2 G. 1 M. 2
†EXETER C.B. ...	–	1	–	–	–	C. 2
†PLYMOUTH C.B....	–	5	5	–	–	M. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	–	–	–	–	1	–
CREDITON ...	–	1	–	–	–	–
LYNTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON ABBOT...	–	–	–	–	–	G. 1
NORTHAM ...	–	–	4	–	–	–
†PAIGNTON ...	–	–	1	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	1	–
Rural Districts:—						
PLYMPTON ST. MARY	–	2	–	–	–	–
ST. THOMAS ...	–	–	1	–	–	M. 1
TIVERTON ...	–	–	–	1	–	–
DORSET	–	3	–	1	2	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
DORCHESTER ...	–	–	–	–	–	G. 1
†POOLE	–	1	–	–	–	–
Rural Districts:—						
CERNE	*	*	*	*	*	*
SHAFTESBURY ...	–	–	–	1	–	–
WAREHAM AND PURBECK	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	1	–	–	1	–
DURHAM	97	60	13	3	76	G. 1 M. 1
†DARLINGTON C.B	–	–	–	–	2	–
†GATESHEAD C.B.	7	4	2	–	6	–
†SOUTH SHIELDS C.B.	7	–	1	1	16	–
†SUNDERLAND C.B.	–	3	–	–	11	–
†WEST HARTLEPOOL C.B	–	7	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	1	–
†BLAYDON... ...	5	–	–	–	2	–
†BRANDON AND BYSHOTTLES	3	1	1	–	–	–
†CHESTER LE STREET	6	2	–	–	–	–
†CROOK	1	–	–	–	–	–
†FELLING	–	1	–	–	4	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	–	11	–	–	–	–
†HETTON	7	1	1	–	2	–
†HOUGHTON LE SPRING	3	–	–	–	1	–
†JARROW	–	–	1	–	3	–
LEADGATE ...	1	2	–	–	–	–
†RYTON	1	–	–	–	3	–
†SEAHAM HARBOUR	–	–	–	–	3	–
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	3	1	–	–	–	–
†STANLEY	3	–	–	–	1	–
†STOCKTON ON TEES	–	2	–	–	1	–
†TANFIELD ...	–	5	–	–	–	–
†WASHINGTON ...	–	–	–	–	3	–
†WHICKHAM ...	–	4	–	–	5	G. 1
Rural Districts:—						
AUCKLAND ...	1	2	1	–	1	–
CHESTER LE STREET	4	4	1	–	3	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM	5	1	–	–	–	–
EASINGTON ...	10	1	1	–	2	–
HARTLEPOOL ...	–	–	–	1	–	–
HOUGHTON LE SPRING	14	–	–	–	3	–
LANCHESTER ...	12	2	3	–	1	–
SEDGEFIELD ...	2	4	–	–	1	–
SOUTH SHIELDS...	–	–	–	–	1	–
SUNDERLAND ...	1	–	–	–	–	–
WEARDALE ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
Rural Districts:—						
ELY	–	–	–	–	–	G. 1
NORTH WITCHFORD	–	1	–	–	–	–
ESSEX	–	81	33	–	48	C. 1 M. 1
†EAST HAM C.B. ...	–	10	7	–	2	–
†SOUTHEND-ON-SEA C.B.	–	12	–	–	6	–
†WEST HAM C.B. ...	–	20	3	–	23	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	1	–	2	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
BRIGHTLINGSEA	–	1	–	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
DAGENHAM ...	–	2	1	–	–	–
†GRAYS THURROCK	–	–	3	–	–	–
HALSTEAD ...	–	6	–	–	–	–
†ILFORD	–	2	1	–	4	–
†LEYTON	–	2	7	–	4	–
SHOEBURYNESS ...	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW...	–	5	5	–	5	M. 1
†WANSTEAD ..	–	1	1	–	1	–
†WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	4	–	–	–	–
MALDON	–	2	–	–	–	–
ONGAR	–	1	1	–	–	–
ORSETT	–	4	1	–	–	–
ROMFORD... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	32	30	–	12	C. 3 G. 4 M. 3
†BRISTOL C.B. ...	–	18	23	–	11	C. 2 G. 2 M. 1
†GLOUCESTER C.B.	–	–	3	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	1	–	–	–	–
†CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	–	–	–	M. 1
NAILSWORTH ...	–	1	–	–	–	–
STROUD	–	2	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY... ...	–	–	–	–	–	G. 1
EAST DEAN AND UNITED PARISHES	–	3	1	–	–	G. 1
GLOUCESTER ...	–	1	–	–	–	–
STOW ON THE WOLD (part) ...	*	*	*	*	*	*
STROUD	–	1	1	–	–	M. 1
THORNBURY ...	–	2	–	–	–	–
WEST DEAN ...	–	–	–	–	–	C. 1
WHEATENHURST	–	–	1	–	–	–
HEREFORD ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
WEOBLEY... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	11	2	–	2	L. 2 M. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	–	M. 1
†CHESHUNT ...	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
RICKMANSWORTH	–	1	–	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
HATFIELD ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	7	–	–	–	L. 2
HUNTINGDON ...	–	12	3	–	–	G. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	4	–	–	–	–
HUNTINGDON ...	–	–	–	–	–	G. 1
OLD FLETTON ...	–	2	–	–	–	–
ST. NEOTS ...	–	1	1	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	2	–	–	–
ST. IVES	–	1	–	–	–	–
THRAPSTON (part)	–	4	–	–	–	–
KENT	–	39	17	2	13	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	–	–	–	–	G. 1
†BEXLEY	–	3	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	1	–
†BROMLEY ...	–	1	2	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHATHAM ...	–	–	2	1	–	–
†CRAYFORD ...	–	1	1	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†DEAL	–	3	–	–	–	–
†ERITH	–	1	–	–	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	1	2	–	–	–
†GRAVESEND ...	–	2	3	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†MARGATE ...	–	4	2	–	1	–
NEW ROMNEY .	–	–	–	–	1	–
†PENGE	–	–	1	–	1	–
†RAMSGATE ...	–	1	–	–	1	C. 1
†ROCHESTER ...	–	2	2	1	–	–
†ROYAL TUNBRIDGE WELLS	–	2	–	–	–	–
SANDWICH ...	*	*	*	*	*	*
SITTINGBOURNE	–	–	–	–	1	–
SOUTHBOROUGH	–	1	–	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	3	–	–	–	–
DARTFORD ...	–	2	–	–	–	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	2	–	–	–	–
HOLLINGBOURNE	–	–	–	–	1	–
ISLE OF THANET	–	–	–	–	1	–
MAIDSTONE ...	–	–	1	–	–	–
SHEPPEY	–	1	–	–	–	–
STROOD	–	5	–	–	–	–
WEST ASHFORD...	–	–	–	–	1	–
LANCASTER ...	2	163	117	4	219	C. 4 E. 1 F. 1 G. 15 M. 26
†BARROW IN FURNESS C.B.	–	4	1	–	–	–
†BLACKBURN C.B	–	3	1	–	4	M. 1
†BLACKPOOL C.B.	–	–	1	–	2	–
†BOLTON C.B. ...	–	2	2	–	3	–
†BOOTLE C.B. ...	–	1	–	–	4	C. 1
†BURNLEY C.B. ...	–	–	5	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURY C.B. ...	–	–	–	–	5	–
†LIVERPOOL C.B. ...	–	45	17	–	52	E. 1 G. 3 M. 18
†MANCHESTER C.B.	–	32	22	1	40	C. 2 G. 2 M. 4
†OLDHAM C.B. ...	–	8	3	–	4	–
†PRESTON C.B. ...	–	4	16	–	6	M. 1
†ROCHDALE C.B. ...	2	–	1	–	1	G. 1
†ST. HELENS C.B....	–	3	4	–	10	–
†SALFORD C.B. ...	–	10	9	1	11	G. 1
†SOUTHPORT C.B.	–	2	1	–	2	–
†WARRINGTON C.B.	–	1	2	–	4	–
†WIGAN C.B. ...	–	2	1	–	9	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	3	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON UNDER LYNE	–	–	1	–	–	G. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	1	–	1	F. 1
AUDENSHAW ...	–	–	1	–	–	–
†BACUP	–	–	–	–	1	–
BLACKROD ...	–	1	–	–	–	–
CARNFORTH ...	–	–	1	–	–	–
†CHADDERTON ...	–	1	1	–	1	G. 1
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	–	–	–	–	4	M. 1
†DALTON IN FURNESS	–	–	1	–	–	–
†DENTON	–	–	–	–	1	–
†DROYLSDEN ...	–	–	1	–	–	–
†ECCLES	–	–	2	–	1	–
†FAILSWORTH ...	–	1	–	–	–	–
†FARNWORTH ...	–	2	–	–	2	G. 1
FORMBY	–	–	1	–	–	–
†GREAT CROSBY ...	–	–	1	1	–	–
†HASLINGDEN ...	–	–	–	–	2	–
†HAYDOCK ...	–	–	–	–	1	–
†HEYWOOD ...	–	1	–	–	4	C. 1
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	–	–	–	1	–
HURST	–	–	–	1	1	–
†INCE IN MAKERFIELD	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
IRLAM	–	1	–	–	–	–
KIRKHAM ...	–	–	–	–	1	–
†LANCASTER ...	–	3	1	–	–	G. 1
LATHOM AND BURSCOUGH	–	–	2	–	–	–
†LEIGH	–	3	3	–	2	–
LEYLAND... ...	–	–	–	–	1	–
†LITHERLAND ...	*	*	*	*	*	*
†LITTLEBOROUGH	–	2	–	–	–	G. 1
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	–	–	–	2	–
MILNROW... ...	–	–	–	–	1	–
†MORECAMBE ...	–	–	1	–	1	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
ORRELL	–	–	–	–	2	–
PRESCOT	–	–	1	–	–	–
†RADCLIFFE ...	–	1	–	–	1	–
†RAMSBOTTOM ...	–	2	–	–	3	–
†RAWTENSTALL ...	–	2	–	–	–	–
†ROYTON	–	2	–	–	–	–
†STRETFORD ...	–	3	1	–	1	–
†SWINTON AND PENDLEBURY	–	–	–	–	1	–
TOTTINGTON ...	–	1	–	–	–	G. 1
†TURTON	–	3	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–		–
URMSTON... ...	*	*	*	*	*	*
†WATERLOO WITH SEAFORTH	–	2	2	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	–	3	–	5	–
Rural Districts:—						
BLACKBURN ...	–	–	1	–	–	–
BURNLEY... ...	–	1	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	2	–	–	–	G. 1
CLITHEROE ...	–	–	–	–	1	G. 1
FYLDE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LEIGH	–	1	2	–	1	–
LUNESDALE ...	*	*	*	*	*	*
PRESTON	–	1	–	–	–	–
SEFTON	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	1	1	–	1	–
WHISTON... ...	–	1	1	–	2	–
LEICESTER... ...	–	17	11	–	15	C. 1 E. 1 G. 2 M. 2
†LEICESTER C.B. ...	–	4	7	–	3	C. 1 G. 2 M. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
ASHBY WOULDS...	–	1	–	–	–	–
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	2	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	4	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	2	–
BARROW UPON SOAR	–	5	1	–	4	–
HINCKLEY ...	–	–	2	–	1	–
LOUGHBOROUGH	*	*	*	*	*	*
LUTTERWORTH ...	–	2	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	1	–	–	–
†SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Rural Districts:—						
BRANSTON ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	1	28	6	–	6	–
†GRIMSBY C.B. ...	–	2	1	–	2	–
†LINCOLN C.B. ...	–	12	1	–	1	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	1	–	1	–
†GAINSBOROUGH ...	–	3	1	–	–	–
HORNCASTLE ...	–	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	1	–	2	–	–	–
SKEGNESS ...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	2	–	–	–	–
GAINSBOROUGH ...	–	4	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
SPILSBY	–	2	–	–	–	–
WELTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	69	62	–	29	G. 1 L. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	–	–	1	G. 1
†BRENTFORD ...	–	1	2	–	–	–
†CHISWICK ...	–	1	1	–	1	–
†EALING	–	5	–	–	3	–
†EDMONTON ...	–	2	15	–	2	–
†ENFIELD	–	5	2	–	1	–
†FINCHLEY ...	–	2	–	–	3	–
†FRIERN BARNET	–	–	1	–	1	–
†HAMPTON ...	–	–	1	–	–	–
†HANWELL ...	–	–	2	–	–	–
†HARROW ON THE HILL	–	5	–	–	–	–
†HENDON	–	4	2	–	–	–
†HESTON AND ISLEWORTH	–	3	1	–	3	–
†HORNSEY... ...	–	4	1	–	2	–
KINGSBURY ...	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	1	1	–	2	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	16	7	–	7	L. 1
†UXBRIDGE ...	–	2	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	1	–	1	–
†WILLESDEN ...	–	10	24	–	1	–
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
NORFOLK	–	10	1	2	9	–
†GREAT YARMOUTH C.B.	–	5	1	–	–	–
†NORWICH C.B. ...	–	4	–	–	5	–
Boroughs and Urban Districts:—						
WALSOKEN ...	–	–	–	–	1	–
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	–	–	–	1	–
DEPWADE ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	–	–	2	–	–
MITFORD AND LAUNDITCH	–	1	–	–	1	–
NORTHAMPTON ...	–	19	3	–	11	L. 2
†NORTHAMPTON C.B.	–	2	2	–	7	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	7	–	–	1	–
RAUNDS	–	–	–	–	1	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	–	–	–	–	L. 2
OXENDON... ...	–	1	–	–	–	–
THRAPSTON (part)	–	3	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	12	33	7	1	66	G. 2 M. 1
†NEWCASTLE UPON TYNE C.B.	–	12	5	–	32	G. 1 M. 1
†TYNEMOUTH C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	6	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	1	–	–	–	3	–
†BERWICK UPON TWEED	–	–	1	–	–	–
†BLYTH	–	–	–	–	2	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON	–	2	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
HEXHAM	–	–	–	–	6	–
†LONGBENTON ...	2	1	–	–	–	–
NEWBIGGIN BY THE SEA	1	–	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	–	–	1	–	3	–
SEATON DELAVAL	–	–	–	–	1	–
SEGHILL	–	1	–	–	1	–
†WALLSEND ...	–	3	–	–	5	G. 1
†WHITLEY AND MONKSEATON	–	4	–	–	1	–
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
BELFORD	–	1	–	–	1	–
BELLINGHAM ...	–	–	–	1	1	–
HEXHAM	–	1	–	–	4	–
MORPETH ...	1	–	–	–	–	–
NORHAM AND ISLANDSHIRES	1	–	–	–	–	–
NOTTINGHAM ...	7	14	5	–	12	G. 1 M. 2
†NOTTINGHAM C.B.	–	1	4	–	5	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†CARLTON	–	3	–	–	–	–
†EAST RETFORD ...	–	1	–	–	–	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	2	–	–	–	–
†MANSFIELD ...	–	1	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†SUTTON IN ASHFIELD	7	–	–	–	1	–
Rural Districts:—						
BASFORD	–	2	–	–	2	–
BINGHAM... ...	–	1	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
SOUTHWELL ...	–	2	–	–	–	G. 1
OXFORD	–	3	–	–	1	C. 1
†OXFORD C.B. ...	–	1	–	–	–	C. 1
Rural Districts:—						
BANBURY... ...	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	4	–	–	3	C. 1
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	C. 1
Rural Districts—						
BARNACK... ...	–	3	–	–	–	–
PETERBOROUGH...	–	1	–	–	2	–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	–	–	2	M. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
Rural Districts:—						
TEME	–	–	–	–	1	–
WEM	–	–	–	–	1	M. 1
SOMERSET	–	19	2	1	7	C. 1 G. 1
†BATH C.B. ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	1	–	–	–	–
MINEHEAD ...	–	–	1	–	–	–
RADSTOCK ...	–	3	–	–	–	–
†TAUNTON ...	–	5	1	–	–	–
†YEOVIL	–	–	–	1	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	–	G. 1
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON	–	–	–	–	1	–
FROME	–	4	–	–	–	–
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	–	1	–
WILLITON ...	–	–	–	–	–	C. 1
WINCANTON ...	–	–	–	–	2	–
SOUTHAMPTON ...	–	42	27	–	7	C. 2 M. 3
†BOURNEMOUTH C.B.	–	4	–	–	–	–
†PORTSMOUTH C.B.	–	12	9	–	–	C. 1 M. 2
†SOUTHAMPTON C.B.	–	10	11	–	–	M. 1
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	5	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	2	–	–	–	C. 1
CHRISTCHURCH ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	2	–
†FAREHAM ...	–	1	2	–	–	–
†GOSPORT	–	–	1	–	3	–
HAVANT	–	1	–	–	–	–
ROMSEY	–	1	–	–	–	–
Rural Districts:—						
CATHERINGTON ...	–	2	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
HAVANT	–	1	–	–	–	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	–	3	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	55	36	–	70	C. 2 D. 1 G. 4 M. 7
†BURTON UPON TRENT C.B.	–	2	–	–	1	–
†SMETHWICK C.B.	–	1	–	–	10	G. 1
†STOKE ON TRENT C.B.	–	11	8	–	25	M. 4
†WALSALL C.B. ...	–	2	1	–	3	–
†WEST BROMWICH C.B.	–	–	2	–	1	–
†WOLVERHAMPTON C.B.	–	–	–	–	4	C. 2 M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	1	1	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	–	2	–	2	–
†BRIERLEY HILL...	–	2	2	–	1	–
†BROWNHILLS ...	–	1	3	–	2	–
†CANNOCK	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COSELEY	–	–	–	–	1	D. 1
†DARLASTON ...	–	–	–	–	1	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	5	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	3	–	1	–
PERRY BARR ...	–	–	2	–	–	–
†ROWLEY REGIS...	–	1	2	–	6	G. 1
†STAFFORD ...	–	4	–	–	1	G. 1
TETTENHALL ...	–	–	1	–	–	–
†TIPTON	–	2	1	–	1	–
†WEDNESBURY ...	–	1	–	–	1	G. 1 M. 1
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	2	2	–	1	–
†WOLSTANTON UNITED	–	1	–	–	–	–
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	–	1	–	–	–
CHEADLE	–	7		–	1	–
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	5	1	–	2	–
LEEK	–	1	1	–	1	–
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	1	–	–	–	–
SEISDON	–	–	2	–	–	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	3	12	–	6	C. 1 D. 1 G. 1 M. 1
†IPSWICH C.B. ...	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†FELIXSTOWE ...	–	–	10	–	–	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	2	1	–	2	C. 1
STOWMARKET ...	–	–	–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
PLOMESGATE ...	–	–	1	–	–	G. 1
SAMFORD... ...	–	–	–	–	–	D. 1
SUFFOLK, WEST ...	–	1	1	–	–	–
Rural Districts:—						
THEDWASTRE ...	–	–	1	–	–	–
THINGOE	–	1	–	–	–	–
SURREY	–	48	22	2	9	D. 1 L. 1
†CROYDON C.B. ...	–	18	8	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	2	–	–		–
†COULSDON AND PURLEY	–	1	1	–	–	–
†EPSOM	–	–	–	–	–	L. 1
†ESHER AND THE DITTONS	–	–	2	–	–	–
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	–	2	–	–	–	–
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	5	1	–	1	–
LEATHERHEAD ...	–	–	–	1	1	–
†MERTON AND MORDEN	–	1	4	–	1	–
†MITCHAM... ...	–	1	4	–	–	–
†REIGATE	–	–	–	–	–	D. 1
†SURBITON ...	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WIMBLEDON ...	–	4	–	–	3	–
†WOKING	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
EPSOM	–	3	–	1	–	–
FARNHAM ...	–	1	–	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	11	8	–	3	–
†BRIGHTON C.B. ...	–	6	8	–	1	–
†HASTINGS C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	–	–	–	1	–
Rural Districts:—						
EASTBOURNE ...	–	–	–	–	1	–
TICEHURST ...	–	2	–	–	–	–
SUSSEX, WEST ...	–	12	2	–	4	–
Boroughs and Urban Districts:—						
†BOGNOR	–	3	–	–	–	–
†CHICHESTER ...	–	–	1	–	–	–
SHOREHAM BY SEA	–	–	–	–	2	–
†WORTHING ...	–	1	–	–	1	–
Rural Districts:—						
HORSHAM ...	–	–	1	–	–	–
PETWORTH ...	–	3	–	–	–	–
STEYNING WEST...	–	1	–	–	–	–
THAKEHAM ...	–	3	–	–	1	–
WESTHAMPNETT	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	42	68	10	97	C. 3 G. 4 M. 10
†BIRMINGHAM C.B.	–	24	57	10	80	C. 2 G. 2 M. 10
†COVENTRY C.B. ...	–	4	4	–	6	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	1	–	–	–
†ROYAL LEAMINGTON SPA	–	2	–	–	2	–
†RUGBY	–	3	–	–	1	–
†STRATFORD ON AVON	–	2	1	–	1	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	2	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	–	1	–	1	–
COVENTRY ...	–	2	–	–	–	–
FOLESHILL ..	–	1	1	–	1	G. 1
MERIDEN... ...	–	3	1	–	–	–
STRATFORD ON AVON	–	1	–	–	–	G. 1
TAMWORTH (part)	–	–	2	–	–	C. 1
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–	–	–	–
ST. HELENS ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	2	–	–	–
WILTS	–	8	5	–	9	M. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	–	–	1	–
CHIPPENHAM ...	–	2	–	–	1	–
MELKSHAM ...	*	*	*	*	*	*
†SWINDON... ...	–	3	1	–	5	–
†TROWBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES	–	–	–	–	–	M. 1
HIGHWORTH ...	–	1	3	–	1	–
MELKSHAM ...	*	*	*	*	*	*
WILTON	–	–	–	–	1	–
WORCESTER ...	–	9	2	1	14	G. 2
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	2	–	–	6	G. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	1	–	–	–
†HALESOWEN ...	–	1	–	–	1	–
†KIDDERMINSTER	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	–	G. 1
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MALVERN ...	*	*	*	*	*	*
†OLDBURY... ...	–	–	–	–	3	–
†REDDITCH ...	–	1	–	–	1	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	1	–	–
DROITWICH ...	*	*	*	*	*	*
EVESHAM... ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	1	–
STOW ON THE WOLD (part)	*	*	*	*	*	*
YORKS ... ... (East Riding.)	–	15	14	–	12	D. 1 L. 1 M. 1
†KINGSTON UPON HULL C.B.	–	11	10	–	8	L. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
POCKLINGTON ...	–	–	2	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
ESCRICK	–	1	–	–	–	–
HOWDEN	–	–	–	–	3	–
NORTON	*	*	*	*	*	*
PATRINGTON ...	–	–	–	–	–	D. 1
SOULCOATES ...	–	1	–	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	–	20	4	1	17	–
†MIDDLESBROUGH C.B.	–	11	2	–	10	–
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	1	–
LOFTUS	–	–	–	–	1	–
MALTON	*	*	*	*	*	*
†REDCAR	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	3	–
†SKELTON AND BROTTON	–	–	1	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	3	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
LEYBURN... ...	–	–	–	1	–	
MALTON	*	*	*	*	*	*
MIDDLESBROUGH	–	1	–	–	–	–
THIRSK	–	3	–	–	–	–
YORKS ... ... (West Riding.)	9	150	58	3	140	C. 4 G. 4 M. 11
†BARNSLEY C.B. ...	–	2	1	–	4	
†BRADFORD C.B. ...	–	12	2		12	
†DEWSBURY C.B....	–	3	–	–	1	–
†HALIFAX C.B. ...	–	1	5	–	1	
†HUDDERSFIELD C.B.	–	9	5	–	5	G. 1 M. 1
†LEEDS C.B. ...	–	9	8		14	C. 1 M. 1
†ROTHERHAM C.B.	–	–	–	–	4	M. 1
†SHEFFIELD C.B....	2	18	18	1	57	C. 1 M. 4
†WAKEFIELD C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	1	–	1	–
†BARNOLDSWICK ...	–	–	–	–	2	–
†BATLEY	–	2		–	1	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	–	1	–	–	1	–
†BINGLEY	–	–	–	–	2	–
†CONISBROUGH ...	–	8	1	–	–	M. 1
†DARTON	–	–	–	–	1	–
†DONCASTER ...	–	–	–	–	1	–
EARBY	–	–	–	–	1	–
†ELLAND	–	1	–	–	–	–
FARSLEY	–	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
GARFORTH ...	*	*	*	*	*	*
†GOLCAR	–	–	–	1	4	–
†GOOLE	–	6	–	–	–	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	7	1	–	–	M. 1
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	–	–	–	3	–
†HOLMFIRTH ...	–	3	–	–	–	–
HONLEY	–	–	1	–	–	–
HORBURY ...	–	3	–	–	–	–
†HOYLAND NETHER	*	*	*	*	*	*
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	1	–	–	2	–
LINTHWAITE ...	1	–	–	–	–	–
MELTHAM ...	–	–	–	–	1	
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	1	1	–	–	1	–
†MORLEY	–	–	–	–	2	–
NEW MILL ...	–	1	–	–	1	–
†NORMANTON ...	*	*	*	*	*	*
OTLEY	–	–	1	–	–	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	–	–
†RAWMARSH ...	–	–	–	–	3	–
†ROTHWELL ...	–	–	–	–	–	C. 1
ROYSTON	–	–	–	–	–	C. 1
†SADDLEWORTH ...	–	–	–	–	–	G. 2
SELBY	–	1	–	–	–	–
SHEPLEY	–	1	–	1	–	–
†SHIPLEY	–	1	–	–	–	–
SILSDEN	–	2	–	–	–	–
†SKIPTON	–	1	–	–	–	–
SOUTH CROSLAND	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
SOYLAND	–	1	–	–	–	–
SPRINGHEAD ...	–	2	–	–	–	–
†STANLEY	–	–	–	–	–	G. 1
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON... ...	4	2	–	–	1	–
THURLSTONE ...	–	1	–	–	–	–
TICKHILL ...	–	1	–	–	1	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	2	1	–	–	M. 1
†WOMBWELL ...	–	–	2	–	–	–
†WORSBOROUGH ...	–	–	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	2	1	–	3	–
GREAT OUSEBURN	–	2	–	–	–	–
HEMSWORTH ...	–	6	–	–	2	–
KIVETON PARK ...	–	13	4	–	1	–
KNARESBOROUGH	1	1	–	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	4	1	–	1	–
SETTLE	–	2	–	–	–	–
SKIPTON	–	3	–	–	–	–
THORNE	–	1	–	–	–	–
WAKEFIELD ...	–	2	2	–	2	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
§YORK, CITY OF ...	–	4	1	–	–	–
†YORK C.B. ...	–	4	1	–	–	–
WALES.						
ANGLESEY	–	–	–	–	–	–
Rural Districts:—						
VALLEY	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	2	–	2	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORE)	–	–	1	–	–	–
BRECKNOCK (MERTHYR CYNOG).	*	*	*	*	*	*
CRICKHOWELL ...	–	–	–	–	1	–
CARDIGAN ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	2	–
CARMARTHEN ...	–	2	11	–	6	C. 1 D. 1 E. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	2	4	–	1	C. 1 D. 1 E. 1
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:—						
CARMARTHEN ...	–	–	3	–	3	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	–	2	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	5	3	–	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	2	1	–	–	–
CAERNARVON ...	–	–	2	–	–	–
PORTMADOC ...	–	1		–	–	–
Rural Districts:—						
GWYRFAI... ...	–	–	–	–	1	–
LLEYN	–	2	–	–	–	–
DENBIGH	–	–	4	–	3	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	1	–
DENBIGH ...	–	–	1	–	–	–
Rural Districts:—						
ST. ASAPH (DENBIGH)	–	–	1	–	1	–
WREXHAM ...	–	–	2	–	1	–
FLINT	–	6	1	–	2	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	–	1	–	–	–
MOLD	–	1	–	–	–	–
PRESTATYN ...	*	*	*	*	*	*
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
OVERTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	52	37	1	54	C. 3 D. 1 F. 1 M. 6
†CARDIFF C.B. ..	–	7	5	–	4	C. 1 M. 5
†MERTHYR TYDFIL C.B.	–	–	1	1	3	C. 1
†SWANSEA C.B. ...	–	9	3	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	–	–	3	C. 1
†BARRY	–	1	6	–	–	–
†CAERPHILLY ...	–	4	–	–	3	–
†GELLIGAER ...	–	2	1	–	6	–
†GLYNCORWG ...	–	–	2	–	2	–
†MAESTEG ...	–	–	3	–	2	–
†MOUNTAIN ASH...	–	3	–	–	1	–
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	–	1	1	–	3	F. 1
†PENARTH ...	–	–	–	–	1	–
†PONTYPRIDD ...	–	3	–	–	3	–
†PORT TALBOT ...	–	3	4	–	–	–
†RHONDDA ...	–	9	6	–	6	D. 1
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	9	M. 1
GOWER	*	*	*	*	*	*
NEATH	–	–	3	–	2	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	–	–	2	–
SWANSEA... ...	–	6	1	–	3	–
MERIONETH ...	–	1	–	–	1	–
Urban Districts:—						
FESTINIOG ..	–	–	–	–	1	–
Rural Districts:—						
EDEIRNION ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	6	6	–	10	M. 1
†NEWPORT C.B. ...	–	–	1	–	5	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	2	–	–	–	–
†ABERTILLERY ...	–	1	–	–	–	–
†BEDWELLTY ...	*	*	*	*	*	*
†BLAENAVON ...	–	–	1	–	–	–
†EBBW VALE ...	–	2	1	–	1	–
LLANFRECHFA UPPER	*	*	*	*	*	*
MONMOUTH ...	–	–	2	–	–	–
†MYNYDDISLWYN	–	–	–	–	–	M. 1
†RHYMNEY ...	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–	4	–
MONTGOMERY ...	–	1	6	–	6	C. 1
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY— *cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	1	–	–	1	C. 1
NEWTOWN AND LLANIDLOES	–	–	6	–	3	–
PEMBROKE	–	–	1	–	1	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	–	1	–	–	–
MILFORD HAVEN	–	–	–	–	1	–
NEYLAND... ...	*	*	*	*	*	*
Rural Districts:—						
PEMBROKE ...	*	*	*	*	*	*
Total of Part II. ...	146	1277	736	35	1077	C. 37 D. 6 E. 3 F. 2 G. 49 L. 7 M. 88

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
HARTLEPOOL	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	2	
LIVERPOOL	–	–	–	–	2	–							
SANDWICH	*	*	*	*	*	*							
SOUTHAMPTON ...	–	–	1	–	–	–	**Total of Part III.... ...**	–	–	1	–	4	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	241	242	9	117	C. 5 D. 3 G 4 J. 2 M. 5
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	146	1277	736	35	1077	C. 37 D. 6 E. 3 F. 2 G. 49 L. 7 M. 88
Total of Part III.—Port Sanitary Districts	–	–	1	–	4	–
Total (*i.e.*, of returns received), England and Wales ...	146	1518	979	44	1198	C. 42 D. 9 E. 3 F. 2 G. 53 J. 2 L. 7 M. 93

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 490, 491, 492, 494, 496, 497, 498, 503 and 504.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24
LONDON :—												
DEATHS—all ages	1,062	1,070	1,209	1,121	1,099	1,112	1159	1,228	1,340	1,347	1,264	1,12
" 0 to 1 year ..	82	95	105	110	103	110	116	113	107	128	93	110
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,793	6,862	6,836	7,359	6,836	7,238	7,128	6 687	6,571	6,909	7,976	7,585
DEATHS—all ages	5,036	4,713	5,272	4,904	4,674	4,786	4,776	5,177	5,583	5,613	5,342	4.889
" 0 to 1 year ..	585	548	655	540	562	598	564	574	610	600	552	511
ENTERIC FEVER—Cases	15	14	20	20	24	26	16	25	24	23	23	20
" Deaths	2	2	3	3	2	3	3	7	3	6	1	1
SMALL POX—Cases ..	99	59	60	88	74	75	67	70	50	63	65	35
" Deaths ..	—	—	—	—	—	1	—	—	—	—	—	—
SCARLET FEVER—Cases	1,022	869	959	934	866	882	827	894	895	787	742	799
" Deaths	8	14	13	7	8	9	13	9	8	6	9	6
DIPHTHERIA—Cases ..	815	787	816	830	823	809	827	688	716	649	622	639
" Deaths ..	45	26	50	56	48	51	49	47	50	45	41	38
MEASLES—Deaths ..	76	82	116	105	102	119	116	121	107	100	99	81
INFLUENZA—Deaths ..	78	90	76	89	97	88	126	136	223	294	302	209

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st May, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	65	39	57·3	45·4	27
BRIGHTON ..	63	40	54·6	44·6	28
PORTSMOUTH ..	64	41	55·5	45·8	17
NORWICH (SOUTHWELL LODGE).	63	40	56·6	45·6	13
PLYMOUTH ..	62	38	57·4	44·1	9
BRISTOL (CLIFTON).	59	39	54·0	44·6	21
BIRMINGHAM (EDGBASTON).	60	37	52·6	43·4	31
NOTTINGHAM ..	61	38	54·6	44·3	19
BIRKENHEAD (BIDSTON).	62	41	53·1	45·4	6
MANCHESTER (WHITWORTH PARK).	60	37	54·3	45·1	9
BURNLEY	58	33	52·1	42·0	10

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°	
HUDDERSFIELD	56	33	52·0	42·0	19
BRADFORD ..	55	35	51·4	41·9	14
SHEFFIELD ..	56	37	52·3	42·9	25
YORK (MUSEUM)	58	37	54·0	43·1	7
HULL (PEARSON PARK).	58	36	52·7	43·0	10
TYNEMOUTH ..	49	42	47·3	44·1	11
CARDIFF.. ..	59	38	54·7	45·4	15
EDINBURGH ..	49·0	38·0	46·7	42·1	19
GLASGOW ..	53·9	40·0	51·0	43·3	15
DUBLIN (PHŒNIX PARK).	57·0	31·0	52·4	39·6	28
(FITZWILLIAM SQUARE†).	58·0	37·0	53·6	43·4	23
BELFAST.. ..	60·0	34·0	57·0	42·2	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 1st May, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	25	..	29·542	49·1	39·3	9·8	44·2	− 4·4	38·7	5·5	11·3	0·6	81	78·2	35·0	47·1	NNE : N	N	10·5	0·0	1·2	508	+ 222	0·72
MONDAY -	26	In Equator	29·561	49·1	43·8	5·3	46·0	− 2·6	44·5	1·5	4·4	0·6	95	53·2	42·4	47·0	NNW : NW : N	Calm	1·1	0·0	0·1	153	− 133	0·00
TUESDAY -	27	..	29·756	56·1	46·6	9·5	49·7	+ 1·0	48·3	1·4	8·6	1·0	95	73·8	41·7	47·1	Calm	Calm : NE.	0·1	0·0	0·0	110	− 176	0·02
WEDNESDAY	28	Full	29·684	52·1	46·1	6·0	48·2	− 0·6	47·6	0·6	2·8	0·6	97	68·9	42·8	47·1	Calm	ESE : Calm.	0·1	0·0	0·0	119	− 168	0·18
THURSDAY -	29	..	29·642	64·9	46·2	18·7	53·6	+ 4·6	47·5	6·1	15·3	0·7	80	118·7	43·2	47·2	Calm	SSE : E.	0·9	0·0	0·0	141	− 145	0·03
FRIDAY -	30	..	29·633	64·9	45·1	19·8	51·2	+ 5·1	52·4	1·8	10·8	0 6	93	96·4	35·3	47·3	ESE : Calm.	ESE : ENE.	0·9	0·0	0·1	162	− 123	0·09
MAY. SATURDAY -	1	..	29·597	62·8	48·0	14·8	54·8	+ 5·5	50·0	4·8	9·8	2·0	84	114·3	43·9	47·5	ENE	ENE : NE.	3·7	0·0	0·7	432	+ 148	0·04
MEANS -		..	29·631	57·0	45·0	12·0	50·1	+ 1·2	47·0	3·1	9·0	0·9	89	86·2	40·6	47·2	E		..	..	..	Sum 1625	Sum − 375	Sum 1·08
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	25	wP till 15h., variably sN and sP till 21¼h., then wP.	0·0	14·4	Overcast. Brisk wind 8h. till 17h. Rain generally from 14¼h.
MONDAY ..	26	wP till 7h.; then mP.	0·0	14·5	Overcast. Occasional damping between 4h. and 9h. Mist from 9h. Gloom 15h. till 18h.
TUESDAY ..	27	wP till 6h.; mP. till 17h.; then wP.	0·0	14·5	Overcast. Mist till 15h. Slight rain from 18h.
WEDNESDAY	28	wP till 11h.; variably wP and wN till 16h. then wP.	0 0	14·6	Overcast. Slight rain generally till 23h. Mist 3h. till 8½h.
THURSDAY	29	wP.	2 3	14·6	Overcast generally. Mist 4h. till 9½h. Damping 17¼h. till 22h.
FRIDAY ..	30	wP.	0·0	14·7	Overcast. Mist 4h. till 9h. Solar halo 8¾h. till 9¼h. Rain 13½h. till 17¼h. Damping 21½h.
MAY. SATURDAY	1	wP.	1·2	14·7	Overcast till 12h.; nearly overcast till 21h., then clearing to cloudless 23h. Rain 0¾h. till 1h.; and from 5h. till 7½h. Brisk wind 12h. till 20h.
			Sum 3·5	Sum 102·0	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 ins. at the beginning of the week to 29·38 ins. by 1h. on April 26th; increased to 29·77 ins. by 10h. on April 27th; decreased generally to 29·57 ins. by 16h. on May 1st; increased and was 29·63 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 18.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 8TH MAY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH MAY, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighteenth week of the year numbered 7,412, and corresponded to an annual rate of 19·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,302 and corresponded to an annual rate of 11·6 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 14·3, 13·1, and 12·6. Infant mortality was 59 per 1,000 births against 69, 67 and 73 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,623 births corresponding to a rate of 18·3 per 1,000, and 1,011 deaths of civilians, corresponding to an annual rate of 11·5, against 14·3, 12·8 and 12·6, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·8 per 1,000. The infant mortality was 60 as against 53, 66 and 65 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,704 to 4,302; the deaths from influenza, which had been 302, 209 and 166 in the three preceding weeks, further declined to 149 last week. In London the number of deaths from all causes decreased from 1,108 to 1,011; the deaths from diphtheria which had been 13, 13, and 10 in the preceding three weeks, rose to 12 last week; the deaths from measles, which had been 43, 35 and 25 in the three preceding weeks, further fell to 23 last week; and the deaths from influenza, which had been 59, 35, and 28 in the three preceding weeks, further declined to 23 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 8th May, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,412	4,302	440	5	68	13	36	43	51	149
London	4,602,000*	1,623	1,011	98	3	23	2	2	12	12	23
Towns in Outer Ring.											
Croydon C.B ..	199,300	91	36	4	-	-	-	1	1	-	-
Wimbledon ..	58,170	14	12	-	-	-	-	-	-	-	-
Ealing	68,410	21	12	-	-	-	-	-	-	-	1
Acton	63,110	16	15	-	-	1	-	-	1	-	1
Willesden ..	168,900	50	31	3	-	1	-	-	2	1	-
Hendon	59,150*	15	11	1	-	-	-	-	-	-	-
Hornsey	87,210	16	15	-	-	-	-	-	-	-	-
Wood Green ..	51,960	15	8	-	-	-	-	-	-	-	-
Tottenham ..	153,600	44	25	1	-	1	-	-	-	-	-
Edmonton ..	71,210	36	10	-	-	-	-	-	2	-	-
Enfield	63,740	12	16	-	-	-	-	-	1	-	-
West Ham C.B. ..	318,500	163	66	9	-	2	-	1	-	1	2
East Ham C.B. ..	147,200	44	24	1	-	-	-	-	1	-	2
Leyton	132,700	29	13	-	-	-	-	-	-	-	-
Walthamstow ..	130,800	37	15	1	-	-	-	-	-	1	-
Ilford	93,590	26	20	2	-	-	-	-	-	1	1
Gillingham	48,680*	16	14	3	-	1	-	-	-	1	-
Canterbury C.B ..	23,270*	9	2	1	-	-	-	-	-	-	-
Hastings C.B.	60,470	17	14	2	-	-	-	-	1	-	-
Eastbourne C.B. ..	55,060	28	11	-	-	-	-	-	-	-	1
Brighton C.B. ..	137,800*	49	34	2	-	-	-	1	1	-	1
Portsmouth C.B. ..	232,900*	91	53	-	-	1	1	1	1	-	1
Bournemouth C.B. ..	85,840	31	28	2	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	80	32	2	-	-	-	-	-	1	2
Reading C.B.	93,670*	26	15	2	-	1	-	-	-	-	1
Oxford C.B.	57,090	26	12	1	-	1	-	-	-	-	1
Northampton C.B. ..	93,780*	24	20	1	-	-	-	-	-	-	-
Luton	59,230	16	11	-	-	-	-	-	-	-	-
Cambridge	59,020	24	7	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	27	20	1	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	35	13	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	11	13	-	-	1	-	-	-	-	1
Norwich C.B. ..	124,000*	45	22	2	-	-	-	-	-	-	-
Swindon	56,880	17	7	1	-	-	1	-	-	-	-
Exeter C.B.	59,820*	12	11	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	64	43	5	-	1	-	-	-	-	-
Bath C.B.	69,050	19	13	3	-	-	-	2	-	-	-
Bristol C.B.	385,700*	154	80	4	-	-	-	1	1	1	3
Gloucester C.B. ..	53,060	19	18	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	118	62	6	-	-	-	-	-	-	1
Burton-upon-Trent C.B.	49,530	16	11	2	-	-	-	-	-	-	1
Wolverhampton C.B.	108,800	50	28	2	-	-	1	-	-	1	2
Walsall C.B.	102,300	39	26	1	-	-	-	-	-	1	1
West Bromwich C.B	79,490	34	13	1	-	-	-	-	-	1	-
Dudley C.B.	58,810	25	17	5	-	-	-	-	-	2	2
Worcester C.B. ..	50,230	13	13	1	-	-	-	-	-	1	1
Birmingham C.B. ..	945,900	343	214	21	1	2	-	3	2	1	17
Smethwick C.B. ..	78,840	24	17	2	1	-	-	-	-	-	2
Coventry C.B. ..	129,100	45	18	2	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	84	40	5	-	-	-	-	1	-	-
Lincoln C.B.	66,600*	25	14	4	-	-	-	-	-	1	4
Grimsby C.B.	87,190	44	19	1	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	87	48	4	-	-	-	1	-	-	1
Derby C.B.	134,400*	48	27	2	-	-	-	1	-	1	-
Chesterfield ..	65,800	32	18	2	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	44	36	4	-	1	2	-	-	-	2
Chester C.B.	41,670	15	11	-	-	-	-	-	-	-	1
Birkenhead C.B. ..	155,500	90	34	6	-	3	-	-	-	1	4
Wallasey C.B. ..	91,720	28	17	-	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	458	214	29	-	11	1	5	1	7	4
Bootle C.B.	83,260	44	18	2	-	-	-	1	-	-	-
St. Helens C.B. ..	109,600	59	35	10	-	1	-	-	-	1	5

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B	74,260	16	13	1	-	-	-	-	-	-	-
Wigan C.B.	91,010	38	27	1	-	-	-	1	-	-	2
Warrington C.B.	77,970*	46	12	3	-	-	-	-	-	-	1
Bolton C.B.	180,400	62	46	4	-	1	-	1	1	3	4
Bury C.B.	56,700*	30	13	-	-	-	-	-	-	-	-
Manchester C.B.	755,800	284	185	15	-	3	-	-	4	2	7
Salford C.B.	244,700	99	54	9	-	-	1	1	2	3	-
Oldham C.B	146,200	49	38	7	-	-	-	1	-	-	2
Rochdale C.B.	92,190	29	29	3	-	-	1	-	-	-	-
Burnley C.B.	102,300	35	30	4	-	-	-	1	2	-	2
Blackburn C.B.	126,900	30	32	6	-	-	-	-	1	-	2
Preston C.B.	122,900	50	35	5	-	-	-	-	-	-	4
Blackpool C.B.	80,750	24	19	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	21	15	-	-	-	-	-	-	-	-
Huddersfield C.B.	112,100	29	42	4	-	1	-	-	-	-	1
Halifax C.B.	97,860*	32	20	2	-	-	-	-	-	-	-
Bradford C.B.	290,200	97	82	7	-	-	-	-	-	1	3
Leeds C.B.	472,900	182	106	16	-	-	-	4	-	2	2
Dewsbury C.B	54,570	15	15	-	-	-	-	-	-	-	2
Wakefield C.B.	53,980	24	20	2	-	-	-	-	-	-	1
Barnsley C.B.	71,170	36	18	4	-	-	-	-	-	-	1
Sheffield C.B.	526,900*	193	96	12	-	3	-	-	1	-	3
Rotherham C.B.	70,600	41	15	1	-	-	-	-	-	-	-
Doncaster	55,610	27	4	-	-	-	-	-	-	-	-
York C.B.	84,630*	32	15	1	-	-	1	-	-	-	1
Hull C.B.	297,300	137	74	8	-	-	-	2	1	-	4
Middlesbrough C.B.	136,200	87	35	7	-	-	-	1	1	1	1
Darlington C.B.	69,130	25	13	1	-	-	-	-	-	-	-
Stockton-on-Tees	68,000	40	18	2	-	-	-	3	-	-	-
West Hartlepool C.B.	71,590	44	18	4	-	2	-	-	-	-	-
Sunderland C.B.	166,000	86	33	5	-	-	-	-	-	-	-
South Shields C.B.	124,600	60	22	2	-	-	-	-	-	-	1
Gateshead C.B.	129,000	57	33	7	-	-	-	-	-	-	1
Newcastle-on-Tyne C.B.	286,300*	116	86	7	-	4	2	-	-	-	3
Tynemouth C.B.	66,180	25	16	4	-	-	-	-	-	-	1
Carlisle C.B.	55,160*	29	15	2	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	36	14	-	-	-	-	-	-	-	1
Cardiff C.B.	227,100*	100	52	7	-	-	-	-	-	2	1
Rhondda	167,570	90	48	2	-	-	-	-	1	-	2
Merthyr Tydfil C.B.	82,920	26	20	3	-	-	-	-	-	-	4
Aberdare	57,700	20	9	-	-	1	-	-	-	-	1
Swansea C.B.	163,200	56	32	6	-	1	-	1	1	-	2
Greater London	7,719,622*	2,639	1,563	138	3	31	2	5	22	16	38
Outer Ring	3,117,622*	1,016	552	40	-	8	-	3	10	4	15
16 Great Towns in Outer Ring	1,867,550*	629	329	22	-	5	-	2	8	4	7
Remainder of Outer Ring	1,250,072*	387	223	18	-	3	-	1	2	-	8
Edinburgh†	424,600	163	114	14	-	2	2	-	1	1	3
Glasgow†	1,034,500	472	296	43	-	6	2	3	3	5	8
Dublin (Registration Area)†	443,000	269	109	26	-	1	1	1	2	1	2
Belfast†	443,000	195	200	29	-	-	1	4	-	4	17

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available pe**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)
		1926.										
London‡	4,602,000	May 8	1623	1011	11·5	3	-	23	2	2	12	12
Calcutta and Suburbs	1,077,273	Mar. 27										
Bombay	1,279,061	April 17	350‖	575§	23·4	-	14	4	-	-	-	24
Madras	528,791	„ 3	352	419§	41·1	2	1	2	-	5	-	-
Sydney and Suburbs	1,038,950	Mar. 31 (31 days)										
Brisbane (Metropolitan Area).	253,568	Feb. 28 (28 days)	420	216	10·2	2	-	-	-	2	-	3
Perth (Metropolitan Area).	179,388	Mar. 27										
Auckland (Urban Area).	180,790	„ 31 (31 days)										
Wellington (Urban Area).	118,490	„										
Christchurch (Urban Area).	118,270	„										
Cape Town	113,709	April 10	48	18	8·2	-	-	-	-	-	-	-
Johannesburg	165,958	„ 10	89	30	9·4	-	-	-	-	-	-	-
Durban	54,822	„ 10	26	10	9·5	-	-	-	-	-	1	-
Paris	2,906,472	„ 20 (10 days)	1349	1343	16·9	4	-	30	5	5	9	28
Antwerp	300,065	Mar. 20	107	84	14·6	-	-	-	-	5	1	3
Amsterdam	719,132	April 10	286	185	13·4	-	-	1	-	2	-	1
Copenhagen	587,400	„ 10	219	152	13·5	-	-	1	-	2	-	-
Stockholm	442,528	„ 24	95	93	10·9	-	-	-	-	-	-	-
Gothenburg	230,804	Mar. 27	?	37	8·3	-	-	-	-	1	-	-
		April 3	?	56	12·6	-	-	-	-	1	-	-
Oslo (Christiania) ..	257,719	May 1	59	61	12·3	-	-	-	-	-	1	1
Berlin	2,000,000	April 17	467	515	13·0	-	?	-	3	5	2	3
Breslau	559,000	„ 17	200	149	12·6	-	?	1	-	1	-	1
Cologne	708,000	„ 17	283	151	10·4	-	?	-	2	-	1	1
Dresden	622,000	„ 17	170	147	11·5	-	?	-	-	1	-	1
Frankfort-on-Main ..	473,000	„ 17	131	82	8·4	-	?	-	-	3	-	-
Hamburg	1,095,000	„ 17	350	285	12·4	-	?	-	-	1	-	-
Leipzig	685,000	„ 17	210	168	11·4	-	?	-	-	1	1	-
Munich	680,000	„ 17	193	191	13·6	-	?	1	-	1	-	-
Vienna	1,869,437	Dec. 31 '25 (31 days)										
Prague and Suburbs	712,700	Jan. 31 (31 days)										
Budapest	960,535	April 24	375	335	18·1	-	-	-	5	1	1	5
Warsaw	992,450	„ 24	422	266	14·0	2	-	-	5	2	2	11
Cairo	829,200	Jan. 14	822	468	29·4	3	1	4	-	?	8	35
Alexandria	492,100	„ 14	566	466	49·4	-	1	36	-	?	1	26
New York	6,561,664	Mar. 20	2261	2331	19·1	-	-	38	3	11	11	13
Chicago	2,995,239	„ 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Ci Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children unc year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 4 deaths from cholera in Madras, and 4 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th May, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1011	98	30	34	28	56	41	76	118	141	192	197
Enteric fever..	3	-	-	1	-	1	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	23	6	11	6	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	2	1	-	1	-	-	-	-	-	-	-	-
Diphtheria	12	1	5	4	2	-	-	-	-	-	-	-
Influenza	23	1	-	-	3	1	1	-	3	6	3	5
Erysipelas	5	-	-	-	-	1	-	-	-	2	2	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	1	-	1	-	-	-
Meningococcal meningitis	3	2	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	79	1	-	-	1	20	14	19	13	10	1	-
Nervous system	7	1	1	3	-	2	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	9	1	-	2	2	3	-	-	-	-	1	-
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	117	-	-	-	-	1	1	11	15	29	40	20
Rheumatic fever	2	-	-	-	1	-	1	-	-	-	-	-
Diabetes	13	-	-	-	-	1	-	2	2	3	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	1	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	44	-	-	-	-	-	-	1	5	9	13	16
Epilepsy	5	-	-	-	-	-	3	1	-	-	1	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	-	1	1	1	3	4	3	5	7	3	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	2	1	-	1	-	-	-
Other diseases of heart	142	-	-	-	1	1	2	5	18	23	45	47
Other diseases of circulatory system	46	-	-	-	-	-	-	-	4	3	19	20
Bronchitis	57	1	-	-	-	-	-	3	6	11	10	26
Broncho-pneumonia	51	13	6	4	4	2	-	1	4	3	9	5
Lobar-pneumonia	27	4	1	-	1	2	3	3	7	2	3	1
Pneumonia (type not distinguished)	8	1	-	-	1	-	-	-	-	1	5	-
Other diseases of respiratory system	11	-	-	1	1	-	-	2	-	1	-	6
Diarrhœa and enteritis	14	10	2	-	-	-	-	-	1	-	1	-
Appendicitis, Typhlitis	6	-	-	-	1	1	1	1	1	-	1	-
Hernia, Intestinal obstruction.. ..	10	-	-	-	-	-	-	1	3	3	1	2
Cirrhosis of liver	4	-	-	-	-	-	-	-	2	2	-	-
Other diseases of digestive system ..	35	1	1	2	1	2	-	8	10	6	1	3
Acute nephritis	2	-	-	-	-	-	-	-	2	-	-	-
Chronic Bright's disease..	17	-	-	-	1	2	-	1	3	4	4	2
Other diseases of genito-urinary system.	16	-	-	-	-	-	1	1	2	2	7	3
Puerperal sepsis	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth..	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	9	8	1	-	-	-	-	-	-	-	-	-
Premature birth	24	24	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	8	8	-	-	-	-	-	-	-	-	-	-
Old age	38	-	-	-	-	-	-	-	-	-	6	32
Suicide	16	-	-	-	-	2	-	2	5	5	1	1
Burns and Scalds	3	-	1	2	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	-	-	-	-	1	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	3	3	-	1	2	-	-	-
Other deaths by violence	8	-	-	-	1	-	-	1	-	2	3	1
Other specified causes	51	8	-	4	2	4	5	6	3	6	7	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th May, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	234	269	7	96	C. 8 D. 1 G. 5 M. 8
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	19	10	–	7	–
†BERMONDSEY ...	–	4	8	–	–	–
†BETHNAL GREEN	–	4	8	1	–	G. 1
†CAMBERWELL ...	–	13	26	–	3	–
†CHELSEA	–	2	7	–	5	–
†DEPTFORD ...	–	7	24	–	6	–
†FINSBURY ...	–	7	4	–	1	–
†FULHAM	–	3	4	–	6	C. 1
†GREENWICH ...	–	5	9	–	4	–
†HACKNEY ...	–	15	10	–	1	C. 2
†HAMMERSMITH ...	–	3	1	–	2	–
†HAMPSTEAD ...	–	3	1	–	–	C. 1
†HOLBORN... ...	–	2	1	–	1	D. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	23	10	–	3	M. 2
†KENSINGTON ...	–	6	11	–	1	–
†LAMBETH ...	–	13	12	–	5	G. 1 M. 1
†LEWISHAM ...	–	16	8	–	1	–
†PADDINGTON ...	–	1	11	1	6	–
†POPLAR	–	9	8	–	6	M. 2
†ST. MARYLEBONE	–	4	2	–	1	C. 1
†ST. PANCRAS ...	–	8	10	–	4	M. 1
†SHOREDITCH ...	–	6	11	–	5	–
†SOUTHWARK ...	–	8	23	–	3	–
†STEPNEY	–	12	20	4	4	G. 1 M. 1
†STOKE NEWINGTON	–	9	2	1	1	–
†WANDSWORTH ...	–	18	12	–	14	C. 2 G. 2
†WESTMINSTER, CITY OF	–	2	4	–	2	C. 1
†WOOLWICH ...	–	12	11	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	4	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	2	–	1	–
DUNSTABLE ...	*	*	*	*	*	*
†LUTON	–	1	1	–	1	–
Rural Districts:—						
BEDFORD ...	–	3	1	–		–
BIGGLESWADE ...	–	–	–	–	–	M. 1
LUTON	–		–	–	1	G. 1
BERKS	–	6		–	–	C. 2
†READING C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1		–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	–	–	C. 1
COOKHAM ...	–	1	–	–		–
HUNGERFORD ...	–	2	–		–	–
WALLINGFORD ...	–	–	–	–		C. 1
BUCKINGHAM ...	–	7	5	–	2	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	1	–	1	–
BEACONSFIELD ...	–	–	2	–	–	–
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	1	–	–	–	–
CHESHAM... ...	*	*	*	*	*	*
LINSLADE ...	–	–	–	–	1	–
†SLOUGH	–	–	1	–	–	–
Rural Districts:—						
AMERSHAM ...	–	–	1		–	–
AYLESBURY ...	–	1	1	–	–	–
ETON	–	2	–	–	–	–
WYCOMBE ...	–	2	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..		3	4		1	–
Borough:—						
†CAMBRIDGE ...	–	2	4	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	1	56	17	2	23	D. 1 E. 1 M. 2
†BIRKENHEAD C.B.	–	6	2	1	10	M. 1
†CHESTER C.B. ...	–	1	–	–	2	–
†STOCKPORT C.B.	–	9	1	1	2	–
†WALLASEY C.B. ...	–	11	1	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	6	2	–	–	–
ASHTON UPON MERSEY	–	–	2	–	–	–
BOLLINGTON ...	–	–	–		1	–
BOWDON	–	1		–	–	–
BREDBURY AND ROMILEY	–	–	1		–	–
†CONGLETON ...	–	–		–	2	–
†CREWE	–	3	1	–	–	–
†DUKINFIELD ...	–		–	–	1	–
†ELLESMERE PORT AND WHITBY	1	–	–	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HYDE	–	–		–	1	D. 1
†MACCLESFIELD ...	–	–	1	–	–	–
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NESTON AND PARKGATE	–	–	–	–	–	E. 1
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	2	–	1	–
†SALE	–	3	–	–	–	–
SANDBACH ...	–	1		–	–	–
†STALYBRIDGE ...	–	–	1	–		–
WILMSLOW ...	–	1	–	–	1	–
†WINSFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	-	3	-	-	-	-
MACCLESFIELD ...	-	-	1	-	-	-
NANTWICH ...	*	*	*	*	*	*
NORTHWICH ...	-	3	-	-	-	-
RUNCORN... ...	-	2	1	-	2	M. 1
WIRRAL	-	-	1	-		-
CORNWALL ...	-	2	-	-	4	C. 1
Boroughs and Urban Districts:—						
LOOE	*	*	*	*	*	*
PHILLACK ...	-	-	-	-	-	C. 1
TORPOINT ...	*	*	*	*	*	*
†TRURO	-	2		-		-
Rural Districts:—						
LAUNCESTON ..	-	-	-	-	3	-
LISKEARD ...	-	-	-	-	1	-
CUMBERLAND ...	-	11	6	1	2	-
†CARLISLE C.B. ...	-	8	2	-	1	-
Boroughs and Urban Districts:—						
EGREMONT ...	-	-	2	-	-	-
†MARYPORT ...		-	2	-		-
†WHITEHAVEN ...	-	1	-	-	-	-
†WORKINGTON ...	-	1	-	-		-
Rural Districts:—						
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ..	-	-	-		1	-
WHITEHAVEN ...	-	1	-	1	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	20	32	15	-	31	C. 2 G. 1 M. 3
†DERBY C.B. ..	17	1	4	-	7	-
Boroughs and Urban Districts:—						
†ALFRETON ..	-	-	-	-	-	M. 1
†BOLSOVER ...	-	-		-	2	-
†BUXTON	-	1	-	-	1	-
†CHESTERFIELD ...	-	-	3	-	2	M. 1
†GLOSSOP	-	-	-	-	1	-
†HEANOR	-	-	-	-	5	-
†ILKESTON ...	-	-	-	-	-	C. 1
†LONG EATON ...	-	-	2	-	-	-
†RIPLEY		1	-	-		-
†SWADLINCOTE DISTRICT	-	2	-	-	1	-
†THE MATLOCKS...	-	1	2	-	-	-
Rural Districts:—						
ASHBOURNE ...	-	1	-	-	1	-
BAKEWELL ...	-	-	-	-	-	C. 1
BLACKWELL ...	2	1	1	-	4	G. 1
CHAPEL EN LE FRITH	-	1	-	-	1	-
CHESTERFIELD ...	1	8	2		5	M. 1
CLOWNE	-	4	-	-	-	-
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	-	7	-	-		-
SHARDLOW ..		4	1	-	1	-
DEVON	-	35	12	-	6	G. 1 M. 1
†EXETER C.B. ...	-	7	1	-		-
†PLYMOUTH C.B...	-	16	6	-	1	G. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	-	-	-	1	-
BIDEFORD ...	-	-	-	-	1	-
BUCKFASTLEIGH	-	-	2	-	-	-
NORTHAM ...	-	-	3	-	1	-
TAVISTOCK ...	-	1	-	-	-	-
†TORQUAY ...	-	4	-	-	-	M. 1
TOTNES	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	5	–	–	1	–
TAVISTOCK ...	–	–	–	–	1	–
DORSET	–	2	1	–	2	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM		–	–	–	1	–
DORCHESTER ...	–	–	1	–	–	–
†POOLE		1		–	–	–
Rural Districts:—						
DORCHESTER ...	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
DURHAM	124	69	13	–	39	G. 1 M. 5
†DARLINGTON C.B	2	4	–	–	–	–
†GATESHEAD C.B.	7	6	3	–	1	–
†SOUTH SHIELDS C.B.	26	3	–	–	6	–
†SUNDERLAND C.B	1	2	2	–	5	–
†WEST HARTLEPOOL C.B	–	1	1	–	–	
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	8	4	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	2	–
†BLAYDON... ...	4	1	–		4	–
†BRANDON AND BYSHOTTLES	11	1	–	–	–	–
†CHESTER LE STREET	3	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT	–	3	–	–	–	–
†CROOK	1	–	–	–	–	–
†HARTLEPOOL ...	–	3	2	–		–
†HEBBURN ...	–	6	–	–	–	–
†HETTON	10	–	–	–	–	–
†HOUGHTON LE SPRING	7	–	–	–	3	–
†JARROW	–	–	–	–	6	G. 1
LEADGATE ...	–	1	–	–	1	–
†RYTON	–	–	–	–	2	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SOUTHWICK ON WEAR	–	1	1	–	1	–
†SPENNYMOOR ..	6	–	–		–	–
†STANLEY	6	2	–	–	–	M. 2
†STOCKTON ON TEES	–	4	2	–	–	–
†TANFIELD ...	2	4	–	–	–	–
†WHICKHAM ...	–	1	–	–	2	–
Rural Districts:—						
AUCKLAND ..	–	1	–	–	–	–
CHESTER LE STREET	8	2	–	–	1	–
DURHAM	2	3	–	–	1	–
EASINGTON ...	3	1	–	–	2	–
HOUGHTON LE SPRING	9	2	–	–	–	–
LANCHESTER ...	7	6	1	–	–	–
SEDGEFIELD ...	1	2	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	–	1	–	1	M. 3
ELY, ISLE OF ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
WHITTLESEY ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	86	34	–	26	C. 4 L. 1 M. 1
†EAST HAM C.B. ...	–	9	12	–	–	–
†SOUTHEND-ON-SEA C.B.	–	13	–	–	1	–
†WEST HAM C.B. ...	–	16	4	–	8	C. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	–	–	1	–
BRENTWOOD ...	–	1	1	–	7	–
BURNHAM ON CROUCH	–	–	–	–	1	–
†COLCHESTER ...	–	3	–	–	1	–
DAGENHAM ...	–	1	1	–	2	–
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK	–	–	1	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	7	–	–	–	C. 1 L. 1
†LEYTON	–	9	5	–	1	C. 1 M. 1
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	1	1	–	–	–
†WALTHAMSTOW ...	–	8	5	–	1	–
Rural Districts:—						
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	7	–	–	–	–
EPPING	–	1	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	1	–	–	–
ORSETT	–	3	–	–	–	–
ROCHFORD ...	–	1	1	–	1	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	23	31	3	9	M. 3
†BRISTOL C.B. ...	–	17	23	3	6	M. 2
†GLOUCESTER C.B.	–	1	1	–	1	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NAILSWORTH ...	–	1	–	–	–	–
STROUD	–	2	3	–	1	–
TETBURY	–	–	1	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	–	1	–	–	–
CHIPPING SODBURY	–	–	1	–	–	–
STROUD	–	–	1	–	–	–
THORNBURY ...	–	–	–	–	1	–
HEREFORD ...	–	6	2	–	5	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	–	–	–	1	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
HEREFORD ...	–	4	2	–	–	–
LEDBURY... ...	–	1	–	–	–	–
WIGMORE ...	–	–	–	–	1	–
HERTFORD ..	–	11	3	–	1	D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	1	–	–	–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	–	M. 1
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	–	–	–	1	G. 1
†WATFORD ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague, encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	1	–	–	–
HEMEL HEMPSTEAD	–	–	–	–	–	D. 1
HERTFORD ...	–	3	–	–	–	–
HUNTINGDON ...	–	4	9	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	1	9	–	–	–
KENT	–	27	34	2	11	C. 1
†CANTERBURY C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	–	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–		1	–
†BROMLEY ...	–	1	2	–	2	–
†CHATHAM ...	–	2	4	–	–	–
†CRAYFORD ...	–	–	2	–	–	–
†DARTFORD ...	–	–	1	–	–	–
†DEAL	–	–	–	–	–	C. 1
†DOVER	–	1	–	–	–	–
†ERITH	–	2	1	–	–	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	–	1	–	–	–
†GILLINGHAM ...	–	–	3	–	–	–
†GRAVESEND ...	–	4	5	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MAIDSTONE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARGATE ...	–	1	–	–	–	–
MILTON REGIS ...	–		–	1	–	–
†PENGE	–	1	2	–	–	–
†RAMSGATE ...	–	1	3	–		–
†ROCHESTER ...	–	1	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
†SHEERNESS ...	–	–	–	–	1	–
SITTINGBOURNE	–	1	–	1	–	–
SOUTHBOROUGH	–	–	1	–		–
WROTHAM ...		1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	2	–	–	–
BRIDGE		–	–	–	1	–
BROMLEY ...	–	1	–	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
HOLLINGBOURNE	*	*	*	*	*	*
MAIDSTONE ...	–	1	–		–	–
MALLING	–	2	1	–	–	–
SHEPPEY	–	2	–	–	1	–
STROOD	–	1	1	–	1	–
LANCASTER ...	4	172	110	8	238	C. 10 D. 3 F. 1 G. 12 L. 1 M. 25
†BARROW IN FURNESS C.B.		2	–	–	–	–
†BLACKBURN C.B		2	1	–	–	C. 1 M. 1
†BLACKPOOL C.B.		1	1	–	–	–
†BOLTON C.B. ...	–	4	2	–	3	D. 1
†BOOTLE C.B. ...	–	3	–	–	5	M. 1
†BURNLEY C.B. ...		–	7	–	7	M. 1
†BURY C.B. ...		1	1	–	5	–
†LIVERPOOL C.B. ...	–	39	36	2	64	C. 3 F. 1 G. 3 M. 11

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†MANCHESTER C.B	–	36	18	1	30	C. 1 D. 2 G. 2 M. 3
†OLDHAM C.B.	–	2	3	–	3	G. 1
†PRESTON C.B.	–	1	4	–	2	C. 1 M. 2
†ROCHDALE C.B	–	–	2	–	–	G. 2
†ST. HELENS C.B.	–	2	3	–	12	–
†SALFORD C.B.	–	11	9	1	9	G. 1 M. 1
†SOUTHPORT C.B.	–	1	–	–	1	–
†WARRINGTON C.B	–	4	2		7	
†WIGAN C.B.	–	1	–	–	6	–
Boroughs and Urban Districts:—						
†ACCRINGTON	–	1		–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	4	–
†ASHTON UNDER LYNE	–	3	2	–	–	–
†ATHERTON	–	2	–	–	1	–
AUDENSHAW	–	–	–	–	1	C. 1
†BACUP	–	1	–	–	–	–
BARROWFORD	–	1	–	–	1	–
BILLINGE	–	–	–	–	1	–
†CHADDERTON	–	1	–	–	1	–
†CHORLEY	3	–	–	–	3	–
†COLNE	1	–	–	–	1	–
†CROMPTON	–	1	–	–	–	–
†DARWEN	–	–	–	–	–	C. 1 G. 1
†DENTON	–	2	–	–	2	–
†DROYLSDEN	–	2	1	–	4	–
†ECCLES	–	2	–	–	–	M. 1
†FAILSWORTH	–	1	–	–	–	–
†FARNWORTH	–	–	–	–	–	C. 2 G. 1
FORMBY	–	–	2	–	–	–
GOLBORNE	–	–	–	–	1	–
†GREAT CROSBY	–	1	–	2	2	–
†HASLINGDEN	–	1	–	–	–	–
†HAYDOCK	–	–	–	–	1	–
†HEYWOOD	–	–	–	–	3	M. 1
†HINDLEY	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	–	1	–	4	–
†LANCASTER	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEIGH	–	1	3	–	–	–
LITTLE LEVER	–	2	–	–	–	–
†LYTHAM ST. ANNE'S	–	2	–	–	–	–
†MIDDLETON	–	–	–	–	1	–
MILNROW	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	4	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PRESTWICH	–	2	–	–	–	–
†RADCLIFFE	–	1	3	–	–	–
†RAMSBOTTOM	–	4	–	–	2	–
†RAWTENSTALL	–	1	–	–	–	–
RISHTON	–	1	–	–	–	–
†ROYTON	–	–	1	–	–	–
SKELMERSDALE	–	–	–	–	4	–
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD	–	5	3	–	1	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
TOTTINGTON	–	–	1	–	–	–
†TURTON	–	5	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	1	1	–
†WIDNES	–	–	2	–	26	M. 3
Rural Districts:—						
BURNLEY	–	1	–	–	–	–
BURY	–	2	–	–	–	–
CHORLEY	–	2	–	1	–	–
CLITHEROE	–	1	–	–	1	L. 1
LANCASTER	–	1	–	–	–	–
LIMEHURST	–	1	–	–	–	–
PRESTON	–	–	–	–	–	G. 1
WARRINGTON	–	–	1	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON	–	3	–	–	4	–
WIGAN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	15	15	–	3	M. 1
†LEICESTER C.B.	–	5	12	–	2	–
Boroughs and Urban Districts:—						
ASHBY WOULDS	*	*	*	*	*	*
†COALVILLE	–	–	–	–	1	–
†LOUGHBOROUGH	–	3	–	–	–	M. 1
MELTON MOWBRAY	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	3	–	–	–	–
BARROW UPON SOAR	–	2	–	–	–	–
HINCKLEY	–	–	2	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†SPALDING	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
SPALDING (part)	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	1	C. 1 D. 1
Boroughs and Urban Districts:—						
STAMFORD	–	–	–	–	1	D. 1
Rural Districts:—						
BOURNE	–	1	–	–	–	–
BRANSTON	–	–	1	–	–	–
GRANTHAM	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	8	36	6	–	13	G. 1
†GRIMSBY C.B.	–	1	2	–	1	–
†LINCOLN C.B.	–	19	–	–	2	–
Boroughs and Urban Districts:—						
†CLEETHORPES	–	–	–	–	2	–
†GAINSBOROUGH	–	–	1	–	1	–
HORNCASTLE	–	–	–	–	3	–
†SCUNTHORPE AND FRODINGHAM	8	2	5	–	3	–
SKEGNESS	–	2	–	–	–	–
Rural Districts:—						
GAINSBOROUGH	–	9	–	–	–	–
GRIMSBY	–	1	–	–		–
HORNCASTLE	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	–	G. 1
WELTON	–	2	–	–	–	–
MIDDLESEX	–	61	58	–	21	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	1	–
†BRENTFORD	–	1	5	–	–	–
†CHISWICK	–	1	2	–	–	–
†EALING	–	5	–	–	–	–
†EDMONTON	–	3	17	–	2	–
†ENFIELD	–	3	8	–	–	–
†FINCHLEY	–	2	–	–	1	–
†FRIERN BARNET	–	–	–	–	3	–
†HANWELL	–	3	1	–	2	–
†HARROW ON THE HILL	–	2	–	–	–	–
†HENDON	–	3	–	–	–	–
†HESTON AND ISLEWORTH	–	2	–	–	6	–
†HORNSEY	–	2	–	–	–	–
KINGSBURY	–	–	1	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	-	-	2	-	1	-
†TOTTENHAM ...	-	9	-	-	-	D. 1 G. 1
†TWICKENHAM ...	-	-	3	-	-	-
†UXBRIDGE ...	-	2	-	-	-	-
†WEMBLEY ...	-	1	-	-	1	-
†WILLESDEN ...	-	15	16	-	1	-
†WOOD GREEN ...	-	3	3	-	-	-
Rural Districts:—						
HENDON	-	1	-	-	1	C. 1
SOUTH MIMMS ...	-	1	-	-	-	-
UXBRIDGE ...	-	-	1	-	1	-
NORFOLK	-	6	-	-	2	C. 1 D. 1 M. 1
†GREAT YARMOUTH C.B.	-	3	-	-		-
†NORWICH C.B. ...	-	1	-	-	-	D. 1 M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	-	-	1	-
SWAFFHAM ...	-	-	-	-	1	-
Rural Districts:—						
DEPWADE ...	-	1	-	-	-	-
FREEBRIDGE LYNN	*	*	*	*	*	*
MARSHLAND ...	-	-	-	-	-	C. 1
WALSINGHAM ...	-	1	-	-	-	-
NORTHAMPTON ..	-	14	3	-	4	-
†NORTHAMPTON C.B.	-	2	2	-	1	-
Boroughs and Urban Districts:—						
†KETTERING ...	-	5	-	-	-	-
†RUSHDEN ...	-	1	-	-	-	-
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WELLINGBOROUGH	-	2		-	-	-
Rural Districts:—						
DAVENTRY ...	-	1	1	-	1	-
KETTERING ...	-	-	-	-	1	-
NORTHAMPTON .	-	-	-	-	1	-
THRAPSTON (part)	-	3	-	-	-	-
NORTHUMBERLAND	19	39	5	-	48	C. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	1	15	1	-	20	C. 1
†TYNEMOUTH C.B	-	1	1	-	3	-
Boroughs and Urban Districts:—						
†ASHINGTON ..	17	6	-	-	8	-
†BEDLINGTONSHIRE	-	2	-	-	3	-
†BERWICK UPON TWEED	-	1	-	-	-	-
†BLYTH	-	3	-	-	3	M. 1
CRAMLINGTON ..	-	-		-	1	-
†EARSDON	-	1	-	-	-	-
†GOSFORTH ...	-	2	2	-	-	-
HEXHAM	-	-		-	4	-
MORPETH... ..	-	-	1	-	-	-
†NEWBURN ...		2	-		1	-
SEATON DELAVAL	-		-	-	1	-
†WALLSEND .	-	2	-	-	2	-
WEETSLADE ...	-	1	-	-		-
†WHITLEY AND MONKSEATON	-	1	-	-	-	-
Rural Districts:—						
CASTLE WARD ..	-	-	-	-	2	-
HEXHAM	-	1	-	-	-	-
MORPETH ..	1	-	-	-	-	M. 1
ROTHBURY ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NOTTINGHAM ...	4	19	13	1	12	M. 2
†NOTTINGHAM C.B	2	9	9	1	6	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	-	-	-	-	1	-
†CARLTON... ...		4	-	-	-	-
†HUCKNALL ...	-	2		-	-	-
†MANSFIELD ...	-	-	-	-	-	M. 1
NEWARK	-	-	1	-	-	-
†SUTTON IN ASHFIELD	2	1	1	-	-	-
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	-	1	-	-	2	-
Rural Districts:—						
BASFORD	-	1	1	-	-	-
BINGHAM... ...	-	1	-	-	2	-
MISTERTON ...	-	-	1	-	-	-
STAPLEFORD ...	-	-	-	-	1	-
OXFORD	-	3	-	2	2	G. 1
†OXFORD C.B. ...	-	-	-	1	-	-
Rural Districts:—						
BANBURY... ...	-	-	-	1	1	-
BICESTER... ...	-	-	-	-	1	-
CULHAM		-	-	-	-	G. 1
HENLEY	-	1	-	-	-	-
WOODSTOCK ...	-	2	-	-	-	-
PETERBOROUGH (Soke of)	-	3	-	-	1	-
Borough:—						
†PETERBOROUGH...	-	2	-	-	-	-
Rural Districts—						
BARNACK... ...	-	1	-	-	-	-
PETERBOROUGH..	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SALOP	-	9	-	-	1	-
Boroughs and Urban Districts:—						
LUDLOW	-	1	-	-	-	-
WELLINGTON ...	-	1	-	-	-	-
Rural Districts:—						
ATCHAM	-	5	-	-	-	-
CHIRBURY ...	-	1	-	-	-	-
CHURCH STRETTON	-	1	-	-	-	-
WELLINGTON ...		-	-	-	1	-
SOMERSET... ...	-	9	1	1	12	C. 1 D. 1 G. 1
†BATH C.B. ...	-	1	-	-	1	-
Boroughs and Urban Districts:—						
MIDSOMER NORTON	-	-	-	-	1	-
SHEPTON MALLET	-	-	-	-	1	-
†TAUNTON ...	-	1	-	-	-	-
WELLINGTON ...	-	-	-	-	1	-
†WESTON SUPER MARE	-	1	-	-	-	D. 1 G. 1
WIVELISCOMBE ...	-	-	-	-	1	-
†YEOVIL	-	-	-	-	2	-
Rural Districts:—						
AXBRIDGE ...	-	-	-	-	1	-
BATH	-	2	-	-	-	-
CHARD	-	-		-	2	-
CLUTTON... ...	-	1	-	-	-	-
DULVERTON ...	-	-	-	1	-	-
FROME	-	1	-	-	1	-
KEYNSHAM ...	-	-	1	-	-	-
LONG ASHTON ...	-	2	-	-	-	-
TAUNTON... ..	-	-	-	-	-	C. 1
WINCANTON ...	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON .	–	30	21	–	7	C. 1 E. 1 G. 2
†BOURNEMOUTH C.B	–	6	1	–	1	-
†PORTSMOUTH C.B	–	7	15	–	1	E. 1
†SOUTHAMPTON C.B	–	7	4	-	–	C. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
†BASINGSTOKE ...		3	–	–	–	–
†GOSPORT	–	1	1	–	–	–
HAVANT	*	*	*	*	*	*
Rural Districts:—						
DROXFORD ...	–	–	-	–	1	–
LYMINGTON ...	–	1		–		–
NEW FOREST ...	–	–	–	–	4	–
PETERSFIELD ...	–	–	–	–	–	G. 1
SOUTH STONEHAM	–	2	–	–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD	–	48	21	-	73	C. 2 G. 2 M. 8
†BURTON UPON TRENT C.B.	-	1	–	-	4	–
†SMETHWICK C.B	–	1	3	–	6	G. 1
†STOKE ON TRENT C.B	–	7	5	–	24	C. 1 M. 6
†WALSALL C.B. ..	–	11	–	–	8	–
†WEST BROMWICH C.B	–	–	2	–	2	–
†WOLVERHAMPTON C.B.	–	6	–	–	1	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	1	–	–	–
BIDDULPH ..	–	1	–	–	3	–
†BILSTON	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL...	–	–	–	–	2	–
†BROWNHILLS ...	–	–	2	–	1	–
†CANNOCK	–	–	–	-	1	–
†DARLASTON ...	-	2	2	–	1	-
KIDSGROVE ...	–	–	-	–	2	–
†LEEK	-	1	-	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
PERRY BARR ...	–	–	2	-	–	–
QUARRY BANK	–	–			4	–
†ROWLEY REGIS ...	-	2	–	-	2	–
†SEDGLEY	–	–	1	–	–	–
SHORT HEATH ..	-	1	-	-	–	–
STONE	–	–	–	–	1	–
†TIPTON	–	3		–	–	–
†WEDNESBURY ...	–	2	–	–	1	M 1
†WILLENHALL ..	-	1	-	–	1	–
†WOLSTANTON UNITED	–	1	1	-	–	C 1
Rural Districts:—						
CANNOCK	–	1	-	–	2	–
CHEADLE... ...	–	–	–	–	1	–
KINGSWINFORD...	–	2	–	-	–	–
LEEK	–	–	-	–	1	–
LICHFIELD ..	–	–	2	-	2	–
STAFFORD ...	-	–	–	-	–	G. 1
STONE	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ..	–	4	–	1	7	–
†IPSWICH C.B. ..	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ..	-	2	–	–	3	–
STOWMARKET ...	–	1	–	-	-	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	1	–	–
EAST STOW ...	–	–	–	–	1	–
HOXNE	–	1	–	–	–	–
PLOMESGATE ...	–	–	–	–	1	–
SAMFORD... ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	–	–	–	–
Rural Districts:—						
MILDENHALL ..	*	*	*	*	*	*
SURREY	–	45	16	–	13	G. 1
†CROYDON C.B. ..	–	17	4	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	7	–	–	1	–
†CARSHALTON ...	–	2	1	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EGHAM	–	5	1	–	1	–
†ESHER AND THE DITTONS	–	–	2	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	1	1	–	–	–
†MITCHAM... ...	–	2	1	–	1	–
†REIGATE	–	2	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	1	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ..	–	1	–	–	2	G. 1
†WOKING	–	–	–	–	1	–
Rural Districts:—						
CHERTSEY ..	–	1	–	–	–	–
GODSTONE ...	–	1	4	–	–	–
HAMBLEDON ..	–	–	–	–	2	–
SUSSEX, EAST .	–	7	7	–	4	G. 2
†BRIGHTON C.B. ..	–	2	4	–	1	G. 2
†EASTBOURNE C.B	–	1	–	–	–	–
†HASTINGS C.B. ..	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†HOVE	–	–	2		1	–
NEWHAVEN ...	–	–	–	–	1	–
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
HAILSHAM ...	–	2	–	–	–	–
SUSSEX, WEST ..	–	8	9	–	4	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	M. 1
†HORSHAM ...	–	1	4	–	–	–
†LITTLEHAMPTON	–	–	1	–	–	–
†WORTHING ...	–	2	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	3	–	–	3	–
HORSHAM ...	–	2	–	–	–	–
WESTBOURNE ...	–	–	3	–	–	–
WESTHAMPNETT	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	44	78	1	88	C. 7 G. 2 M. 8
†BIRMINGHAM C.B.	–	22	62	1	74	C. 6 G. 2 M. 6
†COVENTRY C.B. ...	–	4	2	–	2	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–	1	–
†NUNEATON ...	–	2	–	–	2	–
†ROYAL LEAMINGTON SPA	–	2	–	–	–	–
†RUGBY	–	3	–	–	1	C. 1
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	5	3	–	1	–
FOLESHILL ...	–	–	2	–	–	M. 1
MERIDEN... ...	–	1	–	–	–	–
RUGBY	–	–	–	–	3	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM... ...	–	3	2	–	1	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	6	–	–	–
WESTMORLAND ...	–	7	1	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	3	–	–	–	–
WINDERMERE ...	–	–	1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	1	–
SOUTH WESTMORLAND	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
†NEWPORT... ...	–	2	–	–	–	–
†RYDE	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT	–	1	1	–	–	–
WILTS	–	9	7	–	2	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
†SALISBURY ...	–	1	–	–	–	–
†SWINDON... ...	–	4	2	–	–	–
†TROWBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	–	–	–	1	–
DEVIZES	–	–	1	–	–	–
HIGHWORTH ...	–	–	3	–	–	–
SALISBURY ...	–	–	1	–	–	–
TISBURY	–	–		–	1	–
WORCESTER ..	–	15	7	2	19	G. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	2	–	–	4	–
Boroughs and Urban Districts:—						
DROITWICH ...	–	–	–	–	1	–
†HALESOWEN ...	–	2	3	–	1	–
†KIDDERMINSTER	–	3	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	2	–
†OLDBURY... ...	–	2	4	–	5	–
†REDDITCH ...	–	–	–	–	1	–
†STOURBRIDGE ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
MARTLEY... ...	–	2	–	1	–	–
UPTON ON SEVERN	–	–	–	1	1	G. 1
YORKS ... ... (East Riding.)	–	7	13	–	9	G. 1 M. 1
†KINGSTON UPON HULL C.B.	–	6	10	–	7	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
GREAT DRIFFIELD	–	–	2	–	–	–
POCKLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
HOWDEN	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	23	4	–	13	–
†MIDDLESBROUGH C.B.	–	12	3	–	8	–
Boroughs and Urban Districts:—						
†ESTON	–	3	1	–	–	–
LOFTUS	–	1	–	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
EASINGWOLD ...	–	2	–	–	–	–
NORTHALLERTON	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	2	–
THIRSK	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS ... ... (West Riding.)	9	125	71	4	123	C. 5 G. 2 M. 6
†BARNSLEY C.B. ...	–	2	4	–	–	–
†BRADFORD C.B. ...	1	7	3	1	6	–
†DEWSBURY C.B....	–	1	–	–	1	M. 1
†HALIFAX C.B. ...	–	1	1	–	1	–
†HUDDERSFIELD C.B.	–	8	2	–	6	C. 1 M. 1
†LEEDS C.B. ...	–	19	4		16	C. 1
†ROTHERHAM C.B.	–	3	1	–	11	–
†SHEFFIELD C.B....	1	21	28	–	36	G. 1 M. 2
†WAKEFIELD C.B.	–	2	1		2	M. 1
Boroughs and Urban Districts:—						
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BATLEY	–	1		–	1	–
†BENTLEY WITH ARKSEY	–	2	–	–	–	–
†BINGLEY	–	–	1	–	2	M. 1
†BOLTON UPON DEARNE	–	2	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	C. 1
†CASTLEFORD ...	–	2		–	–	–
†CONISBROUGH ...	1	3	2	–	–	–
CUDWORTH ...		–	–	–	2	–
DENHOLME ...	–	–	–	–	1	–
†DONCASTER ...	–	2	–	–	1	–
†FEATHERSTONE ...	–	–	1	–	–	–
†GOLCAR	–	–	2	–	–	–
†GOOLE	–	2	1	–	2	–
GREASBROUGH ...	3	–	–	–	1	–
GREETLAND ...	1	–	–	–	–	–
†HARROGATE ...	–	1	1	–	3	–
†HEMSWORTH ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	1	–	–	1	–
HONLEY	–	1	–	–	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	4	–
METHLEY ..	–	–	1	1	–	–
†MEXBOROUGH ...	–	–	–	1	–	G. 1
MIDGLEY... ...	–	–	–	–	1	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ..	–	–	–	–	4	–
OTLEY	–	–	–	–	1	–
PENISTONE ...	–	2	–	–	–	–
†PONTEFRACT ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PUDSEY	–	–	–	–	1	–
†RAWMARSH ...	–	–	–	–	–	C. 1
SHEPLEY	–	–	1	–	–	–
†SHIPLEY	–	2	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	1	–
†STANLEY	–	–	–	–	3	–
STOCKSBRIDGE ...	–	–	–		1	–
†SWINTON	1	–	–	–	1	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	4	–	–	–	–
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ..	–	4	1	–	1	–
†WORSBOROUGH ...	–	–	1		–	–
Rural Districts:—						
DONCASTER ...	1	3	1	–	4	–
GOOLE	–	2	–	–	1	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	2	6	–	2	C. 1
KIVETON PARK ...	–	1	4	–	–	–
KNARESBOROUGH	–	5	–	–	–	–
ROTHERHAM ...	–	5	1	–	1	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	3	–	–	–	–
THORNE	–	–	1	–	–	–
WETHERBY ...	–	–	–	1	–	–
WORTLEY ...	–	1	1	–	1	–
§YORK, CITY OF ...	–	4	1	–	1	C. 1 G. 1
†YORK C.B. ...	–	4	1	–	1	C. 1 G. 1
WALES.						
ANGLESEY	–	–	–	–	4	C. 1
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESEY—*cont.*						
Rural Districts:—						
AETHWY	–	–	–	–	–	C. 1
TWRCELYN ...	–	–	–	–	3	–
BRECKNOCK ..	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	2	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	1	–	–	–
CARDIGAN ...	–	–	–	1	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	1	–	–
TREGARON ...	–	–	–	–	1	–
CARMARTHEN ...	–	6	7	–	3	–
Boroughs and Urban Districts:—						
BURRY PORT ...	*	*	*	*	*	*
†CARMARTHEN ..	–	–	–	–	1	–
KIDWELLY ...	–	2	–	–	–	–
†LLANELLY ..	–	1	3	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANELLY ..	–	1	4	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–		1	–	–	–
CONWAY	–	1		–	–	–
PENMAENMAWR...	–	–	1	–	–	–
Rural Districts:—						
LLEYN		2	–	–	–	–
DENBIGH	–	2	1	–	1	C. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	1	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
RUTHIN	*	*	*	*	*	*
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
LLANSILIN ...	–	1	–	–	1	C. 1
RUTHIN	–	1	–	–	–	–
FLINT	–	4	1	–	–	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	1	–	–	–
OVERTON ..	*	*	*	*	*	*
ST. ASAPH (FLINT)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	57	33	–	61	G. 1 M. 7
†CARDIFF C.B. ...	–	6	4	–	7	M. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	2	–
†SWANSEA C.B. ...	–	9	6	–	4	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	4	–
†BARRY	–	–	1	–	1	–
†CAERPHILLY ...	–	3	1	–	1	–
†GELLIGAER ...	–	4	5	–	1	–
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG ...	–	2	1	–	2	M. 1
†MOUNTAIN ASH...	–	–	1	–	3	–
†NEATH	–	–	–	–	3	–
†OGMORE AND GARW	–	2	–	–	2	M. 1
†PENARTH ...	–	4	–	–	–	–
†PONTYPRIDD ...	–	–	–	–	1	M. 2
PORTHCAWL ...	–		–	–	1	–
†PORT TALBOT ...	–	3	2	–	2	–
†RHONDDA ...	–	19	3	–	13	M. 2
Rural Districts:—						
CARDIFF	–	–	–	–	–	G. 1
COWBRIDGE ...	–	–	1	–	12	–
LLANTRISANT AND LLANTWITFARDRE	–	1	2	–	–	–
NEATH	–		1	–	2	–
PENYBONT ...	–		1		–	–
PONTARDAWE ...	*	*	*	*	*	*
MERIONETH ...	–	–	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	11	3	1	9	M. 1
†NEWPORT C.B. ...	–	3	–	1	6	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	1	–	–	–
†EBBW VALE ...	–	2	–	–	–	M. 1
MONMOUTH ...	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	2	–
PONTYPOOL ...	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†TREDEGAR ...	–	–	–	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	–	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	1	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	1	–	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
TENBY	–	1	–	–	–	–
Rural Districts:—						
PEMBROKE ...	*	*	*	*	*	*
RADNOR	–	1	–	–	–	–
Urban District:—						
LLANDRINDOD WELLS	–	1	–	–	–	–
Rural Districts:—						
KNIGHTON ...	*	*	*	*	*	*
Total of Part II. ...	189	1248	708	30	969	C. 45 D. 9 E. 2 F. 1 G. 36 L. 2 M. 80

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BEAUMARIS	*	*	*	*	*	*	PLYMOUTH	–	–	–	–	1	–
CARDIFF	–	–	–	–	1	–	PORT OF LONDON ...	–	–	–	–	1	–
LIVERPOOL	–	–	–	1	–	–							
							Total of Part III.... ...	–	–	–	1	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	234	269	7	96	C. D. G M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	189	1248	708	30	969	C. 4 D. E. F. G. 3 L. M. 8
Total of Part III.—Port Sanitary Districts	–	–	–	1	3	–
Total (*i.e.*, of returns received), England and Wales ...	189	1482	977	38	1068	C. 5 D. 1 E. F. G. 4 L. M. 8

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—London and Great Towns in the REGATE. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24	May 1.	May 8.
ON :—													
HS—all ages	1,070	1,209	1,121	1,099	1,112	1159	1,228	1,340	1,347	1,264	1,127	1,108	1,011
0 to 1 year ..	95	105	110	103	110	116	113	107	128	93	110	103	98
T TOWNS, aggre- (including Lon-):—													
IS	6,862	6,836	7,359	6,836	7,238	7,128	6,687	6,571	6,909	7,976	7,585	7,009	7,412
HS—all ages	4,713	5,271	4,904	4,674	4,786	4,775	5,177	5,583	5,612	5,342	4,889	4,704	4,302
0 to 1 year ..	548	655	540	562	598	564	574	610	600	552	511	511	440
RIC Fever—Cases	14	20	20	24	26	16	25	24	23	23	20	25	21
„ Deaths	2	3	3	2	3	3	7	3	6	1	1	—	5
L Pox—Cases ..	59	60	88	74	75	67	70	50	63	65	35	32	58
„ Deaths ..	—	—	—	—	1	—	—	—	—	—	—	—	—
LET Fever—Cases	869	959	934	866	882	827	894	895	787	742	799	828	840
„ Deaths	14	13	7	8	9	13	9	8	6	9	6	5	13
THERIA—Cases ..	787	816	830	823	809	827	688	716	649	622	639	669	693
„ Deaths ..	26	50	56	48	51	49	47	50	45	41	38	43	43
LES—Deaths ..	82	116	105	102	119	116	121	107	100	99	81	55	68
ENZA—Deaths ..	90	76	89	97	88	136	136	223	294	302	209	166	149

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 8th May, 1926. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON	59	36	55·4	39·7	7	HUDDERSFIELD	57	32	51·3	37·1	11
REENWICH).						BRADFORD ..	56	33	51·6	38·1	7
ITON ..	60	38	55·3	42·6	31	SHEFFIELD ..	57	35	51·1	38·6	5
SMOUTH ..	61	39	56·7	43·1	18	YORK (MUSEUM)	58	32	52·7	38·1	9
VICH	59	35	52·1	40·1	19	HULL (PEARSON PARK).	54	35	51·6	39·3	5
(EATON).											
OUTH ..	63	38	57·9	44·0	3	TYNEMOUTH ..	50	34	47·1	40·0	5
OL	61	36	54·3	41·0	11	CARDIFF.. ..	60	37	54·3	40·0	13
(CLIFTON).											
INGHAM	58	32	52·1	38·3	15						
DGBASTON).											
INGHAM ..	58	35	52·9	39·1	5	EDINBURGH ..	50·0	33·0	46·6	37·3	19
ENHEAD	58	36	50·9	40·4	19	GLASGOW ..	53·7	35·1	50·9	39·3	16
(BIDSTON).						DUBLIN	55·0	32·0	53·3	38·3	7
HESTER	59	34	52·1	41·0	17	(PHŒNIX PARK).					
VHITWORTH PARK).						(FITZWILLIAM SQUARE†).	57·0	35·2	52·6	41·6	5
LEY	55	28	50·7	35·7	13	BELFAST.. ..	60·0	37·0	56·2	41·6	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 8th May, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	2	Greatest Declination S.	29·662	57·5	45·0	12·5	51·2	+ 1·7	42·1	9·1	15·9	4·8	71	115·5	41·3	47·6	NE: ENE.	E: ENE.	12·5	0·1	1·5	575	+ 293	0·00
MONDAY -	3	..	29·728	58·9	43·1	15·8	51·5	+ 1·7	35·0	16·5	21·8	2·6	54	124·8	36·2	47·9	NE: ENE.	ENE: NNE.	13·5	0·1	1·5	519	+ 239	0·00
TUESDAY -	4	..	29·763	59·0	40·0	19·0	49·3	− 0·7	41·3	8·0	16·7	2·7	74	119·3	32·2	48·0	NNE.	NE: Calm: E.	1·3	0·0	0·2	243	− 35	0·00
WEDNESDAY	5	Last Quarter.	29·697	49·3	36·0	13·3	42·3	− 8·0	41·6	0·7	7·9	1·4	97	68·2	23·0	48·0	Calm	Calm: ENE: NE.	1·9	0·0	0·1	134	− 142	0·05
THURSDAY -	6	..	29·839	54·4	36·6	17·8	44·4	− 6·1	31·3	13·1	25·1	3·4	59	124·2	27·7	48·1	N.	N: NNW: WNW.	4·0	0·0	0·6	372	+ 99	0·00
FRIDAY -	7	Perigee.	29·626	55·0	36·0	19·0	44·2	− 6·5	41·1	3·1	14·5	1·8	88	107·2	25·0	48·1	WSW:	WSW: Calm.	2·6	0·0	0·2	270	− 0	0·22
SATURDAY -	8	..	29·769	54·9	40·5	14·4	45·4	− 5·6	33·8	11·6	24·7	1·8	63	128·7	34·3	48·1	N.	N: NE	2·1	0·0	0·3	266	+ 2	0·00
MEANS -		..	29·726	55·6	39·6	16·0	46·9	− 3·4	38·0	8·9	18·1	2·6	72	112·6	31·4	48·0	NE		..	..	..	Sum 2379	Sum + 456	Sum 0·27
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	2	wP till 16½h., then loss of register.	3·3	14·8	Partially cloudy till 3h.: nearly overcast till 12h.; partially cloudy till 18h.; overcast till 21h., then becoming cloudless by 22h. Brisk wind 9h. till 23h.
MONDAY ..	3	Loss of register till 15½h.; wP till 18h.; mP till 23h.; then wP.	12·8	14·9	Cloudless generally. Brisk wind 6h. till 19h.
TUESDAY ..	4	wP.	1·0	14·9	Nearly cloudless till 3h.; clouding up to nearly overcast by 6h. till 22h., then clearing to nearly cloudless by 23h.
WEDNESDAY	5	wP	0·0	15·0	Nearly cloudless till 2h., becoming overcast by 4h. Mist 4h. till 15h. Slight rain 8¼h. till 14h.; and from 22¾h. till 23h Gloom 11h. till 13½h.
THURSDAY	6	wP.	9·8	15·0	Overcast till 3h., then very cloudy, becoming nearly cloudless by 21h. Slight rain about 12h. and 14¼h.
FRIDAY ..	7	wP till 8h.; variably wN and wP till 11½h.; then variably mP and sN.	1·3	15·1	Cloudless by 2h., then becoming overcast by 5h. Damping 5h. till 8½h., and at 18½h. Rain 8½h. till 12½h., and 15¼h. till 17½h. Hail and thunder at 15½h.
SATURDAY	8	wP	6·0	15·1	Overcast till 7h.; then variably cloudy, becoming overcast by 17h. Damping 6h. and 8h.
			Sum 34·2	Sum 104·8	
No. of Col... ..		26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·63 ins. at the beginning of the week to 29·78 ins. by 9h. on the 4th; decreased to 29·67 ins. by 17h. on the 5th; increased to 29·86 ins. by 21h. on the 6th; decreased to 29·71 ins. by 18h. on the 7th; increased and was 29·82 ins. by midnight on the 8th

FOR OFFICIAL USE

1926. No. 19.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 15TH MAY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH MAY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the nineteenth week of the year numbered 7,437, and corresponded to an annual rate of 19·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,230 and corresponded to an annual rate of 11·4 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 13·1, 12·6, and 11·6. Infant mortality was 60 per 1,000 births against 67, 73 and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,667 births corresponding to a rate of 18·8 per 1,000, and 913 deaths of civilians, corresponding to an annual rate of 10·3, against 12·8, 12·6 and 11·5, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·8 per 1,000. The infant mortality was 44 as against 66, 65 and 60 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,302 to 4,230; the deaths from influenza, which had been 209, 166 and 149 in the three preceding weeks, further declined to 118 last week. In London the number of deaths from all causes decreased from 1,011 to 913; the deaths from diphtheria which had been 13, 10, and 12 in the preceding three weeks, were 11 last week; the deaths from measles, which had been 35, 25 and 23 in the three preceding weeks, further fell to 17 last week; and the deaths from influenza, which had been 35, 28, and 23 in the three preceding weeks, further declined to 15 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 15th May, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 GREAT TOWNS ..	19,417,320*	7,437	4,230	444	3	60	6	48	33	49	118
LONDON	4,602,000*	1,667	913	74	1	17	2	3	11	9	15
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	68	41	6	-	1	-	-	-	2	1
WIMBLEDON ..	58,170	13	12	-	-	-	-	-	-	-	-
EALING	68,410	23	18	1	-	-	-	-	-	-	-
ACTON	63,110	11	16	-	-	-	-	-	-	-	-
WILLESDEN ..	168,900	46	20	3	-	-	-	-	-	-	1
HENDON	59,150*	19	7	1	-	-	-	-	-	-	1
HORNSEY	87,210	16	12	1	-	-	-	-	-	-	-
WOOD GREEN ..	51,960	17	8	-	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	49	28	2	-	-	-	-	-	-	-
EDMONTON ..	71,210	49	12	1	-	1	-	-	-	-	-
ENFIELD	63,740	12	11	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	156	67	7	-	-	-	-	-	1	3
EAST HAM C.B. ..	147,200	52	24	2	-	-	1	-	-	-	-
LEYTON	132,700	43	18	2	-	-	-	-	-	1	1
WALTHAMSTOW ..	130,800	41	16	-	-	-	-	-	1	-	1
ILFORD	93,590	35	17	1	-	-	-	-	-	-	-
GILLINGHAM	48,680*	23	4	-	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,270*	13	5	2	-	1	-	-	-	-	-
HASTINGS C.B.	60,470	18	8	-	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,060	12	14	-	-	1	-	-	-	-	-
BRIGHTON C.B. ..	137,800*	58	34	3	-	-	-	1	1	1	-
PORTSMOUTH C.B. ..	232,900*	84	38	-	-	-	-	1	-	-	2
BOURNEMOUTH C.B. ..	85,840	25	14	1	-	-	-	-	-	-	2
SOUTHAMPTON C.B. ..	168,600	71	39	4	-	-	-	1	-	1	3
READING C.B.	93,670*	32	25	3	-	-	-	1	-	-	2
OXFORD C.B.	57,090	25	11	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,750*	32	17	-	-	-	-	-	-	-	-
LUTON	59,230	17	5	1	-	-	-	-	-	-	-
CAMBRIDGE	59,020	28	5	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B	98,060	37	16	-	-	-	-	-	-	-	-
IPSWICH C.B.	83,120*	31	13	1	-	-	-	-	-	-	2
GREAT YARMOUTH C.B	57,890	19	16	2	-	1	-	-	-	-	-
NORWICH C.B. ..	124,000*	44	24	4	-	-	-	-	-	-	-
SWINDON	56,880	16	11	-	-	-	-	-	-	-	-
EXETER C.B.	59,820*	26	15	2	-	-	-	-	-	-	1
PLYMOUTH C.B. ..	192,100*	72	36	4	-	1	-	-	-	-	-
BATH C.B.	69,050	17	24	1	-	-	-	1	-	-	1
BRISTOL C.B.	385,700*	129	87	10	-	-	-	-	-	2	3
GLOUCESTER C.B. ..	53,060	23	16	2	-	-	-	-	-	-	1
STOKE-ON-TRENT C.B.	278,900	154	73	10	-	-	1	1	-	2	2
BURTON-UPON-TRENT C.B.	49,530	17	16	-	-	-	-	-	-	1	-
WOLVERHAMPTON C.B.	108,800	55	12	-	-	-	-	-	-	-	-
WALSALL C.B.	102,300	48	24	4	-	-	-	1	-	-	3
WEST BROMWICH C.B	79,490	31	22	4	-	-	-	-	-	-	3
DUDLEY C.B.	58,810	19	7	1	-	-	-	-	-	-	1
WORCESTER C.B. ..	50,230	18	8	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	945,900	364	238	16	1	2	-	4	4	1	12
SMETHWICK C.B. ..	78,840	22	14	1	-	-	-	-	-	-	-
COVENTRY C.B. ..	129,100	45	21	-	-	-	-	-	-	-	3
LEICESTER C.B. ..	242,100	84	63	6	-	1	-	2	2	-	-
LINCOLN C.B.	66,600*	24	18	-	-	-	1	-	-	-	1
GRIMSBY C.B.	87,190	26	30	1	-	-	-	-	-	-	2
NOTTINGHAM C.B. ..	279,600	90	70	7	-	-	-	1	-	-	1
DERBY C.B.	134,400*	61	24	1	-	-	-	-	1	-	-
CHESTERFIELD ..	65,800	34	12	1	-	-	-	-	1	-	-
STOCKPORT C.B. ..	125,900	46	37	7	-	1	-	-	-	2	3
CHESTER C.B.	41,670	20	11	1	-	1	-	-	-	-	-
BIRKENHEAD C.B. ..	155,500	72	36	5	-	2	-	-	-	1	-
WALLASEY C.B. ..	91,720	33	18	1	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	856,000	357	229	34	-	12	1	5	3	5	2
BOOTLE C.B.	83,260	41	19	6	-	-	-	2	-	-	-
ST. HELENS C.B. ..	109,600	62	51	10	-	2	-	-	-	-	8

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	27	14	-	-	-	-	-	-	-	-
Wigan C.B.	91,010	46	20	3	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	28	18	1	-	-	-	-	-	-	1
Bolton C.B.	180,400	56	43	3	-	-	-	1	-	1	-
Bury C.B.	56,700*	17	15	2	-	2	-	-	-	-	2
Manchester C.B. ..	755,800	296	177	21	-	4	-	1	-	6	2
Salford C.B.	244,700	86	65	12	1	4	-	3	2	3	-
Oldham C.B	146,200	49	44	4	-	-	-	2	-	-	1
Rochdale C.B... ..	92,190	18	21	1	-	-	-	-	-	-	-
Burnley C.B.	102,300	38	27	2	-	-	-	-	-	1	1
Blackburn C.B. ..	126,900	42	29	2	-	-	-	1	-	1	2
Preston C.B.	122,900	40	30	3	-	-	-	-	-	-	2
Blackpool C.B. ..	80,750	27	20	4	-	-	-	-	-	-	3
Barrow-in-Furness C.B.	73,470	28	17	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	40	25	2	-	-	-	-	-	-	-
Halifax C.B.	97,860*	28	21	1	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	97	64	10	-	-	-	1	2	-	1
Leeds C.B.	472,900	191	107	8	-	1	-	-	-	1	2
Dewsbury C.B ..	54,570	20	21	2	-	-	-	-	-	1	1
Wakefield C.B. ..	53,980	16	11	2	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	38	16	2	-	-	-	-	-	1	-
Sheffield C.B. ..	526,900*	183	96	7	-	-	-	1	-	-	-
Rotherham C.B. ..	70,600	22	9	2	-	1	-	-	-	1	-
Doncaster	55,610	30	11	2	-	-	-	-	-	-	1
York C.B.	84,630*	22	19	1	-	-	-	-	1	-	-
Hull C.B.	297,300	121	62	10	-	1	-	2	-	-	3
Middlesbrough C.B.	136,200	85	33	4	-	-	-	1	1	-	-
Darlington C.B. ..	69,130	23	13	2	-	-	-	1	-	-	-
Stockton-on-Tees ..	68,000	35	25	4	-	-	-	2	-	-	1
West Hartlepool C.B.	71,590	37	16	4	-	-	-	1	1	-	-
Sunderland C.B. ..	166,000	108	41	10	-	2	-	-	-	-	2
South Shields C.B. ..	124,600	65	34	4	-	-	-	1	-	-	1
Gateshead C.B. ..	129,000	68	31	4	-	-	-	-	-	-	2
Newcastle-on-Tyne C.B.	286,300*	142	81	17	-	1	-	3	1	1	2
Tynemouth C.B. ..	66,180	19	8	1	-	-	-	-	-	-	2
Carlisle C.B.	55,160*	23	16	2	-	-	-	1	1	-	1
Newport (Mon.) C.B.	96,420*	34	16	6	-	-	-	-	-	1	-
Cardiff C.B.	227,100*	92	49	8	-	-	-	1	-	-	2
Rhondda	167,570	69	31	6	-	-	-	1	-	2	1
Merthyr Tydfil C.B.	82,920	38	16	1	-	-	-	-	-	-	-
Aberdare	57,700	26	16	-	-	-	-	-	-	-	1
Swansea C.B.	163,200	75	32	6	-	-	-	-	-	-	-
Greater London ..	7,719,622*	2,724	1,458	125	2	21	3	5	12	13	25
Outer Ring	3,117,622*	1,057	545	51	1	4	1	2	1	4	10
16 Great Towns in Outer Ring	1,867,550*	650	327	27	-	2	1	-	1	4	8
Remainder of Outer Ring	1,250,072*	407	218	24	1	2	-	2	-	-	2
Edinburgh†	424,600	163	107	9	-	-	-	-	-	1	-
Glasgow† ..	1,034,500	490	290	40	-	6	1	2	1	3	9
Dublin (Registration Area)†	443,000	216	122‡	14	-	3	-	-	1	5	2
Belfast†	443,000	213	186	25	-	-	-	2	-	-	17

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ Including 1 death from typhus fever.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,602,000	1926. May 15	1667	913	10·3	1	–	17	2	3	11	9
Calcutta and Suburbs	1,077,273	Mar. 27										
Bombay	1,279,061	April 24	376‖	579§	23·5	2	17	3	–	–	–	18
Madras	528,791	„ 10	317	454§	44·6	2	1	1	?	3	–	28
Sydney and Suburbs	1,038,950	Mar. 31	1816	743	8·6	4	–	–	5	7	2	40
Brisbane (Metropolitan Area).	253 568	„ 31 (31 days)										
Perth (Metropolitan Area).	179,388	Mar. 27	93	27	7·8	–	–	–	–	–	–	–
Auckland (Urban Area).	180,790	„ 31 (31 days)										
Wellington (Urban Area).	118,490	„										
Christchurch (Urban Area).	118,270	„										
Cape Town	113,709	April 17	43	23	10·5	–	–	–	–	–	–	–
Johannesburg	165,958	„ 17	93	20	6·3	1	–	–	–	1	–	–
Durban	54,822	„ 17	24	13	12·3	–	–	–	–	–	–	–
Paris	2,906.472	„ 30 (10 days)	1327	1180	14·8	5	–	30	8	3	6	17
Antwerp	300,150	Mar. 27	88	90	15·6	–	–	2	–	3	–	1
Amsterdam	719,132	April 17	278	181	13·1	–	–	1	1	2	–	–
Copenhagen	587,400	„ 17	194	160	14·2	–	–	1	–	1	1	–
Stockholm	442,528	May 1	116	94	11·0	–	–	–	–	–	–	–
Gothenburg	230,804	April 10	?	38	8·6	–	–	–	–	–	–	–
		„ 17	?	37	8·3	–	–	–	–	–	–	–
Oslo (Christiania) ..	257,719	May 8	72	60	12·1	–	–	–	–	–	–	–
Berlin	2,000,000	April 24	466	449	11·5	–	?	–	1	2	4	3
Breslau	559,000	„ 24	206	164	14·1	–	?	1	–	7	–	1
Cologne	708,000	„ 24	271	176	12·3	–	?	–	–	2	1	1
Dresden	622,000	„ 24	160	141	11·3	–	?	–	–	5	1	1
Frankfort-on-Main..	473 000	„ 24	139	82	8·7	–	?	–	–	1	–	–
Hamburg	1 095,000	„ 24	224	230	9·6	–	?	–	–	–	1	1
Leipzig	685,000	„ 24	188	139	9·6	1	?	–	–	1	–	–
Munich	880,000	„ 24	192	136	9·3	–	?	–	–	–	–	–
Vienna	1,869,437	Dec. 31 '25 (31 days)										
Prague and Suburbs	712,700	Jan. 31 (31 days)										
Budapest	960,535	May 1	486	320	17·7	1	–	–	4	1	1	1
Warsaw	992,450	„ 1	297	275	14·5	1	–	–	4	2	–	11
Cairo	829 200	Jan. 21										
Alexandria	492,100	„ 21										
New York	6,361,664	Mar. 27	2499	2460	20·2	2	–	42	7	8	17	20
		April 3	2429	2026	16·6	1	–	35	2	10	8	17
Chicago	2,995,239	„ 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children und 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 1 death from cholera in Madras, and 2 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th May, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	913	74	21	27	29	45	34	57	107	144	192	183
Enteric fever..	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	17	7	6	3	1	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria	11	-	1	4	5	-	-	-	1	-	-	-
Influenza	15	-	-	1	-	1	3	2	1	4	1	2
Erysipelas	4	-	-	-	2	-	-	-	-	-	-	2
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	4	-	-	1	-	-	-	-	1	-	2	-
Meningococcal meningitis	4	-	1	3	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	61	-	-	1	-	17	7	9	20	6	1	-
Nervous system	10	2	2	3	2	-	-	-	-	1	-	-
Intestines and peritoneum	3	-	-	1	-	-	1	1	-	-	-	-
Other forms	6	2	-	-	1	3	-	-	-	-	-	-
Venereal diseases	2	-	-	-	-	-	-	-	1	1	-	-
Cancer	136	-	-	-	2	1	1	10	24	41	36	21
Rheumatic fever	3	-	-	-	-	2	-	-	-	1	-	-
Diabetes	16	-	-	1	-	2	-	-	1	4	6	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	48	-	-	-	-	-	-	-	8	9	15	16
Epilepsy	6	1	-	-	-	1	-	2	2	-	-	-
"Convulsions" (not puerperal) ..	5	5	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	34	-	-	-	2	3	-	7	5	6	9	2
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	1	-	-	-	-	1	-	-	-	-	-	-
Other diseases of heart	133	-	-	-	3	3	3	4	7	25	48	40
Other diseases of circulatory system	41	-	-	-	-	-	-	2	-	12	12	15
Bronchitis	48	2	1	-	-	-	-	1	5	3	15	21
Broncho-pneumonia	31	1	5	-	1	-	-	-	2	4	8	10
Lobar-pneumonia	22	2	1	-	-	1	4	2	9	1	1	1
Pneumonia (type not distinguished)	4	-	1	-	-	-	-	1	-	-	2	-
Other diseases of respiratory system	15	-	-	2	-	1	-	-	1	1	2	8
Diarrhœa and enteritis	10	8	1	-	-	-	1	-	-	-	-	-
Appendicitis, Typhlitis	3	-	-	1	-	1	-	1	-	-	-	-
Hernia, Intestinal obstruction.. ..	9	-	-	-	-	2	-	-	-	-	5	2
Cirrhosis of liver	3	-	-	-	-	1	-	2	-	-	-	-
Other diseases of digestive system ..	23	1	1	2	3	-	2	1	3	5	4	1
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease..	21	-	-	-	-	-	3	1	2	5	8	2
Other diseases of genito-urinary system.	15	-	-	-	-	-	2	1	1	1	4	6
Puerperal sepsis	1	-	-	-	-	-	-	1	-	-	-	-
Other causes incident to childbirth..	4	-	-	-	-	1	2	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	33	-	-	-	-	-	-	-	-	-	7	26
Suicide	10	-	-	-	-	-	2	2	2	2	1	1
Burns and Scalds	2	-	-	1	-	-	-	-	-	1	-	-
Drowning	2	-	-	-	-	-	-	1	-	1	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	-	4	3	-	1	2	1	1	-
Other deaths by violence	15	1	-	2	2	-	2	-	1	4	1	2
Other specified causes	31	8	1	-	-	1	1	3	8	3	3	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectiou Diseases notified in th week ended 15th May 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	238	265	4	103	C. 2 D. 3 E. 1 G. 6 M. 16
†CITY OF LONDON	–	1	3	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	14	–	8	G. 2 M. 1
†BERMONDSEY ...	–	9	12	–	1	D. 1
†BETHNAL GREEN	–	8	5	–	–	M. 1
†CAMBERWELL ...	–	12	32	–	3	–
†CHELSEA	–	2	6	–	3	–
†DEPTFORD ...	–	5	2	–	3	C. 1
†FINSBURY ...	–	9	1	–	1	M. 1
†FULHAM	–	3	9	–	5	E. 1
†GREENWICH ...	–	9	12	–	2	–
†HACKNEY ...	–	18	15	–	1	–
†HAMMERSMITH ...	–	3	7	–	2	–
†HAMPSTEAD ...	–	–	4	–	2	M. 1
†HOLBORN... ...	–	4	4	–	1	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	24	12	–	2	G. M.
†KENSINGTON ...	–	5	8	–	5	G.
†LAMBETH ...	–	15	13	–	4	M.
†LEWISHAM ...	–	9	12	2	3	–
†PADDINGTON ...	–	3	12	–	9	C. D. M.
†POPLAR	–	10	5	–	10	M.
†ST. MARYLEBONE	–	4	7	–	1	M.
†ST. PANCRAS ...	–	7	12	–	7	D.
†SHOREDITCH ...	–	5	9	–	6	M.
†SOUTHWARK ...	–	16	12	–	5	M.
†STEPNEY	–	16	7	–	3	–
†STOKE NEWINGTON	–	4	1	–	–	–
†WANDSWORTH ...	–	17	15	2	10	G. M.
†WESTMINSTER, CITY OF	–	7	6	–	3	–
†WOOLWICH ...	–	7	8	–	3	G.

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	16	–	4	D. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	3	–		1	–
DUNSTABLE ...	–	–	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	3	–	1	D. 1
Rural Districts:—						
BEDFORD ...	–	1	1	–	–	–
EATON SOCON ...	–	–	9	–	–	–
LUTON	–	–	2	–	–	–
BERKS	–	8	–	–	–	M. 1
†READING C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
FARINGDON (part)	–	3	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	1	–	–	–	–
BUCKINGHAM ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
†SLOUGH	–		1		1	–
Rural Districts:—						
AYLESBURY ...	–	2	–	–	1	–
ETON	–	–	1	–	–	–
WINSLOW... ...	–	–	–	–	1	–
WYCOMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE	–	6	3	–	1	–
Borough:—						
†CAMBRIDGE ..	–	3	3	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–		–	1	–
CHESTERTON ...	–	2	–		–	–
NEWMARKET ...	–	1		–		–
CHESTER	–	52	25	1	29	L. 1 M 5
†BIRKENHEAD C.B.	–	1	5	1	3	M. 1
†CHESTER C.B. ...	–	4	1	–	8	M. 1
†STOCKPORT C.B.	–	18	4	–	4	M. 1
†WALLASEY C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	3	2	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	4	–
BOWDON	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	2	–
†CREWE	–	1	2	–	–	–
†DUKINFIELD ...	–	1	–	–	–	M. 1
HALE	–	–	1	–	–	–
†HYDE	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	–	–	1	L. 1
NESTON AND PARKGATE	–	1	–	–	–	–
†RUNCORN ...	–	–	4	–	1	M. 1
SANDBACH ...	–	1	–	–	–	–
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...	–	1	1	–		–
Rural Districts:—						
BUCKLOW ...	–	8	–	–	1	–
CONGLETON ...		–	2	–	1	–
NANTWICH ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	–	–	–	1	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	3	–	–	4	–
Boroughs and Urban Districts:—						
CALLINGTON ...	–	–	–	–	2	–
LOOE	*	*	*	*	*	*
NEWQUAY ...	–	1	–	–		–
†PENZANCE ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
STRATTON AND BUDE	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	–	–	–	–	1	–
LISKEARD ...	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
STRATTON ...	*	*	*	*	*	*
CUMBERLAND ...	–	12	2	–	3	–
†CARLISLE C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†MARYPORT ...	–	1	–	–	–	–
PENRITH	–	3	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
LONGTOWN ...	–	–	1	–	–	–
PENRITH	–	–	1	–	–	–
WHITEHAVEN ...	–	2	–	–	1	–
WIGTON	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	17	16	14	–	16	G. 1 M. 1
†DERBY C.B. ...	11	4	6	–	2	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	–	–	–	–
ALVASTON AND BOULTON	*	*	*	*	*	*
BAKEWELL ...	–	1	–	–	–	–
†BELPER	4	–	–	–	–	–
†BOLSOVER ...	–	–	–	–	1	–
†BUXTON	–	–	1	–	–	–
†CHESTERFIELD ...	–	1	2	–	1	–
†GLOSSOP	–	–	–	–	1	–
†HEANOR	–	–	–	–	2	–
†LONG EATON ...	–	1	–	–	4	–
NEW MILLS ...	–	–	1	–	–	–
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	2	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHESTERFIELD ...	–	–	2	–	2	G. 1
CLOWNE	–	1	–	–	–	M. 1
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	2	1	–	–	–
DEVON	–	19	7	1	10	G. 1 M. 1
†EXETER C.B. ...	–	3	2	–	–	–
†PLYMOUTH C.B....	–	13	2	–	2	M. 1
Boroughs and Urban Districts:—						
BIDEFORD ...		–	–	–	1	–
BRIXHAM... ...	–	1	–	–	2	–
†EXMOUTH ...	–	–	–	–	1	–
NORTHAM ...	–	–	2	–	1	–
TIVERTON ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BIDEFORD ...	–	–	1	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
NEWTON ABBOT	–	–	–	–	1	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY		–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TIVERTON ...	–	–	–	1	–	–
DORSET	–	3	2	–	4	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	2	–
DORCHESTER ...	–	–	1	–	–	–
LYME REGIS ...	–	1	–	–	–	–
†PORTLAND ..	–	–	–	–	1	–
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
DURHAM	111	65	19	–	38	C. 1 G. 2 M. 5
†DARLINGTON C.B.	1	2	–	–	2	–
†GATESHEAD C.B.	1	3	5	–	1	–
†SOUTH SHIELDS C.B.	23	1	3	–	8	M. 1
†SUNDERLAND C.B.	3	–	4	–	7	M. 2
†WEST HARTLEPOOL C.B.	–	7	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	6	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BENFIELDSIDE ...	–	2	–	–	–	–
BILLINGHAM ...	1	3	–	–	1	–
†BLAYDON... ...	3	1	–	–	2	–
†BRANDON AND BYSHOTTLES	3	–	–	–	–	–
†CHESTER LE STREET	1	4	1	–	–	–
†DURHAM	–	–	1	–	–	M. 1
†HARTLEPOOL ...	4	3	–	–	–	–
†HEBBURN ...	1	3	–	–	–	–
†HETTON	12	1	–	–	–	–
†HOUGHTON LE SPRING	5	–	–	–	–	–
†JARROW	–	–	–		4	–
LEADGATE ...	1	–	–	–	–	–
†RYTON	–	2	–	–	–	–
†SHILDON	1	–	–	–	–	–
†SOUTHWICK ON WEAR		–	1	–	–	–
†SPENNYMOOR ...	4		–	–	–	–
†STANLEY	4	1	–	–	–	–
†STOCKTON ON TEES	–	2	–	–	2	–
TOW LAW ...	–	2	–	–	–	–
†WASHINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	1	–	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
CHESTER LE STREET	6	6	1	–	3	C. 1 G. 2 M. 1
DARLINGTON ...	1	2	–	–	–	–
DURHAM	4	2	–	–	–	–
EASINGTON ...	14	1	1	–	1	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	7	1	–	–	3	–
LANCHESTER ...	8	4	1	–	–	–
SEDGEFIELD ...	1	1	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	1	–	–	–	1	–
WEARDALE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ..	–	–	–	–	2	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	–	–	2	–
ESSEX	–	79	48	2	27	C. 3 E. 1 M. 2
†EAST HAM C.B. ..	–	7	1	–	2	–
†SOUTHEND-ON-SEA C.B.	–	6	–	1	2	C. 1 M. 1
†WEST HAM C.B. ...	–	19	12	–	12	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	1	–	1	M. 1
BRAINTREE ...	–	–	–	–	2	–
BRENTWOOD ...	–	1	1	–		–
CHINGFORD ...	–	1	2	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
DAGENHAM ...	–	11	–	–	–	–
HALSTEAD ...	–	2	–	–	–	–
†HORNCHURCH ...	–	2	–	–	–	–
†ILFORD	–	5	4	1	–	E. 1
†LEYTON	–	4	11	–	–	–
LOUGHTON ...	–	–	1	–	–	–
†ROMFORD ...	–	2	–	–	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	3	2	–	–	–
†WALTHAMSTOW ...	–	5	6	–	3	–
†WANSTEAD ..	–	–	1	–	–	–
WIVENHOE ...	–	–	–	–	–	C. 1
†WOODFORD ...	–	2	1	–	1	–
Rural Districts:—						
BILLERICAY ...	–	2	1	–	–	–
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	1	–	–	–	–
EPPING	–	–	1	–	–	–
MALDON	–	2	1	–	–	–
ONGAR	–	1	1	–	–	–
ORSETT	–	–	1	–	–	C. 1
ROCHFORD ...	–	1	–	–	1	–
TENDRING ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ..	–	27	22	–	16	C. 2 E. 1 G. 2 M. 2
†BRISTOL C.B. ...	–	13	17	–	13	C. 1 E. 1 G. 1 M. 2
†GLOUCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–	–		C. 1
STROUD	–	4		–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	1	–	–	–	G. 1
PEBWORTH ...	*	*	*	*	*	*
STROUD	–	4	5	–	–	–
WINCHCOMB (part)	–	–	–	–	1	–
HEREFORD ..	–	2	3	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	2	–	–	–
LEDBURY... ...	–	1	–	–	–	–
HERTFORD .	–	7	7	1	9	–
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†CHESHUNT ...	–	–	–	–	2	–
RICKMANSWORTH		1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ST. ALBANS ...	–	–	–	–	3	–
SAWBRIDGEWORTH	–	–	–	–	1	–
TRING	–	2	–	–	–	–
†WATFORD ...	–	3	–	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	5	–	–	–
BARNET	–	–	1	–	–	–
HERTFORD ...	–	–	1	–		–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	1	–	–
WATFORD ...	–	–	–	–	1	–
HUNTINGDON ...	–	5	2	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
RAMSEY	–	–	–	–	1	–
ST. NEOTS ...	–	4	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	–	2	–	–	–
KENT	–	35	30	3	13	G. 2
†CANTERBURY C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	1	1	–
†BECKENHAM ...	–	1	–		–	–
†BEXLEY	–	2	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	–	–	1	–	–
†CHATHAM ...	–	2	4	–	–	G. 1
CHERITON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARTFORD ...	–	1	–	–	1	–
†DEAL	–	1	–	–	–	–
†ERITH	–	2	–	–	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	6	–	–	–	–
†GRAVESEND ...	–	–	6	–	–	–
HYTHE	–	–	1	–	–	–
†MAIDSTONE ...	–	1		–	–	–
†MARGATE ...	–	3	–	–	–	–
†PENGE	–	1	–	–	1	–
†RAMSGATE ...	–	1	1	–	1	–
†ROCHESTER ...	–	1	2	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	1	–	–	–	–
SWANSCOMBE ...	–	1	3	–	–	–
TENTERDEN ...	–	–	–	–	1	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	2	–
Rural Districts:—						
BLEAN	–	–	2	–	1	–
BRIDGE	–	–	–	–	1	–
DARTFORD ...	–	2	1	–	–	–
EASTRY	–	–	–	–	–	G. 1
MAIDSTONE ...	–	–	4	–	–	–
MALLING	–	–	1	1	2	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	5	1	–	–	–
LANCASTER ...	4	158	80	6	223	C. 8 D. 1 E. 1 G. 7 L. 2 M. 26
†BARROW IN FURNESS C.B.	–	3	–	–	1	–
†BLACKBURN C.B	–	5	1	1	–	–
†BLACKPOOL C.B.	–	1	–		2	–
†BOLTON C.B. ...	–	5	–	–	1	–
†BOOTLE C.B. ...	–	2	1	–	2	–
†BURNLEY C.B. ...	–	3	2	1	4	–
†BURY C.B. ...	–	–	–	–	7	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B.	–	29	12	–	31	C. 2 G. 2 M. 13
†MANCHESTER C.B	–	28	17	1	52	C. 3 D. 1 G. 2 M. 7
†OLDHAM C.B.	–	3	2		2	–
†PRESTON C.B.	–	2	4	–	4	–
†ROCHDALE C.B.	–	–	1	–	–	G. 1 M. 2
†ST. HELENS C.B.	–	4	2	–	13	G. 1
†SALFORD C.B.	–	13	4	–	9	E. 1 M. 1
†SOUTHPORT C.B.	–	3	1	–	1	–
†WARRINGTON C.B	–	3	1	–	8	G. 1 M. 1
†WIGAN C.B.	–	2	3	–	8	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON	–	2	–	–	8	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON UNDER LYNE	–	1	–	–	2	C. 1
ASPULL	–	–	–	–	1	–
†ATHERTON	–	–	1	–	2	–
AUDENSHAW	–	–	1	–	–	C. 1
†BACUP	–	–	–	–	–	C. 1
†CHORLEY	3	–	–	–	–	–
CHURCH	–	1	–	–	–	–
†CLITHEROE	–	–	3	–	–	–
†COLNE	–	–	–	–	3	–
†CROMPTON	–	1	–	–	–	–
†DENTON	–	–	1	–	2	–
†DROYLSDEN	–	1	1	–	2	–
†ECCLES	–	–	–	1	1	–
†FAILSWORTH	–		–	–	1	–
†FLEETWOOD	–	2	–	–	–	–
GOLBORNE	–	2	–	–	1	–
†GREAT CROSBY	–	–	2	–	–	–
†HAYDOCK	–	–	1	–	3	–
HEYSHAM	1	–	–	–	–	–
†HEYWOOD	–	–	–		4	–
†HINDLEY	–	–	–	–	2	–
HURST	–	1	–	–	–	–
KEARSLEY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LANCASTER	–	1		–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	1	1	–	1	–
LEYLAND	–	–	–	–	2	–
LITTLE LEVER	–	1		–		–
†MIDDLETON	–		–	–	1	–
†MORECAMBE	–	3	–	–	1	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	M. 1
ORMSKIRK	–	–	–	–	1	–
ORRELL	–	–	–	–	2	–
†OSWALDTWISTLE	–	–	–	–	2	–
†PADIHAM	–	–	–	–	1	–
†PRESTWICH	–	–	–	–	1	–
†RADCLIFFE	–	3	2	1	–	–
†RAMSBOTTOM		4	1	–	–	–
†RAWTENSTALL	–	4	–	–	2	–
RISHTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	5	–
†STRETFORD	–	5	4	–	3	–
†SWINTON AND PENDLEBURY	–	2	–	1	2	–
TOTTINGTON	–	1	–	–	–	–
†TURTON	–	4	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	3	1	–	–	–
†ULVERSTON	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	1	M. 1
†WIDNES	–	1	2	–	9	–
Rural Districts:—						
BURNLEY	–	1	2	–	3	–
CLITHEROE	–	–	–	–	–	L. 2
FYLDE	–	–	2	–	–	–
GARSTANG	–	2	2	–	–	–
LIMEHURST	–	1	–	–	1	–
PRESTON	–	1	–	–	–	–
WARRINGTON	–	2	–	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LEICESTER ...	–	14	7	–	1	C. 1 D. 1 G. 1
†LEICESTER C.B. ...	–	7	3	–	1	C. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
ASHBY WOULDS...	*	*	*	*	*	*
†HINCKLEY ...	–	–	2	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	–	–	–	–	G. 1
BLABY	–	3	–	–	–	–
CASTLE DONINGTON	–	1	–	–	–	–
HINCKLEY ...	–	–	2	–	–	D. 1
MARKET BOSWORTH	*	*	*	*	*	*
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	–	G. 1
†SPALDING ...	–	–	1	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	1	M. 1
Boroughs and Urban Districts:—						
STAMFORD ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
BOURNE	–	3	–	–	–	–
BRANSTON ...	–	–	–	–	–	M. 1
LINCOLN (parts of Lindsey).	1	28	2	–	4	C. 1 G. 2 M. 1
†GRIMSBY C.B. ...	–	2	–	–	–	–
†LINCOLN C.B. ...	–	20	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–		–
CROWLE	–	–	–	–	1	–
†GAINSBOROUGH ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	1	2	1	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	3	–	–	2	–
GLANFORD BRIGG	–	–	–	–	–	G. 1 M. 1
GRIMSBY	–	–	–	–	–	C. 1
ISLE OF AXHOLME	–	–	1	–	1	–
SPILSBY	–	–	–	–	–	G. 1
MIDDLESEX ..	–	52	71	2	16	C. 4 G. 4 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	–	–	–	C. 1
†BRENTFORD ...	–	1	5	–	1	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	3	11	–	–	–
†EDMONTON ...	–	3	12	–	3	–
†ENFIELD	–	2	9	–	–	–
†FINCHLEY ...	–	–	1	–	2	–
†FRIERN BARNET	–	–	–	–	1	–
†HAMPTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARROW ON THE HILL	–	2	–	–	–	–
†HENDON	–	3	–	–	1	–
†HESTON AND ISLEWORTH	–	2	–	–	1	G. 4
†HORNSEY... ...	–	4	–	1	–	–
RUISLIP NORTHWOOD	–	1	–	–	1	–
†SOUTHALL NORWOOD	–	–	4	–	–	C. 2
†SOUTHGATE ...	–	–	1	1	–	–
STAINES		–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	6	6	–	3	–
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	2	–	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	14	16	–	2	C. 1 M. 1
†WOOD GREEN ...	–	3	3	–	–	–
NORFOLK	–	19	6	–	5	C. 1
†GREAT YARMOUTH C.B.	–	4	–	–	–	–
†NORWICH C.B. ...	–	3	4	–	–	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
WALSOKEN ...	–	–	–	–	1	–
Rural Districts:—						
AYLSHAM... ...	–	5	1	–	–	–
DEPWADE ...	–	–	–	–	–	C. 1
MITFORD AND LAUNDITCH	–	7	–	–	–	–
SWAFFHAM ...	–	–	–	–	3	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	22	3	–	2	G. 1
†NORTHAMPTON C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	4	–	–	–	G. 1
OUNDLE	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	1	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
KETTERING ...	–	9	–	–	–	–
THRAPSTON (part)	–	4	–	–	–	–
TOWCESTER ...	–	–	1	–	–	–
NORTHUMBERLAND	15	33	7	–	49	C. 2 G. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	17	6	–	28	C. 2 G. 1
†TYNEMOUTH C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	12	1	–	–	2	–
†BEDLINGTONSHIRE	1	2	–	–	3	–
†BLYTH	–	1	–	–	4	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON... ...	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	–
†LONGBENTON ...	1	2	–	–	1	–
MORPETH... ...	–	–	–	–	–	M. 1
†NEWBURN ...	–	1	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	2	–	–	3	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
BELFORD	–	1	–	–	–	–
GLENDALE ...	–	1	–	–	–	–
MORPETH ...	1	–	–	–	–	–
ROTHBURY ...	–	–	1	–	–	–
NOTTINGHAM ...	4	18	18	3	13	M. 2
†NOTTINGHAM C.B.	1	6	15	1	5	M. 2
Boroughs and Urban Districts:—						
†CARLTON	–	1	1	–	–	–
†HUCKNALL ...	–	1	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	–	–	–	2	–
NEWARK	–	–	1	1	–	–
†SUTTON IN ASHFIELD	3	1	–	–	3	–
WARSOP	–	–	–	1	–	–
Rural Districts:—						
BASFORD	–	4	1	–	–	–
BINGHAM... ...	–	–	–	–	1	–
MISTERTON ...	–	–	–	–	1	–
SKEGBY	–	1	–	–	–	–
SOUTHWELL ...	–	3	–	–	–	–
OXFORD	–	5	–	–	–	–
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	2	–	–	–	–
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	2	1	–	–	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	–	–
RUTLAND	–	2	–	–	1	–
Rural Districts:—						
KETTON	–	–	–	–	1	–
OAKHAM	–	2	–	–	–	–
SALOP	–	8	–	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	–	M. 1
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
CHIRBURY ...	–	2	–	–	–	–
ELLESMERE ...	–	1	–	–	–	–
WEM	–	–	–	–	2	C. 1
WHITCHURCH ...	–	–	–	–	1	–
SOMERSET	–	13	4	–	13	C. 3 M. 1
†BATH C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
GLASTONBURY ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	1	–
STREET	–	3	–	–	1	–
†TAUNTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	1	–
†YEOVIL	–	–	–	–	1	M. 1
Rural Districts:—						
BATH	–	1	–	–	–	–
CLUTTON... ...	–	–	–	–	1	–
DULVERTON ...	–	–	–	–	2	–
FROME	–	–	–	–	–	C. 1
KEYNSHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
LANGPORT ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	1	–	–	–
TAUNTON... ...	–	–	–	–	3	–
WELLS	–	–	1	–	–	–
WILLITON ...	–	–	1	–	–	C. 1
YEOVIL	–	–	–	–	2	C. 1
SOUTHAMPTON ...	–	26	26	–	8	D. 1 G. 1 M. 4
†BOURNEMOUTH C.B.	–	2	2	–	2	–
†PORTSMOUTH C.B.	–	7	15	–	1	M. 1
†SOUTHAMPTON C.B.	–	3	6	–	2	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	2	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT	–	–	1	–	1	–
PETERSFIELD ...	–	2	–	–	–	–
ROMSEY	–	1	–	–	–	–
WARBLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	D. 1
CATHERINGTON ...	–	–	–	–	–	M. 1
CHRISTCHURCH ...	–	–	1	–	–	–
FAREHAM ...		2			–	–
FORDINGBRIDGE ..	–	–	–	–	–	M. 2
NEW FOREST ...	–	–	–	–	1	G. 1
PETERSFIELD ...	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	53	30	2	67	C. 5 G. 2 M. 9
†BURTON UPON TRENT C.B.	–	–	–	–	1	C. 1
†SMETHWICK C.B.	–	–	2	–	1	–
†STOKE ON TRENT C.B.	–	12	8	–	17	C. 1 M. 3
†WALSALL C.B. ...	–	7	2	–	7	–
†WEST BROMWICH C.B.	–	–	–	–	3	G. 1
†WOLVERHAMPTON C.B.	–	3	2	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	3	M. 2
BIDDULPH ...	–	–	–	–	8	–
†BILSTON	–	1	2	–	1	–
†BRIERLEY HILL...	–	2	–	–	–	–
†BROWNHILLS ...	–	3	–	–	2	–
†CANNOCK	–	–	3	–	1	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	2	–	–	2	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	–	1	–	1	M. 1
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	2	–	–	–	–
LICHFIELD ...		–	–	–	1	G. 1
†NEWCASTLE UNDER LYME	–	2	–	–	1	–
†ROWLEY REGIS ...	–	5	–	–	3	–
†SEDGLEY	–	–	–	–	1	–
†STAFFORD ...	–	1	–	–	2	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	–	2	–	–	–
†TIPTON	–	3	1	–	–	–
†WEDNESBURY ...	–	–	1			–
WEDNESFIELD ...		1	–	–	–	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	1	2	–	–	C. 1
Rural Districts:—						
CANNOCK	–	1	–	–	–	C. 1
CHEADLE... ...	–	1	1	–	1	M. 1
GNOSALL	–	–	–	–	1	M 1
KINGSWINFORD ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
LEEK	–	–	1	–	2	–
LICHFIELD ..	–	–	1	2	–	–
SEISDON	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	3	–
SUFFOLK, EAST ..	–	7	–	–	10	M. 2
†IPSWICH C.B. ..	–	3	–	–	3	–
Boroughs and Urban Districts:—						
EYE	–	–	–	–	–	M. 1
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	–	–	–	1	M. 1
STOWMARKET ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
EAST STOW ...	–	–	–	–	2	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ..	–	6	–	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	2	–
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	2	–	–	–	–
MOULTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY	–	49	21	1	14	C. 1 G. 2 M. 1
†CROYDON C.B. ...	–	29	7	–	1	G. 1
Boroughs and Urban Districts:—						
†BARNES	–		–	–	1	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	1		1	–	–
†EGHAM	–	5	–	–	–	–
†EPSOM	–	–	–	–	2	–
HASLEMERE ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	–			–
†MITCHAM... ...	–	2	1	–	1	–
†REIGATE	–	1	–	–	–	–
†SURBITON ...	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WIMBLEDON ...	–	1	–	–	3	–
†WOKING	–	2	–	–		C. 1
Rural Districts:—						
CHERTSEY ...	–	2	1	–	–	–
EPSOM	–	1	–	–	1	–
FARNHAM ...	–	–	–	–	–	M. 1
GODSTONE ...	–	–	11		–	–
HAMBLEDON ...	–		–		1	–
REIGATE	–	–	–	–	2	G. 1
SUSSEX, EAST ...	–	15	7	–	5	C. 1
†BRIGHTON C.B. ...	–	7	7	–	–	–
†EASTBOURNE C.B.	–	–	–	–	1	–
†HASTINGS C.B. ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†HOVE	–	4	–	–	1	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	1	–
HAILSHAM ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	7	1	–	–	F. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†WORTHING ...	–	3	–	–	–	F. 1
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
HORSHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	2	–	–	–	–
WARWICK	–	48	55	5	87	C. 2 F. 1 G. 3 M. 13
†BIRMINGHAM C.B.	–	31	42	5	59	G. 2 M. 12
†COVENTRY C.B. ...	–	5	3	–	1	C. 2
Boroughs and Urban Districts:—						
BULKINGTON ...	–	1	–	–	–	–
KENILWORTH ...	–	–	–	–	1	G. 1
†NUNEATON ...	–	–	1	–	11	F. 1
†ROYAL LEAMINGTON SPA	–	4	–	–	2	–
†RUGBY	–	1	–	–	4	–
†STRATFORD ON AVON	–	1	–	–	–	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	–	3	–	2	–
FOLESHILL ...	–	2	1	–	1	–
MERIDEN... ...	–	1	–	–	1	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	1	3	–	1	M. 1
TAMWORTH (part)	–	–	2	–	–	–
WARWICK ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	1	–	–	–	–
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	2	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	–	–	1	3	C. 1
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	2	–
SANDOWN ...	–	–	–	1	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	–	–	–	1	C. 1
WILTS	–	7	2	–	14	M. 2
Boroughs and Urban Districts:—						
CALNE	–	1	–	–	–	M. 1
†SWINDON... ...	–	5	–	–	8	M. 1
Rural Districts:—						
CHIPPENHAM ...	–	–	1	–	–	–
HIGHWORTH ...	–	1	–	–	3	–
MERE	–	–	1	–	–	–
PEWSEY	–	–	–	–	1	–
TISBURY	–	–			1	–
WILTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	-	9	8	1	11	-
†DUDLEY C.B. ...	-	1	1	-	-	-
†WORCESTER C.B.	-	1	1	-	2	-
Boroughs and Urban Districts:—						
†HALESOWEN ...	-	3	-	-	1	-
†KIDDERMINSTER	-	2	-	-	-	-
†LYE AND WOLLESCOTE	-	-	-	-	3	-
NORTH BROMSGROVE	-	-	1	-	-	-
†OLDBURY... ...	-	-	2	-	1	-
†REDDITCH ...	-	-	1	-	1	-
Rural Districts:—						
BROMSGROVE ...	-	2	-	-	-	-
DROITWICH ...	-	-	1	-	-	-
PERSHORE ...	-	-	1	-	3	-
UPTON ON SEVERN	-	-	-	1	-	-
YORKS ... ... (East Riding.)	-	6	24	-	10	M. 1
†KINGSTON UPON HULL C.B.	-	6	22	-	5	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	-	-	1	-
GREAT DRIFFIELD	-	-	1	-	-	-
HESSLE	-	-	-	-	3	-
Rural Districts:—						
SCULCOATES ...	-	-	1	-	-	-
SHERBURN ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	-	17	5	-	11	-
†MIDDLESBROUGH C.B.	-	7	1	-	8	-
Boroughs and Urban Districts:—						
†ESTON	-	2	1	-	-	-
NORTHALLERTON	-	1	-	-	-	-
†REDCAR	-	1	-	-	-	-
SALTBURN BY THE SEA	-	-	-	-	1	-
†SCARBOROUGH ...	-	-	1	-	-	-
†THORNABY ON TEES	*	*	*	*	*	*
Rural Districts:—						
EASINGWOLD ...	-	1	-	-	-	-
FLAXTON	-	1		-	-	-
GUISBOROUGH ...	-	3	-	-	-	-
KIRKBY MOORSIDE	-	-	-	-	1	-
MALTON	-	-	1	-	-	-
NORTHALLERTON	-	-	-	-	1	-
STOKESLEY ...	-	1	-	-	-	-
THIRSK	-	-	1	-	-	-
YORKS ... ... (West Riding.)	12	134	56	4	143	C. 7 D. 1 E. 1 G. 2 L. 7 M. 10
†BARNSLEY C.B. ...	1	4	2	-	-	C. 1 G. 1
†BRADFORD C.B. ...	2	10	8	1	14	L. 7
†DEWSBURY C.B....	-	1	1	-	1	C. 1
†HALIFAX C.B. ...	-	2	1	-	2	-
†HUDDERSFIELD C.B.	-	7	3		4	C. 1 M. 1
†LEEDS C.B. ...	-	8	8	-	16	G. 1 M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†ROTHERHAM C.B.	–	8	–	–	3	–
†SHEFFIELD C.B....	–	29	12	2	60	C. 2 D. 1 E. 1 M. 4
†WAKEFIELD C.B.	–	3	3	1	3	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	1	–	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	1	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	–	2	–	–	–
†BINGLEY	–	–	2	–	1	–
†BOLTON UPON DEARNE	–	–	–	–	1	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	–	1	–	–	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	2	–	–	1	–
†DARTON	–	–	–	–	1	–
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	2	–	–	–	–	–
†DONCASTER ...	–	3	–	–	3	–
†FEATHERSTONE ...	–	1	–	–	–	–
GILDERSOME	–	–	–	–	1	–
†GOLCAR	–	–	–	–	1	–
GUISELEY ...	–	–	–	–	1	–
†HARROGATE ...	–	1	–	–	1	–
HIPPERHOLME ...	–	–	2	–	–	–
†HOLMFIRTH ...	–	1	–	–	2	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	5	–	–	1	–
KIRKBURTON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	1	–	–	1	–
NEW MILL ...	–	1	–	–	2	–
OXENHOPE ...	–	–	1	–	–	–
†PONTEFRACT ...	–	2	–	–	1	–
†PUDSEY	–	2	–	–	–	–
QUEENSBURY ...	–	–	–	–	2	–
†RAWMARSH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROTHWELL ...	–	–	–	–	1	–
SILSDEN	–	1	–	–	–	–
SOUTH CROSLAND	–	–	1		–	–
SOWERBY ...	–	3	2	–	–	–
SOYLAND	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	3	–
STAINLAND ...	–	2	–	–	–	–
STOCKSBRIDGE ...	–	1	1	–	1	–
†SWINTON... ...	5	–	–	–	–	–
THURNSCOE ...	–	1	–		–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	2	–	–	1	–
†WATH UPON DEARNE	–	4	–	–	1	–
†WOMBWELL ...	–	6	1	–	1	–
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	–	1	–	–	–
DONCASTER ...	–	3	–	–	1	–
HEMSWORTH ...	–	1	1	–	3	–
KIVETON PARK ...	–	–	2	–	–	C. 1 M. 1
KNARESBOROUGH	–	2	–	–	–	–
PENISTONE ...	*	*	*	*	*	*
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ...	–	–	–	–	1	C. 1
SKIPTON	–	1	–	–	1	–
TADCASTER ...	–	–	1	–	–	–
THORNE	–	7	–	–	–	M. 2
WETHERBY ...	–	1	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
§YORK, CITY OF ...	–	4	–	–	–	–
†YORK C.B. ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WALES.						
ANGLESEY	–	4	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	2	–	–	–	–
VALLEY	–	2	–	–	–	–
BRECKNOCK ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
CARDIGAN ...	–	2	1	–	1	G. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
Rural Districts:—						
LAMPETER ...	–	–	1	–	–	–
TREGARON ...	–	2	–	–	–	G. 1
CARMARTHEN ...	–	6	3	–	6	G. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	–	1	–	–	G. 1
KIDWELLY ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	5	–
Rural Districts:—						
CARMARTHEN ...	–	4	–	–	–	–
LLANELLY ...	–	1	–	–	–	–
CARNARVON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
Rural Districts:—						
LLEYN	–	3	–	–	–	–
DENBIGH	–	7	2	–	1	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
LLANRWST ...	–	2	–	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
RUTHIN	–	2	–	–	1	–
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	2	2	–	–	–
FLINT	–	1	–	–	1	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	*	*	*	*	*	*
FLINT	*	*	*	*	*	*
PRESTATYN ...	–	1	–	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
GLAMORGAN ...	–	63	32	–	55	M. 6
†CARDIFF C.B. ...	–	7	4	–	8	M. 1
†MERTHYR TYDFIL C.B.	–	1	1	–	2	M. 1
†SWANSEA C.B. ...	–	6	4	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE	–	–	1	–	4	–
†BARRY	–	4	3		–	–
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–	1	1	–	–	–
†GELLIGAER ...	–	2	4	–	3	M. 1
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG ...	–	3	2	–	–	–
†MOUNTAIN ASH ...	–	1	1	–	5	M. 1
†NEATH	–	3	–	–	2	–
†OGMORE AND GARW	–	2	–	–	2	–
†PENARTH ...	–	1	–	–	1	–
†PONTYPRIDD ...	–	3	–	–	–	–
PORTHCAWL ...	–		–	–	2	–
†PORT TALBOT ...	–	6	2	–	–	–
†RHONDDA ...	–	19	2	–	11	M. 2
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	–	–	–	5	–
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	–	–
NEATH	–	–	–	–	6	–
PONTARDAWE ...	–	–	2	–	1	–
SWANSEA... ...	–	3	2	–	–	–
MERIONETH ...	–	–	–	–	2	–
Urban Districts:—						
FESTINIOG ..	–	–	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
MONMOUTH ..	–	6	4	1	9	–
†NEWPORT C.B. ...	–	2	–	–	8	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†RHYMNEY ...	–	–	2	–	–	–
†RISCA	–	–	1	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
CHEPSTOW ...	–	1	–	–	–	–
ST. MELLONS ...	–	1	1	1		–
MONTGOMERY ...	–	1	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	1	–
PEMBROKE	–	–		–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	*	*	*	*	*	*
Rural Districts:—						
LLANFYRNACH ...	*	*	*	*	*	*
Total of Part II. ...	164	1219	680	34	975	C. 4 D. E. F. G. 3 L. 1 M. 9

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARNARVON	*	*	*	*	*	*
CHESTER	*	*	*	*	*	*
COLCHESTER	*	*	*	*	*	*
SOUTHAMPTON ...	–	–	2	–	–	–
TEES (RIVER) ...	*	*	*	*	*	*
WISBECH	–	1	–	–	–	–
PORT OF LONDON ...	1	–	–	–	–	–
Total of Part III.... ...	1	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Total of Part I.—London	–	238	265	4	103	C. D. E. G M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	164	1219	680	34	975	C. D. E. F. G. L. M.
Total of Part III.—Port Sanitary Districts	1	1	2	–	–	
Total (*i.e.*, of returns received), England and Wales ...	165	1458	947	38	1078	C. D. E. F. G. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

eek ended :—	Feb. 20.	Feb. 27.	Mar. 6	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24	May 1.	May 8.	May 15.
ON :—													
IS—all ages	1,209	1,121	1,099	1,112	1159	1,228	1,340	1,347	1,264	1,127	1,108	1,011	913
0 to 1 year ..	105	110	103	110	116	113	107	128	93	110	103	98	74
T TOWNS, aggre- (including Lon- :—													
S	6,836	7,359	6,836	7,238	7,128	6.687	6,571	6,909	7,976	7,585	7,009	7,412	7,437
IS—all ages	5.271	4,904	4,674	4,786	4,775	5,177	5,583	5,612	5,342	4,889	4,704	4.302	4,230
0 to 1 year ..	655	540	562	598	564	574	610	600	552	511	511	440	444
IC FEVER—Cases	20	20	24	26	16	25	24	23	23	20	25	21	21
" Deaths	3	3	2	3	3	7	3	6	1	1	—	5	3
POX—Cases ..	60	88	74	75	67	70	50	63	65	35	32	58	43
" Deaths ..	—	—	—	1	—	—	—	—	—	—	—	—	—
ET FEVER—Cases	959	934	866	882	827	894	895	787	742	799	828	840	837
" Deaths	13	7	8	9	13	9	8	6	9	6	5	13	6
HERIA—Cases ..	816	830	823	809	827	688	716	649	622	639	669	693	666
" Deaths ..	50	56	48	51	49	47	50	45	41	38	43	43	33
LES—Deaths ..	116	105	102	119	116	121	107	100	99	81	55	68	60
ENZA—Deaths ..	76	89	97	88	136	136	223	294	302	209	166	149	118

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th May, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON	62	33	57·9	41·3	22
REENWICH).					
HTON ..	56	38	53·1	43·6	6
SMOUTH ..	59	40	56·2	43·9	5
WICH	62	34	56·0	41·3	9
(EATON).					
OUTH ..	57	38	55·0	43·0	5
TOL	55	36	54·0	41·6	17
(CLIFTON).					
INGHAM	57	34	52·6	38·6	39
EDGBASTON).					
INGHAM ..	58	30	54·0	38·9	21
ENHEAD	55	35	51·3	41·4	41
(BIDSTON).					
CHESTER	54	33	52·0	39·9	29
WHITWORTH PARK).					
NLEY	54	27	51·0	36·1	42

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	55	32	52·9	37·3	29
BRADFORD ..	54	31	51·4	36·1	23
SHEFFIELD ..	56	35	52·3	39·0	21
YORK (MUSEUM)	58	33	54·0	38·6	22
HULL (PEARSON PARK).	60	33	55·9	39·3	13
TYNEMOUTH ..	55	33	50·4	39·6	7
CARDIFF	55	35	53·4	40·1	24
EDINBURGH ..	53·0	33·0	49·9	37·4	31
GLASGOW ..	55·8	33·0	52·4	39·2	21
DUBLIN (PHŒNIX PARK).	59·3	32·0	54·7	37·4	17
(FITZWILLIAM SQUARE†).	58·4	26·8	55·2	40·7	14
BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 15th May, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	9	In Equator	29·742	56·8	32·8	24·0	45·5	− 5·7	33·5	12·0	22·7	3·9	62	116·7	21·0	48·1	Calm: WSW: W.	W: SW	1·0	0·0	0·1	184	− 75	0·00
MONDAY -	10	..	29·532	52·9	39·4	13·5	46·8	− 4·7	40·9	5·9	14·4	3·2	79	84·9	29·9	48·0	Calm: SW.	SW	1·7	0·0	0·2	272	+ 17	0·02
TUESDAY -	11	New.	29·459	61·6	46·3	15·3	52·9	+ 1·1	44·1	8·8	15·2	1·4	72	122·6	41·4	48·2	SW	SW	4·0	0·0	0·6	394	+ 141	0·13
WEDNESDAY	12	..	29·473	59·4	44 2	15·2	51·4	− 0·7	40·3	11·1	19·1	1·4	66	135·5	37·6	48·2	SW	SW	9·2	0·0	0·8	429	+ 173	0·11
THURSDAY -	13	..	29·605	62·0	44·8	17·2	51·6	− 0·8	40·1	11·5	20·2	3·2	65	135·8	39·3	48·3	SW: WSW.	WSW: WNW.	4·0	0·0	0·9	492	+ 230	0·04
FRIDAY -	14	..	29·761	54·6	40·1	14·5	47·0	− 5·6	40·6	6·4	12·6	0·5	78	119·3	31·6	48·5	NNW: N.	Var.: Calm.	1·3	0·0	0·1	179	− 92	0·56
SATURDAY -	15	Greatest Declination N.	29·767	51·8	38·6	13·2	44·6	− 8·2	34·6	10·0	15·9	3·7	68	99·7	32·6	48·5	NE: NNE.	NE: NNE.	3·4	0·0	0·7	411	+ 131	0·00
MEANS -		..	29·620	57·0	40·9	16·1	48·5	− 3·5	39·2	9·4	17·2	2·5	70	116·4	33·3	48·3	SW		..	..	..	Sum 2361	Sum + 525	Sum 0·86
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	9	wP.	5·7	15·2	Variably cloudy till 12h.: nearly overcast till 21h.; then clearing to partially cloudy by 23h. Haze 6h. till 15h. Occasional damping between 19h. and 21h.
MONDAY ..	10	wP till 10h.; wN till 16h.; then wP.	0·1	15·2	Partially cloudy, becoming overcast by 2h. Solar halo 7¾h. Slight rain 10h. till 15h.; and 21½h. till 23h.
TUESDAY ..	11	wP till 21½h.; mN till 22¾h.; then wP.	2·3	15·3	Nearly overcast. Damping 1h.; and 3h. till 4h. Rain 21½h, till 22h. Brisk wind 14h. till 20h.
WEDNESDAY	12	wP till 17h.; variably sP and sN till 18½h.; then wP.	10·2	15·4	Variably cloudy. Rain 3h.; and from 17¼h. till 17¾h. Hail 17¼h. Thunder and lightning between 17h. and 17¼h. Brisk wind 12h. till 18h.
THURSDAY	13	Variably wP and wN till 2½h.; wP till 15½h.; variably sP and sN till 16½h.; then wP.	8·6	15·4	Variably cloudy. Brisk wind 4h. till 11h.; and 16h. till 19h. Rain 1½h. till 2h.; at 3½h., and 15½h. till 15¾h.
FRIDAY ..	14	wP till 12¾h.; variably wP and wN till 18h.; variably sP and sN till 20h.; then wN.	2·7	15·5	Variably cloudy becoming nearly overcast by 6½h. Haze 6h. till 9h. Damping 11h. till 15h. Thunder and lightning at 16½h. Rain 17h. till 22h.
SATURDAY	15	wP	3·2	15·5	Nearly overcast till 18½h., then clearing to nearly cloudless by 21¼h. Brisk wind 10h till 14h. Slight damping between 13½h. and 15h.
			Sum 32·8	Sum 107·5	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·82 ins. at the beginning of the week to 29·42 ins. by 3h. on 13th; increased generally to 29·84 ins. by 23h. on 15th; decreased and was 29·83 ins by midnight on the same day.

FOR OFFICIAL USE

1926. No. 20.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 22ND MAY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND MAY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twentieth week of the year numbered 7,438, and corresponded to an annual rate of 19·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,465 and corresponded to an annual rate of 12·0 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 12·6, 11·6, and 11·4. Infant mortality was 63 per 1,000 births against 73, 59 and 60 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,713 births corresponding to a rate of 19·4 per 1,000, and 1,006 deaths of civilians, corresponding to an annual rate of 11·4, against 12·6, 11·5 and 10·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·5 per 1,000. The infant mortality was 41 as against 65, 60 and 44 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,230 to 4,465; the deaths from influenza, which had been 166, 149 and 118 in the three preceding weeks, further declined to 111 last week. In London the number of deaths from all causes increased from 913 to 1,006; the deaths from diphtheria which had been 10, 12, and 11 in the preceding three weeks, fell to 8 last week; the deaths from measles, which had been 25, 23 and 17 in the three preceding weeks, rose to 19 last week; and the deaths from influenza, which had been 28, 23, and 15 in the three preceding weeks, were 14 last week.

MORTALITY OF WOMEN IN CHILDBIRTH.

The following figures for 1925 are by special arrangement given here in advance of publication in the Statistical Review. Corresponding figures for 1923 and 1924 are given also for comparison:—

Year.	Mortality of Women in Childbirth* per 1,000 children born alive.			Deaths of Infants under one year of age per 1,000 Births.
	Sepsis.	Other Causes.	Total.	
1925 ...	1·56	2·52	4·08	75
1924 ...	1·39	2·51	3·90	75
1923 ...	1·30	2·52	3·81	69

* Excluding Deaths not classed to pregnancy and childbearing but returned as associated therewith.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 22nd May, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,417,320*	7,438	4,465	469	3	56	2	55	32	43
London	4,602,000*	1,713	1,006	71	1	19	2	8	8	10
Towns in Outer Ring.										
Croydon C.B ..	199,300	73	42	3	-	-	-	-	2	-
Wimbledon ..	58,170	18	15	1	-	-	-	-	-	-
Ealing	68,410	33	16	2	-	-	-	-	-	-
Acton	63,110	29	11	1	-	-	-	-	-	-
Willesden ..	168,900	44	25	5	-	-	-	1	-	-
Hendon	59,150*	16	9	-	-	-	-	1	-	-
Hornsey	87,210	23	18	-	-	-	-	-	-	-
Wood Green ..	51,960	11	9	-	-	-	-	1	-	-
Tottenham ..	153,600	35	26	3	-	-	-	-	1	-
Edmonton ..	71,210	39	10	2	-	-	-	-	1	-
Enfield	63,740	17	15	1	-	-	-	-	-	-
West Ham C.B. ..	318,500	134	53	3	-	-	-	1	-	-
East Ham C.B. ..	147,200	36	25	4	-	-	-	-	-	1
Leyton	132,700	34	18	1	-	-	-	-	-	-
Walthamstow ..	130,800	43	21	1	-	-	-	-	-	-
Ilford	93,590	29	16	3	-	-	-	-	1	-
Gillingham	48,680*	23	13	2	-	-	-	-	-	-
Canterbury C.B ..	23,270*	2	5	-	-	-	-	-	-	-
Hastings C.B.	60,470	17	19	1	-	2	-	-	-	1
Eastbourne C.B. ..	55,060	10	12	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	43	46	2	-	-	-	1	1	-
Portsmouth C.B. ..	232,900*	96	46	1	-	-	-	-	2	-
Bournemouth C.B. ..	85,840	26	30	1	-	-	-	-	-	-
Southampton C.B. ..	168,600	62	33	5	-	-	-	-	1	-
Reading C.B.	93,670*	43	21	2	-	-	-	-	-	-
Oxford C.B.	57,090	20	11	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	23	18	1	-	-	-	-	-	-
Luton	59,230	20	11	1	-	-	-	-	-	-
Cambridge	59,020	17	11	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	29	18	1	-	-	-	1	-	-
Ipswich C.B.	83,120*	25	16	2	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	22	8	-	-	1	-	-	-	-
Norwich C.B. ..	124,000*	26	21	2	-	-	-	-	-	-
Swindon	56,880	19	13	2	-	-	-	-	-	-
Exeter C.B.	59,820*	18	12	1	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	73	46	4	-	-	-	-	1	-
Bath C.B.	69,050	28	25	1	-	-	-	-	-	-
Bristol C.B.	385,700*	164	93	15	-	2	-	1	1	1
Gloucester C.B. ..	53,060	22	13	1	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	130	70	12	-	-	-	-	1	2
Burton-upon-Trent C.B.	49,530	21	12	2	-	-	-	-	-	-
Wolverhampton C.B.	108,800	51	25	2	-	1	-	-	-	-
Walsall C.B.	102,300	49	22	2	-	-	-	-	-	-
West Bromwich C.B	79,490	45	13	3	-	-	-	-	-	-
Dudley C.B.	58,810	27	15	3	-	-	-	-	-	-
Worcester C.B. ..	50,230	24	7	1	-	-	-	-	-	-
Birmingham C.B. ..	945,900	414	222	25	-	3	-	3	3	1
Smethwick C.B. ..	78,840	28	12	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	44	28	5	-	-	-	1	1	-
Leicester C.B. ..	242,100	78	53	6	-	-	-	-	-	1
Lincoln C.B.	66,600*	24	19	4	-	-	-	-	-	-
Grimsby C.B.	87,190	28	21	2	-	-	-	-	-	-
Nottingham C.B. ..	270,600	106	66	9	-	1	-	1	1	3
Derby C.B.	134,400*	62	29	5	-	-	-	1	-	-
Chesterfield ..	65,800	30	14	5	-	-	-	-	-	-
Stockport C.B. ..	125,900	48	49	6	-	1	-	-	-	1
Chester C.B.	41,670	23	8	2	-	1	-	-	-	1
Birkenhead C.B. ..	155,500	55	33	8	-	1	-	-	1	2
Wallasey C.B. ..	91,720	21	16	1	-	-	-	-	-	-
Liverpool C.B. ..	856,000	395	238	37	-	8	-	6	6	4
Bootle C.B.	83,260	36	12	3	-	-	-	1	-	-
St. Helens C.B. ..	109,600	55	35	9	-	1	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	29	16	1	-	1	-	-	-	-	1
WIGAN C.B.	91,610	35	21	1	-	-	-	-	-	-	-
WARRINGTON C.B. ..	77,970*	34	12	-	-	-	-	-	-	-	3
BOLTON C.B.	180,400	57	51	3	-	-	-	-	-	1	2
BURY C.B.	56,700*	17	15	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	294	199	25	1	3	-	4	-	4	7
SALFORD C.B.	244,700	96	49	10	-	2	-	-	-	-	1
OLDHAM C.B	146,200	39	48	1	-	1	-	1	-	-	1
ROCHDALE C.B... ..	92,190	22	22	4	-	-	-	-	-	-	1
BURNLEY C.B.	102,300	36	23	4	-	-	-	-	-	-	1
BLACKBURN C.B. ..	126,900	46	36	4	-	-	-	-	-	-	1
PRESTON C.B.	122,900	49	39	1	-	-	-	-	-	-	3
BLACKPOOL C.B. ..	80,750	17	26	3	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	21	12	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	28	35	3	-	-	-	-	-	-	-
HALIFAX C.B.	97,860*	33	17	1	-	-	-	-	-	-	2
BRADFORD C.B. ..	290,200	103	67	6	-	-	-	1	-	-	-
LEEDS C.B.	472,900	180	129	9	-	1	-	2	-	1	2
DEWSBURY C.B ..	54,570	17	18	2	-	-	-	1	-	-	1
WAKEFIELD C.B. ..	53,980	22	14	2	-	-	-	1	-	-	-
BARNSLEY C.B. ..	71,170	29	9	1	-	-	-	-	-	1	-
SHEFFIELD C.B. ..	526,900*	201	127	15	1	2	-	1	-	-	2
ROTHERHAM C.B. ..	70,600	37	11	1	-	-	-	-	-	-	-
DONCASTER	55,610	30	13	1	-	-	-	-	-	-	1
YORK C.B.	84,630*	22	16	3	-	1	-	-	-	-	1
HULL C.B.	297,300	120	67	8	-	1	-	1	-	1	2
MIDDLESBROUGH C.B.	136,200	70	41	9	-	-	-	3	-	2	1
DARLINGTON C.B. ..	69,130	28	22	-	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	32	19	3	-	-	-	2	-	1	2
WEST HARTLEPOOL C.B.	71,590	33	17	1	-	1	-	-	-	-	1
SUNDERLAND C.B. ..	166,000	80	26	3	-	-	-	-	-	1	2
SOUTH SHIELDS C.B. ..	124,600	55	21	4	-	-	-	-	-	-	1
GATESHEAD C.B. ..	129,000	63	39	8	-	-	-	-	-	1	-
NEWCASTLE-ON-TYNE C.B.	286,300*	141	77	9	-	-	-	5	-	-	2
TYNEMOUTH C.B. ..	66,180	24	20	1	-	-	-	1	-	-	-
CARLISLE C.B.	55,160*	19	17	3	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	37	17	-	-	-	-	-	-	-	-
CARDIFF C.B.	227,100*	102	42	4	-	-	-	-	-	-	1
RHONDDA	167,570	70	39	5	-	-	-	-	-	1	2
MERTHYR TYDFIL C.B.	82,920	30	14	1	-	-	-	1	-	-	1
ABERDARE	57,700	26	19	5	-	2	-	-	-	-	-
SWANSEA C.B.	163,200	65	48	6	-	-	-	3	-	-	2
GREATER LONDON ..	7,719,622*	2,788	1,567	118	1	22	2	13	13	12	24
OUTER RING	3,117,622*	1,075	561	47	-	3	-	5	5	2	10
18 GREAT TOWNS IN OUTER RING	1,867,550*	614	329	30	-	-	-	4	5	1	8
REMAINDER OF OUTER RING	1,250,072*	461	232	17	-	3	-	1	-	1	2
EDINBURGH†	424,600	129	111	13	-	-	-	-	-	1	3
GLASGOW† ..	1,052,200‡	461	287	30	-	4	2	6	1	5	4
DUBLIN (REGISTRATION AREA)†	443,000	218	132	25	-	3	-	1	-	3	-
BELFAST†	415,000	231	170	24	-	-	-	2	-	3	21

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
London‡	4,602,000	1926. May 22	1713	1006	11·4	1	-	19	2	8	8	
Calcutta and Suburbs	1,077,273	Mar. 27	?	655	31·6	?	26	?	?	?	?	?
Bombay	1,279,061	May 1	369	625§	25·4	1	19	4	-	1	-	
Madras	528,791	April 17	443	418	41·0	2	1	-	?	3	-	
		„ 24	475	461	45·3	3	1	-	?	3	-	
Sydney and Suburbs	1,038,950	April 30										
Brisbane (Metropolitan Area).	253 568	Mar. 31										
Perth (Metropolitan Area).	179,388	April 3	53	34	9·9	-	-	-	-	-	-	
		„ 10	71	28	8·1	-	-	-	-	-	-	
Auckland (Urban Area).	180,790	Mar. 31 (31 days)	334	127	8·4	-	-	-	-	1	1	
Wellington (Urban Area).	118,490	„	214	84	8·5	-	-	-	-	-	-	
Christchurch (Urban Area).	118,270	„	188	79	8·0	-	-	-	-	-	1	
Cape Town	113,709	April 24	46	31	14·2	-	-	-	-	-	1	
		May 1	49	19	8·7	-	-	-	-	-	-	
Johannesburg	165,958	April 24	90	31	9·7	-	-	-	-	-	-	
Durban	54,822	„	34	12	11·4	-	-	-	-	-	-	
Paris	2,906,472	May 10 (10 days)	1306	1183	14·8	4	-	16	8	5	9	
Antwerp	300,150	April 4										
Amsterdam	719,357	April 24	242	132	9·6	-	-	-	-	3	-	
		May 1	238	137	9·9	1	-	2	3	3	-	
		„ 8	265	109	7·9	-	-	4	1	2	-	
Copenhagen	587,400	May 1	197	134	11·8	-	-	1	-	-	1	
		„ 8	188	172	15·3	-	-	-	1	-	-	
		„ 15	209	143	12·7	-	-	1	1	1	2	
Stockholm	442,528	May 8	98	88	10·3	-	-	1	-	1	-	
Gothenburg	230,804											
Oslo (Christiania) ..	257,719	May 15	61	55	11·1	-	-	-	-	-	-	
Berlin	2,000,000	May 1	454	470	11·8	-	?	-	-	-	1	
Breslau	559,000	„	214	144	11·6	-	?	-	-	1	-	
Cologne	708,000	„	230	148	10·2	-	?	1	-	-	-	
Dresden	622,000	„	183	124	9·6	-	?	-	-	1	-	
Frankfort-on-Main ..	473,000	„	125	86	8·9	-	?	-	-	-	-	
Hamburg	1,095,000	„	306	250	10·9	-	?	-	-	2	-	
Leipzig	685,000	„	205	160	11·2	-	?	-	-	-	1	
Munich	680,000	„	199	158	10·9	-	?	1	-	2	-	
Vienna	1,869,437	Dec. 31 '25										
Prague and Suburbs	712,700											
Budapest	960,535	May 8	383	302	16·3	-	-	3	2	2	3	
Warsaw	1,015,426	May 8	344	261	13·4	-	-	-	2	-	-	
		„ 15	287	188	9·7	1	-	1	3	2	2	
Cairo	829,200	Jan. 21	935	512	32·2	3	-	4	-	?	10	
Alexandria	492,100	„	510	450	47·7	1	1	41	-	?	-	
New York	6,361,664	April 10										
Chicago	2,995,239	„ 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 2 deaths from plague in Bombay and 48 from cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd May, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1006	71	40	26	30	46	38	73	105	169	190	218
Enteric fever..	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	19	3	10	6	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	2	-	-	-	-	-	-	-
Whooping cough	8	2	4	1	1	-	-	-	-	-	-	-
Diphtheria	8	-	1	3	4	-	-	-	-	-	-	-
Influenza	14	-	-	1	1	1	3	1	2	2	1	2
Erysipelas	5	-	-	-	-	1	-	2	-	-	1	1
Acute Poliomyelitis. Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	5	-	-	-	-	-	1	2	1	1	-	-
Meningococcal meningitis	5	-	2	1	1	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	77	-	-	1	-	26	9	14	18	6	3	-
Nervous system	3	-	-	3	-	-	-	-	-	-	-	-
Intestines and peritoneum	4	-	-	-	2	-	1	1	-	-	-	-
Other forms	4	1	-	1	-	2	-	-	-	-	-	-
Venereal diseases	4	1	-	-	-	-	-	-	1	1	1	-
Cancer	126	-	-	-	-	-	4	11	25	42	29	15
Rheumatic fever	3	-	-	-	-	2	-	1	-	-	-	-
Diabetes	4	-	-	-	-	-	-	-	1	1	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	1	-	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	56	-	-	-	-	-	-	1	7	8	18	22
Epilepsy	4	-	-	-	-	1	2	-	-	-	1	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	22	-	2	-	4	-	2	3	4	6	1	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	3	-	-	-	2	-	-	1	-	-	-	-
Other diseases of heart	148	-	-	-	4	3	-	7	7	27	49	51
Other diseases of circulatory system	50	-	-	-	-	-	-	-	2	12	17	19
Bronchitis	53	-	3	1	-	-	-	4	2	10	15	18
Broncho-pneumonia	36	5	10	1	1	-	1	1	2	6	5	4
Lobar-pneumonia	25	-	1	-	1	1	3	7	5	2	5	-
Pneumonia (type not distinguished)	14	1	-	-	-	-	-	-	1	5	2	5
Other diseases of respiratory system	18	-	1	-	-	1	1	-	-	4	7	4
Diarrhœa and enteritis	14	9	1	1	1	-	-	1	1	-	-	-
Appendicitis, Typhlitis	9	-	-	1	1	2	-	1	-	2	-	2
Hernia, Intestinal obstruction.. ..	10	-	-	-	-	-	-	2	1	2	2	3
Cirrhosis of liver	7	-	-	-	-	-	-	1	3	3	-	-
Other diseases of digestive system ..	19	1	-	1	1	-	2	1	5	4	2	2
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease..	33	-	-	1	1	1	1	4	4	4	10	7
Other diseases of genito-urinary system.	7	-	-	-	-	-	-	1	1	2	1	2
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	3	2	-	-	-	1	-	-	-	-	-	-
Premature birth	23	23	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	6	6	-	-	-	-	-	-	-	-	-	-
Old age	54	-	-	-	-	-	-	-	-	-	7	47
Suicide	11	-	-	-	-	-	-	1	3	6	1	-
Burns and Scalds	3	1	-	-	-	-	-	-	-	1	-	1
Drowning	2	-	-	-	-	-	-	1	1	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	1	2	1	1	1	3	3	2	-
Other deaths by violence	13	-	-	1	-	1	1	1	2	1	-	6
Other specified causes	49	14	3	1	1	1	3	2	3	6	9	6
Ill-defined causes	2	1	1	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd May, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	268	241	6	102	C. 6 D. 4 G. 8 M. 15
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	18	18	–	7	G. 1
†BERMONDSEY ...	-	8	14	–	1	D. 1 G. 1
†BETHNAL GREEN	-	6	4	1	5	M. 3
†CAMBERWELL ...	–	15	13	–	2	C. 1
†CHELSEA	–	2	1	–	2	–
†DEPTFORD ...	-	10	13	-	2	C. 1
†FINSBURY ...	–	5	4	–	4	–
†FULHAM	-	4	8	–	2	–
†GREENWICH ...	–	5	19	-	1	M. 1
†HACKNEY ...	-	24	9	–	1	–
†HAMMERSMITH ...	–	6	4	–	2	–
†HAMPSTEAD ...	–	2	3	–	2	G. 1
†HOLBORN... ...	-	4	2	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	15	13	–	6	M. 4
†KENSINGTON ...	–	6	9	–	4	C. 1 M. 1
†LAMBETH ...	–	14	11	–	6	C. 1 D. 1 M. 1
†LEWISHAM ...	–	5	3	–	6	G. 2
†PADDINGTON ...	–	4	7	1	7	–
†POPLAR	–	16	11	–	9	–
†ST. MARYLEBONE	–	–	5	–	1	–
†ST. PANCRAS ...	–	15	9	–	1	G. 1
†SHOREDITCH ...	-	15	4	–	7	M. 1
†SOUTHWARK ...	–	10	17	–	4	D. 1 M. 1
†STEPNEY	–	19	13	1	6	C. 1 D. 1 G. 1
†STOKE NEWINGTON	–	7	1	–	1	–
†WANDSWORTH ...	–	18	13	2	8	G. 1
†WESTMINSTER, CITY OF	–	2	6	1	2	M. 1
†WOOLWICH ...	–	12	6	–	3	C. 1 M. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	8	–	1	L. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	*	*	*	*	*	*
†BEDFORD... ...	–	1	–	–	–	–
†LUTON	–	–	3	–	–	–
Rural Districts:—						
BEDFORD ...	–	2	–	–	–	–
BIGGLESWADE ...	–	–	–	–	1	L. 1
EATON SOCON ...	–	–	4	–	–	–
LUTON	–	–	1	–	–	–
BERKS	–	5	2	–	2	C. 1 D. 2
†READING C.B. ...	–	2	1	–	1	C. 1 D. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	1	–	–	D. 1
Rural Districts:—						
BRADFIELD ...	–	–	–	–	1	–
WINDSOR... ...	–	1	–	–	–	–
BUCKINGHAM ...	–	4	2	–	7	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	1	–	–	1	–
CHESHAM... ...	–	–	–	–	1	–
†SLOUGH	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	1	–
ETON	–	1	1	–	1	–
NEWPORT PAGNELL	–	–	–	–	2	–
WINSLOW... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	11	1	–	2	C. 1
Borough:—						
†CAMBRIDGE ...	–	7	–	–	1	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	C. 1
CHESTERTON ...	–	4	1	–	–	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER	–	51	15	1	39	C. 2 D. 1 E. 2 G. 2 M. 1
†BIRKENHEAD C.B.	–	2	1	–	7	–
†CHESTER C.B. ...	–	1	1	–	4	C. 1 D. 1 M. 1
†STOCKPORT C.B.	–	25	3	–	7	–
†WALLASEY C.B. ...	–	–	–	1	1	C. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
ALSAGER	–	1	–	–	–	–
†ALTRINCHAM ...	–	5	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BOLLINGTON ...	–	1	–	–	–	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	1	–	2	–
†CONGLETON ...	–	–	–	–	2	–
†DUKINFIELD ...	–	–	–	–	3	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	4	–
HALE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	2	–
†HYDE	–	1	1	–	–	–
†MACCLESFIELD ...	–	–	–	–	1	–
MIDDLEWICH ...	–	1	–	–	–	–
NANTWICH ...	–	2	–	–	–	E. 2 G. 1
†RUNCORN ...	–	–	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	1	–	1	–
TARPORLEY ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	1	–	–	1	–
CONGLETON ...	–	–	1	–	–	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	5	1	–	–	G. 1
RUNCORN... ...	–	–	2	–	–	–
WIRRAL	–	1	2	–	–	–
CORNWALL ...	–	4	–	–	4	–
Boroughs and Urban Districts:—						
CALLINGTON ...	–	–	–	–	2	–
REDRUTH ...	–	–	–	–	1	–
Rural Districts:—						
HELSTON	–	2	–	–	–	–
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	1	–	–	–	–
CUMBERLAND ...	–	6	3	–	3	C. 1 G. 1 M. 1
†CARLISLE C.B. ...	–	5	–	–	1	C. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ...	–	–	1	–	–	–
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ...	–	1	–	–	–	G. 1 M. 1
WIGTON	–	–	1	–	–	–
Rural Districts:—						
WHITEHAVEN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	13	27	16	–	23	D. 1 M. 1
†DERBY C.B. ...	10	3	3	–	8	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	1	1	–	–	–	–
†BUXTON	–	–	–	–	–	D. 1
†CHESTERFIELD ...	–	3	3	–	3	–
CLAY CROSS ...	*	*	*	*	*	*
†GLOSSOP	–	–	2	–	–	–
HEAGE	–	1	–	–	–	–
†HEANOR	–	–	–	–	1	–
†LONG EATON ...	–	–	2	–	–	M. 1
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	1	3	–	–	2	–
Rural Districts:—						
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	3	3	–	2	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ...	1	–	1	–	3	–
CLOWNE	–	4	1	–	–	–
REPTON	–	4	–	–	1	–
SHARDLOW ...	–	1	–	–	1	–
DEVON	–	15	4	–	4	G. 1 M. 2
†PLYMOUTH C.B....	–	7	3	–	–	G. 1 M. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	*	*	*	*	*	*
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	–	–	–	–	2	–
†ILFRACOMBE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
†PAIGNTON ...	–	1	–	–	–	–
SALCOMBE ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
NEWTON ABBOT	–	–	–	–	1	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
TIVERTON ...	–	–	1	–	–	–
DORSET	–	5	1	–	1	C. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	*	*	*	*	*	*
†POOLE	–	1	–	–	–	–
WIMBORNE MINSTER	*	*	*	*	*	*
Rural Districts:—						
POOLE	–	1	–	–	–	–
STURMINSTER ...	–	–	–	–	–	C. 1
WEYMOUTH ...	–	2	1	–	1	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	116	59	11	–	58	C. 7 G. 3 M. 1
†DARLINGTON C.B.	2	–	1	–	5	C. 1
†GATESHEAD C.B.	10	4	3	–	5	C. 2
†SOUTH SHIELDS C.B.	12	1	–	–	8	C. 1
†SUNDERLAND C.B.	–	–	1	–	9	C. 1
†WEST HARTLEPOOL C.B.	–	6	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	4	–	–	2	–
BENFIELDSIDE ...	–	2	1	–	3	–
BILLINGHAM ...	–	2	–	–	–	–
†BLAYDON... ...	2	2	–	–	2	–
†BRANDON AND BYSHOTTLES	10	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	–	2	–	–	1	G. 1
†CROOK	1	1	–	–	–	–
†DURHAM	–	3	–	–	–	–
†FELLING	1	–	–	–	1	–
†HARTLEPOOL ...	1	–	–	–	–	–
†HEBBURN ...	3	3	–	–	1	–
†HETTON	17	–	–	–	2	–
†HOUGHTON LE SPRING	–	–	1	–	–	–
†JARROW	4	–	–	–	5	–
LEADGATE ...	2	1	–	–	–	–
†RYTON	–	2	–	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	14	5	–	–	1	–
†STOCKTON ON TEES	–	3	–	–	–	–
†TANFIELD ...	7	–	–	–	–	–
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	3	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	C. 2
CHESTER LE STREET	1	2	–	–	–	M. 1
DURHAM	1	1	–	–	–	–
EASINGTON ...	5	2	–	–	4	G. 1
HOUGHTON LE SPRING	4	1	–	–	1	–
LANCHESTER ...	15	1	2	–	3	–
SEDGEFIELD ...	–	1	–	–	–	–
SOUTH SHIELDS...	–	1	1	–	–	–
SUNDERLAND ...	–	1	1	–	1	G. 1
WEARDALE ...	1	–	–	–	1	–
ELY, ISLE OF ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	–	–	1	–
WISBECH	–	–	–	–	1	–
Rural Districts:—						
WHITTLESEY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	77	32	–	32	C. 2 M. 1
†EAST HAM C.B. ...	–	7	3	–	1	–
†SOUTHEND-ON-SEA C.B.	–	11	–	–	7	C. 1
†WEST HAM C.B. ...	–	14	14	–	6	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	3	–
BRENTWOOD ...	–	1	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	1	–	–	2	–
DAGENHAM ...	–	3	1	–	–	M. 1
†GRAYS THURROCK	–	–	–	–	1	
HALSTEAD ...	–	1	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	3	4	–	1	–
†LEYTON	–	8	4	–	2	C. 1
MALDON	–	–	–	–	1	–
TILBURY	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	3	–	–	–	–
†WALTHAMSTOW...	–	8	4	–	2	–
†WANSTEAD ..	–	–	1	–	1	–
WITHAM	–	–	–	–	2	–
Rural Districts:—						
BELCHAMP ...	–	–	–	–	1	–
BRAINTREE ...	–	3	–	–	–	–
DUNMOW	–	–	–	–	1	–
EPPING	–	3	–	–	–	–
MALDON	–	7	–	–	–	–
ORSETT	–	–	1	–	–	–
ROCHFORD ...	–	1	–	–	–	–
GLOUCESTER ...	–	34	23	–	19	L. 2 M. 1
†BRISTOL C.B. ...	–	14	15	–	7	L. 2 M. 1
†GLOUCESTER C.B.	–	2	1	–	8	–
Boroughs and Urban Districts:—						
AWRE	–	–	2	–	–	–
CHARLTON KINGS	*	*	*	*	*	*
†CHELTENHAM ...	–	–	2	–	1	–
†KINGSWOOD ...	–	3	1	–	–	–
STROUD	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CIRENCESTER ...	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
NEWENT	–	1	–	–	–	–
STROUD	–	7	2	–	–	–
THORNBURY ...	–	1	–	–	3	–
WEST DEAN ...	–	2	–	–	–	–
HEREFORD ..	–	10	3	1	3	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	–	3	–	–	–
Rural Districts:—						
HEREFORD ...	–	6	–	1	1	–
LEDBURY... ...	–	2	–	–	–	–
LEOMINSTER ...	–	–	–	–	1	–
WEOBLEY... ...	–	2	–	–	–	–
WHITCHURCH ...	*	*	*	*	*	*
HERTFORD ...	–	14	3	1	3	L. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	*	*	*	*	*	*
†CHESHUNT ...	–	2	–	–	1	–
ST. ALBANS ...	–	1	–	–	1	–
†WATFORD ...	–	10	–	–	1	–
Rural Districts:—						
ASHWELL ...	–	–	3	–	–	–
WATFORD ...	–	–	–	1	–	L. 1
WELWYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	3	3	1	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	1	–	–
OLD FLETTON ...	–	–	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	2	–	–	–	–
NORMAN CROSS ...	–	–	2	–	–	–
OUNDLE (part) ...	*	*	*	*	*	*
KENT	–	51	10	2	21	C. 1 M. 5
†CANTERBURY C.B.	–	2	–	–	2	M. 2
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY	–	10	–	–	–	–
†BROMLEY ...	–	–	–	–	1	
†CHATHAM ...	–	1	2	–	1	M. 1
CHERITON ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	1	–
†DOVER	–	1	–	–	–	–
†ERITH	–	1	–	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	1	–	–	5	M. 1
†GRAVESEND ...	–	2	2	1	–	–
†HERNE BAY ...	–	–	–	–	2	–
†MAIDSTONE ...	–	9	–	–	–	–
†MARGATE ...	–	3	1	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	3	–	–	1	–
†ROCHESTER ...	–	1	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	2	1	–	–	–
SOUTHBOROUGH		1	–	–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	–	–	–	–	M. 1
DARTFORD ...	–	–	–	–	1	C. 1
EAST ASHFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
FAVERSHAM ...	–	1	–	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	–	2	1	3	–
STROOD	–	2	1	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	10	168	80	4	178	C. 25 E. 1 G. 6 L. 2 M. 16
†BARROW IN FURNESS C.B.	–	2	3	1	1	–
†BLACKBURN C.B	–	5	3	–	1	–
†BLACKPOOL C.B.	–	1	–	–	–	–
†BOLTON C.B. ...	–	3	–	–	3	M. 1
†BOOTLE C.B. ...	–	2	1	–	1	C. 1 M. 1
†BURNLEY C.B. ...	1	1	2	1	7	–
†BURY C.B. ...	–	1	–	–	4	C. 1
†LIVERPOOL C.B. ...	–	42	16	–	32	C. 1 G. 1 M. 10
†MANCHESTER C.B.	–	39	20	–	38	C. 20 E. 1 G. 1
†OLDHAM C.B. ...	–	5	5	–	–	–
†PRESTON C.B. ...	–	1	5	–	4	M. 1
†ROCHDALE C.B. ...	–	–	1	–	–	–
†ST. HELENS C.B. ...	–	2	2	–	8	–
†SALFORD C.B. ...	–	12	9	2	12	–
†SOUTHPORT C.B.	–	1	–	–	1	–
†WARRINGTON C.B.	–	6	–	–	–	C. 1 G. 1
†WIGAN C.B. ...	–	5	–	–	7	C. 1 G. 1
Boroughs and Urban Districts:—						
†ASHTON UNDER LYNE	–	2	–	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	1	–
BILLINGE... ...	–	1	–	–	–	–
CARNFORTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHORLEY	–	–	–	–	4	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	8	–	–	–	1	–
†CROMPTON ...	–	2	–	–	–	–
†DARWEN	–	1	1	–	–	–
†DENTON	–	–	–	–	3	–
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES	–	1	–	–	–	–
†FLEETWOOD ...	–	1	–	–	2	–
FULWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	–	–	–	2	–
†GREAT CROSBY ...	–	–	–	–	–	G. 1
HEYSHAM ...	1	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY... ...	–	1	–	–	7	M. 1
†HORWICH ...	–	–	–	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	–	–	–	1	–
LEES	*	*	*	*	*	*
†LEIGH	–	–	2	–	2	–
†LITHERLAND ...	–	1	–	–	–	–
LITTLE HULTON..	–	–	–	–	1	–
†MIDDLETON ...	–	1	–	–	1	G. 1
MILNROW... ...	–	–	–	–	–	M. 1
†NEWTON IN MAKERFIELD	–	–	–	–	3	–
†OSWALDTWISTLE	–	1	2	–	–	–
PRESCOT	–	1	1	–	–	–
†RADCLIFFE ...	–	3	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	2	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON	–	–	–	–	1	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	–	1	–	2	–
†SWINTON AND PENDLEBURY	–	1	–	–	–	–
†TURTON	–	1	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	4	–	–	–	–
UPHOLLAND ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	–	1	–	–	M. 1
WHITEFIELD ...	–	1	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	–	–	–	10	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY... ...	–	1	–	–	–	–
BURY	–	3	1	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 2
GARSTANG ...	*	*	*	*	*	*
LEIGH	–	–	1	–	1	–
PRESTON	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER... ..	–	17	13	–	5	G. 2 M. 2
†LEICESTER C.B. ...	–	12	10	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
MARKET HARBOROUGH	*	*	*	*	*	*
MELTON MOWBRAY	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	–	–	–	1	M. 1
BLABY	–	–	–	–	–	G. 1
HINCKLEY ...	–	1	2	–	–	–
MARKET BOSWORTH	–	3	–	–	–	–
LINCOLN (parts of Holland).	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	–	–	–	1	–
SPALDING (part)..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	8	–	–	4	–
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	1	–
Rural Districts:—						
BOURNE	–	1	–	–	1	–
BRANSTON ...	–	1	–	–	1	–
CLAYPOLE ...	–	1	–	–	–	–
GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	4	–	–	1	–
LINCOLN (parts of Lindsey).	2	17	8	1	8	M. 3
†GRIMSBY C.B. ...	–	2	3	1	–	–
†LINCOLN C.B. ...	–	9	1	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	–	–	M. 1
CROWLE	–	1	–	–	–	–
†GAINSBOROUGH ...	–	3	1	–	2	–
HORNCASTLE ...	–	–	–	–	2	M. 1
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	1	–	1	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	1	–	–	–	2	–
GRIMSBY	–	1	1	–	1	–
SPILSBY	–	1	–	–	–	M. 1
MIDDLESEX ..	–	56	31	–	19	C. 1 D. 1 E. 1 G. 4 L. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts:—						
†ACTON	–	1	2	–	1	–
†CHISWICK ...	–	1	–	–	–	E. 1
†EALING	–	3	2	–	–	–
†EDMONTON ...	–	2	4	–	1	C. 1 M. 1
†ENFIELD	–	3	3	–	–	–
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	–	1	–	–	L. 1
†HAMPTON ...	–	2	–	–	–	–
†HANWELL ...	–	2	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES	–	–	–	–	2	–
†HENDON	–	7	–	–	–	–
†HESTON AND ISLEWORTH	–	1	–	–	3	–
†HORNSEY... ...	–	8	1	–	–	G. 2
†SOUTHGATE ...	–	–	2	–	2	–
†TOTTENHAM ...	–	11	4	–	–	D. 1 M. 1
†TWICKENHAM ...	–	1	–	–	2	–
†WEALDSTONE ...	–	–	–	–	1	–
†WILLESDEN ...	–	8	7	–	4	G. 2
†WOOD GREEN ...	–	3	3	–	1	–
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	–	1	–	1	–
NORFOLK	–	11	3	1	9	G. 1
†GREAT YARMOUTH C.B.	–	2	–	–	4	–
†NORWICH C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	–	–	–	G. 1
†KING'S LYNN ...	–	–	1	1	2	–
NEW HUNSTANTON	*	*	*	*	*	*
WELLS	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM... ...	–	2	–	–	–	–
DEPWADE ...	–	1	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
HENSTEAD ...	*	*	*	*	*	*
KING'S LYNN ...	–	–	1	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	3	–	–	–	–
NORTHAMPTON ...	1	6	6	–	4	C. 2 G. 1
†NORTHAMPTON C.B.	–	–	3	–	3	–
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	–	–	–	–	G. 1
†KETTERING ...	–	2	–	–	–	–
ROTHWELL ...	–	–	–	–	–	C. 1
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	–	C. 1
KETTERING ...	1	–	–	–	–	–
NORTHAMPTON ...	–	–	2	–	1	–
OXENDON... ...	*	*	*	*	*	*
THRAPSTON (part)	–	3	1	–	–	–
NORTHUMBERLAND	6	36	9	–	59	C. 2 D. 1 E. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	2	20	7	–	26	C. 2 E. 1 M. 1
†TYNEMOUTH C.B.	–	4	2	–	9	D. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	1	3	–	–	5	–
†BEDLINGTONSHIRE	1	–	–	–	3	–
†BLYTH	–	–	–	–	3	M. 1
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON... ...	–	1	–	–	–	–
†LONGBENTON ...	1	–	–	–	4	–
MORPETH... ...	–	1	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	2	–	–	4	–
WEETSLADE ...	*	*	*	*	*	*
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
HEXHAM	–	4	–	–	2	–
MORPETH ...	1	–	–	–	–	–
NOTTINGHAM ...	8	17	14	–	10	–
†NOTTINGHAM C.B.	1	2	11	–	3	–
Boroughs and Urban Districts:—						
†CARLTON... ...	–	4	–	–	3	–
†MANSFIELD ...	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
NEWARK	4	–	2	–	1	–
†SUTTON IN ASHFIELD	2	2	–	–	3	–
WARSOP	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	4	–	–	–	–
BINGHAM... ...	*	*	*	*	*	*
SKEGBY	–	–	1	2	–	–
SOUTHWELL ...	1	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	3	–	–	3	G. 1 M. 1
†OXFORD C.B. ...	–	–	–	–	1	G. 1
Rural Districts:—						
GORING	–	–	–	–	1	–
HEADINGTON ...	–	1	–	–	–	–
HENLEY	–	1	–	–	–	–
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	M. 1
PETERBOROUGH (Soke of)	–	3	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	3	–
Rural Districts—						
BARNACK... ...	–	2	–	–	–	–
PETERBOROUGH...	–	1	–	–	–	–
RUTLAND	–	–	–	–	1	–
Rural Districts:—						
OAKHAM	–	–	–	–	1	–
SALOP	–	9	–	–	7	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
DAWLEY	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
†OAKENGATES ...	–	–	–	–	1	–
†SHREWSBURY ...	–	8	–	–	1	–
WELLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
CHIRBURY ...	–	–	–	–	1	–
DRAYTON... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	5	–	–	14	–
†BATH C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
GLASTONBURY ...	–	1	–	–	–	–
†TAUNTON ...	–	1	–	–	1	–
†WESTON SUPER MARE	–	–	–	–	3	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	1	–	–	–	–
CHARD	–	–	–	–	1	–
DULVERTON ...	–	–	–	–	1	–
KEYNSHAM ...	–	–	–	–	1	–
LONG ASHTON ...	–	–	–	–	1	–
TAUNTON... ...	–	–	–	–	1	–
WELLS	–	1	–	–	–	–
YEOVIL	–	–	–	–	2	–
SOUTHAMPTON ...	–	19	28	1	8	C. 1 E. 1
†BOURNEMOUTH C.B.	–	3	2	–	1	E. 1
†PORTSMOUTH C.B.	–	6	21	–	–	–
†SOUTHAMPTON C.B.	–	2	4	–	2	C. 1
Boroughs and Urban Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
†GOSPORT	–	3	–	–	2	–
ROMSEY	*	*	*	*	*	*
WARBLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
FORDINGBRIDGE..	*	*	*	*	*	*
HAVANT	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	–	1	–	1	–
ROMSEY	*	*	*	*	*	*
STOCKBRIDGE ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	56	17	1	71	C. 2 G. 2 L. 1 M. 12
†BURTON UPON TRENT C.B.	–	2	–	–	–	M. 1
†SMETHWICK C.B.	–	1	–	–	2	G. 1
†STOKE ON TRENT C.B.	–	9	6	–	24	M. 4
†WALSALL C.B. ...	–	6	2	–	1	C. 2 M. 3
†WEST BROMWICH C.B.	–	1	–	–	5	–
†WOLVERHAMPTON C.B.	–	3	–	1	1	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	–	2	–	1	–
†BROWNHILLS ...	–	3	1	–	2	–
†CANNOCK	–	3	–	–	3	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	2	–	–	6	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	3	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	3	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS ...	–	5	–	–	4	–
RUGELEY... ...	–	–	–	–	2	–
†SEDGLEY	–	–	1	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	5	1	–	1	–
TAMWORTH ...	–	–	2	–	–	–
†WEDNESBURY ...	–	–	–	–	1	–
†WILLENHALL ...	–	1	–	–	–	M. 1
†WOLSTANTON UNITED	–	4	–	–	1	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	1	–	–	6	–
KINGSWINFORD ...	–	–	1	–	–	–
LICHFIELD ...	–	–	–	–	1	L. 1
SEISDON	–	–	–	–	1	G. 1
STAFFORD ...	–	–	–	–	1	–
WALSALL... ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ..	–	6	4	1	15	–
†IPSWICH C.B. ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–	3	–
EYE	–	–	–	1	–	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	–	4	–	1	–
Rural Districts:—						
EAST STOW ...	–	1	–	–	2	–
HARTISMERE ...	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	2	–
SAMFORD... ...	–	1	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	3	–	–	1	–
Rural Districts:—						
COSFORD	–	2	–	–	–	–
MILDENHALL ...	–	–	–	–	1	–
MOULTON ...	–	1	–	–	–	–
SURREY	–	59	22	–	14	C. 4 G. 1 M. 1
†CROYDON C.B. ...	–	12	8	–	1	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	4	–	–	–
†CATERHAM ...	–	–	–	–	1	–
†CHERTSEY ...	–	–	–	–	1	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	–	–	1	–
†ESHER AND THE DITTONS	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIMLEY	–	1	–	–	–	–
GODALMING ...	–	–	–	–	2	–
†GUILDFORD ...	–	1	–	–	–	M. 1
†KINGSTON ON THAMES	–	3	–	–	2	C. 2
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	6	1	–	–	–
†MITCHAM... ...	–	3	1	–	1	C. 1 G. 1
†REIGATE	–	3	–	–	–	–
†SURBITON ...	–	2	–	–	–	–
SUTTON	–	1	1	–	–	–
†WALTON UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	5	–	–	1	–
†WOKING	–	–	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	2	1	–	1	–
EPSOM	–	2	–	–	1	–
FARNHAM ...	–	4	–	–	–	–
GODSTONE ...	–	3	3	–	1	–
REIGATE	–	2	–	–	1	–
SUSSEX, EAST ...	–	7	7	1	6	G. 1
†BRIGHTON C.B. ...	–	5	5	–	1	G. 1
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
†HOVE	–	–	–	–	1	–
†NEWHAVEN ...	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	–	–	1	–
STEYNING EAST...	–	–	–	–	1	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	–	–	1	–	–
SUSSEX, WEST ...	–	4	3	–	1	M. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	1	–	–	–
SOUTHWICK ...	–	–	–	–	–	M. 1
†WORTHING ...	–	–	–	–	1	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	–	1	–	–	–
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	2	–	–	–	–
WARWICK	–	48	46	6	67	C. 2 D. 1 G. 3 M. 7
†BIRMINGHAM C.B.	–	35	37	6	52	C. 2 G. 2 M. 7
†COVENTRY C.B. ...	–	8	1	–	6	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–	–	–
†NUNEATON ...	–	–	–	–	3	–
†RUGBY	–	–	–	–	1	–
†STRATFORD ON AVON	–	3	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	1	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	–	D. 1
ATHERSTONE ...	–	–	4	–	1	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	–	–	–	2	–
SOLIHULL ...	–	–	–	–	1	G. 1
TAMWORTH (part)	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	7	–	–	–	E. 1
Boroughs and Urban Districts:—						
†KENDAL	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	–	E. 1
WIGHT, ISLE OF ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
ST. HELENS ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	3	1	–	–	–
WILTS	–	9	4	–	10	C. 1
Boroughs and Urban Districts:—						
DEVIZES	–	–	2	–	–	–
†SWINDON... ...	–	4	–	–	2	–
†TROWBRIDGE ...	–	3	–	–	1	–
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	–	–	–	2	–
BRADFORD-ON-AVON	–	–	–	–	1	
HIGHWORTH ...	–	2	1	–	4	C. 1
PEWSEY	–	–	1	–	–	–
WARMINSTER ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	9	5	–	5	G. 2
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	2	–	–	1	–
†OLDBURY... ...	–	1	2	–	–	G. 1
†REDDITCH ...	–	1	2	–	1	G. 1
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	1	–
PERSHORE ...	–	–	1	–	1	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	12	21	–	8	G. 1
†KINGSTON UPON HULL C.B.	–	10	16	–	5	G. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
DRIFFIELD ...	–	–	–	–	1	–
HOWDEN	–	2	–	–	1	–
SOULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding.)	–	14	3	–	9	C. 1
†MIDDLESBROUGH C.B.	–	8	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	1	1	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
MASHAM	–	2	–	–	–	–
†REDCAR	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	1	C. 1
†SKELTON AND BROTTON	–	–	–	–	1	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
FLAXTON	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
REETH	–	–	–	–	1	–
RICHMOND ...	–	–	–	–	2	–
STOKESLEY ...	–	1	–	–	–	–
WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding.)	6	138	46	7	132	C. 4 G. 3 L. 1 M. 6
†BARNSLEY C.B. ...	–	3	1	–	3	–
†BRADFORD C.B. ...	–	14	10	–	12	–
†HALIFAX C.B. ...	–	–	1	–	3	–
†HUDDERSFIELD C.B.	–	10	4	–	4	C. 1 G. 2
†LEEDS C.B. ...	–	18	5	1	14	C. 1
†ROTHERHAM C.B.	–	6	–	–	6	G. 1 M. 1
†SHEFFIELD C.B....	–	21	10	–	48	M. 4
†WAKEFIELD C.B.	–	2	1	–		L. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	1	–
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	–	–	–	1	–
BURLEY IN WHARFEDALE	–	1	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CONISBROUGH ...	–	2	1	–	3	M. 1
CUDWORTH ...	–	1	–	–	–	–
DARFIELD ...	–	–	–	–	1	C. 1
†DARTON	–	–	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	–	1	–	1	–
†FEATHERSTONE ...	–	–	–	1	1	–
GREASBROUGH ...	1	1	–	–	–	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	5	–	–	–	–
HEBDEN BRIDGE	–	1	1	–	–	–
†HEMSWORTH ...	–	–	–	–	5	–
†HOLMFIRTH ...	–	1	–	–	–	–
HONLEY	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	2	–
HOYLAND SWAINE	*	*	*	*	*	*
MELTHAM ...	–	–	–	–	1	–
†MEXBOROUGH ...	1	–	–	–	–	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	–	–	–	1	–	–
†OSSETT	–	1	–	–	–	–
†PUDSEY	–	–	–	–	1	–
†RAWMARSH ...	–	–	–	–	1	–
SELBY	–		–	–	1	–
SHELF	*	*	*	*	*	*
†SHIPLEY	–	1	–	–	1	–
SILSDEN	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	2	–
STAINLAND ...	–	1	–	–	–	–
†STANLEY	–	2	–	–	1	–
STOCKSBRIDGE ...	–	–	1	–	–	–
†SWINTON	1	1	–	–	–	–
THURNSCOE ...	*	*	*	*	*	*
THURSTONLAND AND FARNLEY TYAS.	–	1	–	–	–	–
TICKHILL ...	–	4	–	–	–	–
†TODMORDEN ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	–	3	1	–	3	–
WHITWOOD ...	–	–	–	1	–	–
†WOMBWELL ...	–	5	–	–	2	–
†WORSBOROUGH ...	–	1	–	–	1	–
Rural Districts:—						
DONCASTER ...	1	4	1	–	2	–
HEMSWORTH ...	–	2	3	1	2	–
HUNSLET... ...	–	–	–	–	1	–
KIVETON PARK ...	–	2	–	–	1	–
KNARESBOROUGH	1	1	–	–	–	–
PATELEY BRIDGE	–	3	–	–	–	–
RIPON	–	2	–	–	–	–
ROTHERHAM ...	–	–	2	1	1	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	3	–	–	2	–
THORNE	–	2	1	–	–	–
WAKEFIELD ...	–	–	–	1	–	–
WETHERBY ...	–	–	–	–	–	C. 1
WHARFEDALE (NORTH)	*	*	*	*	*	*
WORTLEY ...	1	–	1	–	1	–
§YORK, CITY OF ...	–	2	–	–	–	M. 1
†YORK C.B. ...	–	2	–	–	–	M 1
WALES.						
ANGLESEY	–	1	1	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	1	–	–	–
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	7	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	1	–
HAY	*	*	*	*	*	*
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	4	–	–	–	–
BRECKNOCK (MERTHYR CYNOG).	*	*	*	*	*	*
CRICKHOWELL ...	–	2	–	–	1	–
CARMARTHEN ...	–	6	3	–	2	–
Boroughs and Urban Districts:—						
†LLANELLY ...	–	2	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	–	–	–	2	–
LLANELLY ...	–	4	2	–	–	–
CARNARVON ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	4	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
OGWEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	3	2	–	1	–
Boroughs and Urban Districts:—						
Abergele and Pensarn	*	*	*	*	*	*
Denbigh ...	–	–	1	–	–	–
Llangollen ...	*	*	*	*	*	*
Rural Districts:—						
Llangollen ...	*	*	*	*	*	*
Ruthin	–	1	–	–	–	–
Uwchaled ...	–	–	–	–	1	–
Wrexham ...	–	2	1	–	–	–
FLINT	–	5	–	–	2	–
Boroughs and Urban Districts:—						
Flint	–	1	–	–	–	–
Holywell ...	–	–	–	–	1	–
Mold	–	1	–	–	–	–
Rural Districts:—						
Hawarden ...	–	1	–	–	–	–
Holywell (Holywell Div.)	–	1	–	–	1	–
Holywell (Mold Div.)	–	1	–	–	–	–
GLAMORGAN ...	–	40	28	–	38	C. 3 D. 1 G. 2 M. 4
†Cardiff C.B. ...	–	4	2	–	4	D. 1 G. 1 M. 1
†Merthyr Tydfil C.B.	–	1	2	–	–	–
†Swansea C.B. ...	–	7	1	–	1	C. 3 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†Aberdare ...	–	4	–	–	2	G. 1
†Barry	–	–	2	–	1	–
†Caerphilly ...	–	1	–	–	–	–
†Gelligaer ...	–	2	5	–	–	–
†Glyncorwg ...	–	–	–	–	3	–
†Maesteg ...	–	–	4	–	2	–
†Mountain Ash ...	–	–	–	–	2	–
†Ogmore and Garw	–	2	–	–	2	–
†Penarth ...	–	–	–	–	2	–
†Pontypridd ...	–	1	–	–	3	–
Porthcawl ...	–	–	–	–	2	–
†Port Talbot ...	–	3	2	–	–	–
†Rhondda ...	–	10	5	–	12	M. 1
Rural Districts:—						
Cardiff	*	*	*	*	*	*
Llantrisant and Llantwit-Fardre	–	3	–	–	1	–
Neath	–	–	1	–	–	–
Penybont ...	–	2	1	–	–	–
Pontardawe ...	–	–	–	–	1	–
Swansea... ...	–	–	3	–	–	–
MERIONETH ...	–	–	–	–	–	M. 1
Urban Districts:—						
Festiniog ...	–	–	–	–	–	M. 1
MONMOUTH ...	–	18	9	1	12	C. 1 G. 2 M. 4
†Newport C.B. ...	–	2	1	–	5	G. 2
Boroughs and Urban Districts:—						
Abergavenny ...	–	8	–	–	–	–
†Abertillery ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
BEDWAS AND MACHEN	–	–	–	–	3	M. 1
†BEDWELLTY ...	–	–	3	–	1	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ...	–	3	–	1	–	M. 1
LLANTARNAM ...	–	–	1	–	–	–
MONMOUTH ...	*	*	*	*	*	*
†MYNYDDISLWYN	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	–	M. 1
†RISCA	–	–	–	–	–	C. 1
†TREDEGAR ...	–	3	1	–	2	M. 1
USK	*	*	*	*	*	*
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MONMOUTH ...	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
MONTGOMERY—*cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	–	1	–	–	2	–
PEMBROKE	–	–	–	–	1	G. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	1	–
Rural Districts:—						
PEMBROKE ...	–	–	–	–	–	G. 1
RADNOR						
Urban District:—	–	–	–	–	–	–
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	162	1221	551	30	961	C. 6 D. E. G. 4 L. M. 7

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
RTLEPOOL	*	*	*	*	*	*	Wisbech	–	1	–	–	–	–
ERPOOL	–	–	–	1	–	–	Total of Part III.... ...	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	268	241	6	102	C. D. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	162	1221	551	30	961	C. D. E. G. L. M.
Total of Part III.—Port Sanitary Districts	–	1	–	1	–	
Total (*i.e.*, of returns received), England and Wales ...	162	1490	792	37	1063	C D. E. G. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the EGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

eek ended :—	Feb. 27.	Mar. 6	Mar. 13	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24	May 1.	May 8.	May 15.	May 22.
ON :—													
S—all ages	1,121	1,099	1,112	1159	1,228	1,340	1,347	1,264	1,127	1,108	1,011	913	1,006
0 to 1 year ..	110	103	110	116	113	107	128	93	110	103	98	74	71
T TOWNS, aggre- (including Lon- :— S	7,359	6,836	7,238	7,128	6,687	6,571	6,909	7,976	7,585	7,009	7,412	7,437	7,438
IS—all ages	4,904	4,674	4,786	4,775	5,177	5,583	5,612	5,342	4,889	4,704	4,302	4,230	4,465
0 to 1 year ..	540	562	598	564	574	610	600	552	511	511	440	444	469
RIC FEVER—Cases	20	24	26	16	25	24	23	23	20	25	21	21	20
„ Deaths	3	2	3	3	7	3	6	1	1	—	5	3	3
L POX—Cases ..	88	74	75	67	70	50	63	65	35	32	58	43	38
„ Deaths ..	—	—	1	—	—	—	—	—	—	—	—	—	—
LET FEVER—Cases	934	866	882	827	894	895	787	742	799	828	840	837	864
„ Deaths	7	8	9	13	9	8	6	9	6	5	13	6	2
THERIA—Cases ..	830	823	809	827	688	716	649	622	639	669	693	666	586
„ Deaths ..	56	48	51	49	47	50	45	41	38	43	43	33	32
LES—Deaths ..	105	102	119	116	121	107	100	99	81	55	68	60	56
UENZA—Deaths ..	89	97	88	136	136	223	294	302	209	166	149	118	111

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd May, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON	71	37	59·4	42·4	9
GREENWICH).					
GHTON ..	68	37	59·3	45·4	15
TSMOUTH ..	69	38	60·8	45·6	3
RWICH	66	37	57·3	42·3	6
(EATON).					
MOUTH ..	70	37	60·9	44·6	0
STOL	69	34	59·9	42·3	0
(CLIFTON).					
MINGHAM	68	34	57·1	41·0	6
(EDGBASTON).					
TTINGHAM ..	66	35	58·1	41·3	6
KENHEAD	59	38	55·3	43·6	1
(BIDSTON).					
NCHESTER	65	35	57·9	40·3(?)	9
(WHITWORTH					
PARK).					
RNLEY	65	28	57·7	36·1	0

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	66	30	58·4	38·4	2
BRADFORD ..	64	32	56·4	37·3	1
SHEFFIELD ..	63	36	56·9	41·7	8
YORK (MUSEUM)	63	33	57·9	39·0	3
HULL (PEARSON PARK).	62	34	56·7	38·1	13
TYNEMOUTH ..	55	37	51·9	41·4	10
CARDIFF.. ..	69	35	59·4	41·4	0
EDINBURGH ..	58·0	37·0	55·6	40·6	8
GLASGOW ..	63·3	34·0	57·9	41·4	13
DUBLIN (PHŒNIX PARK).	61.9	27·0	56·7	37·0	0
(FITZWILLIAM SQUARE†).	62·1	33·9	57·2	42·9	0
BELFAST.. ..	62·5	29·0	58·1	38·2	5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 22nd May, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	16	..	29·791	54·1	36·6	17·5	44·3	− 8·7	36·2	8·1	19·4	3·0	73	118·9	30·9	48·5	N : NNE	NNE : N	9·2	0·2	10·6	469	+ 183	0·00
MONDAY -	17	..	29·841	55·1	37·6	17·5	46·4	− 6·7	38·2	8·2	18·5	4·5	73	99·7	30·0	48·6	N.	N : NNE	1·7	0·0	0·2	235	− 52	0·00
TUESDAY -	18	..	29·804	51·4	43·0	8·4	46·2	− 7·1	42·9	3·3	8·3	0·8	88	84·2	39·2	48·6	WSW : NNW : NNE.	Calm.	0·4	0·0	0·0	132	− 152	0·07
WEDNESDAY	19	First Quarter. Apogee.	29·753	55·0	41·4	13·6	47·0	− 6·5	44·0	3·0	11·9	0·5	89	111·6	37·7	48·6	Calm : E.	SE : Calm.	0·8	0·0	0·0	143	− 137	0·28
THURSDAY -	20	..	29·782	60·4	42·7	17·7	49·8	− 4·0	48·6	1·2	12·1	0·5	96	115·2	35·0	48·6	Calm	E	0·6	0·0	0·1	149	− 126	0·01
FRIDAY -	21	..	29·866	70·5	45·1	25·4	58·0	+ 3·8	49·8	8·2	18·9	0·6	74	136·9	38·6	48·6	ENE.	E : ESE	1·0	0·0	0·1	185	− 85	0·01
SATURDAY -	22	..	29·914	69·7	46·6	23·1	57·8	+ 3·2	49·4	8·4	19·3	1·2	73	132·2	35·2	48·9	Calm : NE : N.	N : E : Calm.	0·9	0·0	0·1	181	− 85	0·00
MEANS -		..	29·822	59·5	41·9	17·6	49·9	− 3·7	44·2	5·8	15·5	1·6	81	114·1	35·2	48·6	Calm		..	..	..	Sum 1494	Sum − 454	Sum 0·37
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	16	wP till 14h.; variably mN and mP till 15h.; then wP.	9·3	15·6	Variably cloudy. Slight rain between 10¾h. and 11½h. Showers at 13h., 14¼h., and 14¾h. Brisk wind 10h. till 20h. Solar halos 18¾h. till 19¼h.
MONDAY ..	17	wP till 5h.; then mP.	1·0	15·6	Cloudless till 2h., then clouding up to nearly overcast by 6h. Occasional slight rain between 12h. and 15h.
TUESDAY ..	18	wP till 2h.; loss of register till 9h.; variably wN and mP till 15h., then wP.	0·0	15·7	Overcast throughout. Damping 2h. till 5h., and at 22½h. Slight rain between 9¾h. and 14h.; and 16h. till 16¼h. Slight gloom 17½h. till 18½h.
WEDNESDAY	19	wP till 18¾h.; sN till 19h., then loss of register.	0·2	15·7	Overcast. Rain generally between 15¾h. and 17h.; and 18¼h. till 20h.; and at 22h.
THURSDAY	20	Loss of register till 8h.; then variably wN and wP.	1·4	15·8	Overcast generally till 17½h., then partially cloudy. Mist from 2h. till 9h. Frequent slight rain between 9h. and 11h.; and from 14¾h. till 15½h.
FRIDAY ..	21	wP	6·3	15·8	Variably cloudy. Damping 4h., and from 21h. till 22h. Rain 22h. till 23h.
SATURDAY	22	wP till 9h.; mP till 14h.; then wP.	11·8	15·8	Variably cloudy. Shower 1h
			Sum 30·0	Sum 110·0	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·83 ins. at the beginning of the week to 29·78 ins. by 16h. on 16th; increased to 29·88 ins. by 20h. on 17th; decreased to 29·73 ins. by 17h. on 19th; increased generally and was 29·95 ins. by midnight on the 22nd.

FOR OFFICIAL USE

1926. No. 21.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 29TH MAY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH MAY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-first week of the year numbered 6,025, and corresponded to an annual rate of 16·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,122 and corresponded to an annual rate of 11·1 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 11·6, 11·4, and 12·0. Infant mortality was 72 per 1,000 births against 59, 60 and 63 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,432 births corresponding to a rate of 16·2 per 1,000, and 906 deaths of civilians, corresponding to an annual rate of 10·3, against 11·5, 10·3 and 11·4, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·9 per 1,000. The infant mortality was 48 as against 60, 44 and 41 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,465 to 4,122. In London the number of deaths from all causes decreased from 1,006 to 906; the deaths from diphtheria which had been 12, 11, and 8 in the preceding three weeks, fell to 2 last week; and the deaths from measles, which had been 23, 17 and 19 in the three preceding weeks, fell to 12 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 29th May, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 GREAT TOWNS ..	19,417,320*	6,025	4,122	431	1	56	6	25	19	45	78
LONDON	4,602,000*	1,432	906	69	1	12	2	3	2	8	15
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	67	32	5	-	1	-	-	-	-	-
WIMBLEDON ..	58,170	12	9	-	-	-	-	-	-	-	-
EALING	68,410	21	17	-	-	-	-	-	-	-	-
ACTON	63,110	19	13	-	-	-	-	-	-	-	-
WILLESDEN ..	168,900	53	31	-	-	-	-	-	-	-	-
HENDON	59,150*	17	4	2	-	-	-	-	-	-	-
HORNSEY	87,210	21	15	1	-	-	-	-	-	-	-
WOOD GREEN ..	51,960	13	9	3	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	38	19	-	-	-	-	-	1	-	1
EDMONTON ..	71,210	34	9	1	-	-	-	-	-	-	-
ENFIELD	63,740	17	10	2	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	116	42	7	-	2	-	-	-	-	-
EAST HAM C.B. ..	147,200	31	26	3	-	1	-	-	-	-	-
LEYTON	132,700	18	24	1	-	-	-	-	-	1	-
WALTHAMSTOW ..	130,800	35	26	3	-	-	-	-	-	-	-
ILFORD	93,590	28	12	1	-	-	-	-	-	-	-
GILLINGHAM	48,680*	25	6	-	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,270*	3	3	-	-	-	-	-	-	-	-
HASTINGS C.B.	60,470	15	19	1	-	1	-	-	-	-	-
EASTBOURNE C.B. ..	55,060	13	12	3	-	1	-	-	-	-	-
BRIGHTON C.B. ..	137,800*	45	33	4	-	1	-	-	-	1	-
PORTSMOUTH C.B. ..	232,900*	94	38	5	-	-	-	-	2	-	1
BOURNEMOUTH C.B. ..	85,840	12	22	1	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	168,600	51	44	1	-	-	-	1	-	-	1
READING C.B.	93,670*	25	23	1	-	-	-	-	-	-	-
OXFORD C.B.	57,090	22	17	2	-	1	-	-	-	-	-
NORTHAMPTON C.B. ..	93,780*	23	18	2	-	-	-	-	-	-	2
LUTON	59,230	14	11	1	-	-	-	-	-	-	-
CAMBRIDGE	59,020	12	10	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	98,060	30	24	3	-	-	-	-	-	1	-
IPSWICH C.B.	83,120*	25	13	2	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,890	10	13	-	-	3	-	-	-	-	-
NORWICH C.B. ..	124,000*	39	16	5	-	-	1	-	-	1	-
SWINDON	56,880	24	14	4	-	-	-	-	-	-	1
EXETER C.B.	59,820*	17	15	1	-	-	-	-	-	-	-
PLYMOUTH C.B. ..	192,100*	63	43	2	-	2	-	-	-	-	-
BATH C.B.	69,050	16	16	1	-	-	-	-	-	-	-
BRISTOL C.B.	385,700*	114	63	3	-	-	-	-	1	1	1
GLOUCESTER C.B. ..	53,060	19	10	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,900	96	60	8	-	-	-	-	-	1	1
BURTON-UPON-TRENT C.B.	49,530	15	14	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	37	28	2	-	1	-	-	-	-	-
WALSALL C.B.	102,300	31	21	4	-	-	-	-	-	-	1
WEST BROMWICH C.B	79,490	38	10	1	-	-	-	-	-	-	-
DUDLEY C.B.	58,810	29	11	1	-	-	-	-	-	-	2
WORCESTER C.B. ..	50,230	8	12	-	-	-	-	-	-	-	1
BIRMINGHAM C.B. ..	945,900	317	230	20	-	4	-	1	-	4	11
SMETHWICK C.B. ..	78,840	20	12	1	-	-	-	-	-	-	1
COVENTRY C.B. ..	129,100	32	32	4	-	-	-	1	1	-	2
LEICESTER C.B. ..	242,100	74	44	10	-	-	-	1	-	-	1
LINCOLN C.B.	66,600*	17	13	-	-	-	-	-	-	-	1
GRIMSBY C.B.	87,190	23	21	4	-	-	-	-	-	-	1
NOTTINGHAM C.B. ..	270,600	88	65	9	-	-	1	-	-	1	-
DERBY C.B.	134,400*	46	15	3	-	-	-	-	-	-	-
CHESTERFIELD ..	65,800	40	13	2	-	-	-	-	-	-	-
STOCKPORT C.B. ..	125,900	24	33	5	-	2	-	-	-	-	-
CHESTER C.B.	41,670	13	15	2	-	1	-	-	-	-	-
BIRKENHEAD C.B. ..	155,500	46	33	4	-	-	-	-	-	-	2
WALLASEY C.B. ..	91,720	20	21	2	-	-	-	-	-	4	-
LIVERPOOL C.B. ..	856,000	321	250	36	-	7	-	8	3	5	1
BOOTLE C.B.	83,260	32	12	-	-	-	-	-	-	-	2
ST. HELENS C.B. ..	109,600	39	33	7	-	1	-	-	-	-	3

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	16	13	1	-	-	-	-	-	-	-
Wigan C.B.	91,010	32	18	2	-	-	-	-	-	-	1
Warrington C.B. ..	77,970*	21	13	2	-	-	-	-	-	1	1
Bolton C.B.	180,400	51	57	9	-	1	-	-	-	1	2
Bury C.B.	56,700*	15	12	1	-	-	-	-	-	-	-
Manchester C.B. ..	755,800	187	177	22	-	2	-	1	5	4	1
Salford C.B.	244,700	60	54	8	-	2	1	-	-	5	-
Oldham C.B	146,200	30	41	2	-	1	-	-	1	-	1
Rochdale C.B... ..	92,190	17	25	-	-	-	-	-	-	-	-
Burnley C.B.	102,300	33	19	1	-	-	-	-	-	-	1
Blackburn C.B. ..	126,900	39	33	5	-	-	-	-	-	-	1
Preston C.B.	122,900	34	29	2	-	-	-	-	-	-	-
Blackpool C.B. ..	80,750	24	23	2	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	73,470	22	14	2	-	-	-	-	1	-	-
Huddersfield C.B. ..	112,100	15	29	3	-	-	-	-	-	-	-
Halifax C.B.	97,860*	27	21	2	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	64	76	10	-	1	-	-	1	2	1
Leeds C.B.	472,900	111	115	8	-	-	-	2	-	1	-
Dewsbury C.B ..	54,570	14	14	2	-	-	-	1	-	-	1
Wakefield C.B. ..	53,980	19	12	-	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	38	11	2	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	144	98	14	-	2	1	-	-	1	1
Rotherham C.B. ..	70,600	23	14	1	-	-	-	-	-	-	-
Doncaster	55,610	22	16	1	-	-	-	1	-	-	-
York C.B.	84,630*	20	18	1	-	-	-	1	-	-	-
Hull C.B.	297,300	103	62	9	-	1	-	-	-	-	-
Middlesbrough C.B.	136,200	55	42	7	-	-	-	2	-	1	3
Darlington C.B. ..	69,130	31	17	3	-	-	-	-	-	-	1
Stockton-on-Tees ..	68,000	32	24	5	-	-	-	1	-	-	1
West Hartlepool C.B.	71,590	18	18	1	-	-	-	-	-	-	1
Sunderland C.B. ..	166,000	85	35	8	-	-	-	-	-	-	1
South Shields C.B. ..	124,600	47	31	8	-	1	-	-	-	-	3
Gateshead C.B. ..	129,000	51	30	1	-	1	-	-	-	1	-
Newcastle-on-Tyne C.B.	286,300*	144	57	3	-	1	-	1	-	-	1
Tynemouth C.B. ..	66,180	16	11	-	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	21	14	-	-	-	-	-	1	-	2
Newport (Mon.) C.B.	96,420*	28	12	-	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	74	41	8	-	-	-	-	-	-	-
Rhondda	167,570	60	35	3	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	82,920	27	14	3	-	-	-	-	-	-	-
Aberdare	57,700	12	14	-	-	2	-	-	-	-	-
Swansea C.B.	163,200	54	28	4	-	-	-	-	-	-	1
Greater London ..	7,719,622*	2,336	1,397	118	1	17	2	6	3	9	17
Outer Ring	3,117,622*	904	491	49	-	5	-	3	1	1	2
16 Great Towns in Outer Ring	1,867,550*	540	298	29	-	4	-	-	1	1	1
Remainder of Outer Ring	1,250,072*	364	193	20	-	1	-	3	-	-	1
Edinburgh†	424,600	142	108	10	-	2	-	-	-	-	2
Glasgow† ..	1,052,200‡	466	283	40	-	2	3	1	3	5	3
Dublin (Registration Area)†	443,000	159	107	16	-	-	-	-	3	1	3
Belfast†	415,000	223	148	20	-	-	-	1	-	5	16

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
		1926.										
London‡	4,602,000	May 29	1432	906	10·3	1	-	12	2	3	2	
Calcutta and Suburbs	1,077,273	April 3	?	677	32·7	?	31	?	?	?	?	?
Bombay	1,279,061	May 8	404	570§	23·2	3	12	11	-	1	-	2
Madras	528,791	„ 1	441	433	42·5	-	1	-	?	7	-	2
Sydney and Suburbs	1,038,950	April 30										
Brisbane (Metropolitan Area).	253,568	Mar. 31										
Perth (Metropolitan Area).	179,388	April 17										
Auckland (Urban Area).	180,790	„ 30										
Wellington (Urban Area).	118,490	„ 30										
Christchurch (Urban Area).	118,270	„ 30										
Cape Town	113,709	May 8										
Johannesburg	165,958	„ 1	93	32	10·3	-	-	-	1	-	-	-
Durban	54,822	„ 1	30	12	11·4	-	-	-	-	-	-	-
Paris	2,906,472	„ 20										
Antwerp	300,150	April 4										
Amsterdam	719,357	May 15	254	147	10·6	1	-	2	-	4	-	-
Copenhagen	587,400	„ 22	202	173	15·3	-	-	-	1	3	-	-
Stockholm	442,528	„ 15	101	95	11·2	-	-	1	-	-	-	1
Gothenburg	230,804	April 24										
Oslo (Christiania) ..	257,719	May 22	73	46	9·3	-	-	-	-	-	-	-
Berlin	2,000,000	„ 8	424	492	12·2	-	?	1	-	5	3	4
Breslau	559,000	„ 8	172	131	10·2	-	?	-	-	2	1	-
Cologne	708,000	„ 8	219	132	8·7	-	?	1	-	2	1	-
Dresden	622,000	„ 8	162	118	9·0	-	?	-	-	2	-	1
Frankfort-on-Main..	473,000	„ 8	122	70	7·3	-	?	-	-	1	-	1
Hamburg	1,095,000	„ 8	246	226	9·7	-	?	-	-	-	3	2
Leipzig	685,000	„ 8	200	139	10·1	-	?	-	-	-	-	-
Munich	680,000	„ 8	212	172	11·2	-	?	2	-	1	-	2
Vienna	1,869,437 }											
Prague and Suburbs	712,700 }											
Budapest	960,525	May 15	320	323	17·4	-	-	-	4	1	2	2
Warsaw	1,015,426	„ 22	269	391	20·1	1	-	2	8	1	1	6
Cairo	829,200	Jan. 28	838	458	28·8	4	-	4	1	?	4	25
Alexandria	492,100	„ 28	531	417	44·2	1	-	38	-	?	2	18
New York	6,361,664 }	April 10	2398	1934	15·9	4	-	46	2	1	5	11
		„ 17	2456	1830	15·0	-	-	51	1	5	12	20
		„ 24	2267	1731	14·2	3	-	45	4	10	11	20
Chicago	2,995,239	„ 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 1 death from plague.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th May, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	906	69	25	26	26	32	36	74	99	142	180	197
Enteric fever..	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	2	7	3	-	-	-	-	-	-	-	-
Scarlet fever	2	-	2	-	-	-	-	-	-	-	-	-
Whooping cough	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	1	-	-	-	-	-	-	-	-
Influenza	15	-	-	-	-	-	1	-	2	5	5	2
Erysipelas	1	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	2	-	-	-	-
Meningococcal meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	72	2	-	1	2	15	10	17	7	12	6	-
Nervous system	9	1	1	4	1	1	1	-	-	-	-	-
Intestines and peritoneum	2	-	1	-	-	1	-	-	-	-	-	-
Other forms	10	-	-	2	5	1	1	1	-	-	-	-
Venereal diseases	5	1	-	-	-	-	-	2	1	1	-	-
Cancer	107	-	-	1	-	-	1	10	20	22	33	20
Rheumatic fever	1	-	-	-	-	1	-	-	-	-	-	-
Diabetes	9	-	-	-	-	-	1	3	-	3	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	1	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	62	-	-	-	-	-	-	-	4	11	18	29
Epilepsy	1	-	-	-	-	1	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	5	2	2	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	31	-	-	2	1	1	7	3	6	5	5	1
Pericarditis	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	2	-	-	-	-	-	1	-	-	1	-	-
Other diseases of heart	137	-	-	-	2	-	3	6	13	23	41	49
Other diseases of circulatory system	51	-	-	-	-	-	-	-	2	10	17	22
Bronchitis	46	2	-	1	-	-	1	4	1	3	6	28
Broncho-pneumonia	39	9	7	2	1	-	-	3	4	3	7	3
Lobar-pneumonia	23	2	-	-	2	-	1	5	5	3	5	-
Pneumonia (type not distinguished)	9	-	-	-	-	-	1	2	2	2	1	1
Other diseases of respiratory system	12	-	1	1	-	-	1	1	2	1	3	2
Diarrhœa and enteritis	9	8	-	-	-	-	-	-	-	-	1	-
Appendicitis, Typhlitis	6	-	-	1	2	1	-	-	1	1	-	-
Hernia, Intestinal obstruction.. ..	8	-	-	-	-	-	-	-	3	-	4	1
Cirrhosis of liver	4	-	-	-	-	1	-	1	1	1	-	-
Other diseases of digestive system ..	22	1	-	-	-	-	1	4	3	8	5	-
Acute nephritis	5	-	-	2	1	1	-	-	-	-	1	-
Chronic Bright's disease..	29	-	-	-	-	1	2	2	4	13	4	3
Other diseases of genito-urinary system.	18	-	-	-	-	-	1	3	1	4	4	5
Puerperal sepsis	2	-	-	-	-	2	-	-	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-	-	-
Old age	24	-	-	-	-	-	-	-	1	-	2	21
Suicide	7	-	-	-	-	-	-	3	3	1	-	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	1	-	-	-	1	-	-	1
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	2	3	2	-	-	-	2	2	1
Other deaths by violence	11	1	-	1	1	-	1	-	2	1	1	3
Other specified causes	46	12	1	-	4	1	1	-	9	6	8	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th May, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	250	234	9	96	C. 6 D. 1 E. 1 G. 4 M. 9
†CITY OF LONDON	–	1	2	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	20	6	–	4	E. 1
†BERMONDSEY ...	–	13	9	–	1	–
†BETHNAL GREEN	–	5	9	1	3	M. 2
†CAMBERWELL ...	–	10	12	–	2	–
†CHELSEA	–	4	7	–	1	–
†DEPTFORD ...	–	3	12	–	6	–
†FINSBURY ...	–	4	2	–	–	M. 1
†FULHAM	–	5	8	–	8	–
†GREENWICH ...	–	4	4	–	1	G. 1
†HACKNEY ...	–	26	9	1	2	–
†HAMMERSMITH ...	–	3	6	–	4	C. 1
†HAMPSTEAD ...	–	1	3	–	1	–
†HOLBORN... ...	–	2	5	–	1	C. 1 G. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	19	16	–	3	C. 1
†KENSINGTON ...	–	6	10	1	3	–
†LAMBETH ...	–	11	17	1	2	C. 1 G. 1
†LEWISHAM ...	–	14	8	2	5	–
†PADDINGTON ...	–	5	13	–	3	–
†POPLAR	–	19	11	–	12	M. 1
†ST. MARYLEBONE	–	1	–	–	1	–
†ST. PANCRAS ...	–	9	10	–	5	M. 1
†SHOREDITCH ...	–	11	5	–	5	M. 2
†SOUTHWARK ...	–	9	20	–	5	M. 1
†STEPNEY	–	16	6	2	1	C. 1 D. 1
†STOKE NEWINGTON	–	6	1	–	1	–
†WANDSWORTH ...	–	7	13	–	10	C. 1
†WESTMINSTER, CITY OF	–	7	–	1	–	G. 1
†WOOLWICH ...	–	9	10	–	6	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	3	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	1	–	1	–
DUNSTABLE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
EATON BRAY ...	–	–	–	–	1	–
BERKS	–	3	3	–	3	–
†READING C.B. ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	2	–	–	–
Rural Districts:—						
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	2	1	–	–	–
BUCKINGHAM ...	–	10	–	–	5	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	1	–
BLETCHLEY ...	–	2	–	–	–	–
†SLOUGH	–	–	–	–	3	–
Rural Districts:—						
AMERSHAM ...	–	–	–	–	1	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	2	–	–	–	–
WING	–	1	–	–	–	–
WINSLOW... ...	–	2	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ..	–	4	–	–	1	C. 1
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
CAMBRIDGE—*cont.*						
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	C 1
CHESTERTON ...	–	1	–	–	–	–
LINTON	–	1	–	–	–	–
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	59	10	1	30	E. 1 G. 2 M. 6
†BIRKENHEAD C.B.	–	4	2	–	2	M. 2
†CHESTER C.B. ...	–	5	–	–	6	–
†STOCKPORT C.B.	–	25	1	1	2	E. 1 G. 1 M. 1
†WALLASEY C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BOLLINGTON ...	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CREWE	–	2	–	–	–	M. 1
†ELLESMERE PORT AND WHITBY	–	–	–	–	2	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	M. 1
HOOLE	–	1	–	–	4	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	2	–
†HYDE	–	–	–	–	1	–
KNUTSFORD ...	–	–	–	–	1	–
†MACCLESFIELD ...	–	1	–	–	–	–
MARPLE	–	1	–	–	–	–
MOTTRAM IN LONGDENDALE	–	1	–	–	–	–
NANTWICH ...	–	2	–	–		–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	2	–	3	–
†SALE	–	2	–	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	1	–	–	M. 1
†WINSFORD ...	–	1	–	–	–	

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	–	–	1	–
DISLEY	–	1	–	–	1	–
MACCLESFIELD ...	–	–	–	–	1	–
NANTWICH ...	–	1	–	–	–	G. 1
NORTHWICH ...	–	2	1	–		–
WIRRAL	–	1	1	–	–	–
CORNWALL ...	–	3	1	–	2	G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	1	–	–	–
LAUNCESTON ...		–	–	–	1	
REDRUTH ...	*	*	*	*	*	*
SALTASH... ...	–	–	–	–	1	–
STRATTON AND BUDE	–	–	–	–	–	G. 1
Rural Districts:—						
HELSTON... ...	–	2	–	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
CUMBERLAND ...	–	11	5	–	4	G. 1
†CARLISLE C.B. ...	–	1	1		3	–
Boroughs and Urban Districts:—						
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ...	–	1	–	–	–	G. 1
WIGTON	*	*	*	*	*	*
Rural Districts:—						
BRAMPTON ...	–	4	1	–	–	–
CARLISLE ...	–	1	–	–		–
COCKERMOUTH ...	–	2	1	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	14	20	9	1	27	C. 1 D. 1 G. 1 M. 3
†DERBY C.B. ..	14	1	4	1	3	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	2	–
†BOLSOVER ...	–	1	1	–	–	–
†CHESTERFIELD ...	–	5	–	–	4	G. 1
†GLOSSOP	–	–	–	–	–	C. 1
†HEANOR	–	–	–	–	3	–
†LONG EATON ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
WIRKSWORTH ...	–	2	–	–	–	–
Rural Districts:—						
BLACKWELL ...	–	4	2	–	5	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ..	–	1	1	–	7	M. 1
NORTON	–	1	–	–	1	–
REPTON	–	1	–	–	–	M. 1
SHARDLOW ...	–	1	1	–	1	–
DEVON	–	20	5	–	10	C. 1 M. 2
†EXETER C.B. ...	–	–	–	–	–	C. 1
†PLYMOUTH C.B...	–	9	3		4	M. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–		–	1	–
NORTHAM ...	–	–	1	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
TAVISTOCK ...	–	–	–	–	2	–
TIVERTON ...	–	8	–	–	–	M. 1
†TORQUAY ...	–	–	–	–	1	–
TOTNES	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
AXMINSTER ...	-	1	-	-	-	-
KINGSBRIDGE ...	-	-	1	-	-	-
TOTNES	-	-	-	-	1	-
DORSET	-	3	-	-	6	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	-	1	-	-	-	-
DORCHESTER ...	-	2	-	-	-	-
SHAFTESBURY ...	-	-	-	-	1	-
Rural Districts:—						
BEAMINSTER ...	-	-	-	-	3	-
BLANDFORD ...	-	-	-	-	1	-
BRIDPORT ...	*	*	*	*	*	*
STURMINSTER ...	-	-	-	-	1	-
WIMBORNE AND CRANBORNE	-	-	-	-	-	G. 1
DURHAM	126	56	14	1	58	G. 1 M. 4
†DARLINGTON C.B	1	2	-	-	2	G. 1
†GATESHEAD C.B.	3	9	1	-	3	-
†SOUTH SHIELDS C.B.	17	1	2	-	14	-
†SUNDERLAND C.B	-	-	3	-	9	M. 1
†WEST HARTLEPOOL C.B	-	3	1	-	2	-
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	2	-	-	-	-
BENFIELDSIDE ...	-	3	1	-	-	-
†BISHOP AUCKLAND	-	-	1	-	-	M. 1
†BLAYDON... ...	3	-	-	-	1	-
†BRANDON AND BYSHOTTLES	9	-	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	1	2	-	-	1	-
†CONSETT	-	1	1	-	-	-
†DURHAM	-	-	-	-	1	-
†FELLING	-	1	-	-	1	-
†HARTLEPOOL ...	-	4	1	-	-	-
†HEBBURN ...	8	1	-	-	-	-
†HETTON	14	-	-	-	1	-
†HOUGHTON LE SPRING	1	-		-	-	-
†JARROW	5	1	-	-	6	-
LEADGATE ...	-	1	-	-	-	-
†SEAHAM HARBOUR	-	3	-	-	1	-
†SHILDON		-	-	-	1	-
†SOUTHWICK ON WEAR	-	-	-	-	1	-
†SPENNYMOOR ...	6	1	-	-	-	-
†STANLEY	10	1	1	-	5	M. 1
†STOCKTON ON TEES	-	-	-	-	1	-
Rural Districts:—						
AUCKLAND ...		5	-	-	1	-
CHESTER LE STREET	4	4	1	1	-	-
DARLINGTON ...	1	-	-	-	-	-
DURHAM	10	2	-	-		-
EASINGTON ...	14	4	1	-	3	-
HOUGHTON LE SPRING	11	2	-	-	2	M. 1
LANCHESTER ...	7	-	-	-	-	-
SEDGEFIELD ...	-	1	-	-	1	-
SUNDERLAND ...	1	-	-	-	1	-
WEARDALE ...	-	2	-	-	-	-
ELY, ISLE OF ...	-	-	3	-	-	-
Boroughs and Urban Districts:—						
CHATTERIS ...	-	-	2	-	-	-
WISBECH	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	-	67	31	-	47	C. 1 M. 4
†EAST HAM C.B. ...	-	4	4	-	2	-
†SOUTHEND-ON-SEA C.B.	-	4	-	-	6	M. 1
†WEST HAM C.B. ...	-	23	8	-	19	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN ...	-	4	-	-	1	-
BRENTWOOD ...	-	3	-	-	-	-
†COLCHESTER ...	-	2	-	-	3	-
DAGENHAM ...	-	1	-	-	-	-
EPPING	-	-	1	-	1	-
†GRAYS THURROCK	-	1	-	-	-	-
†HORNCHURCH ...	-	2	1	-	-	-
†ILFORD	-	3	2	-	6	C. 1
†LEYTON	-	5	5	-	4	-
MALDON	-	-	-	-	1	-
TILBURY	-	1	-	-	-	-
†WALTHAMSTOW ...	-	7	5	-	2	-
WEST MERSEA ...	-	-	1	-	-	-
†WOODFORD ...	-	1	-	-	1	-
Rural Districts:—						
BILLERICAY ...	-	1	1	-	-	-
BRAINTREE ...	-	-	-	-	1	-
CHELMSFORD ...	-	1	-	-	-	-
MALDON	-	-	1	-	-	M. 1
ORSETT	-	1	-	-	-	-
ROCHFORD ...	-	-	2	-	-	M. 1
STANSTED ...	-	2	-	-	-	-
TENDRING ...	-	1	-	-	-	-
GLOUCESTER .	-	24	14	-	10	C. 1
†BRISTOL C.B. ...	-	12	9	-	8	C. 1
†GLOUCESTER C.B.	-	1	2	-	-	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	1	-	-	-	-
NAILSWORTH ...	-	3	-	-	-	-
TEWKESBURY ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	-	1	-	-	-	-
NEWENT	-	-	1	-	-	-
STROUD	-	1	2	-	-	-
THORNBURY ...	-	-	-	-	1	-
WARMLEY ...	-	1	-	-	-	-
WEST DEAN ...	-	4	-	-	-	-
HEREFORD ...	-	3	2	-	3	G. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	-	1	1	-	-	-
KINGTON	*	*	*	*	*	*
LEDBURY... ...	-	-	1	-	-	-
LEOMINSTER ...	-	-	-	-	1	-
ROSS	-	1	-	-	-	-
Rural Districts:—						
BROMYARD ...	-	-	-	-	1	G. 1
DORE	-	-	-	-	1	-
HEREFORD ...	-	1	-	-	-	-
KINGTON	*	*	*	*	*	*
LEOMINSTER ...	-	-	-	-	-	G. 1
HERTFORD .	-	16	5	4	-	L. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	-	3	-	-	-	-
BUSHEY	-	-	-	1	-	-
†HERTFORD ...	-	-	3	-	-	-
HODDESDON ...	-	1	-	-	-	-
†LETCHWORTH ...	-	1	-	-	-	-
†ST. ALBANS ...	-	-	1	-	-	-
WARE	-	1	-	-	-	-
†WATFORD ...	-	3	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	1	1	–	–	–
BUNTINGFORD ...	–	1	–	–	–	–
HATFIELD ...	–	1	–	1	–	–
HERTFORD ...	–	2	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	1	–	–
WATFORD ...	–	1	–	1	–	L. 1
HUNTINGDON ..	–	2	2	–	2	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
OLD FLETTON ...	–	1	–	–	–	–
RAMSEY	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	2	–	–	–
KENT	–	46	28	1	14	E. 1 G. 1 M. 1
†CANTERBURY C.B.	–	–	–	1	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	1	–	1	–
†BEXLEY	–	12	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	1	–	–	–
†CHATHAM ...	–	5	8	–	–	E. 1
CHERITON ...	–	2	–	–	–	–
†CRAYFORD ...	–	–	3	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	–	–	–	M. 1
†ERITH	–	3	1	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	1	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	–	6	–	–	–
†HERNE BAY ...	–	–	–	–	2	–
†MAIDSTONE ...	–	5	2	–	–	–
†MARGATE ...	–	–	1	–	1	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	–	–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	1	–
†SHEERNESS ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SWANSCOMBE ...	–	3	–	–	–	–
WHITSTABLE ...	–	1	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	1	–	–	–	–
EASTRY	–	1	–	–	–	–
ELHAM	–	–	–	–	1	–
FAVERSHAM ...	–	2	–	–	–	–
HOLLINGBOURNE	*	*	*	*	*	*
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING	–	1	–	–	–	–
SHEPPEY	–	–	–	–	1	–
WEST ASHFORD...	–	–	–	–	–	G. 1
LANCASTER ...	18	155	104	4	207	C. 11 D. 3 E. 1 G. 10 L. 2 M. 22
†BARROW IN FURNESS C.B.	–	2	3	–	–	–
†BLACKBURN C.B	–	3	–	–	2	G. 1
†BLACKPOOL C.B.	–	1	–	–	3	G. 1
†BOLTON C.B. ...	1	–	–	–	6	–
†BOOTLE C.B. ...	–	–	1	–	1	–
†BURNLEY C.B. ...	–	2	4	–	2	–
†BURY C.B. ...	–	4	1	–	2	D. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ...	–	43	37	–	47	E. 1 G. 4 L. 1 M. 12
†MANCHESTER C.B	–	27	17	–	36	C. 7 D. 1 G. 2 M. 6
†OLDHAM C.B. ..	–	4	7	–	–	G. 1
†PRESTON C.B. ..	–	–	2	1	2	M. 1
†ROCHDALE C.B. ..	–	1	–	–	–	–
†ST. HELENS C.B...	–	1	4	–	9	–
†SALFORD C.B. ..	–	8	6	1	8	C. 1 M. 1
†SOUTHPORT C.B.	–	4	1	–	1	–
†WARRINGTON C.B	–	3	–	–	4	D. 1
†WIGAN C.B. ..	–	3	–	–	8	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	1	1	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
ASPULL	–	–	–	–	2	–
†ATHERTON ..	–	–	2	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	1	1	–	–	–
†CHORLEY	–	–	1	–	2	–
CHURCH	–	–	–	–	1	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	10	–	–	–	3	–
†CROMPTON ...	–	3	–	–	2	–
†DALTON IN FURNESS	–	–	3	–	–	–
†DARWEN	–	2	–	–	1	–
†DENTON	–	–	1	–	2	–
†DROYLSDEN ...	–	–	–	–	3	–
†ECCLES	–	–	1	–	4	–
†FAILSWORTH ...	–	1	–	–	1	–
†FARNWORTH ..	4	–	–	–	2	G. 1
FORMBY	–	1	–	–	–	–
FULWOOD ...	–	–	1	–	–	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	2	–	–	–	–
†HAYDOCK ...	–	1	–	–	3	–
†HINDLEY... ...	–	–	–	–	5	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORWICH ...	–	1	–	–	1	–
†INCE IN MAKERFIELD	–	1	–	–	2	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	2	–	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
†LEIGH	3	–	4	–	4	–
†LITHERLAND ...	–	1	–	1	–	–
LITTLE HULTON..	–	–	–	–	1	–
LITTLE LEVER ...	–	–	–	–	–	C. 1
†MIDDLETON ...	–	1	–	–	1	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
NORDEN	–	–	–	–	1	–
ORMSKIRK ...	–	–	–	–	2	–
†PRESTWICH ...	–	3	–	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
†ROYTON	–	1	–	–	–	–
†STRETFORD ...	–	1	–	–	–	–
TOTTINGTON ...	*	*	*	*	*	*
†TYLDESLEY WITH SHAKERLEY	–	4	–	–	–	C. 1
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	C. 1
†WESTHOUGHTON	–	2	–	–	1	M. 1
†WIDNES	–	–	1	–	15	–
Rural Districts:—						
BURNLEY... ...	–	1	–	–	1	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	–	1	–	2	–
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	–	1	–	–	–
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON... ...	–	3	1	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER... ..	–	12	10	–	17	D. 1 G. 1 M. 2
†LEICESTER C.B. ..	–	8	7	–	5	D. 1 M. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	–	–	–	G. 1
†HINCKLEY ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	2	–	–	1	–
MARKET HARBOROUGH	–	–	1	–	2	–
MELTON MOWBRAY	–	–	–	–	5	–
Rural Districts:—						
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	1	–	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	–	G. 1
Rural Districts:—						
SPALDING (part)..	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	4	–	–	7	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	3	–
SLEAFORD ...	–	1	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	–	–	–	–	2	–
SLEAFORD ...	–	1	–	–	1	–
LINCOLN (parts of Lindsey).	3	21	5	2	5	G. 2 M. 1
†GRIMSBY C.B. ...	–	1	3	–	1	–
†LINCOLN C.B. ...	–	13	–	–	–	G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	1	–	–
†GAINSBOROUGH ...	–	4	–	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
MABLETHORPE AND SUTTON	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	1	–	–	–	1	M. 1
SKEGNESS ...	–	1	–	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	1	1	G. 1
GLANFORD BRIGG	2	–	–	–	–	–
GRIMSBY	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	53	34	7	15	C. 1 G. 2 M. 3
Boroughs and Urban Districts: -						
†ACTON	-	2	-	-	-	-
†BRENTFORD ...	-	-	1	-		-
†CHISWICK ...	-	3	1	-	2	-
†EALING	-	3	1	-	1	-
†EDMONTON ...	-	1	4	-	-	-
†ENFIELD	-	-	-	-	1	-
FELTHAM ...	-	1	-	3	-	-
†FINCHLEY ...	-	1	-	-	-	-
†FRIERN BARNET	-	-	-	1	-	-
HAMPTON WICK...	-	-	-	-	1	-
†HANWELL ...	-	4	-	-	-	-
†HENDON	-	5	2	1	-	-
†HESTON AND ISLEWORTH	-	1	-	-	1	M. 1
†HORNSEY... ...	-	5	2	1	-	-
†SOUTHGATE ...	-	1	1	-	1	C. 1
†TEDDINGTON ...	-	-	-	-	1	-
†TOTTENHAM ...	-	10	5	-	2	G. 1 M. 1
†WEMBLEY ...	-	-	-	1	-	-
†WILLESDEN ...	-	13	14	-	4	M. 1
†WOOD GREEN ...	-	1	3	-	-	G. 1
Rural Districts:—						
HENDON	-	1	-	-	-	-
STAINES	-	1	-	-	-	-
UXBRIDGE ...	-	-	-	-	1	-
NORFOLK	-	3	1	-	11	M. 1
†GREAT YARMOUTH C.B	-	-	-	-	2	-
†NORWICH C.B. ...	-	1	-	-	2	M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	-	-	2	-
NEW HUNSTANTON	-	-	-	-	1	-
WELLS	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	-	1	-	-	1	-
ERPINGHAM ...	-	1	-	-	-	-
FREEBRIDGE LYNN	-	-	-	-	1	-
MITFORD AND LAUNDITCH	-	-	-	-	1	-
SWAFFHAM ...	-	-	-	-	1	-
THETFORD ...	-	-	1	-	-	-
NORTHAMPTON ...	-	22	2	-	5	C. 1
†NORTHAMPTON C.B.	-	3	1	-	4	-
Boroughs and Urban Districts:—						
†KETTERING ...	-	2	-	-	1	-
RAUNDS	-	1	-	-	-	-
†RUSHDEN ...	-	3	-	-	-	-
†WELLINGBOROUGH	-	1	-	-	-	-
Rural Districts:—						
DAVENTRY ...	-	1	-	-	-	-
HARDINGSTONE ...	-	1	-	-	-	C. 1
KETTERING ...	-	2	-	-	-	-
NORTHAMPTON ...	-	-	1	-	-	-
THRAPSTON (part)	-	8	-	-	-	-
NORTHUMBERLAND	10	23	4	1	31	G. 2 K. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	1	12	2	1	15	G. 2 K. 1 M. 1
†TYNEMOUTH C.B	-	1	-	-	2	-
Boroughs and Urban Districts:—						
†ASHINGTON ...	8	1	-	-	-	-
†BEDLINGTONSHIRE	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	–	–	–	1	–
†BLYTH	–	–	–	–	1	M. 1
CRAMLINGTON ...	–	–	–	–	3	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	3	–
MORPETH... ..	–	–	1	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	2	–
GLENDALE ...	–	1	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	–	1	–	–	–
MORPETH ...	1	–	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	2	15	30	–§	12	G. 1 M. 1
†NOTTINGHAM C.B	–	7	27	–	10	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	–
†CARLTON	–	1	1	–	–	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†NEWARK	–	–	1	–	1	–
WARSOP	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	–	–
NEWARK	2	–	–	–	–	–
SOUTHWELL ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	2	1	–	4	–
†OXFORD C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	2	–
Rural Districts:—						
BANBURY... ...	–	–	–	–	1	–
CROWMARSH ...	–	–	1	–	1	–
HEADINGTON ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	1	3	–	–	2	–
Borough:—						
†PETERBOROUGH...	1	1	–	–	2	–
Rural Districts—						
BARNACK... ...	–	2	–	–	–	–
RUTLAND	–	1	–	–	1	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
UPPINGHAM ...	–	–	–	–	1	–
SALOP	–	1	2	–	3	M. 1
Boroughs and Urban Districts:—						
WEM	*	*	*	*	*	*
Rural Districts:—						
ATCHAM	–	–	–	–	–	M. 1
BRIDGNORTH ...	–	–	1	–	–	–
CLEOBURY MORTIMER	–	–	1	–	2	–
WELLINGTON ...	–	1	–	–	1	–
WEM	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The figure for the week ended 22nd May, 1926, should have been 2.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	15	–	–	11	G. 2 M. 1
†BATH C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
CREWKERNE ...	–	–	–	–	1	–
†FROME	–	–	–	–	–	G. 1
PORTISHEAD ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	2	–	–	1	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	5	–	–	–	–
CLUTTON	–	–	–	–	2	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	2	–	–	–	G. 1
TAUNTON ...	–	1	–	–	2	–
WELLS	–	–	–	–	1	–
WINCANTON ...	–	–	–	–	3	–
YEOVIL	*	*	*	*	*	*
SOUTHAMPTON ...	–	24	35	1	11	C. 2 G. 1 M. 1
†BOURNEMOUTH C.B.	–	–	–	–	1	–
†PORTSMOUTH C.B.	–	8	20	–	–	C. 1 G. 1
†SOUTHAMPTON C.B.	–	5	10	–	2	C. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	5	–	–	–	M. 1
ANDOVER... ...	–	–	–	–	1	–
CHRISTCHURCH ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–		–	1	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	–	–	–	2	–
PETERSFIELD ...	–	1	–	–	–	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	–	1	–	–
SOUTHAMPTON—*cont.*						
Rural Districts:—						
BASINGSTOKE ...	–	–	–	–	1	–
NEW FOREST ...	–	1	5	–	1	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	–	–	–	1	–
STAFFORD	1	49	15	–	60	C. 4 G. 1 M. 11
†BURTON UPON TRENT C.B.	–	1	2	–	1	–
†SMETHWICK C.B.	–	–	1	–	4	–
†STOKE ON TRENT C.B.	–	7	3	–	19	M. 6
†WALSALL C.B. ...	–	3	–	–	4	C. 2
†WEST BROMWICH C.B.	–	2	1	–	1	–
†WOLVERHAMPTON C.B.	–	2	–	–	7	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	M. 1
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	3	2	–	3	–
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	–	1	–	1	C. 1 M. 1
†COSELEY	–	1	–	–	1	–
†DARLASTON ...	–	–	–	–	4	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	1	–
KIDSGROVE ...	–	–	–	–	–	C. 1
†LEEK	–	3	1	–	–	–
PERRY BARR ...	–	1	–	–	–	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS ...	–	1	–	–	2	–
†STAFFORD ...	–	1	–	–	1	G. 1
TAMWORTH ...	–	–	1	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	1	1	–	1	–
†WEDNESBURY ...	–	1	–	–	1	M. 1
WEDNESFIELD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WILLENHALL ...	–	4	–	–	1	–
†WOLSTANTON UNITED	–	2	–	–	–	–
Rural Districts:—						
CANNOCK	–	–	–	–	1	–
CHEADLE	–	7	–	–	1	–
KINGSWINFORD ...	1	–	–	–	–	–
LICHFIELD ..	–	–	1	–	1	–
STONE	–	3	1	–	–	–
WALSALL... ...	–	1	–	–	1	–
SUFFOLK, EAST ...	–	11	1	–	7	–
†IPSWICH C.B. ...	–	–	1	–	3	–
Boroughs and Urban Districts:—						
HALESWORTH ...	*	*	*	*	*	*
†LOWESTOFT ...	–	1	–	–	2	–
STOWMARKET ...	–	6	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	4	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	1	–	–	–
HADLEIGH ...	–	–	–	–	1	–
Rural Districts:—						
THINGOE	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	27	14	–	18	C. 4 D. 1 G. 1 L. 1
†CROYDON C.B. ...	–	15	8	–	1	G. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	C. 1
†CARSHALTON ...	–	–	–	–	1	C. 1
†CHERTSEY ...	–	–	–	–	2	–
†COULSDON AND PURLEY	–	–	–	–	2	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	1	–	–	1	–
†EPSOM	–	–	–	–	–	L. 1
†GUILDFORD ...	–	–	–	–	2	–
LEATHERHEAD ...	–	–	–	–	–	D. 1
†MERTON AND MORDEN	–	1	–	–	1	–
†MITCHAM... ...	–	1	1	–	1	–
†REIGATE	–	1	–	–	–	–
†SURBITON ...	–	–	–	–	3	–
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	C. 1
†WIMBLEDON ...	–	2	–	–	2	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
EPSOM	–	3	–	–	–	–
FARNHAM ...	–	–	1		–	–
HAMBLEDON ...	–	–	2	–	–	C. 1
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ..	–	8	6	–	7	C. 2
†BRIGHTON C.B. ...	–	2	5	–	4	C. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	–	–	1	–
†HOVE	–	–	–	–	1	C. 1
†NEWHAVEN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	3	–	–	–	–
NEWHAVEN ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	6	1	–	2	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	–	–	–	M. 1
†HORSHAM ...	–	1	1	–	–	–
†WORTHING ...	–	4	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
PETWORTH ...	–	–	–	–	1	–
THAKEHAM ...	–	1	–	–	–	–
WARWICK	–	45	55	2	63	C. 4 D. 1 G. 1 M. 6
†BIRMINGHAM C.B.	–	37	37	2	51	C. 4 D. 1 M. 5
†COVENTRY C.B. ...	–	4	3	–	5	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–	–	G. 1
†NUNEATON ...	*	*	*	*	*	*
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†STRATFORD ON AVON	–	1	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	1	–	–	–
ATHERSTONE ...	–	1	8	–	–	–
FOLESHILL ...	–	–	1	–	–	–
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	4	–	–	–
WESTMORLAND ..	–	1	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†COWES	–	1		–	3	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	7	4	–	13	C. 1
Boroughs and Urban Districts:—						
CALNE	*	*	*	*	*	*
CHIPPENHAM ...	–	2	–	–	–	C. 1
†SWINDON... ...	–	4	2	–	5	–
WARMINSTER ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	–	–	–	3	–
CALNE	*	*	*	*	*	*
CHIPPENHAM ...	–	–	–	–	1	–
HIGHWORTH ...	–	–	1	–	–	–
PEWSEY	–	–	1	–	–	–
RAMSBURY ...	–	–		–	1	–
SALISBURY ...	–	1	–	–	–	–
TETBURY (part)...	*	*	*	*	*	*
WARMINSTER ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	–	–	–	2	–
WILTON	–	–	–	–	1	–
WORCESTER ...	–	14	5	–	18	G. 1 M. 1
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	1	–	–	7	G. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	5	1	–	–	–
†KIDDERMINSTER		1	–	–	–	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	–	–	–	4	–
†REDDITCH ...	–	–	1	–	2	–
†STOURBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
DROITWICH ...	–	1	–	–	1	–
EVESHAM ...	–	–	1	–	–	–
FECKENHAM ...	–		–	–	–	M. 1
PERSHORE ...	–	1	–	–	–	–
SHIPSTON ON STOUR	–	–	–	–	1	–
TEWKESBURY (part)	–	–	–	–	1	–
UPTON ON SEVERN	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (East Riding.)	–	7	14	–	6	G. 1 M. 1
†KINGSTON UPON HULL C.B	–	4	14	–	4	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
HOWDEN	–	–	–	–	2	–
NORTON	*	*	*	*	*	*
SHERBURN ...	*	*	*	*	*	*
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	4	1	–	14	–
†MIDDLESBROUGH C.B.	–	–	–	–	10	–
Boroughs and Urban Districts:—						
†ESTON	–	1	1	–	1	–
GUISBOROUGH ...	–	–	–	–	1	–
MALTON	*	*	*	*	*	*
MASHAM	–	1	–	–	–	–
Rural Districts:—						
AYSGARTH ...	–	1	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
MALTON	*	*	*	*	*	*
RICHMOND ...	–	–	–	–	1	–
YORKS ... ... (West Riding.)	18	112	51	3	151	C. 8 G. 3 M. 11
†BARNSLEY C.B. ...	–	4	1	–	1	–
†BRADFORD C.B. ...	1	11	10	–	19	–
†DEWSBURY C.B....	–	–	–	–	3	C. 1 M. 1
†HALIFAX C.B. ...	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†HUDDERSFIELD C.B.	–	3	8	–	3	–
†LEEDS C.B. ...	1	13	5	–	14	C. 2 M. 2
†ROTHERHAM C.B.	–	2	–	–	2	G. 1
†SHEFFIELD C.B. ...	–	20	11	2	73	C. 3 G. 1 M. 5
†WAKEFIELD C.B.	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	1	–
†BARNOLDSWICK ...	1	–	–	–	1	–
†BENTLEY WITH ARKSEY	–	3	–		1	–
†BINGLEY	–	1	–	–	–	–
BIRSTAL	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	2	–	–	2	M. 1
DENHOLME ...	–	1	–	–	–	–
†DONCASTER ..	–	1	1	–	1	C. 1
EARBY	–	–	–	–	1	–
†ELLAND	–	1	–	–	1	C. 1
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	1	–		1	M. 1
GREASBROUGH ...	1	–	–	–	–	–
GREETLAND ...	–	–	–	1	–	–
†HARROGATE ...	–	–	–		1	–
†HEMSWORTH ...	–	1	1	–	–	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORSFORTH ...	–	1	1	–	–	–
†HOYLAND NETHER	–	2	–	–	2	–
†KEIGHLEY ...	–	1	1	–	–	–
KNARESBOROUGH	–	–	–	–	–	G. 1
LINTHWAITE ...	–	1	–	–	–	–
MELTHAM ...	–	–	–	–	3	–
†MEXBOROUGH ...	–	–	1	–	–	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	*	*	*	*	*	*
NEW MILL ...	–	–	–	–	1	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	1	–	–	–
PENISTONE ...	–	–	2	–	–	–
†PONTEFRACT ...	–	–	–	–	1	–
†PUDSEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†RAWMARSH ...	–	1	–	–	1	–
†ROTHWELL ...	–	1	–	–	–	–
SHEPLEY	–	–	1	–	–	–
SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	2	–
STAINLAND ...	–	–	–	–	1	–
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	2	–	–	4	–
†SWINTON	13	2	–	–	–	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND AND FARNLEY TYAS.	–	1	–	–	–	–
TICKHILL ...	*	*	*	*	*	*
†TODMORDEN ...	–	1	–	–	1	–
†WATH UPON DEARNE	–	2	2	–	–	–
†WOMBWELL ...	–	3	–	–	1	–
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	2	–
HALIFAX	–	–	–	–	2	–
HEMSWORTH ...	–	2	–	–	–	–
KIVETON PARK ...	–	2	–	–	–	–
PATELEY BRIDGE	–	1	–	–	–	–
PONTEFRACT ...	–	1	1	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	1	4	1	–	1	–
SETTLE	–	1	–	–	1	–
TADCASTER ...	–	1	–	–	–	–
THORNE	–	1	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	2	–	–	–	–
WETHERBY ...	–	–	1	–	–	–
WORTLEY ...	–	–	1	–	–	–
§YORK, CITY OF ...	–	2	–	1	–	–
†YORK C.B. ...	–	2	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	4	–	–	2	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
Rural Districts:—						
DWYRAN	–	1	–	–	–	–
TWRCELYN ...	–	2	–	–	1	–
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	3	1	1	–	M. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	–	–	–	–	M. 1
Rural Districts:—						
CRICKHOWELL ...	–	1	–	1	–	–
YSTRADGYNLAIS	–	2	–	–	–	–
CARDIGAN ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–‖	2	–
CARMARTHEN ..	–	8	1	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	1	–	–	–
BURRY PORT ...	–	3	–	–	–	–
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–	2	–	–	–	–
†LLANELLY ...	–	1	–	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	1	–	–	–	–
CARNARVON ...	–	1	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CAERNARVON ...	–	–	1	–	–	–
Rural Districts:—						
GWYRFAI	–	–	–	–	–	G. 1
DENBIGH	–	6	–	–	3	C. 1
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
†COLWYN BAY AND COLWYN ...	–	–	–	–	2	–
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	C. 1
WREXHAM ...	–	5	–	–	1	–
FLINT	–	4	2	–	1	–
Boroughs and Urban Districts:—						
BUCKLEY	–	1	–	–	–	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	3	1	–	1	–
GLAMORGAN ...	–	48	33	–	30	G. 1 M. 3
†CARDIFF C.B. ..	–	6	9	–	3	M. 2
†MERTHYR TYDFIL C.B	–	1	3	–	1	–
†SWANSEA C.B. ...	–	4	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

‖ The figure for the week ended 8th May, 1926, should have been 1, and for Aberystwyth (North) Rural District, nil.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	–	–	5	–
†BARRY	–	–	1	–	–	M. 1
†CAERPHILLY ..	–	–	2	–	2	–
†GELLIGAER ..	–	2	3	–	1	–
†MAESTEG ...	–	–	5	–	–	–
†MOUNTAIN ASH ..	–	–	1	–	3	–
†NEATH	–	–	1	–	5	–
†OGMORE AND GARW	–	4	1	–	1	–
†PONTYPRIDD ..	–	5	–	–	1	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	13	5	–	4	G. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
NEATH	–	2	–	–	1	–
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	–	–	–	–	1	–
SWANSEA... ..	–	2	1	–	–	–
MERIONETH ..	–	–	–	–	2	–
Urban Districts:—						
BALA	*	*	*	*	*	*
Rural Districts:—						
DOLGELLEY ...	–	–	–	–	2	–
PENLLYN	*	*	*	*	*	*
MONMOUTH ..	–	9	8	–	13	C. 1
†NEWPORT C.B. ...	–	3	–	–	7	–
Boroughs and Urban Districts:—						
†ABERCARN ...	*	*	*	*	*	*
ABERGAVENNY ...	–	3	–	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	–	–	–	–	C. 1
BEDWAS AND MACHEN	–	–	2	–	1	–
†EBBW VALE ...	–	2	–	–	4	–
LLANTARNAM ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RISCA	–	–	1	–	–	–
USK	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MAGOR	–	–	1	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY ...	–	4	2	–	2	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	*	*	*	*	*	*
WELSHPOOL ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	4	–	–	1	–
NEWTOWN AND LLANIDLOES	–	–	1	–	1	–
PEMBROKE	–	–	–	–	2	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	2	–
RADNOR	–	1	–	–	1	–
Rural Districts:—						
COLWYN	–	–	–	–	1	–
NEW RADNOR ...	–	1	–	–	–	–
Total of Part II. ...	193	1088	579	30§	990	C. 45 D. 7 E. 5 G. 42 K. 1 L. 4 M. 90

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

§ The figure for the week ended 22nd May, 1926, should have been 32.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Carnarvon	*	*	*	*	*	*	Wells (Norfolk) ...	*	*	*	*	*	*
Liverpool	–	–	–	1	1	L. 1	Port of London ...	1	–	1	3		–
Southampton ...	–	–	–	–	1	–							
							Total of Part III.... ...	1	–	1	4	2	L. 1

* Returns not received. † Population over 10,000.
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	250	234	9	96	C. D. E. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	193	1088	579	§30	990	C. D. E. G. K. L. M.
Total of Part III.—Port Sanitary Districts	1	–	1	4	2	L.
Total (*i.e.*, of returns received), England and Wales ...	194	1338	814	§43	1088	C D. E. G. K. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

§ The figures for the week ended 22nd May, 1926, should have been "Total of Part II.": 32, and "Total, England and Wales":—39.

5.—LONDON and GREAT TOWNS in the REGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24	May 1.	May 8.	May 15.	May 22.	May 29.
ON :—													
HS—all ages	1,099	1,112	1,159	1,228	1,340	1,347	1,264	1,127	1,108	1,011	913	1,006	906
0 to 1 year ..	103	110	116	113	107	128	93	110	103	98	74	71	69
T TOWNS, aggre- (including Lon-):—													
HS	6,836	7,238	7,128	6,687	6,571	6,909	7,976	7,585	7,009	7,412	7,437	7,438	6,025
HS—all ages	4,674	4,786	4,775	5,177	5,583	5,612	5,342	4,889	4,704	4,302	4,230	4,465	4,122
0 to 1 year ..	562	598	564	574	610	600	552	511	511	440	444	469	431
RIC FEVER—Cases	24	26	16	25	24	23	23	20	25	21	21	20	22
„ Deaths	2	3	3	7	3	6	1	1	—	5	3	3	1
L POX—Cases ..	74	75	67	70	50	63	65	35	32	58	43	38	39
„ Deaths ..	—	1	—	—	—	—	—	—	—	—	—	—	—
LET FEVER—Cases	866	882	827	894	895	787	742	799	828	840	837	864	760
„ Deaths	8	9	13	9	8	6	9	6	5	13	6	2	6
THERIA—Cases ..	823	809	827	688	716	649	622	639	669	693	666	586	605
„ Deaths ..	48	51	49	47	50	45	41	38	43	43	33	32	19
SLES—Deaths ..	102	119	116	121	107	100	99	81	55	68	60	56	56
UENZA—Deaths ..	97	88	136	136	223	294	302	209	166	149	118	111	78

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th May, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (GREENWICH).	78	42	70·7	50·6	5
GHTON ..	70	46	61·1	51·9	12
TSMOUTH ..	66	48	63·5	53·1	7
WICH (EATON).	73	39	68·0	52·1	4
MOUTH ..	67	50	60·9	53·1	20
STOL (CLIFTON).	72	47	65·3	51·7	19
MINGHAM (EDGBASTON).	72	47	65·1	50·6	20
TTINGHAM ..	76	42	66·6	50·6	16
KENHEAD (BIDSTON).	73	47	65·6	51·4	16
NCHESTER (WHITWORTH PARK).	75	45	65·7	52·9	24
RNLEY	73	40	63·5	49·0	31

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	74	29	65·4	48·1	18
BRADFORD ..	72	39	62·9	47·1	32
SHEFFIELD ..	73	43	63·9	49·7	27
YORK (MUSEUM)	78	38	66·4	49·6	23
HULL (PEARSON PARK).	75	36	66·1	49·9	18
TYNEMOUTH ..	63	39	58·7	48·7	24
CARDIFF.. ..	67	47	64·6	50·7	16
EDINBURGH ..	72·0	39·0	61·6	47·6	7
GLASGOW ..	67·8	44·0	63·6	48·7	22
DUBLIN (PHŒNIX PARK).	65·0	46·2	62·3	49·6	15
(FITZWILLIAM SQUARE†).	66·0	48·2	62·7	51·7	11
BELFAST.. ..	67·5	37·5	62·8	46·5	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 29th May, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	23	In Equator	29·946	63·0	42·4	20·6	53·8	− 1·1	49·5	4·3	10·8	1·4	85	128·3	30·0	49·0	Calm: ENE.	ENE: SW: Calm.	0·9	0·0	0·1	136	− 127	0·00
MONDAY -	24	..	29·958	71·0	47·2	23·8	59·0	+ 3·7	51·7	7·3	19·0	0·9	77	137·1	37·2	49·3	Calm	SE: S.	0·9	0·0	0·0	127	− 134	0·01
TUESDAY -	25	..	29·951	74·9	48·9	26·0	61·7	+ 6·2	54·0	7·7	18·7	1·8	75	137·9	39·8	49·6	S: SW	SSW: Calm.	0·6	0·0	0·1	152	− 105	0·00
WEDNESDAY	26	..	29·798	78·2	53·0	25·2	65·9	+10·1	51·8	14·1	24·7	1·2	60	146·1	42·2	49·9	Calm: SSE: S.	S: Calm	1·6	0·0	0·1	188	− 66	0·00
THURSDAY -	27	Full	29·771	72·9	54·2	18·7	60·5	+ 4·5	48·9	11·6	21·4	1·8	65	145·7	43·2	50·0	Calm: WSW.	WSW: SW: SSW.	2·9	0·0	0·3	308	+ 56	0·00
FRIDAY -	28	..	29·570	66·1	54·5	11·6	58·3	+ 2·1	54·0	4·3	10·6	1·2	85	107·4	49·4	50·6	SSW: SW.	SW	3·8	0·0	0·5	388	+ 137	0·03
SATURDAY -	29	..	29·595	69·5	54·1	15·4	59·6	+ 3·2	48·2	11·4	18·2	1·2	66	136·8	48·1	50·9	SW: WSW: W.	WSW: SW.	3·7	0·0	0·6	445	+ 195	0·02
MEANS -		..	29·798	70·8	50·6	20·2	59·8	+ 4·1	51·2	8·7	17·6	1·4	73	134·2	41·4	49·9	SW		..	..	..	Sum 1744	Sum − 44	Sum 0·06
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	23	wP	7·7	15·9	Nearly cloudless till 7¾h., then clouding up to nearly overcast by 10½h. Mist 3h. till 15h. Partial solar halo 12h. Slight rain 17¾h. Slight dew at night.
MONDAY ..	24	wP	7·4	15·9	Overcast till 4h.; then partially cloudy till 12h., becoming overcast by 13h. Haze 9h. till 12h. Showers at 16¼h. and 18¼h. Dew at night.
TUESDAY ..	25	Loss of register till 11½h.; then wP.	4·5	16·0	Very cloudy, becoming nearly overcast by 11h. Partial solar halo 17½h. to 18½h. Lunar halo about 22h.
WEDNESDAY	26	wP	8·8	16·0	Variably cloudy. Solar halos 8¾h. till 9h.; and between 12h. and 16h. Dew at night.
THURSDAY	27	wP	4·5	16·0	Nearly overcast generally. Rain 3½h. Damping 21½h.
FRIDAY ..	28	wP	0·4	16·1	Overcast generally. Damping at 0h., 4½h., and 22¾h. Rain at 5½h.; and from 10½h. till 10¾h. Partial solar halo 13h. Brisk wind 15h. till 17h.
SATURDAY	29	wP	8·4	16 1	Very cloudy throughout, with overcast periods. Brisk wind 4h. till 14h. Rain 15¾h. till 16¼h., and from 23½h.
			Sum 41·7	Sum 112·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·95 ins. at the beginning of the week to 29·99 ins. by 8h. on 25th; decreased generally to 29·50 ins. by 2h. on 29th; increased to 29·61 ins. by 12h. on 29th; decreased and was 29·57 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 22.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 5TH JUNE 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH JUNE, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-second week of the year numbered 7,801, and corresponded to an annual rate of 20·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,939 and corresponded to an annual rate of 10·6 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 11·4, 12·0, and 11·1. Infant mortality was 53 per 1,000 births against 60, 63 and 72 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,684 births corresponding to a rate of 19·0 per 1,000, and 827 deaths of civilians, corresponding to an annual rate of 9·4, against 10·3, 11·4 and 10·2, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·3 per 1,000. The infant mortality was 36 as against 44, 41 and 48 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,120 to 3,939. In London the number of deaths from all causes decreased from 904 to 827; the deaths from diphtheria which had been 11, 8, and 2 in the preceding three weeks, rose to 8 last week; and the deaths from measles, which had been 17, 19 and 12 in the three preceding weeks, fell to 8 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 5th June, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 Great Towns ..	19,417,320*	7,801	3,939	415	4	35	7	27	25	46	8
London	4,602,000*	1,684	827	61	-	8	2	2	8	11	-
Towns in Outer Ring.											
Croydon C.B ..	199,300	70	52	5	-	-	-	-	-	1	-
Wimbledon ..	58,170	14	7	-	-	-	-	-	-	-	-
Ealing	68,410	22	13	1	-	-	-	-	-	-	-
Acton	63,110	19	8	-	-	1	-	-	-	-	-
Willesden ..	168,900	49	30	1	-	-	-	-	2	-	-
Hendon	59,150*	12	14	1	-	1	-	-	-	-	-
Hornsey	87,210	18	22	1	-	1	-	-	-	-	-
Wood Green ..	51,960	12	6	-	-	-	-	-	-	-	-
Tottenham ..	153,600	48	17	2	-	-	-	1	-	-	-
Edmonton ..	71,210	48	6	-	-	-	-	-	-	-	-
Enfield	63,740	11	12	-	1	-	-	-	-	-	-
West Ham C.B. ..	318,500	176	50	5	1	1	-	-	-	1	-
East Ham C.B. ..	147,200	43	21	2	-	-	-	-	-	-	-
Leyton	132,700	28	20	5	-	-	-	-	-	-	-
Walthamstow ..	130,800	44	20	1	-	-	-	-	-	-	-
Ilford	93,590	33	21	3	-	-	1	-	-	1	-
Gillingham	48,680*	19	8	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	9	6	2	-	-	-	-	-	-	-
Hastings C.B.	60,470	27	11	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	12	11	2	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	48	29	-	-	1	-	-	-	-	-
Portsmouth C.B. ..	232,900*	97	54	5	-	-	-	-	1	2	-
Bournemouth C.B. ..	85,840	19	21	3	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	69	37	2	-	-	-	-	-	-	-
Reading C.B.	93,670*	33	17	4	-	-	-	-	-	-	-
Oxford C.B.	57,090	24	5	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	26	14	1	-	-	-	-	-	-	-
Luton	59,230	18	6	1	-	-	-	-	-	-	-
Cambridge	59,020	15	12	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	36	17	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	29	13	2	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	18	16	2	-	1	-	-	-	-	-
Norwich C.B. ..	124,000*	51	26	1	-	-	-	-	-	-	-
Swindon	56,880	18	11	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	23	16	2	-	-	-	-	-	1	-
Plymouth C.B. ..	192,100*	86	38	2	-	1	-	-	-	-	-
Bath C.B.	69,050	13	18	2	-	-	-	-	-	-	-
Bristol C.B.	385,700*	156	73	6	1	-	-	-	1	-	-
Gloucester C.B. ..	53,060	23	17	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	144	66	10	-	3	-	-	2	1	-
Burton-upon-Trent C.B.	49,530	17	15	2	-	-	-	1	-	-	-
Wolverhampton C.B.	108,800	52	20	4	-	-	-	-	-	1	-
Walsall C.B.	102,300	57	19	5	-	-	-	1	-	-	-
West Bromwich C.B	79,490	40	12	1	-	1	-	-	-	-	-
Dudley C.B.	58,810	25	9	3	-	-	-	-	-	1	-
Worcester C.B. ..	50,230	26	9	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	435	195	21	1	1	-	1	2	3	-
Smethwick C.B. ..	78,840	34	10	2	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	43	29	4	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	95	51	5	-	-	-	-	-	1	-
Lincoln C.B.	66,600*	20	16	-	-	-	-	-	-	-	-
Grimsby C.B.	87,190	29	24	-	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	107	58	4	-	-	-	-	-	1	-
Derby C.B.	134,400*	65	33	-	-	-	-	-	-	1	-
Chesterfield ..	65,800	25	13	3	-	-	-	-	-	1	-
Stockport C.B. ..	125,900	54	30	3	-	2	-	-	-	-	-
Chester C.B.	41,670	22	12	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	89	30	4	-	-	-	-	-	-	-
Wallasey C.B. ..	91,720	30	20	1	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	430	184	36	-	1	-	5	-	3	-
Bootle C.B.	83,260	47	10	4	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	47	19	4	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B ..	74,260	22	13	1	-	-	-	-	-	-	-
IGAN C.B.	91,010	42	22	3	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	45	22	2	-	-	-	-	-	-	-
OLTON C.B.	180,400	57	46	7	-	-	-	-	-	-	1
URY C.B.	56,700*	18	9	1	-	-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	369	169	15	-	2	1	1	2	1	1
ALFORD C.B.	244,700	88	52	9	-	1	-	1	-	1	1
LDHAM C.B	146,200	52	34	6	-	-	-	-	-	1	1
OCHDALE C.B... ..	92,190	34	26	3	-	1	-	-	-	-	3
URNLEY C.B.	102,300	30	27	1	-	-	-	1	1	-	-
LACKBURN C.B. ..	126,900	27	35	4	-	-	-	-	2	-	3
RESTON C.B.	122,900	46	34	5	-	-	-	-	-	1	1
LACKPOOL C.B. ..	80,750	27	19	4	-	-	-	-	-	2	1
ARROW-IN-FURNESS C.B.	73,470	28	12	4	-	-	-	1	-	-	-
UDDERSFIELD C.B. ..	112,100	38	29	-	-	1	-	-	-	-	-
ALIFAX C.B.	97,860*	32	24	1	-	-	-	-	-	-	1
RADFORD C.B. ..	290,200	95	78	8	-	-	-	2	1	-	1
EEDS C.B.	472,900	200	105	16	-	1	-	2	-	1	2
EWSBURY C.B ..	54,570	13	14	1	-	-	-	2	-	-	1
AKEFIELD C.B. ..	53,980	32	10	1	-	-	-	-	-	-	-
ARNSLEY C.B. ..	71,170	38	11	1	-	-	-	-	-	1	1
HEFFIELD C.B. ..	526,900*	213	85	13	-	1	-	1	-	1	2
OTHERHAM C.B. ..	70,600	28	10	1	-	-	-	-	-	-	-
ONCASTER	55,610	28	4	-	-	-	-	-	-	-	-
ORK C.B.	84,630*	36	19	1	-	-	1	-	1	-	-
ULL C.B.	297,300	119	72	6	-	1	-	1	-	1	-
IDDLESBROUGH C.B.	136,200	69	34	4	-	-	-	-	-	1	3
ARLINGTON C.B. ..	69,130	33	13	1	-	-	-	1	-	-	-
TOCKTON-ON-TEES ..	68,000	28	19	4	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,590	30	26	6	-	1	-	1	1	-	-
UNDERLAND C.B. ..	166,000	90	41	2	-	-	-	-	-	-	1
OUTH SHIELDS C.B. ..	124,600	67	20	2	-	-	-	-	-	-	1
ATESHEAD C.B. ..	129,000	49	38	2	-	-	-	1	-	-	2
EWCASTLE-ON-TYNE C.B.	286,300*	124	73	8	-	1	2	-	1	-	1
YNEMOUTH C.B. ..	66,180	42	12	4	-	-	-	-	-	1	-
ARLISLE C.B.	55,160*	23	12	3	-	-	-	-	-	1	-
EWPORT (MON.) C.B.	96,420*	44	19	3	-	-	-	-	-	-	-
ARDIFF C.B.	227,100*	104	51	8	-	-	-	-	-	1	1
HONDDA	167,570	72	31	4	-	-	-	-	-	2	1
ERTHYR TYDFIL C.B.	82,920	30	12	1	-	-	-	-	-	-	1
ABERDARE	57,700	27	15	2	-	1	-	-	-	-	1
WANSEA C.B.	163,200	79	36	4	-	-	-	1	-	-	1
GREATER LONDON ..	7,719,622*	2,728	1,358	102	2	15	3	3	11	14	17
OUTER RING	3,117,622*	1,044	531	41	2	7	1	1	3	3	8
16 GREAT TOWNS IN OUTER RING	1,867,550*	647	319	27	2	4	1	1	2	3	5
REMAINDER OF OUTER RING	1,250,072*	397	212	14	-	3	-	-	1	-	3
EDINBURGH†	424,600	162	108	11	-	-	-	-	1	-	1
GLASGOW† ..	1,052,200‡	451	257	27	1	2	3	3	3	6	3
DUBLIN (REGISTRATION AREA)†	443,000	269	110	14	-	1	-	-	3	-	2
BELFAST†	415,000	203	135	18	-	1	-	1	2	4	8

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
LONDON‡	4,602,000	1926. June 5	1684	827	9·4	–	–	8	2	2	8	
CALCUTTA AND SUBURBS	1,077,273	April 10	?	699§	33·7	?	25	?	?	?	?	
BOMBAY	1,279,061	May 15	348‖	538§	21·9	–	12	8	–	–	–	
MADRAS	528,791	" 8	434	421	41·3	2	1	–	?	4	–	
SYDNEY AND SUBURBS	1,038,950	April 30										
BRISBANE (Metropolitan Area).	253,568	Mar. 31 (31 days)	479	238	11·3	1	–	–	–	1	2	
PERTH (Metropolitan Area).	179,388	April 17										
AUCKLAND (Urban Area).	180,790	" 30										
WELLINGTON (Urban Area).	118,490	" 30										
CHRISTCHURCH (Urban Area).	118,270	" 30										
CAPE TOWN	113,709	May 8										
JOHANNESBURG	165,958	" 8	78	41	12·9	1	–	–	–	1	–	
DURBAN	54,822	" 8	26	9	8·5	–	–	–	–	–	1	
PARIS	2,906,472	" 20 (10 days)	1368	1262	15·8	7	–	32	6	8	9	
ANTWERP	300,150	April 4										
AMSTERDAM	719,357	May 22	276	121	8·8	–	–	6	1	2	–	
COPENHAGEN	587,400	" 22	202	173	15·3	–	–	–	1	3	–	
		" 29	199	158	14·1	–	–	1	1	3	1	
STOCKHOLM	442,528	" 22	116	101	11·9	–	–	1	–	–	–	
GOTHENBURG	230,804	April 24	?	40	9·0	–	–	–	–	–	–	
		May 1	?	35	7·9	–	–	–	–	1	–	
OSLO (CHRISTIANIA) ..	257,719	" 29	65	50	10·0	–	–	–	–	–	–	
BERLIN	2,000,000	" 15	479	440	10·9	–	?	–	–	5	2	
BRESLAU	559,000	" 15	212	167	13·4	–	?	–	–	2	1	
COLOGNE	708,000	" 15	250	156	10·6	–	?	1	–	1	1	
DRESDEN	622,000	" 15	194	128	10·0	–	?	–	–	1	–	
FRANKFORT-ON-MAIN ..	473,000	" 15	108	89	8·8	–	?	–	–	1	–	
HAMBURG	1,095,000	" 15	358	267	11·7	–	?	–	–	–	–	
LEIPZIG	685,000	" 15	201	162	11·0	–	?	–	–	1	1	
MUNICH	680,000	" 15	193	177	12·1	–	?	3	–	2	2	
VIENNA	1,869,437	Dec. 31 '25										
PRAGUE AND SUBURBS	712,700	Jan. 31										
BUDAPEST	960,535	May 22	379	291	15·7	–	–	2	3	1	3	
WARSAW	1,015,426	" 29										
CAIRO	829,200	Feb. 4										
ALEXANDRIA	492,100	" 4										
NEW YORK	6,361,664	May 1	2524	1535	12·6	2	–	49	2	5	12	
		" 8	2326	1525	12·5	–	–	25	–	6	12	
		" 15	2496	1441	11·8	1	–	32	2	8	5	
CHICAGO	2,995,239	Mar. 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 3 deaths from plague in Bombay and 62 from cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 5th June, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	827	61	22	22	26	36	24	54	94	144	188	156
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	-	5	2	1	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria	8	1	1	3	3	-	-	-	-	-	-	-
Influenza	9	-	-	-	-	-	-	-	1	3	4	1
Erysipelas	3	-	-	-	-	-	-	-	-	2	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	56	-	-	-	-	17	7	8	8	11	5	-
Nervous system	8	-	1	3	2	2	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	-	1	-	-	-	-	1
Other forms	3	-	-	1	1	-	-	-	1	-	-	-
Venereal diseases	2	-	-	-	-	-	1	-	-	1	-	-
Cancer	116	-	-	-	-	-	2	6	17	37	42	12
Rheumatic fever	3	-	-	1	-	1	-	1	-	-	-	-
Diabetes	4	-	-	-	-	1	-	-	-	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	46	-	-	-	-	-	1	-	6	10	19	10
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	1	-	-	2	3	3	7	7	2	1	1
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	6	-	-	-	2	-	1	-	2	-	1	-
Other diseases of heart	116	-	-	-	3	2	1	7	15	28	29	31
Other diseases of circulatory system	48	-	-	-	1	-	-	-	3	7	19	18
Bronchitis	29	3	-	-	-	-	-	-	2	7	5	12
Broncho-pneumonia	26	4	5	1	1	-	-	-	4	3	5	3
Lobar-pneumonia	25	-	1	-	-	-	1	3	7	4	8	1
Pneumonia (type not distinguished)	8	1	1	1	-	1	-	-	1	-	1	2
Other diseases of respiratory system	11	-	-	-	-	-	-	1	3	-	3	4
Diarrhœa and enteritis	12	7	4	-	-	-	-	-	-	-	1	-
Appendicitis, Typhlitis	6	-	-	1	1	1	1	1	-	-	-	1
Hernia, Intestinal obstruction.. ..	14	2	-	1	-	-	1	1	2	2	2	3
Cirrhosis of liver	7	-	-	-	-	-	-	-	1	5	1	-
Other diseases of digestive system ..	28	1	1	1	1	-	1	6	3	7	3	4
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease..	27	-	-	-	-	-	-	1	4	7	7	8
Other diseases of genito-urinary system.	7	-	-	-	-	-	-	-	-	-	4	3
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	9	7	1	1	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	39	-	-	-	-	-	-	-	-	-	9	30
Suicide	17	-	-	-	-	1	-	5	4	3	2	2
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	3	1	-	1	-	1	-	-	-	-	-	-
Suffocation in bed	1	-	-	-	-	-	-	1	-	-	-	-
Vehicles and horses	13	-	-	-	5	3	1	1	-	1	2	-
Other deaths by violence	14	-	-	1	-	1	-	1	1	-	6	4
Other specified causes	35	8	1	2	2	2	2	3	2	2	6	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectiou Diseases notified in th week ended 5th Jun 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	204	212	9	87	C. 2 D. 3 G. 4 M. 8
Metropolitan Boroughs :—						
†BATTERSEA ...	–	18	19	–	6	M. 1
†BERMONDSEY ...	–	12	12	–	3	–
†BETHNAL GREEN	–	4	8	–	3	–
†CAMBERWELL ...	–	7	15	1	2	D. 1
†CHELSEA	–	1	4	–	2	–
†DEPTFORD ...	–	7	2	–	3	–
†FINSBURY ...	–	11	1	–	–	–
†FULHAM	–	4	9	–	2	M. 1
†GREENWICH ...	–	5	10	1	4	G. 1
†HACKNEY ...	–	14	6	1	–	C. 1 G. 1
†HAMMERSMITH ...	–	1	2	–	4	–
†HAMPSTEAD ...	–	1	2	–	–	–
†HOLBORN... ...	–	–	3	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	9	–	8	G.
†KENSINGTON ...	–	4	7	1	5	–
†LAMBETH ...	–	5	17	–	4	M.
†LEWISHAM ...	–	14	2	1	2	M.
†PADDINGTON ...	–	6	6	–	4	D.
†POPLAR	–	13	9	–	7	C. M.
†ST. MARYLEBONE	–	–	6	1	2	–
†ST. PANCRAS ...	–	12	6	1	9	G. M.
†SHOREDITCH ...	–	9	6	1	3	M.
†SOUTHWARK ...	–	7	15	–	3	–
†STEPNEY	–	11	13	–	3	–
†STOKE NEWINGTON	–	2	–	–	–	–
†WANDSWORTH ...	–	13	12	–	3	M.
†WESTMINSTER, CITY OF	–	2	5	1	3	–
†WOOLWICH ...	–	7	6	–	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	1	–	–	M. 1
Rural Districts:—						
BEDFORD ...	–	1		–	–	–
EATON BRAY ...	–	–	1	–	–	–
BERKS	–	11	1	1	3	–
†READING C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	1	–	–	–	–
WANTAGE .	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	1		–
BRADFIELD ...	–	1	–		2	–
WALLINGFORD ...	–	–	–	–	1	–
WANTAGE ...	–	2	–	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	2	2	–	–	C. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	1	2	–	–	–
Rural Districts:—						
AYLESBURY ...	–	–	–	–	–	C. 1
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	*	*	*	*	*	*
CAMBRIDGE .	–	6	–	–	2	–
Borough:—						
†CAMBRIDGE ..	–	1	–	–	1	–
CAMBRIDGE—*cont.*						
Rural Districts:—						
CHESTERTON ...		5	–	–	–	–
NEWMARKET ...	–	–	–	–	1	–
CHESTER		39	17	–	24	C. 4 D. 1 G. 3 M. 2
†BIRKENHEAD C.B	–	6	3	–	2	D. 1 G. 1
†CHESTER C.B. ..	–	1		–	2	–
†STOCKPORT C.B.		12	2	–	5	M. 1
†WALLASEY C.B. ...	–	4	3	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	3	1	–	–	–
ASHTON UPON MERSEY	–	–	–	–	–	G. 1
†BEBINGTON AND BROMBOROUGH	–	–	–	–	–	C. 1
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
CONGLETON ...		–	–	–	2	–
†CREWE	–	1	1	–	–	–
†DUKINFIELD ...	–			–	2	–
†ELLESMERE PORT AND WHITBY	–		–	–	3	–
HALE	*	*	*	*	*	*
HOOLE	–	–	–		–	C. 2
†HYDE	–	1	–	–	3	–
NANTWICH ...	–	2	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–		3	–	1	–
†SALE	–	1		–	–	C. 1 M. 1
†STALYBRIDGE ...	–	1	–	–	1	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ..		1	1		–	–
CHESTER	–	–	–		1	–
CONGLETON ..		–	2	–	–	–
NANTWICH ...	*	*	*	*	*	*
NORTHWICH ...	–	2	1	–		G. 1
RUNCORN... ...	–	1	–			–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL	–	–	3	–	3	–
Boroughs and Urban Districts:—						
BODMIN	–		1	–	–	–
FOWEY	*	*	*	*	*	*
LISKEARD	*	*	*	*	*	*
REDRUTH	*	*	*	*	*	*
ST. AUSTELL	–	–	1	–	–	–
SALTASH	–	–	1	–	–	–
Rural Districts:—						
LAUNCESTON	–	–	–	–	2	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS	–	–	–	–	1	–
CUMBERLAND	–	6	3	–	1	–
†CARLISLE C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
COCKERMOUTH	*	*	*	*	*	*
EGREMONT	–	–	1	–	–	–
HARRINGTON	–	2	–	–	–	–
†MARYPORT	–	–	1	–	–	–
†WHITEHAVEN	–	1	–	–	–	–
WIGTON	*	*	*	*	*	*
Rural Districts:—						
BRAMPTON	–	–	1	–	–	–
CARLISLE	–	1	–	–	–	–
COCKERMOUTH	*	*	*	*	*	*
DERBY	14	32	16	1	28	M. 1
†DERBY C.B.	11	1	1	–	9	–
Boroughs and Urban Districts:—						
†ALFRETON	–	1	–	–	1	–
ALVASTON AND BOULTON	–	–	–	–	1	–
†BELPER	1	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER	–	3	–	–	–	–
†BUXTON	–	1	–	–	1	–
†CHESTERFIELD	–	2	1	–	1	–
†GLOSSOP	–	–	–	–	1	–
†HEANOR	–	–	–	–	4	–
†LONG EATON	–	–	3	–	–	–
NORTH DARLEY	–	1	–	–	–	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	5	–	–	–	–
Rural Districts:—						
ASHBOURNE	–	–	–	1	2	–
BELPER	1	–	1	–	–	–
BLACKWELL	1	5	4	–	1	–
CHAPEL EN LE FRITH	–	–	1	–	–	–
CHESTERFIELD	–	7	1	–	3	M. 1
CLOWNE	–	–	4	–	–	–
GLOSSOP DALE	–	1	–	–	–	–
REPTON	–	1	–	–	–	–
SHARDLOW	–	2	–	–	3	–
DEVON	–	13	8		5	M. 2
†PLYMOUTH C.B.	–	3	5	–	1	M. 2
Boroughs and Urban Districts:—						
†EXMOUTH	–	2	–	–	–	–
HONITON	–	–	–	–	2	–
OKEHAMPTON	–	1	–	–	1	–
†PAIGNTON	–	1	–	–	–	–
SALCOMBE	–	1	–	–	–	–
†TEIGNMOUTH	–	3	–	–	–	–
Rural Districts:—						
AXMINSTER	–	1	–	–	–	–
KINGSBRIDGE	–	–	2	–	–	–
OKEHAMPTON	–	–	1	–	–	–
TAVISTOCK	–	1	–	–	–	–
TOTNES	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	–	2	3	2	4	D. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	1	–	–
†POOLE	–	–	1	–	3	D. 1
†PORTLAND	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	1	1	–
Rural Districts:—						
BLANDFORD ...	–	1	1	–	–	–
BRIDPORT ...	*	*	*	*	*	*
DURHAM	136	49	8	1	48	G. 2 M. 12
†DARLINGTON C.B.	–	4	–	–	4	–
†GATESHEAD C.B.	6	3	–	–	7	M. 1
†SOUTH SHIELDS C.B.	21	2	–	1	10	M. 1
†SUNDERLAND C.B.	–	2	1	–	1	M. 2
†WEST HARTLEPOOL C.B.	–	3	2	–	1	M. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	1	–
BENFIELDSIDE ...	1	–	1	–	–	–
†BLAYDON... ...	7	–	–	–	–	–
†BRANDON AND BYSHOTTLES	4	–	–	–	–	–
†CHESTER LE STREET	–	1	–	–	–	–
†CONSETT	–	2	–	–	1	–
†CROOK	4	–	–	–	–	–
†FELLING	–	1	–	–	2	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	10	2	–	–	2	–
†HETTON	9	1	–	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	7	–	–	–	2	–
LEADGATE ...	–	1	–	–	–	–
†SPENNYMOOR ...	3	2	–	–	–	–
†STANLEY	15	1	1	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON ON TEES	–	1	1	–	–	–
†TANFIELD ...	3	–	–	–	–	–
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	1	–	–	1	–
†WHICKHAM ...	–	1	–	–	2	–
WILLINGTON ...	–	–	–	–	–	G. 1
Rural Districts:—						
AUCKLAND ...	–	8	–	–	–	M. 1
CHESTER LE STREET	4	–	–	–	2	–
DURHAM	8	4	1	–		G. 1
EASINGTON ...	13	2	–	–	2	–
HOUGHTON LE SPRING	5	1	1	–	1	M. 2
LANCHESTER ...	12	1	–	–	1	–
SEDGEFIELD ...	2	2	–	–	3	M. 1
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	1	–	–	3	M. 1
ELY, ISLE OF ...	–	–	–	–	1	C. 1
Rural Districts:—						
WHITTLESEY ...	–	–	–	–	1	C. 1
ESSEX	–	54	17	–	34	C. 3 G. 3 M. 4
†EAST HAM C.B. ...	–	7	1	–	1	–
†SOUTHEND-ON-SEA C.B.	–	8	–	–	2	M. 2
†WEST HAM C.B. ...	–	12	8	–	12	C. 2 G. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	1	C. 1 M. 1
BRENTWOOD ...	–	–	2	–	–	–
CHINGFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COLCHESTER ...	-	1	-	-	-	-
DAGENHAM ...	-	-	1		1	-
†GRAYS THURROCK	-	1	-	-	1	G. 1
†HORNCHURCH ...	-	1	-	-	-	-
†ILFORD	-	1	1	-	-	-
†LEYTON	-	4	4	-	5	-
LOUGHTON ...	-	-	-	-	1	-
†ROMFORD ...	-	1	-	-	-	-
†WALTHAMSTOW ...	-	5	-	-	5	-
†WOODFORD ...	-	2	-	-	2	-
Rural Districts:—						
BELCHAMP ...	-	2	-	-	-	-
BILLERICAY ...	-	1	-	-	-	-
BRAINTREE ...	-	1	-	-	1	-
CHELMSFORD ...	-	1	-	-	-	-
DUNMOW	-	1	-	-	-	-
HALSTEAD ...	-	1	-	-	-	-
MALDON	-	-	-	-	1	-
TENDRING ...	-	2	-	-	-	G. 1
GLOUCESTER ..	-	27	15	2	11	G. 2 M. 1
†BRISTOL C.B. ...	-	16	9	2	9	G. 2 M. 1
†GLOUCESTER C.B.	-	-	1	-	1	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	1	1	-	-	-
CIRENCESTER ...	-	1	-	-	-	-
NAILSWORTH ...	-	2		-	-	-
TETBURY	-	-	1	-	-	-
Rural Districts:—						
CHIPPING SODBURY	-	1	-	-	-	-
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
CIRENCESTER ...	-	3	-	-	-	-
EAST DEAN AND UNITED PARISHES		-	-	-	1	-
GLOUCESTER ...	-	-	1	-	-	-
PEBWORTH ...	*	*	*	*	*	*
STROUD	-	3	1	-	-	-
WEST DEAN ...	-	-	1	-	-	-
HEREFORD ..	-	2	1	-	4	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	2	1	-	-	-
Rural Districts:—						
BROMYARD ...	-	-	-	-	2	-
WEOBLEY... ...	-	-	-	-	2	-
WHITCHURCH ...	*	*	*	*	*	*
HERTFORD ..	-	16	4	1	1	C. 1 G. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	-	2	-	-	-	-
BUSHEY	-	1	-	-	-	-
†EAST BARNET VALLEY	-	1	-	-	-	C. 1
GREAT BERKHAMPSTEAD	-	1	-	-	-	-
†HITCHIN	-	1	1	-	-	-
RICKMANSWORTH	-	1	-	-		-
†ST. ALBANS ...	-	1	1	-	1	G. 1
WARE	-	1	-	-	-	-
†WATFORD ...	-	5	1	-	-	-
Rural Districts:—						
HERTFORD ...	-	1	-	-	-	-
ST. ALBANS ...	-	1	-	1	-	-
WATFORD ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
HUNTINGDON ...	-	3	1	-	1	-
Boroughs and Urban Districts:—						
GODMANCHESTER	-	1	-	-	-	-
OLD FLETTON ...	-	-	-	-	1	-
Rural Districts:—						
HUNTINGDON ...		2	-	-	-	-
NORMAN CROSS ...	-	-	1	-	-	-
KENT	-	34	26	4	22	G. 1 M. 2
†CANTERBURY C.B.	-	1	-	1		-
Boroughs and Urban Districts:—						
†ASHFORD	*	*	*	*	*	*
†BECKENHAM ...	-	-	2	-	1	-
†BEXLEY	-	8	-	-	2	-
†BROMLEY ...	-	1	-	-	4	-
†CHATHAM ...	-	1	7	-	-	-
CHERITON ...	*	*	*	*	*	*
†DARTFORD ...	-	-	-	-	3	M. 1
†DEAL	*	*	*	*	*	*
†ERITH	-	1	1	-	2	-
†FAVERSHAM ...	-	1	-	-		-
†GILLINGHAM ...	-	1	-	-	-	-
†GRAVESEND ...	-	-	7		-	M. 1
HYTHE	*	*	*	*	*	*
†MAIDSTONE ...	-	4	1	-	-	-
†MARGATE ..	-	1	2	1	1	-
†NORTHFLEET ...	-	1	1	-	-	-
†PENGE	-		2	-	1	G. 1
†RAMSGATE ...	-	1	-	-	2	-
†ROYAL TUNBRIDGE WELLS	-	1	-	-	-	-
SITTINGBOURNE	-	1	-	-	-	-
SWANSCOMBE ...	-	5	-	-	-	-
WHITSTABLE ...		-	-	1	-	-
Rural Districts:—						
BROMLEY ...	-	3	-	-	-	-
DARTFORD ..	-		3	-	-	-
EAST ASHFORD ...	*	*	*	*	*	*
EASTRY	-	-	-		1	
ELHAM	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
KENT—*cont.*						
Rural Districts—*cont.*						
HOLLINGBOURNE	-	-	-	-	1	-
ISLE OF THANET	-	1	-	-	-	-
MALLING	-	-		-	1	-
SEVENOAKS ...	-	2	-	1	-	-
SHEPPEY	-	-	-	-	1	-
STROOD	-	-		-	1	-
TONBRIDGE ...	-	-	-	-	1	-
WEST ASHFORD...	*	*	*	*	*	*
LANCASTER ...	9	167	71	9	205	C. 4 G. 11 M. 25
†BARROW IN FURNESS C.B.	-	4	1	1	1	G. 1
†BLACKBURN C.B.	-	4	3	-	4	-
†BLACKPOOL C.B.	-	-	-	-	2	M. 1
†BOLTON C.B. ...		1		-	1	G. 2 M. 1
†BOOTLE C.B. ...	-	4	-	-	5	-
†BURNLEY C.B. ...	1	4	6	-	4	M. 1
†BURY C.B. ...	-	2	1	-	1	G. 1 M. 1
†LIVERPOOL C.B. ..	-	32	10	2	42	C. 1 M. 14
†MANCHESTER C.B	-	37	10	3	56	C. 1 G. 2 M. 6
†OLDHAM C.B. ..	-	6	5		-	-
†PRESTON C.B. ...	-	-	6	1	4	-
†ROCHDALE C.B. ...		3			-	-
†ST. HELENS C.B....	-	1	3		8	-
†SALFORD C.B. ...	-	5	8	-	9	C. 1
†SOUTHPORT C.B.	-	4	-	-	1	-
†WARRINGTON C.B.	-	1	-	-	6	-
†WIGAN C.B. ...	-	7	-	-	4	-
Boroughs and Urban Districts:—						
ABRAM		-	-	-	1	-
ADLINGTON ...	-		-	-	1	-
†ASHTON IN MAKERFIELD		-	-	-	1	-
†ASHTON UNDER LYNE	-	2	-	1	1	-
ASPULL	-	-	-	-	2	-
†ATHERTON ..	-	1		-	-	-
AUDENSHAW ...		-	-	-	4	-
†BACUP		1	-		-	-
†CHADDERTON ...	-	2	-	-	1	G. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHORLEY	–	–	–	–	2	G. 1
†COLNE	4	–	–		–	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	6	–	–	–	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	–	–	–	2	–
†ECCLES	2	–			–	–
†FAILSWORTH ...	*	*	*	*	*	*
†FARNWORTH ...	–	2	–	–	–	–
FLEETWOOD ...	–	–	–	–	3	–
FULWOOD ...	–	–	–	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	*	*	*	*	*	*
†HAYDOCK ...	–	–	–	–	1	–
HEYSHAM ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	2	–
†HORWICH ...	–	1	–	–	4	–
HURST	–	2	–	–	1	–
†INCE IN MAKERFIELD	–	–		–	3	–
IRLAM	–	1	–	–	1	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–		–	–	2	–
†LEIGH	1	1	–	–	1	–
LEYLAND	–	–	–	–	–	C. 1
†LITTLEBOROUGH		1	2	–		–
LITTLE HULTON ..	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	–		1	–	G. 1
†MIDDLETON ...	–	1		–	1	–
†MORECAMBE ...	–	–	–	–	1	–
†NELSON	–	–		–	–	M. 1
†OSWALDTWISTLE	–	1	–	–	1	
PREESALL ...	*	*	*	*	*	*
†RADCLIFFE ...		1	1	–	2	–
†RAMSBOTTOM ...	–	1			5	G. 1
RISHTON	–	1	2		–	–
†ROYTON	–	1	–	–	–	–
SKELMERSDALE ...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	2	–	–	2	–
†STRETFORD ...	–	–	2		1	–
†SWINTON AND PENDLEBURY	–	1	2	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	3	1	–	–	–
URMSTON	1		–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES	–	3	–	–	5	–
Rural Districts:—						
BLACKBURN ...	–	–	1		–	–
CHORLEY		1	–	–	–	–
GARSTANG ...	*	*	*	*	*	*
LEIGH	–		1	–	1	–
LIMEHURST ..	–	1	–	–	–	–
PRESTON	–	2	–	–	–	–
SEFTON	–	–	1	–	–	–
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	–	4	–	–	–
LEICESTER... .	–	7	7	–	11	C. 1 E. 1 G. 1 M. 1
†LEICESTER C.B. ..	–	5	6	–	4	E. 1 M. 1
Boroughs and Urban Districts:—						
†LOUGHBOROUGH	–	–	–	–	–	C. 1
MELTON MOWBRAY	–	–	–	–	3	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	–	–	–	–	1	–
HINCKLEY ..		1	–	–	1	–
MARKET BOSWORTH	–		1	–		G. 1
MARKET HARBOROUGH	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	1	–
Rural Districts:—						
BOSTON	–	1	–	–		–
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	1	17	3	–	7	G. 1 M. 1
†GRIMSBY C.B. ...	–	1	1	–	3	M. 1
†LINCOLN C.B. ...	–	9	–	–	–	G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	1	–	1	–
†GAINSBOROUGH ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	2	–
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
GLANFORD BRIGG	1	–	–	–	–	–
ISLE OF AXHOLME	–	–	–	–	1	–
LOUTH	–	2	–	–	–	–
MIDDLESEX ..	–	47	46	3	22	C. 6 G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	5	1	–	1	C. 1 M. 1
†BRENTFORD ...	–	2	2	–	–	–
†CHISWICK ...	–	1	–	–	1	–
†EALING	–	1	3	–	–	–
†EDMONTON ...	–	2	5	–	–	–
†ENFIELD	–	2	5	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIERN BARNET	–	1	–	1	1	–
†HANWELL ...	–	1	3	–	1	–
†HARROW ON THE HILL	–	–	–	1	–	–
HAYES	–	1	–	–	–	C. 1
†HENDON	–	3	2	–	–	C. 1
†HESTON AND ISLEWORTH	–	2	1	–	1	–
†HORNSEY... ...	–	–	3	1	4	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–		1	–
†TOTTENHAM ...	–	5	5	–	3	C. 1
†TWICKENHAM ...	–	–	2	–		–
†UXBRIDGE ...	–	3	–	–	–	–
†WEALDSTONE ...	–	1	1	–	–	–
†WILLESDEN ...	–	7	9	–	7	C. 1 G. 1
†WOOD GREEN ...	–	2	3	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
STAINES	–	1	–	–	–	–
UXBRIDGE ...	–	–	–	–	1	C. 1
NORFOLK	–	5	2	1	7	C. 1
†NORWICH C.B. ...	–	2	–	1	2	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	*	*	*	*	*	*
†KING'S LYNN ...	–	–	1	–	3	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
DEPWADE ...	–	–	–	–	1	–
DOWNHAM ...	–	1	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
KING'S LYNN ...	*	*	*	*	*	*
MARSHLAND ...	–	–	–	–	1	–
THETFORD ...		–	1	–		–
WALSINGHAM ...	–	–	–	–	–	C. 1
NORTHAMPTON ...	–	8	5	–	7	C. 1 E. 1
†NORTHAMPTON C.B.	–	1	5	–	1	E. 1
Boroughs and Urban Districts:—						
DAVENTRY ...	–	1	–	–	–	–
†KETTERING ...	–	1	–	–	3	–
†RUSHDEN ...	–	–	–	–	–	C. 1
†WELLINGBOROUGH	–	1	–	–	2	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	1	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	1	–	–	–	–
NORTHUMBERLAND	7	30	5	1	44	C. 1 G. 3 M. 1
†NEWCASTLE UPON TYNE C.B.	–	11	5	1	20	C. 1 G. 3 M. 1
†TYNEMOUTH C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	4	–	–	–	–
†BEDLINGTONSHIRE	1	2	–	–	6	–
†BLYTH	–	2		–	3	–
CRAMLINGTON ...	–	–	–	–	6	–
†GOSFORTH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
HEXHAM	–	1	–	–	2	–
†LONGBENTON ...	2	–	–	–	1	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	3	–	–	3	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
BELFORD	*	*	*	*	*	*
GLENDALE ...	–	4	–	–	–	–
HEXHAM	–	–	–	–	1	–
NOTTINGHAM ...	16	13	18	–	19	C. 1 M. 3
†NOTTINGHAM C.B.	1	5	11	–	9	M. 2
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	1	–	–	–
†HUCKNALL ...	–	–	–	–	3	M. 1
HUTHWAITE ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†NEWARK	–	–	3	–	–	C. 1
†SUTTON IN ASHFIELD	15	1	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	1	–
Rural Districts:—						
BASFORD	–	–	1	–	1	–
†EAST RETFORD ...	–	–	2	–	–	–
SKEGBY	–	1	–	–	–	–
SOUTHWELL ...	–	4	–	–	3	–
WORKSOP... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	1	–	–	2	C. 2 M. 1
†OXFORD C.B. ...	–	–	–	–	1	C. 1
Rural Districts:—						
BICESTER... ...	–	–	–	–	–	M. 1
CHIPPING NORTON	–	–	–	–	1	–
WITNEY	–	1	–	–	–	C. 1
PETERBOROUGH (Soke of)	–	3	–	–	2	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	2	–
Rural Districts—						
PETERBOROUGH...	–	2	–	–	–	–
RUTLAND	–	–	–	–	1	–
Rural Districts:—						
KETTON	–	–	–	–	1	–
SALOP	–	6	1	–	3	C. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	1	–
MARKET DRAYTON	–	–	–	–	1	–
†SHREWSBURY ...	–	4	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
CHIRBURY ...	–	1	–	–	–	–
ELLESMERE ...	–	1	–	–	–	–
OSWESTRY ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	12	1	–	7	G. 1 M. 2
†BATH C.B. ...	–	4	–	–	1	M. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	*	*	*	*	*	*
CREWKERNE ...	–	–	–	–	1	–
†FROME	–	–	–	–	–	G. 1
ILMINSTER ...	–	–	–	–	1	–
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	2	–	–	–	–
†TAUNTON... ...	–	–	–	–	2	–
†WESTON SUPER MARE	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	–	1	–	–	M. 1
CHARD	–	–	–	–	1	–
CLUTTON... ...	–	1	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
SOUTHAMPTON ..	–	22	31	–	7	G. 1 M. 3
†BOURNEMOUTH C.B.	–	5	1	–	2	–
†PORTSMOUTH C.B.	–	6	26	–	–	–
†SOUTHAMPTON C.B.	–	1	3	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	M. 1
ANDOVER... ...	–	–	–	–	1	–
†FAREHAM ...	–	1	–	–	–	–
HAVANT	*	*	*	*	*	*
†WINCHESTER ...	–	2	–	–	1	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	2	–	–	–	–
DROXFORD ...	–	–	–	–	–	M. 1
NEW FOREST ...	–	2	1	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	48	24	4	56	D. 1 F. 1 M. 9
†BURTON UPON TRENT C.B.	–	–	1	–	–	–
†SMETHWICK C.B.	–	–	3	–	2	–
†STOKE ON TRENT C.B.	–	7	10	–	21	D. 1 M. 4
†WALSALL C.B. ...	–	4	–	–	7	–
†WEST BROMWICH C.B.	–	8	1	–	2	F. 1
†WOLVERHAMPTON C.B.	–	1	1	–	4	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	1	–	–	1	–
†BROWNHILLS ...	–	2	1	–	3	–
†CANNOCK	–	4	3	–	1	–
†DARLASTON ...	–	2	–	–	3	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	3	1	–	–	–
†LEEK	–	2	–	–	–	–
PERRY BARR ...	–	–	1	–	–	–
QUARRY BANK	–	–	–	–	1	M. 1
†ROWLEY REGIS ...	–	1	–	–	4	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	–	–	–	1	–
STONE	–	–	1	–	–	–
†TIPTON	–	4	–	–		–
†WEDNESBURY ...	–	1	1	1	1	–
†WOLSTANTON UNITED	–	–	–	–	2	–
Rural Districts:—						
CANNOCK	–	3	–	–	1	–
CHEADLE	–	1	–	–	–	–
KINGSWINFORD ...	–	–	–	–	–	M. 1
LICHFIELD ...	–	–	–	3	–	–
STONE	–	1	–	–	–	–
SUFFOLK, EAST ...	–	8	3	–	8	–
†IPSWICH C.B. ...	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	1	–
LEISTON CUM SIZEWELL	–	–	1	–	1	–
†LOWESTOFT ...	–	–	1	–	1	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
EAST STOW ...	–	3	–	–	1	–
HARTISMERE ...	–	–	–	–	1	–
HOXNE	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
SAMFORD ...	–	2	–	–	–	–
SURREY	–	44	10	4	11	C. 1 J. 1 M. 4
†CROYDON C.B. ...	–	14	1	3	1	M. 3
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–		–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	–	–	–	–	J. 1
†EPSOM	–	–	–	1	1	–
†FRIMLEY	–	1	–	–	–	–
GODALMING ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	2	–	–	1	C. 1
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM... ...	–	2	1	–	–	M. 1
†REIGATE	–	7	–	–	–	–
†SURBITON ...	–	2	1	–	2	–
†WIMBLEDON ...	–	7	1	–	1	–
†WOKING	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY	–	–	1	–	–	–
DORKING	–	–	–	–	1	–
GODSTONE	–	–	3	–	–	–
HAMBLEDON	–	1	1	–	1	–
REIGATE	–	1	–	–	1	–
SUSSEX, EAST	–	4	5	1	3	G. 2
†BRIGHTON C.B.	–	1	5	–	1	G. 1
†EASTBOURNE C.B	–	–	–	–	1	–
†HASTINGS C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†LEWES	–	–	–	–	–	G. 1
Rural Districts:—						
HAILSHAM	–	–	–	1	–	–
HASTINGS	*	*	*	*	*	*
SUSSEX, WEST	–	6	3	–	1	–
Boroughs and Urban Districts:—						
†HORSHAM	–	1	2	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
†WORTHING	–	4	–		–	–
Rural Districts:—						
HORSHAM	–	–	1	–	–	–
WESTHAMPNETT	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	50	45	1	78	C. 7 G. 3 L. 3 M. 11
†BIRMINGHAM C.B.	–	39	37	–	62	C. 6 G. 3 L. 3 M. 9
†COVENTRY C.B.	–	1	2	1	4	C. 1 M. 2
Boroughs and Urban Districts:—						
BULKINGTON	–	1	–	–	–	–
KENILWORTH		–	1	–	–	–
†NUNEATON	–	1	1	–	5	–
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	1	–	–	–	–
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE	–	1	4	–	–	–
COVENTRY	–	1	–	–	–	–
FOLESHILL	–	2	–		1	–
MERIDEN	–	–	–	–	1	–
RUGBY	–	–	–	–	1	–
SOUTHAM	–	1	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
WARWICK	–	–	–	–	1	–
WESTMORLAND	–	3		–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	2	–	–	1	–
WEST WARD	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	-	3	-	-	-	-
Boroughs and Urban Districts:—						
SANDOWN ...	-	1	-	-	-	-
Rural Districts:—						
ISLE OF WIGHT ..	-	2	-	-	-	-
WILTS	-	4	4	-	10	C. 2
Boroughs and Urban Districts:—						
BRADFORD ON AVON	-	-	-	-	2	-
CALNE	-	-	-	-	1	-
CHIPPENHAM ...	-	2	-	-	-	-
MARLBOROUGH ...	-	-	1	-	-	-
†SALISBURY ...	-	-	1	-	-	-
†SWINDON... ...	-	-	-	-	3	-
†TROWBRIDGE ...	-	2	-	-	-	-
WILTON	-	-	1	-	-	-
Rural Districts:—						
CALNE	-	-	-	-	1	-
CHIPPENHAM ...	-	-	-	-	1	-
HIGHWORTH ...	-	-	1	-	1	C. 1
MALMESBURY ...	-	-	-		-	C. 1
MERE	-	-	-	-	1	-
WORCESTER ...	-	9	3	-	9	-
†DUDLEY C.B. ...	-	2	-	-	3	-
†WORCESTER C.B.	-	1	1	-	3	-
Boroughs and Urban Districts:—						
†HALESOWEN ...		1	-	-	-	-
†KIDDERMINSTER	-	1	-	-	-	-
†MALVERN ...	-	1	-	-	-	-
NORTH BROMSGROVE	-	-	1	-	-	-
†OLDBURY... ...	-	1	1	-	2	-
†STOURBRIDGE ...	-	-	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
DROITWICH ...	-	1	-	-	-	-
YORKS ... ... (East Riding.)	-	11	13	-	13	C. 3 G. 1 M. 3
†KINGSTON UPON HULL C.B.	-	10	12	-	5	C. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	-	-	4	-
COTTINGHAM ...	-	-	-	-	-	C. 1
HESSLE	-	-	-	-	1	-
Rural Districts:—						
BEVERLEY ...	-	-	-	-	-	C. 1
BRIDLINGTON ...	*	*	*	*	*	*
HOWDEN	-	1		-	2	-
POCKLINGTON ...	-	-	1	-	-	-
SCULCOATES ...	-	-	-	-	1	-
YORKS ... .. (North Riding.)	-	24	4	1	10	C. 1 M. 1
†MIDDLESBROUGH C.B	-	12	3	-	4	M. 1
Boroughs and Urban Districts:—						
†ESTON	-	5	-	-	-	-
†REDCAR	-	-	-	-	2	C. 1
SALTBURN BY THE SEA	-	1		-	-	-
†SCARBOROUGH ...	-	1	-	1	1	-
†SKELTON AND BROTTON	-	2	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
CROFT	–	–	–	–	1	–
EASINGWOLD ...	–	1	–	–	–	–
GUISBOROUGH ...	–	–	1	–	–	–
KIRKBY MOORSIDE	*	*	*	*	*	*
STARTFORTH ...	–	1	–	–	–	–
THIRSK	–	1	–	–	–	–
WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding.)	36	103	39	8	128	C. 3 D. 2 G. 1 M. 13
†BARNSLEY C.B. ...	–	2	2	–	–	–
†BRADFORD C.B. ...	–	10	5	–	13	C. 1 M. 1
†HALIFAX C.B. ...	–	1	–	–	1	–
†HUDDERSFIELD C.B	–	5	2	1	3	G. 1
†LEEDS C.B. ..	–	14	9	–	18	M. 3
†ROTHERHAM C.B.	–	1	–		6	M. 1
†SHEFFIELD C.B...	–	9	10	–	41	C. 1 D. 2 M. 4
†WAKEFIELD C.B.	–	4	–		1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	2	–	–	–	2	–
ALTOFTS	–		–	–	–	M. 1
†BENTLEY WITH ARKSEY	–	2	–	–	1	–
†BINGLEY	–	–			2	–
†BOLTON UPON DEARNE	–	1	–	–	1	–
†BRIGHOUSE ...	–	–	–	1	1	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	1	–	–	2	–
†DARTON	–	1	–	–	–	–
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	1	–	–	–	–	–
†DONCASTER ...	1	1	1	–	–	–
†ELLAND	–	–	–	–	1	–
GREETLAND ...	–	1	–	–	2	–
†HARROGATE ...	1	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMSWORTH ...	–	–	–	–	2	M. 1
†HOLMFIRTH ...	–	–	–	1	1	–
HONLEY	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	1	–
†HOYLAND NETHER	–	6	1	–	1	–
ILKLEY	–	–	–	–	–	C. 1
†KEIGHLEY ...	4	–	–	–	–	–
KIRKBURTON ...	–	–	–	–	2	–
KIRKHEATON ...	–	–	–	1	–	–
KNARESBOROUGH	*	*	*	*	*	*
MELTHAM ...	*	*	*	*	*	*
†MEXBOROUGH ...	1	–	–	–	–	–
MIDGLEY... ...	–	–	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	2	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ...	–	–	–	–	1	–
PENISTONE ...	–	–	2	–	–	–
SHELF	*	*	*	*	*	*
SHEPLEY... ...	–	–	1	–	–	–
†SHIPLEY	–	2	–	–	–	–
SILSDEN	5	–	–	–	–	–
SOUTH CROSLAND	–	–	–	–	1	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	–	–	–	2	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON... ...	17	1	–	–	1	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	1	–
†WATH UPON DEARNE	1	2	1	–	–	–
†WOMBWELL ...	–	5	1	–	2	M. 2
†WORSBOROUGH ...	–	–	–	–	2	–
YEADON	–	–	–	–	2	–
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	4	–
GOOLE	–	–	–	–	1	–
HEMSWORTH ...	–	–	2	4	1	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	4	1	–	–	–
PONTEFRACT ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
ROTHERHAM ...	2	8	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE	1	4	–	–	1	–
WHARFEDALE (NORTH)	*	*	*	*	*	*
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	2	–	–	–	–
§YORK, CITY OF ...	–	3	10	–	–	–
†YORK C.B. ...	–	3	10	–	–	–
WALES.						
ANGLESEY	–	3	2	–	2	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
TWRCELYN ...	–	1	–	–	1	–
VALLEY	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	4	–	–	–	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	4	–	–	–	–
CARDIGAN ...	–	1	–	1	1	C. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	1	–
CARDIGAN ...	–	–	–	1	–	–
Rural Districts:—						
TREGARON ...	–	–	–	–	–	C. 1
CARMARTHEN ...	–	3	9	–	1	G. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	3	–	–	–
BURRY PORT ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANDOVERY ...	–	–	–	–	–	G. 1
LLANELLY ...	–	1	1	–	–	–
CARNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
BETHESDA ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	5	3	–	2	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
†COLWYN BAY AND COLWYN ...	–	–	–	–	2	–
DENBIGH ...	–	1	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	2	–	–	–	
WREXHAM ...	–	2	3	–	–	–
FLINT	–	4	–	–	2	–
Boroughs and Urban Districts:—						
HOLYWELL	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (MOLD DIV.)	–	–	–	–	1	–
OVERTON ...	–	2	–	–	–	–
GLAMORGAN ...	–	45	34	–	28	C. 3 G. 1 M. 9
†CARDIFF C.B. ...	–	6	5	–	1	C. 2 M. 4
†MERTHYR TYDFIL C.B.	–	4	3	–	3	C. 1
†SWANSEA C.B. ...	–	3	2	–	3	M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	2	–	1	–
†BARRY	–	1	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	1	1	–	3	–
COWBRIDGE ...	–	–	–	–	1	–
†GELLIGAER ...	–	2	1		1	–
†GLYNCORWG ...	–	–	2	–	–	–
†MAESTEG ...	–	–	3	–	2	–
†MOUNTAIN ASH ...	–	–	1	–	1	–
†NEATH	–	4	–	–	2	–
†OGMORE AND GARW	–	2	1	–	1	–
†PENARTH ...	–	–	–	–	2	–
†PONTYPRIDD ...	–	2	–	–	–	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	8	4		5	G. 1 M. 3
Rural Districts:—						
COWBRIDGE ...	–	1	1	–	2	–
LLANTRISANT AND LLANTWITFARDRE	–	2	1	–	–	–
NEATH	–	1	–	–	–	–
PENYBONT ...	–	2	2	–	–	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA... ...	–	3	1	–	–	–
MERIONETH ...	–	1	1	–	2	–
Urban Districts:—						
FESTINIOG ..	–	1	1	–	2	–
MONMOUTH ...	–	5	5	1	10	C. 1 M. 1
†NEWPORT C.B. ...	–	1	3	–	3	M. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDWELLTY ...	–	1	–	–	1	–
†EBBW VALE ...	–	–	1	1	2	–
LLANFRECHFA UPPER	–	–	–	–	–	C. 1
LLANTARNAM ...	–	–	1	–	–	–
MONMOUTH ...	*	*	*	*	*	*
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†TREDEGAR ...	–	–	–	–	1	–
USK	*	*	*	*	*	*
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONMOUTH ...	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*
MONTGOMERY ..	–	–	–	–	6	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	–	–	–	1	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
WELSHPOOL ...	–	–	–	–	2	–
MONTGOMERY—*cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
PEMBROKE	–	1	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	–
Total of Part II. ...	219	1031	535	47	922	C. 5 D E. F. G. 4 J. L. M. 11

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
ARNARVON	*	*	*	*	*	*	PLYMOUTH	–	1	–	1	1	–
EAL	*	*	*	*	*	*	SOUTHAMPTON ...		–	2	–	–	–
ANCHESTER	–	-	-	1	–	–	PORT OF LONDON ...	–	–	–		1	–
							Total of Part III.... ...	–	1	2	2	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	204	212	9	87	C. D. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	219	1031	535	47	922	C. 5 D. E. F. G. 4 J. L. M. 11
Total of Part III.—Port Sanitary Districts	–	1	2	2	2	–
Total (*i.e.*, of returns received), England and Wales ...	219	1236	749	58	1011	C 5 D. E. F. G. 4 J. L. M. 12

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—LONDON and GREAT TOWNS in the GGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
NDON :—													
ATHS—all ages	1,112	1,159	1,228	1,340	1,347	1,264	1,127	1,108	1,011	913	1,006	904	827
„ 0 to 1 year ..	110	116	113	107	128	93	110	103	98	74	71	69	61
EAT TOWNS, aggregate (including London):—													
RTHS	7,238	7,128	6.687	6,571	6,909	7,976	7,585	7,009	7,412	7,437	7,438	6,025	7,801
ATHS—all ages	4,786	4,775	5,177	5,583	5,612	5,342	4,889	4.704	4.302	4,230	4,465	4,120	3,939
„ 0 to 1 year ..	598	564	574	610	600	552	511	511	440	444	469	431	415
TERIC FEVER—Cases	26	16	25	24	23	23	20	25	21	21	20	22	28
„ Deaths	3	3	7	3	6	1	1	—	5	3	3	1	4
ALL POX—Cases ..	75	67	70	50	63	65	35	32	58	43	38	39	41
„ Deaths ..	1	—	—	—	—	—	—	—	—	—	—	—	—
ARLET FEVER—Cases	882	827	894	895	787	742	799	828	840	837	864	760	687
„ Deaths	9	13	9	8	6	9	6	5	13	6	2	6	7
PHTHERIA—Cases ..	809	827	688	716	649	622	639	669	693	666	586	605	538
„ Deaths ..	51	49	47	50	45	41	38	43	43	33	32	19	25
ASLES—Deaths ..	119	116	121	107	100	99	81	55	68	60	56	56	35
FLUENZA—Deaths ..	88	136	136	223	294	302	209	166	149	118	111	78	80

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 5th June, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°		°	
NDON (GREENWICH).	67	45	63·4	48·9	28
IGHTON ..	66	45	59·7	50·0	38
RTSMOUTH ..	66	46	61·8	50·8	41
RWICH (EATON).	67	44	62·7	48·7	13
YMOUTH ..	67	41	61·1	47·9	35
ISTOL (CLIFTON).	69	46	62·7	48·7	25
RMINGHAM (EDGBASTON).	67	41	61·7	46·0	12
OTTINGHAM ..	67	42	62·1	47·6	7
RKENHEAD (BIDSTON).	68	40	60·9	47·3	3
ANCHESTER (WHITWORTH PARK).	68	42	62·7	47·4	5
RNLEY	67	38	61·3	44·0	8

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°		°		
HUDDERSFIELD	67	41	62·1	46·0	7
BRADFORD ..	66	39	60·6	44·4	10
SHEFFIELD ..	67	44	61·3	47·1	14
YORK (MUSEUM)	68	43	62·9	47·1	7
HULL (PEARSON PARK).	71	45	62·4	47·3	12
TYNEMOUTH ..	63	44	58·0	47·3	3
CARDIFF.. ..	66	42	61·9	46·6	13
EDINBURGH ..	61·0	41·0	57·6	44·0	20
GLASGOW ..	68·3	42·0	60·7	45·5	12
DUBLIN (PHŒNIX PARK).	65·2	34·0	61·3	40.9	11
(FITZWILLIAM SQUARE†).	66·0	41·8	61·7	45·2	10
BELFAST..	66·0	37·5	63·4	43·1	32

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th June, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	30	Greatest Declination S.	29·394	63·4	53·5	9·9	56·7	− 0·0	53·5	3·2	9·2	0·4	88	102·5	47·2	51·0	SSW: SW.	SW	5·7	0·0	0·7	430	+ 181	0·19
MONDAY	31	..	29·527	67·4	48·4	19·0	56·4	− 0·7	42.6	13·8	22·0	1·8	59	132·2	37·1	51·1	SW: WNW.	WNW: WSW.	2·8	0·0	0·4	356	+ 107	0·01
JUNE. TUESDAY	1	Perigee	29·674	66·8	45·0	21·8	55·5	− 1·9	42·1	13·4	27·7	2·0	61	148·1	33·8	51·5	WSW: SW.	SSW: S.	1·5	0·0	0·2	272	+ 23	0·00
WEDNESDAY	2	..	29·384	52·7	48·3	4·4	50·4	− 7·4	49 8	0·6	2·0	0·8	98	61·2	42·2	51·5	Calm: ENE.	NE: N	2·7	0·0	0·4	313	+ 63	0·85
THURSDAY	3	Last Quarter.	29·711	60·8	47·7	13·1	52·8	− 5·3	49·6	3·2	11·0	0·0	89	87·3	38·5	51·6	N	N: Calm.	3·1	0·0	0·5	300	+ 48	0·19
FRIDAY	4	..	29·717	66·0	45·0	21·0	55·6	− 2·7	48·7	6·9	14·8	0·4	77	135·7	34·6	51·8	Calm	NE: SE.	1·1	0·0	0·1	131	− 123	0·00
SATURDAY	5	In Equator	29·675	66·5	47·8	18·7	55·4	− 3·0	50·6	4·8	14·8	0·4	84	136·5	38·7	51·9	Calm: ENE.	E	1·1	0·0	0·1	189	− 69	0·00
MEANS		..	29·583	63·4	48·0	15·4	54·7	− 3·0	48·1	6·0	14·5	0·8	79	114·8	38·9	51·5	Variable		..	..	..	Sum 1991	Sum + 230	Sum 1·21
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	30	No register	1·7	16·2	Overcast generally till 20¼h.; then variably cloudy. Rain till 2h., and generally from 9h. till 15½h. Showers at 5½h. and 6¾h. Brisk wind 16h. till 21h.
MONDAY ..	31	Loss of register till 12h.; mP till 17h.; then wP.	7·5	16·2	Very cloudy clearing from 17½h. to nearly cloudless by 18h. Showers at 2¼h. and 4¼h. Thunder 16¾h. Slight hail 17½h. Lightning 20¼h.
JUNE. TUESDAY ..	1	wP till 4¾h.; loss of register till 12h.; then wP.	11·5	16·2	Cloudy generally. Heavy dew in morning. Partial solar halo 17½h.
WEDNESDAY	2	wP till 1h.; mN till 5h.; variably wP and wN till 17h.: then wP.	0·0	16·2	Overcast throughout. Rain 0¼h. till 20¾h.; and from 21h. till 23h.
THURSDAY	3	wP till 12h.; mP till 16h.; then wP.	0·6	16·3	Overcast generally. Rain 1h. till 8h. Brisk wind 7h. till 9h.
FRIDAY ..	4	wP till 8h.; mP till 15h.; then wP.	7·6	16·3	Variably cloudy. Mist 2h. till 21h.
SATURDAY	5	wP	8·1	16·4	Overcast till 11h., then clearing to nearly cloudless by 12h. Slight mist 2h. till 9h.
			Sum 37·0	Sum 113·8	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnigat.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·57 ins. at the beginning of the week to 29·34 ins. by 17h. on May 30th; increased to 29·73 ins. by 8h. on June 1st; decreased to 29·35 ins. by 12h. on June 2nd; increased to 29·77 by 23h. on June 3rd; decreased to 29·65 ins. by 4h. on June 5th; increased and was 29·74 by midnight on the same day.

FOR OFFICIAL USE.

1926. No. 23.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 12TH JUNE 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH JUNE, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-third week of the year numbered 7,074, and corresponded to an annual rate of 18·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,669 and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 12·0, 11·1, and 10·6. Infant mortality was 57 per 1,000 births against 63, 72 and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,638 births corresponding to a rate of 18·5 per 1,000, and 820 deaths of civilians, corresponding to an annual rate of 9·3, against 11·4, 10·2 and 9·4, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10·1 per 1,000. The infant mortality was 37 as against 41, 48 and 36 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,939 to 3,669. In London the number of deaths from all causes decreased from 827 to 820; the deaths from diphtheria which had been 8, 2, and 8 in the preceding three weeks, were 7 last week; and the deaths from measles, which had been 19, 12 and 8 in the three preceding weeks, further fell to 2 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 12th June, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,074	3,669	403	2	29	4	36	22	41	6
London	4,602,000*	1,638	820	60	-	2	2	3	7	10	
Towns in Outer Ring.											
Croydon C.B ..	199,300	70	30	3	-	-	-	1	-	-	
Wimbledon ..	58,170	16	14	-	-	-	-	-	-	-	-
Ealing	68,410	21	7	-	-	-	-	-	-	-	-
Acton	63,110	28	4	-	-	-	-	-	-	-	-
Willesden ..	168,900	43	32	4	-	-	-	-	3	1	-
Hendon	59,150*	20	4	-	-	-	-	-	-	-	-
Hornsey	87,210	22	19	2	1	-	-	-	-	-	-
Wood Green ..	51,960	20	11	-	-	-	-	-	-	-	-
Tottenham ..	153,600	49	22	1	-	-	-	-	-	-	-
Edmonton ..	71,210	22	6	-	-	-	-	-	-	-	-
Enfield	63,740	15	11	1	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	147	62	4	-	-	-	-	-	1	-
East Ham C.B. ..	147,200	38	24	1	-	-	-	-	-	1	-
Leyton	132,700	40	21	2	-	-	-	-	-	-	-
Walthamstow ..	130,800	35	13	2	-	-	-	-	-	1	-
Ilford	93,590	24	6	1	-	-	-	-	-	-	-
Gillingham	48,680*	20	8	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	9	4	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	21	12	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	17	5	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	37	30	-	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	86	46	5	-	1	-	-	3	-	-
Bournemouth C.B. ..	85,840	12	15	-	-	-	-	-	-	-	1
Southampton C.B. ..	168,600	63	32	5	-	-	-	-	1	-	-
Reading C.B.	93,670*	41	17	-	-	-	-	-	-	-	1
Oxford C.B.	57,090	13	5	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	18	19	-	-	-	-	-	-	-	-
Luton	59,230	9	4	-	-	-	-	-	-	-	-
Cambridge	59,020	23	13	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	32	13	1	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	23	12	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	22	11	1	-	1	-	-	-	-	-
Norwich C.B. ..	124,000*	44	25	-	-	-	-	-	-	-	-
Swindon	56,880	17	12	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	24	7	-	-	-	-	-	-	-	1
Plymouth C.B. ..	192,100*	71	46	5	-	-	-	-	-	1	-
Bath C.B.	69,050	21	17	3	-	-	-	-	-	-	-
Bristol C.B.	385,700*	141	74	11	1	-	-	1	-	1	1
Gloucester C.B. ..	53,060	26	9	1	-	-	-	-	-	-	2
Stoke-on-Trent C.B.	278,900	117	71	13	-	1	-	1	-	1	1
Burton-upon-Trent C.B.	49,530	23	6	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	41	18	2	-	-	-	-	-	-	1
Walsall C.B.	102,300	43	17	-	-	-	-	-	-	-	1
West Bromwich C.B	79,490	39	10	4	-	-	-	1	-	-	1
Dudley C.B.	58,810	20	7	2	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	17	6	-	-	1	-	-	-	-	-
Birmingham C.B. ..	945,900	366	179	19	-	3	-	3	-	1	5
Smethwick C.B. ..	78,840	31	11	3	-	-	-	-	-	-	1
Coventry C.B. ..	129,100	62	9	-	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	105	49	8	-	-	-	1	-	-	2
Lincoln C.B.	66,600*	20	14	2	-	-	-	-	-	-	-
Grimsby C.B.	87,190	37	19	3	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	92	55	4	-	-	-	-	5	-	1
Derby C.B.	134,400*	56	20	5	-	-	-	-	-	-	-
Chesterfield ..	65,800	24	12	4	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	49	22	3	-	-	-	1	-	-	2
Chester C.B.	41,670	18	5	1	-	-	-	-	-	-	1
Birkenhead C.B. ..	155,500	61	33	8	-	-	-	1	-	1	-
Wallasey C.B. ..	91,720	29	22	2	-	1	-	-	-	1	-
Liverpool C.B. ..	856,000	358	168	26	-	2	-	4	-	5	3
Bootle C.B.	83,260	19	10	1	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	37	20	5	-	-	-	-	-	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	22	14	1	-	-	-	-	-	-	-
Wigan C.B.	91,010	28	21	5	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	21	10	2	-	-	-	-	-	-	-
Bolton C.B.	180,400	46	36	3	-	-	-	-	-	-	-
Bury C.B.	56,700*	14	13	-	-	-	-	-	1	-	-
Manchester C.B. ..	755,800	314	166	21	-	3	1	1	1	4	7
Salford C.B.	244,700	79	44	7	-	2	-	1	-	-	-
Oldham C.B	146,200	36	34	5	-	2	-	2	-	2	-
Rochdale C.B... ..	92,190	17	19	1	-	1	1	-	-	-	-
Burnley C.B.	102,300	25	24	2	-	-	-	-	-	1	2
Blackburn C.B. ..	126,900	34	26	4	-	-	-	-	-	1	1
Preston C.B.	122,900	44	27	1	-	-	-	-	-	-	4
Blackpool C.B. ..	80,750	20	26	2	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	73,470	21	15	4	-	-	-	-	-	-	2
Huddersfield C.B. ..	112,100	32	31	2	-	-	-	-	-	-	-
Halifax C.B.	97,860*	32	28	3	-	-	-	-	-	-	1
Bradford C.B. ..	290,200	96	78	10	-	-	-	-	-	-	1
Leeds C.B.	472,900	180	94	7	-	-	-	-	-	1	1
Dewsbury C.B ..	54,570	22	14	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	23	18	5	-	-	-	-	-	-	1
Barnsley C.B. ..	71,170	30	14	3	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	187	109	12	-	1	-	-	-	-	1
Rotherham C.B. ..	70,600	40	7	-	-	-	-	-	-	-	-
Doncaster	55,610	21	11	1	-	-	-	1	-	-	-
York C.B.	84,630*	22	14	4	-	-	-	-	-	-	-
Hull C.B.	297,300	117	52	10	-	-	-	3	-	-	1
Middlesbrough C.B.	136,200	67	37	5	-	-	-	1	-	1	-
Darlington C.B. ..	69,130	16	12	-	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	36	18	4	-	-	-	1	-	1	-
West Hartlepool C.B.	71,590	46	13	2	-	1	-	-	-	-	-
Sunderland C.B. ..	166,000	85	31	4	-	-	-	-	-	-	-
South Shields C.B. ..	124,600	62	21	5	-	2	-	2	-	-	1
Gateshead C.B. ..	129,000	53	24	2	-	1	-	-	1	-	-
Newcastle-on-Tyne C.B.	286,300*	136	67	11	-	2	-	3	-	-	1
Tynemouth C.B. ..	66,180	33	17	4	-	-	-	1	-	-	-
Carlisle C.B.	55,160*	28	13	4	-	-	-	-	-	2	-
Newport (Mon.) C.B.	96,420*	33	20	2	-	-	-	-	-	1	-
Cardiff C.B.	227,100*	85	33	3	-	-	-	1	-	-	2
Rhondda	167,570	66	27	4	-	-	-	-	-	-	1
Merthyr Tydfil C.B.	82,920	28	11	1	-	-	-	-	-	2	1
Aberdare	57,700	23	18	1	-	2	-	-	-	-	-
Swansea C.B.	163,200	52	37	5	-	-	-	2	-	-	2
Greater London ..	7,719,622*	2,659	1,320	89	3	3	2	5	13	14	18
Outer Ring	3,117,622*	1,021	500	29	3	1	-	2	6	4	13
16 Great Towns in Outer Ring	1,867,550*	610	286	21	1	-	-	1	3	4	4
Remainder of Outer Ring	1,250,072*	411	214	8	2	1	-	1	3	-	9
Edinburgh†	424,600	158	101	13	-	3	-	1	-	1	-
Glasgow† ..	1,052,200‡	517	259	28	-	2	2	2	3	2	-
Dublin (Registration Area)†	443,000	191	139	15	-	1	-	-	-	3	5
Belfast†	415,000	211	116	22	-	1	-	2	-	1	7

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available p

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
		1926.										
London‡	4,602,000	June 12	1638	820	9·3	-	-	2	2	3	7	1
Calcutta and Suburbs	1,077,273	April 17	?	695§	33·5	?	35	?	?	?	?	?
		" 24	?	659	31·8	?	23	?	?	?	?	?
Bombay	1,279,061	May 22										
Madras	528,791	" 15	408	396§	38·9	3	-	-	?	4	-	3
Sydney and Suburbs	1,038,950	April 30 (30 days)	1783	767	8·9	3	-	3	1	1	4	3
Brisbane (Metropolitan Area).	253,568	April 30										
Perth (Metropolitan Area).	179,388	" 17	74	31	9·0	-	-	-	-	-	-	-
		" 24	72	27	7·8	-	-	-	-	-	-	
		May 1	59	38	11·0	-	-	-	-	-	-	
Auckland (Urban Area).	180,790	April 30										
Wellington (Urban Area).	118,490	" 30										
Christchurch (Urban Area).	118,270	" 30										
Cape Town	113,709	May 8	47	31	14·2	-	-	-	-	-	-	
		" 15	32	26	11·9	-	-	-	-	-	-	-
Johannesburg	165,958	" 15	68	53	16·6	1	-	-	-	-	-	-
Durban	54,822	" 15	21	11	10·4	-	-	-	-	-	-	-
Paris	2,906,472	May 31 (11 days)	1441	1312	15·0	3	-	21	3	8	6	4
Antwerp	300,065	April 4										
Amsterdam	719,357	May 29	260	127	9·2	-	-	5	-	2	1	
Copenhagen	587,400	June 5	201	127	11·3	-	-	-	2	2	-	-
Stockholm	442,528	May 29	121	92	10·8	-	-	2	-	-	1	
Gothenburg	230,804	" 8	?	43	9·5	-	-	-	1	-	-	-
		" 15	?	51	11·5	-	-	-	-	-	-	-
Oslo (Christiania) ..	257,719	June 5	53	53	10·7	-	-	-	-	-	-	-
Berlin	2,000,000	May 22	467	474	12·0	-	?	1	3	4	3	
Breslau	559,000	" 22	227	133	10·9	-	?	-	-	-	-	
Cologne	708,000	" 22	255	132	9·0	-	?	-	1	1	1	-
Dresden	622,000	" 22	170	136	10·5	-	?	-	-	-	-	-
Frankfort-on-Main ..	473,000	" 22	129	89	8·9	-	?	-	-	-	1	-
Hamburg	1,095,000	" 22	299	246	10·9	-	?	-	-	-	-	
Leipzig	685,000	" 22	205	138	9·9	-	?	1	1	-	-	-
Munich	680,000	" 22	205	146	10·6	-	?	1	-	1	-	-
Vienna	1,869,437	Dec. 31 '25										
Prague and Suburbs	712,700	Jan. 31										
Budapest	960,535	May 29	313	306	16·6	-	-	-	3	4	2	
Warsaw	1,015,426	" 29	?	256	13·1	1	-	-	9	1	2	
		June 5	?	266	13·7	2	-	-	9	1	2	
Cairo	829,200	Feb. 4										
Alexandria	492,100	" 4										
New York	6,361,664	May 22	2437	1546	12·7	-	-	20	6	6	11	
Chicago	2,995,239	Mar. 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 46 and 64 from cholera in Calcutta and 1 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 12th June, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	820	60	17	19	17	37	31	53	112	149	167	158
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	7	1	1	3	2	-	-	-	-	-	-	-
Influenza	5	-	-	-	-	-	-	1	1	-	2	1
Erysipelas	2	-	-	-	-	-	-	1	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	49	-	-	-	2	14	10	7	9	6	-	1
Nervous system	8	-	3	-	3	1	1	-	-	-	-	-
Intestines and peritoneum	2	-	-	1	-	-	-	-	1	-	-	-
Other forms	6	1	-	-	-	1	1	-	2	1	-	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	121	-	-	-	-	-	2	7	26	41	31	14
Rheumatic fever	2	-	-	-	-	2	-	-	-	-	-	-
Diabetes	9	-	-	-	-	-	-	-	1	3	4	1
Alcoholism	1	-	-	-	-	-	1	-	-	-	-	-
Simple meningitis	2	-	1	-	-	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	48	-	-	-	-	-	-	1	3	9	16	19
Epilepsy	6	-	-	-	-	1	-	1	2	1	1	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	-	1	1	2	-	2	8	7	2	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	1	1	2	-	-	-	-
Other diseases of heart	125	-	-	-	1	4	2	5	22	22	39	30
Other diseases of circulatory system	43	-	-	-	-	-	1	1	4	7	14	16
Bronchitis	41	5	1	-	-	-	-	1	2	7	10	15
Broncho-pneumonia	27	4	2	4	-	-	1	2	5	3	5	1
Lobar-pneumonia	19	1	1	1	-	1	1	4	4	2	3	1
Pneumonia (type not distinguished)	5	2	-	-	-	-	-	1	-	2	-	-
Other diseases of respiratory system	7	-	-	1	-	-	-	-	-	1	2	3
Diarrhœa and enteritis	13	8	2	-	-	-	-	-	1	1	-	1
Appendicitis, Typhlitis	8	-	-	-	2	1	1	2	-	1	-	1
Hernia, Intestinal obstruction.. ..	7	-	1	1	-	-	-	-	-	-	2	3
Cirrhosis of liver	12	-	-	-	-	-	1	2	3	5	-	1
Other diseases of digestive system ..	25	-	-	1	-	1	1	2	7	4	6	3
Acute nephritis	3	-	-	-	-	-	-	-	-	2	1	-
Chronic Bright's disease..	27	-	-	-	-	-	2	1	2	7	11	4
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	1	1	2	3	4
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-	-	-
Old age	27	-	-	-	-	-	-	-	-	1	3	23
Suicide	10	-	-	-	-	1	2	2	-	3	2	-
Burns and Scalds	2	1	1	-	-	-	-	-	-	-	-	-
Drowning	4	-	-	1	-	1	1	-	-	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	1	2	3	1	-	1	4	3	-
Other deaths by violence	17	1	-	2	1	1	-	4	-	3	1	4
Other specified causes	39	11	2	-	1	2	-	1	6	3	5	8
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th June, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	252	229	8	77	C. 3 D. 4 G. 4 M. 14
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	24	19	1	2	–
†BERMONDSEY ...	–	10	8	–	2	G. 1
†BETHNAL GREEN	–	8	8	–	6	–
†CAMBERWELL ...	–	13	18	–	1	G. 1
†CHELSEA	–	1	2	–	3	–
†DEPTFORD ...	–	2	13	–	3	–
†FINSBURY ...	–	3	3	–	–	–
†FULHAM	–	5	8	1	4	–
†GREENWICH ...	–	4	9	–	2	–
†HACKNEY ...	–	28	12	–	1	M. 1
†HAMMERSMITH ...	–	5	6	–	1	M. 2
†HAMPSTEAD ...	–	6	–	–	–	C. 1 D. 1
†HOLBORN... ...	–	6	2	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	5	–	6	D. 2 M. 2
†KENSINGTON ...	–	12	5	1	4	–
†LAMBETH ...	–	13	10	–	3	–
†LEWISHAM ...	–	9	1	–	3	–
†PADDINGTON ...	–	1	10	–	2	–
†POPLAR	–	12	4	–	4	C. 1 M. 3
†ST. MARYLEBONE	–	–	12	2	4	–
†ST. PANCRAS ...	–	6	10	–	8	M. 2
†SHOREDITCH ...	–	9	3	–	5	C. 1 M. 1
†SOUTHWARK ...	–	10	19	–	2	–
†STEPNEY	–	21	18	–	2	G. 1
†STOKE NEWINGTON	–	9	–	1	–	G. 1
†WANDSWORTH ...	–	16	13	–	5	M. 2
†WESTMINSTER, CITY OF	–	1	4	1	–	M. 1
†WOOLWICH ...	–	3	6	1	3	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	7	1	3	M. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	1	–	1	M. 1
DUNSTABLE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	–	–	–	2	M. 1
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	3	1	–	–	–
BIGGLESWADE ...	–	1	–	1	–	–
EATON BRAY ...	–	–	1	–	–	–
EATON SOCON ...	*	*	*	*	*	*
LUTON	–	–	1	–	–	–
BERKS	–	7	2	1	–	G. 1 M. 1
†READING C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	G. 1 M. 1
Rural Districts:—						
FARINGDON (part)	–	2	–	–	–	–
HUNGERFORD ...	–	–	–	1	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	2	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	2	1	–	–	C. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	–	1	–	–	C. 1
WING	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	–	–	2	M. 1
Borough:—						
†CAMBRIDGE ...	–	2	–	–	2	M. 1
Rural Districts:—						
CHESTERTON ...	–	4	–	–	–	–
CHESTER	–	63	8	–	29	C. 2 D. 1 F. 1 G. 2 M. 3
†BIRKENHEAD C.B.	–	10	6	–	10	D. 1 M. 2
†CHESTER C.B. ...	–	1	–	–	3	–
†STOCKPORT C.B.	–	15	1	–	4	C. 1
†WALLASEY C.B. ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	3	–	–	1	–
ASHTON UPON MERSEY	–	–	–	–	–	M. 1
BOLLINGTON ...	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	2	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
LYMM	*	*	*	*	*	*
†MACCLESFIELD ...	–	1	–	–	–	–
MARPLE	–	–	–	–	–	G. 1
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	–	1	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	2	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
†WINSFORD ...	–	5	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	3	–	–	1	–
CHESTER	–	1	–	–	–	C. 1
CONGLETON ...	–	1	–	–	–	–
DISLEY	–	–	–	–	1	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	2	–	–	1	–
NORTHWICH ...	–	–	–	–	–	F. 1 G. 1
RUNCORN... ...	–	1	–	–	–	–
WIRRAL	–	–	–	–	1	–
CORNWALL ...	–	4	1	–	3	M. 1
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
†CAMBORNE ...	–	–	1	–	–	–
†FALMOUTH ...	–	–	–	–	–	M. 1
TORPOINT ...	–	2	–	–	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
HELSTON... ...	–	1	–	–	–	–
LAUNCESTON ..	–	–	–	–	1	–
ST. AUSTELL ...	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ...	–	7	3	–	6	G. 1 M. 1
†CARLISLE C.B. ...	–	1	1	–	3	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
MILLOM	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
WIGTON	*	*	*	*	*	*
†WORKINGTON ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
CARLISLE ...	–	1	–	–	2	–
COCKERMOUTH ...	–	1	–	–	1	G. 1 M. 1
DERBY	9	47	14	1	21	C. 1 M. 1
†DERBY C.B. ...	8	2	6	–	7	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	4	–	–	1	–
†CHESTERFIELD ...	–	8	–	–	3	–
CLAY CROSS ...	–	1	–	–	–	–
†GLOSSOP	–	1	–	–	1	–
†LONG EATON ...	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	5	–	–	–	–
WIRKSWORTH ...	–	2	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	1	–	–
BAKEWELL ...	–	–	–	–	1	–
BLACKWELL ...	–	7	2	–	3	–
CHESTERFIELD ...	–	10	3	–	1	–
CLOWNE	–	1	1	–	–	–
REPTON	–	–	1	–	1	–
SHARDLOW ...	1	3	–	–	1	–
DEVON	–	6	2	–	2	C. 1 E. 2 G. 1
†PLYMOUTH C.B....	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM... ...	–	–	1	–	–	–
IVYBRIDGE ...	–	–	–	–	–	C. 1
SALCOMBE ...	–	2	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
BROADWOOD WIDGER	–	–	–	–	1	–
CREDITON ...	–	–	–	–	–	G. 1
TAVISTOCK ...	–	–	–	–	–	E. 1
DORSET	–	3	–	–	1	G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
BRIDPORT ...	–	–	–	–	1	–
†POOLE	–	1	–	–	–	–
†PORTLAND ..	–	1	–	–	–	G. 1
Rural Districts:—						
WEYMOUTH ...	*	*	*	*	*	*
DURHAM	135	47	20	–	51	G. 3 M. 6
†DARLINGTON C.B.	1	6	–	–	5	–
†GATESHEAD C.B.	4	3	8	–	5	–
†SOUTH SHIELDS C.B.	24	1	–	–	7	–
†SUNDERLAND C.B.	–	3	1	–	8	G. 1 M. 2
†WEST HARTLEPOOL C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	4	–	–	–	–	M. 1
BENFIELDSIDE ...	–	3	–	–	1	–
BILLINGHAM ...	–	2	–	–	–	–
†BLAYDON... ...	2	1	–	–	–	–
†BRANDON AND BYSHOTTLES	12	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	4	–	–	–	1	–
†CONSETT	–	1	–	–	1	–
†CROOK	4	–	1	–	–	–
†DURHAM	–	2	–	–	–	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	2	3	1	–	–	–
†HETTON	10	1	–	–	1	–
†HOUGHTON LE SPRING	3	–	–	–	–	–
†JARROW	1	–	1	–	7	–
LEADGATE ...	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	1	–	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	33	1	1	–	–	M. 1
†STOCKTON ON TEES	–	1	3	–	2	–
†WHICKHAM ...	1	3	–	–	3	–
WILLINGTON ...	–	–	–	–	–	G. 1
Rural Districts:—						
AUCKLAND ...	2	2	3	–	–	G. 1
BARNARD CASTLE	2	–	–	–	–	–
CHESTER LE STREET	3	2	–	–	–	M. 1
DURHAM	4	2	–	–	–	–
EASINGTON ...	5	3	–	–	1	–
HOUGHTON LE SPRING	5	–	–	–	1	–
LANCHESTER ...	4	–	–	–	–	–
SEDGEFIELD ...	3	1	1	–	–	M. 1
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	5	–
ELY, ISLE OF ...	–	–	–	–	2	–
Rural Districts:—						
ELY	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX	–	64	35	–	11	C. 2 E. 1 M. 2
†EAST HAM C.B. ...	–	7	4	–	1	C. 1
†SOUTHEND-ON-SEA C.B.	–	6	1	–	–	–
†WEST HAM C.B. ...	–	16	13	–	6	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	–	E. 1
BRAINTREE ...	–	1	1	–	–	–
CHINGFORD ...	–	2	–	–	–	–
†COLCHESTER ...	–	1	1	–	2	–
DAGENHAM ...	–	–	2	–	–	–
†GRAYS THURROCK	–	3	–	–	–	–
†HARWICH ...	–	1	–	–	–	–
†HORNCHURCH ...	–	3	–	–	–	–
†ILFORD	–	1	3	–	1	C. 1 M. 1
†LEYTON	–	6	5	–	1	–
†ROMFORD ...	–	2	–	–	–	–
TILBURY	–	1	2	–	–	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW...	–	3	1	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BELCHAMP ...	–	1	–	–	–	–
BILLERICAY ...	–	1	–	–	–	M. 1
CHELMSFORD ...	–	1	–	–	–	–
EPPING	*	*	*	*	*	*
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	–	2	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	–	1	–	–	–	–
GLOUCESTER ...	–	27	20	–	11	C. 1 M. 2
†BRISTOL C.B. ...	–	23	14	–	7	C. 1
†GLOUCESTER C.B.	–	–	–	–	2	M. 1
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†KINGSWOOD ...	–	–	1	–	–	–
NAILSWORTH ...	–	1	–	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
Rural Districts:—						
CHIPPING SODBURY	–	–	3	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	2	M. 1
GLOUCESTER ...	–	1	–	–	–	–
STROUD	–	1	1	–	–	–
WARMLEY ...	–	1	–	–	–	–
HEREFORD ..	–	4	2	–	3	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
LEDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
BREDWARDINE ...	–	–	–	–	1	–
BROMYARD ...	–	–	–	–	1	–
DORE	–	–	1	–	–	–
†KINGTON	–	–	1	–	–	–
LEDBURY... ...	–	2	–	–	–	–
WEOBLEY... ...	–	–	–	–	1	–
WIGMORE ...	*	*	*	*	*	*
HERTFORD ..	–	18	7	–	1	L. 2
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
BISHOP'S STORTFORD	–	2	–	–	–	–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†HERTFORD ...	–	–	5	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	2	–	–	–	–
HEMEL HEMPSTEAD	–	7	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WATFORD ...	–	2	1	–	–	L. 2
HUNTINGDON ...	–	1	1	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	36	14	3	9	C. 1 G. 2 M. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	–	G. 1
†BECKENHAM ...	–	2	1	1	1	–
†BEXLEY	–	4	–	–	–	–
†BROMLEY ...	–	1	–	–	–	–
†CHATHAM ...	–	2	3	–	–	C. 1 M. 1
CHISLEHURST ...	–	–	–	–	2	–
†CRAYFORD ...	–	2	1	–	–	–
†DARTFORD ...	–	–	2	–	–	–
†DEAL	–	3	–	–	–	–
†ERITH	–	2	2	–	–	–
†FAVERSHAM ...	–	2	–	–	–	–
†GILLINGHAM ...	–	1	1	1	–	–
†GRAVESEND ...	–	1	3	–	–	–
†MAIDSTONE ...	–	3	1	–	–	–
†MARGATE ...	–	6	–	–	–	–
MILTON REGIS ...	–	–	–	1	–	–
†PENGE	–	–	–	–	1	–
†RAMSGATE ...	–	–	–	–	2	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHEERNESS ...	–	–	–	–	–	G. 1
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	1	–	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
EASTRY	–	1	–	–	–	–
ISLE OF THANET	–	–	–	–	1	–
MILTON	–	1	–	–	–	–
STROOD	–	–	–	–	1	–
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	15	178	99	1	150	C. 9 D. 2 G. 6 L. 4 M. 21
†BARROW IN FURNESS C.B.	–	1	–	–	1	–
†BLACKBURN C.B.	4	4	3	–	1	M. 1
†BLACKPOOL C.B.	–	2	–	–	4	G. 1
†BOLTON C.B. ...	–	5	–	–	2	–
†BOOTLE C.B. ...	–	1	–	–	3	–
†BURNLEY C.B. ...	–	1	1	–	6	–
†BURY C.B. ...	–	2	2	–	2	–
†LIVERPOOL C.B. ...	–	20	25	–	26	C. 1 M. 12
†MANCHESTER C.B.	–	52	17	–	32	C. 6 D. 1 G. 2 M. 5
†OLDHAM C.B. ...	–	5	5	–	–	–
†PRESTON C.B. ...	–	2	5	–	3	–
†ROCHDALE C.B. ...	–	3	1	–	–	–
†ST. HELENS C.B....	–	1	1	–	3	M. 1
†SALFORD C.B. ...	–	12	10	–	6	C. 1
†SOUTHPORT C.B.	–	4	–	–	2	–
†WARRINGTON C.B.	–	3	1	–	2	–
†WIGAN C.B. ...	–	5	1	–	6	–
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	1	1	–	–	–
†ASHTON UNDER LYNE	–	–	–	–	2	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	–	–	1	–
†BACUP	–	4	–	1	–	–
BARROWFORD ...	–	–	–	–	1	–
BILLINGE... ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY... ...	–	–	–	–	2	–
†CLITHEROE ...	–	–	2	–	1	–
†COLNE	3	1	–	–	2	–
†CROMPTON ...	–	1	–	–	–	M. 1
†DARWEN	–	5	–	–	1	–
†DENTON	–	2	–	–	–	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	3	–	2	–	–	M. 1
†FAILSWORTH ...	–	2	–	–	–	–
FLEETWOOD ...	2	–	–	–	1	–
GOLBORNE ...	–	1	–	–	1	G. 1
†HASLINGDEN ...	–	–	1	–	–	–
†HAYDOCK ...	–	–	1	–	1	–
†HEYWOOD ...	–	–	1	–	5	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
†LANCASTER ...	–	1	1	–	2	–
LATHOM AND BURSCOUGH	–	1	–	–	1	–
†LEIGH	1	–	–	–	3	–
†LITHERLAND ...	–	2	3	–	–	–
†LITTLEBOROUGH	–	3	–	–	–	–
LITTLE HULTON..	–	–	1	–	–	–
†MIDDLETON ...	–	2	–	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	–	C. 1
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM ...	–	–	1	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	–	–	4	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	2	–	–	–	–
†ROYTON	–	–	2	–	–	–
SKELMERSDALE ...	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–		1	–
†STRETFORD ...	–	3	1	–	3	G. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	2	–	–	2	–
†TURTON	–	–	–	–	2	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	–	–
URMSTON... ..	2	–	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	–	D. 1
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	–	–	–	3	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BLACKBURN ...	–	–	1	–	–	–
BURNLEY... ...	–	–	1	–	–	–
BURY	–	–	1	–	–	–
CHORLEY... ...	–	1	2	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 4
FYLDE	–	1	–	–	–	–
GARSTANG ...	–	3	–	–	–	–
LEIGH	–	–	3	–	–	–
LIMEHURST ...	–	1	–	–	1	–
ULVERSTON ...	–	1	–	–	1	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON... ...	–	2	–	–	–	–
LEICESTER... ...	–	8	9	–	8	C. 1 E. 1 G. 1
†LEICESTER C.B. ...	–	4	5	–	4	C. 1 G. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	3	–
BARROW UPON SOAR	–	–	–	–	1	–
HINCKLEY ...	–	–	3	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	–	E. 1
LINCOLN (parts of Holland).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	1	–	–	–	–
SPALDING (part)..	–	1	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	3	25	8	–	8	C. 2 G. 1 M. 1
†GRIMSBY C.B. ...	–	3	3	–	3	G. 1 M. 1
†LINCOLN C.B. ...	–	17	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	3	–	–	–
†GAINSBOROUGH ...	–	–	1	–	1	C. 1
†SCUNTHORPE AND FRODINGHAM	1	–	1	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	1	–
GLANFORD BRIGG	2	1	–	–	–	–
GRIMSBY	–	–	–	–	1	–
HORNCASTLE ...	–	–	–	–	1	C. 1
LOUTH	–	3	–	–	–	–
MIDDLESEX ..	–	40	41	1	13	C. 1 D. 1 F. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–	1	–
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	1	2	1	–	–
†EALING	–	–	–	–	1	–
†EDMONTON ...	–	2	11	–	–	–
†ENFIELD	–	1	2	–	–	–
†FINCHLEY ...	–	2	2	–	–	–
†HARROW ON THE HILL	–	–	–	–	–	F. 1
†HENDON	–	4	–	–	2	–
†HESTON AND ISLEWORTH	–	1	–	–	1	D. 1
†HORNSEY... ...	–	4	–	–	–	–
RUISLIP NORTHWOOD	–	–	1	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	1	–	–	–
†TEDDINGTON ...	–	–	1	–	1	–
†TOTTENHAM ...	–	5	4	–	3	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TWICKENHAM ...	–	–	2	–	–	–
†UXBRIDGE ...	–	2	–	–	1	–
†WEALDSTONE ...	–	1	1	–	–	–
†WEMBLEY ...	–	2	–	–	1	–
†WILLESDEN ...	–	7	7	–		G. 1 M. 1
†WOOD GREEN ...	–	–	4	–	1	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	2	–	–	–	–
SOUTH MIMMS ...	–	–	1	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	13	6	–	2	C. 1 G. 1
†GREAT YARMOUTH C.B.	–	6	–	–	–	G. 1
†NORWICH C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	*	*	*	*	*	*
†KING'S LYNN ...	–	–	–	–	1	C. 1
Rural Districts:—						
DOCKING	–	–	3	–	–	–
FREEBRIDGE LYNN	–	–	1	–	–	–
HENSTEAD ...	–	2	–	–	–	–
LODDON AND CLAVERING	–	–	1	–	–	–
SMALLBURGH ...	–	2	–	–	–	–
NORTHAMPTON ...	–	15	7	–	4	E. 1 M. 1
†NORTHAMPTON C.B.	–	2	7	–	1	M. 1
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
HIGHAM FERRERS	*	*	*	*	*	*
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ...	–	9	–	–	–	–
†RUSHDEN ...	–	1	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	–	E. 1
GRETTON	–	1	–	–	–	–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
NORTHUMBERLAND	6	31	8	1	28	G. 2 M. 1
†NEWCASTLE UPON TYNE C.B.	1	10	5	–	15	–
†TYNEMOUTH C.B.	1	3	1	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	2	–	–	2	–
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	–	1	–	–	1	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	1	2	–	–	2	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	–	–	–	–	–	M. 1
SEATON DELAVAL	–	–	–	–	2	–
†WALLSEND ...	–	–	–	–	3	G. 1
WEETSLADE ...	1	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	1	1	–	–
Rural Districts:—						
CASTLE WARD ...	–	–	1	–	–	G. 1
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts—*cont.*						
MORPETH... ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	7	18	18	1	16	G. 1
†NOTTINGHAM C.B.	–	5	16	1	3	G. 1
Boroughs and Urban Districts:—						
†CARLTON	–	8	–	–	2	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	–	–	–	3	–
HUTHWAITE ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	2	–
†MANSFIELD ...	–	2	–	–	3	–
†SUTTON IN ASHFIELD	7	–	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	–	–	–	2	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	3	–	–	4	–
†OXFORD C.B. ...	–	1	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	2	–
HENLEY	–	1	–	–	–	–
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	2	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
Rural Districts—						
BARNACK... ...	–	2	–	–	–	–
RUTLAND	–	–	–	–	1	–
Rural Districts:—						
KETTON	–	–	–	–	1	–
SALOP	–	10	1	–	6	G. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
NEWPORT ...	–	–	–	–	–	G. 1
†OAKENGATES ...	–	2	–	–	–	–
†SHREWSBURY ...	–	4	1	–	1	–
WELLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
ATCHAM	–	–	–	–	1	M. 1
DRAYTON... ...	–	1	–	–	–	–
ELLESMERE ...	–	3	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WEM	–	–	–	–	1	–
SOMERSET	–	7	–	2	7	C. 2 G. 1
†BATH C.B. ...	–	5	–	–	–	G. 1
Boroughs and Urban Districts:—						
CLEVEDON ...	–	–	–	–	–	C. 1
MIDSOMER NORTON	–	1	–	–	–	–
†TAUNTON... ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
CLUTTON	–	–	–	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	–	–	2	1	–
WILLITON ...	–	1	–	–	–	–
YEOVIL	–	–	–	–	1	C. 1
SOUTHAMPTON ...	–	20	43	1	2	C. 1 D. 1 E. 2 M. 1
†BOURNEMOUTH C.B.	–	5	2	–	–	C. 1
†PORTSMOUTH C.B.	–	9	25	–	–	D. 1 E. 1
†SOUTHAMPTON C.B.	–	1	11	1	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	2	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
HAVANT	–	–	1	–	–	–
NEW FOREST ...	–	–	1	–	–	–
SOUTH STONEHAM	–	2	1	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	50	23	2	50	C. 3 M. 4
†BURTON UPON TRENT C.B.	–	2	1	–	–	–
†SMETHWICK C.B.	–	1	2	–	4	M. 1
†STOKE ON TRENT C.B.	–	10	4	–	13	C. 1 M. 1
†WALSALL C.B. ...	–	2	3	–	2	–
†WEST BROMWICH C.B.	–	3	–	–	4	–
†WOLVERHAMPTON C.B.	–	1	2	–	4	M. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	2	–	–	–
†AUDLEY	–	–	1	–	–	M. 1
BIDDULPH ...	–	1	–	–	1	–
†BILSTON	–	–	–	–	2	–
†BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	2	1	–	–	–
†CANNOCK	–	3	–	–	–	C. 1
†COSELEY	–	–	–	–	2	–
†DARLASTON ...	–	1	–	–	2	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	6	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	1	–
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	4	–	–	2	–
RUGELEY... ...	–	–	–	1	–	–
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ...	–	–	–	–	1	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	2	–	–	–	–
UTTOXETER ...	*	*	*	*	*	*
†WEDNESBURY ...	–	–	1	–	–	–
†WILLENHALL ...	–	2	1	–	3	–
†WOLSTANTON UNITED	–	3	–	–	2	–
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE	–	–	–	–	2	–
KINGSWINFORD ...	–	1	–	–	2	–
LICHFIELD ...	–	1	1	1	1	–
SEISDON	–	1	1	–	–	–
TAMWORTH (part)	–	–	–	–	–	C. 1
UTTOXETER ...	*	*	*	*	*	*
WALSALL... ...	–	2	–	–	–	–
SUFFOLK, EAST ...	–	5	1	2	5	M. 1
†IPSWICH C.B. ...	–	1	–	–	3	M. 1
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	1	–
LEISTON CUM SIZEWELL	–	–	1	–	–	–
STOWMARKET ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	1	–	–
BOSMERE AND CLAYDON	–	1	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	–	1	–	–
SAMFORD ...	–	2	–	–	–	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
SURREY	1	23	16	2	5	C. 3 L. 1 M. 1
†CROYDON C.B. ...	–	4	7	–	1	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	1	–	1	–
†CHERTSEY ...	–	–	–	–	1	–
†COULSDON AND PURLEY	–	1	1	–		–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	–	–	–	L. 1
†FRIMLEY	–	1	–	–	–	–
GODALMING ...	–	–	1	–	–	–
GUILDFORD ...	–	–	–	–	1	C. 1
†KINGSTON ON THAMES	–	–	–	–	–	C. 1
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	1	1	–	–	–
†REIGATE	–	2	–	1	–	–
†RICHMOND ...	–	–	–	–	–	M. 1
†SURBITON ...	–	1	1	–	–	–
†SUTTON	–	1	–	–	–	–
†WIMBLEDON ...	–	1	2	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	–	–	1	–	–	–
GODSTONE ...	1	2	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	9	6	–	4	C. 1 M. 2
†BRIGHTON C.B. ...	–	4	4	–	–	M. 2
†EASTBOURNE C.B.	–	1	–	–	1	–
†HASTINGS C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
SEAFORD	–	1	–	–	–	–
Rural Districts:—						
HAILSHAM ...	–	1	–	–	–	–
TICEHURST ...	–	–	1	–	–	–
UCKFIELD ...	–	–	–	–	1	C. 1
SUSSEX, WEST ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	1	–	–	–
†WORTHING ...	–	4	–	–	1	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	46	39	3	50	C. 5 G. 2 M. 11
†BIRMINGHAM C.B.	–	33	34	2	38	C. 5 G. 2 M. 9
†COVENTRY C.B. ...	–	3	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	–	–	–	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	2	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	2	–
ATHERSTONE ...	–	4	4	–	2	–
BRAILES	–	–	–	–	1	–
FOLESHILL ...	–	1	–	–	2	M. 1
SOLIHULL ...	–	–	–	1	2	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ...	–	8	–	–	–	G. 1
Boroughs and Urban Districts:—						
†KENDAL	–	3	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	4	–	–	–	G. 1
WIGHT, ISLE OF ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	1	–	–	–
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	–	1	–	–	–
WILTS	–	7	4	–	6	M. 1
Boroughs and Urban Districts:—						
DEVIZES	*	*	*	*	*	*
†SALISBURY ...	–	–	–	–	1	–
†SWINDON... ...	–	–	2	–	3	M. 1
†TROWBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	1	–	–	–
DEVIZES	*	*	*	*	*	*
HIGHWORTH ...	–	1	–	–	2	–
SALISBURY ...	–	2	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WILTON	–	–	1	–	–	–
WORCESTER ...	–	10	6	–	14	G. 1 M. 1
†DUDLEY C.B. ...	–	3	1	–	–	–
†WORCESTER C.B.	–	–	–	–	7	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	3	–
†KIDDERMINSTER	–	1	1	–	1	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	–	2	–	–	–
†OLDBURY... ...	–	–	1	–	1	–
†REDDITCH ...	–	1	–	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	–	M. 1
DROITWICH ...	–	–	1	–	–	G. 1
MARTLEY... ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS ... ... (East Riding.)	-	13	12	-	9	G. 1 M. 2
†Kingston upon Hull C.B.	-	8	11	-	9	M. 2
Boroughs and Urban Districts:—						
†Bridlington ...	-	2	-	-	-	-
Filey	-	1		-	-	-
Hornsea	-	1	-	-	-	-
Rural Districts:—						
Beverley ...	-	-	-	-	-	G. 1
Driffield ...	-	1	-	-	-	-
Norton	*	*	*	*	*	*
Patrington ...	-	-	1	-	-	-
YORKS ... .. (North Riding.)	-	14	3	-	7	G. 1 M. 1
†Middlesbrough C.B.	-	8	1	-	2	M. 1
Boroughs and Urban Districts:—						
†Eston	-	1	-	-	-	-
Guisborough ...	-	1	1	-	-	-
Malton	*	*	*	*	*	*
†Redcar	-	1	-	-	-	-
†Scarborough ...	-	2	1	-	2	G. 1
†Skelton and Brotton	-	1	-	-	-	-
†Whitby	-	-	-	-	1	-
Rural Districts:—						
Easingwold ...	-	-	-	-	2	-
Malton	*	*	*	*	*	*
YORKS ... ... (West Riding.)	23	143	34	4	98	C. 9 E. 1 G. 3 M. 11
†Barnsley C.B. ...	-	5	-	-	2	C. 1 G. 1
†Bradford C.B. ...	-	16	-	-	4	C. 1
YORKS (West Riding) —*cont.*						
†Dewsbury C.B....	-	1	-	-	-	-
†Halifax C.B. ...	-	2	2	-	1	G. 1
†Huddersfield C.B.	-	5	4	1	1	M. 1
†Leeds C.B. ...	-	17	4	-	11	C. 3 M. 2
†Rotherham C.B.	-	4	-	-	5	-
†Sheffield C.B....	-	37	14	1	44	C. 1 E. 1 M. 4
†Wakefield C.B.	-	4	1	-	-	-
Boroughs and Urban Districts:—						
†Adwick le Street	-	-	-	-	-	M. 1
Ardsley, East and West	-	-	-	-	2	-
†Barnoldswick ...	-	1	-	-	1	-
†Bentley with Arksey	-	1	1	-	-	-
Birstal	*	*	*	*	*	*
†Conisbrough ...	-	-	-	-	-	M. 1
Darfield ...	-	1	-	-	-	-
Farsley	-	-	-	-	-	M. 1
†Featherstone ...	-	-	-	-	1	-
†Goole	-	1	-	-	1	-
Greasbrough ...	5	-	1	-	-	-
Guiseley ...	-	-	-	-	1	-
Gunthwaite and Ingbirchworth	*	*	*	*	*	*
†Harrogate ...	-	2	1	-	1	G. 1
†Hemsworth ...	-	-	-	-	-	M. 1
†Holmfirth ...	-	-	-	1	-	-
Horbury ...	-	1	-	-	-	-
†Hoyland Nether	-	2	-	-	1	-
Hoyland Swaine	*	*	*	*	*	*
†Keighley ...	6	3	-	-	-	-
Knottingley ...	-	-	-	-	1	-
†Mexborough ...	5	-	-	-	-	-
†Morley	-	1	-	-	1	-
†Normanton ...	-	1	-	-	1	-
†Ossett	-	-	1	-	-	-
Penistone ...	*	*	*	*	*	*
†Pontefract ...	-	2	-	-	-	-
†Pudsey	-	1	-	-	-	-
†Rawmarsh ...	-	1	-	-	-	-
†Rothwell ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	–	–	–	1	–
SHELLEY	–	–	–	–	1	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	2	–	–	1	–
STAINLAND ...	–	–	–	–	1	–
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	3	–	–	–	–
†SWINTON... ...	2	2	1	–	1	C. 1
†TODMORDEN ...	–	–	–	–	4	C. 1
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ...	–	7	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	1	–	–	–	–
DONCASTER ...	1	2	1	–	2	–
GOOLE	–	1	–	–	–	–
HEMSWORTH ...	–	–	1	1	3	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	2	–	–	–	–
PATELEY BRIDGE	–	1	–	–	–	–
PONTEFRACT ...	–	1	1	–	–	–
ROTHERHAM ...	4	1	–	–	2	C. 1
SETTLE	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
THORNE	–	4	–	–	–	–
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	–	–	–	1	–
§YORK, CITY OF ...	–	2	2	–	–	M. 1
†YORK C.B. ...	–	2	2	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
CARMARTHEN ...	–	4	5	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	1	–	–	–
KIDWELLY ...	–	–	–	–	1	–
LLANDILO ...	–	1	–	–	–	–
†LLANELLY ...	–	2	1	–	–	–
NEWCASTLE EMLYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
CARNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	1	–	–	–	–
DENBIGH	–	2	1	–	–	G. 2
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	1	–	–	G. 2
†WREXHAM ...	–	1	–	–	–	–
FLINT	–	2	2	–	–	C. 1 G. 1
Boroughs and Urban Districts:—						
HOLYWELL	–	–	1	–	–	–
†RHYL	–	–	1	–	–	C. 1
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN ...	–	38	26	–	25	C. 3 M. 5
†CARDIFF C.B. ...	–	8	2	–	–	C. 1 M. 4
†MERTHYR TYDFIL C.B.	–	–	1	–	1	–
†SWANSEA C.B. ...	–	2	3	–	3	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	–	–	1	–
†BARRY	–	1	–	–	1	–
†CAERPHILLY ...	–	–	–	–	1	–
†GELLIGAER ...	–	–	2	–	2	–
†MAESTEG ...	–	–	2	–	–	–
†MOUNTAIN ASH...	–	1	1	–	1	–
†NEATH	–	1	2	–	1	–
†OGMORE AND GARW	–	1	–	–	1	–
†PENARTH ...	–	1	–	–	1	–
†PONTYPRIDD ...	–	2	2	–	1	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	2	1	–	–	–
†RHONDDA ...	–	12	4	–	4	M. 1
Rural Districts:—						
COWBRIDGE ...	–	–	–	–	2	–
GOWER	–	–	2	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	2	–
NEATH	–	–	–	–	1	–
SWANSEA... ...	–	2	3	–	1	C. 1
MERIONETH ...	–	1	1	–	3	–
Urban Districts:—						
FESTINIOG ...	–	–	1	–	3	–
Rural Districts:—						
DOLGELLEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	8	3	–	3	C. 1 G. 2
†NEWPORT C.B. ...	–	4	1	–	2	C. 1
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	1	–	–	G. 2
BEDWAS AND MACHEN	–	–	–	–	1	–
MONMOUTH ...	–	–	1	–	–	–
†TREDEGAR ...	–	1	–	–	–	–
Rural Districts:—						
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	1	1	–	–	3	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	3	–
WELSHPOOL ...	*	*	*	*	*	*
MONTGOMERY— *cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	1	–	–	–	–	–
PEMBROKE	–	–	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
Total of Part II. ...	200	1118	567	26	692	C. 1 D. E. F. G. 4 L. M. 8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ERNARVON	*	*	*	*	*	*
EETWOOD	1	–	–	–	–	–
ARTLEPOOL	*	*	*	*	*	*

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PENZANCE	*	*	*	*	*	*
WEYMOUTH	–	–	–	–	–	L. 3
Total of Part III.... ...	1	–	–	–	–	L. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (‡)
Total of Part I.—London	–	252	229	8	77	C. D. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	200	1118	567	26	692	C. D. E. F. G. L. M.
Total of Part III.—Port Sanitary Districts	1	–	–	–	–	L.
Total (*i.e.*, of returns received), England and Wales ...	201	1370	796	34	769	C. D. E. F. G. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
ON :—													
HS—all ages	1,159	1,228	1,340	1,347	1,264	1,127	1,108	1,011	913	1,006	904	827	820
0 to 1 year ..	116	113	107	128	93	110	103	98	74	71	69	61	60
T TOWNS, aggre- (including Lon-):—													
IS	7,128	6,687	6,571	6,909	7,976	7,585	7,009	7,412	7,437	7,438	6,025	7,833	7,074
HS—all ages	4,775	5,177	5,583	5,612	5,342	4,889	4,704	4.302	4,230	4,464	4,120	3,939	3,669
0 to 1 year ..	564	574	610	600	552	511	511	440	444	469	431	415	403
RIC FEVER—Cases	16	25	24	23	23	20	25	21	21	20	22	28	16
" Deaths	3	7	3	6	1	1	—	5	3	3	1	4	2
L POX—Cases ..	67	70	50	63	65	35	32	58	43	38	39	41	43
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
LET FEVER—Cases	827	894	895	787	742	799	828	840	837	864	760	687	814
" Deaths	13	9	8	6	9	6	5	13	6	2	6	7	4
THERIA—Cases ..	827	688	716	649	622	639	669	693	666	586	605	538	587
" Deaths ..	49	47	50	45	41	38	43	43	33	32	19	25	22
ILES—Deaths ..	116	121	107	100	99	81	55	68	60	56	56	35	29
UENZA—Deaths ..	136	136	223	294	302	209	166	149	118	111	78	80	67

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th June, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON	75	46	67·4	50·6	20
REENWICH).					
HTON ..	70	47	61·4	52·7	29
TSMOUTH ..	72	47	63·8	52·1	23
WICH (EATON).	70	47	64·7	50·4	20
MOUTH ..	71	49	61·9	52·0	34
TOL (CLIFTON).	71	48	64·0	50·0	15
MINGHAM (EDGBASTON).	73	46	64·7	48·9	21
TINGHAM ..	74	48	66·9	50·4	21
KENHEAD (BIDSTON).	67	48	62·1	50·3	13
NCHESTER (WHITWORTH PARK).	73	47	65·4	49·9	37
INLEY	72	43	64·2	47·0	31

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	73	43	66·0	47·3	31
BRADFORD ..	70	43	63·9	47·1	42
SHEFFIELD ..	72	48	65·1	49·6	27
YORK (MUSEUM)	72	47	68·0	49·7	26
HULL (PEARSON PARK).	72	48	65·0	50·4	28
TYNEMOUTH ..	69	47	58·0	49·3	43
CARDIFF	71	48	63·3	50·1	22
EDINBURGH ..	66·0	44·0	60·1	48·3	18
GLASGOW ..	69·7	49·0	62·9	50·8	35
DUBLIN (PHŒNIX PARK).	66·3	41·3	61·3	45·7	41
(FITZWILLIAM SQUARE†).	66·2	47·9	62·3	49·6	33
BELFAST	69·5	41·0	63·2	46·8	60

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th June, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	6	..	29·820	67·0	46·4	20·6	56·7	− 1·6	50·9	5·8	13·6	1·2	81	124·1	35·0	52·0	Calm: N.	N	1·4	0·0	0·1	182	− 77	0·00
MONDAY -	7	..	29·824	74·7	54·0	20·7	62·6	+ 4·4	53·5	9·1	19·4	1·6	72	138·2	45·6	52·0	N: NNW.	NNW: Calm: WSW.	1·2	0·0	0·1	209	− 50	0·00
TUESDAY -	8	..	29·686	66·5	52·7	13·8	56·8	− 1·3	54·1	2·7	10·8	1·0	90	110·0	44·2	52·0	SW	SW	1·6	0·0	0·2	246	− 11	0·11
WEDNESDAY	9	..	29·486	69·8	50·5	19·3	59·3	+ 1·3	50·1	9·2	19·6	0·9	72	150·1	43·9	52·3	SW	SSW: S: SSE.	1·2	0·0	0·1	187	− 68	0·28
THURSDAY -	10	New	29·335	61·7	49·1	12·6	53·0	− 5·1	46·3	6·7	13·8	0·2	78	136·8	43·5	52·6	SW	SW	4·9	0·0	0·9	451	+ 199	0·16
FRIDAY -	11	..	29·366	64·2	48·7	15·5	54·8	− 3·4	49·0	5·8	14·7	3·0	80	138·1	43·0	52·7	SW	SW: SSW.	5·5	0·0	0·5	366	+ 116	0·13
SATURDAY -	12	Greatest Declination N.	29·299	67·0	51·0	16·0	57·9	− 0·5	53·7	4·2	12·5	2·0	85	118·7	45·2	52·9	SSE: SSW.	SSW: SW.	3·1	0·0	0·3	280	+ 32	0·12
MEANS -		..	29·545	67·3	50·3	16·9	57·3	− 0·9	51·1	6·2	14·9	1·4	80	130·9	42·9	52·4	SW		..	..	..	Sum 1921	Sum + 141	Sum 0·80
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	6	wP	1·2	16·4	Overcast generally. Mist and heavy dew in morning. Occasional slight damping between 6h. and 9h. Rain about 20½h.
MONDAY ..	7	wP	6·0	16·4	Overcast till 10h., then partially cloudy becoming nearly cloudless by 21h.
TUESDAY ..	8	wP	1·4	16·4	Overcast generally. Rain 3h. till 4h.; and 6h. till 7h.
WEDNESDAY	9	wP	7·5	16·4	Variably cloudy becoming overcast by 15h. Partial solar halos at 8h., and between 12h. and 14¾h. Rain from 16¼h. till 18h., and from 20h.
THURSDAY	10	wP till 9h.; variably sN and mP till 18h.; then wP.	7·2	16·4	Very cloudy till 20h., then nearly cloudless. Frequent showers between 8¾h. and 10½h. Thunder 11¾h. Heavy shower 12¼h. till 12½h., then occasional slight rain till 15h. Brisk wind 12h. till 16h.
FRIDAY ..	11	wP till 8h.; variably sN and sP till 11½h.; then wP.	8·3	16·5	Variably cloudy. Occasional showers between 1h. and 13½h. Brisk wind 12h. till 16h. Partial solar halo 18½h. Slight dew at night.
SATURDAY	12	wP	3·3	16·5	Overcast generally. Frequent showers between 1¼h. and 12¼h.; and 16½h. till 19h.
			Sum 34·9	Sum 115·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·74 ins. at the beginning of the week to 29·86 ins. by 10h. on 7th; decreased to 29·23 ins. by 0h. on 10th; increased generally to 29·41 ins. by 22h. on 11th; decreased to 29·27 ins. by 14h. on 12th; increased and was 29·36 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 24

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 19TH JUNE 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH JUNE, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fourth week of the year numbered 7,424, and corresponded to an annual rate of 19·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,525 and corresponded to an annual rate of 9·5 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 11·1, 10·6, and 9·9. Infant mortality was 48 per 1,000 births against 72, 53 and 57 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,684 births corresponding to a rate of 19·0 per 1,000, and 766 deaths of civilians, corresponding to an annual rate of 8·7, against 10·2, 9·4 and 9·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·4 per 1,000. The infant mortality was 36 as against 48, 36 and 37 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,669 to 3,525. In London the number of deaths from all causes decreased from 820 to 766; the deaths from diphtheria which had been 2, 8, and 7 in the preceding three weeks, were 6 last week; and the deaths from measles, which had decreased from 19 to 2 in the four preceding weeks, rose to 5 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 19th June, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,424	3,525	354	2	37	4	21	24	41	38
London	4,602,000*	1,684	766	61	-	5	4	1	6	11	4
Towns in Outer Ring.											
Croydon C.B ..	199,300	73	34	1	-	-	-	-	-	-	-
Wimbledon ..	58,170	14	6	1	-	-	-	-	-	-	-
Ealing	68,410	27	18	2	-	-	-	-	-	-	-
Acton	63,110	25	14	2	-	-	-	-	-	-	-
Willesden ..	168,900	50	21	1	-	-	-	-	-	-	-
Hendon	59,150*	17	7	-	1	-	-	-	-	-	-
Hornsey	87,210	35	13	1	-	-	-	-	-	-	-
Wood Green ..	51,960	14	8	2	-	-	-	-	-	-	-
Tottenham ..	153,600	62	27	6	-	-	-	-	-	-	-
Edmonton ..	71,210	29	9	-	-	-	-	-	-	-	-
Enfield	63,740	25	12	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	160	42	3	-	-	-	-	-	2	-
East Ham C.B. ..	147,200	39	17	2	-	-	-	-	-	-	-
Leyton	132,700	33	13	2	-	-	-	-	-	1	2
Walthamstow ..	130,800	50	8	1	-	-	-	-	-	-	-
Ilford	93,590	28	12	2	-	-	-	-	-	-	1
Gillingham	48,680*	29	11	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	9	7	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	14	14	1	-	1	-	-	-	-	-
Eastbourne C.B. ..	55,060	15	3	-	-	1	-	-	-	-	-
Brighton C.B. ..	137,800*	42	26	-	-	-	-	-	1	-	-
Portsmouth C.B. ..	232,900*	91	48	4	-	-	-	-	-	-	-
Bournemouth C.B. ..	85,840	29	24	2	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	65	17	-	-	-	-	-	-	-	-
Reading C.B.	93,670*	40	22	2	-	-	-	-	-	1	-
Oxford C.B.	57,090	29	9	-	-	-	-	-	-	-	1
Northampton C.B. ..	93,780*	24	19	-	1	-	-	-	1	-	-
Luton	59,230	13	8	1	-	-	-	-	1	-	-
Cambridge	59,020	22	10	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	39	20	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	25	15	-	-	-	-	-	-	-	-
Great Yarmouth C.B	57,890	19	8	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	45	20	1	-	-	-	-	-	-	-
Swindon	56,880	26	6	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	18	6	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	75	33	3	-	2	-	-	-	-	-
Bath C.B.	69,050	14	12	1	-	-	-	1	-	-	-
Bristol C.B.	385,700*	144	74	4	-	-	-	-	-	1	-
Gloucester C.B. ..	53,060	20	7	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	101	49	4	-	2	-	1	-	-	1
Burton-upon-Trent C.B.	49,530	26	9	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	59	23	5	-	-	-	-	-	1	-
Walsall C.B.	102,300	52	26	5	-	-	-	-	-	-	-
West Bromwich C.B	79,490	42	9	-	-	1	-	-	-	-	-
Dudley C.B.	58,810	25	9	1	-	-	-	-	-	-	1
Worcester C.B. ..	50,230	18	6	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	363	171	19	-	-	-	1	3	1	2
Smethwick C.B. ..	78,840	38	13	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	42	23	1	-	-	-	-	-	-	1
Leicester C.B. ..	242,100	81	53	3	-	-	-	-	1	-	-
Lincoln C.B.	66,600*	13	10	-	-	-	-	-	-	-	-
Grimsby C.B.	87,190	44	10	-	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	90	49	7	-	1	-	-	-	1	1
Derby C.B.	134,400*	57	21	1	-	-	-	-	-	-	1
Chesterfield ..	65,800	38	17	1	-	1	-	-	-	-	-
Stockport C.B. ..	125,900	38	18	2	-	2	-	-	-	-	-
Chester C.B.	41,670	19	11	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	60	24	4	-	-	-	-	-	2	-
Wallasey C.B. ..	91,720	27	15	1	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	431	173	32	-	8	-	2	-	5	-
Bootle C.B.	83,260	34	10	2	-	-	-	1	-	-	-
St. Helens C.B. ..	109,600	48	24	4	-	-	-	-	1	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	17	10	-	-	-	-	-	-	-	-
Wigan C.B.	91,010	35	21	3	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	44	18	2	-	-	-	-	-	1	1
Bolton C.B.	180,400	55	35	2	-	2	-	1	1	-	4
Bury C.B.	56,700*	19	10	1	-	1	-	-	-	-	-
Manchester C.B. ..	755,800	293	159	16	-	1	-	-	1	3	5
Salford C.B.	244,700	95	40	3	-	-	-	-	-	1	-
Oldham C.B	146,200	62	35	2	-	1	-	-	-	-	-
Rochdale C.B... ..	92,190	27	24	2	-	2	-	-	-	-	-
Burnley C.B.	102,300	22	22	1	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	30	21	1	-	-	-	-	-	-	-
Preston C.B.	122,900	46	30	5	-	-	-	-	1	-	-
Blackpool C.B. ..	80,750	30	22	2	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	27	17	2	-	-	-	-	1	-	-
Huddersfield C.B. ..	112,100	30	25	-	-	-	-	-	1	-	-
Halifax C.B.	97,860*	24	33	2	-	-	-	-	1	-	-
Bradford C.B. ..	290,200	95	61	5	-	-	-	1	1	-	-
Leeds C.B.	472,900	172	90	7	-	1	-	3	-	1	-
Dewsbury C.B ..	54,570	21	12	2	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	22	12	3	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	42	15	3	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	161	91	12	-	-	-	-	2	1	-
Rotherham C.B. ..	70,600	34	10	-	-	-	-	-	-	-	-
Doncaster	55,610	26	12	2	-	-	-	-	-	-	-
York C.B.	84,630*	22	15	2	-	-	-	-	-	-	-
Hull C.B.	297,300	114	67	16	-	-	-	2	-	2	-
Middlesbrough C.B.	136,200	62	32	8	-	-	-	-	-	1	1
Darlington C.B. ..	69,130	25	12	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	39	12	1	-	-	-	1	-	-	1
West Hartlepool C.B.	71,590	29	15	3	-	-	-	1	-	-	1
Sunderland C.B. ..	166,000	85	37	4	-	-	-	1	-	1	1
South Shields C.B. ..	124,600	62	27	5	-	-	-	-	-	1	1
Gateshead C.B. ..	129,000	63	42	2	-	2	-	-	-	-	2
Newcastle-on-Tyne C.B.	286,300*	138	67	10	-	2	-	2	-	-	3
Tynemouth C.B. ..	66,180	33	10	2	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	17	11	-	-	-	-	1	1	-	-
Newport (Mon.) C.B.	96,420*	43	12	2	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	98	48	7	-	-	-	-	-	2	-
Rhondda	167,570	73	17	-	-	-	-	-	-	1	-
Merthyr Tydfil C.B.	82,920	40	19	1	-	-	-	-	-	-	1
Aberdare	57,700	15	15	2	-	1	-	-	-	-	2
Swansea C.B.	163,200	69	23	6	-	-	-	1	-	-	-
Greater London ..	7,719,622*	2,777	1,226	107	1	6	4	2	8	16	7
Outer Ring	3,117,622*	1,093	460	46	1	1	-	1	2	5	3
16 Great Towns in Outer Ring	1,867,550*	681	261	26	1	-	-	-	-	3	3
Remainder of Outer Ring	1,250,072*	412	199	20	-	1	-	1	2	2	-
Edinburgh†	424,600	143	102	9	-	2	-	-	-	-	-
Glasgow† ..	1,052,200‡	514	245	34	-	2	2	4	1	4	2
Dublin (Registration Area)†	443,000	242	111	16	-	-	-	-	-	3	4
Belfast†	415,000	228	101	16	-	-	-	3	1	2	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1926.										
LONDON‡	4,602,000	June 19	1684	766	8·7	–	–	5	4	1	6	
CALCUTTA AND SUBURBS	1,077,273	May 1	?	719§	34·7	?	14	?	?	?	?	
		„ 8	?	617§	30·0	–	21	–	–	–	–	
BOMBAY	1,279,061	„ 22	368	582§	23·7	4	24	6	–	–	–	
		„ 29	378	536§	21·8	3	15	6	–	–	–	
MADRAS	528,791	„ 22	418	417	41·0	2	3	–	?	7	–	
SYDNEY AND SUBURBS	1,038,950	„ 31										
BRISBANE (Metropolitan Area).	253,568	April 30										
PERTH (Metropolitan Area).	179,388	May 8										
AUCKLAND (Urban Area).	180,790	April 30										
WELLINGTON (Urban Area).	118,490	„ 30										
CHRISTCHURCH (Urban Area).	118,270	„ 30										
CAPE TOWN	113,709	May 22	47	23	10·5	–	–	–	–	–	1	
JOHANNESBURG	165,958	„ 22	89	36	11·3	–	–	–	–	–	1	
DURBAN	54,822	„ 22	24	7	6·6	–	–	–	–	–	–	
PARIS	2,906,472	June 10 (10 days)	1331	1132	14·3	1	–	15	4	5	6	
ANTWERP	300,065	April 3	91	91	15·7	–	–	2	–	2	1	
		„ 10	81	69	12·0	–	–	3	–	3	–	
		„ 17	91	74	12·8	–	–	–	1	3	–	
AMSTERDAM	719,357	June 5	280	118	8·5	1	–	4	1	2	–	
COPENHAGEN	587,400	„ 12	217	166	14·8	–	–	1	–	6	–	
STOCKHOLM	442,528	„ 5										
GOTHENBURG	230,804	May 22										
OSLO (CHRISTIANIA) ..	257,719	June 12	82	62	12·5	–	–	–	–	–	–	
BERLIN	2,000,000	May 29	386	396	10·1	–	?	–	2	5	1	
BRESLAU	559,000	„ 29	172	121	9·4	–	?	2	–	2	–	
COLOGNE	708,000	„ 29	206	128	8·7	–	?	2	–	–	–	
DRESDEN	622,000	„ 29	155	128	10·0	–	?	–	–	–	–	
FRANKFORT-ON-MAIN..	473,000	„ 29	120	75	7·7	–	?	–	–	–	–	
HAMBURG	1,095,000	„ 29	285	214	9·4	–	?	1	–	–	–	
LEIPZIG	685,000	„ 29	201	140	9·5	–	?	1	–	1	–	
MUNICH	680,000	„ 29	203	189	13·1	–	?	1	–	–	–	
VIENNA	1,869,437	Dec. 31 '25										
PRAGUE AND SUBURBS	712,700	Jan. 31										
BUDAPEST	960,535	June 5	301	292	15·8	–	–	2	2	1	1	
WARSAW	1,015,426	„ 12	?	250	12·9	4	–	–	9	1	–	
CAIRO	829,200	Feb. 4										
ALEXANDRIA	492,100	„ 4										
NEW YORK	6,361,664	May 29	2492	1367	11·2	2	–	15	2	1	14	
CHICAGO	2,995,239											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German
Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children*
year of age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only f

‖ The registration of births in Bombay is incomplete.

§ Including 51 and 54 from cholera in Calcutta and 5 and 2 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 19th June, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	766	61	12	19	25	38	37	42	101	135	154	142
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	5	1	1	2	-	-	-	-	1	-	-	-
Scarlet fever	4	-	-	1	2	-	-	1	-	-	-	-
Whooping cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	6	-	2	3	1	-	-	-	-	-	-	-
Influenza	4	1	-	-	-	-	-	-	-	2	-	1
Erysipelas	3	1	1	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	69	-	1	-	2	18	12	11	11	10	3	1
Nervous system	9	-	2	2	2	1	2	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	7	1	-	-	1	-	4	-	-	-	1	-
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	124	-	-	-	1	-	-	3	23	33	48	16
Rheumatic fever	5	-	-	1	1	1	-	-	2	-	-	-
Diabetes	2	-	-	-	-	-	-	-	2	-	-	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	5	1	-	-	3	-	-	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	36	-	-	-	-	-	1	-	6	5	12	12
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	5	5	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	15	-	-	-	1	2	1	1	3	5	-	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	1	-	-	-	1	2	1	-	-
Other diseases of heart	125	-	-	-	1	2	4	5	9	28	37	39
Other diseases of circulatory system	28	-	-	-	-	-	-	-	3	5	11	9
Bronchitis	28	2	-	-	-	-	-	2	4	5	6	9
Broncho-pneumonia	18	6	-	3	-	-	-	1	2	3	1	2
Lobar-pneumonia	16	-	1	1	1	-	2	1	3	2	4	1
Pneumonia (type not distinguished)	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system	11	-	-	-	-	-	1	-	1	5	2	2
Diarrhœa and enteritis	12	11	-	-	-	1	-	-	-	-	-	-
Appendicitis, Typhlitis	4	-	-	-	-	1	-	-	1	-	2	-
Hernia, Intestinal obstruction.. ..	9	-	1	-	1	-	-	1	2	-	4	-
Cirrhosis of liver	8	-	-	-	-	-	1	1	2	2	1	1
Other diseases of digestive system ..	22	1	-	1	3	-	1	5	5	4	-	2
Acute nephritis	3	-	-	-	1	-	-	1	-	-	1	-
Chronic Bright's disease..	26	-	-	-	-	1	1	-	4	8	7	5
Other diseases of genito-urinary system.	13	-	-	-	-	3	1	-	1	4	2	2
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth..	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-	-	-
Old age	32	-	-	-	-	-	-	-	-	-	3	29
Suicide	11	-	-	-	-	1	-	1	1	3	3	2
Burns and Scalds	2	-	-	1	-	-	-	-	-	-	-	1
Drowning	1	-	-	-	-	-	-	-	-	1	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	16	-	-	2	3	3	1	1	5	1	-	-
Other deaths by violence	5	-	-	-	-	-	-	1	1	-	3	-
Other specified causes	37	5	2	1	1	3	1	3	6	7	2	6
Ill-defined causes	1	-	-	-	-	-	-	-	-	-	1	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th June, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	252	202	9	58	C. 3 D. 1 G. 9 M. 20
†CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	19	14	1	4	–
†BERMONDSEY ...	–	13	12	–	1	G. 2
†BETHNAL GREEN	–	7	11	–	–	G. 1 M. 1
†CAMBERWELL ...	–	14	10	–	2	G. 2 M. 1
†CHELSEA	–	1	1	–	3	M. 1
†DEPTFORD ...	–	6	13	–	3	G. 1
†FINSBURY ...	–	1	3	–	–	–
†FULHAM	–	5	1	1	5	G. 1 M. 3
†GREENWICH ...	–	9	4	–	2	–
†HACKNEY ...	–	12	6	1	1	–
†HAMMERSMITH ...	–	4	4	1	–	–
†HAMPSTEAD ...	–	3	5	–	1	–
†HOLBORN... ...	–	4	2	–	–	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	23	9	–	2	C. 2 G. 1 M. 2
†KENSINGTON ...	–	9	11	–	1	M. 1
†LAMBETH ...	–	18	20	–	2	M. 4
†LEWISHAM ...	–	12	2	–	1	–
†PADDINGTON ...	–	4	6	–	3	–
†POPLAR	–	10	4	–	9	–
†ST. MARYLEBONE	–	6	5	–	–	–
†ST. PANCRAS ...	–	9	9	2	8	M. 1
†SHOREDITCH ...	–	15	5	–	2	M. 2
†SOUTHWARK ...	–	6	12	–	2	M. 1
†STEPNEY	–	12	10	2	3	C. 1
†STOKE NEWINGTON	–	–	1	–	–	–
†WANDSWORTH ...	–	18	13	–	2	G. 1
†WESTMINSTER, CITY OF	–	1	3	–	–	M. 1
†WOOLWICH ...	–	11	4	1	1	D. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	6	–	1	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	1	–	–	–
DUNSTABLE ...	*	*	*	*	*	*
KEMPSTON ...	–	–	–	–	1	–
†LUTON	–	–	4	–	–	–
Rural Districts:—						
BEDFORD ...	–	3	–	–	–	–
EATON BRAY ...	–	–	1	–	–	–
BERKS	–	6	1	–	1	C. 1 M. 1
†READING C.B. ...	–	3	–	–	–	C. 1
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	M. 1
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	1	–
WINDSOR... ...	–	1	–	–	–	–
BUCKINGHAM ...	–	11	1	1	1	C. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	1	–	–	–	–
†SLOUGH	–	1	–	–	–	
Rural Districts:—						
AMERSHAM ...	–	3	1	–	–	–
AYLESBURY ...	–	–	–		1	–
BUCKINGHAM ...	–	1	–		–	–
ETON	–	–	–	1	–	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	3	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	–	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	1	–
CHESTER	–	42	10	–	11	C. 3 G. 3 M. 2
†BIRKENHEAD C.B.	–	6	1	–	3	C. 1
†CHESTER C.B. ...	–	2	–		1	–
†STOCKPORT C.B.	–	12	1	–	2	–
†WALLASEY C.B. ...	–	6	1	–	–	G. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†DUKINFIELD ...	–	–		–	–	G. 1
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HYDE	–	2	–	–	2	C. 1
†MACCLESFIELD ...	–	–	1	–	–	–
MIDDLEWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	–	–	–	M. 1
†SALE	–	1	–		–	–
†STALYBRIDGE ...	–	–	–	–	–	M. 1
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	1	1	–	–	–
Rural Districts:—						
CONGLETON ...	–	–	1	–	1	C. 1
NANTWICH ...	–	3	–	–	–	–
NORTHWICH ...	–	1	1	–	–	G. 1
RUNCORN... ...	–	3	2	–	–	–
TARVIN	–	1	–		–	–
WIRRAL	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CORNWALL ..	–	4	2	–	4	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	–
LISKEARD ...	*	*	*	*	*	*
LOOE	–	–	–	–	1	
LUDGVAN ...	–	1	–	–	–	–
PENRYN	–	1	–	–	–	–
SALTASH... ...	–	1	–	–	–	–
TORPOINT ...	–	–	2	–	1	–
Rural Districts:—						
HELSTON... ...	–	1	–	–	–	–
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ...	–	13	3	–	3	M. 1
†CARLISLE C.B. ...	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
MILLOM	–	–	–	–	2	–
†WHITEHAVEN ...	–	1	–	–	1	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	3	–	–	–	–
COCKERMOUTH ...	–	3	–	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	1	1	–	–	–
DERBY	5	36	16	2	13	C. 1 G. 2 M. 1
†DERBY C.B. ...	5	3	4	–	1	–
Boroughs and Urban Districts:—						
†ALFRETON ..	–	2	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER		1	–	–	–	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	–	3	1	–	–	–
†CHESTERFIELD ...	–	4	–	–	2	G. 1
†HEANOR	*	*	*	*	*	*
†ILKESTON ...	–	–	–	–	–	M. 1
†LONG EATON ...	–	–	–	–	1	–
†RIPLEY	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	3	1	–	–	C. 1
CHAPEL EN LE FRITH		–	–	–	1	–
CHESTERFIELD ..	–	7	2	–	1	–
CLOWNE	–	3	4	–	–	–
GLOSSOP DALE ...	–	–	–	–	–	G. 1
HARTSHORN AND SEALS		1	–	–	–	–
HAYFIELD ...	–	–	1	–	–	–
REPTON	–	4	–	–	–	–
SHARDLOW ...	–	1	2	2	3	–
DEVON	–	31	4	1	4	C. 1 M. 1
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B...	–	16	2	–	1	–
Boroughs and Urban Districts:—						
ASHBURTON ...	*	*	*	*	*	*
†BARNSTAPLE ...	–	–	–	–	–	C. 1 M. 1
†EXMOUTH ...	–	2	–	–	–	–
NORTHAM ...	–	–	2	–	–	–
OKEHAMPTON ...	–	8	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	1	1	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON ...	–	2	–	–	–	–
DORSET	–	8	–	–	–	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
POOLE	–	2	–	–	–	–
Rural Districts:—						
STURMINSTER ...	–	4	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	111	62	18	–	41	C. 3 E. 1 G. 2 M. 6
†DARLINGTON C.B.	–	4	2	–	–	C. 1
†GATESHEAD C.B.	4	8	7	–	5	–
†SOUTH SHIELDS C.B.	18	2	–	–	13	E. 1
†SUNDERLAND C.B.	–	–	1	–	7	M. 1
†WEST HARTLEPOOL C.B.	–	4	1	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	1	–	–	–	M. 1
BENFIELDSIDE ...	–	2	1	–	–	–
†BLAYDON... ...	4	–	–	–	1	–
†BRANDON AND BYSHOTTLES	7	–	–	–	–	–
†CHESTER LE STREET	–	2	2	–	1	–
†CROOK	4	1	–	–	–	–
†DURHAM	1	–	–	–	–	–
†FELLING	–	–		–	2	–
†HEBBURN ..	2	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON	9	–	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	6	–	–	–	3	–
LEADGATE ...	1	3	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	M. 2
†SHILDON	1	1	–	–	–	–
†SPENNYMOOR ...	1	–	–	–		M. 1
†STANLEY	21	4	–	–	–	–
†STOCKTON ON TEES	–	1	–	–	1	C. 1
†WASHINGTON ...	–	–	–	–	–	G. 1
†WHICKHAM ...	–	–	–	–	2	–
WILLINGTON ...	–	3	–	–	–	–
Rural Districts:—						
AUCKLAND ...	3	2	–	–	1	–
BARNARD CASTLE	–	2	1	–	–	–
CHESTER LE STREET	2	6	1	–		–
DURHAM	12	5	–	–	–	–
EASINGTON ...	3	1	–	–	2	G. 1 M. 1
HOUGHTON LE SPRING	2	1	–	–	–	–
LANCHESTER ...	6	2	1	–	–	–
SEDGEFIELD ...	1	–	–	–	–	C. 1
SOUTH SHIELDS...	–	1	1	–	–	–
STOCKTON ...	1	–	–	–	–	–
WEARDALE ...	–	4	–	–	–	–
ELY, ISLE OF ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
ELY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX	-	73	33	-	8	C. 1 D. 1 E 1 M. 4
†EAST HAM C.B. ...	-	4	7	-	-	-
†SOUTHEND-ON-SEA C.B.	-	2	3	-	2	-
†WEST HAM C.B. ...	-	17	9	-	1	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	-	-	1	C 1 M. 1
BRAINTREE ...	-	1	1	-	-	
BUCKHURST HILL	-	1	1	-	-	-
†CLACTON	-	-	-	-	1	-
†COLCHESTER ...	-	-	-	-	1	M. 1
DAGENHAM ...	-	2	-		-	D. 1
†GRAYS THURROCK	-	-	2	-	1	E. 1
HALSTEAD ...	-	2	-	-	-	-
†HARWICH ...	-	2	-	-	-	-
†ILFORD	-	5	1	-	1	-
†LEYTON		8	3	-	-	-
TILBURY	-	4	-	-	-	-
†WALTHAMSTOW...	-	14	3	-	-	-
Rural Districts:—						
BILLERICAY ...	-	1	-	-	-	-
CHELMSFORD ...	-	1	-	-	-	-
LEXDEN AND WINSTREE	-	-	-	-	-	M. 1
MALDON	-	1	-	-	-	-
ONGAR	-	1	-	-	-	-
ORSETT	-	1	-	-	-	-
ROCHFORD ...	-	2	2	-	-	-
TENDRING ...	-	1	1	-	-	-
GLOUCESTER ..	-	19	16	1	5	C. 1 M. 4
†BRISTOL C.B. ...	-	9	10	1	4	M. 3
†GLOUCESTER C.B.	-	-	-	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	-	2	-	-	-
†KINGSWOOD ...	-	1	-	-	-	-
STROUD	-	1	1	-	-	-
TETBURY... ...	-		1	-	-	-
Rural Districts:—						
DURSLEY... ...	-	-	2	-	-	-
EAST DEAN AND UNITED PARISHES	-	2	-	-	1	-
LYDNEY	-	1	-	-	-	-
STROUD	-	4		-	-	-
WARMLEY ...	-		-	-	-	C. 1
WEST DEAN ...	-	1	-	-	-	-
HEREFORD ..		4	4	-	2	-
Boroughs and Urban Districts:—						
†HEREFORD ...	-	2	2	-		-
Rural Districts:—						
BROMYARD ...	-	-	-	-	2	-
†KINGTON	-	1	-	-	-	-
LEDBURY... ...	-	1	1	-	-	-
WHITCHURCH ...	-	-	1	-	-	-
HERTFORD ..	-	15	11	1	1	C. 1
Boroughs and Urban Districts:—						
†BARNET	-	1	-	-	-	-
BUSHEY	-	1	-	-	-	-
†CHESHUNT ...	-	-	-	-	1	-
†EAST BARNET VALLEY	-	1	-	-	-	-
†HEMEL HEMPSTEAD	-	-	-	-	-	C. 1
†HERTFORD ...	-	1	8	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LETCHWORTH ...	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
WARE	–	–	3	–	–	–
†WATFORD ...	–	5	–		–	–
Rural Districts:—						
WATFORD ...	–	4	–	–	–	–
WELWYN	–	–	–	1		–
HUNTINGDON ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	1	–	–	–	–
KENT	–	44	28	3	5	C. 2 M. 1
†CANTERBURY C.B.	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY	–	10	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	1	–
†BROMLEY ...	–	1	–	–	2	–
†CHATHAM ...	–	–	4	–	–	–
CHISLEHURST ...	–	–		1	–	–
†CRAYFORD ...	–	–	1	–	–	C. 1
†DARTFORD ...	–	–	3	–	–	–
†DOVER	–	–	–	–	–	M. 1
†FAVERSHAM ...	–	5	–	–	–	–
†GILLINGHAM ...	–	1	3	–	–	–
†GRAVESEND ...	–	3	5	1	–	–
†MAIDSTONE ...	–	8	–	–	–	–
†MARGATE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORTHFLEET ...		–	1	–	–	–
†PENGE	–	–	2	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–		2	–	–	–
SWANSCOMBE ...	–	2	1	–	–	–
Rural Districts:—						
BLEAN	–	–	2	–	–	–
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	1	2	–	–	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	–	–	–	1	–
ISLE OF THANET	–	–	–	–	1	–
MALLING	–	1	1	–	–	–
SHEPPEY	–	2	–	–	–	C. 1
LANCASTER ...	11	144	103	3	112	C. 8 E. 1 G. 4 L. 5 M. 20
†BARROW IN FURNESS C.B.	–	2	1	–	1	–
†BLACKBURN C.B.	3	6	2	–	3	L. 1 M. 3
†BLACKPOOL C.B.	–	–	–	–	2	–
†BOLTON C.B. ...	–	1	1	–	4	–
†BOOTLE C.B. ...	–	3	3	–	–	M. 2
†BURNLEY C.B. ...	–	3	4	–	8	–
†BURY C.B. ...	–	4	2	–	2	–
†LIVERPOOL C.B. ...	–	19	24	–	20	C. 1 G. 1 M. 8
†MANCHESTER C.B.	–	35	23	–	14	C. 2 G. 1 M. 2
†OLDHAM C.B. ...	–	8	8	–	–	M. 1
†PRESTON C.B. ...	–	1	3	–	3	G. 1
†ROCHDALE C.B. ...	–	–	1	–	–	–
†ST. HELENS C.B. ...	–	4	1	–	4	C 1
†SALFORD C.B. ...	–	12	12	1	12	M. 2
†SOUTHPORT C.B.	–	4	–	–	–	L. 1
†WARRINGTON C.B.	–	–	2	–	2	E. 1
†WIGAN C.B. ...		3		–	4	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	2	–
†ASHTON IN MAKERFIELD	–	1	2	–	–	–
†ASHTON UNDER LYNE	–	–	–	–	1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ..	–	1	–	–	1	–
AUDENSHAW ...	–	–	–	–	–	C. 1
†BACUP	–	5	–	–	–	–
†CHADDERTON ..	–	1	–	–	–	–
†CHORLEY... ...	–	–	–	–	1	–
†COLNE	7	–	–	–	2	–
†DARWEN	–	5	–	–	–	–
†DENTON	–	1	–	–	1	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	2	1	–	–	C. 1
†FAILSWORTH ...	–	–	1	–		–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	–	–	–	2	–
†GREAT HARWOOD	*	*	*	*	*	*
†HEYWOOD ...	–	–	–	–	–	M. 1
†HINDLEY... ...	–	–	–	–	3	–
†HORWICH ...	–	–	–	–	1	–
HUYTON WITH ROBY	–	1	–	–	–	–
†LANCASTER ...	–	3	–	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	1	–	–	–	–
†MIDDLETON ...	–	2	–	–	–	–
†MORECAMBE ...	–	–	–	–	1	–
†NELSON	–	–	–	–	–	C. 1
†NEWTON IN MAKERFIELD	–	1	–	–	2	–
ORMSKIRK ...	–	–	4	–	–	–
ORRELL	–	1	–	–	–	–
†PADIHAM ...	–	–	1	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	4	–	–	–	C. 1
†RAMSBOTTOM ...	–	2	–	–	–	–
†RISHTON... ...	–	–	1	–	–	–
†STRETFORD ...	–	1	–	–	–	–
†SWINTON AND PENDLEBURY	–	–	1	–	–	–
TOTTINGTON ...	–	–	1	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	2	–
†WATERLOO WITH SEAFORTH	–	1	–	1	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	–	–	–	3	–
Rural Districts:—						
BARTON UPON IRWELL	1	–	–	–	–	–
BURNLEY... ...	–	–	1	–	–	–
CLITHEROE ...	–	–	1	–	–	L. 3
LEIGH	–	–	1	–	2	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...	–	–	–	–	1	–
WARRINGTON ...	–	–	–	–	–	G. 1
WEST LANCASHIRE	–	–	–	1	1	–
WHISTON... ...	–	2	–	–	1	–
LEICESTER... ..	–	6	16	–	7	C. 1 E. 1 M. 1
†LEICESTER C.B. ...	–	4	12	–	5	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	C. 1
†COALVILLE ...	–	1	2	–	–	–
†HINCKLEY ...	–	–	–	–	–	E. 1
†LOUGHBOROUGH	–	1	–	–	–	–
THURMASTON ...	–	–	–	–	1	–
Rural Districts:—						
BLABY	–	–	–	–	1	M. 1
HINCKLEY ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	2	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	17	3	–	7	G. 1
†GRIMSBY C.B. ...	–	1	–	–	2	G. 1
†LINCOLN C.B. ...	–	9	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	2	–
HORNCASTLE ...	–	–	–	–	1	–
MABLETHORPE AND SUTTON	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	1	–
Rural Districts:—						
CAISTOR	–	3	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	3	–	–	–
LOUTH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	45	39	1	14	C. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	–	2	1	1	–
†BRENTFORD ...	–	1	4	–	–	–
†EALING	–	1	–	–	–	–
†EDMONTON ...	–	2	7	–	2	–
†ENFIELD	–	1	3	–	–	–
†FINCHLEY ...	–	4	1	–	–	–
†FRIERN BARNET	–	–	–	–	1	–
†HANWELL ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	1	–	1	–
HAYES	–	–	1	–	–	–
†HENDON	–	5	–	–	–	–
†HESTON AND ISLEWORTH	–	1	3	–	–	–
†HORNSEY	–	2	1	–	–	M. 1
†SOUTHALL NORWOOD	–	1	–	–	–	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	9	1	–	2	–
†TWICKENHAM ...	–	–	–	–	1	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	1	1	–	–	–
†WEMBLEY ...	–	2	2	–	–	–
†WILLESDEN ...	–	8	6	–	3	C. 2
†WOOD GREEN ...	–	4	4	–	1	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	–	1	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	6	5	1	6	–
†GREAT YARMOUTH C.B.	–	1	1	–	–	–
†NORWICH C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	*	*	*	*	*	*
†KING'S LYNN ...	–	–	4	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	–
DOWNHAM ...	–	3	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
MITFORD AND LAUNDITCH				1	–	–
ST. FAITH'S ...	*	*	*	*	*	*
NORTHAMPTON ...	–	6	6	2	6	C. 1 E. 1
†NORTHAMPTON C.B.	–	2	4	2	4	E. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	4	–	–	1	–
†RUSHDEN ...	–	–	–	–	1	–
Rural Districts:—						
GRETTON	–	–	–	–	–	C. 1
THRAPSTON (part)	–	–	1	–	–	–
WELLINGBOROUGH	–	–	1	–	–	–
NORTHUMBERLAND	6	49	5	–	18	C. 4 E. 1 G. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	–	19	3	–	13	E. 1 G. 1 M. 2
†TYNEMOUTH C.B	–	5	1	–	3	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	2	–	–	–	–
†BEDLINGTONSHIRE	1	4	–	–	1	–
†BLYTH	–	1	–	–	–	–
CRAMLINGTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	3	–	–	–	–
†LONGBENTON ...	2	1	–	–	–	–
†NEWBURN ...	–	–	–	–	–	C. 1
SEATON DELAVAL	–	1	1	–	–	–
†WALLSEND ...	–	4	–			C. 2
†WHITLEY AND MONKSEATON	–	1	–	–	–	C. 1
Rural Districts:—						
CASTLE WARD ...	–	2	–	–	–	–
GLENDALE ...	–	1	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	3	–	–	–	–
MORPETH... ...	1	–	–	–	–	–
NOTTINGHAM ...	10	17	17	1	8	M. 2
†NOTTINGHAM C.B	–	5	15	1	3	M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	1	–
†HUCKNALL ...	–	1	–	–	2	–
†KIRKBY IN ASHFIELD	1	–	–	–	–	–
†MANSFIELD ...	–	2	–	–	2	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	9	1	–	–	–	M. 1
WARSOP	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	1	1	–	–	–
BINGHAM... ...	–	1	–	–		–
EAST RETFORD ...	–	1	1	–	–	–
SKEGBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	5	1	–	4	C. 1
†OXFORD C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
WITNEY	–	–	–	–	1	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	–	–	–	1	–
HENLEY	–	1	–	–	–	–
WITNEY	–	–	–		1	C. 1
PETERBOROUGH (Soke of)	–	–	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
Rural Districts—						
PETERBOROUGH...	–	–	1	–	–	–
SALOP	–	8	1	1	2	M. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	–	–	–	1	–
†OAKENGATES ...	–	–	–	–	1	–
†SHREWSBURY ...	–	4	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM		1	–	–	–	–
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	1	–	1	–	–
WEM	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which hev are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	8	–	–	4	G. 1 M. 3
†BATH C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	M. 1
RADSTOCK ...	–	1		–	–	–
SHEPTON MALLET	*	*	*	*	*	*
†TAUNTON... ...	–	–	–	–	2	G. 1 M. 1
WELLS	–	–	–	–	–	M. 1
†WESTON SUPER MARE	–	2	–	–	1	–
Rural Districts:—						
BATH	–	2	–	–	–	–
CHARD	–	–		–	1	–
LANGPORT ...	–	1	–	–		–
SHEPTON MALLET	*	*	*	*	*	*
WELLS	–	1	–	–	–	–
SOUTHAMPTON ...	–	21	31	–	3	M. 4
†BOURNEMOUTH C.B.	–	–	1	–	–	–
†PORTSMOUTH C.B.	–	10	15	–	–	–
†SOUTHAMPTON C.B.	–	2	12	–	–	M. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
†BASINGSTOKE ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT	–	1	–	–	2	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	2	–	–	–	–
LYMINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	–	M. 1
WINCHESTER ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	53	29	2	47	C. 5 E. 1 L. 3 M. 8
†BURTON UPON TRENT C.B.	–	–	6	–	1	–
†SMETHWICK C.B.	–	1	2	–	1	–
†STOKE ON TRENT C.B.	–	9	6	–	23	C. 3 E. 1 M. 4
†WALSALL C.B. ...	–	3	–	–	3	C. 1
†WEST BROMWICH C.B.	–	2	2	–	–	–
†WOLVERHAMPTON C.B.	–	2	–	–	–	M. 3
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	–	–	2	–
†BILSTON	–	2	–	–	2	–
†BRIERLEY HILL...	–	–	2	–	–	–
†BROWNHILLS ...	–	3	–	–	3	–
†CANNOCK	–	2	–	–	–	–
†COSELEY	–	–	–	–	2	–
†DARLASTON ...	–	6	1	–	2	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	–	–	1	–
†LEEK	–	4	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	1	–	–	–
RUGELEY... ...	–	–	–	1	–	
†SEDGLEY	–	–	–	–	1	C. 1
†STAFFORD ...	–	2	–	–	–	–
TAMWORTH ...	–	–	2	–	–	–
†TIPTON	–	1	2	–	2	–
WEDNESFIELD ...	–	1	1	–	–	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	2	–	–	2	–
Rural Districts:—						
CHEADLE... ...	–	1		–	1	L. 3
GNOSALL	–	–	–	–	1	–
KINGSWINFORD...	–	3	3	–		M. 1
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
NEWCASTLE UNDER LYME		–	1	–	–	–
SEISDON	*	*	*	*	*	*
STAFFORD ...	–	2	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	7	6	6	2	–
†IPSWICH C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	1	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	6	–	–
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ...	–	1	5	–	–	–
HOXNE	–	1	–			–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	2	–	–	–
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	*	*	*	*	*	*
THEDWASTRE ...	–	1	–	–	–	–
THINGOE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY	–	53	11	1	6	C. 3 G. 1 L. 3
†CROYDON C.B. ...	–	14	3	–	–	C. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EGHAM	–	–	–	–	1	G. 1
†EPSOM	–	–	–	–	–	L. 3
†ESHER AND THE DITTONS	–	1	1	–		–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	1	C. 1
†KINGSTON ON THAMES	–	6	2	1	1	–
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN	–	–	–	–	1	–
†MITCHAM... ...	–	1	4	–	–	–
†REIGATE	–	17	–	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WIMBLEDON ...	–	6	–	–	–	C. 1
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
GODSTONE ...	–	2	–	–	–	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ..	–	10	6	1	4	J. 1
†BRIGHTON C.B. ..	–	2	5	–	1	–
†EASTBOURNE C.B.	–	2	–	–	–	–
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
CUCKFIELD ...	–	–	–	1	–	–
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	4	1	–	–	J. 1
†LEWES	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
SUSSEX, WEST ..	–	4	5	1	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	4	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	3	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	1	1	–
HORSHAM ...	–	–	1	–	–	–
WARWICK	–	35	47	1	32	C. 2 E. 2 G. 1 M. 3
†BIRMINGHAM C.B.	–	23	42	–	28	E. 2 G. 1 M. 3
†COVENTRY C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	1	–	1	C. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	–	C. 1
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	3	2	–	–	–
FOLESHILL ...	–	1	–	–	–	–
SOLIHULL ...	–	–	–	1	1	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	1	2	–	–	–
WESTMORLAND ..	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND—*cont.*						
Rural Districts:—						
SOUTH WESTMORLAND	–	6	–	–	1	–
WIGHT, ISLE OF ..	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	1	–	–	–
†RYDE	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	1	–	–	–
WILTS	–	9	4	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	1	–	–	–
DEVIZES	–	1	–	–	–	–
†SWINDON... ...	–	–	1	–	1	–
WILTON	–	4	1	–	–	–
Rural Districts:—						
CALNE	–	–	–	–	–	M. 1
DEVIZES	–	–	1	–	–	–
MALMESBURY ...	–	1	–	–	–	–
PEWSEY	–	1	–	–	1	–
SALISBURY ...	–	–	–	–	–	C. 1
WILTON	–	1	–	–	–	–
WORCESTER ..	–	12	7	1	5	G. 2 M. 2
†DUDLEY C.B. ...	–	2	–	–	–	G. 1
†WORCESTER C.B.	–	–		–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	3	2	–	–	–
†KIDDERMINSTER	–	1	–	–	1	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–	3	–	–	1	–
†OLDBURY... ...	–	1	–	–	–	M. 1
†REDDITCH ...	–	1	1	–	–	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	–	2	–	–	–
DROITWICH ...	–	–	1	–	–	G. 1
KIDDERMINSTER	–	1	–	–	1	–
UPTON ON SEVERN	–	–	–	1	–	–
YORKS ... ... (East Riding.)	–	15	22	1	2	D. 1 G. 2 M. 4
†KINGSTON UPON HULL C.B.	–	9	18	–	2	D. 1 G. 1 M. 4
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	–	1	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	1	–	–	–	–
POCKLINGTON ...	–	–	1	–	–	–
WITHERNSEA ...	*	*	*	*	*	*
Rural Districts:—						
DRIFFIELD ...	–	–	–	–	–	G. 1
ESCRICK	–	1	–	–	–	–
HOWDEN	–	3	–	–	–	–
SCULCOATES ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (North Riding.)		27	4	–	5	D. 2
†MIDDLESBROUGH C.B.	–	13	–	–	4	D. 2
Boroughs and Urban Districts:—						
†ESTON	–	3	1	–	–	–
GUISBOROUGH ...	–	–	1	–	–	–
MALTON	–	2		–	–	–
MASHAM		5	1	–	–	–
PICKERING ...	*	*	*	*	*	*
†THORNABY ON TEES	*	*	*	*	*	*
Rural Districts:—						
BEDALE	–	1	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
MIDDLESBROUGH	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	–	–
THIRSK	–	2	1	–	–	–
YORKS ... ... (West Riding.)	13	135	44	4	79	C. 3 G. 10 M. 10
†BARNSLEY C.B. ...	–	5	1	–	1	C. 1
†BRADFORD C.B. ...	–	16	2	–	7	M. 1
†HALIFAX C.B. ...	–	3	2	–	1	–
†HUDDERSFIELD C.B.	–	7	7	–	2	G. 1 M. 1
†LEEDS C.B. ...	–	16	3	–	12	G. 3 M. 1
†ROTHERHAM C.B.	–	6	–	–	8	M. 1
†SHEFFIELD C.B...	1	29	12	–	29	M. 3
†WAKEFIELD C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	1	–
ALTOFTS	–	–	–	–	–	G. 1
BAILDON	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BINGLEY	–	–	–	–	1	–
BIRKENSHAW ...	–	–	–	–	–	G. 1
†BOLTON UPON DEARNE	–	2	–	1	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	–	–	–	1	M. 1
†DONCASTER ...	–	5	1	–	–	–
EARBY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	1	–	–
†GOOLE	–	–	1	–	–	–
†HARROGATE ...	–	1	–	–	1	–
HAWORTH ...	3	–	–	–	–	–
†HEMSWORTH ...	–	–	–	–	2	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	3	–	–	–	–
HUNSWORTH ...	–	–	–	–	–	G. 1
†KEIGHLEY ...	2	2	2	–	–	–
MALTBY	–	–	–	–	1	C. 1
†MEXBOROUGH ...	3	–	–	–	–	–
†OSSETT	–	–	–		–	G. 1
OTLEY	–	–	–	–	–	M. 1
PENISTONE ...	–	–	1	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
RIPON	–	1	–			–
†ROTHWELL ...	–	1	–	–	–	–
†SHIPLEY	–	–	1	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	3	1	–	–	G. 1
STAINLAND ...	–		1	–	–	–
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON	3	2	–	–	–	–
THURSTONLAND AND FARNLEY TYAS.	–	–	–	1	–	G. 1
†WATH UPON DEARNE	–	–	1	–	–	–
†WOMBWELL ...	–	3	–	–	–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
BISHOPTHORPE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
DONCASTER ...	1	–	–	–	4	–
HEMSWORTH ...	–	3	1	–	3	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	–	2	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	–	4	–	–	–	M. 1
ROTHERHAM ...	–	1	4	1	1	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	–	3	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	–	–	–	–	C. 1
§YORK, CITY OF ...	–	–	2	–	–	G. 1
†YORK C.B. ...	–	–	2	–	–	G. 1
WALES.						
ANGLESEY	–	6	–	–	–	–
Boroughs and Urban Districts:—						
AMLWCH	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	5	–	–	–	–
BRECKNOCK ...	–	1	–	–	1	–
BRECKNOCK—*cont.*						
Rural Districts:—						
BUILTH	–	–	–	–	1	–
YSTRADGYNLAIS	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–		–	M. 1
ABERYSTWYTH (SOUTH)	–	–	–	–	2	–
CARMARTHEN ...	–	3	3	–	–	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	*	*	*	*	*	*
CWMAMMAN ...	–	–	1	–	–	–
LLANDILO ...	–	1	–	–	–	–
†LLANELLY ...	–	1	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
CARNARVON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CAERNARVON ...	–	2	–	–	–	–
Rural Districts:—						
LLEYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	6	1	–	1	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	2	–	–	1	–
DENBIGH ...	–	–	1	–		–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
LLANRWST ...	–	1	–	–	–	–
RUTHIN	–	2	–	–	–	–
FLINT	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	–	G. 1
HOLYWELL (MOLD DIV.)	–	2	–	–	–	–
OVERTON ..	*	*	*	*	*	*
GLAMORGAN ..	–	40	19	–	19	C. 1 G. 1 M. 3
†CARDIFF C.B. ..	–	8	4	–	1	M. 3
†MERTHYR TYDFIL C.B	–	–	1	–	–	–
†SWANSEA C.B. ..	–	2	4	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	4	–	–	2	–
†BARRY	–	2	–	–	–	–
†CAERPHILLY ...	–	–	–	–	1	–
†GELLIGAER ...	–	2	1	–	–	–
†GLYNCORWG ...	–	–	1	–	1	–
†MAESTEG ...	–	1	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MOUNTAIN ASH ...	–	3	–	–	1	–
†NEATH	–	1	–	–	2	–
†OGMORE AND GARW	–	1	–	–	1	G. 1
†PENARTH ...	–	–	–	–	2	–
†PONTYPRIDD ...	–	3	2	–	–	–
†PORT TALBOT ...	–	4	–	–	–	–
†RHONDDA ...	–	3	1	–	5	–
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	–	–	–	1	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	3	2	–	–	–
MERIONETH ...	–	–	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	1	–
MONMOUTH ...	–	12	2	7	6	–
†NEWPORT C.B. ...	–	3	–	–	4	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	3	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	–	7	–	–
†BEDWELLTY ...	–	1	1	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	1	–
PONTYPOOL ...	–	1	–	–	–	–
†TREDEGAR ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	*	*	*	*	*	*
WELSHPOOL ...	–	–	–	–	2	–
MONTGOMERY—*cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE	–	–	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
Total of Part II. ...	156	1160	601	43	514	C. 4 D. E. G. 3 J. L. 1 M. 8

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PORT OF LONDON ...	–	–	–	1	–	L. 1	Total of Part III.... ...	–	–	–	1	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*i.e.* ‡ note below).
Total of Part I.—London	–	252	202	9	58	C. D. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	156	1160	601	43	514	C. D. E. G. J. L. M.
Total of Part III.—Port Sanitary Districts	–	–	–	1	–	L.
Total (*i.e.*, of returns received), England and Wales ...	156	1412	803	53	572	C. D. E. G. J. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

5.—LONDON and GREAT TOWNS in the REGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

eek ended :—	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17	Apr. 24	May 1.	May 8.	May 15	May 22.	May 29.	June 5.	June 12.	June 19.
ON :—													
HS—all ages	1,228	1,340	1,347	1,264	1,127	1,108	1,011	913	1,006	904	827	820	766
0 to 1 year ..	113	107	128	93	110	103	98	74	71	69	61	60	61
T TOWNS, aggre- (including Lon- :—													
S	6,687	6,571	6,909	7,976	7,585	7,009	7,412	7,437	7,428	6,025	7,833	7,074	7,424
HS—all ages	5,177	5,583	5,612	5,342	4,889	4,704	4,302	4,230	4,464	4,119	3,939	3,669	3,525
0 to 1 year ..	574	610	600	552	511	511	440	444	469	431	415	403	354
RIC FEVER—Cases	25	24	23	23	20	25	21	21	20	22	28	16	16
„ Deaths	7	3	6	1	1	—	5	3	3	1	4	2	2
POX—Cases ..	70	50	63	65	35	32	58	43	38	39	41	43	31
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
ET FEVER—Cases	894	895	787	742	799	828	840	837	864	760	687	814	792
„ Deaths	9	8	6	9	6	5	13	6	2	6	7	4	4
HERIA—Cases ..	688	716	649	622	639	669	693	666	586	605	538	587	567
„ Deaths ..	47	50	45	41	38	43	43	33	32	19	25	22	24
LES—Deaths ..	121	107	100	99	81	55	68	60	56	56	35	29	37
ENZA—Deaths ..	136	223	294	302	209	166	149	118	111	78	80	67	38

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th June, 1926. (*Supplied by the Meteorological Office.*)

OWNS.	Temperature of Air.* Highest	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ON	77	45	69·9	49·7	20	HUDDERSFIELD	69	43	64·4	49·6	23
REENWICH).						BRADFORD ..	66	42	62·0	48·3	24
ITON ..	68	51	62·3	53·4	23	SHEFFIELD ..	69	45	62·7	50·6	27
EMOUTH ..	72	50	65·4	52·8	13	YORK (MUSEUM)	68	46	63·7	50·0	31
VICH (EATON).	70	46	63 6	50·1	29	HULL (PEARSON PARK).	70	47	64·0	50·4	58
OUTH ..	69	49	62·9	51·9	19	TYNEMOUTH ..	66	46	57·9	49·7	33
OL (CLIFTON).	69	42	64·7	50·6	18	CARDIFF.. ..	67	45	63·7	49·7	15
NGHAM	72	47	63·7	49·6	10						
DGBASTON).											
INGHAM ..	72	47	64·0	49·0	20	EDINBURGH ..	64·0	46·0	58·1	48·9	39
ENHEAD (BIDSTON).	64	45	60·6	50·3	10	GLASGOW ..	69·5	47·8	63·1	50·6	12
HESTER	69	46	63·3	50·1	13	DUBLIN (PHŒNIX PARK).		Not	receive	d.	
VHITWORTH PARK).						(FITZWILLIAM SQUARE†).	71·1	48·2	65·4	51·6	20
LEY	66	43	62·1	48·9	36	BELFAST.. ..	73·0	44·5	65·1	49·0	6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th June, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	13	..	29·410	66·0	48·1	17·9	55·2	− 3·3	48·5	6·7	17·2	0·6	78	137·2	38·1	53·0	WSW	SW	1·3	0·0	0·1	198	− 50	0·00
MONDAY -	14	..	29·467	69·3	45·0	24·3	54·9	− 3·8	49·1	5·8	21·3	1·5	80	137·1	33·8	53·1	WSW	WNW : SW.	2·6	0·0	0·2	257	+ 10	0·17
TUESDAY -	15	..	29·654	70·1	52·9	17·2	60·0	+ 1·2	48·5	11·5	20·7	2·4	65	137·2	49·8	53·2	WSW : W.	W WNW : WSW.	3·1	0·0	0·4	386	+ 141	0·00
WEDNESDAY	16	Apogee	29·767	71·0	50·0	21·0	59·3	+ 0·4	52·3	7·0	16·7	2·2	78	147·0	44·2	53·5	SW : WSW.	W : WSW.	1·5	0·0	0·2	235	− 9	0·00
THURSDAY -	17	..	29·619	66·9	50·1	16·8	56·3	− 2·7	53·0	3·3	13·0	0·0	88	106·5	41·8	53·7	SW	SW : SE.	1·6	0·0	0·1	212	− 31	0·44
FRIDAY -	18	First Quarter.	29·627	69·2	51·1	18·1	58·8	− 0·4	51·5	7·3	16·6	0·0	77	126·8	42·9	53·5	E : NE.	NE : NNE.	2·4	0·0	0·3	269	+ 26	0·19
SATURDAY -	19	In Equator	29·932	76·6	48·0	28·6	62·6	+ 3·1	52·5	10·1	21·6	0·8	70	134·2	40·0	53·9	Calm : WSW : W.	NW : WNW : WSW.	1·0	0·0	0·1	212	− 32	0·00
MEANS -		..	29·639	69·9	49·3	20·6	58·2	− 0·8	50·8	7·4	18·2	1·1	77	132·3	41·5	53·4	WSW		..	..	..	Sum 1769	Sum + 55	Sum 0·80
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	13	wP	2·9	16 5	Nearly overcast till 19h., then partially cloudy. Frequent slight showers between 12h. and 15h. Partial solar halo 19h.
MONDAY ..	14	wP till 16¾h.; wN till 19h.; then wP.	4·5	16·5	Partially cloudy becoming nearly overcast by 4h. Rain about 15h.; 15½h. to 19¾h.; and at 22h. Solar halo 13h.
TUESDAY ..	15	wP	7·0	16·5	Nearly overcast with partially cloudy interval 13h. till 16¼h. Damping 0¼h. and 2¼h.
WEDNESDAY	16	wP	6·2	16·6	Nearly overcast generally. Damping 21½h. till 22h.
THURSDAY	17	wP till 19½h.; then variably wN and wP.	0·0	16·6	Overcast. Slight rain 13h. Rain from 16½h.
FRIDAY ..	18	wP till 10h.; mP till 18½h.; wP.	6 6	16·6	Overcast with cloudy intervals till 17½h, then variably cloudy. Rain 12¼h. till 12¾h.
SATURDAY	19	wP	7·5	16·6	Variably cloudy. Haze 3h. to 15h. Solar halo 9h.
			Sum 34·7	Sum 115·9	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The mean of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and – "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·36 ins. at the beginning of the week to 29·78 ins. by 21h. on 16th; decreased to 29·38 ins. by 4h. on 18th; increased and was 29·98 ins. by midnight on the 19th.

FOR OFFICIAL USE

1926. No. 25.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 26TH JUNE 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH JUNE, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fifth week of the year numbered 7,167, and corresponded to an annual rate of 19·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,385 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 10·6, 9·9, and 9·5. Infant mortality was 53 per 1,000 births against 53, 57 and 48 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,639 births corresponding to a rate of 18·5 per 1,000, and 807 deaths of civilians, corresponding to an annual rate of 9·1, against 9·4, 9·3 and 8·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·1 per 1,000. The infant mortality was 47 as against 36, 37 and 36 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,525 to 3,385. In London the number of deaths from all causes increased from 766 to 807, and the deaths from diphtheria which had been 8, 7, and 6 in the preceding three weeks, rose to 11.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 26th June, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,167	3,385	379	3	26	4	26	38	54	37
London	4,602,000*	1,639	807	77	-	3	2	4	11	13	7
Towns in Outer Ring.											
Croydon C.B ..	199,300	87	30	-	-	-	-	-	2	-	1
Wimbledon ..	58,170	15	10	1	-	-	-	-	-	-	-
Ealing	68,410	32	16	2	-	-	-	-	-	-	-
Acton	63,110	16	6	-	-	-	-	-	-	-	-
Willesden ..	168,900	38	21	1	-	-	-	-	1	-	-
Hendon	59,150*	17	14	3	-	-	-	-	-	-	1
Hornsey	87,210	29	12	1	-	-	-	-	-	-	-
Wood Green ..	51,960	12	5	-	-	-	-	-	-	-	-
Tottenham ..	153,600	63	17	1	-	-	-	-	-	-	-
Edmonton ..	71,210	42	11	6	-	-	-	-	-	-	1
Enfield	63,740	14	8	2	-	-	-	-	-	1	-
West Ham C.B. ..	318,500	149	50	5	-	-	-	1	-	-	1
East Ham C.B. ..	147,200	46	17	-	-	-	-	-	1	-	-
Leyton	132,700	29	23	-	-	-	-	-	-	-	-
Walthamstow ..	130,800	40	10	1	-	-	-	-	-	-	-
Ilford	93,590	54	14	1	-	-	-	-	1	-	-
Gillingham	48,680*	20	10	1	-	1	-	-	-	-	-
Canterbury C.B ..	23,270*	7	5	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	12	17	2	-	-	-	1	-	-	-
Eastbourne C.B. ..	55,060	10	6	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	38	29	-	-	-	-	-	-	-	1
Portsmouth C.B. ..	232,900*	106	45	1	-	2	1	-	4	-	1
Bournemouth C.B. ..	85,840	17	18	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	75	33	5	-	-	-	-	1	3	-
Reading C.B.	93,670*	24	17	1	-	-	-	-	-	-	-
Oxford C.B.	57,090	26	11	1	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	30	13	-	-	-	-	-	-	-	1
Luton	59,230	18	9	1	-	-	-	-	-	-	-
Cambridge	59,020	20	16	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	26	12	1	-	-	-	1	-	-	1
Ipswich C.B.	83,120*	27	19	4	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	23	7	-	-	1	-	-	-	-	-
Norwich C.B. ..	124,000*	45	15	1	-	-	-	-	-	-	-
Swindon	56,880	26	11	2	-	-	-	-	-	-	-
Exeter C.B.	59,820*	21	17	1	-	-	-	-	-	1	-
Plymouth C.B. ..	192,100*	69	32	5	-	-	-	-	-	-	-
Bath C.B.	69,050	14	16	-	-	-	-	-	-	-	2
Bristol C.B.	385,700*	158	57	7	-	1	-	2	1	1	-
Gloucester C.B. ..	53,060	26	9	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	116	40	4	-	1	-	-	1	1	-
Burton-upon-Trent C.B.	49,530	25	3	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	41	17	1	-	-	-	-	-	1	-
Walsall C.B.	102,300	51	28	3	-	-	-	-	-	1	-
West Bromwich C.B	79,490	30	15	2	-	-	-	-	-	-	-
Dudley C.B.	58,810	24	6	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	15	7	1	1	-	-	-	-	-	-
Birmingham C.B. ..	945,900	370	168	20	-	1	-	-	2	2	-
Smethwick C.B. ..	78,840	22	7	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	38	30	2	-	-	-	-	-	-	2
Leicester C.B. ..	242,100	78	52	4	-	-	-	-	3	1	-
Lincoln C.B.	66,600*	26	13	2	-	-	-	-	-	-	-
Grimsby C.B.	87,190	32	18	1	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	118	52	6	1	-	-	-	1	-	-
Derby C.B.	134,400*	56	23	-	-	-	-	1	-	-	-
Chesterfield ..	65,800	31	10	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	36	21	1	-	-	-	-	-	-	1
Chester C.B.	41,670	16	6	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	71	19	2	-	-	-	1	-	1	-
Wallasey C.B. ..	91,720	25	12	1	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	418	161	29	-	4	1	2	1	8	1
Bootle C.B.	83,260	39	8	1	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	41	28	5	-	1	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	74,260	22	12	-	-	-	-	-	2	-	-
IGAN C.B.	91,010	27	11	3	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	20	16	1	-	-	-	-	-	-	2
OLTON C.B.	180,400	60	32	-	-	1	-	-	-	-	1
JRY C.B.	56,700*	17	12	1	-	-	-	-	-	-	1
ANCHESTER C.B. ..	755,800	301	160	27	1	2	-	1	1	2	1
ALFORD C.B.	244,700	90	37	10	-	-	-	1	1	1	-
LDHAM C.B	146,200	53	31	5	-	1	-	-	-	1	1
OCHDALE C.B... ..	92,190	21	18	1	-	-	-	-	-	-	-
URNLEY C.B.	102,300	38	19	3	-	-	-	2	-	-	-
LACKBURN C.B. ..	126,900	41	23	2	-	-	-	-	-	-	-
ESTON C.B.	122,900	47	25	1	-	-	-	-	-	-	-
LACKPOOL C.B. ..	80,750	25	10	2	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	73,470	26	18	-	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	32	17	1	-	-	-	-	-	-	-
ALIFAX C.B.	97,860*	39	21	2	-	-	-	-	1	-	1
RADFORD C.B. ..	290,200	98	63	9	-	-	-	-	-	1	-
EEDS C.B.	472,900	167	93	10	-	-	-	2	1	3	-
EWSBURY C.B ..	54,570	16	7	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,980	13	10	2	-	1	-	-	-	-	-
ARNSLEY C.B. ..	71,170	29	11	4	-	-	-	1	-	-	-
HEFFIELD C.B. ..	526,900*	172	80	4	-	1	-	-	-	1	1
OTHERHAM C.B. ..	70,600	26	9	-	-	-	-	-	-	-	-
ONCASTER	55,610	26	6	-	-	-	-	-	-	-	-
ORK C.B.	84,630*	31	19	3	-	-	-	-	-	-	2
ULL C.B.	297,300	111	48	7	-	-	-	1	-	2	-
IDDLESBROUGH C.B.	136,200	75	23	6	-	-	-	-	-	-	1
ARLINGTON C.B. ..	69,130	24	17	-	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	68,000	22	10	2	-	-	-	1	-	-	-
EST HARTLEPOOL C.B.	71,590	30	14	2	-	1	-	-	-	-	-
UNDERLAND C.B. ..	166,000	84	27	4	-	2	-	-	-	1	-
OUTH SHIELDS C.B. ..	124,600	42	30	2	-	-	-	-	-	2	1
ATESHEAD C.B. ..	129,000	35	26	5	-	2	-	1	1	1	1
EWCASTLE-ON-TYNE C.B.	286,300*	99	53	10	-	-	-	2	-	-	-
YNEMOUTH C.B. ..	66,180	33	8	2	-	-	-	1	-	-	-
ARLISLE C.B.	55,160*	23	11	4	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,420*	43	16	-	-	-	-	-	-	-	2
ARDIFF C.B.	227,100*	104	31	7	-	-	-	-	-	2	-
HONDDA	167,570	50	18	1	-	-	-	-	1	-	-
ERTHYR TYDFIL C.B.	82,920	25	17	7	-	-	-	-	-	2	1
BERDARE	57,700	14	8	-	-	-	-	-	-	-	-
WANSEA C.B.	163,200	57	29	3	-	-	-	-	-	1	-
REATER LONDON ..	7,719,622*	2,691	1,275	111	-	4	2	6	20	14	14
UTER RING	3,117,622*	1,052	468	34	-	1	-	2	9	1	7
6 GREAT TOWNS IN OUTER RING	1,867,550*	663	264	24	-	-	-	1	5	1	4
EMAINDER OF OUTER RING	1,250,072*	389	204	10	-	1	-	1	4	-	3
EDINBURGH†	424,600	143	113	9	-	1	1	-	1	1	-
LASGOW† ..	1,052,200‡	533	214	36	-	1	2	2	2	3	2
UBLIN (REGISTRATION AREA)†	443,000	264	96	12	-	2	-	1	1	2	5
ELFAST†	415,000	217	92	14	-	-	1	-	-	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases†
LONDON‡	4,602,000	1926. June 26	1639	807	9·1	–	–	3	2	4	11	
CALCUTTA AND SUBURBS	1,077,273	May 15	?	608§	29·3	?	12	?	?	?	?	[illegible]
BOMBAY	1,279,061	June 5	383‖	638§	25·9	5	17	5	–	–	–	
MADRAS	528,791	May 29	405	460	45·2	4	1	–	?	5	2	
SYDNEY AND SUBURBS	1,038,950	„ 31										
BRISBANE (Metropolitan Area).	253,568	April 30										
PERTH (Metropolitan Area).	179,388	May 8	86	32	9·3	–	–	–	–	–	–	
		„ 15	74	41	11·9	–	–	–	–	–	–	
		„ 22	68	44	12·7	–	–	–	–	–	–	
AUCKLAND (Urban Area).	180,790	April 30	322	121	8·0	–	–	–	1	2	1	[illegible]
WELLINGTON (Urban Area).	118,490	„ 30	190	84	8·5	–	–	–	–	–	1	[illegible]
CHRISTCHURCH (Urban Area).	118,270	„ 30	190	77	7·8	–	–	–	–	–	1	[illegible]
CAPE TOWN	113,709	May 29	37	25	11·4	–	–	–	–	–	1	[illegible]
JOHANNESBURG	165,958	„ 29	70	32	10·0	1	–	–	–	1	–	[illegible]
DURBAN	54,822	„ 29	26	9	8·5	–	–	–	–	–	–	[illegible]
PARIS	2,906,472	June 20										
ANTWERP	300,065	April 24	118	82	14·2	–	–	3	–	–	–	[illegible]
		May 1	119	68	11·9	–	–	1	–	2	–	[illegible]
AMSTERDAM	719,357	June 12										
COPENHAGEN	587,400	„ 19	197	140	12·4	–	–	–	1	2	1	[illegible]
STOCKHOLM	442,528	„ 12	113	76	8·9	–	–	2	–	–	–	[illegible]
GOTHENBURG	230,804	May 22	?	47	10·6	–	–	–	–	1	–	[illegible]
		„ 29		50	11·3	–	–	–	–	1	–	[illegible]
OSLO (CHRISTIANIA) ..	257,719	June 19	66	43	8·7	–	–	–	–	2	–	[illegible]
BERLIN	2,000,000	„ 5	420	411	10·3	1	?	1	–	1	2	
BRESLAU	559,000	„ 5	181	171	14·5	–	?	–	–	4	–	
COLOGNE	708,000	„ 5	238	130	9·1	–	?	–	–	4	–	
DRESDEN	622,000	„ 5	162	143	11·5	–	?	–	–	1	–	[illegible]
FRANKFORT-ON-MAIN..	473,000	„ 5	119	77	7·7	–	?	–	–	–	–	
HAMBURG	1,095,000	„ 5	342	219	9·5	–	?	–	–	–	–	[illegible]
LEIPZIG	685,000	„ 5	176	142	9·9	–	?	–	–	–	–	[illegible]
MUNICH	680,000	„ 5	192	156	11·2	–	?	–	–	1	–	1
VIENNA	1,869,437											
PRAGUE AND SUBURBS	712,700											
BUDAPEST	960,535	June 12										
WARSAW	1,015,426	„ 19	?	290	14·9	5	–	2	15	1	2	2
CAIRO	829,200	Feb. 4	881	458	27·8	2	1	9	–	?	4	2
ALEXANDRIA	492,100	„ 4	540	369	39·1	–	1	32	–	?	1	2
NEW YORK	6,361,664	June 5										
CHICAGO	2,995,239											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 45 from cholera in Calcutta and 4 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 26th June, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	807	77	15	19	19	42	27	55	111	120	164	158
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	3	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	11	1	-	5	5	-	-	-	-	-	-	-
Influenza	7	-	-	1	-	-	-	-	1	3	-	2
Erysipelas	1	-	-	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	2	-	-	-	-	-	-	-
Meningococcal meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	58	1	1	-	-	14	5	13	18	3	3	-
Nervous system	4	2	1	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	1	1	-	-	-	-	-	-	-	-
Other forms	4	-	-	1	-	1	-	1	1	-	-	-
Venereal diseases	3	2	-	-	-	-	-	-	-	1	-	-
Cancer	114	-	-	-	-	-	-	5	27	34	29	19
Rheumatic fever	1	-	-	-	1	-	-	-	-	-	-	-
Diabetes	9	-	-	-	-	-	-	-	1	4	3	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	-	-	-	-	-	2	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	51	-	-	-	1	-	-	3	6	12	11	18
Epilepsy	2	-	-	-	-	1	-	1	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	31	1	-	-	-	3	3	5	6	8	3	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	1	3	1	-	-	-	-
Other diseases of heart	114	-	-	-	2	8	1	4	12	19	35	33
Other diseases of circulatory system	42	-	-	-	-	-	1	2	5	3	14	17
Bronchitis	24	1	-	-	-	-	-	-	3	2	8	10
Broncho-pneumonia	20	6	-	1	-	-	-	2	1	2	3	5
Lobar-pneumonia	16	-	1	-	-	1	-	2	3	4	5	-
Pneumonia (type not distinguished)	7	1	-	-	-	-	-	-	1	2	3	-
Other diseases of respiratory system	12	1	1	2	-	-	1	2	3	-	-	2
Diarrhœa and enteritis	15	12	1	-	1	-	-	-	-	1	-	-
Appendicitis, Typhlitis	6	-	-	1	-	2	-	-	1	1	1	-
Hernia, Intestinal obstruction	10	3	-	1	-	-	-	-	1	-	3	2
Cirrhosis of liver	5	-	-	-	-	-	-	-	3	-	2	-
Other diseases of digestive system ..	22	1	1	-	-	-	-	2	4	6	7	1
Acute nephritis	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Bright's disease	19	-	-	-	1	2	1	-	-	8	5	2
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	2	2	2	3	2
Puerperal sepsis	2	-	-		-	-	-	2	-	-	-	-
Other causes incident to childbirth ..	3	-	-		-	-	1	2	-	-	-	-
Congenital malformations	5	2	1	-	1	1	-	-	-	-	-	-
Premature birth	17	17	-		-	-	-		-	-	-	-
Debility, atrophy (congenital) ..	6	6	-	-	-	-	-	-	-	-	-	-
Old age	44	-	-	-	-	-	-	-	-	-	9	35
Suicide	12	-	-	-	-	-	4	3	2	1	2	-
Burns and Scalds	4	-	1	1	-	-	-	-	1	-	-	1
Drowning	2	-	-	-	-	1	-	-	-	-	1	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	1	4	2	1	1	-	-	2	1
Other deaths by violence	12	-	-	-	-	-	5	1	1	2	2	1
Other specified causes	42	12	-	2	-	5	1	-	6	2	10	4
Ill-defined causes	1	-	-	1	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectiou Diseases notified in th week ended 26th Jun 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	236	212	12	47	C. 1 D. 2 E. 1 G. 5 M. 21
†CITY OF LONDON	–	2	2	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	17	14	–	5	M. 1
†BERMONDSEY ...	–	11	10	–	2	–
†BETHNAL GREEN	–	9	14	–	4	M. 1
†CAMBERWELL ...	–	10	9	1	1	G. 1
†CHELSEA	–	2	5	–	–	–
†DEPTFORD ...	–	2	5	–	2	M. 1
†FINSBURY ...	–	3	4	–	1	–
†FULHAM	–	3	5	–	2	M. 1
†GREENWICH ...	–	7	10	–	2	–
†HACKNEY ...	–	20	10	1	–	M. 3
†HAMMERSMITH ...	–	3	5	–	–	G. 1
†HAMPSTEAD ...	–	3	4	–	–	–
†HOLBORN... ...	–	2	2	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	15	6	–	1	C. E. M.
†KENSINGTON ...	–	7	3	2	2	M.
†LAMBETH ...	–	17	12	–	1	–
†LEWISHAM ...	–	21	5	-	1	–
†PADDINGTON ...	–	8	2	2	1	M.
†POPLAR	–	19	17	–	4	M.
†ST. MARYLEBONE	–	3	1	1	-	–
†ST. PANCRAS ...	–	4	10	–	6	D. G. M.
†SHOREDITCH ...	–	5	1	–	2	M.
†SOUTHWARK ...	–	4	15	2	–	D.
†STEPNEY	–	18	11	1	2	G.
†STOKE NEWINGTON	–	3	1	–	–	–
†WANDSWORTH ...	–	9	14	2	3	M
†WESTMINSTER, CITY OF	–	4	10	–	3	-
†WOOLWICH ...	–	5	5	–	1	G. M.

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
EDFORD	–	4	3	–	1	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	–	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
KEMPSTON ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
Rural Districts:—						
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ..	–	1	–	–	–	
EATON SOCON ...	–	1	–	–	–	–
LUTON	–	–	1	–	–	–
ERKS	–	9	1	–		–
†READING C.B. ..	–	–	1	–	–	–
Rural Districts:—						
BRADFIELD ...	–	2	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WOKINGHAM ...	–	5	–	–	–	–
UCKINGHAM ...	–	12	1	–	1	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE	–	1	–	–	–	–
CHESHAM... ...	–	1	–	–	–	–
MARLOW	–	2	–	–	–	–
†SLOUGH	–	2	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	4	–	–	–	–
ETON	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	3	–	–	M. 1
Borough:—						
†CAMBRIDGE ...	–	1	2	–	–	M. 1
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
MELBOURN ...	–	–	1	–	–	–
SWAVESEY ...	–	3	–	–	–	–
CHESTER	–	39	9	3	15	E. 1 G. 2 M. 2
†BIRKENHEAD C.B	–	4	4	1	5	–
†CHESTER C.B. ...	–	4	–	–	–	–
†STOCKPORT C.B.	–	3	2	–	3	G. 1 M. 1
†WALLASEY C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
†CREWE	–	–	–	–	–	M. 1
†DUKINFIELD ...	–	–	–	–	1	–
HALE	*	*	*	*	*	*
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	–	–	2	–
LYMM	*	*	*	*	*	*
†MACCLESFIELD ...	–	2		2	–	–
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	–	E. 1
†RUNCORN ...		–	–	–	–	G. 1
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
TARPORLEY ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW* ...	–	2	–	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NANTWICH ...	–	3	–	–	1	–
NORTHWICH ...	–	–	2	–	–	–
RUNCORN... ...	–	2	–	–	–	–
TARVIN	–	2	–	–	–	–
WIRRAL	–	3	–	–	–	–
CORNWALL ..	–	1	–	–	3	–
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
PHILLACK ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	2	–
TORPOINT ...	–	–	–	–	1	–
CUMBERLAND ..	–	9	7	–	2	C. 1 G. 1 M. 1
†CARLISLE C.B. ..	–	2	–	–	–	G. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–		–
CLEATOR MOOR ...	–	–	1	–	–	–
COCKERMOUTH ...	–	–	–	–	–	C. 1
HOLME CULTRAM	–	2	–	–	–	
†WHITEHAVEN ...	–	–	–	–	–	M. 1
WIGTON	*	*	*	*	*	*
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
CARLISLE ..	–	2	–	–		–
COCKERMOUTH ...	–	1	–	–	2	–
PENRITH	–	–	2		–	–
WHITEHAVEN ...	–	1	2	–	–	–
WIGTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	2	26	22	–	18	–
†DERBY C.B. ...	2	2	11	–	4	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
†BELPER	–	–	1	–	–	–
†BOLSOVER ...	–	4	1	–	–	–
†CHESTERFIELD ...	–	1	–		1	–
†LONG EATON ...	–	1	1	–	–	–
NEW MILLS ...	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
†THE MATLOCKS...	–	1	–	–	–	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	3	–	–	–	–
BELPER	–	–		–	2	–
BLACKWELL ...	–	7	–	–	4	–
CHESTERFIELD ..	–	2	2	–	2	–
CLOWNE	–	–	3	–	–	–
HARTSHORN AND SEALS	–	1	–	–	–	–
REPTON	–	1	1	–	–	–
SHARDLOW	–	1	1	–	2	–
CODNOR PARK AND SHIPLEY (Parishes)		–	–	–	1	–
DEVON	–	12	1	–	4	C. 1 G. 1 M. 5
†EXETER C.B. ...	–	–	–	–	–	G. 1 M. 1
†PLYMOUTH C.B...	–	6	1	–	2	M. 2
Boroughs and Urban Districts:—						
BUCKFASTLEIGH	*	*	*	*	*	*
DARTMOUTH ...	–	–	–	–	1	M. 1
OKEHAMPTON ...	–	2	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
TIVERTON ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BROADWOOD WIDGER	–	–	–	–	1	–
NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	–	–	–	–	M 1
PLYMPTON ST. MARY	–	1	–	–	–	–
TORRINGTON ...	–	1	–	–	–	–
DORSET	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	1	–
†POOLE	–	1	–	–	–	–
Rural Districts:—						
BRIDPORT ...	–	–	1	–	–	–
DORCHESTER ...	*	*	*	*	*	*
WAREHAM AND PURBECK	–	1	–		–	–
DURHAM	125	36	21	–	27	C. 1 G. 1 M. 5
†DARLINGTON C.B.	1	3	–	–	1	–
†GATESHEAD C.B.	1	3	8	–	–	–
†SOUTH SHIELDS C.B.	5	–	1	–	5	–
†SUNDERLAND C.B.	–	–	1	–	8	M. 3
†WEST HARTLEPOOL C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
†BLAYDON... ...	4	–	–	–	2	–
†BRANDON AND BYSHOTTLES	14	2	–	–	–	–
†CHESTER LE STREET	1	1	2	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	4	–	–	–	–	
†FELLING	–	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	4	2	–	–	–	–
†HETTON	8	–	–	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	3	–	1	–	1	–
LEADGATE ...	1	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	5	–	–		–	
†STANLEY	37	1	–	–	–	–
†STOCKTON ON TEES	–	1	1	–	–	–
†TANFIELD ...	7	1	–	–	–	–
†WASHINGTON ...	–	1	1	–	–	–
†WHICKHAM ...	–	1	–	–	2	C. 1
WILLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	2	–	2	–	–	M. 1
BARNARD CASTLE	–	1	–	–	–	G. 1
CHESTER LE STREET	1	1	–	–	1	–
DURHAM	–	4	–	–	1	–
EASINGTON ...	12	3	2	–		–
HOUGHTON LE SPRING	6	–	–	–	–	–
LANCHESTER ..	7	3	–	–	–	–
SOUTH SHIELDS...	–	–	–	–	1	–
SUNDERLAND ...	–	–	–	–	–	M. 1
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ..	–	1	3	–	4	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	3	–	–	–
†WISBECH	–	–	–	–	1	–
Rural Districts:—						
ELY	–	1	–	–	1	–
WHITTLESEY ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	85	46	3	24	M. 3
†EAST HAM C.B. ...	–	8	4	–	1	–
†SOUTHEND-ON-SEA C.B.	–	4	2	1	1	M. 1
†WEST HAM C.B. ...	–	22	10	–	12	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	14	2	–	–	M. 2
BRAINTREE ...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	–	1	–	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	–	–	–	1	–
DAGENHAM ...	–	4	–	–	1	–
EPPING	–	–	–	–	1	–
†GRAYS THURROCK	–	–	5	–	–	–
HALSTEAD ...	–	2	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	3	5	–	1	–
†LEYTON	–	4	4	–	2	–
†ROMFORD ...	–	2	–	–	–	–
TILBURY	–	5	–	–	1	–
WALTHAM HOLY CROSS	–	–	2	–	–	–
†WALTHAMSTOW...	–	6	6	1	2	–
WITHAM	–	–	1	–	–	–
†WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	1	–	–	1	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	1	1	–	–	–
TENDRING ...	–	2	–	–	–	–
GLOUCESTER ...	–	23	23	–	9	M. 2
†BRISTOL C.B. ...	–	14	12	–	6	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	–
STROUD	–	–	2	–	–	–
TETBURY... ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
CIRENCESTER ...	–	–	2	–	2	–
DURSLEY... ...	–	–	2	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	1	–
PEBWORTH ...	–	1	–	–	–	–
STROUD	–	4	3	–	–	–
THORNBURY ...	–	1	–	–	–	M. 1
WARMLEY ...	–	1	–	–	–	–
HEREFORD ..	–	–	2	–	–	G. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	–	G. 2
HERTFORD ..	–	11	3	3	1	L. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†BARNET	–	1	1	–	–	–
BISHOP'S STORTFORD	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LETCHWORTH ...	–	1	–	–	–	–
RICKMANSWORTH	–	–	–	1	–	–
WARE	–	–	2	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
WATFORD ...	–	4	–	–	–	L. 1
WELWYN	–	–	–	1	–	–
HUNTINGDON ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	3	–	–	–	–
Rural Districts:—						
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	24	17	–	4	–
†CANTERBURY C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BEXLEY	–	3	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	–	–
†CHATHAM ...	–	–	3	–	–	–
†ERITH	–	3	1	–	–	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	–	2	–	–	–
†GRAVESEND ...	–	1	5	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	–	–	–	1	–
MILTON REGIS ...	–	–	–	–	1	–
†PENGE	–	1	1	–	–	–
†RAMSGATE ...	–	1	1	–	2	–
†ROCHESTER ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	3	–	–	–	–
CRANBROOK ...	–	1	–	–	–	–
EASTRY	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	7	203	111	1	139	C. 6 D. 1 E. 3 G. 11 L. 3 M. 37
†BARROW IN FURNESS C.B.	–	1	–	–	–	–
†BLACKBURN C.B.	1	7	–	–	3	–
†BLACKPOOL C.B.	–	4	–	–	1	M. 1
†BOLTON C.B. ...	–	5	1	–	1	M. 1
†BOOTLE C.B. ...	–	6	2	–	1	–
†BURNLEY C.B. ...	–	–	2	–	3	M. 1
†BURY C.B. ...	–	3	–	–	2	–
†LIVERPOOL C.B. ...	–	41	30	1	28	C. 2 E. 1 M. 16
†MANCHESTER C.B.	2	44	17	–	33	C. 1 E. 1 G. 4 M. 7
†OLDHAM C.B. ...	–	6	6	–	–	M. 1
†PRESTON C.B. ...	–	3	5	–	1	G. 1
†ROCHDALE C.B. ...	–	2	1	–	–	–
†ST. HELENS C.B. ...	–	2	7	–	4	M. 2
†SALFORD C.B. ...	–	12	11	–	2	D. 1 M. 2
†SOUTHPORT C.B.	–	2	3	–		C. 1
†WARRINGTON C.B.	–	3	1	–	5	G. 1
†WIGAN C.B. ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	2	–	–	–
†ASHTON UNDER LYNE	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
ASPULL	–	–	–	–	2	–
†ATHERTON ...	–	1	–	–	2	–
†BACUP	–	1	–	–	2	M. 1
BRIERFIELD ...	–	–	1	–		–
†CHADDERTON ...	–	–	–	–	–	E. 1
†CHORLEY... ...	–	–	–	–	1	–
†COLNE	–	2	–	–	1	–
†CROMPTON ...	–	3	–	–	–	–
†DALTON IN FURNESS	–	2	–	–	–	–
†DARWEN	–	2	–	–	1	–
†DENTON	–	2	–	–	1	–
†ECCLES	–	4	–	–	1	–
†FAILSWORTH ...	–	–	1	–	1	C. 1
†FARNWORTH ...	–	–	–	–	–	C. 1 M. 1
†FLEETWOOD ...	3	1	–	–	3	G. 1
GOLBORNE ...	–	–	–	–	1	–
†GREAT HARWOOD	–	–	1	–	–	G. 1
†HASLINGDEN ...	–	–	1	–	1	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...	–	1	2	–	5	–
†HORWICH ...	–	–	–	–	2	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	–	–	2	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	3	–	–	2	–
†LEIGH	–	–	3	–	2	G. 1
LEYLAND... ...	–	–	1	–	–	–
†LITHERLAND ...	–	2	–	–	–	–
†MIDDLETON ...	1	1	–	–	1	–
†MORECAMBE ...	–	–	–	–	–	M. 1
†NELSON	–	–	–	–	1	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	1	–	–	–
†PADIHAM ...	–	–	2	–	1	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...		2	1	–	1	–
†RAWTENSTALL ...	–	3	–	–	–	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ..	–	3	–	–	–	G. 1 M. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	5	2	–	3	–
TOTTINGTON ...	*	*	*	*	*	*
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	3	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	–	G. 1
†WESTHOUGHTON	–	–	–	–	2	–
WHITEFIELD ...	–	1	–	–	–	–
†WIDNES	–	–	2	–	3	M. 2
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BURY	–	–	1	–	–	–
CLITHEROE ...	–	1	–	–	–	L. 3
FYLDE	–	–	–	–	1	–
GARSTANG ...	–	1	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
SEFTON	–	–	1	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WHISTON... ...	–	–	2	–	1	–
LEICESTER... ..	–	19	16	1	5	C. 1 E. 1 M. 1
†LEICESTER C.B. ...	–	7	8	–	1	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	3	1	–	–	–
†COALVILLE ...	–	1	1	–	–	–
†LOUGHBOROUGH	–	3	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
WIGSTON MAGNA	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
BARROW UPON SOAR	–	4	–	–	–	–
BLABY	–	–	1	1	1	–
MARKET BOSWORTH	–	–	2	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	4	1	–	–	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
SPALDING (part)..	–	4	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	2	1	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	1	–	–
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE	–	2	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
SPALDING (part)..	–	–	2	–	–	–
LINCOLN (parts of Lindsey).	–	24	10	–	5	C. 1 M. 3
†GRIMSBY C.B. ...	–	6	4	–	–	–
†LINCOLN C.B. ...	–	10	1	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	–	1	M. 1
†GAINSBOROUGH ...	–	1	–	–	1	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	3	1	–	2	–
SKEGNESS ...	–	–	1	–	–	–
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GAINSBOROUGH ...	–	–	–	–	–	C. 1
GRIMSBY	–	1	1	–	–	–
LOUTH	–	2	1	–	–	–
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ..	–	39	56	2	7	C. 1 D. 2 G. 2
Boroughs and Urban Districts:—						
†ACTON	–	4	3	–	–	–
†BRENTFORD ...	–	1	1	–	1	–
†CHISWICK ...	–	1	–	–	–	–
†EALING	–	4	1	–	1	–
†EDMONTON ...	–	–	10	–	–	–
†ENFIELD	–	–	1	1	–	–
†FINCHLEY ...	–	5	1	–	–	–
†FRIERN BARNET	–	–	–	–	1	–
HAYES	–	1	–	–	–	–
†HENDON	–	3	–	–	–	–
†HESTON AND ISLEWORTH	–	–	–	–	–	D. 1 G. 1
†HORNSEY... ..	–	2	5	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	–	3	–	1	–
†TOTTENHAM ..	–	4	9	–	1	–
†TWICKENHAM ..	–	–	2	–	–	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WILLESDEN ...	–	6	6	1	1	C. 1 G. 1
†WOOD GREEN ...	–	4	7	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	1	1	–	–	–
STAINES	–	–	–	–	–	D. 1
UXBRIDGE ...	–	–	1	–	1	–
NORFOLK	–	5	4	1	4	C. 1 D. 1 G. 1 M. 2
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	–	1	1	2	D. 1 M. 2
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	–
†KING'S LYNN ...	–	–	1		2	–
SWAFFHAM ...	–	–	–	–	–	G. 1
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
DOCKING	*	*	*	*	*	*
DOWNHAM ...	–	2	–	–	–	–
EAST AND WEST FLEGG	–	–	–	–	–	C. 1
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
SMALLBURGH ...	–	–	1	–	–	–
THETFORD ..	–	–	1	–	–	–
NORTHAMPTON ...	–	9	6	6	3	M. 1
†NORTHAMPTON C.B.	–	1	6	6	1	M. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	4	–	–	–	–
†RUSHDEN ...	–	1	–	–		–
†WELLINGBOROUGH	–	2	–	–	2	–
Rural Districts:—						
THRAPSTON (part)	–	1	–	–	–	–
NORTHUMBERLAND	6	26	4	–	19	C. 1 G. 3 M. 2
†NEWCASTLE UPON TYNE C.B.	–	11	2	–	10	C. 1 G. 3 M. 1
†TYNEMOUTH C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	5	1	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	5	–
†BLYTH	–	1	–	–	2	–
†GOSFORTH ...	–	3	–	–	–	–
†LONGBENTON ...	1	1		–	–	–
†NEWBURN ...	*	*	*	*	*	*
PRUDHOE... ...	–	–	–	–	–	M. 1
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	3	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
BELFORD	–	1	–	–	–	–
GLENDALE ...	*	*	*	*	*	*
HALTWHISTLE ...	*	*	*	*	*	*
NORHAM AND ISLANDSHIRES	–	–	–	–	1	–
NOTTINGHAM ...	9	12	12	2	13	C. 1 D. 1 M. 1
†NOTTINGHAM C.B.	–	5	11	2	6	D. 1 M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	–	–	2	–
†EAST RETFORD ...	–	–	–	–	1	C. 1
†HUCKNALL ...	–	1	–	–	2	
†KIRKBY IN ASHFIELD	1	1	–	–	1	–
†MANSFIELD ...	–	–	1	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	8	2	–	–	–	–
WARSOP	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
EAST RETFORD ...	–	1	–	–	–	–
SKEGBY	–	1	–	–	–	–
OXFORD	–	2	1	–	1	–
†OXFORD C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	1	–	–	–
Rural Districts:—						
CROWMARSH ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	2	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	1	–
SALOP	–	5	3	–	3	–
Boroughs and Urban Districts:—						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
†WENLOCK ...		–	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	3	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...	–	–	2	–	–	–
WELLINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	3	1	–	8	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	1	–
ILMINSTER ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	–	C. 1
BRIDGWATER ...	–	–	1	–	–	–
CLUTTON	–	–	–	–	2	–
DULVERTON ...	–	–	–	–	1	–
KEYNSHAM ...	–	2	–	–	–	–
TAUNTON ...	–	–	–	–	1	–
WELLS	–	1	–	–	–	D. 1
WILLITON ...	–	–	–	–	–	G. 1
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON ..	–	31	21	–	2	G. 1 M. 3
†BOURNEMOUTH C.B.	–	3	–	–	1	–
†PORTSMOUTH C.B.	–	7	14	–	–	–
†SOUTHAMPTON C.B.	–	6	4	–	–	G. 1 M. 3
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	2	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
HAVANT	–	2	–	–	–	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	2	–	–	–	–
FAREHAM ...	–	1	–	–	–	–
LYMINGTON ...	–	3	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	52	40	7	31	C. 1 D. 1 G. 1 L. 11 M. 9
†BURTON UPON TRENT C.B.	–	2	2	–	–	–
†SMETHWICK C.B.	–	2	2	–	1	–
†STOKE ON TRENT C.B.	–	8	11	–	12	C. 1 M. 4
†WALSALL C.B. ...	–	–	7	–	–	D. 1
†WEST BROMWICH C.B.	–	2	1	–	3	–
†WOLVERHAMPTON C.B.	–	2	–	–	1	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
†BILSTON	–	1	2	–	–	–
†BRIERLEY HILL...	–	–	2	–	–	G. 1
†BROWNHILLS ...		3	–	–	–	–
†DARLASTON ...	–	4	–	–	–	–
KIDSGROVE ...	–	1	1	–	–	M. 1
†LEEK	–	6	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	1	–
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	3	1	–	–	–
RUGELEY... ...	–	–	–	1	–	–
†STAFFORD ...	–	1	–	–	1	–
STONE	–	2	1	–	–	–
TAMWORTH ...	–	–	2	–	–	–
†TIPTON	–	–	–	–	1	–
UTTOXETER ...	*	*	*	*	*	*
†WEDNESBURY ...	–	1	1	–	1	–
†WILLENHALL ...	–	2	–	–	–	–
†WOLSTANTON UNITED	–	1	–	–	4	–
Rural Districts:—						
CHEADLE... ...	–	3	–	–	2	L. 11
KINGSWINFORD...	–	–	3	–	1	–
LEEK	–	2	1	–	–	–
LICHFIELD ...	–	2	1	6	2	M. 1
NEWCASTLE UNDER LYME	–	–	–	–	1	–
UTTOXETER ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	6	1	1	1	C. 2 M. 3
†IPSWICH C.B. ...	–	1	–	1	–	C. 1 M. 2
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	–	–	–	1	M. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–
EAST STOW ...	–	–	–	–	–	C. 1
HARTISMERE ...	–	–	1	–	–	–
SAMFORD... ...	–	3	–	–	–	–
SUFFOLK, WEST ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	1	–	–	–	–
SURREY	–	47	23	2	5	C. 3 M. 2
†CROYDON C.B. ...	–	16	9	1	1	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	–	C. 1
†BEDDINGTON AND WALLINGTON	–	–	–	–	1	–
†COULSDON AND PURLEY	–	–	–	1	–	–
†EGHAM	–	3	1	–	–	–
†EPSOM	–	–	–	–	1	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	M. 1
†MERTON AND MORDEN	–	1	1	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM... ...	–	–	2	–	–	C. 1
†REIGATE	–	10	–	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	–	–	–	1	–
†THE MALDENS AND COOMBE	–	–	1	–	–	M. 1
WEYBRIDGE ...	–	–	–	–	1	–
†WIMBLEDON ...	–	5	4	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	3	–	–	–
GODSTONE ...	–	2	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	4	–	–	–	–
SUSSEX, EAST ...	–	13	5	2	2	C. 2
†BRIGHTON C.B. ...	–	5	–	–	–	C. 1
†EASTBOURNE C.B	–	4	–	–	–	–
†HASTINGS C.B. ...	–	1	–	–	–	C. 1
Boroughs and Urban Districts:—						
CUCKFIELD ...	–	–	–	2	–	–
EAST GRINSTEAD	–	–	2	–	1	–
Rural Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	–	3	–	1	–
SUSSEX, WEST ..	–	8	3	2	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	1	–	–	–	–
†HORSHAM ...	–	1	3	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	–	1	–	–
THAKEHAM ...	–	–	–	1	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	27	47	2	37	C. 3 G. 5 M. 11
†BIRMINGHAM C.B.	–	23	42	2	30	C. 2 G. 3 M. 10
†COVENTRY C.B. ...	–	1	–	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	2	–
†ROYAL LEAMINGTON SPA	–	–	–	–	2	C. 1
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	2	–
MERIDEN... ...	–	2	–	–	–	–
SOUTHAM... ...	–	–	–	–	–	G. 1
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ..	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	2	–	–	–	–
WEST WARD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (*see* ‡ note below).
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	5	10	–	4	C. 1 G. 1 L. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	–	–	–	–	G. 1
DEVIZES	–	–	3	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SWINDON... ...	–	–	4	–	3	–
†TROWBRIDGE ...	–	1	–	–	–	C. 1
WILTON	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
DEVIZES	–	–	1	–	1	L. 1
MELKSHAM ...	–	–	1	–	–	–
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
WORCESTER ...	–	10	7	–	3	C. 1 G. 2 G. 1
†DUDLEY C.B. ...	–	5	–	–	–	
†WORCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	–	1	–	–	C. 1
DROITWICH ...	*	*	*	*	*	*
†HALESOWEN ...	–	1	–	–	1	–
†KIDDERMINSTER	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	2	–	–	–	G. 1
†OLDBURY... ...	–	–	1	–	–	–
†REDDITCH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	–	2	–	–	–
EVESHAM ...	–	–	1	–	–	–
PERSHORE ...	–	–	1	–	–	–
YORKS ... ... (East Riding.)	–	13	11	–	4	C. 1 G. 1 M. 1
†KINGSTON UPON HULL C.B.	–	12	9	–	2	M. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	*	*	*	*	*	*
COTTINGHAM ...	–	–	1	–	–	
HESSLE	–	–	–	–	1	–
WITHERNSEA ...	–	–		–	–	G. 1
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
HOWDEN	–	–	–	–	1	–
RICCALL	–	–	–	–	–	C. 1
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding.)	–	18	4	–	5	M. 1
†MIDDLESBROUGH C.B.	–	11	1	–	3	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†REDCAR	–	2	1	–	1	–
Rural Districts:—						
GUISBOROUGH ...	–	1	1	–	–	–
MIDDLESBROUGH	–	–	1	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
THIRSK	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS ... ... (West Riding.)	16	155	40	3	84	C. 4 D. 1 G. 4 M. 11
†BARNSLEY C.B. ...	–	9	1	–	1	-
†BRADFORD C.B. ...	–	14	2	–	4	M. 1
†DEWSBURY C.B....	–	3	–	–	–	–
†HALIFAX C.B. ...	–	–	1	–	–	M. 1
†HUDDERSFIELD C.B.	–	9	1	–	2	G. 1 M. 1
†LEEDS C.B. ...	–	8	5	–	15	M. 1
†ROTHERHAM C.B.	–	4	–	–	5	–
†SHEFFIELD C.B....	–	23	15	-	28	C. 2 D. 1 G. 1 M. 3
†WAKEFIELD C.B.	–	3	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY	–	1	3	–	1	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	–	–	–	1	-
CALVERLEY ...	–	1	–	–	–	–
CLAYTON	–	–	-	–	–	C. 1
†CONISBROUGH ...	-	1	–	–	–	–
†DARTON	–	1	–	–	–	-
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	2	–	–	–	M. 1
†ELLAND	–	–	–	-	1	–
FARSLEY	–	–	–	–	–	C. 1
†FEATHERSTONE ...	-	1	–	–	–	
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	1	1	–	–	-
GREASBROUGH ...	–	–	–	-	1	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	2	–	–	–	M. 1
†HEMSWORTH ...	–	–	1	–	3	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	2	–	–	–	–
†HOYLAND NETHER	–	4	2	–	2	–
†KEIGHLEY ...	4	–	–	–	–	–
KNOTTINGLEY ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
MARSDEN... ...	–	1	–	–	–	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	5	1	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	2	–
NEW MILL ...	–	3	–	–	1	–
†SKIPTON	–	2	–	–	–	–
†SOWERBY ...	–	3	–	–	–	–
†SPENBOROUGH ...	–	1	–	.	–	–
SPRINGHEAD ...	–	–	–	1	–	–
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	2	–	–	2	–
†SWINTON... ...	2	–	1	–	–	–
†TODMORDEN ...	–	1	-	–	–	–
†WATH UPON DEARNE	–	3	1	–	-	–
†WOMBWELL ...	–	6	–	–	1	–
†WORSBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
BISHOPTHORPE ...	–	2	–	–	–	–
DONCASTER ...	–	3	2	–	2	–
HALIFAX	–	–	–	–	1	–
HEMSWORTH ...	–	2	1	2	2	G. 1
KIVETON PARK ...	–	4	1	–	-	–
PATELEY BRIDGE	-	11	–	–	–	–
PONTEFRACT ...	–	2	–	–	–	–
RIPON	–	3	–	-	–	–
ROTHERHAM ...	5	2	1	–	1	M. 1
SELBY	-	1	–	–	–	–
SETTLE	–	2	-	–	–	–
SKIPTON	–	–	–	–	1	–
THORNE	–	1	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	–	–	–	–	G. 1
WORTLEY ...	–	-	–	–	1	–
§YORK, CITY OF ..	–	2	–	–	1	–
†YORK C.B. ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	4	1	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	1	–	1	–
LLANGEFNI ...	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	3	–	–	–	–
BRECKNOCK ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	2	–	–	–
Rural Districts:—						
YSTRADGYNLAIS	–	2	–	–	–	–
CARDIGAN ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
CARMARTHEN ...	–	–	4	–	4	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
†CARMARTHEN ...	–	–	–	–	1	–
†LLANELLY	–	–	1	–	1	–
CARMARTHEN—*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	1	–		–
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	–	1	–	1	M. 1
CARNARVON ...	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CONWAY	–	–	–	1	–	–
DENBIGH	–	2	–	–	–	–
Rural Districts:—						
WREXHAM ...	–	2	–	–	–	–
FLINT	–	3	2	–	–	G. 1
Boroughs and Urban Districts:—						
MOLD	–	2	–	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN ..	–	40	20	–	24	G. 1 M. 1
†CARDIFF C.B. ..	–	5	3	–	4	G. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ...	–	9	2	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	5	–
†BARRY	–	1	2	–	1	–
†CAERPHILLY ...	–	2	–	–	1	–
†GELLIGAER ...	–	3	1	–	1	–
†GLYNCORWG ...	–			–	2	–
†MAESTEG ...	*	*	*	*	*	*
†MOUNTAIN ASH ...	–	1	1	–	2	–
†NEATH	–	–		–	1	–
†OGMORE AND GARW	–	2	–	–	–	–
†PONTYPRIDD ...	–	1	–	–	–	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	5	4	–	6	–
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	–	–	–	1	–
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ..	–	3	3	–	–	–
MONMOUTH ..	–	10	7	1	5	E. 4 M. 1
†NEWPORT C.B. ...	–	4	2	1	3	E. 4
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†BEDWELLTY ...	–	1	3	–	1	–
†MYNYDDISLWYN	–	1	–	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	–	1	–	–	1	–
†TREDEGAR ...	–	–	–	–	–	M. 1
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MONTGOMERY ...	–	–	1		–	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	1	–	–	–
PEMBROKE	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	1	–	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	–	–	1	–	–	–
Total of Part II. ...	165	1119	640	44	538	C. 34 D. 8 E. 9 G. 42 L. 16 M. 110

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
COLCHESTER	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	–	–	2	–
GLOUCESTER	–	–	2	–	–	C. 1	PORT OF LONDON ...	–	–	4	–	–	–
HULL AND GOOLE ...	–	–	–	1	–	–							
LIVERPOOL	–	–	–	1	–	–	**Total of Part III....** ...	–	–	6	2	2	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	236	212	12	47	C. 1 D. 2 E. 1 G. 5 M. 21
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	165	1119	640	44	538	C. 34 D. 8 E. 9 G. 42 L. 16 M. 110
Total of Part III.—Port Sanitary Districts	-	-	6	2	2	C. 1
Total (*i.e.*, of returns received), England and Wales ...	165	1355	858	58	587	C. 36 D. 10 E. 10 G. 47 L. 16 M. 131

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	Ju 2
LONDON:—													
DEATHS—all ages	1,340	1,347	1,264	1,127	1,108	1,011	913	1,006	904	827	820	766	
" 0 to 1 year ..	107	128	93	110	103	98	74	71	69	61	60	61	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,571	6,909	7,976	7,585	7,009	7,412	7,437	7,438	6,025	7,833	7,074	7,424	7.
DEATHS—all ages	5,583	5,612	5,342	4,889	4,704	4,302	4,230	4,464	4,119	3,939	3,669	3,525	3,
" 0 to 1 year ..	610	600	552	511	511	440	444	469	431	415	403	354	
ENTERIC FEVER—Cases	24	23	23	20	25	21	21	20	22	28	16	16	
" Deaths	3	6	1	1	—	5	3	3	1	4	2	2	
SMALL POX—Cases ..	50	63	65	35	32	58	43	38	39	41	43	31	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	895	787	742	799	828	840	837	864	760	687	814	792	
" Deaths	8	6	9	6	5	13	6	2	6	7	4	4	
DIPHTHERIA—Cases ..	716	649	622	639	669	693	666	586	605	538	587	567	
" Deaths ..	50	45	41	38	43	43	33	32	19	25	22	24	
MEASLES—Deaths ..	107	100	99	81	55	68	60	56	56	35	29	37	
INFLUENZA—Deaths ..	223	294	302	209	166	149	118	111	78	80	67	38	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 26th June, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainf in Mill metre
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	78	41	70·0	50·3	6	HUDDERSFIELD	77	40	65·0	48·1	6
BRIGHTON ..	68	45	63·1	51·4	3	BRADFORD ..	74	40	62·6	47·1	8
PORTSMOUTH ..	70	45	65·5	50·9	0	SHEFFIELD ..	77	41	63·0	49·0	8
NORWICH (EATON).	77	42	66 0	50·0	8	YORK (MUSEUM)	76	45	65·3	49·9	7
PLYMOUTH ..	67	45	64·0	50·3	0	HULL (PEARSON PARK).	78	42	65·1	50·1	5
BRISTOL (CLIFTON).	66	46	64·9	50·7	0·4	TYNEMOUTH ..	76	46	61·9	50·9	7
BIRMINGHAM (EDGBASTON).	73	43	63·6	48·6	0	CARDIFF.. ..	66	43	63·3	48·7	1
NOTTINGHAM ..	76	42	63·9	48·4	2	EDINBURGH ..	72·0	43·0	61·7	48·1	11
BIRKENHEAD (BIDSTON).	74	49	61·3	52·0	1	GLASGOW ..	71·0	43·9	63·3	48·4	6
MANCHESTER (WHITWORTH PARK).	74	43	63·6	49·7	2	DUBLIN (PHŒNIX PARK).		Not	received.		
BURNLEY.. ..	70	37	62·1	46·1	7	(FITZWILLIAM SQUARE†).	77·4	45·7	64·0	51·4	4
						BELFAST.. ..	74·0	40·5	65·7	47·9	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th June, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	20	..	29·972	75·5	52·1	23·4	63·6	+ 3·7	59·2	4·4	13·8	2·2	86	143·4	45·8	54·0	WSW	WSW	2·0	0·0	0·3	—	— —	0·00
MONDAY	21	..	29·855	78·4	60·1	18·3	67·1	+ 6·8	58·4	8·7	18·5	1·9	74	154·4	52·2	54·1	WSW	WSW: W.	2·0	0·0	0·3	321	+ 74	0·00
TUESDAY	22	..	29·793	71·7	55·1	16·6	61·0	+ 0·4	46·0	15·0	26·2	3·0	58	144·1	47·8	54·2	WNW: NW.	WNW: NNW.	2·1	0·0	0·3	305	+ 56	0·00
WEDNESDAY	23	..	29·849	65·9	48·9	17·0	56·1	− 4·8	44·8	11·3	20·2	1·8	66	137·2	40·2	54·7	NNW	NNW: Calm.	1·5	0·0	0·2	223	− 27	0·04
THURSDAY	24	..	29·943	63·0	45·3	17·7	51·6	− 9·6	47·5	4·1	15·0	1·2	86	132·2	34·9	54·9	Calm	Var.: Calm.	1·0	0·0	0·0	106	− 146	0·19
FRIDAY	25	Full	30·109	65·6	41·2	24·4	53·2	− 8·2	42·9	10·3	21·9	1·7	68	132·7	32·0	54·9	Calm	N: NE: Calm.	0·9	0·0	0·0	120	− 133	0·00
SATURDAY	26	Greatest Declination S.	30·115	70·1	43·0	27·1	57·4	− 4·1	44·5	12·9	22·2	1·8	62	130·9	33·0	54·9	Calm: W.	NW: N.	1·0	0·0	0·1	191	− 61	0·00
MEANS		..	29·948	70·0	49·4	20·6	58·6	− 2·3	49·0	9·5	19·7	1·9	71	139·3	40·8	54·5	Variable		..	..	..	Sum 1266	Sum − 237	Sum 0·23
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS
SUNDAY ..	20	wP	8·5	16·6	Variably cloudy.
MONDAY ..	21	wP	6·9	16·6	Nearly overcast till 9h., then variably cloudy. Rain 8½h. till 9h. Dew in evening.
TUESDAY ..	22	wP	10·2	16·6	Overcast till 2h., then variably cloudy.
WEDNESDAY	23	wP till 8h.; mP till 18h.; wP till 22h.; then variably wN and wP.	6·0	16·6	Variably cloudy becoming nearly overcast by 12h. Heavy shower about 22h.
THURSDAY	24	wP till 14h.; variably sP and sN till 17h.; then wP.	2·6	16·6	Variably cloudy. Thunder and lightning between 14h. and 15½h. Rain 14½h. till 15¾h Damping 19½h. Mist from 22h.
FRIDAY ..	25	wP till 6h.; mP till 20h.; then wP.	2·6	16·5	Variably cloudy. Mist in morning and at night.
SATURDAY	26	wP till 8h.; mP till 11h.; then wP.	9·7	16·5	Variably cloudy. Haze 3h. till 21h.
			Sum 46·5	Sum 116·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·98 ins. at the beginning of the week to 29·99 ins. by 10h. on 20th; decreased to 29·78 ins. by 3h. on 22nd; increased generally and was 30·13 ins. by midnight on the 26th.

FOR OFFICIAL USE

1926. No. 26.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 3RD JULY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD JULY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-sixth week of the year numbered 7,137, and corresponded to an annual rate of 19·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,570 and corresponded to an annual rate of 9·6 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·9, 9·5, and 9·1. Infant mortality was 50 per 1,000 births against 57, 48 and 53 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,615 births corresponding to a rate of 18·3 per 1,000, and 785 deaths of civilians, corresponding to an annual rate of 8·9, against 9·3 8·7 and 9·1, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·0 per 1,000. The infant mortality was 41 as against 37, 36 and 47 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,384 to 3,570. In London the number of deaths from all causes decreased from 807 to 785, and the deaths from diphtheria which had been 7, 6, and 11 in the preceding three weeks, fell to 5 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 3rd July, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,137	3,570	354	3	25	8	30	32	47	28
London	4,602,000*	1,615	785	67	-	2	-	5	5	7	6
Towns in Outer Ring.											
Croydon C.B ..	199,300	68	31	4	-	-	-	-	1	-	-
Wimbledon ..	58,170	21	9	-	-	-	-	-	-	-	-
Ealing	68,410	23	8	-	-	-	-	-	-	-	-
Acton	63,110	23	14	1	-	-	-	1	-	-	-
Willesden ..	168,900	56	26	2	-	-	-	-	2	-	-
Hendon	59,150*	14	8	-	-	-	-	-	-	-	-
Hornsey	87,210	25	12	-	-	-	-	-	-	-	-
Wood Green ..	51,960	19	11	1	-	-	-	-	1	-	-
Tottenham ..	153,600	40	28	3	-	1	-	-	-	-	1
Edmonton ..	71,210	45	7	2	-	-	-	-	-	-	-
Enfield	63,740	20	11	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	144	57	8	-	-	-	-	1	2	-
East Ham C.B. ..	147,200	36	22	2	-	-	1	1	-	1	-
Leyton	132,700	32	18	1	-	-	-	-	-	-	-
Walthamstow ..	130,800	35	17	2	-	-	1	-	-	1	-
Ilford	93,590	30	16	-	-	-	-	-	-	-	-
Gillingham	48,680*	15	11	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	3	5	1	-	-	-	1	-	-	-
Hastings C.B.	60,470	15	10	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	20	9	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	57	34	2	1	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	90	41	3	-	2	-	1	1	-	-
Bournemouth C.B. ..	85,840	24	18	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	82	32	7	-	-	-	-	-	-	-
Reading C.B.	93,670*	30	16	-	-	-	-	-	-	-	-
Oxford C.B.	57,090	16	19	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	24	20	3	1	-	-	-	1	1	-
Luton	59,230	14	15	2	-	-	-	1	-	-	-
Cambridge	59,020	23	8	2	-	1	-	-	-	-	-
Southend-on-Sea C.B.	98,060	23	14	1	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	33	6	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	32	14	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	57	21	1	-	-	-	-	-	-	-
Swindon	56,880	18	7	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	23	13	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	77	37	3	-	-	-	-	-	1	-
Bath C.B.	69,050	14	17	1	-	-	-	-	-	-	-
Bristol C.B.	385,700*	130	55	6	-	-	1	1	1	2	-
Gloucester C.B. ..	53,060	24	8	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	101	53	9	-	-	-	1	-	2	1
Burton-upon-Trent C.B.	49,530	20	6	2	-	-	-	-	-	-	1
Wolverhampton C.B.	108,800	43	18	1	-	-	-	-	-	-	-
Walsall C.B.	102,300	39	19	1	-	-	-	-	-	-	-
West Bromwich C.B	79,490	34	10	1	-	-	1	-	-	-	-
Dudley C.B.	58,810	22	13	3	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	14	10	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	365	180	17	-	3	-	-	1	2	1
Smethwick C.B. ..	78,840	22	10	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	39	17	1	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	83	43	2	-	1	-	-	-	-	1
Lincoln C.B.	66,800*	30	9	1	-	-	-	-	-	-	-
Grimsby C.B.	87,190	47	17	1	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	87	52	1	-	-	-	-	3	-	1
Derby C.B.	134,400*	56	31	2	-	-	-	-	-	1	-
Chesterfield ..	65,800	26	12	4	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	30	20	4	-	-	1	-	-	-	-
Chester C.B.	41,670	24	10	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	56	18	3	-	-	-	-	-	1	-
Wallasey C.B. ..	91,720	41	17	2	-	1	-	-	-	-	-
Liverpool C.B. ..	856,000	345	178	27	-	8	1	-	-	9	1
Bootle C.B.	83,260	40	9	2	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	43	17	2	-	-	-	-	2	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	20	14	1	-	-	-	-	-	-	-
Wigan C.B.	91,010	33	19	1	-	-	-	-	-	1	-
Warrington C.B. ..	77,970*	24	15	1	-	-	-	-	-	-	1
Bolton C.B.	180,400	26	50	4	-	2	-	1	-	1	1
Bury C.B.	56,700*	21	11	1	-	-	-	-	-	-	-
Manchester C.B. ..	755,800	306	163	20	-	2	1	3	1	3	2
Salford C.B.	244,700	70	48	4	-	-	-	-	-	-	-
Oldham C.B	146,200	54	28	1	-	-	-	-	1	-	-
Rochdale C.B... ..	92,190	21	22	1	-	-	-	-	-	-	-
Burnley C.B.	102,300	26	25	4	-	-	-	1	-	-	-
Blackburn C.B. ..	126,900	35	31	3	-	-	1	-	-	-	1
Preston C.B.	122,900	40	29	3	-	-	-	-	-	-	-
Blackpool C.B. ..	80,750	31	13	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	25	15	-	-	-	-	1	-	-	-
Huddersfield C.B. ..	112,100	33	33	2	-	-	-	-	-	-	-
Halifax C.B.	97,860*	27	33	2	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	104	70	5	-	-	-	1	-	1	1
Leeds C.B.	472,900	170	78	6	-	-	-	-	1	1	1
Dewsbury C.B ..	54,570	22	11	2	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	18	13	-	-	-	-	-	2	-	-
Barnsley C.B. ..	71,170	39	9	2	-	-	-	-	-	-	1
Sheffield C.B. ..	526,900*	193	114	15	-	2	-	1	4	2	-
Rotherham C.B. ..	70,600	33	15	1	-	-	-	-	1	-	-
Doncaster	55,610	32	10	1	-	-	-	-	-	-	-
York C.B.	84,630*	29	19	2	-	-	-	-	-	1	1
Hull C.B.	297,300	101	53	9	-	-	-	2	-	1	-
Middlesbrough C.B.	136,200	71	25	6	-	-	-	-	1	-	-
Darlington C.B. ..	69,130	32	5	-	-	-	-	-	-	-	1
Stockton-on-Tees ..	68,000	29	12	3	-	-	-	3	-	-	2
West Hartlepool C.B.	71,590	39	9	1	-	-	-	-	-	-	-
Sunderland C.B. ..	166,000	82	25	5	-	-	-	-	-	-	-
South Shields C.B. ..	124,600	69	16	5	-	-	-	-	-	1	2
Gateshead C.B. ..	129,000	69	23	7	-	-	-	-	-	2	-
Newcastle-on-Tyne C.B.	286,300*	147	63	10	-	-	-	3	-	1	-
Tynemouth C.B. ..	66,180	25	11	-	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	25	12	1	-	-	-	-	-	1	-
Newport (Mon.) C.B.	96,420*	43	20	2	1	-	-	1	-	-	-
Cardiff C.B.	227,100*	95	51	3	-	-	-	1	-	1	-
Rhondda	167,570	61	23	1	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	82,920	35	10	-	-	-	-	-	-	-	-
Aberdare	57,700	25	11	-	-	-	-	-	-	-	-
Swansea C.B.	163,200	60	27	4	-	-	-	-	2	-	1
Greater London ..	7,719,622*	2,655	1,269	105	-	3	2	7	11	12	11
Outer Ring	3,117,622*	1,040	484	38	-	1	2	2	6	5	5
16 Great Towns in Outer Ring	1,867,550*	631	295	26	-	1	2	2	5	4	1
Remainder of Outer Ring	1,250,072*	409	189	12	-	-	-	-	1	1	4
Edinburgh†	424,600	175	81	9	-	3	-	-	2	4	-
Glasgow† ..	1,052,200‡	499	256	34	-	-	1	4	3	5	2
Dublin (Registration Area)†	443,000	204	114	18	-	2	-	-	2	4	4
Belfast†	415,000	174	91	15	-	-	-	2	1	4	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1926.										
LONDON‡	4,602,000	July 3	1615	785	8·9	–	–	2	–	5	5	7
CALCUTTA AND SUBURBS	1,077,273	May 22	?	594§	28·7	?	10	?	?	?	?	?
BOMBAY	1,279,061	June 12	313‖	601	24·4	1	19	4	–	1	–	28
MADRAS	528,791	„ 5	350	398§	39·1	–	–	–	?	4	–	42
SYDNEY AND SUBURBS	1,038,950	May 31										
BRISBANE (Metropolitan Area).	253,568	April 30										
PERTH (Metropolitan Area).	179,388	May 29										
AUCKLAND (Urban Area).	180,790	April 30										
WELLINGTON (Urban Area).	118,490	„ 30										
CHRISTCHURCH (Urban Area).	118,270	„ 30										
CAPE TOWN	113,709	June 5	52	26	11·9	–	–	–	–	–	1	–
JOHANNESBURG	165,958	„ 5	75	44	13·8	1	–	–	–	1	–	–
DURBAN	54,822	„ 5	24	12	11·4	–	–	–	–	–	–	–
PARIS	2,906,472	„ 20 (10 days)	1334	1129	14·2	2	–	22	2	2	7	29
ANTWERP	300,065	May 8	106	48	8·3	1	–	–	–	1	–	1
		„ 15	99	57	9·9	–	–	–	–	–	–	3
		„ 22	108	57	9·9	–	–	–	–	1	–	1
AMSTERDAM	719,379	June 12										
COPENHAGEN	587,400	„ 26	202	143	12·5	1	–	–	–	5	2	2
STOCKHOLM	442,528	„ 19	94	92	10·8	–	–	1	–	–	–	–
GOTHENBURG	230,804	„ 5	?	43	9·7	–	–	–	–	–	–	–
		„ 12	?	45	10·1	–	–	–	–	–	–	–
OSLO (CHRISTIANIA) ..	257,719	„ 26	72	51	12·9	–	–	–	–	–	–	1
BERLIN	2,000,000	„ 12	399	447	11·4	–	?	1	1	–	1	3
BRESLAU	559,000	„ 12	179	124	10·2	–	?	–	1	1	–	–
COLOGNE	708,000	„ 12	264	136	9·6	–	?	–	–	–	–	2
DRESDEN	622,000	„ 12	151	111	8·4	–	?	–	–	1	–	1
FRANKFORT-ON-MAIN ..	473,000	„ 12	128	80	8·0	–	?	–	–	–	–	–
HAMBURG	1,095,000	„ 12	324	225	9·8	–	?	–	–	–	–	–
LEIPZIG	685,000	„ 12	205	139	9·5	–	?	–	–	–	–	–
MUNICH	680,000	„ 12	192	145	10·0	–	?	2	2	–	–	2
VIENNA	1,869,437	Dec. 31 '25										
PRAGUE AND SUBURBS	712,700	Jan. 31										
BUDAPEST	960,535	June 12	394	294	15·9	2	–	2	2	–	2	4
WARSAW	1,015,426	„ 26										
CAIRO	859,400	Feb. 11	842	441	26·8	4	–	4	–	?	2	26
ALEXANDRIA	492,100	„ 11	519	381	40·4	1	–	41	–	?	2	26
NEW YORK	6,361,664	June 5	2506	1347	11·0	?	?	?	?	?	?	?
CHICAGO	2,995,239	Mar. 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Ci Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

§ Including 58 from cholera in Calcutta and 1 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd July, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	785	67	13	11	22	39	47	46	102	142	149	147
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	5	3	1	1	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	4	1	-	-	-	-	-	-	-
Influenza	6	-	-	-	-	-	-	1	1	2	2	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	2	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	61	-	-	-	-	13	20	5	13	4	6	-
Nervous system	7	1	-	1	4	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	1	-	-	-
Other forms	6	-	1	-	1	3	-	-	-	1	-	-
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	128	-	-	-	1	-	1	4	23	46	30	23
Rheumatic fever	1	-	-	-	-	1	-	-	-	-	-	-
Diabetes	12	-	-	-	-	-	1	1	-	6	4	-
Alcoholism	1	-	-	-	-	-	-	-	-	1	-	-
Simple meningitis	1	-	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	57	-	-	-	-	-	-	4	9	16	16	12
Epilepsy	2	-	-	-	-	1	-	-	-	-	1	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	-	-	-	2	-	3	5	6	5	2	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	1	-	-	2	1	1	-	-
Other diseases of heart	109	-	-	-	-	6	2	4	10	20	36	31
Other diseases of circulatory system	33	-	-	-	-	-	-	3	2	3	11	14
Bronchitis	36	2	-	-	-	-	2	1	-	7	10	14
Broncho-pneumonia	12	3	1	1	1	-	-	1	2	-	1	2
Lobar-pneumonia	17	-	3	1	-	-	2	2	3	3	3	-
Pneumonia (type not distinguished)	6	2	1	-	-	-	2	-	1	-	-	-
Other diseases of respiratory system	7	-	-	1	-	-	-	-	2	2	-	2
Diarrhœa and enteritis	9	7	-	-	-	-	-	-	1	1	-	-
Appendicitis, Typhlitis	11	-	-	-	3	1	2	2	-	2	-	1
Hernia, Intestinal obstruction.. ..	3	1	-	-	-	-	-	-	1	1	-	-
Cirrhosis of liver	6	-	-	-	-	-	-	-	3	1	2	-
Other diseases of digestive system ..	29	1	-	2	-	3	1	2	9	5	1	5
Acute nephritis	2	-	1	-	-	-	-	-	-	-	1	-
Chronic Bright's disease..	20	-	-	-	-	-	1	1	5	5	5	3
Other diseases of genito-urinary system.	11	1	-	-	-	2	-	1	-	2	3	2
Puerperal sepsis	2	-	-	-	-	-	1	1	-	-	-	-
Other causes incident to childbirth..	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	20	20	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	6	6	-	-	-	-	-	-	-	-	-	-
Old age	29	-	-	-	-	-	-	-	-	-	1	28
Suicide	13	-	-	-	-	2	2	2	3	2	2	-
Burns and Scalds	3	-	1	-	-	-	1	-	1	-	-	-
Drowning	1	-	-	-	-	-	-	-	-	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	9	-	-	-	3	2	-	-	1	1	2	-
Other deaths by violence	10	-	1	-	2	1	-	-	1	1	1	3
Other specified causes	38	10	2	-	2	3	4	1	3	3	8	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd July, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	278	213	8	47	C. 2 G. 7 L. 1 M. 16	**Metropolitan Boroughs—*cont.***						
†CITY OF LONDON	-	1	1	-	-	-	†ISLINGTON ...	-	17	9	-	6	M. 5
							†KENSINGTON ...	-	12	7	3	3	M. 1
							†LAMBETH ...	-	18	17	-	-	-
Metropolitan Boroughs :—							†LEWISHAM ...	-	11	11	-	4	G. 2 M. 1
†BATTERSEA ...	-	8	11	-	1	-	†PADDINGTON ...	-	4	7	-	1	G. 1
†BERMONDSEY ...	-	10	7	-	2	-	†POPLAR	-	17	10	1	5	C. 1 M. 1
†BETHNAL GREEN	-	11	11	-	-	M. 1	†ST. MARYLEBONE	-	4	5	-	-	-
†CAMBERWELL ...	-	19	13	-	3	-	†ST. PANCRAS ...	-	11	14	-	4	M. 1
†CHELSEA	-	1	5	-	1	-	†SHOREDITCH ...	-	7	2	-	1	C. 1 G. 1
†DEPTFORD ...	-	10	13	-	3	-	†SOUTHWARK ...	-	13	10	1	-	-
†FINSBURY ...	-	6	2	-	1	M. 2	†STEPNEY	-	29	14	3	2	L. 1 M. 2
†FULHAM	-	4	4	-	2	-	†STOKE NEWINGTON	-	7	1	-	-	M. 1
†GREENWICH ...	-	6	5	-	2	G. 1							
†HACKNEY ...	-	19	11	-	-	-	†WANDSWORTH ...	-	13	9	-	2	M 1
†HAMMERSMITH ...	-	4	2	-	-	-	†WESTMINSTER, CITY OF	-	1	2	-	1	G. 1
†HAMPSTEAD ...	-	4	3	-	-	-							
†HOLBORN... ...	-	2	1	-	-	-	†WOOLWICH .	-	9	6	-	3	G. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	2	–	2	–
Boroughs and Urban Districts:—						
BIGGLESWADE ...	–	–	–	–	1	–
†LUTON	–	2	1	–		–
Rural Districts:—						
BIGGLESWADE ...	–	3	1	–	–	–
LUTON	–	–	–	–	1	–
BERKS	–	4	1	1	–	–
†READING C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
WANTAGE .	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	1	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
BUCKINGHAM ...	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
†SLOUGH	–	–	–	–	–	G. 1
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	17	7	–	2	G. 1
Borough:—						
†CAMBRIDGE ...	–	1	7	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	G. 1
CHESTERTON ...	–	2	–	–	2	–
NEWMARKET ...	–	7	–	–	–	–
SWAVESEY ...	–	7	–	–	–	–
CHESTER	–	44	16	1	21	G. 1 L. 1 M. 3
†BIRKENHEAD C.B.	–	7	5	–	3	M. 1
†CHESTER C.B. ...	–	1	–	–	2	–
†STOCKPORT C.B.	–	9	1	–	1	–
†WALLASEY C.B. ...	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	3	–	–	–	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	–	–	–	–	G. 1 M. 1
†DUKINFIELD ...	–	–	–	–	7	–
HALE	–	1	–	–	–	–
†HYDE	–	3	–	–	1	M. 1
†MACCLESFIELD ...	–	1	–	–	1	L. 1
NANTWICH ...	*	*	*	*	*	*
NESTON AND PARKGATE	–	–	–	–	2	–
†RUNCORN ...	–	1	–	1	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	4	–	–	–	–
MACCLESFIELD ...	–	1	1		–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	3	3	–	–	–
WIRRAL	–	1	5	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CORNWALL ...	–	1		2	1	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
LISKEARD ...	*	*	*	*	*	*
PAUL	–	–		1	–	–
PHILLACK ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
TORPOINT ...	*	*	*	*	*	*
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	M. 1
CUMBERLAND ...	–	17	6	–	2	–
†CARLISLE C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†WHITEHAVEN ...	–	2	1	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	1	–	–	–
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	–	3	–	–	–	–
CARLISLE ...	–	1	1	–	1	–
COCKERMOUTH ...	–	1	–	–	–	–
LONGTOWN ...	–	–	–	–	1	–
PENRITH	–	1	2	–	–	–
WHITEHAVEN ...	–	3	1	–	–	–
DERBY	6	33	10	1	12	G. 1 M. 1
†DERBY C.B. ..	6	2	1	–	1	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	3	–
BAKEWELL ...	–	1	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	–	1	–	–	–	–
CLAY CROSS ...	–	1	–	–	–	–
†GLOSSOP	–	–	2	–	1	–
†HEANOR	–	1	–	–	1	–
†LONG EATON ...	–	1	–	–	1	–
NEW MILLS ...	–	–	2	–	–	–
NORTH DARLEY...	–	–	1	–	–	–
†SWADLINCOTE DISTRICT	–	3	–	–	1	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	1	–	–
BELPER	–	3	–	–	–	–
BLACKWELL ...	–	1	–	–	–	–
CHAPEL EN LE FRITH	–	1	1	–	–	G. 1
CHESTERFIELD ...	–	5	–	–	–	–
CLOWNE	–	5	3	–	–	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	*	*	*	*	*	–
REPTON	–	3	–	–	–	–
SHARDLOW ...	–	2	–	–	2	M. 1
DEVON	–	24	8	–		C. 1
†EXETER C.B. ...	–	4	–	–	–	–
†PLYMOUTH C.B....	–	9	3	–	1	C. 1
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	1	–	–	–
†EXMOUTH ...	–	–	–	–	1	–
HONITON ...	*	*	*	*	*	*
†ILFRACOMBE ...	–	2	–	–	–	–
LYNTON	*	*	*	*	*	*
OKEHAMPTON ...	–	6	–	–		–
SALCOMBE ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
HONITON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	–	–	4	–	–	–
TAVISTOCK ...	*	*	*	*	*	*
DORSET	–	4	1	1	1	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	1	1	–
Rural Districts:—						
BRIDPORT ...	–	2	–	–	–	–
DORCHESTER ...	*	*	*	*	*	*
STURMINSTER ...	–	–	1	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM	102	65	22	2	19	C. 1 G. 1 M. 5
†DARLINGTON C.B.	1	2	1	–	2	–
†GATESHEAD C.B.	–	4	4	–	–	–
†SOUTH SHIELDS C.B.	8	1	1	1	3	C. 1
†SUNDERLAND C.B.	–	2	1	–	5	M. 1
†WEST HARTLEPOOL C.B.	–	3	–	–	2	M 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	–	–	–	–
†BLAYDON... ...	2	5	–	–	–	–
†BRANDON AND BYSHOTTLES	7	–	–	–	–	–
†CHESTER LE STREET	3	2	1	–	–	–
†CROOK	*	*	*	*	*	*
†DURHAM	1	3	–	–	–	–
†FELLING	–	–	1	–	1	–
†HARTLEPOOL ...	–	4	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEBBURN ...	1	2	–	–	–	–
†HETTON	10	–	–	–	–	–
†HOUGHTON LE SPRING	3	–	–	–	–	–
†JARROW	5	–	–	–	1	–
†RYTON	–	5	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	–	1	–	–	–
†SPENNYMOOR ...	1	2	–	–	–	–
†STANLEY	39	2	2	–	–	–
†STOCKTON ON TEES	–	1	–	–	1	G. 1 M. 1
†TANFIELD ...	1	–	–	–	–	–
TOW LAW ...	1	–	–	–	–	–
†WASHINGTON ...	–	–	–	1	–	–
†WHICKHAM ...	2	2	–	–	–	–
WILLINGTON ...	2	–	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	3	–	–	–
CHESTER LE STREET	1	2	1	–	–	–
DURHAM	2	12	2	–	–	–
EASINGTON ...	4	3	2	–	1	–
HOUGHTON LE SPRING	3	1	–	–	1	M. 1
LANCHESTER ...	2	2	1	–	–	M. 1
SEDGEFIELD ...	2	–	–	–	1	–
SOUTH SHIELDS...	–	–		–	1	–
SUNDERLAND ...	–	1	–	–		–
WEARDALE ...	*	*	*	*	*	*
ELY, ISLE OF ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	76	42	–	14	G. 1 J. 1 M. 4
†EAST HAM C.B. ...	–	7	4	–	1	–
†SOUTHEND-ON-SEA C.B.	–	2	1	–	2	M. 1
†WEST HAM C.B. ...	–	25	14	–	8	J. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	6	2	–	–	M. 1
BURNHAM ON CROUCH	–	2	–	–	–	–
CHINGFORD ...	–	1	1	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
DAGENHAM ...	–	2	–	–	–	M. 1
†GRAYS THURROCK	–	–	2	–	–	–
†ILFORD	–	2	4	–	–	–
†LEYTON	–	4	3	–	–	–
†ROMFORD ...	–	1	–	–	–	–
TILBURY	–	2	–	–	–	–
†WALTHAMSTOW...	–	12	7	–	–	G. 1 M. 1
†WANSTEAD ..	–	–	1	–	–	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
HALSTEAD ...	–	3	–	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	–	4	2	–	–	–
ROCHFORD ...	–	1	1	–	–	–
TENDRING ...	–		–	–	1	–
GLOUCESTER ..	–	27	14	–	5	G. 1 M. 2
†BRISTOL C.B. ...	–	12	9	–	5	M. 2
†GLOUCESTER C.B.	–	6	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	–
LYDNEY	–	2	–	–	–	G. 1
PEBWORTH ...	–	1	–	–	–	–
STOW ON THE WOLD (part) ...	–	1	–	–	–	–
STROUD	–	–	1	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
HEREFORD ..	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	–	–
ROSS	–	1	–	–	–	–
HERTFORD .	–	10	3	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
†HERTFORD ...	–	–	2	–	–	–
†LETCHWORTH ...	–	1	–	–	–	C. 1
†WATFORD ...	–	4	–	–	1	G. 1
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HADHAM	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	1	1	–	–	–
WATFORD ...	–	1	–	–	–	–
HUNTINGDON ..	–	2	–	–	–	–
Boroughs and Urban Districts:—						
RAMSEY	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT	–	47	18	–	9	C. 1 E. 1 F. 1 M. 1
†CANTERBURY C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	1	–	–	-
†BEXLEY	–	6	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	2	-
†BROMLEY ...	–	–	–	–	1	C. 1
†CHATHAM ...	–	–	4	–	–	-
CHISLEHURST ...	–	-	–	–	1	-
†CRAYFORD ...	–	1	1	–	–	-
†DARTFORD ...	-	2	–	–	–	-
†DEAL	–	1	–	–	-	–
†DOVER	-	1	1	–	-	–
†ERITH	–	2	2	–	2	-
†FAVERSHAM ...	–	1	–	–	–	-
†GILLINGHAM ...	-	1	1	–	1	–
†GRAVESEND ...	-	1	2	–	–	–
†HERNE BAY ...	–	–	–	–	1	-
†MAIDSTONE ...	–	6	–	–	–	-
†MARGATE ...		–	2	–	–	
†NORTHFLEET ...		1	–	–	–	–
†RAMSGATE ...	–	2	-	–	–	–
†ROCHESTER ...	-	1	-	–	–	–
SEVENOAKS ...	–	1	–	–	–	-
†SHEERNESS ...	–	–	–	–	–	E. 1 F. 1 M. 1
SITTINGBOURNE	-	–	–	–	–	–
SWANSCOMBE ...	–	2	2	–	–	–
WALMER	*	*	*	*	*	*
Rural Districts:—						
BROMLEY ...	–	3	–	-	-	-
DARTFORD ...	–	2	1	–	–	–
EASTRY	-	1	–	–	-	–
MILTON	–	1	–	-	–	
SEVENOAKS ...	–	4	-	–	–	–
SHEPPEY	–	2		–	–	–
STROOD	–	–	1		–	-
TONBRIDGE ...	–	1	-	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER ...	–	209	109	6	107	C. 6 D. 1 G. 10 M. 24
†BARROW IN FURNESS C.B.	–	1	–	–	-	–
†BLACKBURN C.B.	–	5	1	–	1	–
†BLACKPOOL C.B.	–	4	1	–	-	–
†BOLTON C.B. ...	–	3	–	–	–	–
†BOOTLE C.B. ...	–	4	2	1	2	G. 1
†BURNLEY C.B. ...	–	2	–	–	3	–
†BURY C.B. ...	–	3	2	–	1	-
†LIVERPOOL C.B. ...	–	31	31	2	21	C. 1 G. 2 M. 16
†MANCHESTER C.B.	-	50	32	1	34	C. 2 G. 3 M. 2
†OLDHAM C.B. ...	–	6	3	–	3	–
†PRESTON C.B. ...	–	1	1	–	2	–
†ROCHDALE C.B. ...	–	1	1	–	1	G. 1
†ST. HELENS C.B. ...	–	4	3	–	2	–
†SALFORD C.B. ...	–	13	12	–	4	D. 1 M. 3
†SOUTHPORT C.B.	–	–	–	1	–	–
†WARRINGTON C.B.	–	1	-	-	2	–
†WIGAN C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	1		–	–
†ASHTON IN MAKERFIELD	-	1	–	–	2	-
†ASHTON UNDER LYNE	-	1	–	–	1	
†ATHERTON ...	–	–	1	–	–	
†BACUP	–	1	–	–	–	–
BLACKROD ...	–	–	–	–	1	–
BRIERFIELD ...	–	2	–	–	–	–
CARNFORTH ...	–	1	–	–	–	–
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY	-	–	–		4	–
†COLNE	–	–	-	–	1	–
†CROMPTON ...	–	2	–	–	–	–
†DARWEN	–	5	–	-	1	C. 1
†DENTON	–	3	2	–	1	–
†DROYLSDEN ...	–	1	–	-	–	–
†ECCLES	–	1	–	–	2	C. 1
†FAILSWORTH ...	-	5	-	–	–	–
†FLEETWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	-	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	–	–	1	–	M. 1
†HEYWOOD ...	–	1	–	–	1	G. 1
†HORWICH ...	–	–	–	–	1	–
HUYTON WITH ROBY	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
IRLAM	–	1	1	–	1	–
†LANCASTER ...	–	1	–	–	1	–
†LEIGH	–	–	3	–	–	M. 1
†LITHERLAND ...	–	1	–	–	–	–
LITTLE LEVER ...	*	*	*	*	*	*
†MIDDLETON ...	–	1	–	–	1	–
MILNROW... ...	–	1	–	–	–	–
†NELSON	–	–	–	–	–	G. 1
NORDEN	–	–	–	–	1	–
†PADIHAM ...	–	–	–	–	1	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	4	–	–	–	–
RAINFORD ...	–	–	2	–	–	–
†RAMSBOTTOM ...		1	1	–	2	–
†ROYTON	–	1	–	–	–	G. 1
SKELMERSDALE...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD ...	–	9	3	–	2	–
†SWINTON AND PENDLEBURY	–	1	1	–	–	–
TOTTINGTON ...	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	C. 1
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	4	–	–	–	–
CHORLEY... ...	–	–	1	–	–	–
FYLDE	–	1	–	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LEIGH	–	3	1	–	–	–
PRESTON	–	2	–	–	–	–
SEFTON	–	2	–	–	–	–
ULVERSTON ...	–	3	–	–	–	M. 1
WEST LANCASHIRE	–	7	–	–	–	–
WHISTON... ...	–	–	1	–	–	–
LEICESTER... ...	–	8	12	–	6	M. 1
†LEICESTER C.B. ...	–	6	3	–	1	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	–	5	–	–	–
†LOUGHBOROUGH	–	1	2	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	2	–
BELVOIR	*	*	*	*	*	*
BLABY	–	–	–	–	1	–
LUTTERWORTH ...	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
SPALDING (part)..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	6	14	2	–	3	C. 1 E. 1 G. 1 M. 1
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN C.B. ...	–	7	–	–	–	C. 1 G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	6	3	1	–	–	E. 1
Rural Districts:—						
CAISTOR	–	–	–	–	–	M. 1
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
MIDDLESEX ..	–	69	48	1	7	M. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	2	–	–	–
†BRENTFORD ...	–	–	2	–	1	–
†CHISWICK ...	*	*	*	*	*	*
†EALING	–	3	1	–	–	–
†EDMONTON ...	–	1	7	–	–	M. 1
†ENFIELD	–	2	5	–	1	–
†FINCHLEY ...	–	–	2	–	–	–
†FRIERN BARNET	–	–	–	–	1	–
†HANWELL ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	3	1	–	–	–
†HENDON	–	5	3	–	1	–
†HESTON AND ISLEWORTH	–	2	3	–	1	–
†HORNSEY... ...	–	4	2	–	–	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	10	5	–	–	–
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	2	–	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	1	1	–	–	–
†WILLESDEN ...	–	15	6	1	–	–
†WOOD GREEN ...	–	7	4	–	1	–
Rural Districts:—						
HENDON	–	6	1	–	–	–
UXBRIDGE ...	–	–	1	–	1	–
NORFOLK	–	8	3	1	3	M. 1
†GREAT YARMOUTH C.B.	–	4	–	–	–	–
†NORWICH C.B. ...	–	1	3	1	–	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
Rural Districts:—						
DOCKING	–	1	–	–	–	–
DOWNHAM ...	–	–	–	–	–	M. 1
MARSHLAND ...	–	2	–	–	–	–
WALSINGHAM ...	–	–	–	–	2	–
NORTHAMPTON ...	–	13	6	2	3	–
†NORTHAMPTON C.B.	–	2	6	1	–	–
Boroughs and Urban Districts:—						
BURTON LATIMER	*	*	*	*	*	*
†KETTERING ...	–	5	–	–	3	–
RAUNDS	–	–	–	1	–	–
†WELLINGBOROUGH	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
HARDINGSTONE ...	–	1	–	–		–
KETTERING ..	*	*	*	*	*	*
NORTHAMPTON ..	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–	1	–	–	–	–
NORTHUMBERLAND	5	46	4	–	16	G. 1
†NEWCASTLE UPON TYNE C.B.	–	14	3	–	9	G. 1
†TYNEMOUTH C.B	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ..	3	1	–	–	–	–
†BEDLINGTONSHIRE	1	2	–	–	3	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1		–	–	–
†EARSDON	*	*	*	*	*	*
†GOSFORTH ...	–	7	–	–		–
†LONGBENTON ...	1	3	–	–	–	–
†NEWBURN ...	–	3	–	–	–	–
SEATON DELAVAL	–	–	–	–	3	–
†WALLSEND ..	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	3	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ..	–	1	–	–	–	–
GLENDALE ...	–	1	–	–	–	–
NOTTINGHAM ..	6	14	10	–	7	G. 2 M. 1
†NOTTINGHAM C.B	–	7	8	–	1	G. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	–	–	1	G. 1
†HUCKNALL ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†KIRKBY IN ASHFIELD ...	–	1	–	–	–	–
†MANSFIELD ...	*	*	*	*	*	*
†MANSFIELD WOODHOUSE	–		–	–	1	–
†NEWARK	–	1	–	–	1	–
†SUTTON IN ASHFIELD	6	–	–	–	1	–
†WORKSOP... ...	–		2	–	–	–
Rural Districts:—						
BASFORD	–	3	–	–	–	–
BINGHAM... ...	–	–	–	–	–	M. 1
SOUTHWELL ...	–	2	–	–	–	–
OXFORD	–	6	1	2	1	–
†OXFORD C.B. ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...		–	1	–	–	–
Rural Districts:—						
BANBURY ...	–	1	–	–		–
CROWMARSH ...	–	1	–	–		–
CULHAM	–	–	–	1	–	–
GORING		–		–	1	–
HEADINGTON ...	–	–		1	–	–
PETERBOROUGH (Soke of)	–	5	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
Rural Districts—						
PETERBOROUGH...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	1	–	2	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
†SHREWSBURY ...	–	2	1	–		–
WELLINGTON ...	–	1	–	–	1	–
WHITCHURCH ...	–	–	–	–	–	M. 1
Rural Districts:—						
NEWPORT ...	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	14	1	–	8	C. 1 G. 3 M. 1
†BATH C.B. ..	–	2	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	1	–	–	–
CLEVEDON ...	*	*	*	*	*	*
†FROME	–	–	–	–	1	–
ILMINSTER ...	–	–	–	–	1	–
†WESTON SUPER MARE		3	–	–	1	G. 1
†YEOVIL	–	–	–	–	2	–
Rural Districts:—						
BATH	–	2	–	–	–	–
FROME	–	–	–	–	1	G. 1
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
WELLS	–	–	–	–	2	C. 1
WILLITON ...	–	4	–	–	–	–
SOUTHAMPTON ..	–	34	29	2	4	C. 1 G. 1 M. 2
†BOURNEMOUTH C.B	–	1	–	–	–	G. 1
†PORTSMOUTH C.B	–	10	19	2	–	M. 1
†SOUTHAMPTON C.B.	–	11	8	–	–	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	1	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	3	–	–	–	–
†GOSPORT	–	1	–	–	2	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	2	–
LYMINGTON ...	–	1	–	–	–	–
ROMSEY	–	–	1	–	–	–
STAFFORD	–	67	29	–	34	C. 2 L. 5 M. 11
†BURTON UPON TRENT C.B.	–	3	2	–	1	–
†SMETHWICK C.B.	–	3	–	–	–	C. 1 M. 1
†STOKE ON TRENT C.B.	–	13	3	–	11	M. 8
†WALSALL C.B. ...	–	3	3	–	1	–
†WEST BROMWICH C.B.	–	1	1	–	1	–
†WOLVERHAMPTON C.B.	–	–	2	–	3	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	5	–	–	–
†AUDLEY	–	–	–	–	1	–
BIDDULPH ...	–	–	–	–	2	–
†BILSTON	–	1	1	–	1	–
†BRIERLEY HILL...	–	3	2	–	1	–
†BROWNHILLS ...	–	1	1	–	–	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	–	1	–	3	–
KIDSGROVE ...	–	–	–	–	1	–
†LEEK	–	8	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWCASTLE UNDER LYME	–	2	–	–	1	–
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	2	1	–	2	–
RUGELEY... ...	–	–	–	–	1	–
†SEDGLEY	–	–	–	–	–	M. 1
SHORT HEATH ...	–	1	–	–	1	–
†STAFFORD ...	–	3	1	–	1	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	3	–	–	–	–
†WEDNESBURY ...	–	2	–	–	–	–
†WILLENHALL ...	–	4	–	–	–	–
†WOLSTANTON UNITED	–	3	–	–	–	–
Rural Districts:—						
CANNOCK	–	3	–	–	–	–
CHEADLE... ...	–	1	1	–	–	C. 1 L. 5
KINGSWINFORD...	–	–	1	–	–	–
LEEK	–	1	–	–	1	–
LICHFIELD ...	–	1	–	–	–	–
NEWCASTLE UNDER LYME	–	1	–	–	–	–
STAFFORD ...	–	–	1	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
UTTOXETER ...	–	2	–	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	6	2	3	3	C. 1 M. 1
†IPSWICH C.B. ...	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	2	–	–	C. 1
Rural Districts:—						
HARTISMERE ...	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	1	–
SAMFORD... ...	–	2	–	3	–	–
SUFFOLK, WEST ...	–	3		–	–	–
Rural Districts:—						
MILDENHALL ..	–	2	–	–	–	–
THINGOE	–	1	–	–	–	–
SURREY	–	4	19	1	6	G. 2 M. 3
†CROYDON C.B. ..	–	9	4	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	M. 1
†EPSOM	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	1	1	–		–
†GUILDFORD ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	1	1	–	–	–
†MERTON AND MORDEN	–	4	3	–	–	–
†MITCHAM... ...	–	3	1	–		M. 1
†REIGATE	–	3	–	–	–	G. 1
†SURBITON ...	–	2	–	–	1	–
†THE MALDENS AND COOMBE	–	1	1	–	1	–
†WIMBLEDON ...	–	2	1	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	2	–	2	–
DORKING	–	1	1	–		–
EPSOM	–	1	–	–	1	–
GUILDFORD ...	–	1	2	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	4	1	–	–	–
SUSSEX, EAST ..	–	6	15	1	1	C. 2 L. 1
†BRIGHTON C.B. ...	–	1	5	1	1	C. 2 L. 1
†EASTBOURNE C.B.	–	3	–	–	–	–
†HASTINGS C.B. ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
RYE	*	*	*	*	*	*
Rural Districts:—						
UCKFIELD ...	–	–	9	–	–	–
SUSSEX, WEST ...	–	5	5	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	1	–	–	–	–
†HORSHAM ...	–	–	4	–	–	–
†LITTLEHAMPTON	–	2	1	–	–	–
†WORTHING ...	–	–	–	–	–	M. 1
Rural Districts:—						
HORSHAM ...	–	–	–	–	–	E. 1
MIDHURST ...	–	–	–	–	1	–
THAKEHAM ...	–	2	–	–	–	–
WARWICK	–	56	63	2	41	C. 2 G. 3 M. 4
†BIRMINGHAM C.B.	–	40	56	2	28	C. 2 G. 3 M. 3
†COVENTRY C.B. ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	1	–
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	3	1	–	3	–
†ROYAL LEAMINGTON SPA	–	–	–	–	–	M. 1
†RUGBY	–	1	1	–	–	–
†SUTTON COLDFIELD	–	1	–	–	1	–
†WARWICK ...	–	–	–	–	1	–
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	7	3	–	2	–
FOLESHILL ...	–	–	–	–	2	–
TAMWORTH (part)	–	1	1	–	–	–
WESTMORLAND ...	–	8	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	3	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	5	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
VENTNOR	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT (WEST)	–	1	–	–	–	–
WILTS	–	6	3	1	1	G. 1
Boroughs and Urban Districts:—						
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	1	–	–	–
DEVIZES	–	–	1	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	–	1	–	–
†SWINDON... ...	–	–	–	–	1	–
WARMINSTER ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

D, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
G, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
BRADFORD-ON-AVON	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	–	–	–	–	G. 1
WORCESTER ...	–	7	10	–	9	C. 1 G. 2
†DUDLEY C.B. ..		–	2	–	–	–
†WORCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
†HALESOWEN ...	–	2	–	–	2	–
†KIDDERMINSTER	–	–	1	–	1	C. 1 G. 1
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–	1	1	–	–	G. 1
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ..	–	–	–	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	–	5	–	–	–
MARTLEY... ...	–	–	–	–	1	–
SHIPSTON ON STOUR	–	4	–	–	–	–
YORKS ... .. (East Riding.)	1	20	18	–	–	M. 2
†KINGSTON UPON HULL C.B.	–	9	17	–	–	M. 2
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
HEDON	–	3	–	–	–	–
HESSLE	–	1	–	–	–	–
Rural Districts:—						
HOWDEN	–	2	–	–	–	–
SCULCOATES ...	1	1	1	–	–	–
SHERBURN ...	–	1	–	–	–	–
SKIRLAUGH ...	–	2	–	–	–	–
YORKS ... ... (North Riding.)	–	17	2	–	1	C. 2 G. 3 M. 1
†MIDDLESBROUGH C.B.	–	7	1	–	1	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	–	G. 1
†REDCAR	–	1	1	–	–	–
†SKELTON AND BROTTON	–	–	–	–	–	C. 1
†WHITBY	–	–	–	–	–	C. 1
Rural Districts:—						
BEDALE	–	1	–	–	–	–
GUISBOROUGH ...	–	–		–	–	G. 1
STARTFORTH ...	–	–	–	–	–	G. 1
YORKS ... ... (West Riding.)	9	135	52	5	93	C. D. G. M.
†BARNSLEY C.B. ...	–	2	1	1	1	–
†BRADFORD C.B. ...	–	12	5	–	9	G. M.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
†DEWSBURY C.B....	–	–	–	–	1	–
†HALIFAX C.B. ...	–	5	–	–	–	–
†HUDDERSFIELD C.B.	–	10	2	–	3	C. 1 M. 1
†LEEDS C.B. ..	–	17	5	–	8	G. 2 M. 2
†ROTHERHAM C.B.	–	3	2		4	G. 2
†SHEFFIELD C.B...	–	30	18	2	43	M. 3
†WAKEFIELD C.B.	–	2	5	–	2	–
Boroughs and Urban Districts:—						
ALTOFTS	–	–	–	–	1	–
BAILDON	–	1	–		–	–
†BENTLEY WITH ARKSEY	2	1	–	–	–	–
†BRIGHOUSE ...	–	2	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	3	1	–	–	–
†CONISBROUGH ...	–	–	–	–	2	–
DODWORTH ...	–	2	–	–	–	–
†DONCASTER ...	–	–	2	–	–	
FARSLEY		1	–	–	–	G. 1
GILDERSOME ...	–	–	–	–	–	M. 1
†GOOLE	–	–	–		2	–
GREASBROUGH ...	–	–	–	–	–	G. 1
†HARROGATE ...		1	–	–	–	–
†HOLMFIRTH ...	–	3	–	–	–	–
†HOYLAND NETHER	–	3	–	–	–	–
†KEIGHLEY ...	4	2	–	–	–	C. 1
MALTBY	–	2	1	–	–	–
†MEXBOROUGH ...	2	–	–	–	2	–
†MORLEY	–	1	–	–	1	–
NEW MILL ...	–	3	–	–		–
†NORMANTON ...	–	–	–	–	2	–
†PONTEFRACT ...	–	1	–	–	–	–
RAWDON ...	–	–	1	–	–	–
†RAWMARSH ...	–	1	–	–	1	–
SOUTH CROSLAND	–	1	–	–	–	–
†SOWERBY ...	–	1	1	–	–	–
†SPENBOROUGH ...	–	–	3	–	–	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
THURSTONLAND AND FARNLEY TYAS.	–	–	1	–	–	–
†WATH UPON DEARNE	–	1	–	–	1	–
†WOMBWELL ...	–	3	–	–	2	–
Rural Districts:—						
DONCASTER ...	1	1	1	–	5	D. 1
HALIFAX	–	–	1	–	–	–
HEMSWORTH ...	–	2	–	–	1	–
KIVETON PARK ...	–	4	1	–	–	–
PATELEY BRIDGE		2	–	–	–	–
PONTEFRACT ...	–	2	1	–	–	–
RIPON	–	3	–	–	–	–
ROTHERHAM ...	–	3	–	2	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
§YORK, CITY OF ...	–	14	1	–	–	M. 1
†YORK C.B. ...	–	14	1	–	–	M. 1
WALES.						
ANGLESEY	–	1	1	–	–	–
Rural Districts:—						
VALLEY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADGYNLAIS	–	1	–	1	–	–
CAERNARVON ...	–	5	1	–	2	G. 1
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
LLANFAIRFECHAN	–	2	–	–	–	–
Rural Districts:—						
GLASLYN	–	–	1	–	–	–
GWYRFAI	–	2	–	–	1	–
LLEYN	–	–	–	–	–	G. 1
OGWEN	–	–	–	–	1	–
CARDIGAN ...	–	2	–	–	1	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
LAMPETER ...	–	–	–	–	1	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN .	–	1	7	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	–
†CARMARTHEN ...	–	–	1	–	–	–
†LLANELLY ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	–	–
LLANELLY ...	–	1	–	–	–	–
LLANYBYTHER ...	–	–	–	–	1	–
CARNARVON. See CAERNARVON.						
DENBIGH	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	–	–	–	–
†WREXHAM ...	–	–	1	–	–	–
FLINT	–	4	–	–	–	C. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
PRESTATYN ...	–	1	–	–	–	–
†RHYL	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	–	C. 1
GLAMORGAN ..	–	29	24	–	23	C. 1 M. 6
†CARDIFF C.B. ..	–	5	2	–	6	M. 3
†SWANSEA C.B. ..	–	6	5	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	2	–
†BARRY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
CAERPHILLY ...	–	–	–	–	–	C. 1
COWBRIDGE ...	–	–	–	–	1	–
GELLIGAER ...	–	–	3	–	2	–
MAESTEG ...	–	–	4	–	–	–
MOUNTAIN ASH ...	–	–	–	–	2	–
NEATH	–	1	–	–	1	–
OGMORE AND GARW	–	3	–	–	–	–
PENARTH ...	–	1	–	–	–	–
PONTYPRIDD ...	–	–	1	–	–	–
PORT TALBOT ...	–	–	1	–	–	–
RHONDDA ...	–	3	3	–	8	M. 3
Rural Districts:—						
COWBRIDGE ...	*	*	*	*	*	*
NEATH	–	–	1	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	4	1	–	–	–
MONMOUTH ...	–	6	6	1	3	M. 3
†NEWPORT C.B. ...	–	3	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ..	–	–	1	–	–	M. 1
†BEDWELLTY ...	–	–	2	–	–	M. 1
†EBBW VALE ...	–	2	–	1	1	–
MONMOUTH ...	–	–	1	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	–	2	–	–	–
MONTGOMERY ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE... ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
Total of Part II. ...	135	1273	642	37	479	C. 27 D. 2 E. 3 F. 1 G. 45 J. 1 L. 7 M. 91

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (see
PLYMOUTH	–	–	–	–	1	L. 1	PORT OF LONDON ...	–	–	–	1	–	L.
WISBECH	–	1	–	–	–	–							
							Total of Part III.... ...	–	1	–	1	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	278	213	8	47	C. 2 G. 7 L. 1 M. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	135	1273	642	37	479	C. 27 D. 2 E. 3 F. 1 G. 45 J. 1 L. 7 M. 91
Total of Part III.—Port Sanitary Districts	–	1	–	1	1	L. 3
Total (*i.e.*, of returns received), England and Wales ...	135	1552	855	46	527	C. 29 D. 2 E. 3 F. 1 G. 52 J. 1 L. 11 M. 107

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certai FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	Apr. 10.	Apr. 17.	Apr. 24	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.
LONDON :—												
DEATHS—all ages	1,347	1,264	1,127	1,108	1,011	913	1,006	904	827	820	766	807
" 0 to 1 year ..	128	93	110	103	98	74	71	69	61	60	61	77
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,909	7,976	7,585	7,009	7,412	7,437	7,438	6,025	7,833	7,074	7,424	7,167
DEATHS—all ages	5,612	5,342	4,889	4,704	4,302	4,230	4,464	4,119	3,939	3,669	3,525	3,384
" 0 to 1 year ..	600	552	511	511	440	444	469	431	415	403	354	379
ENTERIC FEVER—Cases	23	23	20	25	21	21	20	22	28	16	16	32
" Deaths	6	1	1	—	5	3	3	1	4	2	2	3
SMALL POX—Cases ..	63	65	35	32	58	43	38	39	41	43	31	12
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	787	742	799	828	840	837	864	760	687	814	792	766
" Deaths	6	9	6	5	13	6	2	6	7	4	4	4
DIPHTHERIA—Cases ..	649	622	639	669	693	666	586	605	538	587	567	606
" Deaths ..	45	41	38	43	43	33	32	19	25	22	24	38
MEASLES—Deaths ..	100	99	81	55	68	60	56	56	35	29	37	26
INFLUENZA—Deaths ..	294	302	209	166	149	118	111	78	80	67	38	37

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd July, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	77	45	72·4	49·3	9
BRIGHTON ..	75	48	70·0	53·1	2
PORTSMOUTH ..	76	50	72·1	54·1	3
NORWICH (EATON).	73	46	68 7	50·6	3
PLYMOUTH ..	78	48	71·9	52·4	0
BRISTOL (CLIFTON).	76	51	73·3	54·1	0
BIRMINGHAM (EDGBASTON).	72	46	69·9	50·0	1
NOTTINGHAM ..	71	46	69·1	49·3	2
BIRKENHEAD (BIDSTON).	75	52	69·6	54·1	0
MANCHESTER (WHITWORTH PARK).	74	?48	?71·6	?52·0	0
BURNLEY	72	42	68·4	48·6	0

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°	
HUDDERSFIELD	76	44	70·1	49·0	0·
BRADFORD ..	70	47	67·3	48·7	[illegible]
SHEFFIELD ..	71	48	68·6	50·3	[illegible]
YORK (MUSEUM)	72	48	70·3	50·7	[illegible]
HULL (PEARSON PARK).	70	48	67·1	51·6	[illegible]
TYNEMOUTH ..	63	50	61·3	52·3	[illegible]
CARDIFF	75	48	72·0	52·0	[illegible]
EDINBURGH ..	71·0	48·0	64·0	51·6	[illegible]
GLASGOW ..	72·3	49·1	69·4	51·1	0·
DUBLIN (PHŒNIX PARK).	Not received.				
(FITZWILLIAM SQUARE†).	71·0	51·9	68·6	54·2	[illegible]
BELFAST	73·0	45·0	68·6	50·2	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd July, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	27	..	30·153	69·4	47·0	22·4	57·0	− 4·6	49·6	7·4	17·1	0·6	76	121·7	33·7	54·9	Calm	Var.: Calm.	1·6	0·0	0·0	103	− 149	0·31
MONDAY -	28	Perigee	30·197	72·7	45·2	27·5	59·5	− 2·1	52·1	7·4	20·9	1·0	77	131·0	36·2	54·9	Calm	N: S: ESE.	0·4	0·0	0·0	138	− 113	0·00
TUESDAY -	29	..	30·174	69·1	47·9	21·2	59·0	− 2·6	50·2	8·8	15·4	2·4	72	139·3	38·2	54·9	ESE: Calm.	E: ENE.	1·6	0·0	0·1	198	− 51	0·00
WEDNESDAY	30	..	30·055	71·0	47·1	23·9	60·3	− 1·2	49·7	10·6	20·9	1·2	68	141·1	34·8	54·9	ENE	ESE: E: ENE.	1·5	0·0	0·2	240	− 8	0·00
JULY. THURSDAY -	1	..	29·990	76·3	50·2	26·1	63·3	+ 1·8	50·6	12·7	23·7	1·6	63	140·1	41·0	55·0	NE	E	1·8	0·0	0·2	234	− 14	0·00
FRIDAY -	2	Last Quarter. In Equator	30 040	72·3	51·0	21·3	62·1	+ 0·5	54·6	7·5	16·3	2·2	76	141·4	36·1	55·0	NE: NNE.	ENE: NE.	1·5	0·0	0·1	234	− 14	0·02
SATURDAY -	3	..	29·964	77·2	56·9	20·3	66·6	+ 4·8	52·5	14·1	25·4	1·8	60	149·4	51·1	55·2	NNE: NE.	NE: E: NNE.	2·1	0·0	0·3	307	+ 57	0·01
MEANS -		..	30·082	72·6	49·3	23·2	61·1	− 0·5	51·3	9·8	19·9	1·5	70	137·7	38·7	55·0	NE		..	..	..	Sum 1454	Sum − 292	Sum 0·34
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	27	wP till 17h.; variably sN and sP till 18½h.; then wP.	5·4	16·5	Variably cloudy. Haze 6h. till 12h. Heavy rain 17½h. till 18¼h.
MONDAY ..	28	wP	5·1	16·5	Variably cloudy. Mist 3h. till 15h. Slight damping between 18h. and 21h.
TUESDAY ..	29	wP	10·9	16·5	Partially cloudy becoming nearly cloudless by 16¼h.
WEDNESDAY	30	wP	14·3	16·5	Partially cloudy becoming nearly cloudless by 14½h.
JULY. THURSDAY	1	wP	13·1	16·5	Nearly cloudless. Haze 3h. till 15h.
FRIDAY ..	2	wP till 8h.; mP till 16½h.; then wP.	4·9	16·5	Cloudless till 4h., then partially cloudy, becoming nearly overcast by 9h. Slight rain 18h. till 19¼h., and at 22½h.
SATURDAY	3	wP till 6h.; mP till 11h.; then wP.	9·4	16·5	Nearly overcast till 8h.; then partially cloudy, becoming variably cloudy by 17h. Rain 3½h., and at 5¼h.
			Sum 63·1	Sum 115·5	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30·13 ins. at the beginning of the week to 30·21 ins. by 7h. on June 29th; decreased to 29·97 ins. by 16h. on July 1st; increased to 30·05 ins. by 23h. on July 2nd; decreased and was 29·95 ins. by midnight on July 3rd.

FOR OFFICIAL USE

1926. No. 27.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 10TH JULY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH JULY, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-seventh week of the year numbered 7,000 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,424 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·5, 9·1, and 9·6. Infant mortality was 51 per 1,000 births against 48, 53 and 50 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,553 births corresponding to a rate of 17·6 per 1,000, and 775 deaths of civilians, corresponding to an annual rate of 8·8, against 8·7, 9·1 and 8·9, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·9 per 1,000. The infant mortality was 44 as against 36, 47 and 41 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,570 to 3,424. In London the number of deaths from all causes decreased from 785 to 775, and the deaths from diphtheria which had been 6, 11, and 5 in the preceding three weeks, fell to 2 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 10th July, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 Great Towns ..	19,417,320*	7,000	3,424	355	3	18	6	27	17	48	3
London	4,602,000*	1,553	775	69	1	-	-	3	2	8	-
Towns in Outer Ring.											
Croydon C.B ..	199,300	71	34	6	-	-	-	-	-	1	-
Wimbledon ..	58,170	18	18	-	-	-	-	-	-	-	-
Ealing	68,410	24	8	2	-	-	-	-	-	-	-
Acton	63,110	16	20	-	-	-	-	-	-	-	-
Willesden ..	168,900	63	19	3	-	-	-	-	-	-	-
Hendon	59,150*	17	10	2	-	-	-	-	-	1	-
Hornsey	87,210	21	15	-	-	-	-	-	-	-	-
Wood Green ..	51,960	9	8	-	-	-	-	-	-	-	-
Tottenham ..	153,600	27	20	1	-	-	-	1	-	-	-
Edmonton ..	71,210	29	14	2	-	-	-	-	1	-	-
Enfield	63,740	19	7	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	158	42	3	-	-	-	-	-	-	-
East Ham C.B. ..	147,200	39	22	-	-	-	-	-	-	-	-
Leyton	132,700	39	22	2	-	-	-	-	-	1	-
Walthamstow ..	130,800	48	27	3	-	-	-	-	-	-	-
Ilford	93,590	26	12	1	-	-	-	1	-	-	-
Gillingham	48,680*	14	9	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	8	3	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	17	18	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	16	11	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	40	22	1	-	-	1	-	-	-	-
Portsmouth C.B. ..	232,900*	80	43	3	-	-	-	-	1	1	-
Bournemouth C.B. ..	85,840	22	16	1	-	-	-	1	-	-	-
Southampton C.B. ..	168,600	61	22	2	-	-	-	-	-	-	-
Reading C.B.	93,670*	34	12	1	-	-	-	-	-	-	-
Oxford C.B.	57,090	23	14	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	23	18	-	-	-	-	-	-	-	-
Luton	59,230	19	10	-	-	-	-	-	-	-	-
Cambridge	59,020	17	9	1	-	-	-	-	1	-	-
Southend-on-Sea C.B.	98,060	30	14	1	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	31	9	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	19	13	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	42	21	2	-	-	-	-	-	-	-
Swindon	56,880	19	12	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	19	14	1	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	66	32	4	-	-	-	-	-	1	-
Bath C.B.	69,050	20	13	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	129	43	5	-	-	-	-	-	-	-
Gloucester C.B. ..	53,060	17	8	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	132	60	7	-	1	-	1	-	2	-
Burton-upon-Trent C.B.	49,530	22	11	1	-	-	1	-	-	-	-
Wolverhampton C.B.	108,800	37	11	1	-	-	-	-	-	-	-
Walsall C.B.	102,300	44	21	3	-	-	-	-	-	2	-
West Bromwich C.B	79,490	25	12	2	-	-	-	-	-	2	-
Dudley C.B.	58,810	23	8	-	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	31	7	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	392	165	14	-	1	-	2	4	-	-
Smethwick C.B. ..	78,840	16	6	1	-	1	-	-	-	-	-
Coventry C.B. ..	129,100	46	14	1	-	-	-	1	-	-	-
Leicester C.B. ..	242,100	94	50	6	-	-	-	-	-	-	-
Lincoln C.B.	66,600*	26	9	1	-	-	-	-	-	-	-
Grimsby C.B.	87,190	36	11	4	-	-	-	-	-	1	-
Nottingham C.B. ..	270,600	102	52	6	-	-	-	-	1	-	-
Derby C.B.	134,400*	65	30	6	-	-	-	2	1	-	-
Chesterfield ..	65,800	29	16	2	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	39	22	4	-	-	-	-	-	1	-
Chester C.B.	41,670	12	9	-	-	1	-	-	-	-	-
Birkenhead C.B. ..	155,500	51	24	3	-	-	-	-	-	1	-
Wallasey C.B. ..	91,720	28	13	2	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	401	175	30	-	7	-	1	-	3	-
Bootle C.B.	83,260	36	10	-	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	58	15	2	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	24	18	2	1	-	-	1	-	-	-
Wigan C.B.	91,010	22	13	-	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	36	16	4	-	-	-	-	-	2	-
Bolton C.B.	180,400	71	42	6	-	2	-	-	1	1	-
Bury C.B.	56,700*	14	9	1	-	-	1	-	-	-	-
Manchester C.B. ..	755,800	288	147	13	-	1	1	3	-	1	1
Salford C.B.	244,700	90	38	2	-	-	-	-	-	1	-
Oldham C.B	146,200	47	37	5	-	-	1	-	-	-	-
Rochdale C.B... ..	92,190	17	20	-	-	-	-	-	-	-	1
Burnley C.B.	102,300	19	18	2	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	26	28	4	-	-	-	-	-	-	-
Preston C.B.	122,900	48	23	2	-	-	-	-	-	1	1
Blackpool C.B. ..	80,750	21	12	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	27	11	-	1	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	26	21	3	-	-	-	-	1	-	-
Halifax C.B.	97,860*	35	22	2	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	84	68	5	-	-	-	-	-	1	2
Leeds C.B.	472,900	155	106	12	-	-	1	3	-	2	-
Dewsbury C.B ..	54,570	9	13	2	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	24	5	1	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	34	16	1	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	160	90	12	-	-	-	1	2	4	1
Rotherham C.B. ..	70,600	37	8	1	-	-	-	-	-	1	1
Doncaster	55,610	33	8	1	-	-	-	-	-	-	-
York C.B.	84,630*	25	9	-	-	-	-	-	1	-	-
Hull C.B.	297,300	121	55	4	-	-	-	-	-	-	-
Middlesbrough C.B.	136,200	53	26	2	-	-	-	-	-	-	-
Darlington C.B. ..	69,130	31	16	5	-	-	-	1	-	-	-
Stockton-on-Tees ..	68,000	37	19	3	-	-	-	-	-	-	-
West Hartlepool C.B.	71,590	25	8	1	-	-	-	-	-	-	-
Sunderland C.B. ..	166,000	72	32	3	-	-	-	-	-	-	-
South Shields C.B. ..	124,600	47	24	3	-	1	-	1	1	1	-
Gateshead C.B. ..	129,000	43	29	9	-	-	-	1	-	-	-
Newcastle-on-Tyne C.B.	286,300*	152	54	10	-	1	-	1	-	4	-
Tynemouth C.B. ..	66,180	22	10	1	-	-	-	1	-	-	-
Carlisle C.B.	55,160*	25	13	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	38	14	1	-	1	-	-	-	-	-
Cardiff C.B.	227,100*	88	39	2	-	-	-	-	-	1	-
Rhondda	167,570	72	22	3	-	-	-	-	-	1	2
Merthyr Tydfil C.B.	82,920	28	14	2	-	-	-	-	-	1	-
Aberdare	57,700	19	19	3	-	1	-	1	-	1	1
Swansea C.B.	163,200	67	22	3	-	-	-	-	-	-	1
Greater London ..	7,719,622*	2,605	1,286	114	1	1	1	7	4	12	13
Outer Ring	3,117,622*	1,052	511	45	-	1	1	4	2	4	5
16 Great Towns in Outer Ring	1,867,550*	624	298	25	-	-	-	2	1	3	3
Remainder of Outer Ring	1,250,072*	428	213	20	-	1	1	2	1	1	2
Edinburgh†	424,600	145	104	10	-	3	1	-	-	2	1
Glasgow† ..	1,052,200‡	473	249	31	-	-	3	1	1	1	3
Dublin (Registration Area)†	443,000	199	111	13	-	-	-	1	-	4	4
Belfast†	415,000			Not re	ceiv	ed.					

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
		1926.										
London‡	4,602,000	July 10	1553	775	8·8	1	–	–	–	3	2	
Calcutta and Suburbs	1,077,273	May 29	?	595	28·1	?	9	?	?	?	?	?
Bombay	1,279,061	June 19	330‖	590	24·0	1	22	1	–	–	–	2
Madras	528,791	„ 12	472	542	53·3	3	–	–	?	5	–	4
Sydney and Suburbs	1,038,950	May 31 (31 days)	1736	992	11·4	1	–	–	2	4	11	2
Brisbane (Metropolitan Area).	253,568	April 30 (30 days)	574	223	10·6	–	–	–	–	–	3	
Perth (Metropolitan Area).	179,388	May 29										
Auckland (Urban Area).	180,790	May 31 (31 days)										
Wellington (Urban Area).	118,490	May 31										
Christchurch (Urban Area).	118,270	„ 31										
Cape Town	113,709	June 12	67	30	13·7	–	–	–	–	–	–	–
Johannesburg	165,958	„ 12	60	53	16·6	1	–	–	–	1	–	–
Durban	54,822	„ 12	25	10	9·5	–	–	–	–	–	–	–
Paris	2,906,472	„ 30 (10 days)										
Antwerp	300,065	May 29	109	58	9·9	–	–	2	–	–	–	1
		June 5	109	58	9·9	–	–	4	–	–	–	1
Amsterdam	719,379	„ 12										
Copenhagen	587,400	July 3	201	129	11·5	–	–	–	–	6	1	–
Stockholm	442,528	June 26	95	84	9·9	–	–	1	–	1	1	–
Gothenburg	230,804	„ 19										
Oslo (Christiania) ..	257,719	July 3	58	54	10·9	–	–	–	–	–	–	1
Berlin	2,000,000	June 19	430	424	10·6	–	?	2	–	1	–	–
Breslau	559,000	„ 19	159	120	10·0	–	?	–	–	2	–	4
Cologne	703,000	„ 19	190	115	7·8	–	?	1	–	–	1	2
Dresden	622,000	„ 19	175	123	8·9	–	?	–	–	–	–	–
Frankfort-on-Main ..	473,000	„ 19	107	64	6·7	–	?	–	–	–	–	1
Hamburg	1,095,000	„ 19	284	235	9·9	–	?	–	–	–	–	2
Leipzig	685,000	„ 19	196	138	9·9	–	?	–	–	1	–	1
Munich	680,000	„ 19	187	176	12·4	–	?	1	–	1	–	1
Vienna	1,873,432	Jan. 31 (31 days)	1852	2207	14·2	2	–	–	3	6	10	?
Prague and Suburbs	712,700	Jan. 31										
Budapest	960,535	June 19	281	277	15·0	3	–	1	2	–	3	7
Warsaw	1,015,426	„ 26	506	259	13·3	–	–	2	9	3	1	23
Cairo	859,400	Feb. 18	867	507	30·8	4	–	9	–	?	3	34
Alexandria	492,100	„ 18	568	376	39·8	2	–	30	–	?	1	31
New York	6,361,664	June 12	2472	1330	11·7	2	–	6	2	5	13	13
Chicago	2,995,239											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th July, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	775	69	13	15	27	35	36	52	107	125	161	135
Enteric fever..	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	1	2	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	-	2	-	-	-	-	-	-	-	-
Influenza	8	-	-	-	-	1	1	1	1	1	2	1
Erysipelas	2	1	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	1	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	2	1	-	-	-	-	1	-	-	-	-	-
Tuberculosis :—												
Respiratory system	66	1	-	1	4	11	11	9	18	10	1	-
Nervous system	6	-	-	4	1	1	-	-	-	-	-	-
Intestines and peritoneum	3	-	1	-	1	1	-	-	-	-	-	-
Other forms	7	-	-	-	2	2	-	1	-	1	1	-
Venereal diseases	3	-	-	-	-	-	1	-	2	-	-	-
Cancer	112	-	-	1	-	1	-	7	24	36	31	12
Rheumatic fever	6	-	-	1	2	2	-	-	1	-	-	-
Diabetes	7	-	-	-	-	-	-	-	2	1	2	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	35	-	-	-	-	-	-	1	4	5	7	18
Epilepsy	6	-	-	-	-	1	2	1	-	1	-	1
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	-	-	1	2	1	-	6	7	5	2	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	-	-	-	-	1	-	-	-	1	-	-
Other diseases of heart	110	-	-	-	3	1	4	7	13	16	35	31
Other diseases of circulatory system	43	-	-	-	-	-	1	1	4	5	18	14
Bronchitis	24	-	-	-	-	-	-	-	3	4	8	9
Broncho-pneumonia	25	7	7	2	-	-	-	1	1	-	5	2
Lobar-pneumonia	15	2	-	1	-	-	2	1	2	3	-	4
Pneumonia (type not distinguished)	4	1	-	-	-	-	-	-	3	-	-	-
Other diseases of respiratory system	9	1	-	-	-	-	-	1	-	2	4	1
Diarrhœa and enteritis	13	8	-	-	-	-	-	-	-	-	3	2
Appendicitis, Typhlitis	5	-	-	-	1	1	-	-	2	1	-	-
Hernia, Intestinal obstruction.. ..	5	-	-	-	-	-	-	1	3	-	1	-
Cirrhosis of liver	3	-	-	-	-	-	-	-	-	2	1	-
Other diseases of digestive system ..	29	1	-	1	1	-	4	3	5	10	3	1
Acute nephritis	3	-	-	-	1	-	-	1	1	-	-	-
Chronic Bright's disease..	28	-	-	-	1	-	1	1	3	10	11	1
Other diseases of genito-urinary system.	16	-	-	-	-	-	1	1	1	1	10	2
Puerperal sepsis	3	-	-	-	-	1	2	-	-	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	5	4	1	-	-	-	-	-	-	-	-	-
Premature birth	23	23	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	30	-	-	-	-	-	-	-	-	-	6	24
Suicide	13	-	-	-	-	-	2	2	3	4	2	-
Burns and Scalds	2	-	-	-	-	1	-	-	-	-	-	1
Drowning	5	-	-	-	2	3	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	-	3	3	1	2	2	-	3	-
Other deaths by violence	11	2	1	-	-	2	1	-	-	-	2	3
Other specified causes	29	10	-	1	2	-	-	3	2	4	2	5
Ill-defined causes	2	1	-	-	-	-	-	-	-	-	1	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th July, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	232	231	8	51	C. 6 D. 4 E. 1 G. 6 L. 1 M. 13
†CITY OF LONDON	-	3	1	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	14	13	-	2	C. 1
†BERMONDSEY ...	-	2	5	-	-	D. 1
†BETHNAL GREEN	-	4	8	-	1	M. 1
†CAMBERWELL ...	-	9	18	-	3	D. 1 M. 1
†CHELSEA	-	-	3	-	-	-
†DEPTFORD ...	-	3	12	-	1	L. 1 M. 1
†FINSBURY ...	-	1	5	-	2	-
†FULHAM	-	6	8	-	2	M. 1
†GREENWICH ...		10	12	-	2	-
†HACKNEY ...		14	14	1	-	C. 2 M. 1
†HAMMERSMITH ...	-	2	2	-	-	-
†HAMPSTEAD ...	-	4	4	-	1	-
†HOLBORN... ...	-	2	2	-	1	-

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	31	14	1	3	C. 1 M. 2
†KENSINGTON ...	-	10	9	2	5	G. 1 M. 1
†LAMBETH ...	-	9	12	-	2	-
†LEWISHAM ...	-	15	8	-	3	C. 1
†PADDINGTON ...	-	5	10	2	3	D. 1 E. 1 G. 2
†POPLAR	-	16	7	-	6	-
†ST. MARYLEBONE	-	1	2	-	1	C. 1 D. 1 G. 1
†ST. PANCRAS ...	-	7	9	-	2	-
†SHOREDITCH ...	-	5	3	1	2	M. 2
†SOUTHWARK ...	-	17	20	-	3	G. 1 M. 2
†STEPNEY	-	19	11	-	2	-
†STOKE NEWINGTON	-	4	4	-	-	-
†WANDSWORTH ...	-	10	6	1	2	G. 1
†WESTMINSTER, CITY OF	-	-	2	-	1	-
†WOOLWICH ...	-	9	7	-	1	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	7	6	–	3	D. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	1	–	2	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	2	2	–	–	M. 1
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	1	1	–	–	–
BIGGLESWADE ...	–	1	1	–	1	–
EATON BRAY ...	–	–	–	–	–	D. 1
BERKS	–	10	–	1	–	D. 2
†READING C.B. ...	–	6	–	–	–	D. 2
Boroughs and Urban Districts:—						
WANTAGE	–	1	–	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	–	–	1	–	–
FARINGDON (part)	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
BUCKINGHAM ...	–	2	1	1	1	M. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–	1	–	–
†SLOUGH	–	–	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	–	1	–	–	M. 1
BUCKINGHAM ...	–	1	–	–	–	–
LONG CRENDON...	–	1	–	–	–	–
WYCOMBE ...	*	*	*	*	*	*
CAMBRIDGE ...	–	11	1	–	1	C. 1
Borough:—						
†CAMBRIDGE ...	–	4	1	–	–	–
CAMBRIDGE—*cont.*						
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
NEWMARKET ...	–	3	–	–	1	C. 1
SWAVESEY ...	–	2	–	–	–	–
CHESTER	–	42	14	1	14	C. 1 G. 2 M. 5
†BIRKENHEAD C.B.	–	2	1	–	3	M. 1
†CHESTER C.B. ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	14	1	–	1	M. 2
†WALLASEY C.B. ...	–	2	2	1	1	G. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	–	M. 1
†CONGLETON ...	–	–	–	–	2	M. 1
†CREWE	–	1	2	–	–	–
†DUKINFIELD ...	–	–	–	–	2	G. 1
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	–	–	–	1	–
KNUTSFORD ...	–	–	–	–	–	C. 1
†MACCLESFIELD ...	–	3	–	–	–	–
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NESTON AND PARKGATE	–	2	–	–	–	–
†RUNCORN ...	–	–	2		–	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–		–
†STALYBRIDGE ...	–	2	–	–	–	–
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–
CHESTER	–	2	–	–	–	–
CONGLETON ...	–	–	1	–	1	–
MACCLESFIELD ...	–	1	–	–	–	–
NORTHWICH ...	–	5	1	–	–	–
WIRRAL		–	3	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
REDRUTH ...	–	–	1	–	–	–
ST. AUSTELL ...	–	2	–	–	–	–
SALTASH... ...	–	2	–	–	–	–
Rural Districts:—						
ST. AUSTELL ...	–	–	–	–	1	–
CUMBERLAND ..	–	11	3	1	3	G. 1
†CARLISLE C.B. ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	–	–	–	–
†MARYPORT ...	–	–	2	–	–	–
†WHITEHAVEN ...	–	–	–	1	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...	–	2	–	–	–	–
CARLISLE ..	–	1	–	–	–	G. 1
LONGTOWN ...	–	–	–	–	1	–
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	2	–	–	1	–
DERBY	16	20	18	1	16	C. 3 G. 1 M. 2
†DERBY C.B. ...	11	1	6	–	4	C. 2
Boroughs and Urban Districts:—						
†ALFRETON ..	–	–	1	–	2	–
ALVASTON AND BOULTON	–	1	–	–	–	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BELPER	2	–	1	–	1	–
†BUXTON	–	1	–	–	–	G. 1
†CHESTERFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	2	2	1	–	C. 1
†HEANOR	–	–	–	–	1	–
†LONG EATON ...	–	1	–	–	–	–
†RIPLEY	1	–	–	–	3	–
†SWADLINCOTE DISTRICT	–	4	–	–	1	–
WIRKSWORTH ...	*	*	*	*	*	*
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	
BAKEWELL ...	–	–	1	–	1	–
BELPER	–	–	1	–	1	–
BLACKWELL ...	1	2	1	–	2	M 1
CHESTERFIELD ...	–	3	1	–	–	M. 1
CLOWNE	–	–	4	–	–	–
NORTON	–	1	–	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	1	–	–	–	–	–
DEVON	–	27	2	2	4	C. 1 M. 1
†EXETER C.B. ...	–	3	–	–	–	–
†PLYMOUTH C.B...	–	11	1	–	3	–
Boroughs and Urban Districts:—						
BUDLEIGH SALTERTON	–	–	–	–	–	C. 1
GREAT TORRINGTON	–	1	–	–	–	–
IVYBRIDGE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	1	–	–	–	–
SALCOMBE ...	–	–		1	–	–
TAVISTOCK ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	3	–	–	–	–
TIVERTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	–	M. 1
PLYMPTON ST. MARY	–	2	1	–	–	–
ST. THOMAS ...	–	–	–	1	–	–
SOUTH MOLTON ...	–	1	–	–	–	–
DORSET	–	3	1	1	3	C. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
†POOLE	–	1	–	1	–	–
†PORTLAND ..	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	–	C. 1
BRIDPORT ...	–	–	–	–	1	–
DORCHESTER ...	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM	78	55	18	3	40	M. 6
†DARLINGTON C.B.	–	2	1	–	1	–
†GATESHEAD C.B.	1	9	6	–	4	–
†SOUTH SHIELDS C.B.	7	6	2	–	2	–
†SUNDERLAND C.B.	–	1	–	–	5	M. 1
†WEST HARTLEPOOL C.B.	–	3	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	–	1	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BLAYDON... ...	1	3	–	–	1	–
†BRANDON AND BYSHOTTLES	5	2	–	1	–	–
†CHESTER LE STREET	1	4	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT	–	–	1	–	1	–
†CROOK	8	1	–	–	–	–
†DURHAM	–	–	–	1	–	M. 1
†FELLING	–	1	–	–	–	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	1	–	–	–	2	–
†HETTON	4	1	–	–	2	–
†HOUGHTON LE SPRING	5	–	–	–	–	–
†JARROW	3	–	–	–	7	M. 1
†RYTON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	23	3	1	–	–	–
†STOCKTON ON TEES	–	3	1	–	3	–
†WASHINGTON ...	–	–	–	1	–	–
†WHICKHAM ...	–	1	–	–	4	–
WILLINGTON ...	10	1	–	–	–	M. 1
Rural Districts:—						
AUCKLAND ...	1	–	1	–	–	M. 2
CHESTER LE STREET	3	1	–	–	1	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	3	–	–	1	–
HOUGHTON LE SPRING	2	1	–	–	–	–
LANCHESTER ...	–	1	1	–	–	–
SEDGEFIELD ...	1	–	–	–	–	–
SUNDERLAND ...	–	2	1	–	3	–
ELY, ISLE OF ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	–	–	3	–
Rural Districts:—						
ELY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX ...	-	88	41	2	35	G. 1 M. 2
†EAST HAM C.B. ...	-	10	8	-	4	-
†SOUTHEND-ON-SEA C.B.	-	6	-	-	3	-
†WEST HAM C.B. ...	-	24	5	-	12	-
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	9	1	-	2	-
CANVEY ISLAND...	-	1	-	-	-	-
†COLCHESTER ...	-	6	-	-	1	-
DAGENHAM ...	-	1	-	-	-	M. 1
FRINTON ON SEA	-	-	-	-	1	-
†GRAYS THURROCK		-	1	-	-	-
HALSTEAD ...	-	1	-	-	-	-
†ILFORD	-	2	8	-	3	-
†LEYTON		3	9	2	[illegible]	G. 1
MALDON	-	-	1	-	-	-
†ROMFORD ...	-	1	1	-	-	-
TILBURY	-	2	-		-	-
WALTHAM HOLY CROSS	-	4	2	-	-	-
†WALTHAMSTOW ..	-	13	3	-	-	-
WALTON ON THE NAZE	*	*	*	*	*	*
†WOODFORD ...	-	1	1	-	-	-
Rural Districts:—						
BELCHAMP ...		-	-	-	1	-
MALDON	-	-	-	-	1	M. 1
ORSETT	-	2	-	-	-	-
ROMFORD... ...	-	2	1	-	-	-
GLOUCESTER		33	17	3	4	G. 2 M. 3
†BRISTOL C.B. ...	-	19	6	2	2	G M. 3
†GLOUCESTER C.B	-	1	4		1	-
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	2	2	-	-	-
NAILSWORTH ...	-	2	-	-	-	-
GLOUCESTER—*cont.*						
Rural Districts:—						
DURSLEY... ...	-	-	1	-	-	-
EAST DEAN AND UNITED PARISHES	-	1	1	-	-	-
GLOUCESTER ...	-	-	1	1	-	-
LYDNEY	-	3	-		-	-
PEBWORTH ...	-	1	-	-	-	-
STROUD	-	2	-	-	-	-
THORNBURY ...	-	1		-	1	-
WEST DEAN ...	-	1	1	-	-	-
WINCHCOMB(part)	-	-	1	-	-	-
HEREFORD	-	6	1	-	6	C. 1
Boroughs and Urban Districts:—						
BROMYARD ...	-		-	-	1	-
KINGTON	-	1	-	-	-	-
Rural Districts:—						
BREDWARDINE ...	*	*	*	*	*	*
BROMYARD ...	-		-	-	4	-
HEREFORD ...	-	1	-	-	1	-
LEDBURY... ...	-	4	-	-		-
LEOMINSTER ...	-	-	-	-	-	C. 1
WEOBLEY... ...	-	-	1	-	-	-
HERTFORD ..	-	9	6	-	1	-
Boroughs and Urban Districts:—						
†BARNET		1	-	-	-	-
BUSHEY	-		2	-	-	-
†CHESHUNT ...	-		-	-	1	-
GREAT BERKHAMPSTEAD	-	-	1	-	-	-
†HERTFORD ...	-	1	-	-	-	-
†LETCHWORTH ...	-	1	-	-	-	-
RICKMANSWORTH	-	1	-	-	-	-
†WATFORD ...	-	3	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
HEMEL HEMPSTEAD	-	2	-	-	-	-
ST. ALBANS ...	-	-	2	-	-	-
HUNTINGDON ...	-	4	-	-	-	-
Boroughs and Urban Districts:—						
OLD FLETTON ...	-	1	-	-	-	-
Rural Districts:—						
HUNTINGDON ...	-	1	-	-	-	-
ST. NEOTS ...	-	2	-	-	-	-
KENT	-	38	32	3	9	C. 1 M. 1
†CANTERBURY C.B.	-	1	1	1	1	-
Boroughs and Urban Districts:—						
†BECKENHAM ...	-	-	2	-	-	
†BEXLEY	-	3	1	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	-	2	-	-	-
†BROMLEY ...	-	-	-	-	2	-
†CHATHAM ...	-	-	1	1	-	-
CHISLEHURST ...	*	*	*	*	*	*
†DARTFORD ...	-	2	1	-	-	-
†DEAL	-	1	-	-	-	-
†DOVER	-	1	1	-	-	-
†ERITH	-	4	1	-	1	-
†FAVERSHAM ...	-	1	-	-	-	-
†FOLKESTONE ...	-	1	-	-	-	-
†GILLINGHAM ...	-	-	3	-		C. 1
†GRAVESEND ...	-	2	8	-	-	-
†MAIDSTONE ...	-	2	-	-	-	-
†MARGATE ...	-	1	-	-	2	-
†PENGE	-	2	3	-	-	-
†RAMSGATE ...	-	3	1	-	1	-
†ROCHESTER ...	-	1	1	1	-	-
†ROYAL TUNBRIDGE WELLS	-	4	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
SITTINGBOURNE	-	-	-	-	1	-
SWANSCOMBE ...	-	1	2	-	-	-
WHITSTABLE ...	-	1	1	-	-	-
Rural Districts:—						
BROMLEY ...	-	3	-	-	-	-
DARTFORD ...	-	2	1	-	-	-
EAST ASHFORD ...	-	-	1	-	-	-
EASTRY	-	1	-	-	-	-
FAVERSHAM ...	-	-	-	-	-	M. 1
MAIDSTONE ...	-	-	-	-	1	-
MALLING	-	-	1	-	-	-
SEVENOAKS ...	-	1	-	-	-	-
LANCASTER ...	1	183	94	5	108	C. 6 E. 2 G. 7 L. 2 M. 19
†BARROW IN FURNESS C.B.	-	2	-	-	-	-
†BLACKBURN C.B.	-	5	1	-	1	M. 1
†BLACKPOOL C.B.	-	1	-	-	2	M. 1
†BOLTON C.B. ...	-	4	5	-	1	-
†BOOTLE C.B. ...	-	1	-	-	2	-
†BURNLEY C.B. ...	-	3	-	-	1	-
†BURY C.B. ...	-	4	2	-	1	-
†LIVERPOOL C.B. ...	-	35	27	-	12	E. 2 G. 4 M. 10
†MANCHESTER C.B.	-	36	22	-	25	C. 4 G. 2 M. 4
†OLDHAM C.B. ...	-	12	3	-	1	C. 1 M. 1
†PRESTON C.B. ...	-	1	1	-	3	-
†ROCHDALE C.B. ...	-	2	1	-	-	-
†ST. HELENS C.B. ...	-	2	3	-	7	-
†SALFORD C.B. ...	-	16	9	-	10	G. 1
†SOUTHPORT C.B.	-	1	1	-	1	-
†WARRINGTON C.B.	-	-	2	-	4	-
†WIGAN C.B. ...	-	-	1	-	5	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ..	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
†ASHTON UNDER LYNE	–	2	–	–	1	–
ASPULL	–	1	1	–	–	–
†ATHERTON ..	–	1	–	–	–	–
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	2	–	–	1	–
BILLINGE... ...	–	–	–	–	1	–
†CHADDERTON ...	–	–	1	–	1	–
†CHORLEY... ...	–	–	–	–	2	–
CHURCH	–	1	–	–	–	–
†COLNE	–	–	–	–	2	–
†CROMPTON ...	–	3	–	–	–	–
†DARWEN	–	3	–	–	–	–
†DENTON	–	1	1	–	–	–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT CROSBY ...	–	1	–	–	–	–
†GREAT HARWOOD	–	2	1	5	–	–
†HAYDOCK ...	–	–	–	–	1	–
HEYSHAM ..	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
HUYTON WITH ROBY	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	1	–	1	–
IRLAM	1	2	–	–	–	–
†LANCASTER ...	–	3	–	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	2	–	–	–	–
†MORECAMBE ...	–	–	1	–	1	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	*	*	*	*	*	*
†PADIHAM ...	–	–	2	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	–	M. 1
RISHTON	*	*	*	*	*	*
†ROYTON	–	1	–	–	–	M. 1
STANDISH WITH LANGTREE	–	–	1	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRETFORD ...	–	4	1	–	3	–
†SWINTON AND PENDLEBURY	–	1	–	–	–	–
†TURTON	–	–	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	4	–	–	–	–
†WALTON LE DALE	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	4	–	–	1	–
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES	–	–	2	–	1	–
Rural Districts:—						
BURNLEY... ...	–	1	1	–	–	–
BURY	–	1	1	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 2
GARSTANG ...	*	*	*	*	*	*
LEIGH	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	1	C. 1
WEST LANCASHIRE	–	2	–	–	1	–
WHISTON... ...	–	–	–	–	2	–
LEICESTER...	–	14	11	–	7	M. 2
†LEICESTER C.B. ..	–	4	5	–	7	M. 2
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	4	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
MARKET HARBOROUGH	*	*	*	*	*	*
WIGSTON MAGNA	–	2	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	3	–	–	–	–
HINCKLEY ...	–	–	2	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	–	1	–	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–		–	1	–	–
LINCOLN (parts of Kesteven).	–	1	2	1	–	–
Rural Districts:—						
BOURNE	–	–	1	–	–	–
CLAYPOLE ...	–	–	–	1	–	–
GRANTHAM ...	–	–	1		–	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	17	5	1	1	M. 2
†GRIMSBY C.B. ...	–	1	1	1	–	M. 1
†LINCOLN C.B. ...	–	12		–	–	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	*	*	*	*	*	*
†CLEETHORPES ...	–	–	1	–	–	–
CROWLE	–	1	–	–	–	–
†GAINSBOROUGH ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	2	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	1	–
GRIMSBY	*	*	*	*	*	*
SPILSBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX	–	60	49	3	11	C 2 G. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	–	–	–	–	G. 1
†BRENTFORD ...	–	–	3	–	1	–
†CHISWICK ...	–	1	1	–	–	–
†EALING	–	3	1	–	–	–
†EDMONTON ...	–	1	12	–	1	G. 1
†ENFIELD	–	1	10	–	–	–
†FINCHLEY ...	–	1	1	–	–	–
†FRIERN BARNET	–	1	1	1	1	–
†HANWELL ...	–	2	2	–	–	–
†HARROW ON THE HILL	–	1	1	–	1	–
†HENDON	–	2	2	1	–	–
†HESTON AND ISLEWORTH	–	6	–	–	1	C. 1
†HORNSEY	–	6	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	–	1	2	–
†TEDDINGTON ...	–	3	–	–	–	–
†TOTTENHAM ...	–	11	4	–	2	–
†TWICKENHAM ...	–	–	1	–	–	M. 1
†UXBRIDGE ...	–	1	–	–	–	–
†WEMBLEY ...	–	3	–	–	–	–
†WILLESDEN ...	–	8	6		2	–
†WOOD GREEN ...	–	1	2	–	–	–
Rural Districts:—						
HENDON	–	5	2	–	–	C. 1
STAINES	–	1	–	–	–	–
NORFOLK	–	11	3	26	2	C. 1
†GREAT YARMOUTH C.B.	–	3	1	–	–	–
†NORWICH C.B. ...	–	5	2	25	–	–
Boroughs and Urban Districts:—						
THETFORD ..		–	–	–		C. 1
WALSOKEN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DOWNHAM ...	–	3	–	–	1	–
KING'S LYNN ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	–	–	1	–	–
WALSINGHAM ...	*	*	*	*	*	*
NORTHAMPTON ...	–	2	6	1	2	–
†NORTHAMPTON C.B.	–	2	5	–	–	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	–	–	–	1	–
ROTHWELL ...	–	–	1	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
Rural Districts:—						
OXENDON... ...	*	*	*	*	*	*
WELLINGBOROUGH	–	–	–	1	–	–
NORTHUMBERLAND	6	34	7	1	12	G. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	15	4	–	7	G. 1 M. 1
†TYNEMOUTH C.B	–	2	2	–	–	–
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
AMBLE	3	–	–	–	–	–
†ASHINGTON ...	–	3	–	–	–	–
†BEDLINGTONSHIRE	1	3	–	–	1	–
†BLYTH	–	1	–	–	–	–
†EARSDON... ...	–	–	1	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	1	1	–	–	–	–
†NEWBURN ...	–	5	–	1	–	–
†WALLSEND ...	–	–	–	–	2	–
WEETSLADE ...	1	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
BELFORD	*	*	*	*	*	*
CASTLE WARD ...	–	1	–	–	2	–
NOTTINGHAM ...	3	13	15	1	11	F. 1 G. 2 M. 2
†NOTTINGHAM C.B	–	8	11	1	2	G. 2 M. 2
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	–	–
†EAST RETFORD ...	–	–	–	–	–	F. 1
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	1	–	2	–
†MANSFIELD ...	–	–	–	–	2	–
†MANSFIELD WOODHOUSE	–	–	1	–	–	–
†SUTTON IN ASHFIELD	3	–	–	–	1	–
†WEST BRIDGFORD	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	2	1	–	2	–
SKEGBY	–	–	–	–	1	–
STAPLEFORD ...	–	1	–	–	–	–
WORKSOP... ...	–	–	1	–	–	–
OXFORD	–	3	2	4	2	C. 1
†OXFORD C.B. ...	–	–	–	1	–	C. 1
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	2	–	–	–	–
CULHAM	–	–	1	–	–	–
HEADINGTON ...	–	–	–	3	–	–
THAME	–	1	1	–	–	–
WOODSTOCK ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	2	2	–	3	–
Borough :—						
†PETERBOROUGH...	–	1	1	–	2	–
Rural Districts—						
PETERBOROUGH...	–	1	1	–	1	–
SALOP	–	1	4	–	2	G. 1 M. 1
Boroughs and Urban Districts :—						
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	–	1	–		–
†WENLOCK ...	–	–	–	–	–	M. 1
Rural Districts :—						
BRIDGNORTH ...	–	–	2	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	G. 1
NEWPORT ...	–	–	–	–	1	
OSWESTRY ...	*	*	*	*	*	*
WEM	–	–	–	–	1	–
SOMERSET	–	10	9	3	3	D. 1 M. 2
†BATH C.B. ...	–	2	1	–	–	D. 1
Boroughs and Urban Districts :—						
†BRIDGWATER ...	–	2	–	–	–	–
CREWKERNE ...	–	–	7	–	–	–
GLASTONBURY ...	–	1	–	–	–	–
†TAUNTON... ...	–	–	–	3	–	M. 1
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts :—						
AXBRIDGE ...	–	–	1	–	–	–
BATH	–	–	–	–	–	M. 1
CHARD	–	1	–	–	–	
CLUTTON... ...	–	–	–	–	1	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
LANGPORT ...	–	–	–	–	1	–
YEOVIL	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	–	18	24	1	4	G. 1 M. 4
†BOURNEMOUTH C.B.	–	1	1	–	–	G. 1
†PORTSMOUTH C.B.	–	11	15	–	1	M. 2
†SOUTHAMPTON C.B.	–	5	7	–	1	M. 1
Boroughs and Urban Districts :—						
†ALDERSHOT ...	–	1	–	–	–	–
†GOSPORT	–	–	–	–	1	–
†WINCHESTER ...	–	–	–		–	M. 1
Rural Districts :—						
LYMINGTON ...	–	–	–	1	–	–
NEW FOREST ...	–	–	1	–	1	–
STAFFORD	–	51	29	2	39	C. 1 E. 1 L. 15 M. 13
†BURTON UPON TRENT C.B.	–	–		–	–	M. 1
†SMETHWICK C.B.	–	–	2	–	1	C. 1
†STOKE ON TRENT C.B.	–	7	2	–	19	E. 1 M. 4
†WALSALL C.B. ...		3	2		–	M. 2
†WEST BROMWICH C.B.	–	4	–	–	1	–
†WOLVERHAMPTON C.B.	–	1	2	–	–	M. 2
Boroughs and Urban Districts :—						
†AUDLEY	–	1	–		–	–
BIDDULPH ...	–	2	–	–	–	–
†BILSTON	–	1	–	–	1	–
†BRIERLEY HILL...	–	2	1	–	–	M. 1
†BROWNHILLS ...	–	1	–	–	–	–
†DARLASTON ...	–	–	–	–	1	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...		2	1	–	4	–
†LEEK	–	3	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
LICHFIELD ...	-	-	5	-	-	-
†NEWCASTLE UNDER LYME	-	1	-	-	-	M. 1
QUARRY BANK	-	-	-	-	3	-
†ROWLEY REGIS ...		2	2	-	-	-
SHORT HEATH ..	-	1	-	-	-	-
†STAFFORD ...	-	1	-	-	-	-
STONE	-	-	1	-	-	-
TETTENHALL ...	-	-	-	1	-	-
†TIPTON	-	2	-	1	2	-
†WEDNESBURY ...	-	-	1	-	-	-
†WILLENHALL ...	-	2	-	-	2	-
Rural Districts:—						
CANNOCK	-	4	1	-	-	-
CHEADLE	-	1	4	-	-	L. 14
KINGSWINFORD ...	-	3	1	-	-	-
LEEK	-	-	-	-	1	-
LICHFIELD ...	-	2	2	-	1	L. 1
NEWCASTLE UNDER LYME		-	1	-	-	-
SEISDON	-	-	-	-	1	-
STAFFORD ...	-	1	-	-	-	-
TUTBURY... ...	-	-	1	-	-	M. 1
UTTOXETER ...	-	3	-	-	-	-
WALSALL... ...	-	-	-		2	-
SUFFOLK, EAST .	-	8	2	1	-	C. 1 M. 2
†IPSWICH C.B. ..	-	3	-	-	-	-
Boroughs and Urban Districts:—						
BUNGAY	-	2	-	-	-	-
†FELIXSTOWE	-	-	1	-	-	-
†LOWESTOFT ..	-	-	1	1	-	M. 1
SAXMUNDHAM ...	*	*	*	*	*	*
Rural Districts:—						
BOSMERE AND CLAYDON	-	1	-	-	-	-
MUTFORD AND LOTHINGLAND	-	-	-	-	-	C. 1
PLOMESGATE ...	-	-	-	-	-	M. 1
SAMFORD... ...	-	2	-	-	-	-
SUFFOLK, WEST ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	1	-	-	-	-
GLEMSFORD ...	-	1	-	-	-	-
Rural Districts:—						
COSFORD	*	*	*	*	*	*
SURREY	-	28	21	-	3	C. 1 G. 1 M. 4
†CROYDON C.B. ...	-	12	9	-	1	-
Boroughs and Urban Districts:—						
†CARSHALTON ...	-	1	1	-	-	-
DORKING	-	-	-	-	-	M. 1
†EPSOM	-	-	1	-	-	-
†FARNHAM ...	-	1	1	-		-
†FRIMLEY	*	*	*	*	*	*
†MERTON AND MORDEN	-	2	-	-	-	-
†MITCHAM... ...	-	1	1	-	-	M. 1
†REIGATE	-	1	-	-	-	C. 1 G. 1
†RICHMOND ...	-	2	-	-	-	-
†THE MALDENS AND COOMBE	-	-	-	-	-	M. 1
WEYBRIDGE ...	-	-	-	-	1	-
†WIMBLEDON ...	-	4	1	-	-	-
Rural Districts:—						
CHERTSEY ...	-	-	1	-	-	-
DORKING	-	1	-	-	-	-
EPSOM	-	-	-	-	1	-
GODSTONE ...	-	1	4	-	-	-
GUILDFORD ...	-	2	2	-	-	-
HAMBLEDON ...	-	-	-	-	-	M. 1
SUSSEX, EAST ...	-	12	2	-	4	M. 1
†BRIGHTON C.B. ...	-	6	-	-	1	-
†EASTBOURNE C.B.	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	1	–
†HOVE	–	1	–	–	1	–
PORTSLADE BY SEA	–	–	1	–	–	–
Rural Districts:—						
BATTLE	–	–	–	–	–	M. 1
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	3	–	–	–	–
SUSSEX, WEST ..	–	6	4	–	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
HORSHAM ...	–	2	–	–	–	–
THAKEHAM ...	–	2	–	–	–	–
WESTHAMPNETT ..	–	–	2	–	–	–
WARWICK		48	67	2	30	C. 3 E. 1 G. 3 L. 1 M. 10
†BIRMINGHAM C.B.	–	34	53	1	25	C. 3 E. 1 G. 2 L. 1 M. 9
†COVENTRY C.B. ..	–	2	4	–	1	–
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	1	–
KENILWORTH ...	–	–	1	–	–	–
†NUNEATON ...	–	2	1	–	2	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	1	–	–
ATHERSTONE ...	–	5	6	–	1	G. 1 M. 1
MERIDEN... ..	–	1	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF ..	–	1	–	–	–	–
Boroughs and Urban Districts:—						
VENTNOR... ..	–	1	–	–	–	–
WILTS	–	5	2	–	3	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
†SWINDON... ...	–	–	1	–	2	–
†TROWBRIDGE ...	–	1	–	–	–	–
WILTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
MELKSHAM ...	–	–	1	–	–	–
SALISBURY ...	–	2	–	–	–	–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	13	3	1	14	–
†DUDLEY C.B. ...	–	4	1	–	–	–
†WORCESTER C.B.	–	1	1	–	9	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	1	–
†KIDDERMINSTER	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	–	–	1	–	–
†OLDBURY... ...	–	2	1	–	2	–
†STOURBRIDGE ...	–	1	–	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	16	13	–	4	G. 1
†KINGSTON UPON HULL C.B.	–	10	11	–	3	–
Boroughs and Urban Districts:—						
GREAT DRIFFIELD	–	–	2	–	–	–
HEDON	–	1	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	–		–	–	G. 1
HOWDEN	–	–	–	–	1	–
POCKLINGTON ...	–	4	–	–	–	–
SHERBURN ...	*	*	*	*	*	*
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	12	3	–	2	G. 2 M. 1
†MIDDLESBROUGH C.B.	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†ESTON	–	3	1	–	1	–
MASHAM	–	1	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	–	–	–	–	G. 1
Rural Districts:—						
FLAXTON ...	–	–	–	–	–	M. 1
GUISBOROUGH ...	–	–	1	–	–	–
KIRBY MOORSIDE	–	–	–	–	–	G. 1
STOKESLEY ...	–	1	–	–	–	–
THIRSK	–	2	–	–	–	–
YORKS ... ... (West Riding.)	24	127	45	2	83	C. 5 G. 2 M. 11
†BARNSLEY C.B. ...	–	1	–	–	1	M. 1
†BRADFORD C.B. ...	–	14	10	1	9	M. 1
†DEWSBURY C.B....	–	2	–	–	–	C. 1 M. 1
†HALIFAX C.B. ...	–	1	–	–	1	C. 1
†HUDDERSFIELD C.B.	–	8	5	–	2	–
†LEEDS C.B. ...	–	17	5	–	9	C. 2 M. 1
†ROTHERHAM C.B.	–	5	–	–	6	–
†SHEFFIELD C.B...	1	22	12	1	26	G. 1 M. 1
†WAKEFIELD C.B.	–	2	2	–	–	–
Boroughs and Urban Districts:—						
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	2	–	–	–	–	–
†BINGLEY	–	1	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
CALVERLEY ...	–	2	–	–	–	–
†CONISBROUGH ...	–	3	–		–	–
CUDWORTH ...	–	1	–	–	1	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DONCASTER ...	–	4	–		–	–
†GOLCAR	–	–	1	–	–	–
†GOOLE	–	2	–	–	4	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	1	–	–	1	–
†HEMSWORTH ...	–	1	–	–	2	–
HIPPERHOLME ...	–	–	–	–	1	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	4	M. 1
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	7	–	–	–	–	–
KNOTTINGLEY ...	–	–	–	–	1	–
LEPTON	–	–	–	–	1	–
LINTHWAITE ...	–	3	–	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	5	–	–	–	2	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	1	–	–	1	–
NEW MILL ...	–	7	–	–	–	
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	–	G. 1 M. 1
†RAWMARSH ...	–	–	2	–	–	–
RIPON	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
SHIPLEY	–	1	–	–	–	–
†SOWERBY ...	–	–	1	–	–	M. 1
†SPENBOROUGH ...	–	–	1	–	1	–
STOCKSBRIDGE ...	–	3	–	–	–	–
†SWINTON	8	–	–	–	1	–
THURNSCOE ...	–	–	–	–	2	–
TICKHILL ...	–	–	1	–	–	–
†TODMORDEN ...	–	1	–	–	1	M. 1
†WATH UPON DEARNE	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding —*cont.*						
Rural Districts:—						
DONCASTER ..	1	–	1	–	2	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ..		1	1	–	2	M. 1
KIVETON PARK ...	–	1	2	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...		–	–	–	–	M. 1
ROTHERHAM ..		2	–	–	–	–
SETTLE	–	1	–	–	–	–
TADCASTER ...		1	1	–	–	–
TODMORDEN ...	–	–		–	–	C. 1
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ..	–	1	–	–	–	–
§YORK, CITY OF ...	–	–	1	–	1	–
†YORK C.B. ...	–	–	1	–	1	–
WALES.						
ANGLESEY	–	4	–	–	1	–
Rural Districts:—						
AETHWY	–	1	–	–	–	–
TWRCELYN ...	–	–	–	–	1	–
VALLEY	–	3	–	–	–	–
BRECKNOCK ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	1	–	–	–
HAY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	–	1	–	–	1	–
VAYNOR AND PENDERYN	–	1	–	–	–	–
LLANWRTHWL (parish)	*	*	*	*	*	*
CAERNARVON ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	2	1	–	–	–
†LLANDUDNO ...	–	–	1	–	–	–
CARDIGAN ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
CARDIGAN ...	*	*	*	*	*	*
LAMPETER ...	–	1	–	–	–	–
CARMARTHEN ...	–	5	6	–	3	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	2	–	–	–
†LLANELLY ...	–	1	2	–	3	–
NEWCASTLE EMLYN	*	*	*	*	*	*
CARMARTHEN—*cont.*						
Rural Districts:—						
LLANDILO FAWR	–	3	–	–	–	–
LLANELLY ...	–	1	2	–	–	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
CARNARVON. See **CAERNARVON.**						
DENBIGH	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
WREXHAM ...	–	2	–	–	–	–
FLINT	–	4	1	–	2	–
Boroughs and Urban Districts:—						
PRESTATYN ...	*	*	*	*	*	*
†RHYL	–	1	1	–	1	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ..	–	36	14	1	22	C. 1 D. 1 G. 1 M. 3
†CARDIFF C.B. ..	–	2	2	1	1	C. 1 M. 2
†SWANSEA C.B. ..	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	10	–	–	–	–
†BARRY	–	1	4	–	–	–
†CAERPHILLY ...	–	2	–	–	2	–
†GELLIGAER ...	–	–	3	–	4	–
†MAESTEG ...	–	–	1	–	–	–
†MOUNTAIN ASH ...	–	1	1	–	–	–
†NEATH	–	–	–	–	1	–
†OGMORE AND GARW	–	3	–	–	–	–
†PONTYPRIDD ...	–	3	–	–	1	D. 1 G. 1
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	6	1	–	8	M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	–	–	–	5	–
PONTARDAWE ..	–	1	–	–	–	–
SWANSEA... ..	–	3	–	–	–	–
MONMOUTH ...	–	7	6	–	5	M. 1
†NEWPORT C.B. ...	–	1	1	–	5	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ..	–	–	–	–	–	M. 1
†BEDWELLTY ...	–	–	2	–	–	–
†EBBW VALE ...	–	2	–	–	–	–
LLANTARNAM ...	–	1	2	–	–	–
MONMOUTH ...		–	1	–	–	–
†PANTEG	–	1	–	–	–	–
†TREDEGAR ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
Rural Districts:—						
FORDEN	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES		–	–	–	2	–
PEMBROKE	–	–	–	–	4	
Rural Districts:—						
HAVERFORDWEST.	–	–	–	–	3	–
LLANFYRNACH ..	–	–	–	–	1	–
RADNOR	–	1	1	–	–	–
Rural Districts:—						
COLWYN	–	1	–	–	–	–
NEW RADNOR ...		–	1	–	–	–
PAINSCASTLE ...	*	*	*	*	*	*
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	128	1141	620	76	536	C. 31 D. 5 E. 4 F. 1 G. 31 L. 18 M. 102

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
HARTLEPOOL	*	*	*	*	*	*	SWANSEA	-	-	1	-	-	
LITTLEHAMPTON ...	*	*	*	*	*	*	PORT OF LONDON ...	-	1	-	1	-	L
LIVERPOOL	-	-	-	-	2	-							
MANCHESTER	-	-	1	-	-	-	Total of Part III.... ...	-	1	2	1	3	L.
MILFORD	-	-	-	-	1	-							

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	232	231	8	51	C. 6 D. 4 E. 1 G. 6 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	128	1141	620	76	536	C. 31 D. 5 E. 4 F. 1 G. 31 L. 18 M. 102
Total of Part III.—Port Sanitary Districts	-	1	2	1	3	L. 1
Total (*i.e.*, of returns received), England and Wales ...	128	1374	853	85	590	C. 37 D. 9 E. 5 F. 1 G. 37 L. 20 M. 115

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-phalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued er; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	Apr. 17.	Apr. 24	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.
LONDON:—												
DEATHS—all ages	1,264	1,127	1,108	1,011	913	1,006	904	827	820	766	807	785
" 0 to 1 year ..	93	110	103	98	74	71	69	61	60	61	77	67
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,976	7,585	7,009	7,412	7,437	7,438	6,025	7,833	7,074	7,424	7,167	7,137
DEATHS—all ages	5,342	4,889	4,704	4,302	4,230	4,464	4,119	3,939	3,669	3,525	3,384	3,570
" 0 to 1 year ..	552	511	511	440	444	469	431	415	403	354	379	354
ENTERIC FEVER—Cases	23	20	25	21	21	20	22	28	16	16	32	25
" Deaths	1	1	—	5	3	3	1	4	2	2	3	3
SMALL POX—Cases ..	65	35	32	58	43	38	39	41	43	31	12	15
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	742	799	828	840	837	864	760	687	814	792	766	882
" Deaths	9	6	5	13	6	2	6	7	4	4	4	8
DIPHTHERIA—Cases ..	622	639	669	693	666	586	605	538	587	567	606	611
" Deaths ..	41	38	43	43	33	32	19	25	22	24	38	32
MEASLES—Deaths ..	99	81	55	68	60	56	56	35	29	37	26	25
INFLUENZA—Deaths ..	302	209	166	149	118	111	78	80	67	38	37	28

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th July, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	77	50	70·6	53·4	6
BRIGHTON ..	Not	receive	d.		
PORTSMOUTH ..	70	55	66·4	56·5	5
NORWICH (SOUTHWELL LODGE).	73	49	67·9	53·0	23
PLYMOUTH ..	71	56	66·6	57·4	2
BRISTOL (CLIFTON).	74	52	66·9	54·7	25
BIRMINGHAM (EDGBASTON).	75	51	66·4	52·9	22
NOTTINGHAM ..	73	52	67·3	53·6	7
BIRKENHEAD (BIDSTON).	74	54	66·9	55·9	17
MANCHESTER (WHITWORTH PARK).	76	52	69·1	54·9	22
BURNLEY	70	51	65·7	53·0	14

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rai i M met
	°	°	°	°	
HUDDERSFIELD	73	50	68·7	53·1	
BRADFORD ..	70	49	66·4	51·9	1
SHEFFIELD ..	71	51	66·6	53·7	1
YORK (MUSEUM)	72	50	68·9	53·1	
HULL (PEARSON PARK).	73	51	67·4	53·7	1
TYNEMOUTH ..	71	53	61·9	54·1	9
CARDIFF.. ..	74	51	66·7	53·9	2
EDINBURGH ..	67·0	48·0	59·7	51·4	2
GLASGOW ..	68·7	51·1	66·4	53·5	
DUBLIN (PHŒNIX PARK).	73·0	46·0	68·4	50·0	
(FITZWILLIAM SQUARE†).	72·0	53·3	67·2	55·0	1
BELFAST.. ..	Not	receive	d.		

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th July, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	4	..	29·871	67·7	52·4	15·3	58·2	− 3·9	55·4	2·8	10·2	1·5	91	121·9	46·3	55·2	N	NNE : N.	1·3	0·0	0·2	262	+ 10	0·10
MONDAY -	5	..	29·696	66·5	54·1	12·4	58·3	− 4·0	56·1	2·2	8·6	1·2	92	92·6	54·0	55·4	NNE	N : NW.	0·9	0·0	0·1	216	− 37	0·11
TUESDAY -	6	..	29·503	69·0	55·1	13 9	59·3	− 3·1	54·6	4·7	12·2	0·0	85	137·3	53·2	55·6	WNW : W : SW.	SW : SSW.	1·1	0·0	0·1	225	− 30	0·02
WEDNESDAY	7	..	29·670	66·3	52·1	14·2	57·3	− 5·1	56·2	1·1	9·2	0·2	96	109·0	42·4	55·8	Calm	Calm	0·0	0·0	0·0	93	− 162	0·02
THURSDAY -	8	..	29·853	77·5	50·1	27·4	63·2	+ 0·8	56·7	6·5	19·2	0·2	79	145·9	39·8	55·9	Calm	Calm : SW.	1·0	0·0	0·0	97	− 157	0·00
FRIDAY -	9	Greatest Declination N.	29·824	76·9	53·4	23·5	64·8	+ 2·4	54·8	10·0	21·2	1·1	70	140·9	42·6	56·0	Calm : SW.	W : SW : WSW.	3·0	0·0	0·2	265	+ 12	0·00
SATURDAY -	10	New. ..	29·899	70·1	54·2	15·9	62·2	− 0·3	52·8	9·4	17·8	2·7	72	118·5	44·4	56·0	WSW : WNW.	WNW : W : SW.	1·6	0·0	0·3	303	+ 52	0·00
MEANS -		..	29·759	70·6	53·1	17·5	60·5	− 1·9	55·2	5·2	14·1	1·0	84	123·7	46·1	55·7	Variable		..	..	..	Sum 1461	Sum − 312	Sum 0·25
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. July.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday ..	4	wP till 14h.; wN till 15h., then wP.	0·1	16·4	Very cloudy or nearly overcast till 8h. then overcast generally. Slight rain 9h. till 11h., damping 12h. till 14h., then occasional showers.
Monday ..	5	wP	0·0	16·4	Overcast throughout. Rain or slight rain 2h till 9h. Occasional damping in evening.
Tuesday ..	6	wP	1·0	16·4	Overcast generally. Rain or slight rain 5h. till 7h.
Wednesday	7	wP till 12½h.; mP till 14h., then wP.	0·0	16·4	Overcast till 14¾h., nearly so till 21h., becoming nearly cloudless by 22h. Shower about 1h. Slight rain 8h. till 9h., and rain 14h. till 14½h. Mist 11½h. till 15h., then haze till 21½h.
Thursday	8	wP	6·6	16·4	Cloudless till 4h.; cloudy 5h. till 9h., nearly overcast from 11½h. Cloudy or very cloudy from 12h. Mist 2h. till 8h. Sky hazy during day.
Friday ..	9	wP	5·8	16·3	Very cloudy generally till 12h. with less cloudy period 4h. till 6h. Partially cloudy 13h. till 15h., becoming very cloudy by 15½h. Clearing 19h. to cloudless by 20¼h. Mist in morning. Shower at 15½h.
Saturday	10	wP till 9h.; mP till 14h.; then wP.	1·7	16·3	Cloudless till 2h.; cloudy by 2½h., very cloudy 6½h. till 10h., then overcast. Slight shower 19h.
			Sum 15·2	Sum 114·6	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·95 ins. at the beginning of the week to 29·48 ins. by 15½h. on July 6th; increased to 29·87 ins. by 22h. on July 8th; decreased to 29·79 ins. by 15h. on July 9th; increased generally, and was 29·93 ins. by midnight on July 10th.

FOR OFFICIAL USE

1926. No. 28.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 17TH JULY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH JULY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-eighth week of the year numbered 6,992 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,540 and corresponded to an annual rate of 9·5 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·1, 9·6, and 9·2. Infant mortality was 52 per 1,000 births against 53, 50 and 51 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,554 births corresponding to a rate of 17·6 per 1,000, and 791 deaths of civilians, corresponding to an annual rate of 9·0, against 9·1, 8·9 and 8·8, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·0 per 1,000. The infant mortality was 41 as against 47, 41 and 44 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,424 to 3,540. In London the number of deaths from all causes increased from 775 to 791, and the deaths from diphtheria which had been 11, 5, and 2 in the preceding three weeks, were 5 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 17th July, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	6,992	3,540	363	4	14	6	31	25	48	22
London	4,602,000*	1,554	791	64	1	3	3	4	5	8	7
Towns in Outer Ring.											
Croydon C.B ..	199,300	60	32	2	-	-	-	-	2	-	-
Wimbledon ..	58,170	12	10	-	-	-	-	-	-	-	-
Ealing	68,410	16	12	1	-	-	-	-	-	-	-
Acton	63,110	18	11	2	-	-	-	1	-	-	-
Willesden ..	168,900	53	33	3	-	-	-	-	2	-	-
Hendon	59,150*	15	9	-	-	-	-	-	-	-	-
Hornsey	87,210	19	9	-	-	-	-	-	-	-	-
Wood Green ..	51,960	10	5	1	-	-	-	-	-	-	-
Tottenham ..	153,600	38	23	1	-	-	-	-	-	-	-
Edmonton ..	71,210	46	7	2	-	-	-	-	-	-	-
Enfield	63,740	18	5	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	163	40	7	-	-	-	-	-	1	-
East Ham C.B. ..	147,200	31	26	1	-	-	-	-	-	-	-
Leyton	132,700	23	20	-	-	-	-	-	-	-	-
Walthamstow ..	130,800	40	19	2	-	-	-	-	1	-	-
Ilford	93,590	25	11	1	-	-	-	-	1	-	-
Gillingham	48,680*	17	9	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	6	6	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	16	11	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	12	8	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	40	25	1	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	93	34	2	-	-	1	-	-	-	-
Bournemouth C.B. ..	85,840	26	18	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	75	31	3	-	-	-	-	2	1	1
Reading C.B.	93,670*	39	25	2	-	-	-	-	-	1	-
Oxford C.B.	57,090	16	12	2	-	-	-	1	-	-	-
Northampton C.B. ..	93,780*	27	25	3	-	-	-	-	-	-	1
Luton	59,230	14	11	-	-	-	-	-	-	-	-
Cambridge	59,020	21	20	2	-	-	-	-	-	1	-
Southend-on-Sea C.B.	98,060	24	16	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	26	11	1	-	-	-	-	-	1	-
Great Yarmouth C.B.	57,890	32	13	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	39	20	1	-	-	-	-	-	-	-
Swindon	56,880	23	11	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	29	14	1	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	83	39	3	-	-	-	-	-	-	-
Bath C.B.	69,050	19	14	2	-	-	-	-	-	-	-
Bristol C.B.	385,700*	144	68	6	-	-	-	-	-	-	-
Gloucester C.B. ..	53,060	22	8	1	-	-	-	-	2	-	-
Stoke-on-Trent C.B.	278,900	126	59	18	-	-	-	-	1	1	-
Burton-upon-Trent C.B.	49,530	22	8	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	36	20	2	-	-	-	-	-	-	-
Walsall C.B.	102,300	37	28	7	-	-	-	-	-	-	-
West Bromwich C.B	79,490	42	12	2	-	-	-	-	-	-	-
Dudley C.B.	58,810	31	11	-	-	-	-	-	-	1	-
Worcester C.B. ..	50,230	24	12	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	342	183	20	-	-	-	5	-	3	1
Smethwick C.B. ..	78,840	21	4	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	39	15	1	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	98	46	6	-	-	-	-	1	1	-
Lincoln C.B.	66,600*	13	7	1	-	-	-	-	-	-	-
Grimsby C.B.	87,190	30	21	2	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	100	70	13	-	1	-	1	1	2	-
Derby C.B.	134,400*	48	27	3	-	1	-	-	1	1	-
Chesterfield ..	65,800	35	10	-	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	29	26	-	-	-	-	-	-	-	-
Chester C.B.	41,670	16	10	1	-	1	-	-	-	-	-
Birkenhead C.B. ..	155,500	55	29	7	-	-	-	-	-	4	-
Wallasey C.B. ..	91,720	25	20	2	-	-	-	1	-	-	1
Liverpool C.B. ..	856,000	402	174	25	-	3	-	1	1	5	1
Bootle C.B.	83,260	49	9	1	-	-	-	-	-	-	1
St. Helens C.B. ..	109,600	39	12	1	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	15	10	-	-	-	-	-	-	-	-
Wigan C.B.	91,010	39	12	1	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	30	15	-	1	-	-	1	-	-	-
Bolton C.B.	180,400	73	30	2	-	2	-	-	-	-	1
Bury C.B.	56,700*	15	14	3	-	-	-	-	-	-	1
Manchester C.B. ..	755,800	280	149	13	-	1	-	1	3	3	1
Salford C.B.	244,700	76	52	7	-	-	-	-	-	1	-
Oldham C.B	146,200	48	25	1	-	-	-	-	1	-	1
Rochdale C.B... ..	92,190	21	24	2	-	-	-	-	-	-	1
Burnley C.B.	102,300	42	22	1	1	-	-	-	-	-	-
Blackburn C.B. ..	126,900	47	27	3	-	-	-	-	-	1	-
Preston C.B.	122,900	33	23	3	-	-	-	-	-	-	1
Blackpool C.B. ..	80,750	26	15	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	23	8	2	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	30	17	-	-	-	-	-	-	-	-
Halifax C.B.	97,860*	21	26	1	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	90	82	13	1	-	-	-	1	-	-
Leeds C.B.	472,900	162	93	12	-	-	-	1	-	1	-
Dewsbury C.B ..	54,570	25	10	1	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	22	10	1	-	-	-	1	-	-	-
Barnsley C.B. ..	71,170	29	12	1	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	182	103	13	-	-	-	-	-	2	1
Rotherham C.B. ..	70,600	28	8	2	-	-	-	-	-	-	-
Doncaster	55,610	26	10	2	-	-	-	1	-	-	-
York C.B.	84,630*	22	15	1	-	-	-	-	-	-	-
Hull C.B.	297,300	117	51	7	-	-	-	1	-	-	-
Middlesbrough C.B.	136,200	71	26	4	-	-	-	1	-	2	-
Darlington C.B. ..	69,130	29	8	2	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	24	11	2	-	-	-	2	-	-	-
West Hartlepool C.B.	71,590	32	9	-	-	-	-	-	-	1	-
Sunderland C.B. ..	166,000	75	37	4	-	-	-	1	-	3	-
South Shields C.B. ..	124,600	58	27	3	-	-	-	-	-	-	-
Gateshead C.B. ..	129,000	49	23	2	-	-	1	1	-	-	-
Newcastle-on-Tyne C.B.	286,300*	142	47	4	-	-	1	1	-	1	-
Tynemouth C.B. ..	66,180	27	14	2	-	-	-	1	-	-	-
Carlisle C.B.	55,160*	25	15	-	-	-	-	1	-	-	-
Newport (Mon.) C.B.	96,420*	39	17	-	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	96	36	5	-	-	-	-	-	1	-
Rhondda	167,570	72	28	2	-	-	-	-	-	1	-
Merthyr Tydfil C.B.	82,920	23	11	1	-	1	-	-	-	-	-
Aberdare	57,700	16	9	1	-	1	-	-	-	-	-
Swansea C.B.	163,200	49	34	6	-	-	-	3	-	-	1
Greater London ..	7,719,622*	2,584	1,263	100	1	4	3	5	13	9	7
Outer Ring	3,117,622*	1,030	472	36	-	1	-	1	8	1	-
16 Great Towns in Outer Ring	1,867,550*	587	272	23	-	-	-	1	6	1	-
Remainder of Outer Ring	1,250,072*	443	200	13	-	1	-	-	2	-	-
Edinburgh†	424,600	156	94	10	-	2	-	1	1	-	1
Glasgow† ..	1,052,200‡	467	233	37	-	-	3	3	-	7	1
Dublin (Registration Area)†	443,000	195	104	21	-	2	1	-	-	-	-
Belfast†	415,000	158	91	19	-	-	-	1	1	8	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
LONDON‡	4,602,000	1926. July 17	1554	791	9·0	1	–	3	3	4	5	8
CALCUTTA AND SUBURBS	1,077,273	June 5	?	583§	28·1	?	9	?	?	?	?	?
BOMBAY	1,279,061	„ 16										
MADRAS	528,791	„ 19										
SYDNEY AND SUBURBS	1,038,950	„ 30										
BRISBANE (Metropolitan Area).	253,568	May 31										
PERTH (Metropolitan Area).	179,388	„ 29										
AUCKLAND (Urban Area).	180,790	„ 31										
WELLINGTON (Urban Area).	118,490	„ 31										
CHRISTCHURCH (Urban Area).	118,270	„ 31										
CAPE TOWN	113,709	June 19	49	27	12·6	–	–	–	–	1	1	–
JOHANNESBURG	165,958	„ 19	88	36	11·3	1	–	–	–	1	1	–
DURBAN	54,822	„ 19	26	12	11·4	–	–	–	–	1	–	–
PARIS	2,906,472	„ 30 (10 days)	1313	976	12·3	1	–	17	1	5	11	16
ANTWERP	300,065	June 12										
AMSTERDAM	719,379	„ 12										
COPENHAGEN	587,400	July 10	178	141	12·6	–	–	2	–	6	–	1
STOCKHOLM	442,528	„ 3	109	93	10·9	–	–	4	–	–	1	–
GOTHENBURG	230,804	June 19										
OSLO (CHRISTIANIA) ..	257,719	July 10										
BERLIN	2,000,000	June 26	423	414	10·3	–	?	–	1	1	2	5
BRESLAU	559,000	„ 26	143	106	7·8	–	?	–	2	–	–	–
COLOGNE	708,000	„ 26	211	135	9·1	–	?	–	–	3	1	4
DRESDEN	622,000	„ 26	202	87	7·1	–	?	1	1	–	–	–
FRANKFORT-ON-MAIN ..	473,000	„ 26	132	99	10·2	–	?	–	–	–	–	1
HAMBURG	1,095,000	„ 26	297	181	7·9	2	?	–	–	–	1	3
LEIPZIG	685,000	„ 26	200	147	10·1	–	?	–	–	–	–	1
MUNICH	680,000	„ 26	174	138	9·7	–	?	–	–	–	–	1
VIENNA	1,873,432	Feb. 28 (28 days)	1873	2125	13·5	3	–	2	4	6	8	?
PRAGUE AND SUBURBS	712,700	Jan. 31										
BUDAPEST	960,535	June 26	304	284	15·3	–	–	–	4	1	–	4
WARSAW	1,015,426	July 3	453	273	12·5	2	–	–	15	3	3	28
CAIRO	859,400	Feb. 25										
ALEXANDRIA	492,100	„ 25										
NEW YORK	6,361,664	June 19	2556	1278	11·2	1	–	12	2	5	7	13
CHICAGO	2,995,239											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children und year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 40 deaths from cholera in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th July, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	791	64	17	16	20	26	40	75	114	140	145	134
Enteric fever..	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet fever	3	-	-	-	1	-	1	1	-	-	-	-
Whooping cough	4	1	1	2	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	4	-	-	-	-	1	-	-	-
Influenza	7	1	-	-	-	-	1	1	-	2	1	1
Erysipelas	4	-	-	-	-	-	-	1	-	1	1	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	71	-	-	-	2	10	10	15	20	8	6	-
Nervous system	4	-	-	2	1	-	1	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	11	-	3	1	1	1	-	2	1	2	-	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	124	-	-	-	-	-	2	12	26	38	32	14
Rheumatic fever	4	-	-	-	1	1	2	-	-	-	-	-
Diabetes	8	-	-	-	-	-	1	-	-	3	4	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	-	-	2	1	-	-	-	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	41	-	-	-	-	-	-	2	2	10	12	15
Epilepsy	2	-	-	-	-	-	-	1	-	-	1	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	21	1	-	-	2	-	2	4	2	5	3	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	2	1	-	2	-	-	-
Other diseases of heart	116	-	-	-	-	2	3	6	24	26	27	28
Other diseases of circulatory system	45	-	-	-	-	-	-	-	5	8	15	17
Bronchitis	25	1	-	-	-	-	-	1	3	7	3	10
Broncho-pneumonia	24	7	5	2	-	-	-	4	3	1	2	-
Lobar-pneumonia	14	1	1	-	-	-	3	2	1	3	1	2
Pneumonia (type not distinguished)	10	-	1	-	1	-	-	2	-	1	4	1
Other diseases of respiratory system	10	-	-	-	1	1	-	1	1	1	1	4
Diarrhœa and enteritis	11	8	-	-	-	-	-	1	1	-	1	-
Appendicitis, Typhlitis	3	-	-	-	1	1	-	-	-	1	-	-
Hernia, Intestinal obstruction.. ..	9	1	-	-	-	-	-	-	1	2	5	-
Cirrhosis of liver	5	-	-	-	-	-	-	-	1	2	2	-
Other diseases of digestive system ..	13	-	-	-	-	-	3	2	2	3	2	1
Acute nephritis	1	-	-	-	1	-	-	-	-	-	-	-
Chronic Bright's disease..	27	-	-	-	-	1	-	3	9	4	7	3
Other diseases of genito-urinary system.	12	-	-	-	-	1	-	2	2	1	4	2
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	6	-	-	-	-	1	3	1	1	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	6	6	-	-	-	-	-	-	-	-	-	-
Old age	30	-	-	-	-	-	-	-	-	1	3	26
Suicide	11	-	-	-	-	1	1	4	2	1	2	-
Burns and Scalds	2	-	2	-	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	-	1	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	13	-	1	1	-	2	2	1	-	4	2	-
Other deaths by violence	14	2	-	1	-	1	2	2	-	3	1	2
Other specified causes	36	11	1	1	6	1	1	2	4	2	2	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th July, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	289	241	8	54	C. 8 G. 4 J. 1 M. 13
Metropolitan Boroughs :—						
†BATTERSEA ...	-	13	10	-	5	M. 2
†BERMONDSEY ...	-	7	14	-	2	G. 1
†BETHNAL GREEN	-	13	10	-	1	J. 1 M. 1
†CAMBERWELL ...	-	26	11	-	4	C. 1
†CHELSEA	-	5	3	-	-	-
†DEPTFORD ...	-	3	12	-	3	-
†FINSBURY ...	-	4	2	-	1	-
†FULHAM	-	3	4	1	4	C. 1 G. 1
†GREENWICH ...	-	5	12	1	-	-
†HACKNEY ...	-	25	18	-	-	-
†HAMMERSMITH ...	-	3	4	1	-	-
†HAMPSTEAD ...	-	2	6	-	-	-
†HOLBORN... ...	-	2	4	-	-	-
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	19	10	2	1	C. 1 G. 1
†KENSINGTON ...	-	7	12	1	5	G. 1
†LAMBETH ...	-	11	20	1	1	C. 2 M. 1
†LEWISHAM ...	-	18	7	-	2	-
†PADDINGTON ...	-	2	11	-	5	-
†POPLAR	-	17	10	-	4	C. 1
†ST. MARYLEBONE	-	4	5	-	-	M. 2
†ST. PANCRAS ...	-	11	4	1	7	-
†SHOREDITCH ...	-	10	4	-	1	M. 1
†SOUTHWARK ...	-	8	13	-	1	C. 1
†STEPNEY	-	41	15	-	2	M. 3
†STOKE NEWINGTON	-	2	5	-	-	-
†WANDSWORTH ...	-	12	9	-	3	C. 1
†WESTMINSTER, CITY OF	-	5	2	-	-	M. 1
†WOOLWICH ...	-	11	4	-	2	M. 2

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	11	1	2	M. 1
Boroughs and Urban Districts:—						
BIGGLESWADE ...	–	–	–	–	1	–
†LUTON	–	1	6	1	–	–
Rural Districts:—						
BEDFORD ...	–	–	4	–	–	–
BIGGLESWADE ...	–	–	1	–	1	M. 1
BERKS	–	3	–	–	2	–
†READING C.B. ..	–	3	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	–	–	1	–
BRADFIELD ...	–	–	–	–	1	–
BUCKINGHAM ...	–	6	–	–	1	G. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	2	–	–	–	–
†SLOUGH	–	–	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	2	–	–	–	–
HAMBLEDEN ...	–	–	–	–	–	G. 1
LONG CRENDON...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
CAMBRIDGE ..	–	4	5	–	–	C. 1
Borough:—						
†CAMBRIDGE ...	–	3	5	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	C. 1
NEWMARKET ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER		40	21	2	10	M. 3
†BIRKENHEAD C.B.		2	1	–	2	–
†CHESTER C.B. ..		1	–		–	M. 1
†STOCKPORT C.B.	–	11	1		2	M. 1
†WALLASEY C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ALSAGER	*	*	*	*	*	*
†ALTRINCHAM ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	1	–		–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CONGLETON ...	–	–		–	1	–
†CREWE	–	1	3	–	1	–
†DUKINFIELD ...	–	2		–	1	–
HALE	–	3	1	–	–	–
HOLLINGWORTH	–	1	–	–	–	–
†HYDE	–	2	–	–	1	M. 1
†MACCLESFIELD ...	–	1	–	1		–
MARPLE	–	1	–	–		–
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	–	2		1	–
†SALE	–	2	–	–	–	–
†STALYBRIDGE ...	–	1	–		–	–
Rural Districts:—						
BUCKLOW ..	–	–	1		–	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	2	–		–	–
NANTWICH ...	–	–	–	1	–	–
NORTHWICH ...	–	3	2	–	–	–
RUNCORN... ...	–	–	1	–	–	–
WIRRAL	–		7	–	1	–
CORNWALL ...	–	2	1	1	1	–
Boroughs and Urban Districts:—						
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	*	*	*	*	*	*
LOOE	*	*	*	*	*	*
ST. AUSTELL ...	–	1	–	–	–	–
ST. IVES	–	–		1	–	–
SALTASH... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever · L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
TRURO	–	–	1	–	–	–
CUMBERLAND ..	–	9	4	–	1	–
†CARLISLE C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
KESWICK	–	–	1	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	–	–	1	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
WHITEHAVEN ...	–	2	1	–	–	–
WIGTON	–	1	–	–	1	–
DERBY	7	28	11	1	14	C. 1 D. 1
†DERBY C.B. ...	7	2	6	1	4	–
Boroughs and Urban Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	3	1	–	3	–
†GLOSSOP	–	–	1	–		D. 1
HEAGE	–	–	–	–	1	–
†HEANOR	–	1	–	–	–	–
†ILKESTON ...	–	1	–	–	–	C. 1
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
WIRKSWORTH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BELPER	–	3	–	–		–
BLACKWELL ...	–	2	2	–	1	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ...	–	3	1	–	1	–
CLOWNE	–	2	–	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
NORTON	–	1		–	–	–
REPTON	–	1	–		2	–
SHARDLOW ...	–	1	–	–	1	–
DEVON	–	25	2	1	1	G. 1 M. 3
†EXETER C.B. ...	–	2	–	–	–	M. 1
†PLYMOUTH C.B....	–	14	1	1	1	–
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	–	M. 1
†BARNSTAPLE ...	–	1	–	–	–	–
†ILFRACOMBE ...	–	2	–	–	–	G. 1
OKEHAMPTON ...	–	2	–	–	–	–
SOUTH MOLTON ...	–	–	–	–	–	M. 1
†TEIGNMOUTH ...	–	1		–	–	–
TIVERTON ...	–	1	–	–	–	–
TOTNES	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	1	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	4	3	1	1	–
Boroughs and Urban Districts:—						
†POOLE	–	1	1	–	–	–
†PORTLAND ..	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	2	–	–	–	–
POOLE	–	–	1	–	1	–
WEYMOUTH ...	–	1		–	–	–
WIMBORNE AND CRANBORNE	–	–		1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	135	56	10	–	13	D. 2 E. 1 G. 2 M. 7
†DARLINGTON C.B.	1	2	1	–	4	G. 1
†GATESHEAD C.B.	1	11	–	–	–	–
†SOUTH SHIELDS C.B.	10	2	–	–	3	E. 1 M. 1
†SUNDERLAND C.B.	–	–	1	–	6	–
†WEST HARTLEPOOL C.B.	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	M. 1
†BLAYDON... ...	10	–	1	–	–	D. 1
†BRANDON AND BYSHOTTLES	14	4	–	–	–	–
†CHESTER LE STREET	1	2	–	–	–	–
†CONSETT	–	2	–	–	–	
†CROOK	2	2	–	–	–	–
†HARTLEPOOL ...	–	1	–	–	–	D. 1
†HEBBURN ...	10	4	–	–	–	–
†HETTON	14	4	–	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	4	–	–		–	–
†RYTON	–	1	–	–		–
†SHILDON	–	1	–	–	–	–
†SPENNYMOOR ..	2	–	–	–	–	–
†STANLEY	35	1	2	–	–	–
†STOCKTON ON TEES	–	4	–	–	–	M. 2
†TANFIELD ...	3	–	–	–	–	–
TOW LAW ...	–	1		–	–	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	4	–	–	–	–	–
Rural Districts:—						
AUCKLAND	3	1	2	–	–	–
CHESTER LE STREET	4	1	–	–	–	–
DARLINGTON ...	1	–	–	–	–	–
DURHAM	1	1	1	–	–	–
EASINGTON ...	2	4	1	–	–	M. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON LE SPRING	4	–	–			–
LANCHESTER ...	7	3	1	–		–
SEDGEFIELD ...	1	–	–	–	–	–
ELY, ISLE OF ...	–	2	1	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	G. 1
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–	–	–	–	–	C. 1
Rural Districts:—						
ELY	–	1	–	–	–	–
WISBECH	–	–	–	–	1	–
ESSEX	–	93	37	–	10	C. 3 E. 1 G. 2 M. 3
†EAST HAM C.B. ...	–	11	7	–	–	–
†SOUTHEND-ON-SEA C.B.	–	2	3	–	4	M. 1
†WEST HAM C.B. ...	–	37	8	–	5	C. 2 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	2	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
BURNHAM ON CROUCH	–	–	1	–	–	–
†COLCHESTER ...	–	2	–	–	–	–
DAGENHAM ...	–	2	–	–	–	
†GRAYS THURROCK	–	–	–	–	–	E. 1
HALSTEAD ...	–	1	–	–	–	–
HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	5	3	–	–	–
†LEYTON	–	4	6	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
MALDON	–	–	1	–	–	–
TILBURY	–	3	–	–	–	–
†WALTHAMSTOW ...	–	16	3	–	–	G. 2
†WANSTEAD ..	–	1	1	–	–	–
Rural Districts:—						
BRAINTREE ...	–	–	1	–	–	–
ONGAR	–	2	–	–	–	–
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	–	1	–	–	–
STANSTED ...	–	2	–	–	–	–
GLOUCESTER ...	–	33	19	1	7	C. 2 G. 4 L. 4
†BRISTOL C.B. ...	–	21	7		5	C. 1 G 1 L. 4
†GLOUCESTER C.B.	–	–	2	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	2	3	–	–	–
†KINGSWOOD	–	1	–	–	–	–
STROUD	–	2	4	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	–	–	–	–	G. 1
CHELTENHAM ...	*	*	*	*	*	*
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY... ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	2	–	–	–	C. 1
GLOUCESTER ...	–	2	–	–	–	–
NEWENT	–	–	1	–	–	–
STROUD	–	–	1	1	–	–
THORNBURY ...	–	1	–	–	1	–
WHEATENHURST	–	–	–	–	–	G. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ..	–	3	4	–	2	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	1	–	–	–	–
KINGTON	–	2	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
LEDBURY... ...	–	–	1	–	–	–
WEOBLEY... ...	–	–	2	–	1	–
HERTFORD ...	–	10	2	2	1	L. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	2	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	–	–	–
HODDESDON ...	–	2	–	1	–	–
†LETCHWORTH ...	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	1	–	–
WATFORD ...	–	1	–	–	1	L. 1
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
RAMSEY	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	32	32	1	12	G. 2 M. 2
†CANTERBURY C.B.	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	1	1	–	–
†BEXLEY	–	4	5		–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	–	–
†BROMLEY ...	–	–	1	–	–	–
†CHATHAM ...	–	–	4	–	–	–
CHISLEHURST ...	–	–	–	–	1	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	1	1		3	–
†DEAL	–	2	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	1	–	–	1	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	–	1	–	1	M. 1
†GILLINGHAM ...	–		4	–	1	–
†GRAVESEND ...	–	2	4	–	–	–
†MAIDSTONE ...	–	4	–	–	–	–
†MARGATE ...	–	2	3	–	–	–
†PENGE	–	1	1	–	1	–
†RAMSGATE ...	–	3	–	–	1	–
†ROCHESTER ...	–	–	–	–	–	G. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
SIDCUP	–	1	–	–	–	–
SITTINGBOURNE	–	2		–	–	–
SWANSCOMBE ...	–	1	–	–	–	–
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	–	1	–	–	
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	M. 1
DARTFORD ...	–	–	2	–	–	–
DOVER	–	1	–		–	–
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	*	*	*	*	*	*
MAIDSTONE ...	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
SHEPPEY	–	–	1	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	205	94	5	124	C. 8 E. 2 F. 1 G. 12 L. 2 M. 24
†BARROW IN FURNESS C.B.	–	3	–	–	1	–
†BLACKBURN C.B.	–	5	–	–	1	C. 1
†BLACKPOOL C.B.	–	6	2	–	1	–
†BOLTON C.B. ...	–	6	1		2	–
†BOOTLE C.B. ...	–	1	2	–	–	M. 1
†BURNLEY C.B. ...	–	1	–	–	1	–
†BURY C.B. ...	–	5	–	–	3	C. 1
†LIVERPOOL C.B. ...	–	48	28	1	28	G. 4 M. 15
†MANCHESTER C.B.	–	44	25	–	34	C. 4 G. 5 M. 5
†OLDHAM C.B. ...	–	9	–	–	2	–
†PRESTON C.B. ...	–	3	2	–	4	–
†ROCHDALE C.B. ...	–	1	–	–	–	–
†ST. HELENS C.B. ...	–	4	1	–	5	–
†SALFORD C.B. ...	–	7	6	–	7	C. 1 F. 1 G. 1 M. 2
†SOUTHPORT C.B.	–	2	1	–	1	–
†WARRINGTON C.B.	–	2	6	1	3	–
†WIGAN C.B. ...	–	2	–	–	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	1	–	–
†ASHTON IN MAKERFIELD	–	–	1	–	1	–
†ASHTON UNDER LYNE	–	–	1	–	–	–
ASPULL	–	1	–	–	–	–
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	2	–	–	–	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	–	–	–	2	–
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	–	–	–	–	1	–
†CROMPTON ...	–	8	–	–	–	–
†DARWEN	–	2	–	–	–	–
†DENTON	–	1	–	–	–	–
†ECCLES	–	–	–	–	2	–
†FAILSWORTH ...		1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNWORTH ...		1	–	–	–	
GOLBORNE ...	–	–	–	–	–	G. 1
†GREAT HARWOOD	–	–	1	1	–	–
†HASLINGDEN ...		1	–			–
†HINDLEY... ...	–	–		–	2	–
†HORWICH ...	–	1	–	–		–
IRLAM	2	–	–	–	–	–
KEARSLEY ...	–	–	1	–	–	–
†LANCASTER ...	–	2	–	–	–	–
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	–	2	–		–
†LYTHAM ST. ANNE'S	–	2		–	–	M. 1
†MORECAMBE ...		–	1		1	–
†MOSSLEY	–		–	–		C. 1
†NEWTON IN MAKERFIELD	–	2	–	–	1	–
NORDEN	–	1	–	–	–	–
†OSWALDTWISTLE	–		2		–	–
†PADIHAM ...	–	–	4		–	–
†PRESTWICH ...		1	–	–		–
†RADCLIFFE ...	–	3	–			–
†RAMSBOTTOM ...	–	1			–	–
†RAWTENSTALL ...	–	2	–	–	–	–
†ROYTON	–	–		–	1	–
STANDISH WITH LANGTREE	–	1	–			–
†STRETFORD ...	–	2	2	1	2	G. 1
†SWINTON AND PENDLEBURY	–				2	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	2	–
†WALTON LE DALE	–	1	–		–	E. 1
†WATERLOO WITH SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	–	2	–	–	2	–
WHITEFIELD ..	–	–	–	–	1	–
†WIDNES	–		2	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1			–	–
BURY		1	–			–
CHORLEY	–	1	–	–	–	–
CLITHEROE ..	–	1	–		1	L. 2
GARSTANG ...	–	5	–			

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
PRESTON	–	1	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ..	1	1	–	–	2	E. 1
WHISTON... ...		–	1	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER... ..	–	18	7	–	5	G. 1
†LEICESTER C.B. ..	–	9	5	–	4	G. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	1	–		–	–
†LOUGHBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	1	–	–	1	–
HINCKLEY ...	–	–	1	–	–	–
MARKET BOSWORTH	–	2	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	1	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON		1	–	–	–	–
SUTTON BRIDGE		–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	3	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	–	–	–	1	–
GRANTHAM ...	–	–	1	–	–	–
SLEAFORD ...	–	–	–		1	–
SPALDING (part)..	–	–	–		1	–
LINCOLN (parts of Lindsey).	–	9	9	–	3	–
†GRIMSBY C.B. ...	–	1	3	–	1	–
†LINCOLN C.B. ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	–
SKEGNESS ...	–	–	1	–	–	–
WOODHALL SPA...	*	*	*	*	*	*
Rural Districts:—						
CAISTOR	–	–	2	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	1	–	–	–
MIDDLESEX ..	–	38	4	1	2	C. 1 D. 1 G. 1
Boroughs and Urban Districts:—						
†BRENTFORD ...	–	1	3	–	–	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	2	2	–	–	–
†EDMONTON ...	–	1	6	–	–	–
†ENFIELD		–	8	–	1	
†FINCHLEY ...		7	–	–	–	–
†HANWELL ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON		4	1	–	–	–
†HESTON AND ISLEWORTH	–	2	–	–	–	–
†HORNSEY... ...	–	4	3	–	1	G. 1
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	1	–	–	C. 1
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...		5	6	–	–	D. 1
†TWICKENHAM ...	–	–	1	–	–	–
†WEMBLEY ...	–	2	–		–	–
†WILLESDEN ...	–	4	6		–	–
†WOOD GREEN ...	–	1	5	–	–	–
Rural Districts:—						
STAINES	–	–	–	1	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	9	2	17	2	–
†GREAT YARMOUTH C.B.	–	4	2	–	–	–
†NORWICH C.B. ...	–	1	–	14	1	–
Boroughs and Urban Districts:—						
CROMER	–	–	–	3	–	–
Rural Districts:—						
DOWNHAM ...	–	1	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—*cont.*						
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	1	–	–	–	–
WALSINGHAM ...	–	1	–	–	1	–
NORTHAMPTON ...	–	10	2	1	3	C. 2 E. 1
†NORTHAMPTON C.B.	–	1	1	1	1	C. 1 E. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–			C. 1
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	4	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	–	–	1	–
EASTONON-THE-HILL	–	–	1	–		–
NORTHAMPTON ...	–	1	–	–	–	–
WELLINGBOROUGH	–	3	–	–	–	–
NORTHUMBERLAND	4	52	9	1	24	C. 1 G. 3 M. 1
†NEWCASTLE UPON TYNE C.B.	1	24	5	–	16	C. 1 G. 2 M. 1
†TYNEMOUTH C.B.	–	1	1	–		–
Boroughs and Urban Districts:—						
AMBLE	–	–	1		–	–
†ASHINGTON ...	3	5	1	–	1	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	2	–	–	4	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	4	–	–	1	–
MORPETH ...	–	–	–	–	–	G. 1
†NEWBURN ...	–	6	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	3	1	1	–	–
Rural Districts:—						
HEXHAM	–	2	–	–	–	–
ROTHBURY ...	–	1	–	–	1	–
NOTTINGHAM ...	5	15	10	1	15	E. 1
†NOTTINGHAM C.B.	3	7	5	1	11	E. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	1	–
†KIRKBY IN ASHFIELD	1	2	–	–	1	–
†MANSFIELD ...	–	2	1	–	–	–
†MANSFIELD WOODHOUSE	–	–	1	–		–
†SUTTON IN ASHFIELD	1	–	–	–		–
WARSOP	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	3	–	–	2	–
NEWARK	–	–	1	–		–
SKEGBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	5	–	5	1	–
†OXFORD C.B. ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	1	–	–	–	–
Rural Districts:—						
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	–	–	4	–	–
HENLEY	–	2	–	–	–	–
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	5	2	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
Rural Districts—						
PETERBOROUGH...	–	4	2	–	–	–
SALOP	–	11	–	–	1	M. 2
Boroughs and Urban Districts:—						
LUDLOW	–	3	–	–	–	–
OSWESTRY ...	–	1			–	–
†SHREWSBURY ...	–	4	–	–	–	–
Rural Districts:—						
CLUN	–	3		–	–	M. 1
NEWPORT ...	–		–	–	–	M. 1
WEM	–		–		1	–
SOMERSET	–	10	2	–	13	M. 1
†BATH C.B. ...	–	3	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
ILMINSTER ...	–	–	–	–	1	–
MINEHEAD ...	–	–	1	–	–	–
†WESTON SUPER MARE	–	2	–	–	1	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
BATH	–	1	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON... ...	–	1	–	–	–	–
FROME	–	1	–	–	–	–
LONG ASHTON ...	–	–	–	–	1	–
WELLS	–	–	–	–	1	–
WILLITON ...	–	2	–	–	–	–
WINCANTON ...	–	–	–	–	2	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON ..	–	20	26	–	–	C. 2 M. 5
†BOURNEMOUTH C.B	–	1	–	–	–	–
†PORTSMOUTH C.B	–	7	13	–		–
†SOUTHAMPTON C.B.	–	3	8	–	–	M. 5
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE		–	1	–	–	–
FLEET	–	–	1		–	–
†GOSPORT		2	–	–	–	–
†WINCHESTER ...		2	1	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	–	2	–	–	–
FORDINGBRIDGE ..	–	–	–	–	–	C. 1
ROMSEY	–	–	–	–	–	C. 1
STOCKBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	53	22	4	37	G. 1 L. 3 M. 8
†BURTON UPON TRENT C.B.	–	3	1	–	–	–
†SMETHWICK C.B	–	3	–	–	1	–
†STOKE ON TRENT C.B	–	12	4	1	17	M. 1
†WALSALL C.B. ..	–	1	2	–	4	M. 1
†WOLVERHAMPTON C.B.		2	–	–	–	M. 2
Boroughs and Urban Districts:—						
†BILSTON	–	–	–			G. 1
†BROWNHILLS ...	–		1	–	1	–
†CANNOCK	–	2	1	–	1	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	3	1	–	3	–
KIDSGROVE ...	–	4	–		1	M. 1
†LEEK	–	3	1	–	–	–
LICHFIELD ...	–	1	–	–		–
†NEWCASTLE UNDER LYME	–	2	1	–	1	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS ...	–	–		–	1	–
RUGELEY... ...		1	–		2	–
†SEDGLEY	–	–	1	–	–	–
TAMWORTH ...	–	–	3	–	–	–
†TIPTON	–	–	–	1	1	–
UTTOXETER ...	*	*	*	*	*	*
†WEDNESBURY ...	–	1	–	–	–	M. 2
†WILLENHALL ...	–	2	–	–	1	–
†WOLSTANTON UNITED	–	2	–	–	–	–
Rural Districts:—						
CANNOCK		1	1	–	–	–
CHEADLE... ...	–	–	2	–		L. 3
GNOSALL	–	1	–	–	–	–
KINGSWINFORD ...	–	1	2	–	–	–
LICHFIELD ...		2	1	1	–	–
NEWCASTLE UNDER LYME	–	3		–	–	M. 1
SEISDON	*	*	*	*	*	*
STAFFORD ...	–	1		–	–	–
STONE	–	–	–	1	–	–
TAMWORTH (part)		1	–	–	–	–
TUTBURY... ...	–	1	–	–		–
UTTOXETER ...	*	*	*	*	*	*
WALSALL... ...		–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	11		1	4	G. 1 L. 1
†IPSWICH C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...			–	1	1	–
STOWMARKET ...	–	1		–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...		4		–		G. 1
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
SAMFORD... ...	–	1	–		1	–
WOODBRIDGE ...		–			–	L. 1
SUFFOLK, WEST ..	–	3	–	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	*	*	*	*	*	*
Rural Districts:—						
MILDENHALL ..	–	3	–		–	–
SURREY	1	29	12	–	2	E. 1 G. 1 M. 1
†CROYDON C.B. ..	–	6	3	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	–
†CARSHALTON ...	–	2	–	–	–	E. 1
†COULSDON AND PURLEY	–	–		–	1	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–		1	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†FRIMLEY	–	2	–	–	–	–
GODALMING ...	–	3	1	–		–
†GUILDFORD ...	–	–	1	–	1	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON ON THAMES	–	3	–		–	–
†MERTON AND MORDEN	–	1	–		–	–
†MITCHAM	–	2	–	–	–	–
†REIGATE	–	–	1	–		–
†RICHMOND ...	–	2	–		–	–
†SURBITON ...	–	1	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WIMBLEDON ...	–	1	–	–	–	–
Rural Districts:—						
DORKING	–	1	–	–	–	–
GODSTONE ...	1	–	2	–	–	–
GUILDFORD ...	–	–	1	–	–	–
REIGATE	–	1	–		–	–
SUSSEX, EAST ...	–	5	2	1	1	C. 1 L. 1 M. 1
†BRIGHTON C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–		1	–	–
†HOVE	–	–	1	–	–	
NEWHAVEN ...	*	*	*	*	*	*
Rural Districts:—						
EASTBOURNE ...	–	1	–	–	1	–
HAILSHAM ...	–	–	–	–	–	L. 1
RYE	–	–	–	–	–	C. 1
UCKFIELD ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST ...	–	1	3	–	1	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†WORTHING ...	–	–	2	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
THAKEHAM ...	–	1	–	–	–	–
WARWICK		50	56	2	34	C. 9 G. 6 M. 13
†BIRMINGHAM C.B.	–	39	49	2	28	C. 8 G. 5 M. 10
†COVENTRY C.B. ..	–	2	1	–	1	M. 2
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	–	G. 1
†NUNEATON ...	–	3	–	–	1	C. 1 M. 1
†SUTTON COLDFIELD		–	–	–	1	–
†WARWICK ..	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	1	5		–	–
FOLESHILL ...	–	1	–	–	–	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	1			1	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ..	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	1	–	–	–	–
WILTS	–	9	11	–	1	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	4	–	–	–	–
DEVIZES	–	–	4	–	–	–
MALMESBURY ...	–	1	–			–
MELKSHAM ...	–	–	1	–		–
†SWINDON... ...	–		–	–	1	–
†TROWBRIDGE ...	–	1	–	–		–
Rural Districts:—						
AMESBURY ...	–	2	1	–	–	–
DEVIZES	–	–	4	–	–	–
SALISBURY ...	–	1	–	–	–	–
WARMINSTER ...	–	–	1	–	–	–
WORCESTER ..	–	15	3	–	8	F. 1
†DUDLEY C.B. ..	–	3	1	–	–	–
†WORCESTER C.B.	–	2	–	–	4	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	1	–	–	–
BROMSGROVE ...	–	1			–	–
DROITWICH ...	–	–	1	–	–	–
†HALESOWEN ...	–	3	–	–	2	–
†KIDDERMINSTER	–	1	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–		–	–
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	
UPTON ON SEVERN	–	–	–	–		F. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	10	9	1	3	D. 1 M. 5
†KINGSTON UPON HULL C.B.	–	8	9	1	–	D. 1 M. 4
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
HOWDEN	–	–		–	1	–
PATRINGTON ...	–	–	–	–	1	–
POCKLINGTON ...	–	1	–		–	–
SCULCOATES ...	–	–	–	–	1	–
SHERBURN ...	–	–	–	–	–	M. 1
YORKS ... .. (North Riding.)	–	36	1	–	2	C. 2 D. 1 J. 1
†MIDDLESBROUGH C.B	–	16		–	–	C. 2 J. 1
Boroughs and Urban Districts:—						
†ESTON	–	9	1	–		–
KIRKLINGTON CUM UPSLAND	–	1	–	–		–
LOFTUS	–	–	–	–	1	–
MASHAM	–	2	–	–	–	–
†REDCAR	–		–	–	1	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	–	D. 1
HELMSLEY ...	*	*	*	*	*	*
LEYBURN... ...	*	*	*	*	*	*
MALTON	–	2	–	–	–	–
STOKESLEY ...	–	2	–	–	–	–
THIRSK	–	2	–	–	–	–
WATH	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS ... ... (West Riding.)	2	152	73	5	72	C. 6 G. 2 L. 1 M. 10
†BARNSLEY C.B. ...	–	3	4	–	–	C. 1 M. 1
†BRADFORD C.B. ...	–	11	12	–	5	C. 2 M. 4
†DEWSBURY C.B....	–	–	1	–	1	–
†HALIFAX C.B. ...	–	2	1	–	1	–
†HUDDERSFIELD C.B.	–	6	11	–	–	–
†LEEDS C.B. ...	–	14	12	–	12	C. 1 M. 2
†ROTHERHAM C.B.	–	8	–	–	4	G. 1
†SHEFFIELD C.B....	–	33	14	2	25	C. 2 M. 1
†WAKEFIELD C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†BARNOLDSWICK ...	–	3	–	–	–	–
†BATLEY	–	–	1	–	–	–
†BINGLEY	–	1	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
CLAYTON WEST ...	*	*	*	*	*	*
†CONISBROUGH ...	–	–	2	–	2	–
DARFIELD ...	–	–	–	–	1	–
†DONCASTER ...	–	4	–	–	1	–
GREASBROUGH ...	–	–	–	–	1	–
†HARROGATE ...	–	1	–	–	–	–
HOLME	–	1	–	–	–	–
†HOLMFIRTH ...	–	2	–	–	–	–
HONLEY	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	3	–	–	–	G. 1
†KEIGHLEY ...	–	3	2	–	–	–
KNOTTINGLEY ...	–	–	2	–	–	–
LINTHWAITE ...	*	*	*	*	*	*
†LUDDENDEN FOOT	–	1	–	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	2	–	–	–	2	–
MIDGLEY... ...	–	1	–	–	–	–
†MORLEY	–	9	1	–	–	–
NEW MILL ...	–	4	–	–	3	–
†NORMANTON ...	–	–	–	–	2	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	2	–	–	–	–
RAWDON ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†RAWMARSH ...	–	–	1	1	2	–
†SADDLEWORTH ...	–	2	1	–	–	–
SELBY	–	2	–	–	1	–
SHEPLEY... ...	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
†SOWERBY ...	–	1	–	–	–	–
†TODMORDEN ...	–	–	–	–	–	M. 1
†WATH UPON DEARNE	–	–	1	–	–	–
WHITWOOD ...	–	–	1	–	–	–
†WOMBWELL ...	–	1	–	–	–	–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	2	–	2	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	3	–	–	2	–
HUNSLET... ...	–	–	1	–	–	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	3	2	–	–	–
KNARESBOROUGH	–	2	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	3	–	1	4	–
TADCASTER ...	–	3	–	–	–	–
THORNE	–	2	1	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	–	–	–	–	M. 1
§YORK, CITY OF ...	–	4	4	–	–	M. 1
†YORK C.B. ...	–	4	4	–	–	M. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WALES.						
ANGLESEY	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
MENAI BRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	4	–	–	–	–
BRECKNOCK ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	1	–
Rural Districts:—						
CRICKHOWELL ...	–	1	1	–	1	–
CAERNARVON ...	–	2	–	2	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	–	1	–	–
Rural Districts:—						
CONWAY	–	1	–	1	–	–
GWYRFAI	–	1	–	–	–	–
CARDIGAN ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	2	–	–	–
Rural Districts:—						
LAMPETER ...	–	–	1	–	–	–
CARMARTHEN ...	–	2	8	1	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...			2			–
BURRY PORT ...	–	–	2	–	–	–
†CARMARTHEN ...	–	–	–	–	1	–
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	1	2	1	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	–	2	–	–	–
CARNARVON. See **CAERNARVON.**						
DENBIGH		4	–	–	–	M. 1
Boroughs and Urban Districts:—						
DENBIGH ...	*	*	*	*	*	*
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
WREXHAM ...	–	2	–	–	–	M. 1
FLINT	–	3	2	–	–	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
PRESTATYN ...	–	2	–	–	–	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN ...	–	32	23	–	12	D. 1 G. 1 J. 1 M. 5
†CARDIFF C.B. ...	–	7	7	–	–	D. 1 M. 3
†SWANSEA C.B. ...	–	2	6	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	–	–
†BARRY	–	1	1	–	–	–
†CAERPHILLY ...	–	1	1	–	1	G. 1
†GELLIGAER ...	–	1	3	–	1	–
†MAESTEG ...	–	–	1	–	–	M. 1
†MOUNTAIN ASH ...	–	–	–	–	3	J. 1
†PONTYPRIDD ...	–	1	–	–	–	–
†RHONDDA ...	–	8	1	–	6	M. 1
Rural Districts:—						
CARDIFF	–	1	–		–	–
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	–	–
SWANSEA... ...	–	4	1	–	–	–
MERIONETH ...	–	1	–	–	–	E. 1
Urban Districts:—						
BARMOUTH ...	*	*	*	*	*	*
DOLGELLEY ...	–	–	–	–	–	E. 1
TOWYN	–	1	–	–	–	–
MONMOUTH ...	–	7	5	–	3	G. 1
†NEWPORT C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
BEDWAS AND MACHEN	–	–	1	–	1	–
MONMOUTH ...	–	–	1	–	–	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	–	–	–	–	G. 1
†RISCA	*	*	*	*	*	*
†TREDEGAR ...	–	2	–	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	
ST. MELLONS ...	*	*	*	*	*	*
MONTGOMERY ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
PEMBROKE... ...	–	1	2	–	1	C. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.		–	2	–	–	C. 1
MILFORD HAVEN	–	–	–	–	1	–
NEYLAND... ...	–	1	–	–	–	–
Total of Part II. ...	157	1204	612	59	461	C. 41 D. 7 E. 8 F. 2 G. 43 J. 2 L. 13 M. 97

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	–	–		–	1	–	SWANSEA	*	*	*	*	*	
LIVERPOOL	–	–	–	–	1	–	WISBECH	–	–	1	–	–	
NEWHAVEN	*	*	*	*	*	*							
							Total of Part III.	–	–	1	–	2	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	289	241	8	54	C. 8 G. 4 J. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	157	1204	612	59	461	C. 41 D. 7 E. 8 F. 2 G. 43 J. 2 L. 13 M. 97
Total of Part III.—Port Sanitary Districts	–	–	1	–	2	–
Total (*i.e.*, of returns received), England and Wales ...	157	1493	854	67	517	C. 49 D. 7 E. 8 F. 2 G. 47 J. 3 L. 13 M. 110

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-phalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued er; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain and Deaths of Infants under 1 Y Age) and Notified Cases of certa fectious Diseases in the last Th Weeks.

Week ended :—	Apr. 24.	May 1.	May 8.	May 15.	M ay 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.
LONDON:—												
Deaths—all ages	1,127	1,108	1,011	913	1,006	904	827	820	766	807	785	775
" 0 to 1 year ..	110	103	98	74	71	69	61	60	61	77	67	69
GREAT TOWNS, aggregate (including London):—												
Births	7,585	7,009	7,412	7,437	7,438	6,025	7,833	7,074	7,424	7,167	7,137	7,000
Deaths—all ages	4,889	4,704	4,302	4,230	4,464	4,119	3,939	3,669	3,525	3,384	3,570	3,424
" 0 to 1 year ..	511	511	440	444	469	431	415	403	354	379	354	355
Enteric Fever—Cases	20	25	21	21	20	22	28	16	16	32	25	49
" Deaths	1	—	5	3	3	1	4	2	2	3	3	3
Small Pox—Cases ..	35	32	58	43	38	39	41	43	31	12	15	20
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	799	828	840	837	864	760	687	814	792	766	882	816
" Deaths	6	5	13	6	2	6	7	4	4	4	8	6
Diphtheria—Cases ..	639	669	693	666	586	605	538	587	567	606	611	604
" Deaths ..	38	43	43	33	32	19	25	22	24	38	32	17
Measles—Deaths ..	81	55	68	60	56	56	35	29	37	26	25	18
Influenza—Deaths ..	209	166	149	118	111	78	80	67	38	37	28	35

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th July, 1926. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R n
	°	°	°	°			°	°	°	°	
London (Greenwich).	87	49	79·1	57·6	0	Huddersfield	84	54	76·7	58·9	
Brighton ..	84	55	76·6	59·9	0	Bradford ..	81	52	74·6	58·6	
Portsmouth ..	85	56	76·8	61·2	1	Sheffield ..	82	53	76·9	59·3	
Norwich (Southwell Lodge).	83	45	75·9	55·9	0	York (Museum)	84	51	78·3	59·6	
Plymouth ..	81	60	75·0	61·9	0	Hull (Pearson Park).	83	48	76·9	58·0	
Bristol (Clifton).	87	55	79·7	60·7	1	Tynemouth ..	80	49	72·0	57·9	
Birmingham (Edgbaston).	83	53	76·4	59·3	0	Cardiff.. ..	85	52	77·9	58·4	
Nottingham ..	82	52	76·0	58·9	0	Edinburgh ..	80·0	47·0	72·0	56·0	
Birkenhead (Bidston).	85	57	76·9	61·0	0	Glasgow ..	83·0	52·2	73·8	55·7	
Manchester (Whitworth Park).	85	57	78·4	62·0	0	Dublin (Phœnix Park).	81·0	52·3	75·0	55·9	
						(Fitzwilliam Square†).	79·0	58·8	74·8	60·6	
Burnley.. ..	84	54	75·4	58·6	0	Belfast.. ..	82·5	52·0	76·0	57·8	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th July, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	..	29·926	83·0	60·2	22·8	69·7	+ 7·0	63·1	6·6	17·9	1·7	80	150·1	55·2	56·1	SW: W.	WSW	0·6	0·0	0·1	202	− 46	0·00
MONDAY -	12	..	29·967	84·2	60·8	23·4	72·0	+ 9·1	65·4	6·6	15·5	0·0	79	150·1	48·2	56·4	Calm	Calm: S.	0·5	0·0	0·0	105	− 140	0·00
TUESDAY -	13	..	29·945	82·9	57·6	25·3	70·9	+ 7·8	57·6	13 3	28·8	0·0	63	146·5	45·6	56·6	Calm: ESE.	ESE: E.	1·7	0·0	0·2	177	− 66	0·00
WEDNESDAY	14	Apogee	29·844	86·7	57·9	28·8	72·9	+ 9·6	61·0	11·9	21·5	0·9	66	151·1	45·0	56·9	Calm	ESE: Calm.	0·7	0·0	0·0	126	− 116	0·00
THURSDAY -	15	..	29·893	70·0	56·8	13·2	63·5	+ 0·1	59·0	4·5	16·1	0·9	86	91·7	50·5	56·9	NE: NNE.	NNE: NE.	1·5	0·0	0·3	295	+ 52	0·00
FRIDAY -	16	..	29·997	73·0	54·7	18·3	63·0	− 0·4	53·6	9·4	16·4	2·6	71	152·7	46·3	57·0	NE: ENE.	E: ESE.	2·0	0·0	0·3	269	+ 25	0·00
SATURDAY -	17	In Equator	29·936	74·3	49·5	24·8	63·3	− 0·1	51·2	12·1	22·9	1·4	65	146·1	37·5	57·2	Calm: ESE.	ESE	0·6	0·0	0·1	153	− 92	0·00
MEANS -		..	29·930	79·2	56·8	22·4	67·9	+ 4·7	58·7	9·2	19·9	1·1	73	141·2	46·9	56·7	Easterly		..	..	..	Sum 1327	Sum − 383	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	11	wP till 11h., then loss of register.	5·2	16·3	Overcast till 10h.; very cloudy till 18h.; few clouds or cloudless from 18¼h. Occasional damping 6h. till 9h. Sky hazy during day.
MONDAY ..	12	Loss of register till 11h, then wP.	5·6	16·2	Cloudless till 2½h.; cloudy 4h. till 13h., nearly overcast till 18h., becoming cloudless by 20h. Hazy sky during day. Dew at night.
TUESDAY ..	13	wP	13·4	16·2	Cloudless, except for cloudy period 10¾h. till 14¼h. Haze 2½h till 13h. Dew in morning.
WEDNESDAY	14	wP till 6h.; mP till 11h.; then wP.	13·1	16·2	Cloudless or little cloud throughout. Mist 3h. till 5h. then haze.
THURSDAY	15	wP	0·0	16·1	Little cloud till 5h.; overcast 6h. till 18½h.; few clouds by 20½h. Cloudy from 23h. Mist 3h. till 5h.
FRIDAY ..	16	wP	11·6	16·1	Overcast till 6h.; very cloudy till 8h.; few clouds 9h. till 13h.; cloudy till 17h., becoming nearly cloudless by 18h. Haze in evening.
SATURDAY	17	wP	11·1	16·0	Cloudless generally till 13¼h.; cloudy generally 14¼h till 23h., becoming cloudless by 0h. Mist 3h. till 6h., then haze till 13½h.
			Sum 60·0	Sum 113·1	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·93 ins. at the beginning of the week to 29·99 ins. by 23h. on July 12th; decreased to 29·81 ins. by 17h. on July 14th; increased generally, to 30·01 ins. by 23h. on July 16th; decreased and was 29·89 ins. by 0h. on July 18th.

FOR OFFICIAL USE

1926. No. 29.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 24TH JULY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH JULY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-ninth week of the year numbered 7,118 and corresponded to an annual rate of 19·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,215 and corresponded to an annual rate of 8·6 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·6, 9·2, and 9·5. Infant mortality was 47 per 1,000 births against 50, 51 and 52 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,573 births corresponding to a rate of 17·8 per 1,000, and 706 deaths of civilians, corresponding to an annual rate of 8·0, against 8·9, 8·8 and 9·0, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·7 per 1,000. The infant mortality was 38 as against 41, 44 and 41 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,540 to 3,215. In London the number of deaths from all causes decreased from 791 to 706, and the deaths from diphtheria which had been 5, 2, and 5 in the preceding three weeks, rose to 10 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 24th July, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	7,118	3,215	337	-	14	3	31	25	68	20
London	4,602,000*	1,573	706	60	-	3	-	3	10	12	2
Towns in Outer Ring. Croydon C.B ..	199,300	74	35	1	-	-	-	-	-	1	-
Wimbledon ..	58,170	17	5	1	-	-	-	-	-	-	-
Ealing	68,410	16	10	-	-	-	-	-	-	-	-
Acton	63,110	17	12	-	-	-	-	-	-	-	-
Willesden ..	168,900	59	22	3	-	-	-	1	1	-	-
Hendon	59,150*	17	5	-	-	-	-	-	-	-	-
Hornsey	87,210	21	13	1	-	-	-	-	-	-	-
Wood Green ..	51,960	15	5	-	-	-	-	-	-	-	-
Tottenham ..	153,600	41	24	1	-	-	-	-	-	-	-
Edmonton ..	71,210	44	15	3	-	-	-	-	1	-	-
Enfield	63,740	15	8	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	157	50	6	-	-	-	-	-	3	2
East Ham C.B. ..	147,200	48	23	2	-	-	-	1	-	-	-
Leyton	132,700	45	14	1	-	-	-	-	-	-	-
Walthamstow ..	130,800	47	17	2	-	-	-	-	-	-	-
Ilford	93,590	41	8	2	-	-	-	-	-	1	-
Gillingham	48,680*	22	8	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	8	6	1	-	-	-	-	-	-	-
Hastings C.B.	60,470	13	15	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	20	4	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	42	26	8	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	106	34	1	-	-	-	-	1	-	1
Bournemouth C.B. ..	85,840	26	15	2	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	55	32	4	-	-	-	1	1	1	-
Reading C.B.	93,670*	42	13	1	-	-	-	-	-	-	-
Oxford C.B.	57,090	20	6	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	32	14	1	-	-	-	-	-	-	-
Luton	59,230	22	6	-	-	-	-	-	-	-	-
Cambridge	59,020	23	11	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	26	15	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	37	19	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	26	7	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	55	19	2	-	-	-	-	-	-	-
Swindon	56,880	28	13	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	23	15	1	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	68	47	3	-	1	-	-	1	2	-
Bath C.B.	69,050	13	8	2	-	-	-	-	-	1	-
Bristol C.B.	385,700*	148	75	4	-	-	-	1	2	-	-
Gloucester C.B. ..	53,060	24	6	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	112	49	12	-	-	-	1	-	3	1
Burton-upon-Trent C.B.	49,530	25	12	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	48	15	-	-	-	-	1	-	-	-
Walsall C.B.	102,300	32	23	6	-	-	-	-	-	-	-
West Bromwich C.B	79,490	26	8	2	-	-	-	1	-	-	-
Dudley C.B.	58,810	21	9	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	20	9	1	-	-	-	-	-	1	-
Birmingham C.B. ..	945,900	372	152	13	-	1	-	1	-	2	-
Smethwick C.B. ..	78,840	30	7	1	-	1	-	-	-	-	-
Coventry C.B. ..	129,100	59	19	2	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	89	57	7	-	-	1	1	-	-	-
Lincoln C.B.	66,600*	23	7	-	-	-	-	-	-	-	-
Grimsby C.B.	87,190	34	18	1	-	-	-	-	-	-	2
Nottingham C.B. ..	270,600	94	45	6	-	-	-	-	4	2	-
Derby C.B.	134,400*	51	27	1	-	-	-	-	-	-	-
Chesterfield ..	65,800	26	10	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	46	22	3	-	-	-	2	-	-	-
Chester C.B.	41,670	18	5	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	67	32	5	-	-	-	3	-	4	-
Wallasey C.B. ..	91,720	27	13	1	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	389	153	24	-	3	1	3	1	7	1
Bootle C.B.	83,260	31	14	2	-	-	-	1	-	-	-
St. Helens C.B. ..	109,600	43	7	1	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	12	12	1	-	-	-	-	-	-	-
WIGAN C.B.	91,010	26	11	1	-	-	-	-	-	-	1
WARRINGTON C.B. ..	77,970*	25	14	1	-	-	-	-	-	1	-
BOLTON C.B.	180,400	52	33	2	-	2	-	-	-	-	-
BURY C.B.	56,700*	21	2	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	291	141	19	-	-	-	4	-	6	3
SALFORD C.B.	244,700	70	42	2	-	-	-	-	-	1	1
OLDHAM C.B	146,200	30	26	2	-	1	-	-	-	-	-
ROCHDALE C.B... ..	92,190	27	14	1	-	-	-	-	-	-	-
BURNLEY C.B.	102,300	48	19	1	-	-	-	-	-	-	-
BLACKBURN C.B. ..	126,900	8	23	3	-	-	-	-	-	-	-
PRESTON C.B.	122,900	43	29	2	-	-	-	-	-	-	1
BLACKPOOL C.B. ..	80,750	14	21	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	15	5	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	35	22	-	-	-	-	-	-	-	-
HALIFAX C.B.	97,860*	43	24	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	101	44	3	-	-	-	-	1	2	-
LEEDS C.B.	472,900	182	71	7	-	-	-	1	-	-	1
DEWSBURY C.B ..	54,570	18	18	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	24	15	2	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	37	15	4	-	-	-	-	-	2	-
SHEFFIELD C.B. ..	526,900*	172	81	13	-	-	-	-	1	3	-
ROTHERHAM C.B. ..	70,600	35	12	2	-	-	-	-	-	1	-
DONCASTER	55,610	21	5	1	-	-	-	-	-	-	-
YORK C.B.	84,630*	28	14	1	-	-	-	-	-	-	-
HULL C.B.	297,300	123	58	9	-	-	-	-	-	1	-
MIDDLESBROUGH C.B.	136,200	68	29	6	-	-	-	-	-	2	-
DARLINGTON C.B. ..	69,130	23	11	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	38	15	4	-	-	-	-	-	-	1
WEST HARTLEPOOL C.B.	71,590	41	9	2	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	166,000	47	31	4	-	-	-	1	1	1	1
SOUTH SHIELDS C.B. ..	124,600	48	17	4	-	-	-	1	-	1	-
GATESHEAD C.B. ..	129,000	54	25	4	-	-	-	-	-	2	-
NEWCASTLE-ON-TYNE C.B.	236,300*	128	64	13	-	1	-	2	-	1	-
TYNEMOUTH C.B. ..	66,180	32	10	-	-	-	-	1	-	-	-
CARLISLE C.B.	55,160*	25	10	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	38	17	1	-	-	-	-	-	1	-
CARDIFF C.B.	227,100*	95	37	3	-	-	-	-	-	2	-
RHONDDA	167,570	65	20	5	-	-	1	-	-	-	1
MERTHYR TYDFIL C.B.	82,920	32	12	-	-	-	-	-	-	-	-
ABERDARE	57,700	17	11	1	-	1	-	-	-	1	-
SWANSEA C.B.	163,200	57	27	2	-	-	-	-	-	-	1
GREATER LONDON ..	7,719,622*	2,633	1,134	97	-	3	-	6	12	17	5
OUTER RING	3,117,622*	1,060	428	37	-	-	-	3	2	5	3
16 GREAT TOWNS IN OUTER RING	1,867,550*	674	266	23	-	-	-	2	2	5	2
REMAINDER OF OUTER RING	1,250,072*	386	162	14	-	-	-	1	-	-	1
EDINBURGH†	424,600	149	75	5	-	2	-	-	1	-	-
GLASGOW† ..	1,052,200‡	456	268	37	-	-	3	4	1	7	2
DUBLIN (REGISTRATION AREA)†	443,000	214	98	15	-	2	2	-	-	5	1
BELFAST†	415,000	228	89	8	-	-	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
		1926.										
LONDON‡	4,602,000	July 24	1573	706	8·0	–	–	3	–	3	10	12
CALCUTTA AND SUBURBS	1,077,273	June 12	?	559	27·6	?	7	?	?	?	?	?
BOMBAY	1,279,061	„ 26	348	605	24·6	4	13	3	–	–	–	36
MADRAS	528,791	„ 19	446	417	41·0	4	1	–	–	6	–	31
		„ 26	386	382	37·6	2	–	1	†	3	–	37
SYDNEY AND SUBURBS	1,038,950	„ 30										
BRISBANE (Metropolitan Area).	253,568	May 31										
PERTH (Metropolitan Area).	179,388	„ 29	67	35	10·1	–	–	–	–	–	–	4
		June 5	61	32	9·3	–	–	–	–	–	–	3
AUCKLAND (Urban Area).	180,790	May 31										
WELLINGTON (Urban Area).	118,490	„ 31										
CHRISTCHURCH (Urban Area).	118,270	„ 31										
CAPE TOWN	113,709	June 26	37	26	11·9	–	–	–	–	–	–	–
JOHANNESBURG	165,958	„ 26	81	40	12·5	–	–	–	–	1	–	–
DURBAN	54,822	„ 26	20	13	12·3	–	–	–	–	–	1	–
PARIS	2,906,472	July 10 (10 days)	1361	1060	13·3	5	–	19	4	3	6	30
ANTWERP	300,065	June 12										
AMSTERDAM	719,379	„ 12										
COPENHAGEN	587,400	July 17	196	153	13·5	–	–	–	1	2	–	1
STOCKHOLM	442,528	„ 10	91	101	11·9	–	–	1	–	–	–	–
GOTHENBURG	230,804	June 19										
OSLO (CHRISTIANIA) ..	257,719	July 10	65	45	9·1	–	–	–	–	–	–	2
		„ 17	51	64	12·9	1	–	–	–	–	–	1
BERLIN	2,000,000	„ 3	416	390	9·9	1	–	1	–	–	–	5
BRESLAU	559,000	„ 3	134	123	9·8	–	–	–	–	–	–	3
COLOGNE	708,000	„ 3	249	165	11·6	–	–	2	–	–	–	3
DRESDEN	622,000	„ 3	158	92	7·1	–	–	–	–	1	–	–
FRANKFORT-ON-MAIN ..	473,000	„ 3	100	80	8·4	–	–	1	–	1	–	–
HAMBURG	1,095,000	„ 3	302	200	8·4	–	–	–	–	–	–	–
LEIPZIG	685,000	„ 3	177	134	9·0	–	–	–	–	–	–	2
MUNICH	680,000	„ 3	158	133	9·3	–	–	–	–	–	–	–
VIENNA	1,873,432	Mar. 31 (31 days)	2059	3015	19·3	2	–	5	8	37	7	?
PRAGUE AND SUBURBS	712,700	Jan. 31										
BUDAPEST	960,535	July 3	316	272	14·7	–	–	2	2	–	2	3
WARSAW	1,015,426	„ 10	?	308	15·9	1	1	6	11	2	2	41
CAIRO	859,400	Feb. 25	849	480	29·1	3	–	7	–	?	4	27
ALEXANDRIA	492,100	„ 25	541	360	38·1	–	2	33	–	?	1	27
NEW YORK	6,361,664	June 26										
CHICAGO	2,995,239	Mar. 26										

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 41 deaths from cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th July, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	706	60	9	19	19	42	40	57	86	114	141	119
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	-	2	1	-	-	-	-	-	-	-	-
Diphtheria	10	1	-	3	4	1	-	-	-	-	1	-
Influenza	2	-	1	-	-	-	-	-	-	-	1	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	1	-	-	-	-	-	1	-
Meningococcal meningitis	2	1	-	-	-	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	68	-	-	1	-	15	14	12	13	11	2	-
Nervous system	7	1	-	4	1	-	1	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	-	-	-	1	-	-	-
Other forms	4	2	-	-	1	-	-	-	-	1	-	-
Venereal diseases	3	2	-	-	-	-	-	-	-	-	1	-
Cancer	112	-	-	-	-	-	2	4	25	27	36	18
Rheumatic fever	2	-	-	-	1	1	-	-	-	-	-	-
Diabetes	7	-	-	-	-	-	-	-	1	3	2	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	34	-	-	-	-	-	-	1	3	6	15	9
Epilepsy	-	-	-	-	-	-	-	-	-	-	-	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	21	-	-	-	-	1	1	2	6	4	5	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	3	-	2	-	-	-	-
Other diseases of heart	97	-	-	-	-	3	2	7	7	20	29	29
Other diseases of circulatory system	39	-	-	-	-	-	-	4	4	10	11	10
Bronchitis	19	2	-	1	-	-	-	-	2	3	9	2
Broncho-pneumonia	12	4	1	-	1	-	1	1	1	1	-	2
Lobar-pneumonia	11	-	-	-	-	1	3	1	2	1	1	2
Pneumonia (type not distinguished)	5	-	-	-	-	-	1	1	1	1	-	1
Other diseases of respiratory system	9	-	-	1	-	1	-	1	1	2	3	-
Diarrhœa and enteritis	16	10	2	-	2	-	-	-	-	1	-	1
Appendicitis, Typhlitis	6	-	-	1	1	-	-	3	1	-	-	-
Hernia, Intestinal obstruction.. ..	17	1	-	-	-	1	1	5	-	5	1	3
Cirrhosis of liver	4	-	-	-	-	-	-	1	1	2	-	-
Other diseases of digestive system ..	21	-	-	1	1	1	2	4	4	3	3	2
Acute nephritis	3	-	-	-	-	-	-	1	-	1	1	-
Chronic Bright's disease..	18	-	-	-	-	-	1	-	5	5	5	2
Other diseases of genito-urinary system.	12	-	-	-	-	1	2	1	1	-	3	4
Puerperal sepsis	1	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to childbirth..	3	-	-	-	-	1	1	1	-	-	-	-
Congenital malformations	6	6	-	-	-	-	-	-	-	-	-	-
Premature birth	17	17	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	2	2	-	-	-	-	-	-	-	-	-	-
Old age	26	-	-	-	-	-	-	-	-	-	4	22
Suicide	8	-	-	-	-	1	-	2	3	-	2	-
Burns and Scalds	2	1	-	-	-	-	-	-	-	-	-	1
Drowning	4	-	-	-	1	2	-	1	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	2	1	2	4	1	1	1	1	2
Other deaths by violence	14	-	-	2	1	-	1	1	1	3	2	3
Other specified causes	27	7	1	1	2	5	2	-	2	3	1	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th July, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	191	245	7	46	C. 6 D. 2 G. 2 M. 14
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	10	–	4	–
†BERMONDSEY ...	–	6	4	–	–	–
†BETHNAL GREEN	–	10	7	–	4	D. 1
†CAMBERWELL ...	–	7	14	–	1	C. 1
†CHELSEA	–	4	2	–	3	–
†DEPTFORD ..	–	4	2	–	2	–
†FINSBURY ...	–	4	2	–	1	–
†FULHAM	–	2	6	–	1	D. 1
†GREENWICH ...	–	7	15	1	1	–
†HACKNEY ...	–	8	20	1	–	M. 1
†HAMMERSMITH ...	–	8	4	1	1	M. 2
†HAMPSTEAD ...	–	3	6	–	1	–
†HOLBORN... ...	–	2	7	–	1	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	19	11	–	3	G. M.
†KENSINGTON ...	–	4	9	–	–	–
†LAMBETH ...	–	15	14	–	–	C. M.
†LEWISHAM ...	–	9	5	–	1	M.
†PADDINGTON ...	–	2	8	–	2	–
†POPLAR	–	25	11	–	5	C.
†ST. MARYLEBONE	–	3	3	–	1	–
†ST. PANCRAS ...	–	4	9	–	1	M.
†SHOREDITCH ...	–	3	6	–	3	C. M.
†SOUTHWARK ...	–	6	23	–	–	–
†STEPNEY	–	12	20	2	2	C. G.
†STOKE NEWINGTON	–	2	1	–	–	–
†WANDSWORTH ...	–	7	13	1	5	M.
†WESTMINSTER, CITY OF	–	–	5	1	–	M.
†WOOLWICH ...	–	4	7	–	3	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	2	–	1	–
Boroughs and Urban Districts:—						
AMPTHILL ...	*	*	*	*	*	*
†LUTON	–	1	2	–	1	–
Rural Districts:—						
BEDFORD ...	–	1	–	–	–	–
BERKS	–	1	2	–	1	–
†READING C.B. ...	–	–	–	–	1	–
Rural Districts:—						
HUNGERFORD ...	–	1	–	–	–	–
WANTAGE ...	–	–	2	–	–	–
BUCKINGHAM ...	–	1	13	1	1	–
Boroughs and Urban Districts:—						
LINSLADE ...	–	–	1	–	–	–
MARLOW	–	–	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	–	–	1	–	–
ETON	–	1	–	–	–	–
HAMBLEDEN ...	–	–	2	–	–	–
WYCOMBE ...	–	–	10	–	–	–
CAMBRIDGE ...	–	9	–	–	1	G. 1
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	G. 1
Rural Districts:—						
MELBOURN ...	–	–	–	–	1	–
NEWMARKET ...	–	8	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER	–	32	16	2	9	C. 3 E. 1 F. 1 G. 1 M. 2
†BIRKENHEAD C.B.	–	–	4	1	1	–
†CHESTER C.B. ...	–	2	–	–	1	M. 1
†STOCKPORT C.B.	–	11	1	–	1	C. 1 G. 1
†WALLASEY C.B. ...	–	4	2	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	C. 1
BREDBURY AND ROMILEY	–	–	–	1	–	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	–	M. 1
†CREWE	–	–	2	–	–	E. 1
†DUKINFIELD ...	–	–	–	–	1	–
HOLLINGWORTH	–	1	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	3	–	–	–
†HYDE	–	–	–	–	–	C. 1
†MACCLESFIELD ...	–	1	–	–	–	–
MIDDLEWICH ...	*	*	*	*	*	*
NANTWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	–	1	–	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	2	
†WINSFORD ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	1	–
CONGLETON ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–		–
RUNCORN... ...	–	2	1	–	–	–
WIRRAL	–	1	–	–	–	F. 1
CORNWALL ...	–	6	2	–	2	E. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	2	–	–	–	–
HAYLE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever · L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENRYN	–	2	–	–	–	–
SALTASH... ...	–	2	–	–	–	–
Rural Districts:—						
CAMELFORD ...	*	*	*	*	*	*
EAST KERRIER ...	–	–	1	–	–	–
LAUNCESTON ..	–	–	–	–	1	–
ST. AUSTELL ...	–	–	–	–	1	E. 1
CUMBERLAND ...	–	4	6	–	1	D. 1 M. 1
†CARLISLE C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	–	–	–	–
ASPATRIA ...	–	–	1	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
KESWICK	–	–	–	–	–	D. 1
†MARYPORT ...	–	1	–	–	–	–
MILLOM	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	–	–	–	1	–
LONGTOWN ...	–	–	–	–	–	M. 1
WHITEHAVEN ...	–	–	3	–	–	–
DERBY	3	30	18	–	6	E. 2 G. 4
†DERBY C.B. ...	3	4	8	–	1	G. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
†BOLSOVER ...	–	–	1	–	1	E. 1
†CHESTERFIELD ...	–	5	–	–	2	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	1	–	–	–	G. 1
†HEANOR	–	–	–	–	1	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	–	4	–	–	–	–
†RIPLEY	–	2	–	–	–	–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	–	6	–	–	E. 1
CHAPEL EN LE FRITH	–	1	1	–	–	–
CHESTERFIELD ...	–	5	2	–	–	–
CLOWNE	–	–	–	–	–	G. 2
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	30	3	4	2	C. 1 M. 1
†EXETER C.B. ...	–	4	–	–	–	–
†PLYMOUTH C.B....	–	10	2	2	–	–
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	–	–	–	M. 1
†EXMOUTH ...	–	–	–	–	1	–
†ILFRACOMBE ...	–	3	–	–	–	–
†NEWTON ABBOT	–	–	1	–	–	–
OKEHAMPTON ...	–	5	–	–	–	–
SIDMOUTH ...	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	–	C. 1
HONITON ...	–	4	–	–	–	–
PLYMPTON ST. MARY	–	3		–	1	–
ST. THOMAS ...	–	–	–	1	–	–
SOUTH MOLTON...	–	–	–	1	–	–
TAVISTOCK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†PORTLAND ..	–	–	–	–	1	–
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
WEYMOUTH ...	–	1	–	–	–	–
DURHAM	64	38	20	1	21	C. 1 M. 4
†GATESHEAD C.B.	2	9	5	–	1	–
†SOUTH SHIELDS C.B.	2	2	1	–	1	–
†SUNDERLAND C.B.	–	–	1	–	5	–
†WEST HARTLEPOOL C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	2	1	–	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	–
†BLAYDON... ...	–	1	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	4	1	–	–	–	–
†CHESTER LE STREET	1	–	1	–	1	–
†FELLING	–	2	–	–	1	C. 1
†HARTLEPOOL ...	–	1	–	–	1	–
†HEBBURN ...	8	2	–	–	–	–
†HETTON	8	–	–	–	1	–
†HOUGHTON LE SPRING	2	–	–	–	–	–
†JARROW	1	1	–	–	1	–
LEADGATE ...	1	–	–	–	–	–
†RYTON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†STANLEY	13	3	–	–	–	–
†STOCKTON ON TEES	–	–	1	–	1	–
†TANFIELD ...	1	–	1	–	–	–
TOW LAW ...	1	–	–	–	–	–
WILLINGTON ...	–	–	1	–	–	–
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	3	5	–	1	–
CHESTER LE STREET	2	–	–	1	–	–
DURHAM	1	4	1	–	1	–
EASINGTON ...	1	–	1	–	–	M. 1
HOUGHTON LE SPRING	9	1	–	–	2	–
LANCHESTER ...	4	1	1	–	–	–
SEDGEFIELD ...	1	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	M. 2
ELY, ISLE OF ...	–	2	3	–	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	3	–	–	–
Rural Districts:—						
ELY	–	2	–	–	–	–
ESSEX	–	49	34	3	12	E. 7 F. 1 G. 1 L. 2 M. 7
†EAST HAM C.B. ...	–	3	6	–	1	–
†SOUTHEND-ON-SEA C.B.	–	2	–	–	–	M. 2
†WEST HAM C.B. ...	–	14	9	1	5	M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	2	–	1	–
BRAINTREE ...	–	–	2	–	–	–
CHINGFORD ...	–	–	–	–	–	E. 1
†COLCHESTER ...	–	1	–	–	–	–
DAGENHAM ...	–	2	1	–	–	M. 1
EPPING	–	–	–	–	1	–
†GRAYS THURROCK	–	–	–	–	–	E. 5 F. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
HALSTEAD ...	–	1	–	–	–	–
†ILFORD	–	4	2	2	1	L. 1
†LEYTON	–	8	3	–	1	M. 2
MALDON	–	–	–	–	1	–
†ROMFORD ...	–	–	1	–	–	–
TILBURY	–	1		–	–	E. 1
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	6	5	–	1	–
†WANSTEAD ..	–	1	–	–	–	–
†WOODFORD ...	*	*	*	*	*	*
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
DUNMOW	–	3	–	–	–	L. 1
EPPING	–	–	2	–	–	–
HALSTEAD ...	–	–	1	–	–	–
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	–	–	–	–	G. 1
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	23	16	1	7	M. 1
†BRISTOL C.B. ...	–	17	15	–	5	M. 1
†GLOUCESTER C.B.	–	–	–	1	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
STROUD	–	2	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
KINGTON	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
HERTFORD ...	–	10	5	3	3	G. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
†BARNET	–	–	–	–	1	–
BUSHEY	–	–	1	–	–	–
GREAT BERKHAMPSTEAD	–	–	1	1	–	–
HODDESDON ...	–	3	1	–	–	–
RICKMANSWORTH	–	3	–	–	–	–
†ST. ALBANS ...	–	–	1	–	–	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
BERKHAMPSTEAD.	–		–	1	–	–
HATFIELD ...	*	*	*	*	*	*
ST. ALBANS ...	–	–	–	1	–	–
WARE	–	–	–	–	1	–
WATFORD ...	–	3	–	–	–	G. 1
HUNTINGDON ...	–	1	–	1	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	1	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT	–	34	29	6	12	G. 2 M. 2
†CANTERBURY C.B.	–	–	5	2	1	M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	3	1	–	2	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	2	–	–	2	–
†CHATHAM ...	–	–	4	2	–	–
†DARTFORD ...	–	3	2	–	–	–
†DEAL	–	4	–	–	–	–
†ERITH	–	2	1	–	1	–
†FAVERSHAM ...	–	3	–	–	–	–
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	2	1	–	–	–
†GRAVESEND ...	–	–	5	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
HYTHE	–	–	–	1	–	–
†MARGATE ...	–	1	–	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	1	1	1	–	–
SWANSCOMBE ...	–	1	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	2	2	–	–	–
EAST ASHFORD ...	–	2	–	–	1	–
ELHAM	–	–	–	–	1	
FAVERSHAM ...	–	–	1	–	–	M. 1
HOLLINGBOURNE	–	–	1	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	–	1	–	–	G. 1
SHEPPEY	–	–	–	–	–	G. 1
TONBRIDGE ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER ...	1	222	94	8	67	C. 15 D. 3 E. 2 G. 8 L. 1 M. 23
†BARROW IN FURNESS C.B.	–	2	3	–	2	–
†BLACKBURN C.B.	–	2	1	–	–	M. 1
†BLACKPOOL C.B.	–	4	–	–	1	–
†BOLTON C.B. ...	–	3	2	1	–	E. 1
†BOOTLE C.B. ...	–	–	–	–	6	M. 1
†BURNLEY C.B. ...	–	1	1	–	2	M. 2
†BURY C.B. ...	–	2	2	–	1	M. 1
†LIVERPOOL C.B. ...	–	36	23	2	7	C. 2 D. 1 E. 1 G. 2 M. 11
†MANCHESTER C.B.	–	80	13	–	16	C. 3 D. 1 G. 2 M. 3
†OLDHAM C.B. ...	–	10	2	–	2	C. 2
†PRESTON C.B. ...	–	4	8	–	1	C. 1
†ROCHDALE C.B. ...	–	–	6	–	–	–
†ST. HELENS C.B. ...	–	3	2	–	2	D. 1 M. 1
†SALFORD C.B. ...	–	14	5	–	2	C. 1
†SOUTHPORT C.B.	–	1	1	2	1	–
†WARRINGTON C.B.	–	1	1	–	4	–
†WIGAN C.B. ...	–	3	1	–	3	–
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	2	–	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	–	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	2	1	–	–	C. 1
†CHADDERTON ...	–	1	–	–	–	G. 1
†COLNE	–	–	–	–	–	G. 1
†CROMPTON ...	–	3	–	–	–	–
†DARWEN	–	2	–	–	–	–
†DROYLSDEN ...	–	2	1	–	–	–
†ECCLES	–	1	–		–	–
†FAILSWORTH ...	–	–	1	–	–	–
†FARNWORTH ...	–	–	–	–	–	C. 1
†FLEETWOOD ...	–	–	–	–	2	–
†GREAT HARWOOD	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HASLINGDEN	*	*	*	*	*	*
†HINDLEY... ...	–	–	–	–	2	M. 1
†HORWICH ...	–	–	–	–	2	–
IRLAM	1	2	–	–	–	–
†LEIGH	–	1	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	1	–	–	–
†MIDDLETON ...	–	4	–	–	–	–
†MORECAMBE ...	–	1	1	–	–	–
†NELSON	–	–	–	–	–	C. 1
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
NORDEN	–	–	1	–	–	–
ORMSKIRK ...	–	1	1	–	–	–
ORRELL	–	–	–	–	1	–
†PADIHAM ...	–	–	9	–	–	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	3	1	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	1	1	1	–	C. 1
RISHTON	–	–	–	–	–	G. 1
†STRETFORD ...	–	4	1	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	1	–	–
†TYLDESLEY WITH SHAKERLEY	–	3	–	–	–	M. 1
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	–	–	–	1	C. 1
†WORSLEY... ...	–	1	–	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	–	–	–	1	–
BURY	–	–	1	–	–	–
CHORLEY... ...	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	1	L. 1
LANCASTER ...	–	–	1	–	–	–
LEIGH	–	5	–	–	–	
LIMEHURST ...	–	1	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
PRESTON	–	–	–	–	–	G. 1
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	4	1	–	–	C. 1
WHISTON... ...	–	–	–	–	1	–
WIGAN	–	1	–	–	–	–
LEICESTER... ..	–	15	15	1	4	C. 1 M. 3
†LEICESTER C.B. ..	–	6	9	–	–	M. 2
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	1	–	–	1	–
THURMASTON ...	–	1	–	–	–	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	1	–
BARROW UPON SOAR	–	–	1	–	1	C. 1
BLABY	–	2	–	1	–	–
MARKET BOSWORTH	–	–	1	–	1	M. 1
MELTON MOWBRAY	–	3	–	–	–	–
LINCOLN (parts of Holland),	–	1	7	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	1	–	–	–
SPALDING (part)..	–	–	5	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	–	1	–	–	–	–
SLEAFORD ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	1	15	4	1	3	E. 1
†GRIMSBY C.B. ...	–	4	1	–	–	–
†LINCOLN C.B. ...	–	3	–	–	1	E. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
LOUTH	–	1	–	–	–	–
MABLETHORPE AND SUTTON	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	1	1	1	–	1	–
Rural Districts:—						
GAINSBOROUGH ...	–	2	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	1	1	–	–	–
HORNCASTLE ...	–	–	–	1	–	–
LOUTH	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ..	–	48	44	–	6	M. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	2	–
†BRENTFORD ...	–	1	5	–	–	–
†CHISWICK ...	–	2	1	–	–	–
†EALING	–	2	–	–	–	–
†EDMONTON ...	–	1	9	–	–	–
†ENFIELD	–	2	2	–	–	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	8	1	–	–	–
GREENFORD ...	–	1	–	–	–	–
†HAMPTON ...	–	2	–	–	–	–
HAMPTON WICK...	–	–	–	–	–	M. 1
†HARROW ON THE HILL	–	1	–	–	1	–
HAYES	–	1	–	–	–	–
†HENDON	–	2	1	–	1	–
†HESTON AND ISLEWORTH	–	2	–	–	–	–
†HORNSEY... ...	–	4	1	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†TEDDINGTON ...	–	4	–	–	–	–
†TOTTENHAM ...	–	3	7	–	–	M. 1
†WEMBLEY ...	–	1	3	–	–	–
†WILLESDEN ...	–	5	9	–	1	–
†WOOD GREEN ...	–	1	4	–	–	–
Rural Districts:—						
HENDON	–	2	–	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	7	3	14	1	G. 1
†GREAT YARMOUTH C.B.	–	1	1	–	1	G. 1
†NORWICH C.B. ...	–	5	2	13	–	–
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	–	1	–	–
SHERINGHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
LODDON AND CLAVERING	*	*	*	*	*	*
NORTHAMPTON ...	–	4	5	–	1	M. 1
†NORTHAMPTON C.B.	–	1	5	–	1	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	M. 1
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
KETTERING ...	–	1	–	–	–	–
NORTHUMBERLAND	4	28	4	–	17	G. 1
†NEWCASTLE UPON TYNE C.B.	–	12	1	–	12	–
†TYNEMOUTH C.B	–	–	1	–		–
Boroughs and Urban Districts:—						
†ASHINGTON ...	3	–	–	–	1	–
†BEDLINGTONSHIRE	–	1	–	–	–	–
†BLYTH	–	1	–	–	–	–
CRAMLINGTON ...	–	1	–	–	–	–
†GOSFORTH ...	–	2	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	2	–	–	–	–
PRUDHOE... ..	*	*	*	*	*	*
SEATON DELAVAL	–	–	–	–	3	–
†WALLSEND ..	–	2	–	–	1	G. 1
WEETSLADE ...	1	–	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
BELLINGHAM ...	–	–	1	–	–	–
CASTLE WARD ...	–	1	1	–	–	–
HEXHAM	–	3	–	–	–	–
NOTTINGHAM ...	3	14	12	3	8	G. 2 M. 2
†NOTTINGHAM C.B.	1	6	12	2	7	G. 2 M. 2
Boroughs and Urban Districts:—						
†CARLTON	–	4	–	–	–	–
†KIRKBY IN ASHFIELD	1	–	–	–	–	–
†MANSFIELD ...	–	–	–	1	–	–
†SUTTON IN ASHFIELD	1	–	–	–	–	–
†WORKSOP... ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	1	–
WORKSOP... ...	–	1	–	–	–	–
OXFORD	–	2	–	2	–	–
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts:—						
CULHAM	–	–	–	1	–	–
HEADINGTON ...	–	–	–	1	–	–
PETERBOROUGH (Soke of)	–	1	3	–	–	G 2
Borough:—						
†PETERBOROUGH...	–	–	1	–	–	G. 1
Rural Districts—						
PETERBOROUGH...	–	1	2	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	12	1	–	–	M. 2
Boroughs and Urban Districts:—						
ELLESMERE ...	–	1	–	–	–	–
LUDLOW	–	1	–	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
†SHREWSBURY ..	–	8	–	–	–	M. 1
Rural Districts:—						
BRIDGNORTH ...	–	1	1	–	–	–
ELLESMERE ...	–	1	–	–	–	–
SOMERSET	–	5	1	1	5	M. 2
†BATH C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	–	–	–	1	–
TAUNTON ...	–	–	–	–	1	M. 1
†WESTON SUPER MARE	–	–	–	1	1	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	–	M. 1
TAUNTON... ...	–	–	–	–	1	–
SOUTHAMPTON ..	–	19	29	2	–	C. 1 G. 1 M. 2
†BOURNEMOUTH C.B	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	6	15	1	–	M. 1
†SOUTHAMPTON C.B.	–	2	10	1	–	G. 1
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	2	1	–	–	–
PETERSFIELD ...	–	–	1	–	–	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	1	1	–	–	M. 1
WINCHESTER ...	–	–	–	–	–	C. 1
STAFFORD	–	58	37	10	33	C. 4 E. 1 G. 1 M. 9
†BURTON UPON TRENT C.B.	–	2	3	–	1	–
†SMETHWICK C.B.	–	4	3	–	2	C. 1 M. 2
†STOKE ON TRENT C.B.	–	12	7	6	8	G. 1 M. 3
†WALSALL C.B. ...	–	5	9	–	4	C. 1 M. 1
†WEST BROMWICH C.B.	–	1	–	–	–	C. 1 M. 1
†WOLVERHAMPTON C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	2	–	–	–
†AUDLEY	–	–	–	–	1	–
BIDDULPH ...	–	1	–	–	–	–
†BILSTON	–	1	–	–	1	–
†BRIERLEY HILL...	–	1	1	–	–	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	2	2	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	1	1	–
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	1	–	–	2	–
RUGELEY... ...	–	–	–	–	2	–
†SEDGLEY	–	–	2	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	3	–	–	2	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	2	–	–	2	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	2	–	1	–	–
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	–	E. 1
CHEADLE... ...	–	–	1	–	1	M. 1
KINGSWINFORD ...	–	2	1	–	–	M. 1
LEEK	–	1	1	–	–	–
LICHFIELD ...	–	1	–	1	–	–
NEWCASTLE UNDER LYME	–	2	1	–	–	–
STAFFORD ...	–	–	–	1	2	–
STONE	–	3	–	–	–	C. 1
TAMWORTH (part)	–	–	1	–	–	–
SUFFOLK, EAST ...	–	4	2	–	2	C. 1
†IPSWICH C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	–	–	–	1	–
Rural Districts:—						
EAST STOW ...	–	3	–	–	–	C. 1
PLOMESGATE ...	–	1	–	–	–	–
SAMFORD... ...	–	–	2	–	–	–
SUFFOLK, WEST ...	–	2	1	–	–	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	G. 1
NEWMARKET ...	–	2	–	–	–	–
SURREY	–	42	23	1	7	L. 1 M. 1
†CROYDON C.B. ...	–	8	4	1	–	–
Boroughs and Urban Districts:—						
†BARNES	–	3	1	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	1	1	–	–	–
CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	3	–	–	–	–
†EGHAM	–	2	–	–	2	–
†EPSOM	–	–	1	–	–	L. 1
†FARNHAM ...	–	–	1	–	–	M. 1
†FRIMLEY	–	2	–	–	–	–
†KINGSTON ON THAMES	–	–	2	–	1	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	1	1	–	–	–
†MITCHAM... ...	–	1	2	–	1	–
†REIGATE	–	6	–	–	–	–
†RICHMOND ...	–	2	–	–	–	–
†SURBITON ...	–	2	–	–	–	–
†SUTTON	–	2	–	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WIMBLEDON ...	–	3	–	–	–	–
WINDLESHAM ...	–	–	3	–	–	–
Rural Districts:—						
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	–	2	–	–	–
GODSTONE ...	–	–	2	–	1	–
GUILDFORD ...	–	1	1	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	8	5	1	1	C. 1 E. 1 L. 2 M. 2
†BRIGHTON C.B. ...	–	1	5	–	1	C. 1 E. 1
†EASTBOURNE C.B.	–	2	–	–	–	–
†HASTINGS C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†HOVE	–	–	–	1	–	
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 2
UCKFIELD ...	–	2	–	–	–	M. 2
SUSSEX, WEST ...	–	4	3	–	–	M 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	3	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
Rural Districts:—						
WESTHAMPNETT	–	3	–	–	–	M. 1
WARWICK	–	45	69	1	32	C. 3 M. 16
†BIRMINGHAM C.B.	–	34	55	1	27	C. 3 M. 16
†COVENTRY C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	2	1	–	–	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	1	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	2	–
ATHERSTONE ...	–	5	7	–	1	–
FOLESHILL ...	–	–	–	–	1	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	3	–	–	–
WESTMORLAND ..	–	6	–	1	–	–
Boroughs and Urban Districts:—						
GRASMERE ...	–	1	–	–	–	–
†KENDAL	–	1	–	1	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WEST WARD ...	–	3	–	–	–	–
WIGHT, ISLE OF ..	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	–	2	–	–	–
†RYDE	–	1	–	–	–	–
WILTS	–	7	8	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES	–	–	2	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
†SWINDON... ...	–	2	2	–	2	C. 1
Rural Districts:—						
DEVIZES	–	–	3	–	–	–
HIGHWORTH ...	–	–	1	–	–	–
PEWSEY	–	–	–	–	–	M. 1
SALISBURY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	-	7	8	-	7	M. 1
†DUDLEY C.B. ..	-	-	3	-	-	M. 1
†WORCESTER C.B.	-	1	1	-	1	-
Boroughs and Urban Districts:—						
†HALESOWEN ...	-	-	3	-	-	-
†KIDDERMINSTER	-	1	-	-	1	-
†LYE AND WOLLESCOTE	-	-	-	-	1	-
†OLDBURY... ...	-	-	1	-	-	-
†REDDITCH ...	-	2	-	-	-	-
STOURPORT ...	-	1	-	-	-	-
Rural Districts:—						
BROMSGROVE ...	-	1	-	-	1	-
DROITWICH ...	*	*	*	*	*	*
MARTLEY... ...	-	-	-	-	3	-
ROCK	-	1	-	-	-	-
YORKS ... ... (East Riding.)	-	18	7	-	2	G. 1 M. 1
†KINGSTON UPON HULL C.B.	-	10	7	-	2	G. 1 M. 1
Boroughs and Urban Districts:—						
FILEY	*	*	*	*	*	*
Rural Districts:—						
POCKLINGTON ...	-	6	-	-	-	-
SCULCOATES ...	-	2	-	-	-	-
YORKS ... ... (North Riding.)	-	18	2	-	4	-
†MIDDLESBROUGH C.B	-	4	2	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	-	2	-	-	1	-
KIRKLINGTON CUM UPSLAND	-	1	-	-	-	-
MASHAM	-	2	-	-	-	-
†SCARBOROUGH ...	*	*	*	*	*	*
†WHITBY	-	1	-	-	1	-
Rural Districts:—						
FLAXTON ...	-	1	-	-	-	-
GUISBOROUGH ...	-	2	-	-	-	-
RICHMOND ...	-	1	-	-	-	-
STOKESLEY ...	-	1	-	-	-	-
THIRSK	-	1	-	-	-	-
WATH	-	2	-	-	-	-
YORKS ... ... (West Riding.)	15	135	46	3	77	C. 4 G. 6 M. 7
†BARNSLEY C.B. ...	-	6	1	-	1	-
†BRADFORD C.B. ...	-	13	3	-	7	C. 1 G. 2
†HALIFAX C.B. ...	-	1	1	-	-	G. 2
†HUDDERSFIELD C.B	-	5	2	-	2	-
†LEEDS C.B. ...	-	12	3	-	10	C. 1 M. 1
†ROTHERHAM C.B.	-	6	-	-	3	-
†SHEFFIELD C.B...	2	32	16	-	30	C. 1 G. 2
†WAKEFIELD C.B.	-	1	2	-	1	-
Boroughs and Urban Districts:—						
ALTOFTS	-	-	-	-	1	-
ARDSLEY, EAST AND WEST	-	1	-	-	-	-
BAILDON	-	1	-	-	-	-
†BATLEY	-	2	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	2	1	1	–	–	–
†BINGLEY	–	–	1	–	–	C. 1
†BOLTON UPON DEARNE	–	–	–	–	1	–
†BRIGHOUSE ...	–	2	–	–	–	–
†CONISBROUGH ...	*	*	*	*	*	*
†DARTON	–	–	–	1	1	–
DENBY AND CUMBERWORTH	–	1	–	–	–	–
†DONCASTER ...	–	1	1	–	1	–
DRIGHLINGTON ...	–	1	–	–	1	–
†GOOLE	–	–	–	–	1	–
GREASBROUGH ...	*	*	*	*	*	*
†HARROGATE ...	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	1	–	–	1	–
HOLME	–	1	–	–	–	–
†HOLMFIRTH ...	–	1	–	–	1	–
†HOYLAND NETHER	–	3	1	–	–	M. 1
†KEIGHLEY ...	–	1	2	–	–	–
KIRKBURTON ...	–	–	–	–	1	
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	–	1	–	–	–
LINTHWAITE ...	–	1	–	–	–	–
†MEXBOROUGH ...	9	–	–	–	1	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	–	–	–	–	2	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	2	–	–	–	–
SHIPLEY	–	2	–	1	–	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	1	–	2	–
STAINLAND ...	–	1	–	–	–	–
†SWINTON	2	1	1	–	–	–
TICKHILL ...	–	3	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	M. 1
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ...	–	3	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	1	4	–	–	–
GOOLE	–	2	–	–	–	M. 1
HEMSWORTH ...	–	3	–	–	–	–
HUNSLET... ...	–	1	–	–	–	–
KEIGHLEY ...	–	–	–	–	1	–
KIVETON PARK ...	–	1	1	–	–	–
KNARESBOROUGH	–	2	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	–	1	–	–	–
ROTHERHAM ...	–	1	–	1	1	M. 1
SELBY	–	1	–	–	3	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	1	–	–	1	–
WAKEFIELD ...	–	1	–	–	–	M. 1
WETHERBY ...	–	1	–	–	1	M. 1
WORTLEY ...	–	1	–	–	1	–
§YORK, CITY OF ...	–	4	2	–	–	–
†YORK C.B. ...	–	4	2	–	–	–
WALES.						
ANGLESEY	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
Rural Districts:—						
VALLEY	–	2	–	–	–	–
BRECKNOCK ...	–	–	1	–	–	G. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
VAYNOR AND PENDERYN	–	–	–	–	–	G. 1
CAERNARVON ...	–	3	–	2	–	–
Boroughs and Urban Districts:—						
CONWAY	–	1	–	1	–	–
†LLANDUDNO ...	–	–	–	1	–	–
Rural Districts:—						
GEIRIONYDD ...	–	1	–	–	–	–
GWYRFAI	–	1	–	–	–	–
CARDIGAN ...	–	1	–	–	2	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	1	–
ABERYSTWYTH (SOUTH)	–	–	–	–	1	–
CARDIGAN ...	–	1	–	–	–	–
CARMARTHEN ...	–	–	4	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	–	–
LLANDILO FAWR	–	–	1	–	1	–
LLANELLY ...	–	–	1	–	–	–
CARNARVON. See **CAERNARVON.**						
DENBIGH	–	2	–	–	–	–
Rural Districts:—						
WREXHAM ...	–	2	–	–	–	–
FLINT	–	4	1	–	1	–
Boroughs and Urban Districts:—						
HOLYWELL ...	*	*	*	*	*	*
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	1	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	28	30	1	21	C. 1 D. 1 F. 1 G. 2 M. 4
†CARDIFF C.B. ...	–	3	1	–	2	D. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	–	–	1	–
†SWANSEA C.B. ...	–	1	4	–	2	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	1	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	–	–	–	1	–
†GELLIGAER ...	–	1	3	1	2	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Glyncorwg ...	–	–	1	–	–	–
†Maesteg ...	–	–	3	–	–	M. 1
†Mountain Ash ...	–	1	–	–	1	–
†Neath	–	1	–	–	1	–
†Ogmore and Garw	–	1	–	–	–	F. 1 G. 1 M. 1
†Pontypridd ...	–	2	3	–	3	–
†Port Talbot ...	–	1	–	–	–	–
†Rhondda ...	–	7	4	–	4	M. 1
Rural Districts:—						
Cardiff	–	1	1	–	–	–
Cowbridge ...	–	1	2	–	1	–
Llantrisant and Llantwit-Fardre	–	–	–	–	1	–
Neath	–	–	3	–	–	–
Pontardawe ...	–	–	1	–	1	G. 1
Swansea... ...	–	4	2	–	–	–
MERIONETH ...	–	2	–	–	–	–
Rural Districts:—						
Deudraeth ...	–	1	–	–	–	–
Dolgelley ...	–	1	–	–	–	–
MONMOUTH ...	–	9	5	2	6	C. 1 M. 1
†Newport C.B. ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
†Abersychan ...	–	4	1	–	–	–
†Abertillery ...	–	1	1	2	–	–
Bedwas and Machen	–	–	–	–	–	M. 1
†Bedwellty ...	–	–	1	–	–	C. 1
†Blaenavon ...	–	–	–	–	2	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ebbw Vale ...	–	2	–	–	–	–
†Mynyddislwyn	–	–	1	–	–	–
†Rhymney ...	–	–	1	–	–	–
†Tredegar ...	–	1	–	–	1	–
Rural Districts:—						
Chepstow ...	–	1	–	–	–	–
MONTGOMERY ...	–	1	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	1	–	–	–	–
PEMBROKE... ...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
Fishguard ...	–	–	1	–	–	–
Goodwick ...	–	–	1	–	–	–
Neyland... ...	*	*	*	*	*	*
Total of Part II. ...	91	1083	650	76	390	C. 38 D. 5 E. 16 F. 3 G. 37 L. 6 M. 99

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
COLCHESTER	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	1	–	
HARTLEPOOL	*	*	*	*	*	*							
HULL AND GOOLE ...	–	–	–	2	–	–	**Total of Part III.... ...**	–	–	–	3	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	191	245	7	46	C. 6 D. 2 G. 2 M. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	91	1083	650	76	390	C. 38 D. 5 E. 16 F. 3 G. 37 L. 6 M. 99
Total of Part III.—Port Sanitary Districts	-	-	-	3	-	-
Total (*i.e.*, of returns received), England and Wales ...	91	1274	895	86	436	C. 44 D. 7 E. 16 F. 3 G. 39 L. 6 M. 113

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of cer FECTIOUS DISEASES in the last T WEEKS.

Week ended :—	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	Jul 17
LONDON :—												
DEATHS—all ages	1,108	1,011	913	1,006	904	827	820	766	807	785	775	7
" 0 to 1 year ..	103	98	74	71	69	61	60	61	77	67	69	
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,009	7,412	7,437	7,438	6,025	7,833	7,074	7,424	7,167	7,137	7,000	6,9
DEATHS—all ages	4,704	4,302	4,230	4,464	4,119	3,939	3,669	3,525	3,384	3,570	3,424	3,5
" 0 to 1 year ..	511	440	444	469	431	415	403	354	379	354	355	3
ENTERIC FEVER—Cases	25	21	21	20	22	28	16	16	32	25	49	
" Deaths	—	5	3	3	1	4	2	2	3	3	3	
SMALL POX—Cases ..	32	58	43	38	39	41	43	31	12	15	20	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	828	840	837	864	760	687	814	792	766	882	816	
" Deaths	5	13	6	2	6	7	4	4	4	8	6	
DIPHTHERIA—Cases ..	669	693	666	586	605	538	587	567	606	611	604	
" Deaths ..	43	43	33	32	19	25	22	24	38	32	17	
MEASLES—Deaths ..	55	68	60	56	56	35	29	37	26	25	18	
INFLUENZA—Deaths ..	166	149	118	111	78	80	67	38	37	28	35	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th July, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.
	°	°	°	°			°	°	°	°
LONDON (GREENWICH).	84	51	74·4	56·7	24	HUDDERSFIELD	72	52	67·4	56·6
BRIGHTON ..	85	52	68·4	58·4	9	BRADFORD ..	73	51	67·1	56·0
PORTSMOUTH ..	81	53	70·2	59·3	5	SHEFFIELD ..	74	53	68·4	56·9
NORWICH (SOUTHWELL LODGE).	75	49	70·4	55·8	14	YORK (MUSEUM)	75	51	70·7	57·3
PLYMOUTH ..	77	55	68·7	58·6	8	HULL (PEARSON PARK).	71	50	68·9	55·6
BRISTOL (CLIFTON).	79	52	69·6	58·4	26	TYNEMOUTH ..	71	51	67·7	58·1
BIRMINGHAM (EDGBASTON).	74	50	68·0	55·9	20	CARDIFF.. ..	74	49	67·6	57·0
NOTTINGHAM ..	75	50	69·0	57·1	12	EDINBURGH ..	73·0	50·0	65·7	54·0
BIRKENHEAD (BIDSTON).	70	55	66·7	58·4	59	GLASGOW ..	74·9	50·1	65·3	54·7
MANCHESTER (WHITWORTH PARK).	73	53	67·3	59·1	47	DUBLIN (PHŒNIX PARK).	70·2	50·1	66·7	54·7
BURNLEY.. ..	72	51	66·5	56·4	47	(FITZWILLIAM SQUARE†).	69·2	52·9	67·0	57·4
						BELFAST.. ..	72·0	51·0	67·9	55·1

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th July, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	18	First Quarter.	29·700	83·8	56·0	27·8	70·2	+ 6·9	60·2	10·0	25·0	1·6	71	149·0	46·0	57·4	ESE : SE.	SE : ESE.	6·7	0·0	0·4	265	+ 20	0·49
MONDAY -	19	..	29·486	74·9	60·2	14·7	66·3	+ 3·1	59·7	6·6	14·9	1·0	79	142·8	59·0	57·4	SW	SW : WSW.	3·3	0·0	0·5	366	+ 120	0·21
TUESDAY -	20	..	29·698	70·8	57·8	13·0	62·4	− 0·8	55·1	7·3	16·1	0·6	77	111·6	48·9	57·5	WNW : NW.	NW : W.	3·0	0·0	0·4	423	+ 176	0·11
WEDNESDAY	21	..	29·671	68·6	53·5	15·1	59·4	− 3·8	53·2	6·2	15·5	0·8	80	118·9	47·0	57·8	WSW : SW.	SW : NW.	4·4	0·0	0·7	443	+ 194	0·12
THURSDAY -	22	..	29·885	71·0	51·0	20·0	60·5	− 2·6	50·1	10·4	20·0	3·7	69	139·1	41·9	57·8	NW : WNW : W.	W : WSW.	3·8	0·0	0·4	393	+ 141	0·00
FRIDAY -	23	Greatest Declination S.	29·798	79·6	60·0	19·6	68·8	+ 5·8	58·4	10·4	18·2	2·7	70	151·3	53·7	57·9	WSW	WSW : SW.	3·3	0·1	0·6	407	+ 153	0·00
SATURDAY -	24	..	29·527	70·5	56·3	14·2	62·3	− 0·6	55·8	6·5	14·3	1·8	79	115·3	47·6	57·9	SW : WSW.	SW : WSW.	2·7	0·0	0·3	314	+ 60	0·05
MEANS -		..	29·681	74·2	56·4	17·8	64·3	+ 1·1	56·1	8·2	17·7	1·7	75	132·6	49·2	57·7	SW		..	..	..	Sum 2611	Sum + 864	Sum 0·98
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13.	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	wP till 19¼h.; loss of register till 23h; variably mP and mN till 23½h.; then wN.	7·2	16·0	Variably cloudy till 15h., then nearly overcast. Haze 6h. till 12h. Shower 20h. Thunder, lightning and heavy rain between 20¼h. and 23¼h.
MONDAY ..	19	wP	6·4	16·0	Nearly overcast generally. Shower 8h. Rain 16h. till 20¼h.; and from 21h. till 22h.
TUESDAY ..	20	wP	3·9	15·9	Overcast, clearing from 15h. to nearly cloudless by 20h. Rain 0h. till 1h., and frequently between 7½h. and 9¼h. Brisk wind 12h. till 16h.
WEDNESDAY	21	wP	1·8	15·9	Overcast generally till 20h.; then clearing to nearly cloudless by 21h. Brisk wind 9h. till 12h.; and from 21h. Rain 18¼h. till 19½h.
THURSDAY	22	wP till 6h.; mP till 11h.; then wP.	5·8	15·9	Partially cloudy becoming nearly overcast by 9h. Brisk wind 13h. till 16h.
FRIDAY ..	23	wP	11·8	15·8	Partially cloudy. Brisk wind 13h. till 16h.
SATURDAY	24	wP till 2¾h.; loss of register till 8¾h.; then wP.	0·6	15·8	Overcast generally. Rain 18h. till 18¾h. Shower at 20¼h.
			Sum 37·5	Sum 111·3	
No. of Col. ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·89 at the beginning of the week to 29·40 ins. by 21h. on 19th; increased to 29·81 ins. by 0h. on 21st; decreased to 29·58 ins. by 18h. on 21st.; increased to 29·90 ins. by 9h. on 22nd; decreased to 29·39 ins. by midnight on 24th.

FOR OFFICIAL USE

1926. No. 30.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 31ST JULY 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 31st JULY, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirtieth week of the year numbered 7,460 and corresponded to an annual rate of 20·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,305 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·2, 9·5, and 8·6. Infant mortality was 50 per 1,000 births against 51, 52 and 47 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,634 births corresponding to a rate of 18·5 per 1,000, and 823 deaths of civilians, corresponding to an annual rate of 9·3, against 8·8, 9·0 and 8·0, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·8 per 1,000. The infant mortality was 47 as against 44, 41 and 38 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,215 to 3,305. In London the number of deaths from all causes increased from 706 to 823; the deaths from diphtheria which had been 2, 5, and 10 in the preceding three weeks, fell to 4 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 8, 8 and 12 in the preceding three weeks, further increased to 20 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 31st July, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 Great Towns ..	19,417,320*	7,460	3,305	374	4	14	3	23	21	70	1
London	4,602,000*	1,634	823	76	-	1	-	3	4	20	-
Towns in Outer Ring.											
Croydon C.B ..	199,300	90	38	3	-	-	-	-	1	-	-
Wimbledon ..	58,170	18	12	1	-	-	-	-	-	-	-
Ealing	68,410	31	13	1	-	-	-	-	-	-	-
Acton	63,110	20	7	-	-	-	-	-	-	-	-
Willesden ..	168,900	48	21	-	-	-	-	-	-	-	-
Hendon	59,150*	17	3	-	-	-	-	-	-	-	-
Hornsey	87,210	19	11	1	-	-	-	-	-	-	-
Wood Green ..	51,960	12	4	-	-	-	-	-	-	-	-
Tottenham ..	153,600	43	20	-	-	-	-	-	-	-	-
Edmonton ..	71,210	58	10	-	-	-	-	-	-	-	-
Enfield	63,740	17	4	-	-	-	-	-	-	1	-
West Ham C.B. ..	318,500	137	58	12	-	-	-	-	2	-	-
East Ham C.B. ..	147,200	37	21	2	-	-	-	-	-	1	-
Leyton	132,700	35	15	2	-	-	-	-	-	-	-
Walthamstow ..	130,800	33	16	-	-	-	-	-	-	-	-
Ilford	93,590	44	15	1	-	-	-	-	-	-	-
Gillingham	48,680*	21	8	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	7	3	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	15	18	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	13	11	2	-	-	-	-	-	1	-
Brighton C.B. ..	137,800*	42	30	2	-	-	-	-	1	-	-
Portsmouth C.B. ..	232,900*	99	48	3	-	-	-	-	-	-	-
Bournemouth C.B. ..	85,840	25	13	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	70	17	2	-	-	-	-	-	-	-
Reading C.B.	93,670*	32	16	-	-	-	-	-	-	-	-
Oxford C.B.	57,090	18	8	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	40	8	-	-	-	-	-	-	1	-
Luton	59,230	14	10	2	-	-	-	-	-	-	-
Cambridge	59,020	18	10	2	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	36	13	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	35	14	2	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	34	10	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	50	27	1	-	-	-	-	-	1	-
Swindon	56,880	25	13	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	30	11	-	-	-	-	-	1	-	-
Plymouth C.B. ..	192,100*	73	25	3	-	-	-	-	-	-	-
Bath C.B.	69,050	18	15	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	136	55	4	-	-	-	-	-	-	-
Gloucester C.B. ..	53,060	19	9	4	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	95	43	5	1	1	-	-	1	-	-
Burton-upon-Trent C.B.	49,530	21	7	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	46	23	-	-	-	-	-	-	2	-
Walsall C.B.	102,300	46	21	5	-	-	-	1	-	-	-
West Bromwich C.B	79,490	35	12	6	-	-	-	-	-	-	-
Dudley C.B.	58,810	33	8	2	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	13	15	-	-	1	-	1	2	1	-
Birmingham C.B. ..	945,900	401	159	18	-	-	-	-	-	-	-
Smethwick C.B. ..	78,840	32	12	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	48	18	4	-	-	-	1	1	1	-
Leicester C.B. ..	242,100	102	47	9	-	-	-	-	-	-	-
Lincoln C.B.	66,600*	34	7	1	-	-	-	-	-	-	-
Grimsby C.B.	87,190	28	13	2	-	-	-	-	2	2	-
Nottingham C.B. ..	270,600	92	45	7	-	-	-	-	1	1	-
Derby C.B.	134,400*	48	21	5	1	-	-	-	-	-	-
Chesterfield ..	65,800	30	12	2	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	38	19	1	-	-	-	-	-	-	-
Chester C.B.	41,670	18	6	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	81	15	3	-	-	-	-	-	-	-
Wallasey C.B. ..	91,720	21	15	-	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	447	184	26	1	7	-	3	-	12	-
Bootle C.B.	83,260	46	13	3	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	39	24	3	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	14	7	1	-	-	-	-	-	-	-
WIGAN C.B.	91,010	32	12	2	-	-	-	-	-	-	1
WARRINGTON C.B. ..	77,970*	30	11	3	-	-	-	-	-	-	-
BOLTON C.B.	180,400	71	32	3	-	-	-	-	-	-	-
BURY C.B.	56,700*	10	13	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	332	136	18	-	-	1	3	1	4	-
SALFORD C.B.	244,700	95	36	7	-	-	-	1	-	1	-
OLDHAM C.B	146,200	45	33	2	-	-	-	1	-	1	-
ROCHDALE C.B... ..	92,190	23	21	-	-	-	-	-	-	-	-
BURNLEY C.B.	102,300	35	15	1	-	-	-	1	-	1	-
BLACKBURN C.B. ..	126,900	42	13	3	-	-	-	-	-	-	-
PRESTON C.B.	122,900	46	22	1	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	80,750	30	19	2	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	24	12	4	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	40	17	-	1	-	-	-	-	-	-
HALIFAX C.B.	97,860*	36	24	2	-	-	-	1	-	-	1
BRADFORD C.B. ..	290,200	105	49	5	-	1	-	-	-	1	-
LEEDS C.B.	472,900	170	84	9	-	-	-	1	1	2	1
DEWSBURY C.B ..	54,570	15	16	2	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	25	10	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	41	12	2	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	526,900*	173	84	9	-	-	-	-	1	3	-
ROTHERHAM C.B. ..	70,600	33	8	-	-	-	-	-	-	-	-
DONCASTER	55,610	24	8	2	-	1	-	1	-	-	-
YORK C.B.	84,630*	29	11	1	-	-	-	-	-	-	-
HULL C.B.	297,300	111	57	10	-	1	-	-	1	2	-
MIDDLESBROUGH C.B.	136,200	79	17	5	-	-	-	-	-	1	1
DARLINGTON C.B. ..	69,130	24	14	3	-	-	-	1	-	-	-
STOCKTON-ON-TEES ..	68,000	34	6	1	-	1	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,590	45	12	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	166,000	71	29	6	-	-	-	2	-	-	-
SOUTH SHIELDS C.B. ..	124,600	58	20	2	-	-	1	-	-	-	-
GATESHEAD C.B. ..	129,000	59	18	1	-	-	1	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	286,300*	113	46	11	-	-	-	1	-	1	1
TYNEMOUTH C.B. ..	66,180	21	10	-	-	-	-	-	-	-	-
CARLISLE C.B.	55,160*	57	12	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	48	15	2	-	-	-	-	-	-	-
CARDIFF C.B.	227,100*	107	38	10	-	-	-	-	1	4	-
RHONDDA	167,570	60	29	4	-	-	-	-	-	1	-
MERTHYR TYDFIL C.B.	82,920	35	16	-	-	-	-	-	-	-	-
ABERDARE	57,700	17	12	1	-	-	-	-	-	1	-
SWANSEA C.B.	163,200	64	27	2	-	-	-	1	-	1	-
GREATER LONDON ..	7,719,622*	2,729	1,276	119	-	1	-	7	7	24	4
OUTER RING	3,117,622*	1,095	453	43	-	-	-	4	3	4	2
8 GREAT TOWNS IN OUTER RING	1,867,550*	659	268	23	-	-	-	-	3	2	1
REMAINDER OF OUTER RING	1,250,072*	436	185	20	-	-	-	4	-	2	1
EDINBURGH†	424,600	170	94	7	1	-	-	2	-	-	-
GLASGOW† ..	1,052,200‡	496	201	25	-	1	-	5	-	2	1
DUBLIN (REGISTRATION AREA)†	443,000	214	124	35	-	4	1	2	1	11	1
BELFAST†	415,000	215	85	15	-	-	-	-	-	5	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1926.										
London‡	4,602,000	July 31	1634	823	9·3	–	–	1	–	3	4	
Calcutta and Suburbs	1,077,273	June 19 " 26	?	564§ 546§	27·2 26·7	?	10 8	?	?	?	?	
Bombay‖	1,279,061	July 3	365	564	22·9	4	8	2	–	1	–	
Madras	528,791	" 3	424	366	36·0	3	–	–	?	2	1	
Sydney and Suburbs	1,038,950	June 30										
Brisbane (Metropolitan Area).	263,711	May 31	492	253	11·5	1	–	–	1	–	1	
Perth (Metropolitan Area).	179,388	June 12	78	44	12·8	–	–	–	–	–	–	
Auckland (Urban Area).	180,790	May 31										
Wellington (Urban Area).	118,490	" 31										
Christchurch (Urban Area).	118,270	" 31										
Cape Town	113,709	July 3	35	24	11·0	–	–	–	–	–	–	
Johannesburg	165,958	" 3	79	50	15·7	–	–	–	–	1	–	
Durban	54,822	" 3	21	10	9·5	–	–	–	–	–	–	
Paris	2,906,472	" 20 (10 days)	1366	1120	14·0	4	–	21	1	10	4	
Antwerp	300,065	June 12 " 19 " 26	90 104 119	43 50 52	7·5 8·7 9·1	– – –	– – –	1 2 2	– – –	– 1 2	– – –	
Amsterdam	719,379	" 12 " 19 " 26	248 254 268	109 104 90	7·9 7·5 6·5	– – –	– – –	3 1 –	– – 1	– – 1	– – –	
Copenhagen	587,400	July 24	217	96	8·6	–	–	1	–	1	–	
Stockholm	442,528	" 17	94	112	13·2	–	–	3	–	–	–	
Gothenburg	230,804	June 19 " 26 July 3	?	38 32 30	8·6 7·2 6·8	– – –	– – –	– – –	– – 1	– – –	– – –	
Oslo (Christiania) ..	257,719	" 24	55	34	6·9	–	–	–	–	–	–	
Berlin	1,999,000	" 10	425	414	10·4	–	?	1	1	1	1	
Breslau	560,000	" 10	179	138	10·9	–	?	–	–	–	–	
Cologne	708,000	" 10	276	135	9·4	–	?	–	–	1	1	
Dresden	621,000	" 10	195	165	12·6	–	?	–	–	1	–	
Frankfort-on-Main ..	472,000	" 10	127	74	7·8	–	?	–	–	1	–	
Hamburg	1,101,000	" 10	325	223	9·4	–	?	–	–	1	2	
Leipzig	685,000	" 10	190	139	9·4	–	?	1	–	–	1	
Munich	685,000	" 10	205	147	9·9	–	?	–	–	–	–	
Vienna	1,873,432	April 30	2129	2547	16·3	?	?	?	?	?	?	
Prague and Suburbs	712,700	Jan. 31										
Budapest	960,535	July 10	380	258	13·6	2	–	–	2	–	3	
Warsaw	1,015,426	" 17	?	310	16·0	2	–	2	11	–	5	
Cairo	859,400	Mar. 4	884	539	32·7	3	1	24	–	?	2	
Alexandria	492,100	" 4	510	360	38·1	1	3	29	1	?	1	
New York	6,361,664	July 3										
Chicago	2,995,239											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the Germa Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childr year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 28 and 41 deaths from cholera in Calcutta.

‖ The registration of Births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 31st July, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	823	76	8	10	18	41	30	61	116	153	162	148
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	4	-	-	1	3	-	-	-	-	-	-	-
Influenza	2	-	-	1	-	-	-	-	-	1	-	-
Erysipelas	3	1	-	-	-	1	-	-	-	-	1	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	1	-	1	-
Meningococcal meningitis	2	1	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	70	1	1	-	-	15	8	16	16	11	2	-
Nervous system	4	1	-	1	2	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	-	1	-	-	-	-	-
Other forms	8	1	-	1	2	2	1	-	-	1	-	-
Venereal diseases	2	-	-	-	-	-	-	1	1	-	-	-
Cancer	137	-	-	-	-	-	1	10	15	43	49	19
Rheumatic fever	4	-	-	-	1	-	1	-	2	-	-	-
Diabetes	8	-	-	-	-	-	-	-	1	3	2	2
Alcoholism	1	-	-	-	-	-	-	-	-	1	-	-
Simple meningitis	1	-	-	-	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	56	-	-	-	-	-	-	2	5	14	12	23
Epilepsy	4	-	-	-	-	-	1	-	-	1	1	1
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	1	1	1	1	4	1	3	10	4	1	-
Pericarditis	2	-	-	-	-	-	1	-	-	-	-	1
Acute endocarditis	4	-	-	-	1	2	1	-	-	-	-	-
Other diseases of heart	125	-	-	-	-	5	2	6	15	25	34	38
Other diseases of circulatory system	39	-	-	-	-	-	-	-	3	6	12	18
Bronchitis	28	3	1	-	-	-	1	1	5	6	5	6
Broncho-pneumonia	19	3	3	1	-	-	-	2	1	2	4	3
Lobar-pneumonia	8	-	-	-	-	1	-	-	3	4	-	-
Pneumonia (type not distinguished)	3	-	-	-	-	-	-	-	1	1	1	-
Other diseases of respiratory system	8	-	-	-	1	1	-	-	2	1	1	2
Diarrhœa and enteritis	23	20	-	-	2	-	-	-	-	1	-	-
Appendicitis, Typhlitis	4	-	-	-	1	1	-	1	-	-	1	-
Hernia, Intestinal obstruction.. ..	9	1	-	-	-	-	-	1	1	2	3	1
Cirrhosis of liver	5	-	-	-	-	-	-	2	3	-	-	-
Other diseases of digestive system ..	22	-	-	-	-	1	1	1	5	9	4	1
Acute nephritis	2	-	-	-	-	-	-	2	-	-	-	-
Chronic Bright's disease..	20	-	-	-	-	-	1	2	3	2	9	3
Other diseases of genito-urinary system.	22	-	-	-	-	-	1	2	6	5	6	2
Puerperal sepsis	3	-	-	-	-	1	1	1	-	-	-	-
Other causes incident to childbirth..	3	-	-	-	-	-	1	2	-	-	-	-
Congenital malformations	9	8	-	-	-	1	-		-	-	-	-
Premature birth	17	17	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	4	4	-	-	-	-	-	-	-	-	-	-
Old age	26	-	-	-	-	-	-	-	-	-	6	20
Suicide	13	-	-	-	-	-	1	3	4	4	-	1
Burns and Scalds	3	-	1	1	-	-	1	-	-	-	-	-
Drowning	2	-	-	-	-	-	-	-	1	1	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	16	-	-	2	2	4	1	-	3	3	-	1
Other deaths by violence	7	-	-	-	-	1	2	1	1	-	1	1
Other specified causes	33	8	-	-	1	-	1	2	8	2	6	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 31st July, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	202	198	12	29	C. 9 D. 1 E. 1 G. 2 M. 10
†CITY OF LONDON	–	2	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	11	9	–	2	M. 1
†BERMONDSEY ...	–	15	9	–	–	–
†BETHNAL GREEN	–	13	4	–	–	–
†CAMBERWELL ...	–	7	8	1	–	M. 1
†CHELSEA	–	2	1	–	1	–
†DEPTFORD ...	–	7	5	–	–	–
†FINSBURY ...	–	5	2	–	1	–
†FULHAM	–	3	5	–	4	C. 1
†GREENWICH ...	–	3	6	–	1	C. 1
†HACKNEY ...	–	11	12	1	–	M. 1
†HAMMERSMITH ...	–	4	11	1	–	–
†HAMPSTEAD ...	–	2	16	2	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	14	11	–	–	D. 1 E. 1 M. 4
†KENSINGTON ...	–	7	8	1	1	C. 2
†LAMBETH ...	–	13	10	–	3	–
†LEWISHAM ...	–	14	3	1	–	–
†PADDINGTON ...	–	2	8	–	1	M. 1
†POPLAR	–	5	10	–	2	C. 1
†ST. MARYLEBONE	–	2	–	–	–	C. 1
†ST. PANCRAS ...	–	7	6	1	1	G. 1
†SHOREDITCH ...	–	14	2	1	1	M. 1
†SOUTHWARK ...	–	9	13	–	4	–
†STEPNEY	–	11	12	2	2	C. G. M.
†STOKE NEWINGTON	–	3	1	–	–	–
†WANDSWORTH ...	–	7	15	–	2	–
†WESTMINSTER, CITY OF	–	–	3	1	1	C.
†WOOLWICH ...	–	9	7	–	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	3	–	3	M. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	3	–	–	–	M. 1
†LUTON	–	–	–	–	1	–
Rural Districts:—						
BEDFORD ...	–	–	3	–	–	–
BIGGLESWADE ...	–	-	–	–	1	M. 1
EATON BRAY ...	–	–	–	–	1	–
BERKS	–	5	2	–	–	M. 2
†READING C.B. ...	–	–	2	–	–	M. 1
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	2	–	–		M. 1
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	9	5	–	1	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	3	–	–	–	–
†CHEPPING WYCOMBE	–	1	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
†SLOUGH	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
HAMBLEDEN ...	–	–	1	–	–	–
NEWPORT PAGNELL	–	–	–	–	1	–
WYCOMBE ...	–	1	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..		9	1	-	–	E. 1 G. 1 M. 1
Borough:—						
†CAMBRIDGE ...	–	1	1		-	M. 1
Rural Districts:—						
CHESTERTON ...	–	7	–	–	–	E. 1 G. 1
NEWMARKET ...	–	1	–	–	-	–
CHESTER	-	26	24	4	15	C. 1 E. 3 G. 2 M. 6
†BIRKENHEAD C.B.	–	2	3	–	1	M. 1
†CHESTER C.B. ...	–	–	–	–	1	–
†STOCKPORT C.B.	–	10	4		3	-
†WALLASEY C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
BOWDON	*	*	*	*	*	*
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	–	-	–	1	–
†CHEADLE AND GATLEY	–	3	–	–	-	–
†CONGLETON ...	–	–	1	–		M. 1
†CREWE	–	-	2	–	–	E. 1 M. 1
†DUKINFIELD ...	–	-	–	-	1	–
†ELLESMERE PORT AND WHITBY	–	-	–		1	–
†HAZEL GROVE AND BRAMHALL	–	1	–	-	–	–
†HOYLAKE AND WEST KIRBY	–	–	2	-	–	–
†HYDE	–	–	–	–	1	C. 1
†MACCLESFIELD ...	–	–	2	4	–	M. 1
†RUNCORN ...	-	–	2	–	–	–
SANDBACH ...	–	1	–	–	–	G. 1 M. 1
†STALYBRIDGE ...	–	-	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever · L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	5	–	1	E. 1
CONGLETON ...	–	3	–	–	1	–
MALPAS	–	–	–	–	–	M. 1
NANTWICH ...	–	1	–	–	1	E. 1
RUNCORN... ...	–	–	1	–	–	G. 1
WIRRAL	–	–	1	–	–	–
CORNWALL ...	–	2	3	–	3	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
LISKEARD ...	*	*	*	*	*	*
REDRUTH ...	*	*	*	*	*	*
TORPOINT ...	–	–	–	–	2	–
Rural Districts:—						
HOLSWORTHY (part)	*	*	*	*	*	*
ST. AUSTELL ...	–	1	–	–	–	–
TRURO	–	–	3	–	–	–
CUMBERLAND ...	–	4	5	–	–	C. 1 M. 1
†CARLISLE C.B. ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
EGREMONT ...	–	–	2	–	–	–
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	–	2	1	–	–	–
CARLISLE ..	–	1	–	–	–	–
COCKERMOUTH ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	4	27	19	–	10	C. 1 L. 1 M. 1
†DERBY C.B. ...	4	2	7	–	5	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	–	L. 1
†BELPER	–	–	1	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	–	4	1	–	1	–
CLAY CROSS ...	–	1	–	–	–	–
†GLOSSOP	–	1	1	–	–	–
†ILKESTON ...	–	5	–	–	–	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–
Rural Districts:—						
BLACKWELL ...	–	2	4	–	1	–
CHESTERFIELD ...	–	1	5	–	1	C. 1 M. 1
CLOWNE	–	2	–	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	21	7	1	2	G. 4 M. 4
†EXETER C.B. ...	–	–	–	–	1	G. 1 M. 1
†PLYMOUTH C.B....	–	12	5	1	–	G. 1 M. 3
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1		–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXMOUTH ...	–	1	–	–	–	–
HOLSWORTHY ...	*	*	*	*	*	*
†ILFRACOMBE ...	–	1	1	–	–	–
†PAIGNTON ...		–	–	–	–	G. 1
SIDMOUTH ...	–	–	–			G. 1
TAVISTOCK ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	1	–	–	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
HOLSWORTHY (part)	*	*	*	*	*	*
KINGSBRIDGE ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	3	–	–	–	–
TAVISTOCK ...	–	2	–	–	–	–
DORSET	–	4	1	–	–	E. 1 M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	*	*	*	*	*	*
BRIDPORT ...	–	–	–	–	–	M. 1
†POOLE	–	2	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	E. 1
Rural Districts:—						
BLANDFORD ...	*	*	*	*	*	*
BRIDPORT ...	–	1	–	–	–	–
CERNE	*	*	*	*	*	*
WAREHAM AND PURBECK	–	–	1	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	53	44	15	2	17	G. 3 M. 7
†DARLINGTON C.B.	–	–	1	–	2	M. 1
†GATESHEAD C.B.	1	10	3	–	2	–
†SOUTH SHIELDS C.B.	–	2	1	–	5	G. 2
†SUNDERLAND C.B.	–	–	1	–	2	M. 1
†WEST HARTLEPOOL C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	M. 1
BENFIELDSIDE ...	1	1	–	–	–	–
†BLAYDON... ...	1	1	1	–	–	–
†BRANDON AND BYSHOTTLES	3	–		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†CHESTER LE STREET	4	–	1	–	–	–
†CROOK	4	–	–	–	–	–
†FELLING	–	1	–	–	1	–
†HARTLEPOOL ...	–	3	–	–	–	–
†HEBBURN ...	2	1	–	–	–	M. 1
†HETTON	5	–	–	–	–	–
†HOUGHTON LE SPRING	1	1	–	–	–	–
†JARROW	5	2	–	–	4	–
†RYTON	–	3	–	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	15	–	1	–	–	M. 1
†STOCKTON ON TEES	–	1	–	–	–	–
†TANFIELD ...	–	–	–	1	–	–
†WASHINGTON ...	–	2	–	–		–
†WHICKHAM ...	2	–	2	–	–	–
WILLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
CHESTER LE STREET	1	1	–	–	–	M. 1
DURHAM	–	5	1	–	–	–
EASINGTON ...	2	2	1	–	–	G. 1
HOUGHTON LE SPRING	4	1	–	–	1	–
LANCHESTER ...	–	1	1	–	–	M. 1
SEDGEFIELD ...	2	–	–	–	–	–
SOUTH SHIELDS...	–	–	–	1	–	–
ELY, ISLE OF ...	–	2	3	–	–	C. 1
Boroughs and Urban Districts:—						
WHITTLESEY ...		–	3	–	–	–
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	1	–	–	–	–
THORNEY... ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX	–	71	32	2	8	E. 1 M. 3
†EAST HAM C.B. ...	–	9	4	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	3	–		M. 1
†WEST HAM C.B. ...	–	11	6	2	6	M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	3	–	1	–
BRAINTREE ...	–	2	–	–	–	–
BRENTWOOD ...	–	3	–	–	–	–
BUCKHURST HILL	–	5	–	–	–	–
DAGENHAM ...	–	–	1	–	–	–
†GRAYS THURROCK	–	–	1	–	–	E. 1
†HORNCHURCH ...	–	–	1	–	–	–
†ILFORD	–	4	–	–	–	–
†LEYTON	–	1	4	–	–	–
†ROMFORD ...	–	4		–	–	–
TILBURY	–	4	–	–	–	–
†WALTHAMSTOW ...	–	8	1	–	–	–
†WANSTEAD ..	–	2	–	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	3	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	1	–	–	–	–
EPPING	–	–	3	–	–	–
HALSTEAD ...	–	1	–	–	–	–
MALDON	–	–	–	–	1	–
OBSETT	–	1	1	–	–	–
SAFFRON WALDEN	–	6	–	–	–	–
TENDRING ...	–	1	1	–	–	–
GLOUCESTER .	–	48	22	–	7	C. 1 E. 1 G. 1 M. 1
†BRISTOL C.B. ...	–	21	16	–	6	E. 1 G. 1 M. 1
†GLOUCESTER C.B.	–	6	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
†KINGSWOOD ...	–	–	1		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY	–	1		–	–	–
GLOUCESTER ...	–	1	1	–	–	–
LYDNEY	–	2	–	–	–	–
STROUD	–	5	2	–	–	–
THORNBURY ...	–	7	–	–	1	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	1	–	–	–	C. 1
HEREFORD ..	–	–	1	–	3	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	2	–
LEDBURY... ...	–	–	1	–	–	–
HERTFORD .	–	12	5	–	–	M. 2
Boroughs and Urban Districts:—						
BUSHEY	–	–	1	–	–	–
†CHESHUNT ...	–	2	–	–	–	–
†HERTFORD ...	–	–	2	–	–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	2	–	–	–	–
WARE	–	–	2	–	–	–
†WATFORD ...	–	3	–	–	–	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	–	–			M. 2
WARE	–	1	–	–	–	–
WATFORD ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	5	1	–	–	G. 1
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	1	1	–	–	G. 1
ST. NEOTS ...	–	3	–	–	–	–
KENT	–	42	21	1	7	G. 2 L. 1
†CANTERBURY C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY	–	5	1	–	–	–
†BROMLEY ...	–	4	–	–	–	–
†CHATHAM ...	–	3	3	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	2	1	–	1	–
†DEAL	–	2	–	1	–	–
†ERITH	–	2	–	–	–	–
†FAVERSHAM ...	–	2	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GRAVESEND ...	–	5	9	–	–	–
MAIDSTONE ...	–	3	1	–	–	–
†MARGATE ...	–	–	1	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	–	–	–	4	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	–	–	–	G. 1
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BRIDGE	–	–	–	–	1	L. 1
DARTFORD ...	–	1	1	–	–	–
SEVENOAKS ...	–	3		–	–	–
SHEPPEY	–	–	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	179	59	6	67	C. 3 D. 1 E. 4 G. 5 M. 25
†BARROW IN FURNESS C.B.	–	1	1	–	–	–
†BLACKBURN C.B.	–	2	–	1	–	G. 1
†BOLTON C.B. ...	–	5	1	–	2	E. 1 M. 1
†BOOTLE C.B. ...	–	1	–	–	1	E. 1 G. 1
†BURNLEY C.B. ...	–	4	1	–	2	–
†BURY C.B. ...	–	5	–	–	–	–
†LIVERPOOL C.B. ...	–	41	9	1	14	C. 1 G. 3 M. 12
†MANCHESTER C.B.	–	58	15	–	12	C. 1 D. 1 E. 1 M. 6
†OLDHAM C.B. ...	–	3	–	–	2	–
†PRESTON C.B. ...	–	2	–	–	–	–
†ROCHDALE C.B. ...	–	3	2	–	–	–
†ST. HELENS C.B. ...	–	4	–	–	1	M. 1
†SALFORD C.B. ...	–	13	6	–	7	M. 2
†SOUTHPORT C.B.	–	6	–	–	–	–
†WARRINGTON C.B.	–	–	3	–	–	–
†WIGAN C.B. ...	–	–	2	–	2	–
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	1	2	–	–	–
ASPULL	*	*	*	*	*	*
†ATHERTON ...	–	1	–	–	–	–
†BACUP	–	1	–	1	1	–
BILLINGE... ...	–	–	1	–	–	–
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	–	–	–	4	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	1	–	–	–	–
†ECCLES	–	3	1	–	–	–
†FAILSWORTH ...	–	1	–	–	–	M. 1
†FLEETWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT HARWOOD	–	–	–	1	–	–
HURST	–	–		–	1	–
KIRKHAM ...	–	–	1	–	–	–
†LANCASTER ...	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LATHOM AND BURSCOUGH	-	-	-	-	1	-
LEES	-	-	-	-	-	M. 1
LEYLAND... ...	-	2	-	-	-	-
†MIDDLETON ...	1	1	-	-	1	-
†NELSON	-	1	-	1	-	-
†NEWTON IN MAKERFIELD	-	-	-	-	1	-
NORDEN	-	-	1	-	-	-
†PADIHAM ...	-	-	4	-	-	-
†PRESTWICH ...		-	-		1	-
†RAMSBOTTOM ...	-	-	-	-	1	-
†RAWTENSTALL ...	-	3	2	1	1	C. 1
STANDISH WITH LANGTREE	-	-	-	-	2	-
†STRETFORD ...	-	-	-	-	-	M. 1
†SWINTON AND PENDLEBURY	-	2	-	-	-	-
†TYLDESLEY WITH SHAKERLEY	-	1	1	-	-	-
†WATERLOO WITH SEAFORTH	-	1	-	-	-	-
†WESTHOUGHTON	-	1	-	-	-	-
†WIDNES	-	-	1	-	3	-
Rural Districts:—						
BARTON UPON IRWELL	-	1	-	-	-	-
BLACKBURN ...	-	1	-	-	-	-
CLITHEROE ...	-	-	-	-	2	-
FYLDE	-	-	1	-	-	-
LEIGH	-	2	-	-	-	-
PRESTON	-	3	-	-	-	-
WARRINGTON ...	-	-	1	-	1	-
WEST LANCASHIRE	-	1	-	-	1	-
WHISTON... ...	-	-	3	-	-	-
LEICESTER... ..	-	12	8	9	4	C. 1 E. 5 G. 1
†LEICESTER C.B. ...	-	8	5	-	1	C. 1 E. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
†HINCKLEY ...	-	-	-	-	-	E. 2
†LOUGHBOROUGH	-	3	1	-	-	-
Rural Districts:—						
ASHBY DE LA ZOUCH	-	-	1	-	-	-
BILLESDON ...	-		-		-	E. 1
BLABY	-	-		1	-	-
HINCKLEY ...	-	-	1	-	2	G. 1
LOUGHBOROUGH	-	-	-	-	1	-
MARKET BOSWORTH	-	-	-	8	-	-
MELTON MOWBRAY	-	1	-	-	-	-
LINCOLN (parts of Holland).	-	1	2	-	-	-
Rural Districts:—						
CROWLAND ...	-	-	2	-	-	-
SPALDING (part)..	-	1	-	-	-	-
LINCOLN (parts of Kesteven).	-	1	-	-	-	-
Boroughs and Urban Districts:—						
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	-	1	-	-	-	-
LINCOLN (parts of Lindsey).	1	18	7	-	5	G. 1 M. 1
†GRIMSBY C.B. ...		5	2	-	1	-
†LINCOLN C.B. ...	-	5	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	–	M. 1
†GAINSBOROUGH ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	1	1	3	–	1	–
SKEGNESS ...	–	6	–	–	–	–
WINTERTON ...	–	–	–	–	2	–
Rural Districts:—						
GRIMSBY	–	–	2	–	–	G. 1
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	31	35	2	14	C. 1 E. 1 G. 2 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	2	2	–	–	M. 1
†BRENTFORD ...	–	1	–	–	–	M. 1
†EALING	–	1	–	–	–	–
†EDMONTON ...	–	–	10	–	3	G. 1
†ENFIELD	–	2	4	–	–	–
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	1	1	–	–	–
†HANWELL ...	–	–	–	–	1	–
†HESTON AND ISLEWORTH	–		1	–	–	–
†HORNSEY... ...	–	3	–	–	1	–
†SOUTHALL NORWOOD	–	1	–	–	–	C. 1
†SOUTHGATE ...	–	2	1	–	1	–
†TOTTENHAM ...	–	7	4	–	–	M. 1
†TWICKENHAM ...	–	–	1	–	–	–
†WEMBLEY ...	–	2	–	–	2	–
†WILLESDEN ...	–	5	7	2	5	M. 1
†WOOD GREEN ...	–	1	3	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	–	1	–	1	G. 1
UXBRIDGE ...	–	–	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	5	1	8	–	C. 1 M. 3
†GREAT YARMOUTH C.B.	–		1	–	–	–
†NORWICH C.B. ...	–	3	–	7	–	M. 2
Boroughs and Urban Districts:—						
CROMER	–	–	–	1	–	–
NEW HUNSTANTON	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	C. 1 M. 1
NORTHAMPTON ...	–	6	1	1	–	E. 2 G. 1
†NORTHAMPTON C.B.	–	1	1		–	E. 2
Boroughs and Urban Districts:—						
FINEDON	*	*	*	*	*	*
†KETTERING ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	–	G. 1
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1		–	–	–
THRAPSTON (part)	–	1	–	–	–	–
WELLINGBOROUGH	–	1	–	1	–	–
NORTHUMBERLAND	5	30	2	1	17	G. 2 M. 2
†NEWCASTLE UPON TYNE C.B.		12	1	–	9	G. 2
†TYNEMOUTH C.B.	–	5	1	–		–
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	1	–	–	2	–
†BEDLINGTONSHIRE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	–	–	–	1	M. 1
†GOSFORTH ...	–	–	–	1	–	–
†LONGBENTON ...	–	2	–	–	–	–
†NEWBURN ...	–	2	–	–	1	–
†WALLSEND ...	–	2		–	1	M. 1
WEETSLADE ...	3	–	–		–	–
†WHITLEY AND MONKSEATON	–	2	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	2	–	–	1	–
HEXHAM	–	1	–	–	2	–
NOTTINGHAM ...	–	18	10	1	4	C. 2 E. 4 M. 3
†NOTTINGHAM C.B.	–	10	8	–	4	C. 1 E. 4 M. 2
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	–
†CARLTON	–	2	1	–	–	–
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	–	–	–	–	–	C. 1
†KIRKBY IN ASHFIELD	–	1	–		–	–
WARSOP	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	2	–	1	–	–
BINGHAM... ...	–	–	–	–	–	M. 1
SOUTHWELL ...	–	2	–	–	–	–
OXFORD	–	7	2	1	–	M. 1
†OXFORD C.B.	–	2	–	–		–
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	4	2	–	–	–
CULHAM	–	–	–	1	–	–
THAME	–	–	–	–	–	M. 1
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
Rural Districts—						
PETERBOROUGH...	–	–	1	–	–	–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM	–	1	–	–	–	–
SALOP	–	3	1	–	2	M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
MARKET DRAYTON	–	–	1	–	–	–
†SHREWSBURY ...	–	3	–	–	–	–
Rural Districts:—						
CLEOBURY MORTIMER	–	–	–	–	–	M. 1
NEWPORT ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET ...	–	13	–	1	3	–
†BATH C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	–	–	–	1	–
RADSTOCK	–	3	–	–	1	–
TAUNTON	–	1	–	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
BATH	–	4	–	–	–	–
BRIDGWATER	–	1	–	–	–	
DULVERTON	*	*	*	*	*	*
WELLS	–	–	–	1	–	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON	–	30	30	–	5	C. 2 D. 1 G. 1 M. 3
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	10	11	–	–	G. 1
†SOUTHAMPTON C.B.	–	2	6	–	2	M. 2
Boroughs and Urban Districts:—						
†ALDERSHOT	–	4	–	–	–	–
ANDOVER	–	2	–	–	–	–
CHRISTCHURCH	–	–	1	–	–	–
†GOSPORT	–	2	4	–	–	–
ROMSEY	–	–	–	–	–	D. 1
Rural Districts:—						
ALRESFORD	–	–	–	–	–	C. 1
ALTON	–	3	5	–	–	C. 1
ANDOVER	–	–	–	–	2	–
FAREHAM	–	–	1	–	–	–
FORDINGBRIDGE	*	*	*	*	*	*
HARTLEY WINTNEY	–	–	–	–	–	M. 1
LYMINGTON	–	2	–	–	–	–
NEW FOREST	–	–	2	–	–	–
SOUTHAMPTON— *cont.*						
Rural Districts— *cont.*						
PETERSFIELD	–	3	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WINCHESTER	–	–	–	–	1	–
STAFFORD ...	–	40	27	2	21	C. 1 E. 1 L. 3 M. 10
†BURTON UPON TRENT C.B.	–	2	3	–	–	E. 1
†SMETHWICK C.B.	–	–	1	–	–	–
†STOKE ON TRENT C.B.	–	5	7	2	5	M. 4
†WALSALL C.B.	–	2	–	–	2	–
†WEST BROMWICH C.B.	–	1	2	–	–	M. 1
†WOLVERHAMPTON C.B.	–	4	–	–	–	M. 3
Boroughs and Urban Districts:—						
AMBLECOTE	*	*	*	*	*	*
BIDDULPH	–	2	–	–	–	–
†BILSTON	–	1	–	–	2	–
†BRIERLEY HILL	–	–	2	–		–
†BROWNHILLS	–	–	1	–	1	–
†CANNOCK	–	2	1	–	–	–
†COSELEY	–	2	–	–	–	–
†DARLASTON	–	–	1	–	2	–
KIDSGROVE	–	1	1	–	1	–
†LEEK	–	4	–	–		–
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS	–	1		–	2	–
†SEDGLEY	–	–	1	–	–	–
†STAFFORD	–	1	–		1	–
STONE	–	–	–	–	1	–
TETTENHALL	–	–	1	–	–	–
†TIPTON	–	–	–	–	1	–
†WEDNESBURY	–	–	2	–	–	C. 1 M. 1
†WILLENHALL	–	2	–	–	–	–
†WOLSTANTON UNITED	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE	–	–	–	–	1	L. 1 M. 1
KINGSWINFORD ...	–	2	2	–	–	–
LICHFIELD ...	–	1	1	–	–	L. 2
SEISDON	–	–	1	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1		–	–	–
TUTBURY... ...	*	*	*	*	*	*
UTTOXETER ...	–	2	–	–	–	–
SUFFOLK, EAST ..	–	7	–	–	3	C. 2 M. 3
†IPSWICH C.B. ...	–	1	–	–	1	C. 2
Boroughs and Urban Districts:—						
BECCLES	–	–	–	–	–	M. 1
BUNGAY	–	3	–	–	–	–
†LOWESTOFT ...	–	–	–	–	2	M. 2
SOUTHWOLD ...	*	*	*	*	*	*
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1		–	–	–
SUDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MILDENHALL ...	*	*	*	*	*	*
MOULTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	25	24	–	1	G. 1
†CROYDON C.B. ...	–	4	6	–	–	G. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	–	2		–	–
†CHERTSEY ...	–	–	2	–	–	–
†EGHAM	–	1	1	–	–	–
†FARNHAM ...	–	–	5	–	–	–
HAM	–	1	–	–	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
†REIGATE	–	1	–	–	–	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	–	5	–	–	–
†WIMBLEDON ...	–	6	–	–	1	–
WINDLESHAM ...	–	2	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
REIGATE	–	3	–	–	–	–
SUSSEX, EAST ...	–	12	5	–	4	C. 1 M. 1
†BRIGHTON C.B. ...	–	4	1	–	1	C. 1
†HASTINGS C.B. ...	–	5	–	–	2	M. 1
Boroughs and Urban Districts:—						
†HOVE	–	1	3	–	–	–
SEAFORD	–	–	1	–	–	–
Rural Districts:—						
CHAILEY	–	–	–	–	1	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	1	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
Rural Districts:—						
WESTBOURNE ...	–	3	–	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK		47	51	1	23	C. 4 G. 4 M. 12
†BIRMINGHAM C.B.	–	29	42	–	14	C. 4 G. 4 M. 10
†COVENTRY C.B. ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	2	–
†RUGBY	–	–	–	–	–	M. 1
†SUTTON COLDFIELD	–	1	–	–	1	M 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	8	4	–	1	–
FOLESHILL ...	*	*	*	*	*	*
MERIDEN... ...	–	1	2	–	–	–
NUNEATON ...	–		–	1	–	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	2	3	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ..	–	6	–	–	–	–
Boroughs and Urban Districts:—						
GRASMERE ...	–	3	–	–	–	–
WINDERMERE ...	–	1	–	–	–	–
WESTMORLAND—cont.						
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	–	1	–	–	–	–
WILTS	–	13	4	–	2	G. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES	–	–	1	–	–	–
†SWINDON... ...	–	1	2	–	2	–
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES	–	–	–	–	–	G. 1
RAMSBURY ...	–	–	1	–	–	–
SALISBURY ...	–	6	–	–	–	–
WESTBURY AND WHORWELLS-	–	–	–	–	–	G. 1
WILTON	–	1	–	–	–	–
WORCESTER ..	–	10	3	–	4	–
†DUDLEY C.B. ..	–	1	–	–	1	–
†WORCESTER C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–		1	–	–	–
†HALESOWEN ...	–	1	1	–	–	–
†KIDDERMINSTER	–	2	1	–	–	–
†OLDBURY... ...	–	–	–	–	2	–
†REDDITCH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	11	4	–	1	–
†KINGSTON UPON HULL C.B.	–	5	4	–	1	–
Boroughs and Urban Districts:—						
HESSLE	–	3	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	3	–	–	–	–
YORKS ... ... (North Riding.)	–	15	3	–	2	C. 1 G. 1
†MIDDLESBROUGH C.B.	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
LOFTUS	–	1	–	–	–	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	–	1	–	1	–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	1	–		–	–
†WHITBY	–	1	1	–	–	–
Rural Districts:—						
BEDALE	–	1	–	–	–	–
KIRBY MOORSIDE	–	–	–	–	–	G. 1
LEYBURN... ...	–	–	–	–	–	C. 1
PICKERING ...	–	1	–	–	–	–
WATH	–	1	–	–	–	–
YORKS ... ... (West Riding.)	2	106	48	6	67	C. 3 D. 1 G. 3 M. 6
†BARNSLEY C.B. ...	–	1	–	–	–	M. 1
†BRADFORD C.B. ...	–	9	4	–	11	G. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†DEWSBURY C.B....	–	–	1	–	1	–
†HALIFAX C.B. ...	–	3	–	–	1	–
†HUDDERSFIELD C.B.	–	2	3	4	1	–
†LEEDS C.B. ...	–	11	6	–	5	C. 1
†ROTHERHAM C.B.	–	4	–	–	3	G. 1 M. 1
†SHEFFIELD C.B....	–	27	15	–	24	D. 1 M. 1
†WAKEFIELD C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	–	C. 1
ARDSLEY, EAST AND WEST	–	1	–	–	–	C. 1
BAILDON	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	1	–	–	–
†BRIGHOUSE ...	–	1		–	–	–
CLAYTON	*	*	*	*	*	*
†CONISBROUGH ...	–	1	–	–	1	–
DARFIELD ...	–	1	–	–	–	–
†DONCASTER ...	–	–	1	–	3	G. 1
†ELLAND	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	3	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	M. 1
GREETLAND ...	–	1	–	–	–	–
†HARROGATE ...	–	–	1	–	–	–
†HEMSWORTH ...	–	1	–	–	1	–
HONLEY	–	–	–	–	2	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
†KEIGHLEY ...	–	2	3	–	–	–
KIRKBURTON ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	–	–	–	1	–
LEPTON	–	–			1	–
†MEXBOROUGH ...	1	–	–	–	–	–
†MORLEY	–	2	–	–		–
NEW MILL ...	–	4	–	–	1	–
†PUDSEY	–		–	–	1	–
†RAWMARSH ...	–	4	–	–	3	–
†ROTHWELL ...	–	2	–	–	–	–
†SADDLEWORTH ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	4	–	–	–
†STANLEY	–	1	–	–	–	–
†SWINTON... ...	1	2	–	–	1	–
TICKHILL ...	–	1	–		–	–
†TODMORDEN ...	–	1	–	–	–	–
†WOMBWELL ...		2	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	6	–	–	–
GOOLE	–	1	–	1	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	1	–	–	1	–
KIVETON PARK ...	–	–	2	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	–	M. 1
SEDBERGH ...	–	–		1		–
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
WORTLEY ...	–	1	–	–	–	–
§YORK, CITY OF ...	–	4	1	–	–	G. 1
†YORK C.B. ..	–	4	1	–	–	G. 1
WALES.						
ANGLESEY	–	–	–	–	–	–
Boroughs and Urban Districts:—						
AMLWCH	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	*	*	*	*	*	*
VALLEY	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BRECKNOCK ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CAERNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BETTWS Y COED	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	1	–	–	–	–
CARDIGAN ...	–	1	–	–	1	–
Rural Districts:—						
TREGARON ...	–	1	–	–	1	–
CARMARTHEN .	–	2	7	–	–	M. 1
Boroughs and Urban Districts: -						
†LLANELLY ...	–	1	2	–	–	M. 1
Rural Districts:—						
CARMARTHEN ...	–	–	2	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	1	2	–	–	–
CARNARVON. See **CAERNARVON.**						

* Returns not received. † Population over 10,000.
C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	2	1	–	–	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	1	1	–	–	–
FLINT	–	1	1	–	2	–
Boroughs and Urban Districts:—						
BUCKLEY	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	–	–	–	1	–
GLAMORGAN ...	–	39	15	1	10	C. 1 D. 2 G. 3 J. 1 M. 6
†CARDIFF C.B. ...	–	3	2	–	–	G. 1 M. 2
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ...	–	4	3	1	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	2	–
†BARRY			1	–	–	–
†CAERPHILLY ...	–	1	–	–	3	–
†MAESTEG ...	–	–	–	–	1	–
†MOUNTAIN ASH ...	–	1		–	–	–
†NEATH	–	2	–	–	–	D. 1
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OGMORE AND GARW	–	5	–	–	–	G. 1
†PONTYPRIDD ...	–	2	1	–	1	G. 1
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	8	4	–	3	C. 1 D. 1 M. 3
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
COWBRIDGE ...	–	1	–	–	–	–
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	–	J. 1
NEATH	–	–	2	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	3	–	–	–	M. 1
MERIONETH ...	–	–	–	–	–	–
Rural Districts:—						
EDEIRNION ...	*	*	*	*	*	*
MONMOUTH ...	–	2	4	3	3	C. 1
†NEWPORT C.B. ...	–	–	–	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	1		–	–
†ABERTILLERY ...	–	–	–	1	–	–
BEDWAS AND MACHEN	–	–	–		1	–
†BEDWELLTY ...	–	–	1	–	–	–
†EBBW VALE ...	–	–	1	2	1	–
MONMOUTH ...		–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	-	–	–	–	1	–
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE						
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
†PEMBROKE ...	*	*	*	*	*	*
PEMBROKE—*cont.*						
Rural Districts:—						
NARBERTH ...	*	*	*	*	*	*
Total of Part II. ...	66	1043	529	53	346	C. 29 D. 5 E. 24 G. 42 J. 1 L. 5 M. 113

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PLYMOUTH	–	–	–	–	–	L. 1	PORT OF LONDON ...	–	–	–	–	1	
SOUTHAMPTON ...	–	–	1	–	–	–	Total of Part III.... ...	–	–	1	–	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	202	198	12	29	C. 9 D. 1 E. 1 G. 2 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	66	1043	529	53	346	C. 29 D. 5 E. 24 G. 42 J. 1 L. 5 M. 113
Total of Part III.—Port Sanitary Districts	–	–	1	–	1	L. 1
Total (*i.e.*, of returns received), England and Wales ...	66	1245	728	65	376	C. 38 D. 6 E. 25 G. 44 J. 1 L. 6 M. 123

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliocephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of cert FECTIOUS DISEASES in the last TH WEEKS.

Week ended :—	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.
LONDON :—												
DEATHS—all ages	1,011	913	1,006	904	827	820	766	807	785	775	791	70
„ 0 to 1 year ..	98	74	71	69	61	60	61	77	67	69	64	6
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,412	7,437	7,438	6,025	7,833	7,074	7,424	7,167	7,137	7,000	6,992	7,11
DEATHS—all ages	4,302	4,230	4,464	4,119	3,939	3,669	3,525	3,384	3,570	3,424	3,540	3,21
„ 0 to 1 year ..	440	444	469	431	415	403	354	379	354	355	363	33
ENTERIC FEVER—Cases	21	21	20	22	28	16	16	32	25	49	36	4
„ Deaths	5	3	3	1	4	2	2	3	3	3	4	–
SMALL POX—Cases ..	58	43	38	39	41	43	31	12	15	20	23	1
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	840	837	864	760	687	814	792	766	882	816	904	73
„ Deaths	13	6	2	6	7	4	4	4	8	6	6	
DIPHTHERIA—Cases ..	693	666	586	605	538	587	567	606	611	604	608	62
„ Deaths ..	43	33	32	19	25	22	24	38	32	17	25	2
MEASLES—Deaths ..	68	60	56	56	35	29	37	26	25	18	14	1
INFLUENZA—Deaths ..	149	118	111	78	80	67	38	37	28	35	22	2

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st July, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.
	°	°	°	°			°	°	°	°
LONDON (GREENWICH).	78	47	70·3	52·7	21	HUDDERSFIELD	74	44	66·8	51·7
BRIGHTON ..	76	50	66·9	55·3	19	BRADFORD ..	71	45	65·3	52·6
PORTSMOUTH ..	73	50	70·1	56·3	15	SHEFFIELD ..	73	47	66·0	54·0
NORWICH (EATON).	71	45	66·6	50·7	3	YORK (MUSEUM)	75	47	68·0	53·1
PLYMOUTH ..	75	49	68·7	56·1	4	HULL (PEARSON PARK).	71	43	66·3	50·0
BRISTOL (CLIFTON).	75	47	66·9	54·9	11	TYNEMOUTH ..	64	48	60·2	52·6
BIRMINGHAM (EDGBASTON).	72	48	64·7	55·0	3	CARDIFF.. ..	74	48	67·0	54·1
NOTTINGHAM ..	75	45	67·7	53·0	9	EDINBURGH ..	71·0	49·0	66·0	51·9
BIRKENHEAD (BIDSTON).	71	51	62·9	55·1	17	GLASGOW ..	70·9	48·1	67·0	51·3
MANCHESTER (WHITWORTH PARK).	70	47	65·0	54·1	13	DUBLIN (PHŒNIX PARK).	71·8	45·2	67·1	51·6
BURNLEY.. ..	70	43	65·3	51·9	11	(FITZWILLIAM SQUARE†).	69·0	50·9	66·2	55·1
						BELFAST.. ..	70·0	44·0	66·7	49·6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 31st July, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	25	Full	29·556	71·6	54·9	16·7	62·2	− 0·5	51·5	10·7	19·3	1·7	69	139·2	49·1	57·9	WSW: W.	WNW: NNE: Calm.	3·3	0·0	0·6	403	+ 151	0·06
MONDAY -	26	Perigee	29·857	59·3	47·7	11·6	52·1	−10·4	49·7	2·4	14·2	0·0	91	74·9	41·0	57·8	Calm	Calm: N.	0·9	0·0	0·0	116	− 134	0·34
TUESDAY -	27	..	30·070	67·7	47·2	20·5	57·1	− 5·3	49·7	7·4	18·2	0·7	77	128·3	40·0	57·9	Calm: NW: N.	N: NW	3·1	0·0	0·1	221	− 25	0·04
WEDNESDAY	28	..	30·054	67·9	49·0	18·9	58·2	− 4·1	52·2	6·0	16·1	0·4	80	111·9	38·4	57·9	W: NNW.	NNW: WNW: WSW.	1·3	0·0	0·1	238	− 4	0·02
THURSDAY -	29	In Equator	29·944	75·8	56·4	19·4	65·2	+ 2·9	56·5	8·7	20·7	0·0	74	140·5	50·8	57·9	WSW: NNW.	NNW: NW.	1·8	0·0	0·2	269	+ 29	0·36
FRIDAY -	30	..	30·056	78·0	55·4	22·6	64·0	+ 1·7	58·8	5·2	23·2	0·9	83	139·2	46·4	57·9	NW: NNW.	NNW: NE: ENE.	1·0	0·0	0·1	202	− 38	0·03
SATURDAY -	31	Last Quarter.	30·188	68·8	50·3	18·5	58·6	− 3·6	51·0	7·6	18·8	3·0	76	127·2	38·4	57·7	NE: NNE.	N: NE	1·6	0·0	0·2	247	+ 6	0·00
MEANS -		..	29·961	69·9	51·6	18·3	59·6	− 2·8	52·8	6·9	18·6	1·0	79	123·0	43·4	57·9	NNW		..	..	..	Sum 1696	Sum − 15	Sum 0·85
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	wP till 10h.; sN till 10¾h.; then wP.	7·9	15·7	Variably cloudy. Brisk wind 8h. till 16h. Rain 10¼h.; 10⅜h. till 11h.; and 15½h. till 16½h. Damping 22h.
MONDAY ..	26	wP till 9¾h.; variably sN and mP till 19½h.; then wP.	0·0	15·7	Overcast generally. Rain 8½h. till 17½h.; and from 18¾h. till 20h.
TUESDAY ..	27	wP till 6h.; mP till 13h.; then variably sN and mP.	4·8	15·6	Nearly overcast generally. Haze 4h. till 9h. Thunder 11⅜h. till 12h.; and at 13¾h. Showers at 13¼h.; 13½h. and 14¾h. Rain 19½h. till 20h.
WEDNESDAY	28	wP till 7h.; mP till 18h.; then wP.	0·1	15·6	Overcast generally. Haze 3h. till 4h. Rain 19½h. till 21h.; and from 23¾h.
THURSDAY	29	wP till 8h.; mP till 18h.; then wP.	8·2	15·5	Overcast till 12h.; then partially cloudy becoming cloudless by 22h. Rain till 6h. Shower 7¾h.
FRIDAY ..	30	wP till 12h.; mP till 18h.; then wP.	6·8	15·5	Variably cloudy, becoming nearly cloudless by 18½h. Damping 7½h. till 9¾h. Shower 12¾h. Slight gloom 12¾h.
SATURDAY	31	wP	5·0	15·4	Variably cloudy till 6½h.; nearly overcast till 13¾h.; then partially cloudy, becoming cloudless by 20½h. Slight haze from 18½h. Dew at night.
			Sum 32·8	Sum 109·0	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·39 ins. at the beginning of the week to 30·10 ins. by 22h. on 27th; decreased to 29·91 ins. by 5h. on 29th; increased to 30·20 ins. by 10h. on 31st.; decreased generally and was 30·19 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 31.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 7TH AUGUST 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH AUGUST, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-first week of the year numbered 6,079 and corresponded to an annual rate of 16·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,139 and corresponded to an annual rate of 8·4 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·5, 8·6, and 8·9. Infant mortality was 58 per 1,000 births against 52, 47 and 50 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,403 births corresponding to a rate of 15·9 per 1,000, and 706 deaths of civilians, corresponding to an annual rate of 8·0, against 9·0, 8·0 and 9·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·6 per 1,000. The infant mortality was 40 as against 41, 38 and 47 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,305 to 3,139. In London the number of deaths from all causes decreased from 823 to 706; the deaths from diphtheria which had been 5, 10, and 4 in the preceding three weeks, rose to 7 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 8, 12 and 20 in the preceding three weeks, decreased to 15 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 7th August, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,417,320*	6,079	3,139	354	5	13	2	16	26	68
London	4,602,000*	1,403	706	56	-	3	-	1	7	15
Towns in Outer Ring.										
Croydon C.B ..	199,300	77	22	5	-	-	-	-	-	-
Wimbledon ..	58,170	19	12	-	-	-	-	-	-	-
Ealing	68,410	22	6	-	-	-	-	-	-	-
Acton	63,110	18	8	1	-	-	-	-	-	-
Willesden ..	168,900	28	24	1	1	-	-	-	-	1
Hendon	59,150*	16	8	2	-	-	-	-	-	-
Hornsey	87,210	12	11	-	-	-	-	-	-	-
Wood Green ..	51,960	14	3	-	-	-	-	-	-	-
Tottenham ..	153,600	37	22	3	-	-	-	-	-	3
Edmonton ..	71,210	29	8	1	-	-	-	-	1	1
Enfield	63,740	22	9	2	-	-	-	1	1	-
West Ham C.B. ..	318,500	117	50	2	-	-	-	-	-	1
East Ham C.B. ..	147,200	38	24	-	-	-	-	-	-	-
Leyton	132,700	27	15	1	-	-	-	1	-	1
Walthamstow ..	130,800	30	14	3	-	-	-	-	-	-
Ilford	93,590	24	7	-	-	-	-	-	-	-
Gillingham	48,680*	16	9	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	6	3	-	-	-	-	-	-	-
Hastings C.B.	60,470	14	16	1	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	7	9	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	37	21	5	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	80	44	6	-	-	-	-	-	1
Bournemouth C.B. ..	85,840	20	22	2	-	-	-	-	-	-
Southampton C.B. ..	168,600	56	19	-	-	-	-	-	2	-
Reading C.B.	93,670*	35	20	3	-	1	-	-	-	-
Oxford C.B.	57,090	22	6	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	19	18	1	-	-	-	-	-	-
Luton	59,230	9	8	1	-	-	-	-	-	-
Cambridge	59,020	18	8	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	25	30	1	-	-	-	-	-	-
Ipswich C.B.	83,120*	27	10	4	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	22	11	1	-	-	-	-	-	-
Norwich C.B. ..	124,000*	37	26	2	-	-	-	-	-	-
Swindon	56,880	20	4	-	-	-	-	-	-	-
Exeter C.B.	59,820*	14	11	1	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	60	40	3	-	-	-	-	-	-
Bath C.B.	69,050	18	14	-	-	-	-	-	-	-
Bristol C.B.	385,700*	121	55	4	-	-	-	1	3	1
Gloucester C.B. ..	53,060	14	9	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	88	48	6	2	-	-	-	-	1
Burton-upon-Trent C.B.	49,530	10	4	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	31	12	1	-	-	-	-	-	-
Walsall C.B.	102,300	27	19	1	-	-	-	-	1	-
West Bromwich C.B	79,490	21	9	1	-	-	-	-	-	1
Dudley C.B.	58,810	15	9	1	-	-	-	-	-	1
Worcester C.B. ..	50,230	12	9	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	272	159	22	-	1	-	2	3	3
Smethwick C.B. ..	78,840	22	10	2	-	-	-	-	-	-
Coventry C.B. ..	129,100	25	19	3	-	-	-	-	-	-
Leicester C.B. ..	242,100	60	42	4	-	-	-	3	-	-
Lincoln C.B.	66,600*	23	11	1	-	-	-	-	-	1
Grimsby C.B.	87,190	21	8	1	-	-	-	-	-	1
Nottingham C.B. ..	270,600	73	61	10	-	-	-	-	1	2
Derby C.B.	134,400*	47	17	2	-	-	-	-	-	-
Chesterfield ..	65,800	24	16	3	-	-	-	-	-	-
Stockport C.B. ..	125,900	37	18	4	-	-	-	-	-	-
Chester C.B.	41,670	22	5	1	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	59	14	-	-	-	-	-	-	-
Wallasey C.B. ..	91,720	19	10	1	-	-	-	-	-	-
Liverpool C.B. ..	856,000	310	166	35	-	5	1	2	2	7
Bootle C.B.	83,260	40	13	2	-	-	-	-	-	1
St. Helens C.B. ..	109,600	45	15	4	-	-	-	-	-	2

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B ..	74,260	20	10	-	-	-	-	-	-	-	-
IGAN C.B.	91,010	28	19	3	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	21	15	3	-	-	-	-	-	1	-
OLTON C.B.	180,400	53	41	8	-	-	-	-	-	3	-
URY C.B.	56,700*	10	7	2	-	-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	231	120	13	-	-	1	1	2	2	-
ALFORD C.B.	244,700	74	37	4	-	-	-	-	-	2	1
LDHAM C.B	146,200	35	31	-	-	-	-	-	-	-	1
OCHDALE C.B... ..	92,190	27	16	3	-	1	-	-	-	1	-
URNLEY C.B.	102,300	27	23	2	-	-	-	-	-	-	2
LACKBURN C.B. ..	126,900	42	31	1	-	-	-	-	-	-	-
RESTON C.B.	122,900	37	24	2	-	-	-	-	-	-	-
LACKPOOL C.B. ..	80,750	26	12	1	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	73,470	24	8	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	38	30	1	-	-	-	-	-	-	-
ALIFAX C.B.	97,860*	43	18	-	-	-	-	-	-	-	-
RADFORD C.B. ..	290,200	78	58	8	-	-	-	-	-	3	1
EEDS C.B.	472,900	151	74	9	-	-	-	1	1	-	-
EWSBURY C.B ..	54,570	17	10	2	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,980	23	9	1	-	-	-	-	-	-	-
ARNSLEY C.B. ..	71,170	35	14	1	-	-	-	-	-	-	-
HEFFIELD C.B. ..	526,900*	206	72	9	-	-	-	2	2	1	-
OTHERHAM C.B. ..	70,600	36	8	2	-	-	-	-	-	-	-
ONCASTER	55,610	22	6	1	-	-	-	-	-	-	-
ORK C.B.	84,630*	22	9	1	-	-	-	-	-	-	-
ULL C.B.	297,300	76	54	12	-	-	-	-	-	6	-
IDDLESBROUGH C.B.	136,200	67	21	1	-	-	-	-	-	-	-
ARLINGTON C.B. ..	69,130	26	10	-	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	68,000	32	16	1	-	1	-	-	-	-	1
EST HARTLEPOOL C.B.	71,590	20	16	2	-	-	-	-	-	-	-
UNDERLAND C.B. ..	166,000	66	38	6	-	-	-	-	-	2	-
OUTH SHIELDS C.B. ..	124,600	50	25	6	1	-	-	-	-	1	-
ATESHEAD C.B. ..	129,000	51	20	7	-	-	-	-	-	-	-
EWCASTLE-ON-TYNE C.B.	286,300*	134	44	6	-	1	-	1	-	-	1
YNEMOUTH C.B. ..	66,180	25	10	1	-	-	-	-	-	-	-
ARLISLE C.B.	55,160*	17	8	1	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,420*	38	18	4	-	-	-	-	-	-	-
ARDIFF C.B.	227,100*	67	28	2	-	-	-	-	-	-	-
HONDDA	167,570	56	23	3	-	-	-	-	-	-	-
ERTHYR TYDFIL C.B.	82,920	24	10	1	-	-	-	-	-	-	-
BERDARE	57,700	16	14	3	-	-	-	-	-	1	-
WANSEA C.B.	163,200	55	26	3	1	-	-	-	-	1	-
REATER LONDON ..	7,719,622*	2,301	1,142	93	1	3	-	3	11	23	6
UTER RING	3,117,622*	898	436	37	1	-	-	2	4	8	4
3 GREAT TOWNS IN OUTER RING	1,867,550*	530	243	21	1	-	-	2	2	7	2
EMAINDER OF OUTER RING	1,250,072*	368	193	16	-	-	-	-	2	1	2
DINBURGH†	424,600	136	103	5	-	1	-	-	1	-	2
LASGOW† ..	1,052,200‡	452	222	30	-	-	-	4	-	8	-
UBLIN (REGISTRATION AREA)†	443,000	244	98	23	-	2	-	-	1	12	1
ELFAST†	416,000	218	76	15	-	-	-	-	-	3	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths. Exclusive of Still born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa†
London‡	4,602,000	1926. Aug. 7	1403	706	8·0	-	-	3	-	1	7	
Calcutta and Suburbs	1,077,273	July 3	?	481§	23·2	?	5	?	?	?	?	
Bombay‖	1,279,061	„ 10	338	662	26·9	4	16	1	-	-	1	
Madras	528,791	„ 10	451	320	31·5	1	2	-	-	4	-	
Sydney and Suburbs	1,038,950	June 30 (30 days)	1742	1043	12·0	-	-	3	2	3	6	
Brisbane (Metropolitan Area).	263,711	May 31 (31 days)										
Perth (Metropolitan Area).	179,388	June 19	48	39	11·3	-	-	-	-	-	-	
		„ 26	77	37	10·7	-	-	-	-	-	-	
Auckland (Urban Area).	180,790	May 31 (31 days)	268	148	9·8	-	-	-	-	3	1	
Wellington (Urban Area).	118,490	„	178	72	8·0	-	-	1	-	-	-	
Christchurch (Urban Area).	118,270	„	160	88	8·9	-	-	-	-	-	-	
Cape Town	113,709	July 10	61	43	20·0	-	-	-	-	-	1	
Johannesburg	165,958	„ 10	66	49	15·3	-	-	-	-	-	1	
Durban	54,822	„ 10	26	16	15·2	-	-	-	-	-	-	
Paris	2,906,472	„ 31 (11 days)										
Antwerp	300,065	July 3	104	64	11·1	-	-	6	-	1	2	
Amsterdam	719,379	„ 3	277	109	7·9	-	-	1	2	1	-	
		„ 10	271	124	8·9	2	-	1	1	2	-	
		„ 17	279	143	10·3	-	-	2	1	-	-	
Copenhagen	587,400	„ 31	209	111	9·9	-	-	-	-	3	-	
Stockholm	442,528	„ 24	97	98	11·5	-	-	2	-	-	-	
Gothenburg	230,804	„ 10	?	42	9·5	-	-	-	-	-	-	
Oslo (Christiania) ..	255,724	„ 31	79	43	8·7	-	-	-	-	-	-	
Berlin	1,999,000	„ 17	416	416	10·5	-	?	3	-	3	3	
Breslau	560,000	„ 17	197	140	11·0	-	?	-	1	1	-	
Cologne	708,000	„ 17	275	154	10·6	-	?	-	-	3	1	
Dresden	621,000	„ 17	158	146	11·0	-	?	-	-	-	-	
Frankfort-on-Main ..	472,000	„ 17	111	96	9·5	-	?	-	-	-	-	
Hamburg	1,101,000	„ 17	344	215	9·6	-	?	-	-	-	1	
Leipzig	685,000	„ 17	207	150	9·9	-	?	-	-	-	-	
Munich	685,000	„ 17	198	167	11·2	-	?	1	-	-	-	
Vienna	1,873,432	June 30										
Prague and Suburbs	712,700	Jan. 31 (31 days)	1122	883	14·3	2	-	2	3	2	7	
Budapest	960,535	July 17	330	267	14·4	-	-	1	1	-	4	
Warsaw	1,015,426	„ 24	?	313	16·1	5	-	1	9	-	-	
Cairo	859,400	Mar. 11	843	567	34·4	5	-	20	-	?	4	
Alexandria	492,100	„ 11	540	304	32·2	1	2	21	-	?	-	
New York	6,361,664	July 3	?	1151	10·1	3	-	-	5	4	10	
Chicago	2,995,239	Mar. 26	1253	1116	19·1	1	?	2	2	6	5	
		April 2	923	920	15·7	-	?	1	-	3	2	
		„ 9	1254	819	14·0	1	?	1	4	6	5	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the Germ
Budapest, Warsaw.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *child year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 46 deaths from cholera in Calcutta.
‖ The registration of Births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 7th August, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	706	56	14	13	22	29	37	59	102	132	122	120
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	3	1	1	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	-	3	4	-	-	-	-	-	-	-
Influenza	2	-	-	-	-	-	-	1	-	-	-	1
Erysipelas	3	-	-	-	-	-	-	1	1	1	-	-
Acute Poliomyelitis, Poliocncephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	1	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	55	-	-	-	3	11	14	11	7	6	2	1
Nervous system	3	-	-	2	1	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	1	-	-	1	-	-	-
Other forms	4	-	2	-	-	-	-	-	1	1	-	-
Venereal diseases	2	-	-	-	-	-	-	1	-	1	-	-
Cancer	139	-	-	-	1	2	5	8	26	49	34	14
Rheumatic fever	2	-	-	-	-	-	1	1	-	-	-	-
Diabetes	8	-	-	-	-	-	-	1	1	2	1	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	-	1	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	43	-	-	-	-	1	-	2	7	10	14	9
Epilepsy	4	-	-	-	-	1	1	-	1	-	-	1
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	22	1	-	-	-	-	-	3	8	7	2	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	1	2	-	2	1	-	-	-
Other diseases of heart	88	-	-	-	-	2	3	5	14	19	20	25
Other diseases of circulatory system	38	-	-	-	-	-	-	-	3	2	15	18
Bronchitis	25	-	-	-	1	1	1	1	3	5	6	7
Broncho-pneumonia	22	3	5	3	-	-	-	2	2	1	2	4
Lobar-pneumonia	10	1	-	1	-	-	-	2	2	1	3	-
Pneumonia (type not distinguished)	4	-	1	-	-	-	1			1	1	-
Other diseases of respiratory system	6	-	-	-	1	-	-	1	2	-	2	-
Diarrhœa and enteritis	18	13	2	-	-	-	1	1	-	-	-	1
Appendicitis, Typhlitis	5	-	-	-	1	1	-	-	-	1	1	1
Hernia, Intestinal obstruction.. ..	3	-	-	-	-	-	-	-	-	1	1	1
Cirrhosis of liver	4	-	-	-	-	-	-	-	2	1	1	-
Other diseases of digestive system ..	26	2	-	1	-	1	3	3	5	5	4	2
Acute nephritis	2	-	1	-	-	-	-	1	-	-	-	-
Chronic Bright's disease..	26	-	-	-	-	-	-	8	4	6	1	7
Other diseases of genito-urinary system.	6	-	-	-	1	-	1	-	1	2	1	-
Puerperal sepsis	4	-	-	-	-	-	3	1	-	-	-	-
Other causes incident to childbirth ..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	1	1	-	-	-	-	-	-	-	-	-	-
Old age	20	-	-	-	-	-	-	-	-	-	2	18
Suicide	10	-	-	-	-	1	-	2	4	1	2	-
Burns and Scalds	2	-	-	1	-	-	-	-	-	-	-	1
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	-	7	-	-	-	1	1	4	1
Other deaths by violence	12	-	-	-	1	1	2	-	-	3	3	2
Other specified causes	24	7	1	1	-	3	1	1	4	4	-	2
Ill-defined causes	-	-	-	-	-	-	-	-		-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th August, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	159	190	4	34	C. 4 D. 2 E. 1 G. 5 M. 13
Metropolitan Boroughs :—						
†BATTERSEA ...	-	11	13	-	2	M. 1
†BERMONDSEY ...	-	4	9	-	2	-
†BETHNAL GREEN	-	10	19	-	2	-
†CAMBERWELL ...	-	10	17	-	-	C. 1
†CHELSEA	-	1	1	-	1	-
†DEPTFORD ...	-	6	4	-	-	-
†FINSBURY ...	-	4	6	-	2	-
†FULHAM	-	5	3	-	3	D. 1 G. 1
†GREENWICH ...	-	3	2	-	-	-
†HACKNEY ...	-	3	11	-	-	M. 1
†HAMMERSMITH ...	-	2	2	-	1	-
†HAMPSTEAD ...	-	1	6	2	-	-
†HOLBORN... ...	-	4	1	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	12	8	-	1	M. 2
†KENSINGTON ...	-	3	4	1	1	E. 1
†LAMBETH ...	-	12	10	-	1	C. 2 M. 2
†LEWISHAM ...	-	4	4	-	2	-
†PADDINGTON ...	-	2	11	-	2	-
†POPLAR	-	12	7	-	2	M. 1
†ST. MARYLEBONE	-	2	3	-	-	-
†ST. PANCRAS ...	-	5	10	-	-	G.
†SHOREDITCH ...	-	6	6	-	3	G. M.
†SOUTHWARK ...	-	8	11	1	1	D. M.
†STEPNEY	-	15	9	-	4	C. G.
†STOKE NEWINGTON	-	3	-	-	-	G.
†WANDSWORTH ...	-	6	6	-	3	M.
†WESTMINSTER, CITY OF	-	-	7	-	-	M.
†WOOLWICH ...	-	5	-	-	1	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	5	–	–	M. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ...	–	–	–	–	–	M. 1
†LUTON	–	–	2	–	–	–
Rural Districts:—						
BEDFORD ...	–	–	3	–	–	–
LUTON	–	1	–	–	–	–
BERKS	–	6		–	1	G. 1
†READING C.B. ..	–	1	–	–	–	G. 1
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	–	–	–	1	–
FARINGDON (part)	–	3	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	6	–	–	–	M. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE	–	2	–	–	–	–
MARLOW	*	*	*	*	*	*
†WOLVERTON ...	–	–	–	–	–	M. 1
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ...	–	1	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	40	22	1	7	G. 1
†BIRKENHEAD C.B.	–	3	1	–	–	–
†CHESTER C.B. ...	–	2	2	–	–	–
†STOCKPORT C.B.	–	15	3		–	–
†WALLASEY C.B. ...	–	–	1		–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	
BOWDON	*	*	*	*	*	*
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
†CONGLETON ...		–	4	–	1	–
†CREWE	–	1		–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	–		–	3	–
HOOLE	–	2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–		–
†HYDE	–	1	–	–	1	–
†MACCLESFIELD ...	–	–	–	1	–	–
NESTON AND PARKGATE	–	1	–		–	–
NORTHWICH ...	–	1	–	–	–	
†STALYBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...		1	2	–	–	–
CONGLETON ...	–	1		–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	1		–	–	
NORTHWICH ...		3	1	–	–	–
RUNCORN... ...	–	1	1		–	–
TARVIN	–	–	1	–	–	–
WIRRAL	–	–	4		1	G. 1
CORNWALL ..	–	4	4	–	–	–
Boroughs and Urban Districts:—						
LAUNCESTON ...	–	1	–	–		–
PADSTOW... ...	–	2	–	–	–	–
†PENZANCE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever · L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
REDRUTH ...	-	1	-	-	-	-
TRURO	-	-	3	-	-	-
CUMBERLAND ...	-	7	2	-	-	-
†CARLISLE C.B. ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	-	2	-	-	-	-
EGREMONT ...	-	-	1	-	-	-
WIGTON	-	1	-	-	-	-
Rural Districts:—						
ALSTON WITH GARRIGILL	-	1	-	-	-	-
COCKERMOUTH ...	-	1	-	-	-	-
PENRITH	-	-	1	-	-	-
DERBY	2	20	19	1	5	E. 1 G. 1 M. 1
†DERBY C.B. ...	1	2	9	-	2	-
Boroughs and Urban Districts:—						
†BELPER	1	1	-	-	-	-
†BUXTON	-	-	-	-	-	M. 1
†CHESTERFIELD ...	-	2	-	-	-	G. 1
CLAY CROSS ...	*	*	*	*	*	*
†GLOSSOP	-	-	3	-	-	-
†HEANOR	-	1	1	-	1	-
†LONG EATON ...	-	1	-	-	-	-
†RIPLEY	-	1	-	-	-	-
†SWADLINCOTE DISTRICT	-	2	-	-	-	-
Rural Districts:—						
BELPER	-	2	-	-	-	-
BLACKWELL ...	-	-	3	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts— *cont.*						
CHESTERFIELD ...	-	1	-	-	2	-
CLOWNE	-	5	1	1	-	-
REPTON	-	-	-	-	-	E. 1
SHARDLOW ...	-	2	2	-	-	-
DEVON	-	30	5	1	2	C. 1 G. 1 L. 3 M. 2
†EXETER C.B. ...	-	4	1	-	-	G. 1 M. 2
†PLYMOUTH C.B....	-	14	3	-	1	-
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	-	2	-	-	1	-
BIDEFORD ...	-	1	-	-	-	-
BRIXHAM... ...	-	-	-	1	-	-
GREAT TORRINGTON	-	1	-	-	-	-
†ILFRACOMBE ...	-	2	-	-	-	-
Rural Districts:—						
BARNSTAPLE ...	-	1	-	-	-	-
BIDEFORD ...	-	2	-	-	-	-
ST. THOMAS ...	-	3	1	-	-	L. 3
TOTNES	-	-	-	-	-	C. 1
DORSET	-	4	-	-	2	-
Boroughs and Urban Districts:—						
BRIDPORT ...	-	1	-	-	1	-
†POOLE	-	1	-	-	-	-
†WEYMOUTH AND MELCOMBE REGIS	-	-	-	-	1	-
Rural Districts:—						
WEYMOUTH ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	41	55	16	2	12	C. 1 G. 3 J. 1 M. 6
†DARLINGTON C.B.	–	3	2	–	–	M. 1
†GATESHEAD C.B.	5	16	9		–	–
†SOUTH SHIELDS C.B.	1	–		1	2	G. 1 J. 1
†SUNDERLAND C.B.	–	–	–	–	1	M. 1
†WEST HARTLEPOOL C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	1	–	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	2	3	–	–		–
†BRANDON AND BYSHOTTLES	3	–	–	–	–	–
†CHESTER LE STREET	–	1	–	–	–	–
†CROOK	–	1	–		–	–
†DURHAM	–	1	–	–	–	–
†FELLING	–	–	–	–	–	C. 1
†HARTLEPOOL ...	–	2	–	–	–	G. 1
†HEBBURN ...	1	–	–	–	–	–
†HETTON	10	2	–	1	–	–
†HOUGHTON LE SPRING	–	–		–	1	–
†JARROW	1	1	–	–	2	–
†RYTON	–	2	–	–		–
†SEAHAM HARBOUR	–	–	–	–	1	M. 2
†SHILDON	*	*	*	*	*	*
†STANLEY	3	1	1	–	–	–
†STOCKTON ON TEES	–	1	2	–	1	–
†TANFIELD ...	–	–	–		–	M. 1
TOW LAW ...	1	–	–	–	–	–
†WHICKHAM ...	–	2	–	–	–	–
WILLINGTON ...	–	–	–	–	–	G. 1
Rural Districts:—						
AUCKLAND ...	–	3	–	–	–	–
CHESTER LE STREET	1	2	–	–		–
DURHAM		3	–		–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
EASINGTON ...	2	2	1	–	2	–
HOUGHTON LE SPRING	3		–	–	–	–
LANCHESTER ...	7	2	–			–
SEDGEFIELD ...	1	1	–	–		–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–		–	M. 1
ELY, ISLE OF ...	–	5	1	–	–	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
ELY	–	3	–	–	–	–
NORTH WITCHFORD	–	1		–	–	–
ESSEX	–	55	38	2	4	C. 1 E. 7 F. 1 M. 4
†EAST HAM C.B. ...	–	5	5	1	–	–
†SOUTHEND-ON-SEA C.B.	–	1	2	1	–	E. 1 M. 1
†WEST HAM C.B. ...	–	12	7	–	2	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	2	–	1	C. 1
BRAINTREE ...	–	2	–	–	–	–
CANVEY ISLAND...	–	–	1	–	–	–
CHINGFORD ...	–	3	–	–	–	–
†COLCHESTER ...	–	1	1	–	–	–
DAGENHAM ...	–	–	3	–	–	–
†GRAYS THURROCK	–	–	2	–	–	E. 5 F. 1
†HARWICH ...	–	1	–	–	–	–
†HORNCHURCH ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ILFORD	–	2	6	–	–	–
†LEYTON		8	2	–	–	–
MALDON	–	–	–	–	1	–
†ROMFORD ...	–	1	1	–	–	–
TILBURY	–	1	–	–	–	M. 1
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW ...	–	6	2	–	–	M. 1
WIVENHOE ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	–	1	–	–	–
MALDON	–	1	–	–	–	–
ORSETT	–	1	2	–	–	E. 1
STANSTED ...	–	2	–	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ..	–	29	11	2	3	L. 1 M. 1
†BRISTOL C.B. ...	–	18	6	–	3	L. 1 M. 1
†GLOUCESTER C.B.	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	–	–	–
†KINGSWOOD ...	–	–	2	–	–	–
STROUD	–	–	1	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
GLOUCESTER ...	–	–	–	1	–	–
LYDNEY	–	1	–	–	–	–
STROUD	–	3	–	1	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ..	–	–	–	–	1	–
Boroughs and Urban Districts:—						
LEDBURY... ...	*	*	*	*	*	*
Rural Districts:—						
ROSS	–	–	–	–	1	–
HERTFORD ..	–	5	7	1	–	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY	–	–	1	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†HERTFORD ...	–	–	3	–	–	–
†ST. ALBANS ...	–	–	1	–	–	–
WARE	–	2	1	–	–	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
HADHAM	–	–	1	–	–	–
WARE	–	–	–	1	–	–
HUNTINGDON ...	–	4	8	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	2	–	–	–	–
NORMAN CROSS ...	–	–	7	–	–	–
ST. NEOTS ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	36	31	1	9	C. 1 E. 2 G. 3 M. 3
†CANTERBURY C.B.	–	2	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BEXLEY	–	2	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	1	–
†BROMLEY ...	–	–	–	–	1	–
†CHATHAM ...	–	2	3	–	–	C. 1
†DARTFORD ...	–	1	1	–	1	–
†DEAL	–	2	–	–	–	–
†DOVER	–	1	2	–	–	–
†ERITH	–	3	4	–	–	
†FAVERSHAM ...	–	–	–	–	–	M. 1
†GILLINGHAM ...	–	–	1	–	1	
†GRAVESEND ...	–	1	4	–	–	G. 1
†HERNE BAY ...	–	–	1	–	1	–
†MAIDSTONE ...	–	5	–	–	–	–
†MARGATE ...	–	1	2	1	1	M. 1
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	–	1	–	–	–
QUEENBOROUGH	–	–	1	–	–	E. 1
†RAMSGATE ...	–	–	2	–	2	–
†ROCHESTER ...	–	1	–	–	–	
SANDWICH ...	*	*	*	*	*	*
†SHEERNESS ...	–	–	–	–	–	E. 1
SWANSCOMBE ...	*	*	*	*	*	*
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	1	–	1	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	–	1	–	–	–
DOVER	–	1	–	–	–	–
EASTRY	–	1	–	–	–	–
MAIDSTONE ...	–	3	–	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	–	1	–	–	–
ROMNEY MARSH...	–	–	–	–		G. 1
SEVENOAKS ...	–	3	1	–	–	–
SHEPPEY	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	2	150	104	5	51	C. 3 D. 1 E. 2 G. 4 M. 21
†BARROW IN FURNESS C.B.	–	1	–	–	1	–
†BLACKBURN C.B.	–	3	–	–	3	M. 1
†BLACKPOOL C.B.	–	2	–	–	1	–
†BOLTON C.B. ...	–	6	3	–	1	E. 1
†BOOTLE C.B. ...	–	1	1	–	–	M. 1
†BURNLEY C.B. ...	–	2	–	1	2	–
†BURY C.B. ...	–	2	2	–	–	–
†LIVERPOOL C.B. ...	–	22	38	–	9	C. 1 G. 1 M. 8
†MANCHESTER C.B.	–	34	23	1	11	C. 1 D. 1 G. 1 M. 3
†OLDHAM C.B. ...	–	5	2	–	–	–
†PRESTON C.B. ...	–	2	3	–	1	–
†ROCHDALE C.B. ...	–	5	2	–	–	–
†ST. HELENS C.B....	–	3	–	–	–	M. 1
†SALFORD C.B. ...	–	13	8		1	E. 1 M. 2
†SOUTHPORT C.B.	–	3	2	–	2	
†WARRINGTON C.B.	–	–	2	–	2	G. 1
†WIGAN C.B. ...	–	1	1	–	3	M. 1
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	2	–		1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	–	–
†BACUP	–	1	–	–	–	–
BARROWFORD ...	–	–	–	1	–	–
BRIERFIELD ...	–	–	–	–	–	M. 1
CARNFORTH ...	–	1	–	–	–	–
†CHADDERTON ...	–	–	2	–	–	–
†CHORLEY	–	1	–	–	–	–
CLAYTON LE MOORS	–	–	–	1	–	–
†CLITHEROE ...	–	–	2	–	–	–
†COLNE	–	1	1	–	–	–
†CROMPTON ...	–	5	–	–	–	–
†DARWEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DENTON		-	1	-	1	-
†DROYLSDEN ..	-	1	-	-	-	-
†ECCLES	-	-		-	1	M. 1
†FAILSWORTH ..	-	1	-	-	-	-
†GREAT CROSBY ...	-	3	-	-	-	-
†HORWICH ...	-	3	-	-	-	-
IRLAM	2	-	-	-	-	M. 1
†LANCASTER ...	-	1	-	-	-	-
†LEIGH	-	-	1	-	-	-
LEYLAND... ...	-	1		-	-	-
†LITTLEBOROUGH	-	2		-	-	-
LONGRIDGE ...	-	2	-	-	-	-
†MIDDLETON ...	-			-	1	-
MILNROW... ...		-	-	-	-	M. 1
†NELSON	-	1	-	-	-	-
†NEWTON IN MAKERFIELD	-	-	-	-	2	-
†PADIHAM... ...	-	-	2	-	-	-
†RADCLIFFE ...	-	3		-	-	-
†RAWTENSTALL ...	-	1	-	-	-	-
†ROYTON	-	1	-	-	-	-
STANDISH WITH LANGTREE	-	1	-	-	-	-
†STRETFORD ...	-	3	-	-	-	C. 1
†SWINTON AND PENDLEBURY	-	-	-	-	3	G. 1
TOTTINGTON ...	-	1	-	-	1	-
†TYLDESLEY WITH SHAKERLEY	-	-	1	-	-	-
†WATERLOO WITH SEAFORTH	-	1	1	-	1	-
†WESTHOUGHTON	-	1	-	-	-	-
†WIDNES	-	-	2	-	-	-
†WORSLEY... ...	-	1	-	-	1	-
Rural Districts:—						
BARTON UPON IRWELL	-	-	-	-	1	-
BURNLEY... ...	-	1	1	1	-	
BURY	-	1	-	-	-	-
LUNESDALE ...	-	1	-	-	-	-
WEST LANCASHIRE	-	-	1	-	-	-
WHISTON... ...	-	1	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ..	-	7	4	-	-	E. 1 F. 1 M. 1
†LEICESTER C.B. ...	-	3	2	-	-	E. 1 F. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	-		-		-	M. 1
†COALVILLE ...	-	-	2	-		-
†LOUGHBOROUGH	-	1	-		-	-
SHEPSHED ...	-	1	-	-	-	-
Rural Districts:—						
BARROW UPON SOAR	-	1	-	-	-	-
MELTON MOWBRAY	-	1	-	-	-	-
LINCOLN (parts of Holland).	-	2	1	-	-	-
Boroughs and Urban Districts:—						
†BOSTON	-	1	-	-	-	-
LONG SUTTON ...	-	-	1	-	-	-
Rural Districts:—						
SPALDING (part)..	-	1	-	-	-	-
LINCOLN (parts of Kesteven).	-	3	5	-	-	-
Boroughs and Urban Districts:—						
SLEAFORD ...	-	1	-		-	-
Rural Districts:—						
BOURNE	-	1	-	-	-	-
SLEAFORD ...	-	1	1	-	-	
SPALDING (part)..	-	-	4	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	11	7	1	4	M. 4
†GRIMSBY C.B. ...	–	3	1	–	1	M. 1
†LINCOLN C.B. ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
†GAINSBOROUGH ...	–	–	1	–	–	–
LOUTH	–	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	–	2	1	–	M. 2
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	–		1	–	–	–
GRIMSBY	–	–	2	–	–	–
LOUTH	–	1	–	–		–
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ...	–	18	34	1	8	E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	–	2	–	–	–
†BRENTFORD ...	–	2	3		–	–
†EALING	–	–	–	1	–	
†EDMONTON ...	–	2	8	–	–	E. 1
†ENFIELD	–	2	2	–	1	–
FELTHAM ...	–		1		–	–
†FINCHLEY ...	–	2	–	–	1	–
†FRIERN BARNET	–	–	–	–	1	–
†HARROW ON THE HILL		2	–	–	–	
HAYES	–	–	–	–	–	M. 1
†HENDON	–	1	–	–	1	–
†HESTON AND ISLEWORTH	–	–	1	–	1	–
†HORNSEY	–		2	–	1	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	2	–	–	–
†TOTTENHAM ...	–	1	4	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	–	–	–	–	G. 1
†WEMBLEY ...	–	2	1	–	–	–
†WILLESDEN ...	–	3	3	–	–	–
†WOOD GREEN ...	–	–	2	–	–	–
YIEWSLEY ...	–	–	3	–	–	–
NORFOLK	–	3	1	1	2	–
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	1	–	1	2	–
Boroughs and Urban Districts:—						
WALSOKEN ...	–	–	1	–	–	–
Rural Districts:—						
MARSHLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	2	3	–	–	M. 1
†NORTHAMPTON C.B.	–	–	3	–	–	M. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	*	*	*	*	*	*
HIGHAM FERRERS	*	*	*	*	*	*
RAUNDS	–	1	–	–	–	–
Rural Districts:—						
WELLINGBOROUGH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	2	33	7	-	24	D. 1 G. 1 M. 4
†NEWCASTLE UPON TYNE C.B.	-	17	2	-	17	G. 1 M. 3
†TYNEMOUTH C.B.	-	3	3	-	1	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	2	-	-	-	-	-
†BEDLINGTONSHIRE	-	1	-	-	2	-
†BERWICK UPON TWEED	-	1		-	-	-
†BLYTH	-	2	-	-	1	-
†GOSFORTH ...	-	3	-	-	-	-
†NEWBURN ...	-	1	1	-	1	-
PRUDHOE... ...	-	1	-	-	-	-
SEATON DELAVAL	-	-	-	-	1	-
†WALLSEND ...	-	1	-	-	-	D. 1
†WHITLEY AND MONKSEATON	-	1	-	-	-	-
Rural Districts:—						
ALNWICK... ...	-	-	1	-	-	-
CASTLE WARD ...	-	-	-	-	1	-
HEXHAM		2	-	-	-	-
MORPETH... ..	*	*	*	*	*	*
NOTTINGHAM ..	-	14	9	-	4	C. 2 D. 1 E. 3 F. 1 G. 1 M. 2
†NOTTINGHAM C.B	-	10	7	-	1	C. 2 E. 3 M. 2
Boroughs and Urban Districts:—						
†CARLTON	-	4	-	-	-	-
†EAST RETFORD ...	-	-	-	-	1	-
EASTWOOD ...	-	-	-	-	1	-
†KIRKBY IN ASHFIELD	-	-	-		-	D. 1 G. 1
†MANSFIELD ...	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	-	-	1	-	1	-
BINGHAM... ...	-	-	-	-	-	F. 1
OXFORD	-	3	1	1	-	-
†OXFORD C.B. ..	-	3	-	1		-
Rural Districts:—						
HEADINGTON ...	-	-	1	-	-	-
PETERBOROUGH (Soke of)	-	-	1	-	-	-
Rural Districts—						
PETERBOROUGH...	-	-	1	-	-	-
SALOP	-	4	1	1	-	C. 2
Boroughs and Urban Districts:—						
†OAKENGATES ...	-	1	-	-	-	-
†SHREWSBURY ...	-	3	1	-	-	C. 1
†WENLOCK ...	-	-	-	-	-	C. 1
Rural Districts:—						
LUDLOW	-	-	-	1	-	-
SOMERSET	-	10	1	-	5	C. 1
†BATH C.B. ...	-	8	-	-	2	-
Boroughs and Urban Districts:—						
†FROME	-	-	1	-	-	-
RADSTOCK ...	-	1	-	-	-	
†TAUNTON ...	-	-	-	-	2	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
CLUTTON	–	1	–	–	–	–
DULVERTON ...	*	*	*	*	*	*
KEYNSHAM ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	17	28	–	1	M. 4
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	6	19	–	–	M. 1
†SOUTHAMPTON C.B.	–	1	7	–	–	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	1	–	–	–	–
Rural Districts:—						
ALTON	*	*	*	*	*	*
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	M. 2
LYMINGTON ...	–	–	1	–	–	–
ROMSEY	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	1	–
STAFFORD	–	47	14	2	25	C. 2 G. 2 L. 2 M. 8
†BURTON UPON TRENT C.B.	–	1	3	–	–	–
†SMETHWICK C.B.	–	–	–	–	1	–
†STOKE ON TRENT C.B.	–	11	2	1	10	C. 1 M. 6
†WALSALL C.B. ...	–	4	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	–	1	–	2	G. 2
†WOLVERHAMPTON C.B.	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
†CANNOCK	–	2	–	–	–	C. 1
†COSELEY	–	1	–	–	1	–
†DARLASTON ...	–	–	–	–	2	–
KIDSGROVE ...	–	2	1	–	–	–
†LEEK	–	4	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
PERRY BARR ...	–	5	–	–	–	–
QUARRY BANK[1]	–	1	–	–		–
†ROWLEY REGIS ...	–	1	1	–	2	–
†SEDGLEY	–	1	–	–	–	–
SHORT HEATH ...	–	1		–	–	–
†STAFFORD ...	–	–	–	1	–	–
TAMWORTH ...	–	–	1	–	–	–
TETTENHALL ...	–	–	1	–	–	–
†WEDNESBURY ...	–	2	1	–	1	–
†WILLENHALL ...	–	1	–	–	–	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	–	–	1	L. 2
KINGSWINFORD ...	–	2	1	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	–	M. 1
SEISDON	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	6	4	–	2	–
†IPSWICH C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST— *cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	-	2	-	-	-	-
HARTISMERE ...	-	2	-	-	-	-
MUTFORD AND LOTHINGLAND	-	-	1	-	-	-
SAMFORD... ...	-	-	1	-	-	-
SUFFOLK, WEST ...	-	1	-	-	1	-
Boroughs and Urban Districts:—						
NEWMARKET ...	-	1	-	-	1	-
SURREY	-	22	13	-		C. 1
†CROYDON C.B. ...	-	5	3	-	-	C. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	-	3	-	-	-	-
†CARSHALTON ...	-		1	-	-	-
†COULSDON AND PURLEY	-	1	2	-		-
†EGHAM	-	3	1	-	-	-
†FARNHAM ...	-	-	2	-	-	-
†GUILDFORD ...	-	-	1	-	-	-
†MITCHAM... ...	-	2	1	-	-	-
†REIGATE	-	2	-	-	-	-
†SURBITON ...	-	3	-	-	-	-
†WALTON UPON THAMES	-	-	1	-	-	
†WIMBLEDON ...	-	2	-		-	-
†WOKING	-	-	1	-	-	-
Rural Districts:—						
GUILDFORD ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST ...	-	12	7	-	6	C. 2 M. 2
†BRIGHTON C.B. ...	-	4	6	-	3	-
†EASTBOURNE C.B.	-	2	-	-	-	-
†HASTINGS C.B. ...	-	3	-	-	1	C. 1
Boroughs and Urban Districts:—						
†BEXHILL	-	1	-	-	-	-
†HOVE	-	1	-	-	2	-
Rural Districts:—						
EAST GRINSTEAD	-	-	-	-	-	M. 1
HAILSHAM ...	-	-	-	-	-	C. 1 M. 1
RYE	-	1	-	-	-	-
UCKFIELD ...	-	-	1	-	-	-
SUSSEX, WEST ...	-	-	2	1	2	-
Boroughs and Urban Districts:—						
†CHICHESTER ...	-	-	1	-	-	-
†WORTHING ...	-	-	1	1	1	-
Rural Districts:—						
WESTHAMPNETT	-	-	-	-	1	-
WARWICK	-	27	42	-	22	C. 4 G. 4 M. 5
†BIRMINGHAM C.B.	-	16	35	-	17	C. 4 G. 1 M. 5
†COVENTRY C.B. ...	-	-	-	-	1	G. 2
Boroughs and Urban Districts:—						
†NUNEATON ...	-		1	-	-	-
†ROYAL LEAMINGTON SPA	-	1	-	-	1	-
†RUGBY	-	1	2	-	-	-
†SUTTON COLDFIELD	-	2	-	-	-	G. 1
†WARWICK ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	1		1	–
COVENTRY ...	–	1	–	–	–	–
MERIDEN... ...	–	1	1	–		–
SOUTHAM... ...	–	1		–	–	–
TAMWORTH (part)	–	1	2	–	–	–
WESTMORLAND ..	–	–	1	–	–	–
Boroughs and Urban Districts:—						
KIRKBY LONSDALE	–	–	1	–	–	–
WIGHT, ISLE OF ...	–	–	2	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	–	2	–	–	–
WILTS	–	7	4	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES	–	–	1	–	–	–
†SALISBURY ...	–	–	–	–	–	G. 1
†SWINDON... ...	–	–	1	–	–	C. 1
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	2		1	–
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	1	–			–
WILTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	5	4	1	3	M. 1
†DUDLEY C.B. ...	–	–	1	–	–	M. 1
†WORCESTER C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
DROITWICH ...	–	1	–	–	–	–
†HALESOWEN ...	–	1	–	–	–	–
†MALVERN ...	–	1	–	–	–	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	1	1	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
MARTLEY... ...	–	–	1	–	–	–
TEWKESBURY (part)	–	–	–	–	2	–
YORKS ... ... (East Riding.)	–	13	9	1	–	C. 1 G. 1 M. 2
†KINGSTON UPON HULL C.B.	–	4	9	–	–	G. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–		–
COTTINGHAM ...	–	1	–		–	–
HESSLE	–	1	–	–	–	–
Rural Districts:—						
†BRIDLINGTON ...	–	–	–	1	–	–
DRIFFIELD ...	–	4	–	–	–	–
POCKLINGTON ...	–	2	–	–	–	–
RICCALL	–	–	–	–	–	C. 1
YORKS ... ... (North Riding.)	–	18	2	–	4	C. 1
†MIDDLESBROUGH C.B.	–	7	–	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
LOFTUS		1	–	–	3	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	1	–	–	–	–
RICHMOND ...	–	–	1	–	–	–
†SCARBOROUGH ...	–	–	1	–	–	–
†SKELTON AND BROTTON	–	1	–		–	–
Rural Districts:—						
BEDALE	–	1	–	–	–	–
KIRBY MOORSIDE	*	*	*	*	*	*
MALTON	*	*	*	*	*	*
NORTHALLERTON	*	*	*	*	*	*
RICHMOND ...	–	1	–	–	–	–
THIRSK	–	2	–	–	–	–
YORKS ... ... (West Riding.)	13	88	41	1	56	C. 5 G. 2 L. 1 M. 9
†BARNSLEY C.B. ...	–	5	–	–	–	–
†BRADFORD C.B. ...	–	9	2	–	7	M. 2
†HALIFAX C.B. ...	–	1	1	–	–	–
†HUDDERSFIELD C.B.	–	4	1	–	1	–
†LEEDS C.B. ...	–	4	2		9	M. 1
†ROTHERHAM C.B.	–	4	1	–	–	–
†SHEFFIELD C.B....	1	26	16	–	26	C. 1 M. 3
†WAKEFIELD C.B.	–	–	–	–	–	L. 1
Boroughs and Urban Districts:—						
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY	–	–	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	–	1	–	–	–
†CONISBROUGH ...	–	2	–	1	3	–
CUDWORTH ...	–	2	1	–	–	–
†DARTON	–	–	–	–	1	–
DENBY AND CUMBERWORTH	–	–	–	–	1	–
†DONCASTER ...	–	3	–	–	1	G. 1 M. 1
EARBY	–	1	–	–	–	–
FARSLEY	–	–	1	–	–	–
†GOOLE	–	1	–	–	2	–
†HARROGATE ...	–	–	1	–	1	–
†HEMSWORTH ...	*	*	*	*	*	*
HORBURY ...	–	2	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
†KEIGHLEY ...	–	1	2	–	–	–
MALTBY	–	1	–	–	–	–
MARSDEN... ...	–	–		–	–	C. 1
†MEXBOROUGH ...	5	–	1	–	–	G. 1
MIDGLEY... ...	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	–	–	–	–	C. 1
†RAWMARSH ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	–	–	–	–	M. 1
†SHIPLEY	–	1	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	7	–	1	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	–	2	–	–	–
Rural Districts:—						
DONCASTER ...	–	1	1	–	–	M. 1
GOOLE	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
HEMSWORTH ...	–	1	1	–	1	C. 1
KIVETON PARK ...	–	2	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	–	–	–	–	C. 1
SETTLE	–	1	–	–	–	–
THORNE	–	2	2	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ...	–	1	1	–	–	–
§YORK, CITY OF ...	–	3	2	–	–	–
†YORK C.B. ...	–	3	2	–	–	–
WALES.						
ANGLESEY	–	1	1	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	1	–	–	–	–
CRICKHOWELL ...	–	–	1	–	–	–
CAERNARVON ...	–	1	–	2	–	
Boroughs and Urban Districts:—						
PENMAENMAWR...	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	–	–	2	–	–
CARDIGAN ...	–	1	1	–	–	–
Rural Districts:—						
TREGARON ...	–	1	1	–	–	–
CARMARTHEN ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
†LLANELLY ...	–	–	2	–	–	–
Rural Districts:—						
LLANELLY ...	–	1	–	–	–	–
CARNARVON. See **CAERNARVON.**						

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	4	3	–	–	–
Boroughs and Urban Districts:—						
LLANRWST ...	–	–	1	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	–	1	–	–	–
WREXHAM ...	–	4	1	–	–	–
FLINT	–	1	3	1	–	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	–	1	–	–	–
PRESTATYN ...	*	*	*	*	*	*
†RHYL		1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	1	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
HOLYWELL (MOLD DIV.)	–	–	1	–	–	–
GLAMORGAN ...	–	34	26	1	13	C. 1 G. 1 M. 2
†CARDIFF C.B. ...	–	3	3	–	–	G. 1
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ...	–	3	1	1	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	–	–	3	–
†CAERPHILLY ...	–	1	–	–	1	–
†GELLIGAER ...	–	–	3	–	2	–
†MAESTEG ...	–		7	–	–	–
†MOUNTAIN ASH ...	–	1	4		1	–
†NEATH	–	2	–	–	–	–
†OGMORE AND GARW	–	2		–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PENARTH ...	–	–	–	–	–	C. 1
†PONTYPRIDD ...	–	4	1	–	–	–
†PORT TALBOT ...	–	4		–	–	–
†RHONDDA ...	–	6	1	–	3	M. 2
Rural Districts:—						
GOWER	–	2	2	–		–
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–		–
NEATH	–	–	1	–	1	–
PONTARDAWE ...			1	–	–	–
SWANSEA... ...	–	2	–	–	–	–
MONMOUTH ...	–	6	3	–	3	C. 1 F. 1 G. 1
†NEWPORT C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	3	1	–	–	–
†ABERTILLERY ...	–	–	1	–		G. 1
†BEDWELLTY ...	–	–	1	–	–	–
†EBBW VALE ...	–	–	–	–	–	C. 1
†NANTYGLO AND BLAINA	*	*	*	*	*	*
†PANTEG	–	–	–	–	–	F. 1
†TREDEGAR ...	–	1	–	–	1	–
USK	*	*	*	*	*	*
Rural Districts:—						
MONMOUTH ...	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ONTGOMERY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	1	–	–	–	–
EMBROKE						
Boroughs and Urban Districts:—						
†PEMBROKE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR						
Urban Districts:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	60	886	565	31	284	C. 31 D. 3 E. 19 F. 4 G. 29 J. 1 L. 7 M. 86

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
SANDWICH	*	*	*	*	*	*	PORT OF LONDON ...	–	–	1	1	–	
							Total of Part III.... ...	–	–	1	1	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	159	190	4	34	C. 4 D. 2 E. 1 G. 5 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	60	886	565	31	284	C. 31 D. 3 E. 19 F. 4 G. 29 J. 1 L. 7 M. 86
Total of Part III.—Port Sanitary Districts	–	–	1	1	–	–
Total (*i.e.*, of returns received), England and Wales ...	60	1045	756	36	318	C. 35 D. 5 E. 20 F. 4 G. 34 J. 1 L. 7 M. 99

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain (and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last TH WEEKS.

Week ended :—	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.
LONDON :—												
DEATHS—all ages	913	1,006	904	827	820	766	807	785	775	791	706	823
„ 0 to 1 year ..	74	71	69	61	60	61	77	67	69	64	60	76
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,437	7,438	6,025	7,833	7,074	7,424	7,167	7,137	7,000	6,992	7,118	7,460
DEATHS—all ages	4,230	4,464	4,119	3,939	3,669	3,525	3,384	3,570	3,424	3,540	3,215	3,305
„ 0 to 1 year ..	444	469	431	415	403	354	379	354	355	363	337	374
ENTERIC FEVER—Cases	21	20	22	28	16	16	32	25	49	36	46	33
Deaths	3	3	1	4	2	2	3	3	3	4	—	4
SMALL POX—Cases ..	43	38	39	41	43	31	12	15	20	23	10	5
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	837	864	760	687	814	792	766	882	816	904	734	716
„ Deaths	6	2	6	7	4	4	4	8	6	6	3	3
DIPHTHERIA—Cases ..	666	586	605	538	587	567	606	611	604	608	625	479
„ Deaths ..	33	32	19	25	22	24	38	32	17	25	25	21
MEASLES—Deaths ..	60	56	56	35	29	37	26	25	18	14	14	14
INFLUENZA—Deaths ..	118	111	78	80	67	38	37	28	35	22	20	14

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 7th August, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	78	44	72·0	50·7	6	HUDDERSFIELD	77	42	70·9	48·3	
BRIGHTON ..	72	49	68·4	54·1	1	BRADFORD ..	74	45	68·1	50·7	
PORTSMOUTH ..	77	52	71·1	54·8	2	SHEFFIELD ..	73	46	49·6	52·1	
NORWICH (SOUTHWELL LODGE).	72	41	67·5	47·7	4	YORK (MUSEUM)	76	42	71·4	48·7	
PLYMOUTH ..	76	52	70·4	54·6	2	HULL (PEARSON PARK).	75	47	70·3	51·0	
BRISTOL (CLIFTON).	75	50	71·4	54·3	2	TYNEMOUTH ..	70	47	65·0	53·0	
BIRMINGHAM (EDGBASTON).	75	49	69·9	52·0	9	CARDIFF.. ..	73	48	70·1	54·1	
NOTTINGHAM ..	74	42	70·3	51·0	4	EDINBURGH ..	70·0	48·0	67·0	52·1	
BIRKENHEAD (BIDSTON).	70	53	65·9	55·0	12	GLASGOW ..	74·1	49·8	68·7	52·9	
MANCHESTER (WHITWORTH PARK).	75	49	69·4	52·0	7	DUBLIN (PHŒNIX PARK).	73·6	39·0	69·6	49·9	
BURNLEY.. ..	74	41	68·7	47·7	6	(FITZWILLIAM SQUARE†).	72·2	50·9	68·3	54·2	
						BELFAST.. ..	75·0	46·0	74·0	50·1	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th August, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	1	..	30·144	72·2	47·0	25·2	58·4	− 3·8	49·6	8·8	24·4	0·8	72	133·8	34·3	57·9	Calm: NNE.	Calm	0·4	0·0	0·0	117	− 126	0·00
MONDAY	2	..	30·070	78·2	49·5	28·7	64·6	+ 2·5	54·1	10·5	21·7	0·8	69	145·0	35·3	58·0	Calm: W: NNW.	NNW: N.	1·0	0·0	0·1	182	− 65	0·00
TUESDAY	3	..	30·056	68·4	56·6	11·8	61·1	− 1·0	54·9	6·2	11·5	1·8	81	110·4	51·4	57·9	NNW: NE: N.	N: NNE.	2·1	0·0	0·4	301	+ 51	0·00
WEDNESDAY	4	..	30·143	71·5	49·0	22·5	58·3	− 3·8	50·1	8·2	19·6	0·2	74	141·6	37·3	57·9	NNE	NNE: E.	1·4	0·0	0·3	242	− 10	0·00
THURSDAY	5	Greatest Declination N.	30·135	76·0	44·2	31·8	59·9	− 2·2	49·8	10·1	21·4	1·0	69	139·4	32·0	58·0	Calm: ENE.	Calm: SSW.	0·3	0·0	0·0	105	− 149	0·00
FRIDAY	6	..	29·982	70·3	54·2	16·1	60·6	− 1·6	52·9	7·7	18·6	2·2	75	117·7	44·6	57·9	SW: WSW.	SW: NW.	2·9	0·0	0·2	258	+ 2	0·07
SATURDAY	7	..	29·868	68·5	52·3	16·2	56·9	− 5·3	50·7	6·2	14·6	1·2	80	128·3	45·1	57·8	NW: W; NW.	NW: NNW.	2·6	0·0	0·3	312	+ 56	0·16
MEANS		..	30·057	72·2	50·4	21·8	59·9	− 2·2	51·7	8·2	18·8	1·1	74	130·9	40·0	57·9	NW		..	..	..	Sum 1517	Sum − 241	Sum 0·23
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1	wP.	10·9	15·4	Variably cloudy, becoming nearly cloudless by 11½h. Haze 9h. till 12h.
MONDAY ..	2	wP.	9·7	15·3	Cloudless till 10h.; partially cloudy till 15h., then becoming nearly overcast by 21h. Haze from 3h.
TUESDAY ..	3	wP till 8h.; mP till 18h.; then wP.	0·1	15·3	Overcast generally.
WEDNESDAY	4	wP till 5h.; mP till 17½h.; then wP.	10·7	15·2	Variably cloudy. Dew at night.
THURSDAY	5	wP till 7h.; mP till 18h.; then wP.	9·8	15·2	Partially cloudy till 15h., then variably cloudy. Haze 3h. till 6h.
FRIDAY ..	6	wP till 12½h.; variably mP and wN till 14h.; then wP.	0·1	15·1	Overcast generally. Slight rain from 11¾h. till 16½h.
SATURDAY	7	wP till 8h.; variably mP and wN till 16h.; then wP.	6·6	15·1	Very cloudy till 15h., clearing to nearly cloudless by 19h. Heavy rain 11¾h. till 12h.; and 14¾h. till 15h. Thunder at 14¾h.
			Sum 47·9	Sum 106·6	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·19 ins. at the beginning of the week to 30·05 ins. by 15h. on 3rd; increased generally to 30·17 ins. by 7h. on 5th; decreased to 29·85 ins. by 17h. on 7th; increased and was 29·89 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 32

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 14TH AUGUST 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH AUGUST, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-second week of the year numbered 7,508 and corresponded to an annual rate of 20·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,226 and corresponded to an annual rate of 8·7 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 8·6, 8·9, and 8·4. Infant mortality was 51 per 1,000 births against 47, 50 and 58 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,702 births corresponding to a rate of 19·2 per 1,000, and 752 deaths of civilians, corresponding to an annual rate of 8·5, against 8·0, 9·3 and 8·0, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·5 per 1,000. The infant mortality was 45 as against 38, 47 and 40 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,139 to 3,226. In London the number of deaths from all causes increased from 706 to 752 ; the deaths from diphtheria which had been 10, 4, and 7 in the preceding three weeks further rose to 8 last week ; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 12, 20 and 15 in the preceding three weeks, increased to 17 last week

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 14th August, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,417,320*	7,508	3,226	386	1	9	6	20	23	85
London	4,602,000*	1,702	752	76	-	-	1	-	8	17
Towns in Outer Ring. Croydon C.B ..	199,300	65	41	1	-	-	-	-	1	-
Wimbledon ..	58,170	9	8	-	-	-	-	-	-	-
Ealing	68,410	31	12	2	-	-	-	-	-	-
Acton	63,110	19	13	-	-	-	-	-	-	-
Willesden ..	168,900	40	22	2	-	-	-	-	1	-
Hendon	59,150*	19	7	-	-	-	-	-	-	-
Hornsey	87,210	21	13	1	-	-	-	-	-	-
Wood Green ..	51,960	16	8	-	-	-	-	-	-	-
Tottenham ..	153,600	32	19	3	-	-	-	-	-	1
Edmonton ..	71,210	32	5	-	-	-	-	-	-	-
Enfield	63,740	17	6	3	-	-	-	-	-	-
West Ham C.B. ..	318,500	166	40	2	-	1	-	-	-	-
East Ham C.B. ..	147,200	41	17	4	-	-	-	1	-	2
Leyton	132,700	27	11	-	-	-	-	-	-	-
Walthamstow ..	130,800	40	20	-	-	-	-	-	1	-
Ilford	93,590	27	11	-	-	-	-	-	-	-
Gillingham	48,680*	32	9	1	-	-	-	-	-	-
Canterbury C.B ..	23,270*	5	1	-	-	-	-	-	-	-
Hastings C.B.	60,470	16	16	1	-	-	-	1	-	-
Eastbourne C.B. ..	55,060	17	7	1	-	-	-	-	-	-
Brighton C.B. ..	137,800*	48	26	2	-	-	-	1	-	-
Portsmouth C.B. ..	232,900*	79	43	4	-	-	-	1	1	1
Bournemouth C.B. ..	85,840	19	20	2	-	-	-	-	-	-
Southampton C.B. ..	168,600	70	27	2	-	-	-	-	1	1
Reading C.B.	93,670*	37	14	3	-	1	-	-	-	-
Oxford C.B.	57,090	16	3	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	36	14	-	-	-	-	-	-	-
Luton	59,230	18	11	3	-	-	-	-	1	-
Cambridge	59,020	18	9	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	31	19	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	38	8	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	19	7	1	-	-	-	-	-	-
Norwich C.B. ..	124,000*	48	24	2	-	-	-	1	-	-
Swindon	56,880	20	10	-	-	-	-	-	-	-
Exeter C.B.	59,820*	31	8	1	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	92	33	4	-	-	-	-	1	-
Bath C.B.	69,050	22	12	-	-	-	-	-	-	-
Bristol C.B.	385,700*	141	52	5	-	-	-	-	1	1
Gloucester C.B. ..	53,060	16	11	2	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	144	54	8	-	-	-	-	-	3
Burton-upon-Trent C.B.	49,530	18	7	1	-	-	-	-	1	1
Wolverhampton C.B.	108,800	54	13	1	-	-	-	-	-	-
Walsall C.B.	102,300	64	12	2	-	-	-	-	-	1
West Bromwich C.B	79,490	43	8	-	-	-	-	-	-	-
Dudley C.B.	58,810	34	9	2	-	-	-	-	-	-
Worcester C.B. ..	50,230	15	11	1	-	-	-	-	-	-
Birmingham C.B. ..	945,900	382	156	14	-	2	-	4	1	4
Smethwick C.B. ..	78,840	19	10	2	-	-	-	-	-	-
Coventry C.B. ..	129,100	49	21	5	-	-	-	1	-	-
Leicester C.B. ..	242,100	92	53	8	-	-	1	-	-	3
Lincoln C.B.	66,600*	21	13	-	-	-	-	-	-	-
Grimsby C.B.	87,190	39	22	2	-	-	-	-	-	-
Nottingham C.B. ..	270,600	110	48	9	-	1	-	-	1	1
Derby C.B.	134,400*	55	16	3	-	-	-	-	-	-
Chesterfield ..	65,800	22	8	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	20	32	3	-	-	-	-	1	1
Chester C.B.	41,670	17	4	2	-	-	-	-	-	2
Birkenhead C.B. ..	155,500	71	35	2	-	-	-	-	-	1
Wallasey C.B. ..	91,720	34	19	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	436	148	27	-	1	-	3	-	11
Bootle C.B.	83,260	54	16	4	-	-	-	-	-	3
St. Helens C.B. ..	109,600	51	18	6	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	6.	6.	7.	8.	9.	10.	11
UTHPORT C.B ..	74,260	27	9	-	-	-	-	-	-	-	-
IGAN C.B.	91,010	23	16	5	-	-	-	-	-	1	-
ARRINGTON C.B. ..	77,970*	37	16	2	-	-	1	-	-	1	-
OLTON C.B.	180,400	64	38	2	-	-	-	-	-	-	2
RY C.B.	56,700*	8	10	-	-	-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	314	139	17	-	-	2	1	1	4	1
LFORD C.B.	244,700	76	39	2	-	-	-	-	-	-	1
DHAM C.B	146,200	59	30	4	-	-	-	1	-	-	1
OCHDALE C.B... ..	92,190	29	12	3	-	1	-	-	-	-	-
URNLEY C.B.	102,300	26	15	2	-	-	-	-	-	-	-
ACKBURN C.B. ..	126,900	48	23	1	-	-	-	1	-	-	-
ESTON C.B.	122,900	23	20	1	-	-	-	-	-	-	-
ACKPOOL C.B. ..	80,750	21	22	3	-	-	-	-	-	1	-
ARROW-IN-FURNESS C.B.	73,470	24	10	2	-	-	-	-	-	1	-
UDDERSFIELD C.B. ..	112,100	27	21	-	-	-	-	-	-	-	-
ALIFAX C.B.	97,860*	16	15	1	-	-	-	-	-	-	-
ADFORD C.B. ..	290,200	119	48	13	-	-	-	-	-	3	-
EEDS C.B.	472,900	183	65	8	-	-	-	-	-	4	-
EWSBURY C.B ..	54,570	15	9	1	-	1	-	-	-	-	-
AKEFIELD C.B. ..	53,980	19	11	2	-	-	-	-	-	-	-
ARNSLEY C.B. ..	71,170	40	14	6	1	-	-	-	-	2	-
HEFFIELD C.B. ..	526,900*	188	78	9	-	-	1	-	1	-	-
OTHERHAM C.B. ..	70,600	29	9	2	-	-	-	-	-	1	-
ONCASTER	55,610	28	8	1	-	-	-	-	-	2	-
ORK C.B.	84,630*	30	10	-	-	-	-	-	-	-	1
ULL C.B.	297,300	121	58	11	-	-	-	1	-	1	-
IDDLESBROUGH C.B.	136,200	76	20	4	-	-	-	-	-	2	-
ARLINGTON C.B. ..	69,130	25	11	2	-	-	-	-	-	-	1
OCKTON-ON-TEES ..	68,000	41	13	2	-	-	-	1	-	1	-
EST HARTLEPOOL C.B.	71,590	39	8	3	-	-	-	1	-	-	-
UNDERLAND C.B. ..	166,000	75	37	11	-	-	-	-	-	1	-
OUTH SHIELDS C.B. ..	124,600	55	36	4	-	-	-	-	1	-	-
ATESHEAD C.B. ..	129,000	56	40	9	-	1	-	-	-	2	-
EWCASTLE-ON-TYNE C.B.	286,300*	146	54	7	-	-	-	-	-	3	-
YNEMOUTH C.B. ..	66,180	32	10	1	-	-	-	-	-	-	-
ARLISLE C.B.	55,160*	30	13	3	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,420*	41	14	-	-	-	-	-	-	-	-
ARDIFF C.B.	227,100*	112	35	5	-	-	-	-	-	-	-
ONDDA	167,570	46	32	3	-	-	-	-	-	-	1
ERTHYR TYDFIL C.B.	82,920	40	8	1	-	-	-	-	-	-	-
BERDARE	57,700	19	14	2	-	-	-	-	-	-	-
WANSEA C.B.	163,200	64	14	1	-	-	-	1	-	-	-
REATER LONDON ..	7,719,622*	2,717	1,186	105	-	1	1	2	12	22	7
UTER RING	3,117,622*	1,015	434	29	-	1	-	2	4	5	4
GREAT TOWNS IN OUTER RING	1,867,550*	602	253	18	-	1	-	1	3	3	4
EMAINDER OF OUTER RING	1,250,072*	413	181	11	-	-	-	1	1	2	-
DINBURGH†	424,600	141	75	5	-	1	-	1	-	-	-
LASGOW† ..	1,052,200‡	440	210	27	-	-	-	3	-	10	-
UBLIN (REGISTRATION AREA)†	443,000	199	118	36	-	6	-	-	-	17	-
ELFAST†	416,000	214	98	21	-	-	-	-	-	11	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected y the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of esidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and elfast are corrected by the exclusion of deaths of persons admitted into public institutions from ithout the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa.
		1926.										
LONDON‡	4,602,000	Aug. 14	1702	752	8·5	–	–	–	1	–	8	
CALCUTTA AND SUBURBS	1,077,273	July 10	?	486§	23·5	?	7	?	?	?	?	
BOMBAY‖	1,279,061	„ 17	410	715§	29·1	3	9	2	–	–	1	
MADRAS	528,791	„ 17	400	365	35·9	2	–	1	?	6	–	
SYDNEY AND SUBURBS	1,038,950	„ 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	June 30 (30 days)										
PERTH (Metropolitan Area).	179,388	July 3	57	52	15·1	–	–	–	1	–	–	
AUCKLAND (Urban Area).	180,790	June 30 (30 days)										
WELLINGTON (Urban Area).	118,490	June 30										
CHRISTCHURCH (Urban Area).	118,270	„ 30										
CAPE TOWN	113,709	July 17	42	32	14·6	–	–	–	–	–	–	
JOHANNESBURG	165,958	„ 17	88	41	12·8	–	–	–	–	2	–	
DURBAN	54,822	„ 17	30	13	12·3	–	–	–	–	–	–	
PARIS	2,906,472	„ 31 (11 days)	1164	993	11·3	2	–	10	2	2	8	
ANTWERP	300,049	July 10	88	48	8·5	–	–	1	–	2	–	
AMSTERDAM	719,379	„ 24	261	98	7·1	–	–	3	1	2	–	
		„ 31	249	88	6·4	1	–	2	–	–	–	
COPENHAGEN	587,400	Aug. 7										
STOCKHOLM	442,528	July 31	84	79	9·3	–	–	2	–	–	–	
GOTHENBURG	230,963	„ 17	?	28	6·3	–	–	–	–	–	–	
		„ 24		27	6·1	–	–	–	–	–	–	
		„ 31		29	6·5	–	–	–	–	–	–	
OSLO (CHRISTIANIA) ..	255,724	Aug. 7	48	52	10·6	–	–	–	–	–	–	
BERLIN	1,999,000	July 24	416	412	10·2	3	?	1	–	2	–	
BRESLAU	560,000	„ 24	225	162	12·6	–	?	2	–	–	–	
COLOGNE	708,000	„ 24	221	130	8·8	–	?	1	–	1	2	
DRESDEN	621,000	„ 24	158	101	7·9	–	?	–	–	1	1	
FRANKFORT-ON-MAIN..	472,000	„ 24	125	69	6·9	–	?	–	–	–	–	
HAMBURG	1,101,000	„ 24	301	244	10·8	–	?	–	–	–	–	
LEIPZIG	685,000	„ 24	192	127	8·6	–	?	–	–	1	–	
MUNICH	685,000	„ 24	197	136	9·6	–	?	2	–	–	–	
VIENNA	1,873,432	May 31										
PRAGUE AND SUBURBS	725,196	Feb. 28 (28 days)	1087	839	15·0	1	–	2	3	5	3	
BUDAPEST	960,995	July 24	343	269	14·5	3	–	2	1	–	1	
WARSAW	1,015,426	„ 31	?	327	18·5	3	–	1	9	3	1	
CAIRO	859,400	Mar. 18	958	562	34·1	8	–	25	–	?	4	
		„ 25	1008	514	31·2	4	2	16	–	?	3	
ALEXANDRIA	492,100	„ 18	488	324	34·3	2	3	29	–	?	1	
		„ 25	542	318	33·7	3	3	16	–	?	1	
NEW YORK	6,361,664	July 10	2385	1151	10·1	?	?	?	?	?	?	
CHICAGO	2,995,239	April 16	1302	793	13·6	–	?	3	3	4	9	
		„ 23	997	715	12·2	–	?	–	1	2	3	
		„ 30	980	723	12·4	–	?	1	2	4	3	
		May 7	1181	803	13·7	–	?	2	3	–	3	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the Germa Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childre year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 36 deaths from cholera in Calcutta.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 14th August, 1926, by ages and causes

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	752	76	12	10	21	40	43	56	91	130	126	147
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	8	-	2	2	4	-	-	-	-	-	-	-
Influenza	3	-	1	-	1	-	-	-	-	-	1	-
Erysipelas	4	1	-	-	-	-	1	1	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	1	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	63	-	-	-	1	14	12	12	15	8	-	1
Nervous system	5	1	-	1	1	2	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	-	1	-	-	1	-	-	-
Other forms	7	1	-	1	-	-	2	2	-	-	-	1
Venereal diseases	3	1	-	-	-	1	-	1	-	-	-	-
Cancer	107	-	-	-	-	1	2	8	22	40	18	16
Rheumatic fever	7	-	-	-	1	3	-	-	1	-	1	1
Diabetes	10	-	-	-	-	-	-	-	5	3	-	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	4	1	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	40	-	-	-	-	-	1	1	6	9	12	11
Epilepsy	2	-	-	-	-	-	-	1	-	1	-	-
"Convulsions" (not puerperal)	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	17	-	-	-	2	-	2	3	2	5	3	-
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	4	-	-	-	-	1	2	1	-	-	-	-
Other diseases of heart	103	-	-	-	1	5	3	4	10	13	29	38
Other diseases of circulatory system	50	-	-	-	-	-	-	1	4	11	19	15
Bronchitis	20	1	-	-	-	-	-	1	-	1	7	10
Broncho-pneumonia	18	7	2	-	2	1	1	1	2	1	-	1
Lobar-pneumonia	16	1	2	-	-	1	1	3	1	4	2	1
Pneumonia (type not distinguished)	3	-	-	-	-	-	-	-	-	2	1	-
Other diseases of respiratory system	10	1	-	-	-	-	-	1	1	-	3	4
Diarrhœa and enteritis	20	15	2	-	-	1	-	1	-	-	-	1
Appendicitis, Typhlitis	6	-	-	-	1	2	-	1	2	-	-	-
Hernia, Intestinal obstruction	5	-	-	-	-	1	2	-	-	1	1	-
Cirrhosis of liver	5	-	-	-	-	-	-	1	1	2	1	-
Other diseases of digestive system	22	1	-	1	-	1	7	-	6	5	1	-
Acute nephritis	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease	24	-	-	-	-	1	-	-	2	9	7	5
Other diseases of genito-urinary system.	19	1	-	-	-	-	2	1	1	3	2	9
Puerperal sepsis	3	-	-	-	-	-	1	2	-	-	-	-
Other causes incident to childbirth	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	7	6	-	-	-	1	-	-	-	-	-	-
Premature birth	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	4	4	-	-	-	-	-	-	-	-	-	-
Old age	28	-	-	-	-	-	-	-	-	-	6	22
Suicide	6	-	-	-	-	-	1	-	1	4	-	-
Burns and Scalds	1	-	1	-	-	-	-	-	-	-	-	-
Drowning	3	-	-	-	1	-	-	-	1	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	3	3	1	2	4	-	1	-	1
Other deaths by violence	17	-	-	2	-	-	-	3	3	2	4	3
Other specified causes	32	10	1	-	2	-	-	2	3	2	7	5
Ill-defined causes	2	-	-	-	-	-	-	-	-	2	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in t week ended 14th Augu 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	190	196	8	49	C. 9 D. 1 E. 3 G. 4 M. 10
†CITY OF LONDON	-	-	1	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	7	6	-	1	M. 2
†BERMONDSEY ...	-	4	13	-	2	D. 1
†BETHNAL GREEN	-	9	15	-	2	-
†CAMBERWELL ...	-	9	19	-	-	G. 1
†CHELSEA	-	1	1	-	1	-
†DEPTFORD ...		10	6	-	-	C. 1 M. 1
†FINSBURY ...	-	4	2	-	-	-
†FULHAM	-	7	1	1	7	C. 1
†GREENWICH ...	-	2	4	-	-	-
†HACKNEY ...	-	10	9	-	-	C. 2 E. 1
†HAMMERSMITH ...	-	-	4	-	-	-
†HAMPSTEAD ...		3	3	1	-	-
†HOLBORN... ..	-	-	2	1	-	C. 1 E. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	14	15	-	4	M.
†KENSINGTON ...	-	19	1	-	3	M.
†LAMBETH ...	-	12	9	-	3	C.
†LEWISHAM ...	-	5	9		1	-
†PADDINGTON ...	-	3	13	-	2	C. M.
†POPLAR	-	9	4	1	5	-
†ST. MARYLEBONE	-	2	6	-	1	-
†ST. PANCRAS ...	-	11	8	2	1	G. M.
†SHOREDITCH ...	-	6	5	-	7	-
†SOUTHWARK ...	-	8	7	1	-	C.
†STEPNEY	-	15	16	1	5	G. M.
†STOKE NEWINGTON	-	2	-	-	-	-
†WANDSWORTH ...	-	8	9	-	2	C.
†WESTMINSTER, CITY OF	-	3	4	-	-	G.
†WOOLWICH ...	-	7	4	-	2	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	6	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	1	–	1	–
†LUTON	–	2	2	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	2	–	–	–
BEDFORD ..	–	–	1	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
BERKS	–	3	1	–	–	M. 1
†READING C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	–	–	–	–	M. 1
Rural Districts:—						
FARINGDON (part)	–	1	–	–	–	–
WALLINGFORD ..	–	1	–	–	–	–
BUCKINGHAM ..	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
NEWPORT PAGNELL		1	–	–	–	–
†WOLVERTON ...			–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
HAMBLEDEN ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	52	39	3	6	C. 2 E. 1 G. 1 M. 1
†BIRKENHEAD C.B.	–	7	3	1	–	–
†CHESTER C.B. ...	–	–	4	1	1	–
†STOCKPORT C.B.	–	18	2		1	C. 1
†WALLASEY C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BOWDON	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	1	–
†CONGLETON ...	–	–	2		–	–
†CREWE	–	1	–	–	–	–
HALE	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL		2	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	2	–	–	–
†HYDE	–	2	–	–	–	–
†MACCLESFIELD ...	–	–	4	1	–	–
MIDDLEWICH ...	–	–	1	–		–
NESTON AND PARKGATE	–	1		–	–	–
†NORTHWICH ...	–	–	1	–	–	–
†RUNCORN ...	–	1	–	–	1	–
†SALE	–	1	–	–	–	M 1
TARPORLEY ...	–	–	1	–	–	–
†WINSFORD ...	–	–	–	–	2	E. 1
Rural Districts:—						
BUCKLOW ..	–	–	1		–	–
CHESTER	–	3	–		–	C. 1
CONGLETON ...	–	1	–	–	–	
MACCLESFIELD ...	–	1	–	–	–	–
NORTHWICH ...		3	–	–	–	–
RUNCORN... ...	–	–	–		–	G. 1
WIRRAL	–	–	17	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever · L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CORNWALL ...	–	1	1	–	1	C. 2 G. 1
Boroughs and Urban Districts:—						
PADSTOW... ...	*	*	*	*	*	*
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...	–	–	–	–	–	C. 1
†TRURO	–	–	–	–	–	G. 1
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
SAINT COLUMB MAJOR	–	–	–	–	–	C. 1
ST. GERMANS ...	–	–	–	–	1	–
TRURO	–	–	1	–	–	–
CUMBERLAND ..	–	9	1	–	1	C. 1
†CARLISLE C.B. ...	–	4	–	–	1	C. 1
Boroughs and Urban Districts:—						
MILLOM	–	2	–	–	–	–
WIGTON	*	*	*	*	*	*
Rural Districts:—						
COCKERMOUTH ...	–	3	1	–	–	–
DERBY	5	18	19	–	12	C. 2 G. 2
†DERBY C.B. ...	4	–	6	–	–	G. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ALVASTON AND BOULTON	–	–	1	–	–	–
†BELPER	1		–	–	–	–
†BUXTON	–	–	–	–	–	C. 1
†CHESTERFIELD ...	–	2	1	–	1	G. 1
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	–	3	–	1	–
†HEANOR	–	1	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LONG EATON ...	–	1	1	–	1	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	–	2	–	1	–
BLACKWELL ...	–	1	3	–	1	–
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	5	1	–	4	–
CLOWNE	–		1	–	–	–
GLOSSOP DALE ...	–	–	–	–	1	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	2	–	–	–	–
DEVON	–	22	10	2	5	C. 1 E. 1 G. 1
†EXETER C.B. ...	–	3	1	–	–	G. 1
†PLYMOUTH C.B...		13	7	1	–	C. 1
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	–	–	3	–
BUCKFASTLEIGH	*	*	*	*	*	*
OKEHAMPTON ...	–	2	–	–	–	–
†PAIGNTON ...	–	1	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
†TORQUAY ...		1	–	1	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–		–	–
HONITON ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	–	1		–	–
ST. THOMAS ...	–	–	–	–	–	E. 1
TAVISTOCK ...	–	–	–	–	1	–
TIVERTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	3	1	–	–	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	–	1	–	–	–
SHAFTESBURY ...	–	1	–	–	–	–
DURHAM	48	46	15	–	25	G. 2 M. 6
†DARLINGTON C.B.	–	1	3	–	1	–
†GATESHEAD C.B.	–	6	1	–	2	
†SOUTH SHIELDS C.B.	–	2	2	–	4	M. 1
†SUNDERLAND C.B.	–	1	1	–	4	–
†WEST HARTLEPOOL C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
BILLINGHAM ...	–	–	–	–	–	M. 1
†BLAYDON... ...	1	6	–	–		–
†BRANDON AND BYSHOTTLES	2	–	–	–	–	–
†CHESTER LE STREET	–	2	1	–	–	G. 1
†CONSETT	–	1	–	–	–	–
†CROOK	1	2	–	–	–	–
†DURHAM	–	1	–	–	–	–
†FELLING	1	1	–	–	–	–
†HARTLEPOOL ...	–	3	–	–	–	–
†HEBBURN ...	2	3	–	–	–	–
†HETTON	5	–	–	–	2	M. 1
†HOUGHTON LE SPRING	4	–	–	–	–	–
†JARROW	2	2	2	–	4	–
LEADGATE ...	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	–	M. 1
†SOUTHWICK ON WEAR	–	–		–	1	–
†STANLEY	16	3	–	–	2	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON ON TEES	–	1	–	–	–	–
TOW LAW ...	1	–	–	–	–	–
†WHICKHAM ...	–	1	–	–	3	–
WILLINGTON ...	1	1	1	–	–	–
Rural Districts:—						
CHESTER LE STREET	–	2	1	–	–	G. 1
EASINGTON ..	7	–	–	–	–	M. 1
HOUGHTON LE SPRING	3	–	–	–	–	M. 1
LANCHESTER ...	2	1	2	–	–	–
SOUTH SHIELDS...	–	2	–	–	–	–
SUNDERLAND ...	–	–	1	–	1	–
ELY, ISLE OF ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–	–	1	–	–	–
Rural Districts:—						
ELY	–	2	–	–	–	–
ESSEX	–	61	35	5	18	C. 2 E. 8 F. 1 G. 2 M. 1
†EAST HAM C.B. ...	–	–	10	1	–	–
†SOUTHEND-ON-SEA C.B.	–	3	1	2	–	–
†WEST HAM C.B. ...	–	16	9	1	12	G. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	–	–
BRENTWOOD ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Chelmsford ...	–	–	–	–	–	M. 1
Chingford ...	–	1	–	–	–	–
†Clacton	–	1	–	–	1	–
†Colchester ...	–	2	–	–	–	–
Dagenham ...	–	1	–	1	–	–
†Grays Thurrock	–	1	–	–	–	E. 7
†Harwich ...	–	2	–	–	–	–
†Hornchurch ...	–	1	–	–	–	–
†Ilford	–	1	–	–	–	–
†Leyton	–	4	2	–	1	C. 1
Loughton ...	–	2	–	–	–	–
†Romford ...	–	2	1	–	–	–
Saffron Walden	–	–	–	–	–	G. 1
Tilbury	–	4		–	–	–
†Walthamstow ...	–	8	8	–	3	–
†Wanstead ..	–	3	–	–	–	–
†Woodford ...	–	1	–	–	1	–
Rural Districts:—						
Billericay ...	–	–	–	–	–	C. 1
Braintree ...	–	–	1	–	–	–
Chelmsford ...	–	1	–	–	–	–
Epping	–	1	1	–	–	–
Lexden and Winstree	–	–	1	–	–	–
Orsett	–	1	–	–	–	E. 1 F. 1
Rochford ...	–	1	–	–	–	–
GLOUCESTER ..	–	23	14	–	3	L. 4
†Bristol C.B. ...	–	9	11	–	2	L. 4
†Gloucester C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Charlton Kings	–	2	–	–	–	–
†Cheltenham ...	–	1	–	–	–	–
Cirencester ...	–	2	–	–	–	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Stow on the Wold	–	1	–	–	–	–
Tewkesbury ...	–	–	1	–	–	–
Rural Districts:—						
Chipping Sodbury	–	1	–	–	–	–
Gloucester ...	–	2	–	–	–	–
Lydney	–	3	–	–	–	–
Stroud	–	–	1	–	–	–
Tewkesbury (part)	–	–	–	–	1	–
West Dean ...	–	1		–	–	–
HERTFORD ..	–	10	10	1	–	–
Boroughs and Urban Districts:—						
†Barnet	–	2	–	–	–	–
Bishop's Stortford	–	1	–	–	–	–
†Hertford ...	–	–	3	–	–	–
Hoddesdon ...	–	1	–	–	–	–
Rickmansworth	–	1	–	–	–	–
†St. Albans ...	–	–	1	–	–	–
Ware	–	–	5	–	–	–
†Watford ...	–	5	–	–	–	–
Rural Districts:—						
Hatfield ...	*	*	*	*	*	*
St. Albans ...	–	–	–	1	–	–
Ware	–	–	1	–	–	–
HUNTINGDON ..	–	5	1	–	1	–
Boroughs and Urban Districts:—						
Godmanchester	–	1	–	–	–	–
Huntingdon ...	–	–	–	–	1	–
St. Neots ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	1	–	–	–	–
ST. IVES	–	–	1	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
KENT	–	28	37	4	8	E. 11
†CANTERBURY C.B.	–	4	4	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY	–	3	1			–
†BROADSTAIRS AND ST. PETER'S	–	–	2	–	1	–
†CHATHAM ...	–	2	3	2	–	–
†DARTFORD ...	–	1	1	–	1	–
†DEAL	–	2	–	–	–	–
†DOVER	–	–	1	–	2	–
†GILLINGHAM ...	–	–	3	–	–	–
†GRAVESEND ...	–	–	9	–	–	–
HYTHE	–	–	–	1	–	–
†MAIDSTONE ...	–	2	2	–	–	–
†MARGATE .	–	5	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
QUEENBOROUGH	–	–	–	–	–	E. 6
†RAMSGATE ...	–	1	–	–	2	–
†ROCHESTER ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	–	–	–	E. 4
†TONBRIDGE ...	–	–	–	–	1	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	–	2	–	–	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	1	1	–	–	–
EAST ASHFORD ...	–	1	–	1	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts— *cont.*						
MALLING	–	–	1	–	–	–
MILTON	–	–	4	–	–	–
SHEPPEY	–	–	–	–		E. 1
LANCASTER ...	1	159	87	3	64	C. 7 D. 2 E. 3 G. 3 L 4 M. 28
†BLACKBURN C.B.	–	3		–	–	–
†BLACKPOOL C.B.	–	2	1	–	–	–
†BOLTON C.B. ...	–	8	3	–	4	E. 1 G. 1
†BOOTLE C.B. ...	–	–	–	–	2	E. 1 L. 1 M. 1
†BURNLEY C.B. ...	–	1	1	1	2	–
†BURY C.B. ...	–	4	–	–	1	–
†LIVERPOOL C.B. ..	–	34	23	–	15	C. 2 D. 2 G. 1 M. 15
†MANCHESTER C.B	–	36	25	–	18	C. 3 M. 6
†OLDHAM C.B. ...	–	6	1	–	–	–
†PRESTON C.B. ..	–	1	3	–	–	–
†ROCHDALE C.B. ...	–	3	1	–	–	M. 2
†ST. HELENS C.B....	–	3	2	–	1	
†SALFORD C.B. ...	–	14	8		4	C. 1 M. 2
†SOUTHPORT C.B.	–	2	–	–		–
†WARRINGTON C.B.	–	1	2	–	2	–
†WIGAN C.B. ...	–	–	–	–	2	C. 1
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ATHERTON ...	–	–	1	–	–	–
†BACUP	–	1	1		–	–
CARNFORTH ...	–	–	–	1	–	–
†CHADDERTON ...	–	4	–	–	2	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
CLAYTON LE MOORS	–	–	1	–	–	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	1	1	–	–	–
†DENTON	–	–	1	–	–	–
†FAILSWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–		–	–	1	–
GOLBORNE ...	–	2	–	–	–	–
†GREAT CROSBY ...	–	–	–	–	1	–
†GREAT HARWOOD	–	–	–	1	–	–
†HASLINGDEN ...	–	–	–	–	–	M. 1
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...		–	–	–	1	–
IRLAM	–	–	–	–	–	M. 1
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	1	1	–	–	–
†MIDDLETON ...	–	3		–	1	–
†MOSSLEY	–	2	–	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
†PADIHAM... ...	–	–	3	–	–	–
†RADCLIFFE ...	–	3	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	2	–
†RAWTENSTALL ...	–	1	–	–	–	–
†ROYTON	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	3	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	G. 1
†ULVERSTON ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
Rural Districts:—						
CLITHEROE ...	–	–	1	–	–	L. 3
FYLDE	–	1	–	–	–	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON	–	3	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WARRINGTON ...	1	–	2	–	–	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER... ...	–	6	9	5	5	E. 1 F. 1
†LEICESTER C.B. ...	–	4	6	–	2	E. 1 F. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
HINCKLEY ...	–	–	–	1	1	–
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	–	3	3	–	–
MELTON MOWBRAY	–	–	–	1	–	–
LINCOLN (parts of Holland).	–	8	–	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	–	2	–	–	G. 1
Boroughs and Urban Districts:—						
BOURNE	–	–	1	–	–	–
Rural Districts:—						
SLEAFORD ...	–	–	–	–	–	G. 1
SPALDING (part)..	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	15	7	–	1	C. 1 D. 1 M. 2
†GRIMSBY C.B. ...	–	3	5	–	1	D. 1
†LINCOLN C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	2	–	–	–	–
†GAINSBOROUGH ...	–	–	–	–	–	C. 1
MABLETHORPE AND SUTTON	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	–	M. 1
SKEGNESS ...	–	2	1	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	–	–	1	–	–	–
GRIMSBY	–	–	–	–	–	M. 1
LOUTH	–	1	–	–	–	–
WELTON	–	1	–	–	–	–
MIDDLESEX ..	–	38	31	1	8	G. 3 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	1	–
†BRENTFORD ...	–	–	2	–	–	–
†CHISWICK ...	–	1	–	–	1	–
†EALING	–	3	1	–	1	G. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EDMONTON ...	–	–	3	–	1	–
†ENFIELD	–	1	–	1	–	–
FELTHAM ...	–	1	2	–	–	–
†FINCHLEY ...	–	3	–	–	–	–
†HANWELL ...	–	1	–	–	1	–
†HARROW ON THE HILL	–	–	–	–	–	G. 1
HAYES	–	1	–	–	–	–
†HENDON	–	6	2	–	–	–
†HESTON AND ISLEWORTH	–	2	–	–	–	–
†HORNSEY... ...	–	1	2	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
†TOTTENHAM ...	–	3	5	–	2	G. 1
†TWICKENHAM ...	–	–	2	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	7	10	–	–	–
†WOOD GREEN ...	–	2	–	–	–	–
YIEWSLEY ...	–	1	1	–	–	–
Rural Districts:—						
STAINES	–	–	–	–	1	–
UXBRIDGE ...	–	2	1	–	–	–
NORFOLK	–	10	–	2	1	G. 1 M. 2
†GREAT YARMOUTH C.B	–	3	–	–	–	–
†NORWICH C.B. ...	–	2	–	2	1	G. 1
Boroughs and Urban Districts:—						
DISS	–	2	–	–	–	–
†KING'S LYNN ...	–	1	–	–	–	M. 1
Rural Districts:—						
DEPWADE ...	–	2	–	–	–	–
FOREHOE ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	6	4	–	1	E. 1
†NORTHAMPTON C.B	–	2	3	–	1	–
Boroughs and Urban Districts:—						
BURTON LATIMER	*	*	*	*	*	*
KETTERING ...	–	1	–	–	–	E. 1
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
THRAPSTON (part)	–	1		–	–	–
TOWCESTER ...	–	–	1	–	–	–
NORTHUMBERLAND	5	37	5	–	17	C. 2 G. 1
†NEWCASTLE UPON TYNE C.B.	–	16	1	–	10	C. 1
†TYNEMOUTH C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	2	–	–	–	G. 1
†BEDLINGTONSHIRE	–	–	–	–	4	–
†GOSFORTH ...	–	–	–	–	–	C. 1
†LONGBENTON ...	–	4	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	1	1	–		–
†WALLSEND ...	–	11	2	–	2	–
WEETSLADE ...	1	–	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	15	15	–	6	E. 5 M. 3
†NOTTINGHAM C.B	–	7	10	–	4	E. 5 M. 2
Boroughs and Urban Districts:—						
†CARLTON	–	1	–		–	–
HUTHWAITE ...	–	2	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–		–
†NEWARK	–	–	2	–	–	–
†WORKSOP... ...	–	–	2	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	1	–
BINGHAM... ...	–	–	–	–	–	M. 1
EAST RETFORD ...	–	1	–	–		–
NEWARK	–	1	–	–	–	–
SOUTHWELL ...	–	–	1		–	–
OXFORD	–	4	1		–	G. 1 M. 1
†OXFORD C.B. ...	–	2	–			–
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
CHIPPING NORTON	–	–	–	–	–	G. 1
CROWMARSH ...	–	–	–		–	M. 1
WOODSTOCK ...	–	2				–
PETERBOROUGH (Soke of)	–	1	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
Rural Districts—						
PETERBOROUGH ..	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	4	–	1	–	C. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	C. 1
†SHREWSBURY ...	–	3	–	–	–	–
WELLINGTON ...	–	–	–	1	–	–
WEM	–	1	–	–	–	–
SOMERSET	–	7	4	–	1	G. 2
†BATH C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BRIDGWATER ...	–	1	–	–	–	–
CREWKERNE ...	–	–	1	–	–	–
†FROME	–	–	1	–	–	–
†TAUNTON ...	–	–	1	–	–	G. 1
†WESTON SUPER MARE	–	1	1	–	–	–
Rural Districts:—						
CLUTTON	–	1	–	–	–	–
LANGPORT ...	–	–	–	–	–	G. 1
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON ..	–	21	30	3	2	G. 1 M. 6
†PORTSMOUTH C.B.	–	7	17	–	–	G. 1 M. 3
†SOUTHAMPTON C.B.	–	2	10	1	–	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	M. 1
ANDOVER.... ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BASINGSTOKE ...	–	1	–	–	–	–
†GOSPORT	–	7	–	–	–	–
†WINCHESTER ...	–	–	–	–	–	M. 1
Rural Districts:—						
ALTON	–	–	1	–	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
HAVANT	–	2	–	–	–	–
KINGSCLERE ...	*	*	*	*	*	*
LYMINGTON ...	–	–	1	–	–	–
NEW FOREST ...	–	–	–	–	2	–
STOCKBRIDGE ...	–	–	–	2		–
STAFFORD	–	64	12	7	27	C. 2 F. 1 G. 2 M. 19
†BURTON UPON TRENT C.B.	–	1	–	–	1	–
†SMETHWICK C.B	–	–	–	–	1	M. 1
†STOKE ON TRENT C.B	–	12	3	5	8	C. 1 G. 1 M. 9
†WALSALL C.B. ..	–	5	–	–	1	M. 1
†WEST BROMWICH C.B	–	–	1	–	2	F. 1
†WOLVERHAMPTON C.B.	–	2	–	–	–	G. 1 M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ..	–	1	–	–	–	–
†BILSTON	–	1	–	–	–	–
†BRIERLEY HILL...	–	–	1	–	–	–
†CANNOCK	–	4	–	–	–	–
†DARLASTON ...	–	2	–	–	1	–
KIDSGROVE ...	–	3	–	–	–	M. 1
†LEEK	–	7	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
Perry Barr ...	–	1	–	–	–	–
Quarry Bank	–	–	1	–	3	–
†Rowley Regis ...	–	–	1	–	3	–
†Sedgley	–	–	–	–	1	–
†Stafford ...	–	3	–	–	–	M. 1
Tamworth ...	–	–	1	–	–	–
Tettenhall ...	–	1	–	–	–	–
†Tipton	–	1		–	3	–
†Wednesbury ...	–	2	–	–	–	–
†Wolstanton United	–	2	–	2	–	M. 1
Rural Districts:—						
Cannock	–	6	–	–	–	–
Cheadle	–	–	–	–	1	–
Gnosall	–	1	–	–	–	–
Kingswinford ...	–	1	2	–	–	–
Lichfield ...	–	–	–	–	1	C. 1
Newcastle under Lyme	–	–	1	–	–	–
Seisdon	–	–	1	–	1	–
Stafford ...	–	2	–	–	–	–
Tutbury... ...	–	1	–	–	–	–
Blymhill and Weston under Lizard (parishes)	–	–	–	–	–	M. 1
SUFFOLK, EAST ...	–	1	1	4	4	C. 1
†Ipswich C.B. ...	–	–	–	1	2	–
Boroughs and Urban Districts:—						
†Lowestoft ...	–	–	–	2	2	C. 1
Stowmarket ...	–	1	–	–	–	–
Rural Districts:—						
Hoxne	–	–	–	1	–	–
Samford... ...	–	–	1	–	–	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Glemsford ...	–	1	–	–	–	–
SURREY	–	32	16	–	5	C. 1 M. 2
†Croydon C.B. ...	–	9	2	–	1	–
Boroughs and Urban Districts:—						
†Barnes	–	1	–	–	1	–
†Beddington and Wallington	–	1	–	–	–	–
†Carshalton ...	–	1	4	–	–	–
†Caterham ...	–	–	1	–	–	–
†Chertsey ...	–	–	–	–	1	–
†Coulsdon and Purley	–	1	–	–	–	–
†Egham	–	2	–	–	–	–
†Epsom	–	–	1	–	–	–
†Kingston on Thames	–	3	–	–	1	–
†Mitcham... ...	–	3	3	–	–	C. 1 M. 1
†Reigate	–	3	–	–	1	–
†Surbiton ...	–	–	–	–	–	M. 1
†Sutton	–	–	3		–	–
†The Maldens and Coombe	–	–	1	–	–	–
†Wimbledon ...	–	1	–	–	–	–
†Woking	–	1	–	–	–	–
Rural Districts:—						
Epsom	–	1	–	–	–	–
Godstone ...	–	1	1	–	–	–
Guildford ...	–	1	–	–	–	–
Reigate	–	3	–	–	–	–
SUSSEX, EAST ...	–	8	1	2	2	G. 1
†Brighton C.B. ...	–	2	1	–	–	G. 1
†Hastings C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†Hove	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	3	–	–	–	–
NEWHAVEN ...	–	–	–	–	1	–
UCKFIELD ...	–	–	–	1	–	–
SUSSEX, WEST ..	–	5	2	1	1	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	–	1	1	–
†CHICHESTER ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	1	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WARWICK	–	38	65	–	23	D. 1 E. 1 G. 6 M. 12
†BIRMINGHAM C.B.	–	28	53	–	20	E. 1 G. 3 M. 10
†COVENTRY C.B. ...	–	1	1	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	1	–	–	G. 1
†RUGBY	–	–	–	–	–	G. 1
†SUTTON COLDFIELD	–	2	–	–	–	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	4	6	–	–	–
MERIDEN... ...	–	–	2	–	–	–
RUGBY	–	–	–	–	–	D. 1
SOUTHAM... ...	–	1	–	–	–	M. 1
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	–	5	–	–	E. 1
Boroughs and Urban Districts:—						
†NEWPORT ...	–	–	4	–	–	E. 1
†RYDE	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT	–	–	1	–	–	–
WILTS	–	7	5	1	2	D. 2 M. 2
Boroughs and Urban Districts:—						
DEVIZES	–	–	1	–	–	–
MALMESBURY ...	–	–	–	1	–	–
†SALISBURY ...	–	–	1	–	–	D. 1
†SWINDON... ...	–	1	2	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	M. 1
DEVIZES	–	–	–	–	–	M. 1
HIGHWORTH ...	–	2	1	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
PEWSEY	–	–	–	–	1	–
RAMSBURY ...	–	–	–	–	1	–
SALISBURY ...	–	1	–	–	–	–
WILTON	–	1	–	–	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	11	6	–	3	M. 2
†DUDLEY C.B. ..	–	1	2	–	–	–
†WORCESTER C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	1	–	–	–
†KIDDERMINSTER	–	2	1	–	–	M. 1
†MALVERN ...	–	–	–	–	1	–
†OLDBURY... ...	–	–	–	–	1	M. 1
†REDDITCH ...	–	2	1	–	–	–
†STOURBRIDGE ..	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
MARTLEY... ...	–	2	–	–	–	–
YORKS ... .. **(East Riding.)**	–	11	3	2	2	C. 2 G. 3 M. 2
†KINGSTON UPON HULL C.B.	–	9	3	–	–	C. 1 G. 2 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	1	–	M. 1
BRIDLINGTON ...	–	1	–	1	–	G. 1
WITHERNSEA ...	–	–	–	–	2	–
Rural Districts:—						
PATRINGTON ...	–	–	–	–	–	C. 1
SCULCOATES ...	–	1	–	–	–	–
YORKS ... .. **(North Riding.)**	–	11	2	–	3	G. 2 J. 1
†MIDDLESBROUGH C.B	–	2	1	–	2	G. 1 J. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDCAR	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†THORNABY ON TEES	–	–	–	–	–	G. 1
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
WATH	–	1	–	–	–	–
YORKS ... ... **(West Riding.)**	15	110	44	7	63	C. 4 E. 1 I. 1 M. 10
†BARNSLEY C.B. ..	–	1	1	1	1	–
†BRADFORD C.B. ...	–	12	4	–	4	–
†DEWSBURY C.B....	–	1	–	–	–	C. 1 M. 1
†HALIFAX C.B. ...	–	2	–	–	1	–
†HUDDERSFIELD C.B	–	3	3	1	–	M. 1
†LEEDS C.B. ...	–	17	5	–	8	C. 1
†ROTHERHAM C.B.	–	3	–	–	2	–
†SHEFFIELD C.B....	–	28	18	1	25	I. 1 M. 2
†WAKEFIELD C.B.	–	2	1	–	3	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	–	–	–	–
†BENTLEY WITH ARKSEY	2	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CONISBROUGH ...	–	–	–	1	–	M. 1
CUDWORTH ...	–	1	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†DONCASTER ...	–	–	–	1	–	–
†ELLAND	–	1	–	–	–	C. 1
FARSLEY	–	–	–	–	–	E. 1
GILDERSOME ...	–	–	–	–	–	M. 1
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	1	–	–	–	–
GREETLAND ...	*	*	*	*	*	*
†HARROGATE ...	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	2	–
HORBURY ...	–	2	–	–	–	–
†KEIGHLEY ...	–	1	2	–	–	–
KNOTTINGLEY ...	–	–	–	–	2	–
MALTBY	–	2	–	–	–	–
MELTHAM ...	–	2	–	–	–	–
†MEXBOROUGH ...	8	–	–	–	–	–
†NORMANTON ...	–	–	–	–	1	–
OTLEY	–	1	–	–	1	–
†PONTEFRACT ...	–	–	–	–	1	–
†RAWMARSH ...	–	–	–	1	–	M. 1
SELBY	–	2	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
SOUTH CROSLAND	–	2	–	–	–	–
†SPENBOROUGH ...	–	–	–	–	3	–
SPRINGHEAD ...	–		–	–	–	C. 1
STAINLAND ...	–	1	–	–	–	
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON	4	–	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	M. 1
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ..	–	4	1	–	–	–
†WORSBOROUGH ...	–	–	1	–	1	–
Rural Districts:—						
DONCASTER ...	–	1	–	1	1	–
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	3		–	–	–
KIVETON PARK ...	–	–	3	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	4	1	–	3	–
SELBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
SKIPTON	–	–	–	–	–	M. 1
TADCASTER ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	1	3	–	–	–
§YORK, CITY OF ...	–	6	4	–	1	–
†YORK C.B. ...	–	6	4	–	1	–
WALES.						
ANGLESEY	–	7	2	–	–	–
Boroughs and Urban Districts:—						
AMLWCH	–	1	–	–	–	–
†HOLYHEAD ...	–	2	–	–	–	–
Rural Districts:—						
VALLEY	–	4	2	–	–	–
BRECKNOCK ...	–	–	3		1	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	3	–	–	–
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
BUILTH	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	1	–	–	–
CARDIGAN ...	–	1	–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	1	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	4	3	1	–	–
Boroughs and Urban Districts:—						
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	–	3	1		–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	3	–	–	–	–
CARNARVON. See CAERNARVON.						
DENBIGH	–	2	–	2	1	G. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	1	1	–
†WREXHAM ...	–	1	–	1	–	G. 1
Rural Districts:—						
WREXHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	5	1	4	–	–
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	4	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	24	35	–	13	D. 1 G. 2 M. 2
†CARDIFF C.B. ..	–	3	7	–	1	M. 1
†SWANSEA C.B. ..	–	1	7	–	–	D. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	1	G. 1
†CAERPHILLY ...	–	2	–	–	–	–
†GELLIGAER ...	–	–	3	–	2	G. 1
†MAESTEG ...	–		2	–	–	–
†MOUNTAIN ASH ...	–	–	2	–	–	–
†OGMORE AND GARW	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	1	–	1	–
PORTHCAWL ...	–	1	1	–	1	–
†RHONDDA ...	–	9	6	–	5	–
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	1	–
NEATH		–	3	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ..	–	–	1	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ..	–	–	1	–	–	–
Urban District:—						
FESTINIOG ..	–	–	1	–	–	–
MONMOUTH ...	–	4	2	1	1	–
†NEWPORT C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	–	–	–	1	–	–
†RISCA	–	–	1	–	–	–
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
WELSHPOOL ...	*	*	*	*	*	*
MONTGOMERY—*cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE	–	2	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	*	*	*	*	*	*
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–	2	–	–	–	–
Total of Part II. ...	74	979	603	62	344	C. 31 D. 7 E. 34 F. 3 G. 38 I. 1 J. 1 L. 8 M. 103

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see
HULL AND GOOLE ...	–	–	–	1	-	–	SOUTHAMPTON ...	–	–	–	-	2	
PLYMOUTH	–	–	–	2	1	L. 1	WISBECH	–	1	–	–	–	
							Total of Part III.... ...	–	1	–	3	3	L

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	190	196	8	49	C. 9 D. 1 E. 3 G. 4 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	74	979	603	62	344	C. 31 D. 7 E. 34 F. 3 G. 38 I. 1 J. 1 L. 8 M. 103
Total of Part III.—Port Sanitary Districts	-	1	-	3	3	L. 1
Total (*i.e.*, of returns received), England and Wales ...	74	1170	799	73	396	C. 40 D. 8 E. 37 F. 3 G. 42 I. 1 J. 1 L. 9 M. 113

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24	July 31.	Aug. 7.
LONDON :—												
DEATHS—all ages	1,006	904	827	820	766	807	785	775	791	706	823	706
" 0 to 1 year ..	71	69	61	60	61	77	67	69	64	60	76	56
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,438	6,025	7,833	7,074	7,424	7,167	7,137	7,000	6,992	7,118	7,460	6,079
DEATHS—all ages	4,464	4,119	3,939	3,669	3,525	3,384	3,570	3,424	3,540	3,215	3,305	3,139
" 0 to 1 year ..	469	431	415	403	354	379	354	355	363	337	374	354
ENTERIC FEVER—Cases	20	22	28	16	16	32	25	49	36	46	33	14
Deaths	3	1	4	2	2	3	3	3	4	—	4	5
SMALL POX—Cases ..	38	39	41	43	31	12	15	20	23	10	5	8
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	864	760	687	814	792	766	882	816	904	734	716	690
" Deaths	2	6	7	4	4	4	8	6	6	3	3	2
DIPHTHERIA—Cases ..	586	605	538	587	567	606	611	604	608	625	479	509
" Deaths ..	32	19	25	22	24	38	32	17	25	25	21	26
MEASLES—Deaths ..	56	56	35	29	37	26	25	18	14	14	14	13
INFLUENZA—Deaths ..	111	78	80	67	38	37	28	35	22	20	14	19

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th August, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Ra M me
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	79	51	73·6	54·6	41	HUDDERSFIELD	76	46	68·3	52·9	
BRIGHTON ..	69	52	66·0	57·1	25	BRADFORD ..	72	46	65·3	51·7	
PORTSMOUTH ..	74	50	70·4	57·6	8	SHEFFIELD ..	75	51	67·3	53·6	
NORWICH (EATON).	73	51	68·9	54·0	49	YORK (MUSEUM)	75	50	69·9	54·1	
PLYMOUTH ..	73	55	68·6	57·4	9	HULL (PEARSON PARK).	76	51	69·0	54·4	
BRISTOL (CLIFTON).	72	49	68·4	54·3	47	TYNEMOUTH ..	70	50	68·1	55·3	
BIRMINGHAM (EDGBASTON).	74	48	68·7	52·6	31	CARDIFF.. ..	68	47	66·6	54.1	
NOTTINGHAM ..	76	48	69·9	53·7	25	EDINBURGH ..	67·0	48·0	64·7	52·4	
BIRKENHEAD (BIDSTON).	70	52	65·0	55·3	40	GLASGOW ..	65·0	50·7	62·9	52·8	
MANCHESTER (WHITWORTH PARK).	70	47	66·9	53·9	56	DUBLIN (PHŒNIX PARK).	71·6	48·5	68·0	52·6	
BURNLEY.. ..	73	43	65·7	52·1	57	(FITZWILLIAM SQUARE†).	70·1	51·8	66·6	55·1	
						BELFAST.. ..	70·5	49·0	67·7	51·0	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th August, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	8	New	29·940	71·0	52·2	18·8	60·9	− 1·4	52·7	8·2	15·7	5·2	74	133·2	45·1	57·8	NNW: NW: N.	Calm: SW.	1·2	0·0	0·1	154	− 102	0·00
MONDAY -	9	..	29·915	78·7	55·3	23·4	65·1	+ 2·8	61·3	3·8	13·2	0·6	87	138·0	46·3	57·8	Calm: SW.	SSW	2·0	0·0	0·2	223	− 33	0·02
TUESDAY -	10	Apogee	29·673	73·0	56·7	16·3	62·4	+ 0·1	58·2	4·2	15·3	0·9	86	130·1	47·0	57·9	SSW: SW.	WSW: SW.	1·4	0·0	0·1	230	− 27	0·50
WEDNESDAY	11	..	29·612	71·0	50·6	20·4	57·8	− 4·6	50·8	7·0	19·2	0·4	78	143·7	42·1	57·9	SW: WSW.	WSW	3·6	0·0	0·3	322	+ 65	1·09
THURSDAY -	12	..	29·793	72·6	52·0	20·6	61·7	− 0·8	47·3	14·4	23·5	1·8	60	139·7	44·0	57·8	WSW: NNW.	WNW: W: WSW.	2·1	0·0	0·3	340	+ 83	0·00
FRIDAY -	13	In Equator	29·737	72·0	57·1	14·9	63·4	+ 0·9	60·0	3·4	9·4	2·2	89	113·0	52·1	57·8	SW	SW	2·3	0·0	0·4	332	+ 75	0·02
SATURDAY -	14	..	29·762	76·3	55·8	20·5	64·6	+ 2·1	53·7	10·9	18·2	2·6	67	140·1	45·0	57·9	WSW	WSW	2·7	0·0	0·5	372	+ 117	0·00
MEANS -		..	29·776	73·5	54·2	19·3	62·3	− 0·1	54·9	7·4	16·4	2·0	77	134·0	45·9	57·8	WSW		..	..	..	Sum 1973	Sum + 178	Sum 1·63
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	wP.	3·8	15·0	Cloudless till 2h., becoming nearly over-overcast by 3h. Mist 3h. till 5h.; and 9h. till 15h.
MONDAY ..	9	wP till 12h.; variably mP and mN till 15h.; then wP.	5 9	15·0	Overcast till 12h., then very cloudy, clearing from 18h. to nearly cloudless by 18½h. Mist from 3h. till 21h. Slight rain 4¼h. till 6h.; and 10h. till 11h.
TUESDAY ..	10	wP.	2 7	14·9	Nearly overcast till 15h.; variably cloudy till 19½h., then partially cloudy. Heavy rain generally from 6¾h. till 9¾h., then intermittently till 11h
WEDNESDAY	11	wP till 8h.; mP till 12h.; variably sP and sN till 16h.; then wP.	9 3	14·9	Partially cloudy till 9h., then clouding up to nearly overcast by 13½h, Heavy rain and hail between 13¾h. and 15h. Thunder from 13½h. to 15h. Lightning 13¾h. till 15h. Showers at 16h., 17½h., and 21h.
THURSDAY	12	wP till 8h.; mP till 18¾h.; then loss of register.	11·3	14·8	Partially cloudy till 15h., then variably cloudy, becoming overcast by 21h.
FRIDAY ..	13	Loss of register	0 3	14 7	Overcast generally. Slight rain 6½h. to 8½h.
SATURDAY	14	Loss of register till 12h.; then wP.	10·1	14·7	Variably cloudy.
			Sum 43·4	Sum 104·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·89 ins. at the beginning of the week to 29·97 ins. by 0h. on 9th; decreased to 29·59 ins. by 15h. on 11th; increased to 29·65 ins. by 23h. on 12th; decreased to 29·72 ins. by 17h. on 13th; increased and was 29·86 ins. by midnight on the 14th

FOR OFFICIAL USE

1926. No. 33.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 21ST AUGUST 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st AUGUST, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-third week of the year numbered 6,970 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,280 and corresponded to an annual rate of 8·8 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 8·9, 8·4, and 8·7. Infant mortality was 55 per 1,000 births against 50, 58 and 51 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,575 births corresponding to a rate of 17·8 per 1,000, and 716 deaths of civilians, corresponding to an annual rate of 8·1, against 9·3, 8·0 and 8·5, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·5 per 1,000. The infant mortality was 43 as against 47, 40 and 45 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,226 to 3,280. In London the number of deaths from all causes decreased from 752 to 716 ; the deaths from diphtheria which had been 4, 7, and 8 in the preceding three weeks further rose to 10 last week ; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 20, 15 and 17 in the preceding three weeks, increased to 18 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 21st August, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 Great Towns ..	19,417,320*	6,970	3,280	383	-	12	6	22	28	100	1
London	4,602,000*	1,575	716	68	-	-	1	2	10	18	-
Towns in Outer Ring:											
Croydon C.B ..	199,300	80	26	3	-	-	-	-	-	-	-
Wimbledon ..	58,170	12	5	1	-	-	-	-	-	-	-
Ealing	68,410	25	10	1	-	-	-	-	-	-	-
Acton	63,110	33	10	3	-	-	-	-	-	-	-
Willesden ..	168,900	57	40	1	-	-	-	-	-	-	-
Hendon	59 150*	14	7	1	-	-	-	-	-	-	-
Hornsey	87,210	22	16	-	-	-	-	-	-	-	-
Wood Green ..	51,960	10	11	-	-	-	-	-	-	-	-
Tottenham ..	153,600	50	23	2	-	-	-	-	-	-	-
Edmonton ..	71,210	35	9	2	-	-	-	-	-	-	-
Enfield	63,740	13	6	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	138	55	7	-	-	-	-	-	5	-
East Ham C.B. ..	147,200	43	21	4	-	-	-	1	1	-	-
Leyton	132,700	27	18	-	-	-	-	-	-	-	-
Walthamstow ..	130,800	43	27	3	-	-	-	-	-	1	-
Ilford	93,590	35	15	1	-	-	-	-	-	-	-
Gillingham	48,680*	17	4	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	8	5	-	-	-	-	-	1	-	-
Hastings C.B.	60,470	21	12	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	20	5	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	44	20	2	-	-	-	2	-	-	-
Portsmouth C.B. ..	232,900*	89	46	5	-	1	-	-	1	-	-
Bournemouth C.B. ..	85,840	24	19	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	64	36	2	-	-	-	-	-	-	-
Reading C.B.	93,670*	23	13	-	-	-	-	-	-	-	-
Oxford C.B.	57,090	23	12	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	30	20	1	-	-	-	-	-	-	-
Luton	59,230	17	5	1	-	-	-	-	-	-	-
Cambridge	59,020	23	9	1	-	-	-	-	-	-	-
Southend-on-Sea C.B	98,060	26	6	1	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	30	20	2	-	-	-	-	1	-	-
Great Yarmouth C.B	57,890	7	6	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	42	26	4	-	-	-	2	-	1	-
Swindon	56,880	14	8	-	-	-	-	-	-	1	-
Exeter C.B.	59,820*	34	12	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	67	41	3	-	-	-	-	-	1	-
Bath C.B.	69,050	17	8	1	-	-	-	-	-	-	-
Bristol C.B.	385,700*	130	61	2	-	-	-	-	1	-	-
Gloucester C.B. ..	53,060	15	6	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	133	53	8	-	1	-	1	-	-	-
Burton-upon-Trent C.B.	49,530	33	8	3	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	38	19	5	-	-	-	-	-	-	-
Walsall C.B.	102,300	33	19	3	-	-	-	-	-	1	-
West Bromwich C.B	79,490	35	18	2	-	-	-	-	1	-	-
Dudley C.B.	58,810	28	14	4	-	-	-	-	-	1	-
Worcester C.B. ..	50,230	14	12	2	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	384	152	15	-	-	-	4	3	1	-
Smethwick C.B. ..	78,840	22	10	2	-	-	-	1	-	-	-
Coventry C.B. ..	129,100	58	20	1	-	-	-	-	1	-	-
Leicester C.B. ..	242,100	82	41	4	-	-	-	-	-	3	-
Lincoln C.B.	66,600*	16	13	3	-	-	-	-	-	-	-
Grimsby C.B.	87,190	35	11	1	-	-	-	1	-	-	-
Nottingham C.B. ..	270,600	107	50	7	-	-	-	-	1	4	-
Derby C.B.	134,400*	46	22	-	-	-	-	-	-	-	-
Chesterfield ..	65,800	35	8	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	40	23	2	-	-	-	-	-	-	-
Chester C.B.	41,670	16	7	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	66	28	4	-	-	-	-	-	5	-
Wallasey C.B. ..	91,720	21	15	-	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	393	170	33	-	3	1	-	3	14	-
Bootle C.B.	83,260	33	12	5	-	1	-	-	-	1	-
St. Helens C.B. ..	109,600	57	19	1	-	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,360	18	13	-	-	-	-	-	-	-	-
Wigan C.B.	91,610	25	13	3	-	-	-	-	-	1	-
Warrington C.B. ..	77,970*	19	9	-	-	-	1	-	-	-	-
Bolton C.B.	180,400	47	38	3	-	-	-	-	1	1	-
Bury C.B.	56,700*	23	7	1	-	-	-	-	1	-	-
Manchester C.B. ..	755,800	275	136	8	-	-	-	-	-	3	1
Salford C.B.	244,700	90	41	9	-	-	-	-	-	2	-
Oldham C.B	146,200	53	26	2	-	-	-	-	-	-	-
Rochdale C.B... ..	92,190	6	16	2	-	1	-	-	-	-	-
Burnley C.B.	102,300	37	29	4	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	47	17	1	-	-	-	-	-	1	-
Preston C.B.	122,900	44	23	5	-	-	-	-	-	2	-
Blackpool C.B. ..	80,750	22	17	1	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	73,470	23	6	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	40	20	-	-	-	-	-	-	-	-
Halifax C.B.	97,860*	36	14	1	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	79	66	14	-	1	-	1	-	5	-
Leeds C.B.	472,900	170	93	16	-	2	-	1	-	9	1
Dewsbury C.B ..	54,570	10	15	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	22	8	1	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	28	13	2	-	-	-	-	-	1	-
Sheffield C.B. ..	526,900*	173	93	13	-	-	-	-	-	3	-
Rotherham C.B. ..	70,600	31	10	1	-	-	-	-	-	1	-
Doncaster	55,610	21	12	2	-	-	-	-	-	-	-
York C.B.	84,630*	32	22	1	-	-	1	-	-	-	-
Hull C.B.	297,300	110	58	15	-	-	-	1	-	5	1
Middlesbrough C.B.	136,200	58	20	4	-	-	-	-	-	1	-
Darlington C.B. ..	69,130	33	11	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	29	12	3	-	-	-	-	-	-	-
West Hartlepool C.B.	71,590	29	12	-	-	-	-	-	-	-	-
Sunderland C.B. ..	166,000	60	23	5	-	-	-	2	-	1	-
South Shields C.B. ..	124,600	46	19	4	-	-	-	1	-	-	-
Gateshead C.B. ..	129,000	39	21	7	-	1	1	-	-	-	-
Newcastle-on-Tyne C.B.	286,300*	130	54	6	-	1	-	-	1	2	2
Tynemouth C.B. ..	66,180	15	7	-	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	27	12	-	-	-	1	-	-	-	-
Newport (Mon.) C.B.	96,420*	32	18	2	-	-	-	1	-	-	-
Cardiff C.B.	227,100*	87	33	3	-	-	-	1	1	1	-
Rhondda	167,570	73	19	1	-	-	-	-	-	-	2
Merthyr Tydfil C.B.	82,920	26	8	1	-	-	-	-	-	1	-
Aberdare	57,700	22	5	1	-	-	-	-	-	1	-
Swansea C.B.	163,200	61	32	6	-	-	-	-	-	1	-
Greater London ..	7,719,622*	2,608	1,212	115	1	1	1	5	11	28	5
Outer Ring	3,117,622*	1,033	496	47	1	1	-	3	1	10	2
16 Great Towns in Outer Ring	1,867,550*	637	299	29	-	-	-	1	1	6	2
Remainder of Outer Ring	1,250,072*	396	197	18	1	1	-	2	-	4	-
Edinburgh†	424,600	140	86	7	-	-	-	1	-	2	-
Glasgow† ..	1,052,200‡	425	209	35	2	-	1	2	2	10	-
Dublin (Registration Area)†	443,000	176	112	39	-	2	-	-	2	27	1
Belfast†	416,000	204	85	14	-	-	1	1	-	2	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
		1926.										
LONDON‡	4,602,000	Aug. 21	1575	716	8·1	-	-	-	1	2	10	18
CALCUTTA AND SUBURBS	1,077,273	July 17	?	501§	24·2	?	3	?	?	?	?	?
BOMBAY‖	1,279,061	„ 24	355	769§	31·3	-	4	5	-	2	-	46
MADRAS	528,791	„ 24	475	406	40·0	3	3	-	?	2	-	30
SYDNEY AND SUBURBS	1,038,950	„ 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	June 30 (30 days)										
PERTH (Metropolitan Area).	179,388	July 10										
AUCKLAND (Urban Area).	180,790	June 30 (30 days)										
WELLINGTON (Urban Area).	118,490	June 30										
CHRISTCHURCH (Urban Area).	118,270	„ 30										
CAPE TOWN	113,709	July 24	48	30	14·0	-	-	-	-	-	2	-
JOHANNESBURG	165,958	„ 24	68	30	9·4	1	-	-	-	-	-	-
DURBAN	54,822	„ 24	26	15	14·2	-	-	-	-	-	-	-
PARIS	2,906,472	Aug. 10 (10 days)										
ANTWERP	300,049	July 17	84	52	9·1	-	-	2	-	2	-	-
AMSTERDAM	719,379	Aug. 7	261	107	7·7	-	-	-	-	-	1	1
COPENHAGEN	587,400	„ 7	185	85	7·6	-	-	-	-	2	-	-
STOCKHOLM	442,528	„ 7	108	77	9·0	-	-	1	-	-	1	-
GOTHENBURG	230,963	„ 7	?	32	7·2	-	-	-	-	-	-	-
OSLO (CHRISTIANIA) ..	255,724	„ 14	68	44	8·9	-	-	-	-	-	-	-
BERLIN	1,999,000	July 31	401	386	10·0	1	?	1	2	2	1	3
BRESLAU	560,000	„ 31	203	125	10·3	1	?	2	-	1	-	2
COLOGNE	708,000	„ 31	260	118	8·3	-	?	1	-	2	-	13
DRESDEN	621,000	„ 31	169	120	9·2	1	?	-	-	2	-	-
FRANKFORT-ON-MAIN ..	472,000	„ 31	120	56	5·6	-	?	-	-	-	-	-
HAMBURG	1,101,000	„ 31	269	198	8·8	1	?	-	-	-	-	2
LEIPZIG	685,000	„ 31	170	121	8·2	-	?	-	-	-	-	2
MUNICH	685,000	„ 31	200	142	9·4	-	?	1	-	1	-	3
VIENNA	1,873,432	May 31										
PRAGUE AND SUBURBS	725,196	Mar. 31 (31 days)	1095	907	14·7	2	-	6	7	3	5	6
BUDAPEST	960,995	July 31	320	268	14·5	5	-	-	2	-	2	12
WARSAW	1,015,426	Aug. 7	?	326	16·8	2	-	-	17	7	3	64
CAIRO	859,400	April 1	942	482	29·2	2	1	12	1	?	1	33
ALEXANDRIA	492,100	„ 1	491	288	30·5	-	1	19	1	?	-	18
NEW YORK	5,924,139	July 17										
CHICAGO	2,995,239	May 14	1438	741	12·7	-	?	3	2	1	6	8
		„ 21	1074	659	11·3	-	?	2	2	2	8	8
		„ 28	1132	676	11·6	-	?	3	1	2	4	12
		June 4	1267	633	10·8	-	?	-	3	1	2	7

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children und year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 30 deaths from cholera in Calcutta and 1 from Cholera and Plague in Bombay.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 21st August, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	716	68	12	9	26	37	28	59	83	117	154	123
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria	10	-	2	3	5	-	-	-	-	-	-	-
Influenza	3	-	-	-	-	-	-	-	1	1	-	1
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	2	-	-	1	1	-	-	-	-	-	-	-
Encephalitis lethargica	4	-	-	1	-	-	1	-	1	-	1	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	59	-	-	-	1	15	9	12	12	6	4	-
Nervous system	7	-	-	1	6	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	3	-	1	-	-	-	-	1	-	1	-	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	104	-	-	-	-	-	3	10	10	29	38	14
Rheumatic fever	4	-	-	-	2	1	-	-	-	-	-	1
Diabetes	7	-	-	-	-	-	1	-	-	4	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	-	-	-	1	-	-		
Cerebral hæmorrhage, &c., Apoplexy	41	-	-	-	-	-	-	-	3	12	15	11
Epilepsy	3	-	-	-	-	-	-	2	-	1	-	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	23	-	1	-	1	3	1	4	3	6	2	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	1	2	1	-	-	-	-	-
Other diseases of heart	113	-	-	-	1	6	2	6	13	19	37	29
Other diseases of circulatory system	29	-	-	-	-	-	-	2	5	4	10	8
Bronchitis	32	1	-	-	1	-	-	1	-	4	9	16
Broncho-pneumonia	12	5	1	1	-	-	-	-	-	3	1	1
Lobar-pneumonia	11	-	-	-	-	3	-	1	2	3	2	-
Pneumonia (type not distinguished)	3	-	-	-	-	-	-			-	3	-
Other diseases of respiratory system	9	1	-	-	-	-	1	1	1	1	-	4
Diarrhœa and enteritis	26	17	1	-	-	1	1	1	1	-	2	2
Appendicitis, Typhlitis	11	-	-	2	1	1	-	1	3	3	-	-
Hernia, Intestinal obstruction	9	1	-	-	-	-	-	1	1	2	2	2
Cirrhosis of liver	3	-	-	-	-	-	-	1	1	1	-	-
Other diseases of digestive system ..	14	-	1	-	-	-	1	1	5	3	2	1
Acute nephritis	4	-	-	-	-	1	1	2	-	-	-	-
Chronic Bright's disease	21	-	-	-	1	-	1	2	6	2	6	3
Other diseases of genito-urinary system.	15	-	-	-	-	-	1	2	1	5	4	2
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	6	5	-	-	1	-	-	-	-	-	-	-
Premature birth	15	15	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	21	-	-	-	-	-	-	-	-	1	3	17
Suicide	9	-	-	-	-	-	1	2	1	1	4	-
Burns and Scalds	2	-	1	-	-	-	-	-	1	-	-	-
Drowning	1	-	-	-	-	1	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14		-	-	3	-	1	2	4	1	2	1
Other deaths by violence	13	2	1	-	-	1	-	-	3	1	3	2
Other specified causes	33	11	-	-	1	2	1	2	5	3	2	6
Ill-defined causes	-	-	-	-	-	-	-	-		-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infecti Diseases notified in week ended 21st Aug 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	181	159	3	34	C. 10 E. 3 G. 6 M. 15
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs:—						
†BATTERSEA ...	-	9	5	1	4	M. 1
†BERMONDSEY ...	-	6	7	-	-	-
†BETHNAL GREEN	-	11	15	-	-	G. 1
†CAMBERWELL ...	-	12	13	-	1	C. 1 G. 1
†CHELSEA	-	2	-	-	-	-
†DEPTFORD ...	-	4	6	-	1	-
†FINSBURY ...	-	1	-	-	-	C. 1
†FULHAM	-	5	5	1	2	C. 2 M. 1
†GREENWICH ...		6	5	-	-	C. 1 M. 1
†HACKNEY ..	-	10	4	-	1	G. 1
†HAMMERSMITH ..	-	2	2	-	2	C. 1
†HAMPSTEAD ...	-	1	8	-	-	C. 1
†HOLBORN... ..	-	6	1	-	-	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	9	11	-	3	M
†KENSINGTON ...		3	4	1	1	
†LAMBETH ...	-	9	3	-	1	M
†LEWISHAM ..	-	4	2	-	-	C.
†PADDINGTON ...	-	2	4	-	3	
†POPLAR	-	14	4	-	1	
†ST. MARYLEBONE	-	1	2	-	-	C.
†ST. PANCRAS ...	-	7	6	-	2	G. M.
†SHOREDITCH ...		11	8	-	5	C. M.
†SOUTHWARK ...	-	12	16	-	3	G. M.
†STEPNEY		13	14	-	1	
†STOKE NEWINGTON	-	2	1	-	-	E.
†WANDSWORTH ...	-	10	9	-	2	E. M.
†WESTMINSTER, CITY OF	-	4	1	-	1	G. M.
†WOOLWICH ..	-	4	3	-	-	E.

† Population over 10,000.
‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Feve

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	1	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	3	–	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	1	–	–	–
Rural Districts:—						
BEDFORD ...	–	–	–	–	–	G. 1
BIGGLESWADE ...	–	–	–	–	1	M. 1
BERKS	–	6	1	1	1	M. 1
†READING C.B. ...	–	1	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	–	–	–	–	M. 1
NEWBURY ...	–	2	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WINDSOR... ...	–	–	–	1	–	–
BUCKINGHAM ...	–	5	–	–	2	D. 1
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	–	–	–	–	D. 1
†CHEPPING WYCOMBE	–	2	–	–	–	–
CHESHAM... ...	–	1	–	–	–	–
MARLOW	–	–	–	–	1	–
Rural Districts:—						
NEWPORT PAGNELL ...	–	–	–	–	1	–
WYCOMBE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	5	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	5	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	42	25	5	10	E. 4 F. 1
†BIRKENHEAD C.B.	–	5	1	3	2	–
†CHESTER C.B. ...	–	7	–	–	1	–
†STOCKPORT C.B.	–	12	5	–	1	–
†WALLASEY C.B. ...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	1	–	–	–
ASHTON UPON MERSEY	–	–	–	–	1	
†CREWE	–	2	1	1	–	E. 2
†ELLESMERE PORT AND WHITBY	–	–	–	–	2	–
HALE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–		–
KNUTSFORD ...	–	–	–	–	1	–
†MACCLESFIELD ...	–	2	4	–	–	–
MARPLE	–	2	–	–	–	–
NANTWICH ...	–	–	–	–	1	E. 1
†NORTHWICH ...	–	–	1	–	–	–
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
†WINSFORD ...	–	–	–	–	–	E. 1
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
MACCLESFIELD ...	–	3	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
RUNCORN... ...	–	–	1	–	–	–
TARVIN	–	5	2	–	–	–
WIRRAL	–	1	3	1	–	F. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ..	–	6	1	2	–	C. 1 G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
LISKEARD ...	–	–	1	–	–	
NEWQUAY ...	–	–	–	–	–	G. 1
PADSTOW... ...		1	–		–	–
PHILLACK ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	1	–	–
STRATTON AND BUDE	–	1	–	–	–	–
Rural Districts:—						
REDRUTH ...	–	2	–	–	–	C. 1
ST. GERMANS ...	–	–	–	1	–	–
CUMBERLAND ...	–	9	4	1	–	C. 2
†CARLISLE C.B. ..	–	2	–	–	–	C. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	1	–	–	–	–
CLEATOR MOOR ...	–	2	–	–	–	–
EGREMONT ...	–	–	1	–	–	–
HARRINGTON ...	–	–	–	1	–	–
HOLME CULTRAM	–	–	1	–	–	–
PENRITH	–	–	–	–	–	C. 1
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	1	1	–	–	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	1	1	–	–	–
DERBY	9	31	11	–	4	C. 1 G. 1 M. 3
†DERBY C.B. ...	7	1	2	–	3	–
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	–	–	1	–	–	–
BAKEWELL ...	–	2	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BELPER	2		–	–	1	–
BONSALL	–	–	1	–	–	–
†BUXTON	–	–	–	–	–	C. 1
†CHESTERFIELD ...	–	11	–	–	–	–
†GLOSSOP	–		2	–	–	–
†HEANOR	–	–	1	–	–	–
†ILKESTON ...	–	5		–	–	–
†LONG EATON ...	–	1	–	–	–	–
†RIPLEY	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	M. 1
BAKEWELL ...	–	–	–	–	–	G. 1
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	2	3	–	–	–
CLOWNE	–		1	–	–	–
HARTSHORN AND SEALE	*	*	*	*	*	*
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	–	–	–	–	M. 2
DEVON	–	19	–	1	1	E. 1 G. 1 M. 2
†EXETER C.B. ...	–	3	–	–	–	–
†PLYMOUTH C.B...	–	9	–	1	1	–
Boroughs and Urban Districts:—						
BIDEFORD ...						M. 1
†ILFRACOMBE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
†PAIGNTON ...	–	1		–		
SIDMOUTH ..	*	*	*	*	*	*
†TEIGNMOUTH ...	–	1	–	–	–	–
Rural Districts:—						
BIDEFORD ..	–	1	–	–	–	–
CULMSTOCK ...	–	–	–	–		E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—*cont.*						
HONITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	–	M. 1
ST. THOMAS ...	–	1	–	–	–	G. 1
DORSET	–	4	4	1	–	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	1	–	M. 1
†POOLE		–	–	–	–	C. 1
SHAFTESBURY ...	*	*	*	*	*	*
SHERBORNE ...	–	–	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	G. 1 M. 1
DORCHESTER ...	–	–	1	–	–	–
SHERBORNE ...	–	–	2	–	–	–
WAREHAM AND PURBECK	–	4	–	–	–	–
DURHAM	39	50	16	–	21	C. 1 D. 1 M. 9
†DARLINGTON C.B.	–	1	2	–	–	–
†GATESHEAD C.B.	2	7	4	–	1	C. 1
†SOUTH SHIELDS C.B.	2	2	–	–	7	M. 2
†SUNDERLAND C.B.	–	2	–	–	5	M. 1
†WEST HARTLEPOOL C.B.	–	4	–	–	1	M. 2
Boroughs and Urban Districts:—						
†BLAYDON... ...	1	1	–	–	1	–
†CHESTER LE STREET	1	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT	–	–		–	–	D. 1
†CROOK	2	1	2	–	–	–
†FELLING	–	–	1	–	–	–
†HEBBURN ...	–	2	–	–	–	–
†HETTON	8	3	–	–	–	–
†HOUGHTON LE SPRING	1	–	–	–	–	–
†JARROW	7	3	–	–	2	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	1	–	–	–
†SHILDON	1	–	–	–	–	–
†STANLEY	7	1	–	–	–	–
†STOCKTON ON TEES	–	3	–	–	1	M. 1
TOW LAW ...	1	–	–	–	–	–
†WHICKHAM ...	1	–	–	–	1	M. 1
Rural Districts:—						
AUCKLAND ...	–	5	1	–	–	–
DARLINGTON ...	–	–	1	–	–	–
DURHAM	–	2	1	–	–	–
EASINGTON ...	–	–	1	–	2	M. 1
HOUGHTON LE SPRING	2	1	–	–	–	–
LANCHESTER ...	1	5	2	–	–	–
SEDGEFIELD ...	2	–	–	–	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	–	M. 1
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...		3	2	–	1	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	1	–	–	–
Rural Districts:—						
ELY	–	2	–	–	–	–
WHITTLESEY ...			–	–	1	–
WISBECH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	80	33	1	11	C. 1 E. 6 G. 1 M. 2
†EAST HAM C.B. ...	–	9	3	–	2	–
†SOUTHEND-ON-SEA C.B.	–	4	1	1	1	C. 1 M. 2
†WEST HAM C.B. ...	–	18	14	–	2	G. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	1	–	1	–
BRENTWOOD ...	–	1	–	–	–	–
CANVEY ISLAND...	*	*	*	*	*	*
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
DAGENHAM ...	–	8	–	–	1	–
†GRAYS THURROCK	–	–	–	–	–	E. 5
†HARWICH ...	–	2	–	–	1	–
†ILFORD	–	6	1	–	–	E. 1
†LEYTON	–	6	5	–	–	–
LOUGHTON ...	–	1	–	–	–	–
MALDON	–	–	2	–	–	–
SAFFRON WALDEN	*	*	*	*	*	*
TILBURY	–	1	–	–	–	
†WALTHAMSTOW...	–	9	2	–	1	–
†WANSTEAD ..	–	3	–	–	–	–
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	2	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	2	–	–	–	–
ORSETT	–	–	–	–	1	–
ROCHFORD ...	–	1	1	–	–	–
ROMFORD... ...	–	1	–	–	–	
SAFFRON WALDEN	*	*	*	*	*	*
TENDRING ...	–	–	1	–	–	–
GLOUCESTER .	–	13	14	1	4	C. 2 M. 3
†BRISTOL C.B. ...	–	4	11	–	3	C. 2 M. 2
†GLOUCESTER C.B.	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
†KINGSWOOD ...	–	–	–	–	–	M. 1
STOW ON THE WOLD	*	*	*	*	*	*
STROUD	–	1	–	–	–	–
TETBURY	–	1		–	–	–
Rural Districts:—						
DURSLEY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	1	–
NEWENT	–	–	–	1	–	–
STROUD	–	4	–	–	–	–
WARMLEY ...	–	2	–	–	–	–
HEREFORD ...	–	–	2	1	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
Rural Districts:—						
LEOMINSTER ...	–	–	–	1	1	–
ROSS	–	–	1	–	–	–
WEOBLEY... ...	–	–	–	–	1	–
HERTFORD ..	–	7	7	1	–	G. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	G. 1
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
GREAT BERKHAMPSTEAD	–	–	–	1	–	–
†HERTFORD ...	–	1	4	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	2	1	–	–	–
Rural Districts:—						
WARE	–	1	–	–	–	–
HUNTINGDON ...	–	4	1	–	–	M. 1
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	1	–	–	–	M. 1
Rural Districts:—						
NORMAN CROSS ...	–	1	–	–	–	–
ST. IVES	–	–	1	–	–	–
ST. NEOTS ...	–	2	–	–	–	–
KENT	–	36	39	3	10	C. 1 E. 6 F. 1 M. 1
†CANTERBURY C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY	–	5	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†CHATHAM ...	–	–	4	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–		–	–
†DEAL	–	2	–	–	–	–
†DOVER	–	–	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ERITH	–	1	3	1	1	–
†GILLINGHAM ...	–	–	1	–	1	E. 1
†GRAVESEND ...	–	1	5	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	4	2	–	–	–
†MARGATE ...	–	2	–	–	1	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	–	–		C. 1
QUEENBOROUGH	–	–	–	–	–	E. 2
†RAMSGATE ...	–	1	1	1	1	–
†ROCHESTER ...	–	1	1	–	–	–
†SHEERNESS ...	–	–	1	–	–	E. 3
SIDCUP	–	2	–	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
†TONBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	1	1	–	–	–
BROMLEY ...	–	3	3	–	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	*	*	*	*	*	*
EASTRY	–	2	–	–	–	–
HOO	*	*	*	*	*	*
ISLE OF THANET	–	–	–	1	–	–
MAIDSTONE ...	–	–	–	–	–	M. 1
MALLING	–	1	1	–	–	–
MILTON	–	1	9	–	–	–
ROMNEY MARSH...	–	–	–	–		F. 1
SEVENOAKS ...	–	–	2	–	–	–
TENTERDEN ...	–	2	–	–	–	–
TONBRIDGE ...	–	–	1	–	–	–
LANCASTER ...	–	169	78	4	86	C. 5 E. 6 F. 1 G. 7 L. 2 M. 25
†BARROW IN FURNESS C.B.	–	1	–	–	–	–
†BLACKBURN C.B.	–	8	2	1	3	C. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKPOOL C.B.	-	1	-	-	1	E. 1
†BOLTON C.B. ...	-	3	3	-	1	-
†BOOTLE C.B. ...	-	4	-	1	-	G. 1
						L. 1
†BURNLEY C.B. ...	-	1	3	-	1	-
†BURY C.B. ...	-	2	1	-	1	
†LIVERPOOL C.B. ...	-	47	29	2	24	G. 3
						M. 7
†MANCHESTER C.B.	-	27	9	-	13	C. 1
						E. 1
						G. 3
						M. 7
†OLDHAM C.B. ...	-	8	4	-	-	-
†PRESTON C.B. ...	-	1	1	-	-	-
†ROCHDALE C.B. ...	-	2	-	-	-	-
†ST. HELENS C.B. ...	-	3	3	-	1	M. 2
†SALFORD C.B. ...	-	11	5	-	3	C. 2
						F. 1
†SOUTHPORT C.B.	-	-	-	-	-	C. 1
						E. 1
†WARRINGTON C.B.	-	1	1	-	-	-
†WIGAN C.B. ...	-	1	-	-	1	-
Boroughs and Urban Districts:—						
†ACCRINGTON ...	-	2	-	-	-	-
†ASHTON UNDER LYNE	-	-	-	-	1	-
†ATHERTON ..	-	1	-	-	1	-
†BACUP	-	-	-	-	2	-
BLACKROD ...	-	1	-	-	-	-
†CHADDERTON ...	-	10	-	-	-	-
†CHORLEY	-	-	-	-	1	-
†COLNE	-	2	-	-	1	-
†CROMPTON ...	-	4	-		-	-
†DARWEN		-	-	-	1	-
†DENTON	-	3	-	-	-	-
†DROYLSDEN ...	-	-	-	-	1	M. 1
†ECCLES	-	-	1	-	-	-
†FAILSWORTH ..	-	-	-	-	-	M. 1
†FLEETWOOD ...	-	-	-	-	3	-
†GREAT HARWOOD	-	1	-	-	-	-
†HAYDOCK ...	-	-	-	-	1	-
HEYSHAM ..	-	1	-	-	-	-
†HINDLEY... ...	-	-	-	-	3	-
†INCE IN MAKERFIELD	-	-		-	1	-
†LANCASTER ...	-	-	-	-	2	E. 2
†LEIGH	-	-	2	-	5	M 2
†LITHERLAND ...	-	-	1	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LYTHAM ST. ANNE'S	-	-	-	-	1	-
†MOSSLEY	-	1	-	-	-	-
†NEWTON IN MAKERFIELD	-	-	-	-	2	M. 1
†OSWALDTWISTLE	-	-	1	-	-	-
†PADIHAM ...	-	-	6	-	-	-
†RADCLIFFE ...	-	2	1	-	1	-
†RAWTENSTALL ...	-	3	-	-	1	-
†ROYTON	-	1	-	-	-	-
†STRETFORD ...	-	1	-	-	-	E. 1
†SWINTON AND PENDLEBURY	-	-	-	-	2	-
TOTTINGTON ...	-	-	1	-	-	-
†WATERLOO WITH SEAFORTH	-	-	-	-	1	M. 1
†WIDNES	-	1	-	-	1	M. 1
WITHNELL ...	-	-	-	-	1	-
Rural Districts:—						
BARTON UPON IRWELL	-	-	-	-	1	-
BLACKBURN ...	-	3	-	-	-	-
BURY	-	4	1	-	-	-
CLITHEROE ...	-	-	-	-	-	L. 1
GARSTANG ...	-	1	-	-	-	-
ULVERSTON ...	-	3	-	-	-	-
WARRINGTON ...	-		-	-	2	-
WEST LANCASHIRE	-	3	2	-	-	-
WHISTON... ...	-	-	1	-	1	-
LEICESTER... ...	-	8	6	-	-	C. 1
						E. 6
						G. 1
						L. 2
†LEICESTER C.B. ...	-	6	2	-	-	E. 2
						G. 1
						L. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
COALVILLE ...	–	–	2	–	–	–
†LOUGHBOROUGH	–	1	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	–	–	–	C. 1 E. 3
HINCKLEY ...	–	–	1	–	–	E. 1
LINCOLN (parts of Holland).	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	5	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	–	4	–	–	–
CLAYPOLE ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	13	6	–	2	C. 2 G. 1
†GRIMSBY C.B. ...	–	1	–	–	–	–
†LINCOLN C.B. ...	–	8	–	–	–	G. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	C. 1
SKEGNESS ...	–	2	1	–	–	–
Rural Districts:—						
CAISTOR	–		1	–	–	–
GLANFORD BRIGG	–	–	3	–	1	–
HORNCASTLE ...	–	–	–	–	1	–
LOUTH	*	*	*	*	*	*
SPILSBY	–	1	–	–	–	C. 1
MIDDLESEX ...	–	30	22	4	5	C. 1 E. 5 G. 1 M. 4
Boroughs and Urban Districts:—						
†BRENTFORD ...	–	1	–	–	–	–
†EALING	–	–		–	–	C. 1
†EDMONTON ...	–	2	3	–	–	E. 1 M. 1
†ENFIELD	–	–	–	–	1	E. 2 G. 1
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	–	–	–	1	–
†HAMPTON ...	–	–	–	–	–	M 1
†HANWELL ...	–	1	–	–	–	–
HAYES	–	–	–	1	–	–
†HENDON	–	2	–	2	–	–
†HESTON AND ISLEWORTH	–	1	1	–	–	–
†HORNSEY	–	1	3	–	–	E. 1 M. 1
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	1	–	–	–
†TEDDINGTON ...	–	–	–	1	–	–
†TOTTENHAM ...	–	8	1	–	1	–
†TWICKENHAM ...	–	1	2	–	–	–
†UXBRIDGE ...	–	2	–	–	–	–
†WILLESDEN ...	–	4	4	–	1	E. 1 M. 1
†WOOD GREEN ...	–	1	2	–	–	–
YIEWSLEY ...	–		2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	1	3	–	1	–
NORFOLK	–	16	3	–	–	M. 1
†GREAT YARMOUTH C.B.	–	4	2	–	–	–
†NORWICH C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
WELLS	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	M. 1
BLOFIELD ...	–	11	–	–	–	–
DEPWADE ...	–	1	–	–	–	–
FOREHOE ...	*	*	*	*	*	*
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	*	*	*	*	*	*
NORTHAMPTON ...	–	8	5	–	–	C. 1
†NORTHAMPTON C.B.	–	5	5	–	–	C. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
THRAPSTON (part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	2	47	1	1	11	M. 3
†NEWCASTLE UPON TYNE C.B.	–	21	–	–	8	M. 2
†TYNEMOUTH C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	1	2	–	1	–	–
†BEDLINGTONSHIRE	1	1	–	–	1	–
†BERWICK UPON TWEED	–	1		–	–	–
†BLYTH	–	1	–	–	–	–
†EARSDON	–	1	–	–	–	–
HEXHAM	–	–	1	–	–	–
†LONGBENTON ...	–	2	–	–	–	–
†NEWBURN ...	–	1	–	–	1	–
PRUDHOE... ...	–	1	–	–	–	–
†WALLSEND ...	–	7	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	–	M. 1
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
CASTLE WARD ...	–	3	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	–	17	16	–	3	E. 1 F. 2 M. 3
†NOTTINGHAM C.B	–	9	12	–	3	E. 1 F. 2
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	1	–	–	–
HUTHWAITE ...	–	–	1	–	–	–
†MANSFIELD ...	–	2	–	–	–	M. 1
†NEWARK	–	–	–	–	–	M. 1
WARSOP	–	3	–	–	–	–
Rural Districts:—						
BASFORD	–	2	1	–	–	–
BINGHAM... ...	*	*	*	*	*	*
EAST RETFORD ...	–	1	–	–	–	–
NEWARK	–	–	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	1	–	–	4	–
†OXFORD C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	–	1	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	3	–
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	2		–	–	–
SALOP	–	6	–	1	1	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	M. 1
Rural Districts—						
ATCHAM	–	–	–	1	1	–
BRIDGNORTH ...	–	1	–	–	–	–
CLUN	–	1	–	–	–	–
DRAYTON... ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	–	C. 1
SOMERSET	–	11	2	–	2	–
†BATH C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†FROME	–	–	2	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
STREET	*	*	*	*	*	*
†TAUNTON ...	–	–	–	–	2	–
†WESTON SUPER MARE	–	4	–	–	–	–
Rural Districts:—						
CLUTTON... ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
WELLS	–	1	–	–	–	–
SOUTHAMPTON ...	–	17	26	4	3	E. 2 G. 3
†BOURNEMOUTH C.B.	–	–	1	–	–	–
†PORTSMOUTH C.B.	–	6	12	1	–	E. 1 G. 1
†SOUTHAMPTON C.B.	–	–	10	–	2	E. 1 G. 1
Boroughs and Urban Districts:—						
ALTON	–	–	–	1	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
†BASINGSTOKE ...	–	2	–	–	–	–
†GOSPORT	–	3	1	–	1	–
PETERSFIELD ...	–	–	2	1	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
FORDINGBRIDGE..	–	2	–	–	–	–
KINGSCLERE ...	–	–	–	1	–	–
ROMSEY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	41	18	1	19	C. 2 E. 2 F. 1 L. 3 M. 9
†BURTON UPON TRENT C.B.	–	1	–	–	–	E. 1 M. 1
†SMETHWICK C.B.	–	–	1	–	4	–
†STOKE ON TRENT C.B.	–	6	3	1	9	C. 1 M. 1
†WALSALL C.B. ...	–	2	1	–	2	–
†WEST BROMWICH C.B.	–	2	2	–	2	–
†WOLVERHAMPTON C.B.	–	1	1	–	–	M. 2
Boroughs and Urban Districts:—						
BIDDULPH ...	–	1	–	–	–	–
†BILSTON	–	–	–	–	–	M. 1
†CANNOCK	–	3	1	–	–	–
†DARLASTON ...	–	–	–	–	–	C. 1
KIDSGROVE ...	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS ...	–	4	1	–	–	M. 1
†SEDGLEY	–	2	–	–	–	–
†STAFFORD ...	–	1	–	–	–	–
TETTENHALL ...	–	–	–	–	–	F. 1
†TIPTON	–	3	–	–	1	–
†WEDNESBURY ...	–	3	–	–	–	M. 2
†WILLENHALL ...	–	7	–	–	–	–
†WOLSTANTON UNITED	–	–	2	–	–	–
Rural Districts:—						
CANNOCK	–	–	1	–	–	M. 1
CHEADLE	–	–	–	–	–	L. 2
KINGSWINFORD ...	–	–	2	–	–	–
LICHFIELD ...	–	–	–	–	1	L. 1
SEISDON	–	1	–	–	–	–
STAFFORD ...	–	2	1	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	8	2	1	2	C. 1
†IPSWICH C.B. ...	–	4	1	1		–
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–		–
†LOWESTOFT ...	–	1	–	–	1	–
STOWMARKET ...	–	1	–	–		–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	–	C. 1
EAST STOW ...	–	1	–	–		–
HARTISMERE ...	–	–	–	–	1	–
SAMFORD... ...	–	–	1	–	–	–
SUFFOLK, WEST ...	–	–	5	–	–	–
Rural Districts:—						
MILDENHALL ...	–	–	5	–		–
SURREY	–	20	13	1	4	C. 2 G. 3 L. 1 M. 1
†CROYDON C.B. ...	–	3	3	–	–	G. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CHERTSEY ...	–	2	–	–	–	–
†EGHAM	–	2	–	–	–	G. 1
†EPSOM	–	–	1	1	–	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FRIMLEY	–	1	–	–	–	C. 1
†GUILDFORD ...	–	3	–	–	–	C. 1
†MITCHAM... ...	–	–	2	–	2	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	1	1	–	–	–
†SUTTON	–	–	1	–	–	–
†WALTON UPON THAMES	–	–	–	–	–	G. 1
†WIMBLEDON ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
HAMBLEDON ...	–	1	2	–	1	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	9	7	1	1	–
†BRIGHTON C.B. ...	–	1	5	–	1	–
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
HAYWARDS HEATH	–	1	–	–	–	–
†HOVE	–	–	1	1	–	–
RYE	*	*	*	*	*	*
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	5	–	–	1	M. 1
Boroughs and Urban Districts:—						
†WORTHING ...	–	3	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	1	–
MIDHURST ...	–	–	–	–	–	M. 1
STEYNING WEST...	–	1	–	–	–	–
WARWICK	–	32	48	–	27	C. 4 D. 1 E. 1 G. 2 M. 10
†BIRMINGHAM C.B.	–	27	41	–	21	C. 4 D. 1 E. 1 G. 2 M. 9
†COVENTRY C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	–	–
†RUGBY	–	2	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	–	1	–	1	–
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–	–	1	–	–	–
SOLIHULL ...	–	–	–	–	–	M. 1
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ...	–	–	–	1	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	1	–	–
WIGHT, ISLE OF ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	1	–
ST. HELENS ...	–	1	–	–	–	–
WILTS	–	5	5	1	4	D. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	D. 1
†SWINDON... ...	–	1	1	1	2	–
†TROWBRIDGE ...	–	2	–	–	1	–
WILTON	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	L. 1
BRADFORD ON AVON	–	–	1	–	–	–
MALMESBURY ...	–	–	1	–	–	–
PEWSEY	–	–	–	–	1	–
SALISBURY ...	–	–	1	–	–	–
WILTON	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	8	7	–	3	–
†DUDLEY C.B. ...	–	1	3	–	–	–
†WORCESTER C.B.	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	*	*	*	*	*	*
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY... ...	–	2	–	–	1	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	–	1	–	–	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	12	14	–	1	M. 1
†KINGSTON UPON HULL C.B.	–	9	13	–	1	–
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	*	*	*	*	*	*
GREAT DRIFFIELD	–	–	–	–	–	M. 1
HORNSEA	–	1	1	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
HOWDEN	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	19	2	–	2	G. 3 M. 1
†MIDDLESBROUGH C.B.	–	5	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
†SCARBOROUGH ...	–	–	2	–	–	G. 1
†SKELTON AND BROTTON	–	2	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
Rural Districts:—						
CROFT	–	–	–	–	1	–
MALTON	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
PICKERING ...	–	–	–	–	–	G. 1 M. 1
STARTFORTH ...	–	3	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	11	106	43	8	55	C. 1 D. 3 E. 1 G. 2 L. 1 M. 8
†BARNSLEY C.B. ...	–	4	–	–	1	–
†BRADFORD C.B. ...	–	4	5	1	4	M. 1
†HALIFAX C.B. ...	–	2	1	1	–	–
†HUDDERSFIELD C.B.	–	1	1	–	–	M. 2
†LEEDS C.B. ...	–	11	8	–	2	D. 2 M. 1
†ROTHERHAM C.B.	–	8	1	–	8	–
†SHEFFIELD C.B....	–	33	11	2	21	M. 2
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	1	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	1	–
†BENTLEY WITH ARKSEY	4	–	1	–	–	–
†CONISBROUGH ...	–	2	–	2	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
CUDWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	2	–	–	–
DRIGHLINGTON ...	–	1	–	–	–	–
GARFORTH ...	*	*	*	*	*	*
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	–	–	–	1	–
†HEMSWORTH ...	–	2	–	–	–	–
HORSFORTH ...	–	2	–	–	–	–
†HOYLAND NETHER	–	2	–	–	–	–
ILKLEY	–	–	–	–	–	M. 1
†KEIGHLEY ...	2	–	1	–	–	–
KNOTTINGLEY ...	–	–	1	–	–	–
LEPTON	*	*	*	*	*	*
MARSDEN... ...	–	1	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	5	–	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
OTLEY	–	1	–	–	1	–
†PUDSEY	–		1	–	1	C. 1
RAWDON ...	*	*	*	*	*	*
†RAWMARSH ...	–	2	–	–	1	–
†SADDLEWORTH ...	–	–	–	–	–	G. 2
SKELMANTHORPE	–	–	–	1	–	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	–	1	–	1	–
†STANLEY	–	3	–	–	–	–
†SWINTON... ...	–	1	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	1	–	–	1	–
†WATH UPON DEARNE	–	–	3	–	–	–
WHITLEY UPPER	*	*	*	*	*	*
†WOMBWELL ..	–	4	–	–	2	D. 1
†WORSBOROUGH ...	–	3	1	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	1	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	4	2	–	2	M. 1
KIVETON PARK ...	–	–	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	–	–	–	–	E. 1
ROTHERHAM ...	–	1	–	–	–	–
SETTLE	–	–	–	–	2	–
SKIPTON	–	2	–	–	–	–
TADCASTER ...	–	–	–	–	1	–
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
§YORK, CITY OF ...	–	4	1	–	1	M. 1
†YORK C.B. ...	–	4	1	–	1	M. 1
WALES.						
ANGLESEY	–	6	3	–	–	C. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	3	2	–	–	C. 1
Rural Districts:—						
AETHWY	–	–	1	–	–	–
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	1	1	–	–	–	–
Boroughs and Urban Districts:—						
CAERNARVON ...	1	1	–	–	–	–
CARDIGAN ...	–	–	–	–	–	D. 1
Rural Districts:—						
LAMPETER ...	–	–	–	–	–	D. 1
CARMARTHEN ..	–	2	7	1	1	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	–	–	1	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	2	4	–	–	–
LLANELLY ...	–	–	1	1	–	–
WHITLAND ...	–	–	1	–	–	–
DENBIGH	–	3	2	–	–	G. 1
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	–	2	–	–	–
†COLWYN BAY ...	–	1	–	–	–	–
DENBIGH ...	–	1	–	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
FLINT	–	1	3	–	1	G.
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	1	G. 1
HOLYWELL (MOLD DIV.)		1	–	–	–	–
GLAMORGAN ...	–	25	29	4	8	C. 4 E. 3 G. 1 M. 3
†CARDIFF C.B. ...	–	3	3	1	1	E. 1 G. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	1	–	2	C. 1
†SWANSEA C.B. ...	–	1	3	1	–	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	–	–	–	–
†BARRY	–	–	1	–	–	–
†CAERPHILLY ...	–	2	–	–	–	–
†GELLIGAER ...	–	1	5	2	1	–
†GLYNCORWG ...	–	1	–	–	1	–
†MAESTEG ...	–	–	5	–	–	–
†NEATH	–	1	–	–	–	–
†OGMORE AND GARW	–	4	–	–	–	C. 1
†PONTYPRIDD ...	–	1	2	–	2	–
PORTHCAWL ...	–	1	1	–	–	E. 1
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	6	4	–	1	E. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LAMORGAN—*cont.*						
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	–	C. 1 M. 1
NEATH	–	–	2	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	2	–	–	–	–
ERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	1	–	–	–	–
IONMOUTH ...	–	4	7	–	3	M. 1
†NEWPORT C.B. ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
†ABERSYCHAN ...	*	*	*	*	*	*
†ABERTILLERY ...	–	–	2	–	–	–
†BEDWELLTY ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	–	1	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
SAINT MELLONS...	–	1	–	–	–	M. 1
MONTGOMERY ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	–	–	–	1	–
PEMBROKE... ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
Total of Part II. ...	62	982	552	51	321	C. 36 D. 8 E. 44 F. 6 G. 33 L. 10 M. 99

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (se
COLCHESTER	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	1	J.
WELLS (NORFOLK) ...	*	*	*	*	*	*							
							Total of Part III.... ...	–	–	–	–	1	J.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	181	159	3	34	C. 10 E. 3 G. 6 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	62	982	552	51	321	C. 36 D. 8 E. 44 F. 6 G. 33 L. 10 M. 99
Total of Part III.—Port Sanitary Districts	–	–	–	–	1	J. 2
Total (*i.e.*, of returns received), England and Wales ...	62	1163	711	54	356	C. 46 D. 8 E. 47 F. 6 G. 39 J. 2 L. 10 M. 114

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliocephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain and Deaths of Infants under 1 Y Age) and Notified Cases of cert fectious Diseases in the last Th Weeks.

Week ended :—	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14
London :—												
Deaths—all ages	904	827	820	766	807	785	775	791	706	823	706	752
" 0 to 1 year ..	69	61	60	61	77	67	69	64	60	76	56	76
Great Towns, aggregate (including London):—												
Births	6,025	7,833	7,074	7,424	7,167	7,137	7,000	6,992	7,118	7,460	6,079	7,508
Deaths—all ages	4,119	3,939	3,669	3,525	3,384	3,570	3,424	3,540	3,215	3,305	3,139	3,226
" 0 to 1 year ..	431	415	403	354	379	354	355	363	337	374	354	386
Enteric Fever—Cases	22	28	16	16	32	25	49	36	46	33	14	30
Deaths	1	4	2	2	3	3	3	4	—	4	5	1
Small Pox—Cases ..	39	41	43	31	12	15	20	23	10	5	8	4
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	760	687	814	792	766	882	816	904	734	716	600	674
" Deaths	6	7	4	4	4	8	6	6	3	3	2	6
Diphtheria—Cases ..	605	538	587	567	606	611	604	608	625	479	509	552
" Deaths ..	19	25	22	24	38	32	17	25	25	21	26	23
Measles—Deaths ..	56	35	29	37	26	25	18	14	14	14	13	9
Influenza—Deaths ..	78	80	67	38	37	28	35	22	20	14	19	18

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 21st August, 1926. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	80	50	75·0	57·6	8
Brighton ..	70	53	67·3	59·7	20
Portsmouth ..	75	60	70·7	60·5	13
Norwich (Eaton).	76	53	72·1	58·0	6
Plymouth ..	72	59	68·6	59·7	19
Bristol (Clifton).	74	57	69·3	59·4	15
Birmingham (Edgbaston).	75	53	70·0	56·7	7
Nottingham ..	77	53	71·4	56·6	8
Birkenhead (Bidston).	74	55	68·3	57·1	12
Manchester (Whitworth Park).	73	55	69·3	57·0	23
Burnley	75	55	67·8	55·9	27
Huddersfield	74	54	70·1	56·1	
Bradford ..	73	54	67·4	55·1	
Sheffield ..	76	55	70·6	56.3	
York (Museum)	74	55	69·6	57·3	
Hull (Pearson Park).	75	54	71·0	56·9	
Tynemouth ..	74	55	66·7	56·4	
Cardiff.. ..	72	55	68·4	58·6	
Edinburgh ..	73·0	50·0	65·9	53·9	
Glasgow ..	70·7	51·0	65·0	54·0	
Dublin (Phœnix Park).	75·5	49·6	71·4	53·9	
(Fitzwilliam Square†).	74·0	54·9	70·4	57·2	
Belfast.. ..	75·0	52·0	71·3	53·7	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st August, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	15	..	29·828	76·9	50·3	26·6	64·1	+ 1·7	56·4	7·7	16·9	1·0	76	147·4	40·6	58·0	SW	SW	2·5	0·0	0·3	278	+ 26	0·00
MONDAY	16	First Quarter.	29·799	78·9	61·2	17·7	67·3	+ 5·0	61·4	5·9	15·5	0·5	81	133·7	52·1	58·0	SW	SW: Calm: SSW.	1·4	0·0	0·1	219	− 30	0·02
TUESDAY	17	..	29·756	79·6	57·3	22·3	66·8	+ 4·7	60·3	6·5	17·4	0·4	79	141·4	47·5	58·0	Calm: WSW.	WSW: SW.	1·2	0·0	0·1	185	− 61	0·16
WEDNESDAY	18	..	29·680	73·7	55·7	18·0	64·7	+ 2·8	57·0	7·7	21·1	1·6	76	139·2	45·6	58·1	SW: SSW.	SSW: W: WSW.	4·0	0·0	0·4	310	+ 67	0·04
THURSDAY	19	..	29·821	70·1	54·3	15·8	61·9	+ 0·2	53·4	8·5	18·9	2·9	73	115·0	44·7	58·2	WSW	WSW: SW.	2·6	0·0	0·3	345	+ 103	0·00
FRIDAY	20	Greatest Declination S.	29·719	70·6	59·6	11·0	63·8	+ 2·3	57·1	6·7	11·9	1·5	79	118·2	52·8	58·3	SW	SW	7·5	0·0	0·8	411	+ 170	0·02
SATURDAY	21	..	29·610	73·7	57·1	16·6	63·1	+ 1·8	59·3	3·8	15·3	1·5	88	119·1	49·8	58·3	WSW: SW.	WSW	5·0	0·0	0·5	420	+ 180	0·05
MEANS		..	29·745	74·8	56·5	18·3	64·5	+ 2·6	57·8	6·7	16·7	1·3	79	130·6	47·6	58·1	SW		..	..	..	Sum 2168	Sum + 455	Sum 0·29
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	wP.	6·8	14·6	Nearly cloudless till 3h.; partially cloudy till 6½h., then nearly overcast with cloudy period 10h. till 18h.
MONDAY ..	16	wP till 22½h.; then variably sN and sP.	4 6	14·6	Partially cloudy till 4h.; overcast till 13h., then variably cloudy. Slight shower 21¾h. Rain from 23h.
TUESDAY ..	17	Variably sN and sP till 3¼h.; then wP.	6 4	14·5	Overcast till 11h.; then variably cloudy. Rain till 1¾h. Thunder and lightning 0h. till 2h.
WEDNESDAY	18	wP till 15h.; then mP.	6·1	14·4	Variably cloudy. Damping 5¾h., and 10¾h. Rain 12¼h. till 13h. Occasional lightning 20¾h. till 21¾h.
THURSDAY	19	wP.	1·5	14·4	Cloudless till 1h., then becoming overcast by 8h. Solar halo 10h. till 13h. Shower 15½h.
FRIDAY ..	20	wP.	0·4	14 3	Overcast generally. Slight rain 13h. to 13¼h.; 14¼h. till 15h.; and 21¾h. till 23¾h. Brisk wind 15h. till 20h. Slight damping 18½h. till 21h.
SATURDAY	21	wP.	3·4	14·2	Nearly overcast till 15h., then variably cloudy. Rain 7¼h. till 8h.; and 11¾h. till 12¼h. Brisk wind 16h. till 19h. Occasional showers between 15h. and 16¼h.
			Sum 29·2	Sum 101·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·86 ins. at the beginning of the week to 29·87 ins. by 8h. on 15th; decreased to 29·66 ins. by 1h. on 17th; increased to 29·78 ins. by 21h. on 17th; decreased to 29·65 ins. by 15h. on 18th; increased to 29·82 ins. by 22h. on 19th; decreased to 29·55 ins. by 2h. on 21st; increased and was 29·73 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 34.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 28TH AUGUST 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH AUGUST, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-fourth week of the year numbered 7,029 and corresponded to an annual rate of 18·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,293 and corresponded to an annual rate of 8·8 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 8·4, 8·7 and 8·8. Infant mortality was 58 per 1,000 births against 58, 51 and 55 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,573 births, corresponding to a rate of 17·8 per 1,000, and 786 deaths of civilians, corresponding to an annual rate of 8·9, against 8·0, 8·5 and 8·1, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·4 per 1,000. The infant mortality was 46 as against 40, 45 and 43 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,280 to 3,293. In London the number of deaths from all causes increased from 716 to 786; the deaths from diphtheria which had been 7, 8 and 10 in the preceding three weeks decreased to 6 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 15, 17 and 18 in the preceding three weeks, increased to 23 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 28th August, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	1
105 Great Towns ..	19,417,320*	7,029	3,293	409	2	10	5	31	24	124	
London	4,602,000*	1,573	786	72	-	-	2	6	6	23	
Towns in Outer Ring.											
Croydon C.B ..	199,300	73	26	1	-	-	-	-	-	1	
Wimbledon ..	58,170	11	13	-	-	-	-	-	-	-	
Ealing	68,410	16	7	-	-	-	-	-	1	-	
Acton	63,110	17	9	1	-	-	-	-	-	-	
Willesden ..	168,900	57	33	5	-	-	-	1	-	2	
Hendon	59,150*	14	7	-	-	-	-	-	-	-	
Hornsey	87,210	20	14	1	-	-	-	-	-	-	
Wood Green ..	51,960	9	5	-	-	-	-	-	-	-	
Tottenham ..	153,600	32	14	-	-	-	-	1	-	-	
Edmonton ..	71,210	42	9	-	-	-	-	-	-	-	
Enfield	63,740	16	8	-	-	-	-	-	-	-	
West Ham C.B. ..	318,500	160	44	6	-	-	-	-	-	4	
East Ham C.B. ..	147,200	49	26	2	-	-	-	-	-	-	
Leyton	132,700	34	22	2	-	-	-	-	-	-	
Walthamstow ..	130,800	41	10	-	-	-	-	-	-	-	
Ilford	93,590	31	15	1	-	-	-	-	-	-	
Gillingham	48,680*	20	8	-	-	-	-	-	-	-	
Canterbury C.B ..	23,270*	7	4	-	-	-	-	-	-	-	
Hastings C.B.	60,470	13	18	3	-	-	-	-	-	-	
Eastbourne C.B. ..	55,060	15	11	1	-	-	-	-	-	-	
Brighton C.B. ..	137,800*	42	30	2	-	-	-	-	-	-	
Portsmouth C.B. ..	232,900*	99	36	6	-	-	-	-	-	-	
Bournemouth C.B. ..	85,840	24	19	-	-	-	-	-	-	-	
Southampton C.B. ..	168,600	62	25	-	-	-	-	1	2	-	
Reading C.B.	93,670*	30	17	3	-	-	-	-	-	1	
Oxford C.B.	57,090	26	7	1	-	-	-	-	-	-	
Northampton C.B. ..	93,780*	30	15	3	-	-	-	-	1	2	
Luton	59,230	20	9	-	-	-	-	-	-	-	
Cambridge	59,020	14	9	1	-	-	-	-	-	-	
Southend-on-Sea C.B.	98,060	33	13	1	-	-	-	-	-	-	
Ipswich C.B.	83,120*	34	10	-	-	-	-	-	-	-	
Great Yarmouth C.B.	57,890	16	12	2	-	-	-	-	-	1	
Norwich C.B. ..	124,000*	42	15	-	-	-	-	1	-	-	
Swindon	56,880	17	7	-	-	-	-	-	-	-	
Exeter C.B.	59,820*	17	8	1	-	-	-	-	-	-	
Plymouth C.B. ..	192,100*	93	42	5	-	-	-	-	-	-	
Bath C.B.	69,050	28	12	-	-	-	-	-	-	-	
Bristol C.B.	385,700*	133	66	8	-	-	-	-	-	-	
Gloucester C.B. ..	53,060	16	8	-	-	-	-	-	-	-	
Stoke-on-Trent C.B.	278,900	115	42	6	2	-	-	1	-	1	
Burton-upon-Trent C.B.	49,530	22	8	2	-	-	-	-	1	-	
Wolverhampton C.B.	108,800	42	18	4	-	-	-	-	-	1	
Walsall C.B.	102,300	49	16	2	-	-	-	-	1	1	
West Bromwich C.B	79,490	32	8	1	-	-	-	-	-	-	1
Dudley C.B.	58,810	32	8	2	-	-	-	-	-	-	
Worcester C.B. ..	50,230	18	9	1	-	-	-	-	-	-	
Birmingham C.B. ..	945,900	366	160	20	-	2	-	4	3	6	3
Smethwick C.B. ..	78,840	24	6	2	-	-	-	1	-	-	
Coventry C.B. ..	129,100	37	24	5	-	-	-	-	-	1	
Leicester C.B. ..	242,100	88	41	7	-	1	-	1	1	1	
Lincoln C.B.	66,600*	18	11	2	-	-	-	1	-	-	
Grimsby C.B.	87,190	35	14	2	-	-	-	-	-	1	
Nottingham C.B. ..	270,600	98	40	3	-	-	-	-	-	1	
Derby C.B.	134,400*	59	16	2	-	-	-	-	-	-	
Chesterfield ..	65,800	26	14	6	-	-	-	-	-	1	
Stockport C.B. ..	125,900	40	14	1	-	-	-	-	-	1	
Chester C.B.	41,670	15	6	2	-	-	-	-	-	-	
Birkenhead C.B. ..	155,500	68	29	3	-	-	-	1	-	1	
Wallasey C.B. ..	91,720	29	10	1	-	-	-	-	-	-	
Liverpool C.B. ..	856,000	393	171	46	-	6	-	5	-	30	
Bootle C.B.	83,260	40	15	7	-	-	-	-	-	-	
St. Helens C.B. ..	109,600	44	19	2	-	-	-	-	1	-	

* Population adjusted by the exclusion of non-civilians.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,360	15	11	1	-	-	-	-	-	-	-
WIGAN C.B.	91,010	38	23	2	-	-	-	-	-	1	-
WARRINGTON C.B. ..	77,970*	34	11	1	-	-	-	-	-	-	-
BOLTON C.B.	180,400	47	31	4	-	-	-	-	1	1	-
BURY C.B.	56,700*	15	10	2	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	288	131	17	-	1	1	1	-	1	-
SALFORD C.B.	244,700	104	42	9	-	-	1	-	-	-	-
OLDHAM C.B	146,200	48	35	3	-	-	-	1	-	-	2
ROCHDALE C.B... ..	92,190	30	24	-	-	-	-	-	-	-	1
BURNLEY C.B.	102,300	39	12	-	-	-	-	-	1	-	-
BLACKBURN C.B. ..	126,900	31	26	2	-	-	-	-	-	-	-
PRESTON C.B.	122,900	47	19	2	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	80,750	35	16	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	15	5	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	23	21	2	-	-	-	-	-	-	-
HALIFAX C.B.	97,860*	24	14	-	-	-	-	-	-	-	-
BRADFORD C.B. ..	290,200	102	60	12	-	-	-	-	1	6	-
LEEDS C.B.	472,900	169	98	14	-	-	-	1	-	11	-
DEWSBURY C.B ..	54,570	12	11	3	-	-	-	-	-	1	-
WAKEFIELD C.B. ..	53,980	24	8	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	29	16	4	-	-	-	-	-	1	1
SHEFFIELD C.B. ..	526,900*	203	75	7	-	-	-	-	1	-	1
ROTHERHAM C.B. ..	70,600	29	14	2	-	-	-	-	-	1	-
DONCASTER	55,610	30	8	1	-	-	-	-	-	-	-
YORK C.B.	84,630*	24	15	1	-	-	-	-	-	-	-
HULL C.B.	297,300	103	55	12	-	-	-	1	-	6	-
MIDDLESBROUGH C.B.	136,200	79	22	6	-	-	-	-	1	-	-
DARLINGTON C.B. ..	69,130	23	10	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	30	12	2	-	-	1	-	-	-	-
WEST HARTLEPOOL C.B.	71,590	33	12	-	-	-	-	-	-	1	-
SUNDERLAND C.B. ..	166,000	70	40	8	-	-	-	3	-	5	1
SOUTH SHIELDS C.B. ..	124,600	45	22	4	-	-	-	-	-	-	-
GATESHEAD C.B. ..	129,000	55	22	2	-	-	-	-	2	1	-
NEWCASTLE-ON-TYNE C.B.	286,300*	136	58	10	-	-	-	-	-	2	-
TYNEMOUTH C.B. ..	66,180	23	14	1	-	-	-	-	-	-	-
CARLISLE C.B.	55,160*	22	12	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	26	16	1	-	-	-	-	-	1	-
CARDIFF C.B.	227,100*	75	46	7	-	-	-	-	-	3	1
RHONDDA	167,570	47	20	3	-	-	-	-	-	-	-
MERTHYR TYDFIL C.B.	82,920	17	14	-	-	-	-	-	-	-	-
ABERDARE	57,700	12	5	1	-	-	-	-	-	1	-
SWANSEA C.B.	163,200	64	29	3	-	-	-	-	-	1	-
GREATER LONDON ..	7,719,622*	2,619	1,232	102	-	-	2	8	7	33	7
OUTER RING	3,117,622*	1,046	446	30	-	-	-	2	1	10	3
6 GREAT TOWNS IN OUTER RING	1,867,550*	622	262	19	-	-	-	2	1	7	1
REMAINDER OF OUTER RING	1,250,072*	424	184	11	-	-	-	-	-	3	2
EDINBURGH†	424,600	139	93	8	-	1	2	1	1	2	-
GLASGOW† ..	1,052,200‡	474	228	37	-	-	2	1	2	16	2
DUBLIN (REGISTRATION AREA)	419,156§	229	121	34	-	1	-	1	1	22	-
BELFAST†	416.000	181	94	22	1	-	-	-	1	8	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

§ Census population 1926 (unrevised).

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1926.										
London‡	4,602,000	Aug. 28	1573	786	8·9	–	–	–	2	6	6	2
Calcutta and Suburbs	1,077,273	July 24	?	534§	25·8	?	2	?	?	?	?	?
Bombay‖	1,279,061	„ 31	359	797§	32·4	2	7	6	–	–	–	
Madras	528,791	„ 31	471	453	44·5	1	1	–	?	1	–	
Sydney and Suburbs	1,038,950	„ 31 (31 days)										
Brisbane (Metropolitan Area).	263,711	June 30 (30 days)										
Perth (Metropolitan Area).	179,388	July 10										
Auckland (Urban Area).	180,790	June 30 (30 days)										
Wellington (Urban Area).	118,490	June 30										
Christchurch (Urban Area).	118,270	„ 30										
Cape Town	113,709	July 31	38	33	15·1	–	–	–	–	–	–	
Johannesburg	165,958	„ 31	66	33	10·3	–	–	–	–	1	–	
Durban	54,822	„ 31	28	16	15·2	–	–	–	–	–	–	
Paris	2,906,472	Aug. 10 (10 days)										
Antwerp	300,193	July 24	100	67	11·6	1	–	3	–	4	1	
Amsterdam	719,379	Aug. 14										
Copenhagen	587,400	„ 14										
Stockholm	442,528	„ 14	117	77	9·0	–	–	–	–	–	–	
Gothenburg	230,963	„ 14	?	37	8·3	–	–	–	–	–	–	
Oslo (Christiania) ..	255,724	„ 21	65	43	8·7	–	–	–	–	1	–	
Berlin	1,999,000	„ 7	378	378	9·8	1	?	–	–	3	2	
Breslau	560,000	„ 7	140	110	10·2	–	?	–	–	–	–	
Cologne	708,000	„ 7	237	136	10·0	–	?	–	–	1	–	
Dresden	621,000	„ 7	165	95	8·0	–	?	–	–	–	–	
Frankfort-on-Main ..	472,000	„ 7	127	66	7·3	–	?	–	–	–	–	
Hamburg	1,101,000	„ 7	220	201	9·5	1	?	–	1	–	–	
Leipzig	685,000	„ 7	161	115	8·7	–	?	–	–	–	–	
Munich	685,000	„ 7	130	122	9·3	–	?	1	–	–	1	
Vienna	1,873,432	May 31 (31 days)										
Prague and Suburbs	725,196	April 30 (30 days)										
Budapest	960,995	Aug. 7	360	245	13·3	3	–	–	2	1	1	
Warsaw	1,015,426	„ 14										
Cairo	859,400	April 8										
Alexandria	492,100	„ 8										
New York	5,924,139	July 17	?	1170	10·3	?	?	?	?	?	?	
		„ 24	2376	1231	10·8	–	–	2	–	–	8	
Chicago	2,995,239	June 11	1062	615	10·5	–	–	2	4	–	5	
		„ 18	1142	683	11·7	1	–	–	2	2	5	
		„ 25	1153	529	9·1	–	–	1	2	2	3	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 38 deaths from cholera in Calcutta and 1 in Bombay, and 1 death from Plague in Bombay.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 28th August, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	786	72	15	22	14	35	49	53	89	143	169	125
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	1	-	1	-	-	-	-	-	-	-
Whooping cough	6	2	2	2	-	-	-	-	-	-	-	-
Diphtheria	6	-	-	4	2	-	-	-	-	-	-	-
Influenza	4	-	-	-	-	-	-	1	-	1	2	-
Erysipelas	3	-	-	-	-	-	1	-	-	-	2	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	65	-	-	1	-	13	17	8	14	8	3	1
Nervous system	4	-	-	3	-	-	1	-	-	-	-	-
Intestines and peritoneum	3	-	1	-	-	-	1	1	-	-	-	-
Other forms	3	-	-	-	-	1	-	1	-	1	-	-
Venereal diseases	2	1	-	-	-	-	-	1	-	-	-	-
Cancer	123	-	-	-	-	-	2	4	22	39	43	13
Rheumatic fever	2	-	-	-	-	1	1	-	-	-	-	-
Diabetes	7	-	-	-	-	-	-	1	1	2	1	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	-	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	43	-	-	-	-	-	1	1	6	10	13	12
Epilepsy	3	-	-	-	-	-	2	1	-	-	-	-
"Convulsions" (not puerperal) ..	5	3	2	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	35	1	1	1	1	2	7	2	7	6	6	1
Pericarditis	1	-	-	-	-	1	-	-	-	-	-	-
Acute endocarditis	6	-	-	-	-	2	1	2	-	-	1	-
Other diseases of heart	112	-	-	-	1	5	3	3	12	24	34	30
Other diseases of circulatory system	40	-	-	-	-	1	-	-	1	8	17	13
Bronchitis	29	-	-	1	-	-	1	1	2	4	10	10
Broncho-pneumonia	18	6	2	2	-	1	2	1	1	1	1	1
Lobar-pneumonia	15	1	1	-	1	-	-	-	2	5	4	1
Pneumonia (type not distinguished)	8	-	1	1	-	1	-	1	1	2	1	-
Other diseases of respiratory system	10	-	-	1	-	-	1	2	1	2	2	1
Diarrhœa and enteritis	26	21	2	-	-	-	-	-	-	1	-	2
Appendicitis, Typhlitis	5	-	-	-	-	1	-	1	-	2	1	-
Hernia, Intestinal obstruction.. ..	10	1	-	-	1	-	-	1	3	1	2	1
Cirrhosis of liver	6	-	-	-	-	-	-	1	1	3	1	-
Other diseases of digestive system ..	17	-	-	1	1	2	1	4	4	3	-	1
Acute nephritis	2	-	-	-	1	-	-	1	-	-	-	-
Chronic Bright's disease..	26	-	-	-	-	-	4	5	1	8	5	3
Other diseases of genito-urinary system.	9	-	-	-	-	-	-	-	1	-	2	6
Puerperal sepsis	2	-	-	-	-	-	-	2	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	28	-	-	-	-	-	-	-	-	-	8	20
Suicide	13	-	-	-	-	2	1	5	2	3	-	-
Burns and Scalds	2	-	-	1	1	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	-	-	-	1	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	8	-	-	2	1	1	-	1	-	1	1	1
Other deaths by violence	8	-	-	1	-	-	1	-	1	-	2	3
Other specified causes	35	6	2	1	3	1	-	1	5	6	7	3
Ill-defined causes	1	-	-	-	-	-	-	-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in t week ended 28th Augu 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	151	162	10	38	C. 2 D. 1 E. 3 G. 5 J. 1 M. 13
Metropolitan Boroughs:—						
†BATTERSEA ...	-	7	4	-	3	-
†BERMONDSEY ...	-	6	7	-	1	-
†BETHNAL GREEN	-	3	14	1	-	-
†CAMBERWELL ...	-	6	22	3	2	-
†CHELSEA	-	-	-	-	3	E. 1
†DEPTFORD ...	-	2	4	-	-	M. 1
†FINSBURY ...	-	5	1	-	-	M. 1
†FULHAM	-	2	6	-	2	G. 1
†GREENWICH ...	-	3	2	-	-	M. 1
†HACKNEY ...	-	11	5	-	-	C. 1
†HAMMERSMITH ...	-	2	5	1	-	G. 1
†HAMPSTEAD ...	-	-	1	1	-	-
†HOLBORN... ...	-	1	-	-	-	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	16	8	-	2	G. M.
†KENSINGTON ...		3	7	-	2	-
†LAMBETH ...	-	5	5	-	1	D.
†LEWISHAM ...	-	5	9	-	1	-
†PADDINGTON ...	-	3	5	-	3	-
†POPLAR	-	16	12	1	2	G.
†ST. MARYLEBONE	-	1	1	-	1	-
†ST. PANCRAS ...	-	5	5	1	1	E. M.
†SHOREDITCH ...	-	10	8	-	5	M.
†SOUTHWARK ...	-	6	10	1	2	G.
†STEPNEY	-	17	13	-	1	M.
†STOKE NEWINGTON	-	6	1	-	-	E. M.
†WANDSWORTH ...	-	5	4	1	4	M.
†WESTMINSTER, CITY OF	-	-	3	-	-	C.
†WOOLWICH ...	-	5	-	-	2	J.

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	3	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	2	–	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
KEMPSTON ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
BEDFORD ...	–	–	1	–	–	–
BIGGLESWADE ...	–	–	1	–	–	–
BERKS	–	4	–	–	–	M. 1
†READING C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	–	–	–	–	M. 1
WALLINGFORD ...	–	1	–	–	–	–
BUCKINGHAM ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
CHESHAM... ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
HAMBLEDEN ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	3	3	–	1	–
Borough:—						
†CAMBRIDGE ...	–	2	3	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	37	18	5	11	C. 1 E. 1 G. 3 L. 2 M. 2
†BIRKENHEAD C.B.	–	7	3	2	4	G. 1 L. 1
†CHESTER C.B. ...	–	1	–	2	1	–
†STOCKPORT C.B.	–	13	1		1	–
†WALLASEY C.B. ...	–	2	5	–	–	G. 1 L. 1
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	1	–	–
BREDBURY AND ROMILEY	–	–	.	–	–	G. 1
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	2	1	–	–	–
†DUKINFIELD ...	–	–	–	–	3	–
HALE	–	1	–	–	–	–
HOOLE	–	–	–	–	–	E. 1
†HYDE	–	–	–	–	–	C. 1
LYMM	–	–	–	–	–	M. 1
†MACCLESFIELD ...	–	2	2	–	–	–
†NORTHWICH ...	–	–	1	–	–	–
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
CONGLETON ...	–	–	–	–	–	M. 1
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	2	1	–	–	–
RUNCORN... ...	–	–	1	–	–	–
WIRRAL	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	–	1	–	2	G. 1
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	–	–	–	G. 1
REDRUTH ...	–	–	1	–	–	–
Rural Districts:—						
CAMELFORD ...	–	–	–	–	1	–
HOLSWORTHY (part)	*	*	*	*	*	*
ST. GERMANS ...	–	–	–	–	1	–
CUMBERLAND ..	–	10	3	1	–	M. 1
†CARLISLE C.B. ..	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
COCKERMOUTH ...	–	3	–	1	–	–
WHITEHAVEN ...	–	2	–	–	–	–
WIGTON		1	–	–	–	–
DERBY	–	25	13	1	10	–
†DERBY C.B. ...	–	3	6	–	2	–
Boroughs and Urban Districts:—						
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	3	–	–	2	–
†GLOSSOP		1	–	–	–	–
†HEANOR	–		1	–	1	–
†ILKESTON ...	–	5		–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
WIRKSWORTH ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BLACKWELL ...	–	–	–	1	1	–
CHAPEL EN LE FRITH	–	3	–	–	–	–
CHESTERFIELD ...	–	1	4	–	2	–
CLOWNE	–	1	1	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	22	1	–	3	C. 2 D. 1 E. 2 M. 5
†EXETER C.B. ...	–	1	–	–	–	C. 1 M. 1
†PLYMOUTH C.B...		14	1	–	1	C. 1 E. 1 M. 3
Boroughs and Urban Districts:—						
DARTMOUTH ...	–	–	–	–		E. 1
HOLSWORTHY ...	*	*	*	*	*	*
HONITON ...	*	*	*	*	*	*
†ILFRACOMBE ...	–	2	–	–		–
IVYBRIDGE ...	*	*	*	*	*	*
NORTHAM ...		1	–	–	–	–
OKEHAMPTON ...	–	2	–	–	–	M. 1
†PAIGNTON ...	–	–	–	–	1	–
SALCOMBE ...	*	*	*	*	*	*
TAVISTOCK ...		–	–	–	1	–
†TEIGNMOUTH ...	–	1	–	–	–	–
Rural Districts:—						
HOLSWORTHY (part)	*	*	*	*	*	*
HONITON ...	*	*	*	*	*	*
ST. THOMAS ...	–	1	–	–	–	D. 1
DORSET	–	3	4	–	1	E. 1
Boroughs and Urban Districts:—						
†POOLE	–	3	2	–	–	–
SHERBORNE ...	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
DORCHESTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	–	2	–	–	–
DURHAM	70	65	17	6	14	D. 1 M. 5
†DARLINGTON C.B.	–	4	1	–	1	–
†GATESHEAD C.B.	1	13	3	–	1	–
†SOUTH SHIELDS C.B.	4	4	–	–	4	D. 1
†SUNDERLAND C.B.	–	3	2	–	3	–
†WEST HARTLEPOOL C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON... ...	1	2	–	–	–	–
†BRANDON AND BYSHOTTLES	1	–	–	–	–	–
†CHESTER LE STREET	–	–	2	–	–	–
†CONSETT	–	1	1	1	–	–
†CROOK	1	1	–	–	–	–
†DURHAM	–	1	–	–	–	–
†FELLING	–	–	–	–	1	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	–	2	–	–
†HETTON	26	–	–	–	–	–
†HOUGHTON LE SPRING	2	1	1	–	–	M. 1
†JARROW	2	2	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SHILDON	2	–	–	–	1	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	–	–	–	–	M. 1
†STANLEY	9	5	–	–	–	–
†STOCKTON ON TEES	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
TOW LAW ...	3	3	–	–	–	–
†WASHINGTON ...	–	–	1	–	–	–
†WHICKHAM ...	–	–	1	–	–	M. 1
Rural Districts:—						
AUCKLAND ...	1	2	–	1	–	–
BARNARD CASTLE	–	–	–	1	–	–
CHESTER LE STREET	–	3	1	–	–	–
DURHAM	–	4	–	–	–	–
EASINGTON ...	2	1	1	1	2	–
HOUGHTON LE SPRING	6	–	–	–	–	–
LANCHESTER ...	1	4	1	–	–	–
SEDGEFIELD ...	8	2	–	–	–	–
SUNDERLAND ...	–	–	1	–	–	M. 1
WEARDALE ...	–	–	–	–	–	M. 1
ELY, ISLE OF ...	–	–	2	–	1	G. 1
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	–	2	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	–	–	–	–	G. 1
WHITTLESEY ...	–	–	–	–	1	–
ESSEX	–	48	31	–	10	C. 1 E. 6 F. 1 G. 5 M. 1
†EAST HAM C.B. ...	–	3	–	–	–	–
†SOUTHEND-ON-SEA C.B.	–	–	4	–	–	C. 1 E. 1
†WEST HAM C.B. ...	–	22	9	–	5	G. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	2	–		–
BRAINTREE ...	–	1	–	–	–	–
CANVEY ISLAND...	–	–	1	–	–	–
†CLACTON	–	1	2	–	–	–
†COLCHESTER ...	–	–	–	–	1	G. 2
DAGENHAM ...	–	2	–	–	–	–
†GRAYS THURROCK	–	–	1	–	2	E. 4
HALSTEAD ...	–	1	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	–	1	–	–	–
†LEYTON		2	3	–	1	–
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	1	–	–	–	–
TILBURY	–	1	–	–	–	
WALTHAM HOLY CROSS	–	–	1	–	–	–
†WALTHAMSTOW...	–	8	6			–
WITHAM	–	1	–	–	–	–
Rural Districts:—						
BUMPSTEAD ...	–	–	–	–	–	E. 1
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	1	–	–	–	–
MALDON	–	1	–	–	1	–
ONGAR	–	–	–		–	G. 1
ROCHFORD ...	–	–	–	–	–	G. 1
ROMFORD... ...	–	–	–	–	–	F. 1
GLOUCESTER ..	–	34	10	2	7	L. 2
†BRISTOL C.B. ...	–	23	8		5	L. 2
†GLOUCESTER C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
NAILSWORTH ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	1	–	–
GLOUCESTER ...	–	1	–	1	–	–
NORTHLEACH ...	–	–	1	–	–	–
STROUD	–	4	–	–	–	–
THORNBURY ...	–	2	–	–	–	–
HEREFORD ...	–	–	–	–	2	–
Rural Districts:—						
LEDBURY... ...	–	–	–	–	2	–
HERTFORD ..	–	5	3	–	–	–
Boroughs and Urban Districts:—						
†HERTFORD ...	–	2	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†WATFORD ...	–	2	–	–	–	–
Rural Districts:—						
ST. ALBANS ...	–	–	2	–	–	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ..	–	3	–	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–		–	–	1	–
OLD FLETTON ...		1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	35	21	1	3	E. 5 G. 1 M. 3
†CANTERBURY C.B.	–	5	2	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEXLEY	–	2	–	–	–	–
†BROMLEY ...	–	–	1	–	–	–
†CHATHAM ...	–	1	2	–	–	M. 1
†DARTFORD ...	–	–	2	–	–	–
†DEAL	–	1	–	–	–	–
†ERITH	–	1	1	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†GILLINGHAM ...	–	1	1		–	–
†HERNE BAY ...	–	–	1	–	–	–
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	3	2	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	1	4	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	–
SANDWICH ...	–	–	–	1	–	–
†SHEERNESS ...	–	–	–	–	–	E. 4
SIDCUP	–	1	–	–	–	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
WROTHAM ...	–	2	–		–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	E. 1
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	3	1	–	–	–
EAST ASHFORD ...	–	1	–	–	–	
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
MAIDSTONE ...	–		–	–	–	M. 1
MALLING	–	2	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
STROOD	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	67	100	5	65	C. 7 E. 4 F. 1 G. 5 L. 2 M. 29
†BARROW IN FURNESS C.B.	–	1	1	–	1	–
†BLACKBURN C.B.	–	1	1	1	2	G. 1
†BLACKPOOL C.B.	–	2	–	–	–	M. 1
†BOLTON C.B. ...	–	3	1	–	–	–
†BOOTLE C.B. ...	–	2	–	–	2	F. 1
†BURNLEY C.B. ...	–		1	–	2	M. 2
†BURY C.B. ...	–	4	1	–	1	–
†LIVERPOOL C.B. ..	–	37	35	1	20	C. 3 E. 1 M. 17
†MANCHESTER C.B.	–	49	14	2	17	G. 2 M. 3
†OLDHAM C.B. ..	–	8	4	–	–	–
†PRESTON C.B. ...	–	–	1	–	1	–
†ROCHDALE C.B. ...	–	2	4	–	–	–
†ST. HELENS C.B. ...	–	3	3	1	4	M. 2
†SALFORD C.B. ...	–	10	12		3	–
†SOUTHPORT C.B.	–	3	–	–	–	–
†WARRINGTON C.B.	–	2	1	–	2	C. 2
†WIGAN C.B. ...	–	1	1	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–		G. 1
†ASHTON UNDER LYNE	–	1	1	–	–	–
†ATHERTON ...	–	1	–	–	–	–
†BACUP	–	1	–	–	–	–
†CHADDERTON ...	–	6	–	–	–	–
†CHORLEY		–	–		1	–
†CLITHEROE ...	–	–	1	–	–	–
†CROMPTON ...	–	2	–		1	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	2	1	–	–	–
†DENTON	–	–	2		–	–
†ECCLES	–	1	–	–	–	
†FAILSWORTH ...	*	*	*	*	*	*
†FARNWORTH ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	3	–	–	–	–
†HAYDOCK ...	–	3		–	1	–
†HEYWOOD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HINDLEY... ...	–	–	–	–	–	M. 1
IRLAM	1	–	–	–	–	–
†LANCASTER ...	–	1	–	–	1	C. 1 G. 1
†LITHERLAND ...	*	*	*	*	*	*
LONGRIDGE ...	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	2	–
†PADIHAM ...	–	–	4	–	–	–
†RADCLIFFE ...	–	3	1	–	–	L. 1
STANDISH WITH LANGTREE	–	–	1	–	–	–
†STRETFORD ...	–	2	1	–	1	E. 2
†SWINTON AND PENDLEBURY	–	1	–	–	–	–
TOTTINGTON ...	–	–	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	–	C. 1
†ULVERSTON ...	–	2	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	–	M. 1
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	–	1	–	–	–
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BURY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 1
LEIGH	–	1	1	–	–	–
WARRINGTON ...	–	–	–	–	–	M. 1
WEST LANCASHIRE	–	3	–	–	–	–
WHISTON... ...	–	–	1	–	–	–
WIGAN	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ..	–	14	11	–	1	C. 1 E. 9 G. 1
†LEICESTER C.B. ...	–	8	9	–	–	E. 3 G. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	1	–	–	–
†HINCKLEY ...	–	–	–	–	–	C. 1
THURMASTON ...	–	1	–	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	–	–	–	–	E. 3
BILLESDON ...	–	1	–	–	–	–
BLABY	–	1	–	–	–	E. 1
HINCKLEY ...	–	1	1	–	1	E. 1
MARKET BOSWORTH	–	1	–	–	–	–
MARKET HARBOROUGH	–	–	–	–	–	E. 1
LINCOLN (parts of Holland).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	3	–	2	D. 1
Boroughs and Urban Districts:—						
STAMFORD ...	–	–	–	–	1	D. 1
Rural Districts:—						
BOURNE	–	1	2	–	–	–
CLAYPOLE ...	–	–	–	–	1	–
†GRANTHAM ...	–	–	1	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	16	10	1	6	C. 1 E. 1 G. 2 M. 1
†GRIMSBY C.B. ...	–	3	4	–	1	–
†LINCOLN C.B. ...	–	6	–	–	–	C. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	2	–	1	G. 1
†GAINSBOROUGH ...	–	1	–		–	–
HORNCASTLE ...	–	–	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	2	3	–	–	–
SKEGNESS ...	–	1	1	–	–	–
Rural Districts:—						
CAISTOR	–	–	–	1	–	–
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	1	–	–	–	G. 1
HORNCASTLE ...	–	2	–		–	–
SPILSBY	–	–	–	–	–	E. 1 M. 1
MIDDLESEX ...	–	19	19	–	10	D. 1 G. 2 L. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	1	
†BRENTFORD ...	–	–	1	–	1	–
†CHISWICK ...	–		1	–	–	–
†EALING	–	1	1	–	–	–
†EDMONTON ...	–	1	4	–	–	–
†ENFIELD	–	1	1	–	–	–
†FINCHLEY ...	–	–	1	–	2	–
†HARROW ON THE HILL	–	–	–	–	–	D. 1 G. 1
†HENDON	–	–	1	–	–	–
†HESTON AND ISLEWORTH	–	1	2	–	–	–
†HORNSEY	–	–	1	–	–	M. 1
KINGSBURY ...	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	2	–	–	–	
†TOTTENHAM ...	–	5	3	–	–	G. 1
†WILLESDEN ...	–	4	1	–	6	–
†WOOD GREEN ...	–	–	–	–	–	L. 2
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	–	1	–	–	–
NORFOLK	–	9	3	1	–	E. 1 M. 1
†GREAT YARMOUTH C.B.	–	1	–	–	–	M 1
†NORWICH C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
DISS	–	1	–	–	–	–
THETFORD ..	*	*	*	*	*	*
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	E. 1
DEPWADE ...	–	1	1	–	–	–
DOCKING	–	–	1	–	–	–
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–
MARSHLAND ...	*	*	*	*	*	*
SMALLBURGH ...	–	–	–	1	–	–
THETFORD ...	–	3	–	–	–	–
NORTHAMPTON ...	–	7	2	–	2	C. 2
†NORTHAMPTON C.B.	–	4	2	–	–	C. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	–	C. 1
HARDINGSTONE ...	–	–	–	–	1	–
THRAPSTON (part)	–	1	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	12	39	12	2	18	D. 2 E. 1 G. 2
†NEWCASTLE UPON TYNE C.B.	–	20	9	–	15	D. 1 E. 1 G. 1
†TYNEMOUTH C.B.	–	3		–	1	D. 1 G. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	12	1	–	–	–	–
†BEDLINGTONSHIRE	–	3	1	1	–	–
†BLYTH	–	–	–	–	1	–
†EARSDON	–	2	–	–	–	–
†GOSFORTH ...	–	3		–	–	–
†NEWBURN ...	–	1	–	1	–	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	4	1	–	–	–
†WHITLEY AND MONKSEATON	*	*	*	*	*	*
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
BELLINGHAM ...	–	–	1	–	–	–
CASTLE WARD ...	–	1	–	–	–	–
NOTTINGHAM ...	–	16	14	–	4	C. 1 E. 1 M. 1
†NOTTINGHAM C.B.	–	8	10	–	3	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
†MANSFIELD ...	–	2	2	–	–	–
†NEWARK	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	2	1	–	–	–
EAST RETFORD ...	–	3	–	–	1	–
SOUTHWELL ...	–	1	–	–	–	–
OXFORD	–	–	1	2	–	–
Rural Districts:—						
BICESTER... ...	–	–	1	–		–
THAME	–	–	–	1	–	–
WITNEY	–	–	–	1	–	–
SALOP	–	2	–		2	C. 1 M. 1
Boroughs and Urban Districts:—						
†SHREWSBURY ...	–	2	–	–	–	–
Rural Districts—						
BRIDGNORTH ...	–	–	–	–	1	–
NEWPORT ...	–	–	–	–	1	C. 1
OSWESTRY ...	–	–	–	–	–	M. 1
SOMERSET	–	6	1	–	1	G. 1
†BATH C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
GLASTONBURY ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHEPTON MALLET	–	–	1	–	–	–
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
CLUTTON	–	2	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	16	26	3	3	C. 1 G. 2 M. 2
†BOURNEMOUTH C.B.	–	1	–	–	–	G. 1
†PORTSMOUTH C.B.	–	6	14	–	–	C. 1
†SOUTHAMPTON C.B.	–	3	7	2	2	M 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT	–	–	–	–	1	–
PETERSFIELD ...	–	–	2	1	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–		–
HARTLEY WINTNEY	–	–	–	–	–	G. 1
HURSLEY	–	1	–	–	–	–
WINCHESTER ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	44	30	4	20	C. 3 G. 2 L. 2 M. 6
†BURTON UPON TRENT C.B.	–	8	6	–	–	–
†SMETHWICK C.B.	–	2	1	–	–	–
†STOKE ON TRENT C.B.	–	6	5	–	7	C. 1 M. 1
†WALSALL C.B. ...	–	2	3	–	2	–
†WEST BROMWICH C.B.	–	1	–	–	–	–
†WOLVERHAMPTON C.B.	–	4	–	–	–	C. 1 M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	–
†BILSTON	–	1	–	–	1	–
†BRIERLEY HILL...	–	1	4	–	–	–
†BROWNHILLS ...	–		–	–	2	G. 1
†CANNOCK	–	1	–	–		–
†COSELEY	–	–	1	1	1	–
†DARLASTON ...	–	2	1	–	1	–
KIDSGROVE ...	–		1	–	1	M. 1
†LEEK	–	1	1	–	–	–
LICHFIELD ...	–	–		–	–	M. 1
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	–	–	–	–
†SEDGLEY	–	–	1	–	–	M. 1
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	–	1	–	–	C. 1
TAMWORTH ...	–	–	2	–	–	–
†TIPTON	–	1		–	1	–
†WEDNESBURY ...	–	–	–	1	1	–
†WILLENHALL ...	–	1	1	–	–	–
†WOLSTANTON UNITED	–	3	1	1	1	G. 1
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE	–	2	–	–	–	L. 2
KINGSWINFORD ...	–	1	1	–	–	–
LICHFIELD ...	–	–	–	1		–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ..	–	1	–	1	1	C. 1 M. 3
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	–	–	1	–	–
†LOWESTOFT ...	–	–	–	–	1	C. 1 M. 2
Rural Districts:—						
EAST STOW ...	–	–	–	–	–	M. 1
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	1	–	–	–	–
THINGOE	*	*	*	*	*	*
SURREY	–	11	16	1	1	C. 1 M. 1
†CROYDON C.B. ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	–	2	–	–	–
†CHERTSEY ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	1	1	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–	–	–	–	–	C. 1
†ESHER AND THE DITTONS	–	1	1	–	–	–
†GUILDFORD ...	–	–	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	1	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	–	2	–	–	–
†WIMBLEDON ...	–	1	1	–	–	–
Rural Districts:—						
EPSOM	–	–	1	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	1	1	–	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	4	1	5	C. 1 D. 1 E. 1 M. 1
†BRIGHTON C.B. ...	–	5	3	–	1	C. 1 M. 1
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	–	–	–	–	D. 1 E. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	*	*	*	*	*	*
†HOVE	–	–	–	–	4	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HASTINGS ...	*	*	*	*	*	*
STEYNING EAST...	–	–	1	–	–	–
UCKFIELD ...	–	6	–	1	–	–
SUSSEX, WEST ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†WORTHING ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
PETWORTH ...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WARWICK ...	–	25	40	–	18	C. 4 E. 1 G. 4 M. 9
†BIRMINGHAM C.B.	–	19	34	–	16	C. 3 E. 1 G. 2 M. 9
†COVENTRY C.B. ...	–	1	2	–	–	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	–	C. 1
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	4	2	–	1	–
FOLESHILL ..	–	–	–	–	–	G. 1
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND ...	–	7	–	–	–	E. 1
Boroughs and Urban Districts:—						
APPLEBY... ...	–	–	–	–	–	E. 1
†KENDAL	–	1	–	–	–	–
KIRKBY LONSDALE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND— *cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	2	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
WILTS	–	4	7	–	2	D. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
DEVIZES	–	–	1	–	–	–
†SALISBURY ...	–	–	1	–	–	D. 1
†SWINDON... ...	–	–	4	–	1	–
†TROWBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	–	–	–	1	L. 1 M. 1
HIGHWORTH ...	–	1	1	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
WORCESTER ...	–	2	7	1	10	G. 1
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	–	3	–	4	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	1	G. 1
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–	1	–	–	–	–
†OLDBURY... ...	–	–	–	–	2	–
†REDDITCH ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	–	1	1	–	–
DROITWICH ...	–	–	–	–	1	–
KIDDERMINSTER	–	–	–	–	1	–
MARTLEY... ...	–	–	1	–	1	–
YORKS ... ... (East Riding.)	–	21	20	–	2	M. 1
†KINGSTON UPON HULL C.B.	–	13	17	–	2	M. 1
Boroughs and Urban Districts:—						
HESSLE	–	1	–	–	–	–
HORNSEA... ...	–	1	–	–	–	–
WITHERNSEA ...	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
NORTON	–	–	1	–	–	–
POCKLINGTON ...	–	4	–		–	–
RICCALL	–	–	2	–	–	–
YORKS ... .. (North Riding.)	–	25	10	1	6	C. 1
†MIDDLESBROUGH C.B.	–	8	6	–	2	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	11	2	–	–	–
LOFTUS	–	–	1	–	–	–
†REDCAR	–	1	–	–	1	–
†SCARBOROUGH ...	–	1	1		1	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY		–	–	1	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
LEYBURN... ...	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	–	–
THIRSK	–	1	–	–	–	–
YORKS ... .. (West Riding.)	7	95	51	7	54	C. 5 G. 1 M. 8
†BARNSLEY C.B. ...	–	4	–	–	–	–
†BRADFORD C.B. ...	–	8	11	1	1	C. 1
†DEWSBURY C.B....	–	3	1	–	1	–
†HUDDERSFIELD C.B	–	2	4	–	1	–
†LEEDS C.B. ..	–	8	6	–	7	G. 1 M. 2
†ROTHERHAM C.B.	–	1	–	–	3	M. 1
†SHEFFIELD C.B...	–	29	16	1	20	C. 1 M. 3
†WAKEFIELD C.B.	–	2	–	1	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	–	2	–	–	M. 1
†BENTLEY WITH ARKSEY	–	1	–	–		–
†CASTLEFORD ...	–	–	–		1	–
†CONISBROUGH ...	–	1	–	1	–	–
DARFIELD ...	–	1	–	–	1	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	–	–	1	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	1	–	–	1	M. 1
HEBDEN BRIDGE	–	–	–	–	–	C. 1
†HEMSWORTH ...		–	–	–	1	–
HORSFORTH ...	*	*	*	*	*	*
†HOYLAND NETHER	–	1	1	–	–	–
†KEIGHLEY ...	1	2	2	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
MALTBY	–	–	–		1	–
MELTHAM ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague: encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	3	1	-	-	3	-
†MORLEY	-	-	-	-	1	-
†NORMANTON ..	-	-	-	-	2	-
†OSSETT	-	1	-	-	-	-
OTLEY			-		-	C. 1
†PUDSEY	-	-	1	-	-	-
†RAWMARSH ...	-	1	-		-	
ROYSTON	-	2	1	-	-	-
SELBY	-	1	1	-	-	-
†SHIPLEY	-	1	-	-	-	-
†SPENBOROUGH ...	-		1	-	-	-
†STANLEY	-	1	1	-	-	-
†SWINTON	3	1	-	-	-	-
†TODMORDEN ...	-	-	-	-	2	-
†WOMBWELL ..	-	6	-	-	2	-
Rural Districts:—						
DONCASTER ..	-	2	-		1	-
GOOLE	-	1	-		-	-
HALIFAX	-	-	1	-		-
HEMSWORTH ...	-	1	-	-	1	-
KIVETON PARK ...	-	-	1	-	-	-
KNARESBOROUGH	-	1	-	-	-	-
ROTHERHAM ...	-	3	-	-	1	-
SEDBERGH ...	-	-		2	-	-
SKIPTON	-	2	-	-	-	-
THORNE	-	1	-	-	-	C. 1
WAKEFIELD ...	-	1	-	-		-
WETHERBY ...	-	-		-	1	-
WORTLEY ...	-	1	-	-	-	-
§YORK, CITY OF ...	-	2	1	-	1	E. 1 M. 2
†YORK C.B. ...	-	2	1	-	1	E. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	-	3	3	1	-	-
Boroughs and Urban Districts:—						
†HOLYHEAD ...	-	1	1	-	-	-
Rural Districts:—						
AETHWY	-	-	1	-	-	-
TWRCELYN ...	-	1	-	-	-	-
VALLEY	-	1	1	1	-	-
BRECKNOCK ...	-	1	1	-	-	-
Rural Districts:—						
HAY	-	-	1	-	-	-
YSTRADGYNLAIS	-	1	-	-	-	-
CARDIGAN ...	-	1	-	-	-	-
Boroughs and Urban Districts:—						
CARDIGAN ...	-	1	-	-	-	-
CARMARTHEN ..	-	-	6	1	1	-
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	1	-		-
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	-	-	2	1	-	-
Rural Districts:—						
CARMARTHEN ...		-	1	-		-
LLANDILO FAWR	-	-	2	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	3	–	–	2	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
LLANSILIN ...	–	–	–	–	1	–
WREXHAM ...	–	2	–	–	1	–
FLINT	–	2	–	–	1	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	–	–
OVERTON ...	*	*	*	*	*	*
GLAMORGAN ...	–	16	28	–	10	C. 5 D. 1 E. 1 M. 2
†CARDIFF C.B. ...	–	–	2	–	1	C. 1 D. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	–	–	2	–
†SWANSEA C.B. ...	–	2	4	–	2	C. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	–	–
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	1	–	–	1	–
†GELLIGAER ...	–	–	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAESTEG ...	–	–	2	–	–	–
†MOUNTAIN ASH ...	–	–	1	–	–	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	4	1	–	–	–
†PONTYPRIDD ...	–	–	1	–	–	C. 1
†PORT TALBOT ...	–	–	4	–	–	–
†RHONDDA ...	–	3	4	–	3	C. 1 E. 1 M. 1
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	–	–
NEATH	–	–	2	–	–	–
PENYBONT ...	–	–	1	–	–	–
SWANSEA... ...	–	3	–	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban District:—						
FESTINIOG ...	–	–	1	–	–	–
MONMOUTH ...	–	2	3	–	4	C. 1 D. 1 M. 3
†NEWPORT C.B. ...	–	2	–	–	2	C. 1 D. 1 M. 1
Boroughs and Urban Districts:—						
BEDWAS AND MACHEN	–	–	–	–	1	–
†BLAENAVON ...	–	–	–	–	1	M. 1
†EBBW VALE ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	–	1	–	–	–
†PANTEG	–	–	1	–	–	–
†TREDEGAR ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
MONTGOMERY ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE	–	5	1	–	–	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	1	–		–
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	–	5	–	–	–	–
NARBERTH ...	*	*	*	*	*	*
Total of Part II. ...	90	905	563	48	321	C. 40 D. 10 E. 37 F. 2 G. 34 L. 11 M. 91

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
HARTLEPOOL	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	–	1	1	
KINGSBRIDGE AND SALCOMBE	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	1	–
							Total of Part III.... ...	–	–	–	1	2	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	151	162	10	38	C. 2 D. 1 E. 3 G. 5 J. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	90	905	563	48	321	C. 40 D. 10 E. 37 F. 2 G. 34 L. 11 M. 91
Total of Part III.—Port Sanitary Districts	–	–	–	1	2	–
Total (*i.e.*, of returns received), England and Wales ...	90	1056	725	59	361	C. 42 D. 11 E. 40 F. 2 G. 39 J. 1 L. 11 M. 104

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certai FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24	July 31.	Aug. 7.	Aug. 14	Aug. 21.
LONDON :—												
DEATHS—all ages	827	820	766	807	785	775	791	706	823	706	752	716
" 0 to 1 year ..	61	60	61	77	67	69	64	60	76	56	76	68
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,833	7,074	7,424	7,167	7,137	7,000	6,992	7,118	7,460	6,079	7,508	6,970
DEATHS—all ages	3,939	3,669	3,525	3,384	3,570	3,424	3,540	3,215	3,305	3,139	3,226	3,280
" 0 to 1 year ..	415	403	354	379	354	355	363	337	374	354	386	383
ENTERIC FEVER—Cases	28	16	16	32	25	49	36	46	33	14	30	24
Deaths	4	2	2	3	3	3	4	—	4	5	1	—
SMALL POX—Cases ..	41	43	31	12	15	20	23	10	5	8	4	11
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	687	814	792	766	882	816	904	734	716	600	674	669
" Deaths	7	4	4	4	8	6	6	3	3	2	6	6
DIPHTHERIA—Cases ..	538	587	567	606	611	604	608	625	479	509	552	460
" Deaths ..	25	22	24	38	32	17	25	25	21	26	23	28
MEASLES—Deaths ..	35	29	37	26	25	18	14	14	14	13	9	12
INFLUENZA—Deaths ..	80	67	38	37	28	35	22	20	14	19	18	16

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 28th August, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	81	45	75·6	54·1	0
BRIGHTON ..	72	55	69·9	58·3	0
PORTSMOUTH ..	78	54	73·2	58·1	0
NORWICH (EATON).	77	46	72·3	53·3	4
PLYMOUTH ..	73	52	70·3	57·3	6
BRISTOL (CLIFTON).	76	49	70·9	56·1	3
BIRMINGHAM (EDGBASTON).	74	47	69·4	53·6	0·1
NOTTINGHAM ..	75	44	70·0	52·4	0·3
BIRKENHEAD (BIDSTON).	74	51	65·4	54·9	5
MANCHESTER (WHITWORTH PARK).	74	45	67·1	52·6	9
BURNLEY	74	41	65·7	49·1	7

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.
	°	°	°	°
HUDDERSFIELD	75	46	69·1	50·3
BRADFORD ..	72	43	65·4	49·4
SHEFFIELD ..	74	47	67·9	52·0
YORK (MUSEUM)	72	46	68·9	52·6
HULL (PEARSON PARK).	73	46	69·6	51·3
TYNEMOUTH ..	68	47	65·9	53·0
CARDIFF.. ..	73	45	68·6	54·6
EDINBURGH ..	66·0	49·0	64·4	50·9
GLASGOW ..	69·7	49·9	63·4	52·0
DUBLIN (PHŒNIX PARK).	76·2	41·4	68·7	50·3
(FITZWILLIAM SQUARE†).	75·1	50·1	67·5	54·0
BELFAST.. ..	Not received.			

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th August, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	22	..	29·927	72·1	56·0	16·1	62·8	+ 1·7	50·2	12·6	22·6	2·8	64	128·4	45·7	58·5	WSW : W.	WNW : W.	5·0	0·0	0·8	467	+ 225	0·00
MONDAY -	23	Full. Perigee.	30·091	75·6	51·0	24·6	62·7	+ 1·7	54·7	8·0	20·3	0·4	75	143·0	38·0	58·7	WSW	WSW : SW.	1·6	0·0	0·1	228	− 17	0·00
TUESDAY -	24	..	30·005	80·8	61·7	19·1	70·1	+ 9·3	63·5	6·6	15·0	1·2	80	142·1	56·5	58·6	WSW	W : WSW.	3·5	0·0	0·5	367	+ 118	0·00
WEDNESDAY	25	..	29·948	80·6	60·8	19·8	68·3	+ 7·6	60·1	8·2	19·9	1·9	76	136·0	55·0	58·8	WSW	W : N : NE.	1·5	0·0	0·1	239	− 18	0·00
THURSDAY -	26	In Equator	30·026	72·1	54·9	17·2	62·7	+ 2·0	49·1	13·6	22·8	5·4	61	135·2	42·0	58·8	N : NNW.	N	1·5	0·0	0·2	227	− 39	0·00
FRIDAY -	27	..	30·182	71·6	45·2	26·4	58·6	− 2·0	49·0	9·6	23·2	1·0	70	114·0	33·1	58·9	Calm	Calm	0·2	0·0	0·0	106	− 166	0·00
SATURDAY -	28	..	30·159	75·1	47·2	27·9	62·1	+ 1·7	51·6	10·5	20·4	1·4	69	140·3	35·1	58·9	Calm	ESE	1·4	0·0	0·1	141	− 134	0·00
MEANS -		..	30·048	75·4	53·8	21·6	63·9	+ 3·1	54·0	9·9	20·6	2·0	71	134·1	43·6	58·7	WSW		..	..	..	Sum 1775	Sum − 31	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY .	22	wP.	10·0	14·2	Variably cloudy. Brisk wind from 7h. till 19h.
MONDAY ..	23	wP.	7·5	14·2	Variably cloudy. Dew in morning. Occasional slight damping 19h. till 20h.
TUESDAY ..	24	wP till 14h.; mP till 20h.; then wP.	6·5	14·1	Variably cloudy till 6h.; nearly overcast till 17h.; then partially cloudy.
WEDNESDAY	25	wP till 17h.; mP till 20h.; then wP.	1·9	14·0	Nearly overcast generally. Slight mist at night.
THURSDAY	26	MP.	12·4	14·0	Overcast till 2h., then partially cloudy becoming cloudless by 16½h. Haze at night.
FRIDAY ..	27	wP till 8h.; mP till 16h.; then wP.	11·0	13·9	Cloudless with cloudy interval between 14½h and 20½h. Haze generally. Partial solar halo 14½h. till 15¾h. Dew at night.
SATURDAY	28	wP.	11·7	13·8	Partially cloudy. Dew in morning and at night.
			Sum 61·0	Sum 98·2	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 ins. at the beginning of the week to 30·13 ins. by 9h. on 23rd; decreased generally to 29·90 ins. by 17h. on 25th; increased to 30·21 ins. by 9h. on 28th; decreased and was 30·12 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 35

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 4TH SEPTEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH SEPTEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-fifth week of the year numbered 6,358 and corresponded to an annual rate of 17·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,409 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 8·7, 8·8 and 8·8. Infant mortality was 71 per 1,000 births against 51, 55 and 58 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,414 births, corresponding to a rate of 16·0 per 1,000, and 792 deaths of civilians, corresponding to an annual rate of 9·0, against 8·5, 8·1 and 8·9, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·6 per 1,000. The infant mortality was 61 as against 45, 43 and 46 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,292 to 3,409. In London the number of deaths from all causes increased from 785 to 792; the deaths from diphtheria which had been 8, 10 and 6 in the preceding three weeks were 5 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 17, 18 and 23 in the preceding three weeks, increased to 33 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 4th September, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 GREAT TOWNS ..	19,417,320*	6,358	3,409	452	3	6	6	27	30	161	1
LONDON	4,602,000*	1,414	792	86	2	-	4	4	5	33	
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	48	34	5	-	-	-	-	-	1	-
WIMBLEDON ..	58,170	15	4	1	-	-	-	-	-	-	-
EALING	68,410	15	13	3	-	-	-	-	-	1	-
ACTON	63,110	10	13	-	-	-	-	1	-	-	-
WILLESDEN ..	168,900	50	24	4	-	-	-	-	-	1	-
HENDON	59,150*	13	6	-	-	-	-	-	-	-	-
HORNSEY	87,210	20	11	-	-	-	-	-	-	-	-
WOOD GREEN ..	51,960	7	2	-	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	33	34	2	-	-	-	-	1	-	-
EDMONTON ..	71,210	43	30	4	-	-	-	-	2	2	-
ENFIELD	63,740	16	2	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	131	68	17	-	-	-	-	1	10	-
EAST HAM C.B. ..	147,200	33	27	4	-	-	-	-	-	1	-
LEYTON	132,700	20	36	1	-	-	-	-	-	-	-
WALTHAMSTOW ..	130,800	41	16	1	-	-	-	-	-	-	-
ILFORD	93,590	21	15	2	-	-	-	1	-	1	-
GILLINGHAM	48,680*	18	7	1	-	-	-	-	1	1	-
CANTERBURY C.B ..	23,270*	11	7	2	-	-	-	-	-	-	-
HASTINGS C.B.	60,470	8	14	1	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,060	15	8	1	-	-	-	-	-	1	-
BRIGHTON C.B. ..	137,800*	38	32	2	-	-	-	-	-	2	-
PORTSMOUTH C.B. ..	232,900*	70	45	3	-	-	-	2	-	-	-
BOURNEMOUTH C.B. ..	85,840	24	15	2	-	-	-	1	-	-	-
SOUTHAMPTON C.B. ..	168,600	59	32	3	-	-	-	2	-	-	-
READING C.B.	93,670*	27	19	2	-	-	-	-	-	-	-
OXFORD C.B.	57,090	15	13	1	-	-	-	-	-	1	-
NORTHAMPTON C.B. ..	93,780*	28	10	-	-	-	-	-	-	-	-
LUTON	59,230	15	6	1	-	-	-	-	-	-	-
CAMBRIDGE	59,020	26	6	1	-	-	-	1	-	-	-
SOUTHEND-ON-SEA C.B.	98,060	28	21	2	-	-	-	2	-	1	-
IPSWICH C.B.	83,120*	44	11	-	-	-	-	-	1	-	-
GREAT YARMOUTH C.B.	57,890	25	10	1	-	-	-	-	-	-	-
NORWICH C.B. ..	124,000*	38	18	-	-	-	-	-	-	-	-
SWINDON	56,880	13	7	-	-	-	-	-	-	-	-
EXETER C.B.	59,820*	25	11	-	-	-	1	-	-	-	-
PLYMOUTH C.B. ..	192,100*	73	46	6	-	-	-	-	-	-	-
BATH C.B.	69,050	23	16	-	-	-	-	-	-	1	-
BRISTOL C.B.	385,700*	130	59	3	-	-	-	-	-	-	-
GLOUCESTER C.B. ..	53,060	21	4	1	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,900	115	45	7	-	-	-	-	1	1	-
BURTON-UPON-TRENT C.B.	49,530	13	7	1	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	33	17	1	-	-	-	-	-	1	-
WALSALL C.B.	102,300	41	21	-	-	-	-	-	-	1	-
WEST BROMWICH C.B	79,490	45	12	3	-	-	-	-	-	2	-
DUDLEY C.B.	58,810	32	11	4	-	-	-	-	2	-	-
WORCESTER C.B. ..	50,230	16	7	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	945,900	341	159	17	-	-	-	-	4	4	-
SMETHWICK C.B. ..	78,840	20	15	1	-	1	1	-	-	-	-
COVENTRY C.B. ..	129,100	34	21	2	-	-	-	-	-	-	-
LEICESTER C.B. ..	242,100	79	48	7	-	-	-	-	-	1	-
LINCOLN C.B.	66,600*	22	11	-	-	-	-	-	-	-	-
GRIMSBY C.B.	87,190	25	13	2	-	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,600	85	49	7	-	-	-	-	-	3	-
DERBY C.B.	134,400*	44	23	2	-	-	-	-	-	1	-
CHESTERFIELD ..	65,800	23	13	2	-	-	-	1	-	-	-
STOCKPORT C.B. ..	125,900	26	23	2	-	-	-	-	-	2	-
CHESTER C.B.	41,670	6	6	-	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	155,500	68	32	10	-	-	-	-	-	3	-
WALLASEY C.B. ..	91,720	26	14	2	-	-	-	-	1	1	-
LIVERPOOL C.B. ..	856,000	354	187	46	1	3	-	-	3	30	-
BOOTLE C.B.	83,260	42	16	6	-	-	-	1	-	2	-
ST. HELENS C.B. ..	109,600	47	18	5	-	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	74,260	16	13	1	-	-	-	-	-	-	-
IGAN C.B.	91,010	32	20	4	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	37	13	1	-	-	-	-	-	-	-
OLTON C.B.	180,400	59	36	7	-	-	-	-	1	2	-
URY C.B.	56,700*	7	9	1	-	-	-	-	2	-	-
ANCHESTER C.B. ..	755,800	257	123	14	-	-	-	-	1	1	-
ALFORD C.B.	244,700	56	35	7	-	-	-	1	1	2	-
LDHAM C.B	146,200	32	37	7	-	-	-	-	1	1	-
OCHDALE C.B... ..	92,190	23	16	4	-	-	-	-	-	-	-
URNLEY C.B.	102,300	25	17	2	-	-	-	-	-	-	-
LACKBURN C.B. ..	126,900	31	22	1	-	-	-	-	-	-	2
RESTON C.B.	122,900	32	22	4	-	-	-	-	-	2	1
LACKPOOL C.B. ..	80,750	21	24	2	-	-	-	-	-	-	-
ARROW-IN-FURNESS C.B.	73,470	22	12	-	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	26	22	1	-	-	-	-	-	-	-
ALIFAX C.B.	97,860*	23	16	1	-	-	-	1	-	-	-
RADFORD C.B. ..	290,200	98	52	7	-	-	-	2	-	4	-
REDS C.B.	472,900	166	76	13	-	-	-	1	-	3	1
EWSBURY C.B ..	54,570	18	11	-	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,980	18	4	1	-	-	-	-	-	-	-
ARNSLEY C.B. ..	71,170	31	12	3	-	-	-	-	-	1	-
HEFFIELD C.B. ..	526,900*	154	90	10	-	-	-	-	-	5	1
OTHERHAM C.B. ..	70,600	30	9	3	-	-	-	-	-	1	-
ONCASTER	55,610	18	8	3	-	-	-	1	-	1	-
ORK C.B.	84,630*	18	16	-	-	-	-	-	-	-	-
ULL C.B.	297,300	96	67	15	-	-	-	3	1	8	1
IDDLESBROUGH C.B.	136,200	60	14	1	-	-	-	-	-	1	-
ARLINGTON C.B. ..	69,130	31	10	2	-	-	-	-	-	-	-
TOCKTON-ON-TEES ..	68,000	36	9	-	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,590	36	12	-	-	1	-	-	1	-	-
UNDERLAND C.B. ..	166,000	63	31	3	-	1	-	-	-	2	-
OUTH SHIELDS C.B. ..	124,600	63	23	4	-	-	-	1	-	-	1
ATESHEAD C.B. ..	129,000	42	18	3	-	-	-	-	-	3	-
EWCASTLE-ON-TYNE C.B.	236,300*	112	49	11	-	-	-	-	-	4	-
YNEMOUTH C.B. ..	66,180	29	8	2	-	-	-	-	-	1	-
ARLISLE C.B.	55,160*	20	14	3	-	-	-	-	-	1	-
EWPORT (MON.) C.B.	96,420*	33	18	3	-	-	-	-	-	-	-
ARDIFF C.B.	227,100*	86	40	7	-	-	-	1	-	2	-
HONDDA	167,570	61	20	1	-	-	-	-	-	1	1
ERTHYR TYDFIL C.B.	82,920	35	15	4	-	-	-	-	-	-	-
BERDARE	57,700	11	7	-	-	-	-	-	-	-	-
WANSEA C.B.	163,200	53	27	6	-	-	-	-	-	5	-
REATER LONDON ..	7,719,622*	2,319	1,329	150	2	-	5	7	11	55	6
UTER RING	3,117,622*	905	537	64	-	-	1	3	6	22	3
3 GREAT TOWNS IN OUTER RING	1,867,550*	516	335	44	-	-	-	2	4	17	2
EMAINDER OF OUTER RING	1,250,072*	389	202	20	-	-	1	1	2	5	1
DINBURGH†	424,600	136	83	7	-	1	-	-	-	2	-
LASGOW† ..	1,052,200‡	429	223	35	-	-	-	1	1	15	1
UBLIN (REGISTRATION AREA)	419,156§	204	100	32	-	-	-	-	-	19	-
ELFAST†	416,000	175	108	31	1	-	1	1	2	18	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
LONDON‡	4,602,000	1926. Sept. 4	1414	792	9·0	2	-	-	4	4	5	33
CALCUTTA AND SUBURBS	1,077,273	July 31	?	479§	23·1	?	2	?	?	?	?	?
BOMBAY‖	1,279,061	Aug. 7	403	737	30·0	3	3	4	-	-	-	52
MADRAS	528,791	„ 7	454	435§	42·8	3	-	-	?	5	-	43
SYDNEY AND SUBURBS	1,038,950	July 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	June 30 (30 days)	508	295	13·4	1	-	-	-	2	2	-
PERTH (Metropolitan Area).	179,388	July 10	88	41	11·9	-	-	-	-	-	-	-
AUCKLAND (Urban Area).	192,176	June 30 (30 days)	290	151	9·5	-	-	-	-	2	3	-
WELLINGTON (Urban Area).	121,324	June 30 (30 days)	194	101	10·0	-	-	-	-	1	-	-
CHRISTCHURCH (Urban Area).	118,408	June 30 (30 days)	152	82	8·3	-	-	-	-	3	-	-
CAPE TOWN	113,709	Aug. 7	52	24	11·0	-	-	-	-	-	-	-
JOHANNESBURG	165,958	„ 7	79	42	13·2	1	-	1	-	-	-	-
DURBAN	54,822	„ 7	19	4	3·8	-	-	-	-	-	-	-
PARIS	2,906,472	Aug. 10 (10 days)	1185	934	11·7	2	-	10	-	2	2	62
ANTWERP	300,193	July 31	102	39	6·8	-	-	1	-	-	-	1
AMSTERDAM	720,837	Aug. 14	235	110	8·0	-	-	-	-	1	-	1
COPENHAGEN	587,400	„ 14	203	123	11·0	-	-	-	-	-	-	1
STOCKHOLM	442,528	„ 21	106	96	11·3	-	-	-	-	-	-	1
GOTHENBURG	230,963	„ 21	?	30	6·8	-	-	-	-	-	-	1
OSLO (CHRISTIANIA) ..	255,724	„ 28	65	43	8·7	-	-	-	-	-	-	2
BERLIN	1 999,000	„ 14	403	351	9·1	2	?	1	-	2	-	7
BRESLAU	560,000	„ 14	146	116	10·8	-	?	1	-	3	-	2
COLOGNE	708,000	„ 14	263	144	10·6	1	?	-	-	5	1	13
DRESDEN	621,000	„ 14	131	99	8·3	-	?	-	-	1	-	2
FRANKFORT-ON-MAIN ..	472,000	„ 14	123	60	6·6	-	?	1	-	-	-	1
HAMBURG	1,101,000	„ 14	188	155	7·3	-	?	-	-	1	-	-
LEIPZIG	685,000	„ 14	181	136	10·3	1	?	-	-	1	1	2
MUNICH	685,000	„ 14	150	135	10·2	-	?	1	-	1	1	-
VIENNA	1,873,432	May 31 (31 days)										
PRAGUE AND SUBURBS	725,196	April 30 (30 days)										
BUDAPEST	960,995	Aug. 14	301	281	15·2	3	-	-	2	1	2	12
WARSAW	1,015,426	„ 14	378	312	16·1	4	-	-	12	-	1	?
CAIRO	859,400	April 8	1042	527	32·0	7	-	20	-	?	3	56
ALEXANDRIA	492,100	„ 8	508	275	29·1	-	2	10	-	?	1	25
NEW YORK	5,924,139	July 31	?	1155	10·2	3	-	-	1	6	5	17
CHICAGO	2,995,239	July 2	1178	621	10·6	-	-	3	4	4	3	7
		„ 9	1029	624	10·7	-	-	4	3	-	7	6
		„ 16	1382	545	9·3	-	-	1	1	1	3	5
		„ 23	1321	612	10·5	-	-	-	-	2	6	11

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 32 deaths from cholera in Calcutta and 1 in Madras.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th September, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	792	86	21	17	16	34	35	57	103	131	158	134
Enteric fever..	2	-	-	-	-	-	-	2	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	4	1	1	1	-	1	-	-	-	-	-	-
Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria	5	-	-	4	1	-	-	-	-	-	-	-
Influenza	3	-	-	-	-	-	-	-	-	-	2	1
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	60	-	-	1	1	11	8	16	13	9	1	-
Nervous system	4	1	-	1	2	-	-	-	-	-	-	-
Intestines and peritoneum	3	-	-	1	-	-	1	1	-	-	-	-
Other forms	2	-	-	-	-	-	2	-	-	-	-	-
Venereal diseases	2	-	-	-	-	-	-	1	-	1	-	-
Cancer	131	-	-	-	-	1	4	6	20	46	40	14
Rheumatic fever	2	-	-	1	-	-	-	1	-	-	-	-
Diabetes	4	-	-	-	-	-	-	-	1	-	2	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	2	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	37	-	-	-	-	-	-	1	3	8	11	14
Epilepsy	4	-	-	-	-	-	1	-	-	1	2	-
"Convulsions" (not puerperal) ..	1	-	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	18	-	1	-	2	-	1	4	3	4	2	1
Pericarditis	2	-	1	-	-	-	-	-	1	-	-	-
Acute endocarditis	3	-	-	-	-	1	-	-	1	-	1	-
Other diseases of heart	129	-	-	-	3	4	3	6	15	19	41	38
Other diseases of circulatory system	22	-	-	-	-	-	-	-	3	-	9	10
Bronchitis	20	3	-	-	-	-	2	-	1	4	3	7
Broncho-pneumonia	21	7	5	1	1	-	-	1	1	1	2	2
Lobar-pneumonia	13	-	-	-	1	-	-	4	3	2	3	-
Pneumonia (type not distinguished)	10	-	-	-	-	-	1	-	1	3	4	1
Other diseases of respiratory system	11	1	-	1	-	1	-	-	1	-	3	4
Diarrhœa and enteritis	37	28	5	-	-	-	-	-	2	2	-	-
Appendicitis, Typhlitis	9	-	-	1	2	-	-	2	3	1	-	-
Hernia, Intestinal obstruction.. ..	11	-	1	2	-	1	-	-	2	2	-	3
Cirrhosis of liver	2	-	-	-	-	-	-	-	1	-	1	-
Other diseases of digestive system ..	26	-	-	-	-	3	3	4	2	7	5	2
Acute nephritis	2	-	-	1	-	-	-	1	-	-	-	-
Chronic Bright's disease..	17	-	-	-	-	1	1	-	5	5	4	1
Other diseases of genito-urinary system.	20	-	-	-	-	-	-	1	4	2	7	6
Puerperal sepsis	3	-	-	-	-	-	1	1	1	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	2	1	1	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	9	9	-	-	-	-	-	-	-	-	-	-
Old age	22	-	-	-	-	-	-	-	-	-	4	18
Suicide	12	-	-	-	-	2	1	1	3	1	3	1
Burns and Scalds	3	-	2	-	-	-	-	-	-	-	-	1
Drowning	3	-	-	-	1	1	-	-	1	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	2	-	4	2	1	2	4	1	1
Other deaths by violence	17	2	-	-	-	2	1	2	4	3	1	2
Other specified causes	38	9	1	-	1	1	2	-	6	6	6	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th September, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	184	194	7	48	C. 6 D. 2 E. 3 M. 15
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	5	–	4	M. 1
†BERMONDSEY ...	–	11	9	–	1	–
†BETHNAL GREEN	–	9	20	–	–	M. 3
†CAMBERWELL ...	–	7	11	–	1	M. 1
†CHELSEA	–	-	1	–	2	–
†DEPTFORD ...	–	14	4	1	2	D. 1
†FINSBURY ...	–	7	4	–	–	–
†FULHAM	–	4	2	–	3	–
†GREENWICH ...	–	3	3	–	–	–
†HACKNEY ...	–	10	6	–	–	C. 2
†HAMMERSMITH ...	–	2	6	–	2	C. 1
†HAMPSTEAD ...	–	1	3	–	–	–
†HOLBORN... ...	–	3	1	–	1	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	22	10	1	4	C. 1 E. 1 M. 3
†KENSINGTON ...	–	7	6	1	2	–
†LAMBETH ...	–	5	12	–	3	E. 1 M. 1
†LEWISHAM ...	–	3	7	–	–	–
†PADDINGTON ...	–	4	8	1	3	C. 1 M. 1
†POPLAR	–	4	17	–	4	E. 1
†ST. MARYLEBONE	–	–	6	–	–	–
†ST. PANCRAS ...	–	7	7	–	2	M. 1
†SHOREDITCH ...	–	13	10	–	1	C. 1 M. 2
†SOUTHWARK ...	–	10	15	1	1	–
†STEPNEY	–	15	8	–	2	–
†STOKE NEWINGTON	–	2	–	–	–	D. 1
†WANDSWORTH ...	–	5	8	1	10	M. 1
†WESTMINSTER, CITY OF	–	6	2	1	–	M. 1
†WOOLWICH ...	–	5	3	–	–	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	1	–	–	–
Boroughs and Urban Districts:—						
AMPTHILL ...	*	*	*	*	*	*
†BEDFORD... ...	–	1	–	–	–	–
BIGGLESWADE ..	*	*	*	*	*	*
DUNSTABLE ...	*	*	*	*	*	*
Rural Districts:—						
BEDFORD ...	–	–	1	–	–	–
BIGGLESWADE ...	*	*	*	*	*	*
BERKS	–	4	1	1	1	D. 1 M. 1
†READING C.B. ...	–		1	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	1	1	–
WALLINGFORD ...	–	1	–	–	–	–
Rural Districts:—						
NEWBURY ...	–	3	–	–	–	–
BUCKINGHAM ...	–	9	1	–	1	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	3	–	–	1	–
LONG CRENDON...	*	*	*	*	*	*
WYCOMBE ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	1	–	–	–
Rural Districts:—						
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	44	13	4	11	C. 1 E. 3 M. 6
†BIRKENHEAD C.B.	–	2	1	2	4	–
†CHESTER C.B. ...	–	2	–	–	–	–
†STOCKPORT C.B.	–	17	2	–	3	M. 1
†WALLASEY C.B. ...	–	5	–	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–	–	E. 1
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	M. 1
†DUKINFIELD ...	–	–	–	–	1	–
HALE	–	–	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	–		–	–	M. 1
LYMM	*	*	*	*	*	*
†MACCLESFIELD ...	–	–	9	2	–	–
†NORTHWICH ...	–	4	–	–	–	–
†RUNCORN ...	–	–	–	–		M. 2
†SALE	–	–	1	–	–	C. 1
SANDBACH ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–		–	–	–	E. 1
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–
CHESTER	–	2	–	–	–	–
CONGLETON ...	–	2	–		–	E. 1
NANTWICH ...	–	3	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
WIRRAL	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	2	3	2	1	E. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
†FALMOUTH ...	–	–	1	–	–	–
LISKEARD ...	–	–	–	–	–	E. 1
LOOE	*	*	*	*	*	*
MADRON	–	–	1	–	–	–
†PENZANCE ...	–	–	–	1	–	–
ST. AUSTELL ...	–	–	–	–	1	–
ST. JUST	–	1	–	–	–	–
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
TRURO	–	–	1	–	–	–
CUMBERLAND ...	–	9	3	1	–	F. 1
†CARLISLE C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	–	1	–	–	–
†WHITEHAVEN ...	–	1	–	1	–	–
WIGTON	–	1	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BRAMPTON ...	–	–	2	–	–	–
CARLISLE ...	–	–	–	–	–	F. 1
DERBY	7	28	11	–	6	E. 1
†DERBY C.B. ...	3	4	5	–	–	–
Boroughs and Urban Districts:—						
†BELPER	4	1	1	–	–	–
†CHESTERFIELD ...	–	7	1	–	2	–
†GLOSSOP	–	–	1	–	–	–
†LONG EATON ...	–	–	1	–	–	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWADLINCOTE DISTRICT	–	5	–	–	–	–
†THE MATLOCKS...	–	1	–	–	–	E. 1
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	2	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	2	2	–	1	–
REPTON	–	5	–	–	–	–
SHARDLOW ...	–	–	–	–	1	–
DEVON	–	16	10	1	2	C. 2 E. 1 F. 1 G. 1
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B....	–	6	9	1	–	C. 1
Boroughs and Urban Districts:—						
†EXMOUTH ...	–	–	–	–	1	–
GREAT TORRINGTON	–	1	–	–	–	–
†ILFRACOMBE ...	–	1	–	–	1	–
TAVISTOCK ...	*	*	*	*	*	*
†TEIGNMOUTH ...	–	2	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	–	1	–	–	E. 1
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	–	G. 1
HOLSWORTHY (part)	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	–	F. 1
TIVERTON ...	–	1	–	–	–	C. 1
TORRINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	–	6	1	2	–	G. 2
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	–	G. 1
†PORTLAND ..	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	1	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	1	–	–
BRIDPORT ...	–	1	–	–	–	–
CERNE	–	1	–	–	–	–
POOLE	–	–	–	–	–	G. 1
STURMINSTER ...	–	1	–	–	–	–
WEYMOUTH ...	–	2	–	–	–	–
DURHAM	52	34	17	2	18	C. 1 G. 1 M. 1
†DARLINGTON C.B.	–	2	–	–	–	–
†GATESHEAD C.B.	3	13	1	–	1	G. 1
†SOUTH SHIELDS C.B.	–	1	–	–	2	–
†SUNDERLAND C.B.	–	1	–	1	7	M. 1
†WEST HARTLEPOOL C.B.	1	1	6	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	2	–	–	–	–	–
†CHESTER LE STREET	–	–	2	–	–	–
†CROOK	2	–	1	–	–	–
†FELLING	*	*	*	*	*	*
†HARTLEPOOL ...	–	4	–	–	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON	11	–	–	–	–	–
†HOUGHTON LE SPRING	3	–	–	–	–	–
†JARROW	1	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHILDON	1	–	–	–	–	–
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	6	1	–	–	–	–
†STOCKTON ON TEES	–	2	–	–	–	C. 1
†TANFIELD ...	–	–	1	1	–	–
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	*	*	*	*	*	*
†WHICKHAM ...	1	–	–	–	–	–
Rural Districts:—						
AUCKLAND ...	3	–	–	–	–	
CHESTER LE STREET	–	–	–	–	1	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	11	1	–	–	2	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	2	–	–	–	1	–
LANCHESTER ...	2	1	2	–	–	–
SEDGEFIELD ...	2	–	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	–
ELY, ISLE OF ...	–	–	1	–	–	–
Rural Districts:—						
WISBECH	–	–	1	–	–	–
ESSEX	–	77	41	7	11	E. 8 G. 1 L. 1 M. 6
†EAST HAM C.B. ...	–	4	7	–	–	M. 1
†SOUTHEND-ON-SEA C.B.	–	4	2	2	–	E. 1 M. 3
†WEST HAM C.B. ...	–	30	14	1	5	E. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2		1	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	2	1	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	2	–	–	–	–
†COLCHESTER ...	–	1	–	2	3	–
DAGENHAM ...	–	–	1	–	–	–
EPPING	–	–	1	–	–	–
†GRAYS THURROCK	–	–	–	–	–	E. 4 M. 1
†HARWICH ...	–	4	–	–	–	–
†ILFORD	–	3	4	1	1	L. 1
†LEYTON	–	6	3		–	–
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	1	–	–	–	–
TILBURY	–	3	–	–	–	–
WALTHAM HOLY CROSS	–	1		–	–	–
†WALTHAMSTOW...	–	8	4	–	2	E. 1
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
HALSTEAD ...	–	–	1	–	–	–
MALDON	–	1	–	–	–	–
ORSETT	–	–	–	–	–	E. 1
ROCHFORD ...	–	–	–	–	–	G. 1
ROMFORD... ...	–	2	–	–	–	–
GLOUCESTER ...	–	18	10	1	3	C. 2 E. 1 G. 2 L. 2
†BRISTOL C.B. ...	–	10	7	–	2	C. 2 G. 2 L. 2
†GLOUCESTER C.B.	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2		–	–	–
NAILSWORTH ...	–	–	1	–	–	–
TETBURY	–	–	–	1	–	–
Rural Districts:—						
STROUD	–	1	–	–	–	E. 1
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	–	–	2	–	1	–
HEREFORD ..	–	2	4	–	–	C. 1
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	–	2	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	C. 1
DORE	–	1	–	–	–	–
LEDBURY... ...	–	–	2	–	–	–
HERTFORD .	–	7	5	–	2	M. 1
Boroughs and Urban Districts:—						
†HERTFORD ...	–	1	1		–	M. 1
WARE	–	1	–	–	–	–
†WATFORD ...	–	2	1	–	–	–
Rural Districts:—						
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	–	2	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	1	–	–	–
WATFORD ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HUNTINGDON ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
OUNDLE (part) ...	–	2	–	–	–	–
KENT	–	26	15	1	8	E. 1 G. 1 M. 3
†CANTERBURY C.B.	–	1	–	–	1	E. 1
Boroughs and Urban Districts:—						
†BEXLEY	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	2	–	–	–	–
†CHATHAM ...	–	–	5	–	–	–
†DEAL		3	–	–	–	–
†DOVER	–	1	1	–	–	–
†ERITH	–	3	1	–	–	
†GRAVESEND ...	–	–	3	–	–	M. 1
†MAIDSTONE ...	–	1	–	–	–	–
†RAMSGATE ...	–	1	–	–	4	M. 1
†ROCHESTER ...	–	4	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SWANSCOMBE ...	–	–	1	–	–	–
TENTERDEN ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	–	–	1	–	–
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	3	1	–	1	–
MALLING	–	2	–	–	1	–
SHEPPEY	–	–	–	–		G. 1
TONBRIDGE ...		1	–	–	–	
WEST ASHFORD...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER ...	–	208 §	110	6	83	B. 2 C. 12 D. 1 E. 3 G. 5 L 1 M. 29
†BARROW IN FURNESS C.B.	–	1	–	–	–	–
†BLACKBURN C.B.	–	2	–	–	1	–
†BLACKPOOL C.B.	–	1	4	–	1	M. 1
†BOLTON C.B. ...	–	6	2	–	2	E. 1 M. 1
†BOOTLE C.B. ...	–	3	–	–	3	–
†BURNLEY C.B. ...	–	1	3	–	3	C. 1
†BURY C.B. ...	–	2	–	–	1	–
†LIVERPOOL C.B. ...	–	42	33	2	24	B. 2 C. 3 M. 11
†MANCHESTER C.B.	–	55	23	–	12	C. 5 G. 1 M. 8
†OLDHAM C.B. ...	–	8	4	–	–	–
†PRESTON C.B. ...	–	1	1	–	–	–
†ROCHDALE C.B. ...	–	5	–	–	–	C. 1
†ST. HELENS C.B....	–	2	3	–	5	L. 1
†SALFORD C.B. ...	–	22	13	–	1	C. 1 M. 1
†SOUTHPORT C.B.	–	2	1	–	1	–
†WARRINGTON C.B.	–	2	1	–	2	–
†WIGAN C.B. ...	–	1	2	–	3	E. 1 G. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	1	–	1	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	–	M. 1
†ASHTON UNDER LYNE	–	1	–	1	1	M. 1
†ATHERTON ...	–	4	2	–	–	–
†BACUP	–	3	–	–	1	G. 1
BILLINGE... ...	–	1	–	–	–	–
†CHADDERTON ...	–	4	–	–	1	E. 1
†CHORLEY	–	–	–	–	1	–
†COLNE	–	1	–	–	1	M. 1
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	1	–	–	1	–
†ECCLES	–	1	1	–	–	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT CROSBY ...		–	1	–	–	C. 1
†GREAT HARWOOD	*	*	*	*	*	*

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery : M, Ophthalmia Neonatorum.

For the week ended 28th August, 1926, this figure should have been 167.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HASLINGDEN ...	–	–	–	–	1	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	2	–	1	–
†HINDLEY... ...	–	1	–	–	1	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
IRLAM	–	–	–	–		M. 1
LATHOM AND BURSCOUGH	–	–	–	1	–	–
†LEIGH	–	–	1	–	1	–
LEYLAND... ...	–	–	–	2	–	–
LITTLE HULTON..	*	*	*	*	*	*
†MIDDLETON ...	–	1	1	–	1	G. 1
†NEWTON IN MAKERFIELD	–	–	–	–	4	–
ORMSKIRK ...	–	1	–		–	–
†PADIHAM ...	–	2	3	–	–	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	–	1	–		–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON	*	*	*	*	*	*
STANDISH WITH LANGTREE	*	*	*	*	*	*
†STRETFORD ...	–	2	–	–	–	D. 1 M. 1
†TURTON	–	5	–	–	–	G. 1
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	–	1	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	1	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	–	–	–	2	M. 2
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BURY	–	4	–	–	–	–
CLITHEROE ...	–	1	–	–	–	–
PRESTON	–	2	–	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
ULVERSTON ...	–	–	2	–	–	–
WEST LANCASHIRE	–	5	–	–	–	–
WHISTON... ...	–	1	1	–	–	–
WIGAN	*	*	*	*	*	*
LEICESTER... ...	–	7	4	2	6	C. 1 E. 9
†LEICESTER C.B. ...	–	4	2	–	2	E. 8
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	1	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	1	C. 1
QUORNDON ...	*	*	*	*	*	*
Rural Districts:—						
BARROW UPON SOAR	–	–	–	–	1	E. 1
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	1	1	2	–	–
LINCOLN (parts of Holland).	–	2	3	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	3	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
EAST ELLOE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	10	2	1	2	–
†GRIMSBY C.B. ...	–	–	2	–	–	–
†LINCOLN C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	2	–
†CLEETHORPES ...	–	2	–	–	–	–
MABLETHORPE AND SUTTON	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GRIMSBY	–	1	–	1	–	–
MIDDLESEX ..	–	25	35	4	4	C. 1 E. 2 G. 4 L. 2 M. 4
Boroughs and Urban Districts:—						
†ACTON	–	4	1	–	–	–
†CHISWICK ...	–	2	–	–	1	–
†EALING	–	1	–	–	–	–
†EDMONTON ...	–	–	8	–	–	–
†ENFIELD	–	1	–	3	–	E. 2
FELTHAM ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	1	1	–	1	–
HAMPTON WICK...	–	–	–	–	–	G. 1
†HARROW ON THE HILL	–	–	–	–	–	G. 1
HAYES	–	–	1	–	–	–
†HENDON	–	4	1	–	–	–
†HESTON AND ISLEWORTH	–	–	–	–	1	M. 1
†HORNSEY... ...	–	1	4	–	–	G. 1
†TOTTENHAM ...	–	7	5	–	–	G. 1 M. 1
†TWICKENHAM ...	–	1	2	–	–	M 1
†WILLESDEN ...	–	1	6	1	–	C. 1 M. 1
†WOOD GREEN ...	–	–	1	–	1	L. 2
Rural Districts:—						
HENDON	–	–	5	–	–	–
NORFOLK	–	13	1	1	2	–
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†NORWICH C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
NEW HUNSTANTON	–	–	–	–	1	–
WALSOKEN ...	–	1	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	1	–	–	–
BLOFIELD ...	–	–	–	1	–	–
DEPWADE ...	–	2	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	1	–	–	–	–
THETFORD ...	–	2	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHAMPTON ..	–	12	1	–	1	M. 1
†NORTHAMPTON C.B	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	2	–	–	1	–
ROTHWELL ...	–	–	–	–	–	M. 1
†RUSHDEN... ...	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
THRAPSTON (part)	–	4	–	–	–	–
NORTHUMBERLAND	5	59	3	3	15	M. 4
†NEWCASTLE UPON TYNE C.B.	–	27	1	1	10	M. 3
†TYNEMOUTH C.B	1	1	1	–	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	3	7	–	–	–	–
†BEDLINGTONSHIRE	–	2		–	–	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	2	1	–
†EARSDON... ...	1	–	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
†WALLSEND ...	–	6	–	–	3	–
†WHITLEY AND MONKSEATON	*	*	*	*	*	*
Rural Districts:—						
BELFORD	–	1	–	–	1	–
BELLINGHAM ...	–	4	–	–	–	–
CASTLE WARD ...	–	4	–		–	–
GLENDALE ...	–	1	–	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM	–	–	1	–	–	–
MORPETH ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM ...	1	11	14	–	9	C. 1 E. 2 M. 1
†NOTTINGHAM C.B	–	6	11	–	8	E. 1 M. 1
Boroughs and Urban Districts:—						
HUTHWAITE ...	–	2	–	–	–	–
†KIRKBY IN ASHFIELD	1	–	–	–	–	–
†MANSFIELD ...	–	1	1	–	–	–
†NEWARK	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	–	–	–	C. 1
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	1	1	–	1	–
BINGHAM... ...	–	–	–	–	–	E. 1
OXFORD	–	2	–	1	3	C. 2 G. 1
†OXFORD C.B. ..	–	2	–	1	–	C. 1
Rural Districts:—						
GORING	–	–	–	–	2	–
HEADINGTON ...	–	–	–	–	1	C. 1 G. 1
PETERBOROUGH (Soke of)	–	2	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
Rural Districts:—						
PETERBOROUGH..	–	1	–	–	–	–
RUTLAND	–	–	1	–	–	–
Rural Districts:—						
OAKHAM	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	12	2		1	–
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
ELLESMERE ...	–	–	1	–	–	–
†SHREWSBURY ...	–	9	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts—						
ATCHAM	–	1	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
SOMERSET	–	8	1	1	1	C. 1 M. 1
†BATH C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
ILMINSTER ...	–	–	–	1	–	–
PORTISHEAD ...	*	*	*	*	*	*
SHEPTON MALLET	*	*	*	*	*	*
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
CHARD	–	–	1	–	–	–
CLUTTON	–	3	–	–	–	C. 1
FROME	–	–	–	–	1	–
SHEPTON MALLET	*	*	*	*	*	*
SOUTHAMPTON ..	–	15	18	2	1	G. 1 M. 1
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†PORTSMOUTH C.B	–	7	3	–	–	–
†SOUTHAMPTON C.B	–	–	12	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	1	–	–	G. 1
CHRISTCHURCH ...	–	–	–	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–		–
†GOSPORT	–	1	–	–	–	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ANDOVER... ...	–	–	–	1	–	–
BASINGSTOKE ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–		–
HURSLEY... ...	–	1	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
STOCKBRIDGE ...	–	–	–	1	–	–
STAFFORD	–	56	24	1	26	C. 2 M. 8
†BURTON UPON TRENT C.B.	–	4	2	–	–	–
†SMETHWICK C.B.		3	–	–	–	–
†STOKE ON TRENT C.B.	–	3	6	1	9	C. 1 M. 4
†WALSALL C.B. ...	–	2	3	–	1	–
†WEST BROMWICH C.B.	–	1	1	–	2	–
†WOLVERHAMPTON C.B.	–	4	1	–	–	M 2
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	1	–	–	–
†AUDLEY	–	5	–	–	–	C. 1
†BILSTON	–	–	–	–	3	–
†BRIERLEY HILL...	–	–	4	–	–	–
†BROWNHILLS ...	–	2	–	–	–	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	–	1	–	1	–
†DARLASTON ...	–	5	1	–	3	–
KIDSGROVE ...	–	2	–	–	–	M. 1
†LEEK	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
QUARRY BANK	*	*	*	*	*	*
†ROWLEY REGIS ...	–	5	1	–	–	–
RUGELEY... ...	–		–	–	1	–
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	1	–	–	–	–
†TIPTON	–	1	–	–	1	–
†WEDNESBURY ...	–	1	–	–	–	M. 1
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	4	1	–	1	–
Rural Districts:—						
CHEADLE... ...	–	–	1	–		–
KINGSWINFORD...	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–
SEISDON	–	4	–	–	–	–
STAFFORD ...	–	1	–	–	–	–
TAMWORTH (part)	–	2	–	–	–	–
SUFFOLK, EAST ...	–	3	4	–	1	C. 1
†IPSWICH C.B. ...	–	–	3	–	–	C. 1
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	1	–	–	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	1	–	–	–	–
SAMFORD... ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	4	–	–	1	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
HADLEIGH ...	–	2	–	–	–	–
NEWMARKET ...	–	2	–	–	–	–
Rural Districts:—						
BRANDON... ...	–	–	–	–	–	G. 1
SURREY	–	26	14	2	3	C. 2 E. 1 G. 1 M. 2
†CROYDON C.B. ...	–	6	3	–	–	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	1	2	–	–	–
†COULSDON AND PURLEY	–	1	1	–	1	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	1	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN	–	2	–	–	–	–
†REIGATE	–	2	–	–	–	–
†RICHMOND ...	–	1	–	–	–	E. 1
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	–	1	–	–	–
†WIMBLEDON ...	–	3	1	–	–	–
Rural Districts:—						
EPSOM	–	1	–	–	–	–
GODSTONE ...	–	–	–	1	–	–
GUILDFORD ...	–	–	–	–	–	C. 1
REIGATE	–	3	5	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	10	5	–	5	–
†BRIGHTON C.B. ...	–	7	4	–	5	–
†HASTINGS C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†LEWES	–	–	1	–	–	–
SEAFORD	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	2	–	3	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	2	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	1	–
WESTHAMPNETT ..	–	1	–	–	2	–
WARWICK		58	39	–	23	C. 2 E. 2 G. 2 M. 10
†BIRMINGHAM C.B.	–	38	32	–	18	C. 2 E. 1 G. 1 M. 10
†COVENTRY C.B. ...	–	3	–	–	1	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	1	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	1	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	2	–	–	1	–
ATHERSTONE ...	–	3	5	–	1	–
FOLESHILL ...	–	1	–	–	1	–
MERIDEN... ...		1	–	–	–	E. 1
NUNEATON ...	–	2	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
TAMWORTH (part)	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	5	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT	–	1	–	–	–	–
†RYDE	–	1	–	–	–	–
ST. HELENS ...	–	2	–	–	–	–
WILTS	–	6	3	–	4	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	–	1	–	–	–
†SWINDON... ...	–	1	1	–	1	–
†TROWBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
PEWSEY	–	–	–	–	2	–
SALISBURY ...	–	–	–	–	1	–
WILTON	–	2	–	–	–	–
WORCESTER ...	–	6	1	–	11	G. 1
†DUDLEY C.B. ...	–	2	1	–	–	–
†WORCESTER C.B.	–	1	–	–	6	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	2	–
†REDDITCH ...	–	–	–		1	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
MARTLEY... ...	–	–	–	–		G. 1
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	12	6	2	2	–
†KINGSTON UPON HULL C.B	–	11	5	1	2	–
Boroughs and Urban Districts:—						
HESSLE	–	–	1	–	–	–
NORTON	–	–	–	1	–	–
Rural Districts:—						
NORTON	*	*	*	*	*	*
POCKLINGTON ...	–	1	–	–	–	–
YORKS ... .. (North Riding.)	1	23	–	1	3	–
†MIDDLESBROUGH C.B	–	8	–	1	2	–
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
LOFTUS	–	1	–	–	–	
MALTON	*	*	*	*	*	*
SALTBURN BY THE SEA	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SKELTON AND BROTTON	–	2	–	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
GUISBOROUGH ...	1	–	–	–	–	–
LEYBURN... ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
MIDDLESBROUGH	–	2	–	–	–	–
WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding.)	13	126	47	3	61	C. 4 E. 1 G. 3 M. 9
†BARNSLEY C.B. ...	–	1	–	–	–	–
†BRADFORD C.B. ...	1	21	8	–	5	E. 1 M. 1
†DEWSBURY C.B....	–	–	–	–	1	–
†HALIFAX C.B. ...	–	1	1	–	–	–
†HUDDERSFIELD C.B.	–	3	4	–	–	M. 1
†LEEDS C.B. ...	–	7	2	–	6	C. 1 G. 1
†ROTHERHAM C.B.	–	3	–	–	3	–
†SHEFFIELD C.B....	7	35	19	–	17	C. 1 M. 2
†WAKEFIELD C.B.	–	1	1	1	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	–	–
ALTOFTS	–	–	–	–	3	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
BAILDON	–	2	–	–	–	–
†BATLEY	–	2	–	–	–	–
†BINGLEY	–	–	–	–	–	M. 1
†BOLTON UPON DEARNE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIGHOUSE ...	–	1	–	–	–	–
CLAYTON	–	–	1	–	–	–
†CONISBROUGH ...	–	2	–	–	2	–
†DARTON	–	1	–	–	1	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	–	–	1	–	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	–	–	–	1	C. 1 M. 1
GUISELEY ...	–	2	–	–	–	–
†HARROGATE ...	–	2	–	–	–	–
†HOLMFIRTH ...	–	2	–	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
†KEIGHLEY ...	–	2	1	–	–	–
LINTHWAITE ...	–	–	–	–	1	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	4	2	–	–	–	–
†MORLEY	–	–	–	–	–	G. 2
†NORMANTON ...	–	–	–	–	2	–
†PONTEFRACT ...	–	–	–	–	1	C. 1
RAWDON ...	–	1	–	–	–	–
†RAWMARSH ...	–	3	1	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	1	1	–	–	–
SHELLEY	*	*	*	*	*	*
†SHIPLEY	–	2	–	–	–	M. 1
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	1	–	3	–
†STANLEY	*	*	*	*	*	*
†SWINTON	1	2	1	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	2	–	–	–	–
†WOMBWELL ...	–	1	–	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	3	M. 2
HEMSWORTH ...	–	4	1	–	1	–
HUNSLET	–	1	–	–	1	–
KIVETON PARK ...	–	1	3	–	–	–
ROTHERHAM ...	–	1	–	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
SETTLE	–	3	–	–	–	–
SKIPTON	–	2	–	–	–	–
TADCASTER ...	–	–	–	–	1	–
THORNE	–	2	–	–	–	–
WAKEFIELD ...	*	*	*	*	*	*
WORTLEY ...	–	–	1	2	–	–
§YORK, CITY OF ...	–	2	1	–	–	–
†YORK C.B. ...	–	2	1	–	–	–
WALES.						
ANGLESEY	–	4	–	–	1	M. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	2	–	–	–	–
MENAI BRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	1	–	–	1	–
BRECKNOCK ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
YSTRADGYNLAIS	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	–	3	1	–	–	C. 1
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	–	–	–	C. 1
Rural Districts:—						
GLASLYN	–	3	–	–	–	–
LLEYN	–	–	1	–	–	–
CARDIGAN ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
LLANDYSSIL ...	–	1	–	–	–	–
CARMARTHEN ...	–	6	4	–	1	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	1	–	–	–
KIDWELLY ...	–	3	–	–	1	–
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	2	2	–	–	–
DENBIGH	–	3	–	–	–	E. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	E. 1
DENBIGH ...	–	1	–	–	–	–
LLANGOLLEN ...	–	1	–	–	–	–
DENBIGH—*cont.*						
Rural Districts:—						
WREXHAM ...	–	1	–	–	–	–
FLINT	–	4	–	–	1	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
HOLYWELL (MOLD DIV.)	–	4	–	–	–	–
GLAMORGAN ...	–	23	25	1	1	C. 1 G. 1 M. 3
†CARDIFF C.B. ...	–	4	4	1	–	C. 1
†MERTHYR TYDFIL C.B.	–	1	1	–	–	–
†SWANSEA C.B. ...	–	–	5	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	1	–	–	–
†BARRY	–	1	1	–	–	–
BRIDGEND ...	–	1	–	–	–	–
†GELLIGAER ...	–	–	2	–	–	–
†MAESTEG ...	–	–	4	–	–	–
†MOUNTAIN ASH ...	–	–	1		1	–
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	–	3	–	–	–	M. 1
†PONTYPRIDD ...	–	1	2	–	–	G. 1
†PORT TALBOT ...	–	–	–	–	–	M. 1
†RHONDDA ...	–	1	3	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ILAMORGAN—*cont.*						
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	1	–	–	–	–
SWANSEA... ...	–	4	–	–	–	–
MERIONETH ...	–	3	4	–	–	–
Urban Districts:—						
BARMOUTH ...	–	1	–	–	–	–
FESTINIOG ...	–	–	4	–	–	–
TOWYN	*	*	*	*	*	*
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
EDEIRNION ...	–	1	–	–	–	–
MONMOUTH ...	–	6	7	–	2	G. 1
†NEWPORT C.B. ...	–	3	1	–	1	G. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	1	–	–	–
BEDWAS AND MACHEN	–	–	1	–	1	–
CAERLEON ...	–	2	–	–	–	
MONMOUTH ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	–	2	–	–	–
†PANTEG	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY ...	–	2	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	2	–	–	–	–
PEMBROKE	–	–	1	–	–	E. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	1	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	–	–	–	–	–	E. 1
RADNOR	–	–	–	–	–	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	79	1076	522	53	345	B. 2 C. 38 D. 2 E. 38 F. 2 G. 29 L. 6 M. 92

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	[illegible]
BRISTOL	–	–	–	1	–	–	SOUTHAMPTON ...	–	–	–	8	1	
LITTLEHAMPTON ...	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	1	–	
PLYMOUTH	–	–	–	1	1	L. 2							
							Total of Part III.... ...	–	–	–	11	2	1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see note below).
Total of Part I.—London	–	184	194	7	48	C. 6 D. 2 E. 3 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	79	1076	522	53	345	B. 2 C. 38 D. 2 E. 38 F. 2 G. 29 L. 6 M. 92
Total of Part III.—Port Sanitary Districts	–	–	–	11	2	L. 2
Total (*i.e.*, of returns received), England and Wales ...	79	1260	716	71	395	B. 2 C. 44 D. 4 E. 41 F. 2 G 29 L. 8 M. 107

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Typhus Fever notified during the week.

Two cases of Plague were notified (*see* page 1013).

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain (and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24	July 31.	Aug. 7.	Aug. 14	Aug. 21.	Aug. 28.
LONDON :—												
DEATHS—all ages	820	766	807	785	775	791	706	823	706	752	716	785
" 0 to 1 year ..	60	61	77	67	69	64	60	76	56	76	68	72
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,074	7,424	7,167	7,137	7,000	6,992	7,118	7,460	6,079	7,508	6,970	7,029
DEATHS—all ages	3,669	3,525	3,384	3,570	3,424	3,540	3,215	3,305	3,139	3,226	3,280	3,292
" 0 to 1 year ..	403	354	379	354	355	363	337	374	354	386	383	409
ENTERIC FEVER—Cases	16	16	32	25	49	36	46	33	14	30	24	24
Deaths	2	2	3	3	3	4	—	4	5	1	—	2
SMALL POX—Cases ..	43	31	12	15	20	23	10	5	8	4	11	5
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	814	792	766	882	816	904	734	716	600	674	669	641
" Deaths	4	4	4	8	6	6	3	3	2	6	6	5
DIPHTHERIA—Cases ..	587	567	606	611	604	608	625	479	509	552	460	511
" Deaths ..	22	24	38	32	17	25	25	21	26	23	28	24
MEASLES—Deaths ..	29	37	26	25	18	14	14	14	13	9	12	10
INFLUENZA—Deaths ..	67	38	37	28	35	22	20	14	19	18	16	18

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th September, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	84	50	74·0	57·6	48	HUDDERSFIELD	75	49	65·3	52·1	
BRIGHTON ..	76	54	71·3	60·7	38	BRADFORD ..	73	47	64·4	51·7	
PORTSMOUTH ..	76	57	72·7	61·6	11	SHEFFIELD ..	76	52	66·1	53·3	
NORWICH (EATON).	79	46	71·3	56·4	1	YORK (MUSEUM)	77	50	67·9	54·0	
PLYMOUTH ..	74	55	70·4	59·3	3	HULL (PEARSON PARK).	75	51	66·7	54·9	
BRISTOL (CLIFTON).	76	55	67·4	57·9	7	TYNEMOUTH ..	69	53	61·1	54·3	
BIRMINGHAM (EDGBASTON).	79	51	66·9	54·9	9	CARDIFF.. ..	75	54	66·9	56·6	
NOTTINGHAM ..	79	53	67·3	56·4	6	EDINBURGH ..	70·0	47·0	63·4	51·6	
BIRKENHEAD (BIDSTON).	71	53	65·0	55·3	19	GLASGOW ..	72·3	46·5	64·6	51·6	
MANCHESTER (WHITWORTH PARK).	78	50	68·6	55·7	17	DUBLIN (PHŒNIX PARK).	75·0	40·3	67·1	51·4	
BURNLEY.. ..	76	45	66·2	53·0	18	(FITZWILLIAM SQUARE†).	71·3	48·0	66·2	55·5	
						BELFAST.. ..	76·0	46·0	68·7	52·8	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th September, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	29	..	29·987	73·8	50·0	23·8	62·6	+ 2·3	53·8	8·8	18·1	1·6	73	136·6	35·2	58·9	ESE	E	1·9	0·0	0·2	213	- 63	0·00
MONDAY -	30	Last Quarter.	29·768	80·1	50·2	29·9	66·2	+ 6·1	58·3	7·9	17·3	0·8	76	137·7	37·0	59·0	Calm: ESE.	ESE: E.	0·6	0·0	0·0	141	- 132	0·00
TUESDAY -	31	..	29·809	83·9	60·5	23·4	70·1	+10·2	60·3	9·8	22·1	1·8	72	145·1	48·3	58·9	Calm: SW.	SW: NNE.	1·2	0·0	0·1	168	- 100	0·00
SEPTEMBER. WEDNESDAY	1	..	29·872	68·5	60·0	8·5	63·4	+ 3·6	62·4	1·0	4·4	0·9	97	94·9	59·3	58·9	NNE: NE.	NE: E.	Loss	of r	egister	192	- 71	1·53
THURSDAY -	2	Greatest Declination N.	29·824	67·6	61·3	6·3	63·8	+ 4·1	63·8	0·0	2·6	0·0	100	85·9	61·0	59·0	ENE: Calm.	NE: Calm.	Loss	of r	egister	117	- 142	0·27
FRIDAY -	3	..	29·864	63·8	60·7	3·1	61·6	+ 2·0	60·4	1·2	2·8	0·0	95	66·7	59·1	58·9	Calm	Calm: NNW.	0·1	0·0	0·0	117	- 136	0·08
SATURDAY -	4	..	29·955	76·2	59·6	16·6	66·5	+ 7·0	59·2	7·3	15·0	0·6	78	132·5	49·3	59·0	Calm	WSW: SW.	1·0	0·0	0·1	196	- 53	0·00
MEANS -		..	29·868	73·4	57·5	15·9	64·9	+ 5·0	59·8	5·1	11·8	0·8	84	114·2	50·0	58·9	Variable		..	..	..	Sum 1144	Sum - 697	Sum 1·88
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	29	wP.	12·4	13·8	Nearly cloudless throughout. Mist 6h. till 12h. Dew at night.
MONDAY ..	30	wP.	7·8	13·7	Variably cloudy becoming nearly cloudless by 21h. Dew in morning. Partial solar halo about 10½h. Mist from 20h.
TUESDAY ..	31	wP.	4·6	13·6	Variably cloudy becoming overcast by 19½h. Shower 6½h. Partial solar halo at 9h.
SEPTEMBER. WEDNESDAY	1	wP till 7h.; variably mN and mP till 12½h., then wP.	0·0	13·6	Overcast throughout. Mist till 9h. Heavy rain, thunder and lightning 6¾h. till 8½h. Rain 12h. till 12½h.; 19¾h. till 20¼h.; and 21¼h. till 23h.
THURSDAY	2	wP.	0·0	13·5	Overcast throughout. Mist from 4h. Slight rain 6h. till 8¾h., and rain generally till 18h.
FRIDAY ..	3	wP.	0·0	13·4	Overcast throughout. Damping 1h. till 5h., and from 6½h. till 12h. Rain 5h. till 6½h. Mist 6h. till 12h.
SATURDAY	4	wP.	7·5	13·4	Nearly overcast till 10h., then partially cloudy, becoming nearly cloudless by 21h. Mist 4h. till 12h. Dew at night.
			Sum 32·3	Sum 95·0	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·12 ins. at the beginning of the week to 29·70 ins. by 3h. on August 31st; increased to 29·92 ins. by 7h. on September 1st; decreased to 29·80 ins. by 16h. on September 2nd; increased generally and was 29·99 ins. by midnight on September 4th.

FOR OFFICIAL USE

1926. No. 36.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 11TH SEPTEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH SEPTEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-sixth week of the year numbered 6,523 and corresponded to an annual rate of 17·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,393 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 8·8, 8·8 and 9·2. Infant mortality was 68 per 1,000 births against 55, 58 and 71 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,460 births, corresponding to a rate of 16·5 per 1,000, and 766 deaths of civilians, corresponding to an annual rate of 8·7, against 8·1, 8·9 and 9·0, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 8·7 per 1,000. The infant mortality was 55 as against 43, 46 and 60 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,409 to 3,393. In London the number of deaths from all causes decreased from 791 to 766; the deaths from diphtheria which had been 10, 6 and 5 in the preceding three weeks were again 5 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 18, 23 and 33 in the preceding three weeks, decreased to 29 last week.

The death of a male from bubonic plague was registered last week in Liverpool C.B.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { **Births and Deaths registered in the week ended 11th September, 1926.**

	Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
	Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
	105 Great Towns ..	19,417,320*	6,523	3,393†	445	4	10	3	30	20	180	1
	London	4,602,000*	1,460	766	81	-	-	-	4	5	29	-
Towns in Outer Ring.	Croydon C.B ..	199,300	78	35	6	-	-	-	1	-	1	-
	Wimbledon ..	58,170	9	5	-	-	-	-	-	-	-	-
	Ealing	68,410	24	7	-	-	-	-	-	-	-	-
	Acton	63,110	24	8	2	-	-	-	-	-	1	-
	Willesden ..	168,900	37	23	1	-	-	-	1	-	-	-
	Hendon	59,150*	11	5	-	-	-	-	-	-	-	-
	Hornsey	87,210	33	13	-	-	-	-	-	-	-	-
	Wood Green ..	51,960	7	3	-	-	-	-	-	-	-	-
	Tottenham ..	153,600	48	16	5	-	-	-	-	-	1	-
	Edmonton ..	71,210	40	10	2	-	-	-	-	-	-	-
	Enfield	63,740	16	13	-	-	-	-	-	-	-	-
	West Ham C.B. ..	318,500	122	48	4	1	-	-	-	-	3	-
	East Ham C.B. ..	147,200	51	23	7	-	-	-	-	2	5	-
	Leyton	132,700	31	31	2	-	-	-	-	-	-	-
	Walthamstow ..	130,800	33	15	-	-	-	-	-	-	-	-
	Ilford	93,590	31	9	1	-	-	-	-	-	-	-
	Gillingham	48,680*	15	4	-	-	-	-	-	-	-	-
	Canterbury C.B ..	23,270*	10	2	-	-	-	-	-	-	-	-
	Hastings C.B.	60,470	12	11	1	-	-	-	-	-	-	-
	Eastbourne C.B. ..	55,060	21	8	1	-	-	-	-	-	1	-
	Brighton C.B. ..	137,800*	57	29	1	-	-	-	-	-	-	-
	Portsmouth C.B. ..	232,900*	94	35	6	-	-	-	-	-	4	-
	Bournemouth C.B. ..	85,840	25	14	-	-	-	-	-	-	-	-
	Southampton C.B. ..	168,600	67	33	5	1	-	-	-	-	-	-
	Reading C.B.	93,670*	36	18	-	-	-	-	-	-	-	-
	Oxford C.B.	57,090	23	5	-	-	-	-	-	-	-	-
	Northampton C.B. ..	93,780*	23	17	-	-	-	-	-	-	-	-
	Luton	59,230	18	12	-	-	-	-	-	1	-	-
	Cambridge	59,020	12	7	1	-	-	-	-	-	-	-
	Southend-on-Sea C.B.	98,060	27	14	1	-	-	-	-	-	-	-
	Ipswich C.B.	83,120*	26	12	1	-	-	-	-	-	1	-
	Great Yarmouth C.B.	57,890	16	9	-	-	-	-	-	-	-	-
	Norwich C.B. ..	124,000*	40	15	2	-	-	-	1	-	-	-
	Swindon	56,880	23	8	1	-	-	-	-	-	-	-
	Exeter C.B.	59,820*	20	12	3	-		-	-	-	1	-
	Plymouth C.B. ..	192,100*	69	38	6	-	1		-	-	1	-
	Bath C.B.	69,050	19	13	-	-	-	-	-	-	-	-
	Bristol C.B.	385,700*	115	62	4	-	-	-	1	-	1	-
	Gloucester C.B. ..	53,060	22	10	1	1	-	-	-	-	1	-
	Stoke-on-Trent C.B.	278,900	120	43	11	-	-	-	-	-	2	-
	Burton-upon-Trent C.B.	49,530	18	5	-	-	-	-	-	-	-	-
	Wolverhampton C.B.	108,800	40	21	-	-	-	1	-	-	-	-
	Walsall C.B.	102,300	43	11	1	-	-	-	-	-	1	-
	West Bromwich C.B	79,490	42	7	3	-	-	-	-	-	-	-
	Dudley C.B.	58,810	21	4	-	-	-	-	-	-	-	-
	Worcester C.B. ..	50,230	16	12	-	-	-	-	-	-		-
	Birmingham C.B. ..	945,900	317	165	25	-	1	-	3	2	10	-
	Smethwick C.B. ..	78,840	21	14	1	-	-	-	-	-	-	-
	Coventry C.B. ..	129,100	40	18	-	-	-	-	-	-	-	-
	Leicester C.B. ..	242,100	63	32	5	-	1	-	-	1	5	-
	Lincoln C.B.	66,600*	23	7	1	-	-	-	-	-	-	-
	Grimsby C.B.	87,190	33	20	3	-	-	-	1	-	2	-
	Nottingham C.B. ..	270,600	87	61	14	-	-	-	-	2	8	-
	Derby C.B.	134,400*	48	16	1	-	-	-	-	-	-	-
	Chesterfield ..	65,800	26	10	2	-	-	-	-	-	-	-
	Stockport C.B. ..	125,900	48	26	2	-	-	-	-	-	1	-
	Chester C.B.	41,670	11	14	1	-	-	-	1	-	1	-
	Birkenhead C.B. ..	155,500	55	33	6	-	-	-	-	-	5	-
	Wallasey C.B. ..	91,720	21	14	1	-	-	-	-	1	-	-
	Liverpool C.B. ..	856,000	364	199†	39	-	3	-	2	1	29	-
	Bootle C.B.	83,260	33	13	-	-	-	-	1	-	1	-
	St. Helens C.B. ..	109,600	53	23	7	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Including one death from Bubonic Plague.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	74,260	15	11	-	-	-	-	-	-	-	-
IGAN C.B.	91,010	41	21	4	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	22	12	1	-	-	-	-	-	-	-
OLTON C.B.	180,400	39	28	2	1	-	-	-	-	2	-
URY C.B.	56,700*	12	5	1		-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	248	154	14	-	-	-	2	2	6	-
LFORD C.B.	244,700	68	36	4	-	-	-	-	1	1	-
DHAM C.B	146,200	43	25	1	-	-	-	-	-	-	-
OCHDALE C.B... ..	92,190	16	11	-	-	-	-	1	-	-	-
URNLEY C.B.	102,300	18	14	1	-	-	-	-	-	-	-
ACKBURN C.B. ..	126,900	38	23	2	-	-	-	-	-	-	-
ESTON C.B.	122,900	38	25	2	-	-	-	-	-	-	-
ACKPOOL C.B. ..	80,750	17	16	1	-	-	-	1	-	-	1
ARROW-IN-FURNESS C.B.	73,470	13	13	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	36	25	4	-	-	-	-	-	1	-
ALIFAX C.B.	97,860*	42	23	3	-	-	-	-	-	-	-
ADFORD C.B. ..	290,200	83	73	20	-	-	-	3	1	10	-
EDS C.B.	472,900	153	89	9	-	1	-	-	-	4	-
SWSBURY C.B ..	54,570	13	8	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,980	26	5	-	-	-	-	-	-	-	-
ARNSLEY C.B. ..	71,170	27	8	1	-	-	-	-	-	1	1
EFFIELD C.B. ..	526,900*	181	101	18	-	-	-	1	-	8	-
OTHERHAM C.B. ..	70,600	19	10	1	-	-	1	-	-	-	-
ONCASTER	55,610	20	9	2	-	-	-	-	-	2	-
ORK C.B.	84,630*	30	14	1	-	-	-	-	-	1	-
ULL C.B.	297,300	132	62	21	-	-	-	3	-	9	-
DDLESBROUGH C.B.	136,200	48	23	6	-	-	-	-	-	3	1
ARLINGTON C.B. ..	69,130	25	11	1	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	68,000	25	14	5	-	-	-	-	-	1	-
EST HARTLEPOOL C.B.	71,590	20	15	2	-	-	-	1	1	1	-
NDERLAND C.B. ..	166,000	76	38	7	-	-	-	-	-	4	-
UTH SHIELDS C.B. ..	124,600	38	17	3	-	-	-	-	-	2	-
ATESHEAD C.B. ..	129,000	54	38	8	-	1	-	-	-	3	-
EWCASTLE-ON-TYNE C.B.	286,300*	130	64	11	-	2	1	1	-	2	-
NEMOUTH C.B. ..	66,180	29	13	2	-	-	-	-	-	-	-
RLISLE C.B.	55,160*	22	9	-	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,420*	51	19	4	-	-	-	-	-	-	-
RDIFF C.B.	227,100*	85	48	4	-	-	-	-	-	4	-
ONDDA	167,570	51	22	5	-	-	-	1	-	-	-
ERTHYR TYDFIL C.B.	82,920	20	17	-	-	-	-	-	-	-	-
ERDARE	57,700	21	13	2		-	-	-	-	-	-
ANSEA C.B.	163,200	50	25	2	-	-	-	-	-	-	-
EATER LONDON ..	7,719,622*	2,502	1,222	133	1	-	1	7	9	48	4
TER RING	3,117,622*	1,042	456	52	1	-	1	3	4	19	3
GREAT TOWNS IN UTER RING	1,867,550*	595	264	30	1	-	-	2	2	11	2
MAINDER OF OUTER ING	1,250,072*	447	192	22	-	-	1	1	2	8	1
INBURGH†	424,600	158	73	3	-	1	-	1	-	-	-
ASGOW† ..	1,052,200‡	428	249	43	-	-	1	2	3	15	-
BLIN (REGISTRATION REA)†	419,156§	214	106	27	-	-	2	1	-	17	-
LFAST†	416,000	214	111	29	-	-	-	-	-	18	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of idents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and lfast are corrected by the exclusion of deaths of persons admitted into public institutions from thout the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

§ Census population 1926 (unrevised).

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)
London‡	4,602,000	1926. Sept. 11	1460	766	8·7	-	-	-	-	4	5	29
Calcutta and Suburbs	1,077,273	Aug. 7	?	514§	24·8	?	2	?	?	?	?	?
Bombay‖	1,279,061	„ 14	405	710§	28·9	-	4	1	-	1	1	40
Madras	528,791	„ 14	458	496	48·8	3	3	-	?	4	-	59
Sydney and Suburbs	1,038,950	July 31 (31 days)										
Brisbane (Metropolitan Area).	263,711	July 31 (31 days)										
Perth (Metropolitan Area).	179,388	July 17	73	34	9·9	-	-	-	-	-	-	-
Auckland (Urban Area).	192,176	July 31 (31 days)										
Wellington (Urban Area).	121,324	July 31 (31 days)										
Christchurch (Urban Area).	118,408	July 31 (31 days)										
Cape Town	113,709	Aug. 14	53	37	16·9	-	-	-	-	-	1	-
Johannesburg	165,958	„ 14	72	49	15·4	-	-	-	-	-	1	-
Durban	54,822	„ 14	19	8	7·6	-	-	-	-	-	-	-
Paris	2,906,472	Aug. 20 (10 days)	1244	986	12·4	7	-	3	-	5	3	74
Antwerp	300,193	Aug. 7	108	60	10·4	-	1	3	-	2	-	3
Amsterdam	720,837	„ 21	241	112	8·9	1	-	-	-	3	-	-
Copenhagen	587,400	„ 21	188	95	8·5	-	-	-	-	1	1	1
Stockholm	442,528	„ 28	107	81	9·5	-	-	-	-	-	1	-
Gothenburg	230,963	„ 28	?	30	6·8	-	-	-	-	-	-	-
Oslo (Christiania) ..	255,724	Sept. 4	40	53	10·8	-	-	-	-	-	-	1
Berlin	1,999,000	Aug. 21	334	372	9·7	-	?	4	-	4	2	3
Breslau	560,000	„ 21	174	110	10·2	-	?	2	-	-	-	4
Cologne	708,000	„ 21	229	132	9·7	1	?	-	-	5	1	8
Dresden	621,000	„ 21	128	100	8·4	1	?	-	-	1	-	-
Frankfort-on-Main ..	472,000	„ 21	99	75	8·3	-	?	-	-	-	-	1
Hamburg	1,101,000	„ 21	374	175	8·3	1	?	-	-	-	-	-
Leipzig	685,000	„ 21	190	124	9·4	-	?	-	-	-	-	1
Munich	685,000	„ 21	141	140	10·6	-	?	-	-	1	1	1
Vienna	1,873,432	May 31 (31 days)	2142	2185	13·7	2	-	-	4	5	5	-
Prague and Suburbs	725,196	April 30 (30 days)										
Budapest	960,995	Aug. 21	279	271	14·7	7	-	-	4	1	1	10
Warsaw	1,015,426	„ 21	?	281	14·5	3	-	-	17	-	2	62
Cairo	859,400	April 15	705	662	40·2	8	-	27	-	?	5	73
Alexandria	492,100	„ 15	380	271	28·7	4	5	3	-	?	1	24
New York	5,924,139	Aug. 7	?	1121	9·9	2	-	-	-	3	3	30
Chicago	2,995,239	July 30	1115	540	9·2	2	?	1	-	-	5	8
		Aug. 6	1225	585	10·0	-	?	1	1	2	2	10
		„ 13	1297	497	8·5	2	?	1	-	1	2	13
		„ 20	1009	536	9·2	-	?	1	-	1	1	14

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 11 deaths from cholera in Calcutta and 2 from plague in Bombay.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th September, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	766	81	7	15	21	37	39	44	99	130	157	136
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	3	-	1	-	-	-	-	-	-	-	-
Diphtheria	5	-	1	1	3	-	-	-	-	-	-	-
Influenza	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	2	1	-	-	-	-	1	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	3	1	-	-	1	1	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	55	-	-	-	2	14	13	4	11	7	4	-
Nervous system	6	1	-	3	1	1	-	-	-	-	-	-
Intestines and peritoneum	3	-	-	-	-	1	-	-	1	-	-	1
Other forms	4	1	-	1	1	1	-	-	-	-	-	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	135	-	-	1	-	1	2	8	28	37	45	13
Rheumatic fever	4	-	-	-	2	1	-	-	-	1	-	-
Diabetes	2	-	-	-	-	-	-	-	-	-	-	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	-	-	-	-	1	-	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	42	-	-	-	-	-	-	3	4	9	14	12
Epilepsy	2	-	-	-	-	-	1	1	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	
Other diseases of nervous system ..	17	-	-	2	-	-	-	4	4	3	2	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	1	1	1	1	1	-	-
Other diseases of heart	104	-	-	-	1	5	3	2	14	21	30	28
Other diseases of circulatory system	43	-	-	-	-	-	-	2	3	9	14	15
Bronchitis	23	1	1	1	-	-	-	1	-	5	6	8
Broncho-pneumonia	16	6	-	-	-	-	1	1	1	1	4	2
Lobar-pneumonia	10	-	1	-	1	-	-	1	3	2	1	1
Pneumonia (type not distinguished)	3	-	-	-	-	-	-	1	1	-	1	-
Other diseases of respiratory system	6	-	-	-	-	-	-	-	-	-	-	6
Diarrhœa and enteritis	35	25	4	2	1	-	-	-	-	1	-	2
Appendicitis, Typhlitis	3	-	-	-	1	-	-	-	1	-	-	1
Hernia, Intestinal obstruction.. ..	12	-	-	-	-	2	-	2	1	2	2	3
Cirrhosis of liver	5	-	-		-	-	-		2	1	2	-
Other diseases of digestive system ..	18	-	-	-	2	1	1	2	4	5	3	-
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease..	23	-	-	-	-	1	-	2	4	7	8	1
Other diseases of genito-urinary system.	20	-	-	-	1	1	1	2	2	5	5	3
Puerperal sepsis	4	-	-	-	-	-	4	-	-	-	-	
Other causes incident to childbirth..	3	-	-	-	-	1	2	-	-	-	-	-
Congenital malformations	6	5	-	-	-	1	-	-	-	-	-	-
Premature birth	24	24	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	32	-	-	-	-	-	-	-	-	-	5	27
Suicide	14	-	-	-	-	1	2	1	4	3	2	1
Burns and Scalds	2	-	-	1	-	1	-	-	-	-	-	-
Drowning	6	-	-	-	1	1	-	1	2	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	1	2	1	2	2	2	2	2	1
Other deaths by violence	7	-	-	-	-	-	2	-	-	1	1	3
Other specified causes	31	5	-	1	1	-	1	3	6	6	4	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in t week ended 11th Septe ber, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	186	206	4	39	C. 9 D. 1 E. 4 G. 8 L. 1 M. 19
INNER AND MIDDLE TEMPLES	–	–	1	–	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	–	5	8	-	2	E. 1 M. 1
†BERMONDSEY ...	–	4	5	–	1	M. 2
†BETHNAL GREEN	–	18	22	–	4	M. 1
†CAMBERWELL ...	–	17	21	–	2	E. 1 G. 1
†CHELSEA	–	1	4	–	1	–
†DEPTFORD ...	–	5	9	–	4	C. 1 G. 1 L. 1
†FINSBURY ...	–	5	–	-	–	G. 2
†FULHAM	–	6	4	-	4	M. 1
†GREENWICH ...	–	–	2	-	–	–
†HACKNEY ...	-	9	13	–	1	C. 1 M. 1
†HAMMERSMITH ...	–	3	2	–	1	M. 1
†HAMPSTEAD ...	–	-	6	–	–	C. 1
†HOLBORN... ...	–	1	2	-	–	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever.	Pneumonia	Other Diseases (se
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	19	15	–	1	C. D. M
†KENSINGTON ...	–	1	6	1	–	
†LAMBETH ...	–	9	15	–	3	M
†LEWISHAM ...	–	4	6	–	–	
†PADDINGTON ...	–	3	4	–	1	C. E
†POPLAR	–	10	7	–	1	M
†ST. MARYLEBONE	–	2	2	1	1	
†ST. PANCRAS ...	–	3	7	1	1	C M
†SHOREDITCH ...	–	14	5	–	–	M
†SOUTHWARK ...	–	13	10	–	2	G M
†STEPNEY	–	13	7	-	5	C M
†STOKE NEWINGTON	–	3	-	–	–	C
†WANDSWORTH ...	–	8	18	1	2	G
†WESTMINSTER, CITY OF	–	1	2	–	–	M
†WOOLWICH ...	–	9	3	–	2	G M

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Pla encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fe

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	-		2	-	1	D. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	-	-	1	-	-	-
†LUTON	-	-	1	-	-	D. 1
Rural Districts:—						
AMPTHILL ...	-	-	-	-	1	-
BERKS	-	4	1	-	1	G. 1
†READING C.B. ...	-	-	-	-	1	-
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	-	1	1	-	-	G. 1
Rural Districts:—						
BRADFIELD ...	-	1	-	-	-	-
EASTHAMPSTEAD	-	2	-	-	-	-
BUCKINGHAM ...	-	9	1	1	-	-
Boroughs and Urban Districts:—						
†AYLESBURY ...	-	1	-	-	-	-
BLETCHLEY ...	-	1	1	-	-	-
†CHEPPING WYCOMBE	-	1	-	-	-	-
†WOLVERTON ...	-	1	-	-	-	-
Rural Districts:—						
AMERSHAM ...	-	1	-	1	-	-
ETON	-	1	-	-	-	-
WYCOMBE ...	-	3	-	-	-	-
CAMBRIDGE ..	-	2	5	-	-	-
Borough:—						
†CAMBRIDGE ..	-	1	5	-	-	-
CAMBRIDGE—*cont.*						
Rural Districts:—						
NEWMARKET ...	-	1	-	-	-	-
CHESTER	-	48	18	1	6	C. 1 E. 2 L. 1 M. 1
†BIRKENHEAD C.B.	-	4	3	1	3	C. 1
†CHESTER C.B. ...	-	-	1	-	-	-
†STOCKPORT C.B.	-	15	1	-	1	-
†WALLASEY C.B. ...	-	2	1	-	-	-
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	-	3	-	-	-	-
BOWDON	-	2	1	-	-	-
†CHEADLE AND GATLEY	-	1	-	-	-	-
†CREWE	-	4	-	-	-	-
HALE	-	1	-	-	-	-
†MACCLESFIELD ...	-	2	8	-	-	L. 1
MARPLE	-	1	-	-	-	-
†STALYBRIDGE ...	-	1	-	-	-	M. 1
WILMSLOW ...	-	2	-	-	-	-
†WINSFORD ...	-	-	1	-		-
Rural Districts:—						
BUCKLOW ...	-	1	1	-	-	-
CONGLETON ...	-	2	-	-	-	E. 1
MACCLESFIELD ...	-	-	-	-	-	E. 1
NANTWICH ...	-	5	1	-	-	-
NORTHWICH ...	-	1	-	-	-	-
RUNCORN ...	-	1	-	-	1	-
WIRRAL	-	-	-	-	1	-
CORNWALL ...	-	-	8	-	5	-
Boroughs and Urban Districts:—						
HELSTON... ...	*	*	*	*	*	*
LISKEARD ...	-	-	1	-	-	-
†PENZANCE ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
REDRUTH ...	–	–	–	–	4	–
ST. IVES	–	–	3	–	–	–
†TRURO	–	–	2	–	–	
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
EAST KERRIER ...	–	–	1	–	–	–
ST. GERMANS ...		–	–	–	1	–
CUMBERLAND ..	–	7	4	–	3	E. 1 M. 1
†CARLISLE C.B. ..	–	2	2	–	1	–
Boroughs and Urban Districts:—						
KESWICK	*	*	*	*	*	*
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ...	–	1	–		–	M. 1
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
BRAMPTON ...		–	1	–	–	–
CARLISLE ..	–	1	–	–	–	E. 1
COCKERMOUTH ...	–	1	–	–	1	–
WHITEHAVEN ..	–	1	–	–	–	–
DERBY	3	43	10		13	C. 2 J. 1 M. 3
†DERBY C.B. .	3	9	5	–	6	J. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON .	–	–	–	–	–	C. 1
BAKEWELL ..	–	2	–	–	–	–
†BUXTON	–	–	–	–	–	C. 1
†CHESTERFIELD ...	–	5	–		–	–
CLAY CROSS ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	–	–	–	1	–
†LONG EATON ...	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	8	–	–	1	–
WIRKSWORTH ...	–	–	–	–	–	M. 1
Rural Districts:—						
BELPER	–	2	3	–	–	–
BLACKWELL ...		1	–	–	1	–
CHAPEL EN LE FRITH		1	–	–	–	–
CHESTERFIELD ..	–	6	1	–	2	–
CLOWNE	–	3	–	–	1	–
HARTSHORN AND SEALE	–	–	–	–	1	–
HAYFIELD ...	–	–	1	–	–	–
REPTON	–	4	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	15	8	1	1	G. 1 M. 2
†EXETER C.B. ...	–	5	–	–	–	M. 1
†PLYMOUTH C.B....	–	8	7	–		G. 1
Boroughs and Urban Districts:—						
BIDEFORD ..	–	1	–	–	–	–
†ILFRACOMBE ...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	1	–	M. 1
†TEIGNMOUTH ...	–	–	1	–	–	
TOTNES	*	*	*	*	*	*
Rural Districts:—						
TOTNES	–	–	–	–	1	–
DORSET	1	7	2	1	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†POOLE	–	4	–	–	–	M. 1
SHERBORNE ...	1	–	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Rural Districts:—						
POOLE	-	-	2	-	-	-
WAREHAM AND PURBECK	-	1	-	-	-	-
WEYMOUTH ...	-	2	-	-	-	-
WIMBORNE AND CRANBORNE	-	-	-	1	-	C. 1
DURHAM	81	44	20	11	18	C. 3 E. 1 M. 7
†DARLINGTON C.B.	-	1	-	3	2	-
†GATESHEAD C.B.	2	10	6	-	1	-
†SOUTH SHIELDS C.B.	1	2	-	-	2	M. 1
†SUNDERLAND C.B.	2	3	2	1	1	C. 2
†WEST HARTLEPOOL C.B.	-	-	1		-	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	-	-	-	-
BENFIELDSIDE ...	-	1	-	-	3	-
†BISHOP AUCKLAND	-	-	1	-		-
†BLAYDON... ...	1	2	-	-		-
†CHESTER LE STREET	-	1	-	-	-	-
†CONSETT	-	2	-	-	-	-
†CROOK	3	1	-		-	-
†DURHAM	-	-	3	-	-	-
†FELLING	*	*	*	*	*	*
†HEBBURN ...	1	1	1	5	-	-
†HETTON	7	1	-	-	2	-
†HOUGHTON LE SPRING	2	-	1	-	-	-
†JARROW	3	2	-	-	3	C. 1 E. 1
†SHILDON	-	-	-	1	-	-
†SOUTHWICK ON WEAR	-	-	-	1	1	-
STANHOPE ...	*	*	*	*	*	*
†STANLEY	4	2	-	-	-	
†STOCKTON ON TEES	-	-	1		1	M. 1
†WASHINGTON ...	*	*	*	*	*	*
†WHICKHAM ...	-	2	-	-	-	-
WILLINGTON ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	2	1	1	-	-	-
CHESTER LE STREET	-	2	1	-		-
DURHAM	-	1	-	-	1	M. 1
EASINGTON ...	37	-		-	-	-
HOUGHTON LE SPRING	1	1	-	-	-	-
LANCHESTER ...	2	4	-	-	-	-
SEDGEFIELD ...	12	-	1	-	-	M. 1
SOUTH SHIELDS...			-	-	1	
STOCKTON ...	-	1	1	-	-	-
SUNDERLAND ...	-	-	-	-	-	M. 2
WEARDALE ...	-	1	-	-	-	-
ELY, ISLE OF ...	-	-	2	-	-	-
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
WHITTLESEY ...	-	-	1	-	-	-
Rural Districts:—						
WISBECH	-	-	1	-	-	-
ESSEX	-	74	42	2	11	C. 2 E. 8 G. 1 M. 1
†EAST HAM C.B. ...	-	10	4	-	1	-
†SOUTHEND-ON-SEA C.B.	-	6	1		1	C. 1
†WEST HAM C.B. ...	-	20	14	1	4	-
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	1	3	-	1	M. 1
BRAINTREE ...	-	1	-	-	-	-
BRENTWOOD ...	-	-	2	-	-	-
CANVEY ISLAND...		1	-	-	-	-
†CHELMSFORD ...	-	1	-	-	-	-
†CLACTON	-	1	-	-	-	-
DAGENHAM ...	-	3	1	-	-	-

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARWICH ...	–	1	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	3	2	–	2	G. 1
†LEYTON	–	6	6	–	2	–
TILBURY	–	1	2	–	–	–
†WALTHAMSTOW ...	–	8	4	–	–	E. 1
†WOODFORD ...	–	4	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
EPPING	–	2	–	1	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	–	C. 1
MALDON	–	1	–	–	–	–
ORSETT	–	–	2	–	–	E. 7
ROCHFORD ...	–	2	–	–	–	–
GLOUCESTER ...	–	20	22	1	5	C. 3 E. 1 L. 59 M. 2
†BRISTOL C.B. ...	–	9	14	–	3	C. 3 E. 1 L. 59
†GLOUCESTER C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	–	–	1	–
COLEFORD ...	–	–	1	–	–	–
STROUD	–	1	3	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
GLOUCESTER ...	–	–	–	1	–	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	–	–	–	–	M. 1
STROUD	–	3	2	–	–	–
THORNBURY ...	–	3	–	–	1	–
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ..	–	–	2	–	1	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
LEDBURY... ...	–	–	2	–	–	–
HERTFORD ...	–	3	3	5	–	G. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	–	–	–	G. 1
RICKMANSWORTH	–	2	–	–	–	–
†ST. ALBANS ...	–	–	1	–	–	–
WARE	–	–	–	3	–	–
†WATFORD ...	–	1	1	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	–	1	1	–	–
ST. ALBANS ...	–	–	–	1	–	–
HUNTINGDON ..	–	1	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. IVES	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
KENT	–	41	19	–	1	E. 2 M. 2
†CANTERBURY C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	–	1	–	–	–
†BEXLEY	–	2	–	–	–	–
†CHATHAM ...	–	–	2	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	–	–	–	M. 2
†ERITH	–	1	–		–	
†FOLKESTONE ...	–	–		–	–	E. 1
†GILLINGHAM ...	–	3	1	–	1	–
†GRAVESEND ...	–	1	2	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	1	2	–	–	–
†NORTHFLEET ...	–	2	1	–	–	–
†PENGE	–	1	1	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	*	*	*	*	*	*
SIDCUP	–	1	–	–	–	–
SWANSCOMBE ...	–	1	1	–	–	–
TENTERDEN ...	*	*	*	*	*	*
WHITSTABLE ...	–	–	3	–	–	–
Rural Districts:—						
BRIDGE	–	–	1	–	–	–
BROMLEY ...		3	–	–	–	–
DARTFORD ...		3	–	–	–	–
FAVERSHAM ...	–	2	–	–	–	–
HOLLINGBOURNE		–	1	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	4	–	–	–	–
MILTON	–	2	–	–	–	–
SEVENOAKS ...	–	1	1	–	–	–
STROOD		6		–	–	–
TENTERDEN ...	*	*	*	*	*	*
TONBRIDGE ...	*	*	*	*	*	*
WEST ASHFORD...	–		–	–	–	E. 1
LANCASTER ..	1	207	116	8	90	C. 6 E. 2 G. 3 M. 29
†BARROW IN FURNESS C.B.	–	1	2	–	1	–
†BLACKBURN C.B.		5	–	2	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	1	–	–	–	–
†BOLTON C.B. ...	–	5	1	–	–	–
†BOOTLE C.B. ...	–	3	–	–	4	–
†BURNLEY C.B. ...	–	5	–		2	G. 1
†BURY C.B. ...	–	2	1	–	–	–
†LIVERPOOL C.B. ..	–	34	20	–	25	C. 1 M. 13
†MANCHESTER C.B.	–	56	31	1	10	C. 3 E. 2 G. 2 M. 3
†OLDHAM C.B. ...	–	6	4	–	1	C. 1 M. 1
†PRESTON C.B. ...	–	2	5	1	4	C. 1 M. 2
†ROCHDALE C.B. ...	–	3	4	–	–	–
†ST. HELENS C.B....	–	2	4	–	6	M. 1
†SALFORD C.B. ...	–	22	18	–	3	M. 4
†SOUTHPORT C.B.	–	2	–	–	–	–
†WARRINGTON C.B.	–	1	3	–	3	–
†WIGAN C.B. ...	–	–	–	–	7	–
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	–	–	–	–	M. 1
†ASHTON UNDER LYNE	–	1	–	–	–	M. 1
ASPULL	–	–	–	–	3	–
†ATHERTON ...	–	2	1	–	–	–
AUDENSHAW ...	–	–	–	–	2	M. 1
†BACUP	–	2	–	–	–	–
BILLINGE... ...	–	1	1	–	–	–
†CHADDERTON ...	–	4	1	–	–	–
†CHORLEY	–	–	–	–	1	–
†COLNE	–	3	–	3	–	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	–	–	–	–	M. 1
†DENTON		1	–	–	–	–
†ECCLES	–	2	–	–	1	–
†FAILSWORTH ..	–	2	1	–	–	–
†FARNWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	1	–	–	1	–
GOLBORNE ...	–	1	–	–	1	–
†GREAT CROSBY ...	–		–	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	*	*	*	*	*	*
†HAYDOCK ...	–	1	–	–	–	–
HEYSHAM ..	–	1	–	–	–	–

* Returns not received † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEYWOOD ...	–	–	–	1	–	–
†INCE IN MAKERFIELD	–		–	–	2	–
IRLAM	1	–		–	–	–
KIRKHAM ...	–	–	1	–	–	–
†LANCASTER ...	–	1	–	–	–	–
†LEIGH	–	2	1	–	1	–
LEYLAND	–	–	1	–		–
†LITHERLAND ...	–	–	2	–	–	–
†LITTLEBOROUGH	–	1		–	–	–
†LYTHAM ST. ANNE'S	–	3	–	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
†MORECAMBE ...	–	2	2	–		–
†MOSSLEY		1	–		–	–
†NEWTON IN MAKERFIELD	–	1	–	–	2	M. 1
†OSWALDTWISTLE	–	1	–	–	1	–
†PADIHAM ...	–	–	3	–	–	–
PRESCOT	–	1	–	–		–
†RADCLIFFE ...	–	2	1	–	–	–
†RAMSBOTTOM ...	–	3	–	–	–	–
RISHTON	–	1	–	–	–	–
†STRETFORD ...	–	2	–	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–		–
TOTTINGTON ...	*	*	*	*	*	*
†WALTON LE DALE	–	1	–	–	–	–
WHITEFIELD ...	–	–	1	–	–	
†WIDNES	–	1	2	–	–	–
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	3	–	–	–	–
BURNLEY... ...	–	–	1	–	1	–
GARSTANG ...		–	2	–	–	–
LUNESDALE ...	–	1		–	–	–
PRESTON	–	1	–	–	–	–
ULVERSTON ...	–	1	1	–	–	–
WARRINGTON ...	–			–	1	–
WEST LANCASHIRE	–	–	1	–	–	–
WHISTON... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ..	–	13	22	1	2	C. 1 E. 17 G. 2 M. 1
†LEICESTER C.B. ..	–	5	11	–	1	C. 1 E. 10 G. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	3	–	–	–
MARKET HARBOROUGH	–	–	–	–	–	E. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1			G. 1
BARROW UPON SOAR	–	4	5	–	1	E. 1
BILLESDON ...	–	–	–	–	–	E. 4
CASTLE DONINGTON		1	–	–	–	M. 1
HINCKLEY ...	–		–	–	–	E. 1
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	–	1	1	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	1	4		–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	4	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Kesteven).	–	1	2	–	1	–
Rural Districts:—						
BOURNE	–	1	1	–	1	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	4	12	8	–	2	C. 1 E. 2 M. 2
†GRIMSBY C.B. ...	–	4	2	–	2	M. 2
†LINCOLN C.B. ...	–	3	–	–	–	E. 2
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	–	–	–	C. 1
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH ...	4	–	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	4	–	–	–
SKEGNESS ...	–	–	1	–	–	–
Rural Districts:—						
GRIMSBY	–	2	–	–	–	–
MIDDLESEX ...	–	33	36	2	10	C. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	–	2	–	1	–
†BRENTFORD ...	–	–	4	–	1	–
†EALING	–	4	2	1	–	–
†EDMONTON ...	–	5	6	–	–	C. 1 M. 1
†ENFIELD	–	1	1	–	–	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	–	2	–	–	–
†FRIERN BARNET	–	–	–	–	2	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	2	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORNSEY	–	1	2	–	1	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	12	4	–	1	–
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	1	1	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WILLESDEN ...	–	2	6	–	3	E. 1
†WOOD GREEN ...	–	–	2	–	–	–
Rural Districts:—						
HENDON	–	–	2	–	1	–
STAINES	–	–	–	–	–	M. 1
UXBRIDGE ...	*	*	*	*	*	*
NORFOLK	–	9	3	–	1	E. 1
†GREAT YARMOUTH C.B.	–	5	3	–	–	–
†NORWICH C.B. ...	–	1	–	–	1	–
Rural Districts:—						
DEPWADE	–	2	–	–	–	–
DOCKING	–	–	–	–	–	E. 1
LODDON AND CLAVERING	–	1	–	–	–	–
MARSHLAND ...	*	*	*	*	*	*
NORTHAMPTON ...	–	12	4	1	1	E. 1 G. 1
†NORTHAMPTON C.B.	–	3	3	–	–	–
Boroughs and Urban Districts:—						
FINEDON	–	–	–	–	1	–
†KETTERING ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
BRACKLEY ...	–	1	–	–	–	–
BRIXWORTH ...	–	–	1	1	–	G. 1
HARDINGSTONE ...	–	–	–	–	–	E. 1
THRAPSTON (part)	–	6	–	–	–	–
NORTHUMBERLAND	8	44	9	2	18	E. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	–	18	3	1	11	–
†TYNEMOUTH C.B.	–	3	2	–	1	–
Boroughs and Urban Districts:—						
ALNWICK... ...	–	1	–	–	–	–
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	4	4	–	–	–	–
†BEDLINGTONSHIRE	–	4	–		–	–
†BLYTH	–	–	2	–	1	M. 2
†GOSFORTH ...	–	3		–	–	–
†LONGBENTON ...	3	–	–	–	–	–
†NEWBURN ...	1	1	–	–	–	–
PRUDHOE... ...	–	–	–	–	2	–
SEATON DELAVAL	–	–	–	–	2	–
†WALLSEND ...	–	5	1	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	–	E. 1
Rural Districts:—						
ALNWICK ...	–	1	–	–	–	–
BELLINGHAM ...	–	–	1	–		–
CASTLE WARD ...	–	2	–	–	–	
HEXHAM	–	2		–	–	–
NORHAM AND ISLANDSHIRES	–	–	–	1		–
NOTTINGHAM ...	1	16	16	1	3	C. 1 G. 1 M. 4
†NOTTINGHAM C.B.	–	7	9	1	3	C. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	
†CARLTON	–	2	–		–	–
†MANSFIELD ...	–	2	2	–	–	G. 1 M. 1
†NEWARK	–	–	3	–	–	–
†SUTTON IN ASHFIELD	1	–	–	–	–	M. 1
†WORKSOP... ...	–	1	1	–	–	–
Rural Districts:—						
BASFORD	–	2	1	–		–
BINGHAM... ...	–	1	–	–		–
EAST RETFORD ...	*	*	*	*	*	*
OXFORD	–	4	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	2	–	–	–	–
THAME	–	2	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	C. 1
Borough:—						
†PETERBOROUGH...	–	–	–	–	–	C. 1
Rural Districts:—						
PETERBOROUGH...	–	1	–		–	–
SALOP	–	3	15		–	C. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†SHREWSBURY ...	–	1	–	–	–	
WEM	–	–	–		–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts—						
ATCHAM	–	–	1	–	–	M. 1
DRAYTON... ...	–	1	14	·	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
WELLINGTON ...	–	1	–	–	–	–
WEM	–	–	·	·	–	E. 1
SOMERSET	–	12	3	–	2	M. 1
†BATH C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
CHARD	–	–	–	–	–	M. 1
CREWKERNE ...	–	1	–	–	–	–
PORTISHEAD ...	*	*	*	*	*	*
STREET	*	*	*	*	*	*
†TAUNTON ...	–	1	2	–	–	–
WIVELISCOMBE ...	*	*	*	*	*	*
Rural Districts:—						
BATH	–	2	–	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
TAUNTON... ...	–	1	–	–	–	–
WINCANTON ...	–	–	1	–	1	–
SOUTHAMPTON ..	–	31	22	4	2	C. 1 D. 1 G. 1 M. 3
†BOURNEMOUTH C.B.	·	2	–	–	–	D. 1
†PORTSMOUTH C.B.	–	9	6	·	–	M. 1
†SOUTHAMPTON C.B.	·	5	12	1	1	G 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†BASINGSTOKE ...	–	–	1	–		M. 1
†EASTLEIGH AND BISHOPSTOKE	–	1	1	–	–	–
†GOSPORT	–	5	–		1	–
HAVANT	*	*	*	*	*	*
PETERSFIELD ...	–	–	2	–	–	–
SOUTHAMPTON—*cont.*						
Rural Districts:—						
BASINGSTOKE ...	–	–	–	–	–	C. 1
DROXFORD ...	–	1	·	–	–	–
FAREHAM ...	–	3	–	–	–	–
HURSLEY... ...	–	2	–	–	–	–
NEW FOREST ...	–	–	–	1	–	–
SOUTH STONEHAM	–	1	–	–	–	–
STOCKBRIDGE ...	–	–	–	1	–	–
WHITCHURCH ...	–	–	–	1	·	–
STAFFORD	–	51	27	5	32	C. 1 G. 1 L 1 M. 10
†BURTON UPON TRENT C.B.	·	–	4	–	2	–
†SMETHWICK C.B.	–	2	–	–	2	–
†STOKE ON TRENT C.B.	–	17	6	1	11	M. 5
†WALSALL C.B. ...	–	2	4	–	–	–
†WEST BROMWICH C.B	–	4	1	2	2	M 1
†WOLVERHAMPTON C.B.	–	4	–	–	–	M. 2
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	1	–	–	–
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	1	–	–	2	–
†BRIERLEY HILL...	–	–	2	–	–	–
†BROWNHILLS ...	–	2	–	–	2	–
†CANNOCK	–	1	1	–	–	C. 1
†DARLASTON ...	–	4	2	–	1	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	2	–	–	–	–
KIDSGROVE ...	–	1	–	·	–	–
†ROWLEY REGIS ...	–	1	1	2	2	
†SEDGLEY	–	–	1	–		–
†STAFFORD ...	–	1	–	–	–	–
†TIPTON	–	–	–	–	2	G. 1
†WEDNESBURY ...	–	2	2	–	1	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	1	1	–	–	M. 1

* Returns not received. † Population over 10,000.

G, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE	–	–	–	–	1	L. 1
KINGSWINFORD ...	–	–	–	–	–	M. 1
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	2	–
SEISDON	–	3	–	–	–	–
TUTBURY... ...	–	–	1	–	–	–
SUFFOLK, EAST ..		3	1	1	2	C. 1
†IPSWICH C.B. ..	–	–	1	–	1	–
Boroughs and Urban Districts:—						
BECCLES	–	–	–	1	–	–
BUNGAY	–	1	–	–	–	–
EYE	–	–	–	–	–	C. 1
†LOWESTOFT ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
SURREY	–	23	13	2	1	C. 2 M. 3
†CROYDON C.B. ...	–	4	6	–	–	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EGHAM	–	–	–	–	1	–
†EPSOM	–	–	–	–	–	M. 1
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	4	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIMLEY	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	M. 1
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM... ...	–	1	2	–	–	–
†REIGATE	–	4	–	1	–	C. 1
†WIMBLEDON ...	–	1	–	–	–	M. 1
Rural Districts:—						
FARNHAM ...	–	–	–	1	–	–
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
SUSSEX, EAST ..	–	5	9	1	6	D. 1 E. 1 M. 1
†BRIGHTON C.B. ...	–	3	6	1	1	E. 1
†EASTBOURNE C.B.	–	–	–	–	1	–
†HASTINGS C.B. ...	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
†HOVE	–	–	–	–	1	–
SEAFORD	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	–	–	–	1	–
CUCKFIELD ...	–	–	–	–	–	D. 1
EAST GRINSTEAD	–	1	1	–	2	–
STEYNING EAST...	–	–	1	–	–	–
SUSSEX, WEST ...	–	3	2	1	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	1	1	–	–	–
†WORTHING ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
MIDHURST ...	-	2	-	-	-	-
WARWICK	-	42	49	-	33	E. 3 G. 3 M. 14
†BIRMINGHAM C.B.	-	26	37	-	28	E. 1 G. 1 M. 13
†COVENTRY C.B. ...	-	3	1	-	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	-	3	-	-	1	E. 1
†ROYAL LEAMINGTON SPA	-	-	-	-	-	G. 1
Rural Districts:—						
ALCESTER ...	-	1	1	-		-
ATHERSTONE ...	-	4	4	-	1	-
BRAILES	-	1	-	-	-	-
COVENTRY ...	-	-	2	-	-	-
FOLESHILL ...	-	-	-	-	1	G. 1
MERIDEN... ...	-	1	1	-	1	-
SOLIHULL ...	-	1	-	-	-	-
SOUTHAM... ...	-	1	-	-	-	-
TAMWORTH (part)	-	1	2	-	-	-
WARWICK ...	-		1	-	-	-
WESTMORLAND ...	-	-	1	-	-	G. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	-	-	-	-	-	G. 1
†KENDAL	-	-	1	-	-	-
WIGHT, ISLE OF ...	-	3	-	-	-	E. 1
Boroughs and Urban Districts:—						
ST. HELENS ...	-	1	-		-	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF— *cont.*						
Rural Districts:—						
ISLE OF WIGHT	-	2	-	-	-	-
WILTS	-	7	5	-	1	D. 1 M. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	-	-	-	-	1	-
CHIPPENHAM ...	-	1	-	-	-	-
MELKSHAM ...	-	-	1	-	-	-
†SALISBURY ...	-	-	1	-	-	D. 1
†SWINDON... ...	-	-	1	-	-	-
†TROWBRIDGE ...	-	-	1	-	-	-
Rural Districts:—						
AMESBURY ...	-	-	-	-		M. 1
CHIPPENHAM ...	-	1	-	-	-	-
CRICKLADE AND WOOTTON BASSETT	-	2	-	-	-	-
HIGHWORTH ...	-	2	-	-	-	-
RAMSBURY ...	-	1	-	-	-	-
WILTON	-	-	1	-	-	-
WORCESTER ...	-	2	2	-	12	C. 2 D. 1 E. 2 M. 1
†DUDLEY C.B. ...	-	-	1	-	-	-
†WORCESTER C.B.	-	-	-		4	D. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	-	-	1	-	1	C. 1
†KIDDERMINSTER	-	-	-	-	1	C. 1
†LYE AND WOLLESCOTE	-	-		-	1	-
†OLDBURY... ...	-	-	-	-	1	-
†REDDITCH ...	-	1	-	-	1	-
†STOURBRIDGE ...	-	-	-	-	1	-
STOURPORT ...	-	1	-	-	-	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
PERSHORE ...	–	–	–		–	E. 1
UPTON ON SEVERN	–	–	–	–	2	E. 1
YORKS ... ... (East Riding.)	–	8	11	2	3	M. 1
†KINGSTON UPON HULL C.B	–	4	10	2	2	M. 1
Boroughs and Urban Districts:—						
POCKLINGTON ...	*	*	*	*	*	*
WITHERNSEA ...	–	–	–	–	1	–
Rural Districts:—						
DRIFFIELD ...	–	2	–	–	–	–
NORTON	*	*	*	*	*	*
POCKLINGTON ...	*	*	*	*	*	*
RICCALL	–	2	1	–	–	–
YORKS ... ... (North Riding.)	–	16	1	2	3	C. 2
†MIDDLESBROUGH C.B	–	11	–	1		C. 2
Boroughs and Urban Districts:—						
†ESTON		4	–	–	1	–
LOFTUS	–	1	–	–	1	–
MALTON	*	*	*	*	*	*
Rural Districts:—						
FLAXTON		–	–	1	–	–
KIRKBY MOORSIDE		–	–	–	1	–
MALTON	*	*	*	*	*	*
RICHMOND ...	–		1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	7	169	57	7	67	C. 5 G. 1 M. 6
†BARNSLEY C.B. ...	–	3	1	–	2	–
†BRADFORD C.B. ...	–	46	1	1	1	M. 1
†DEWSBURY C.B....	–	2	–	–	–	C. 1 M. 1
†HALIFAX C.B. ...	–	3	2	–	–	–
†HUDDERSFIELD C.B.	–	4	5	–	1	M. 1
†LEEDS C.B. ...	–	14	6	–	2	C. 2 M. 1
†ROTHERHAM C.B.	1	4		–	8	–
†SHEFFIELD C.B....	1	36	24	2	33	G. 1 M. 2
†WAKEFIELD C.B.	–	–	3	–	–	–
Boroughs and Urban Districts:—						
BAILDON	–	2	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	2	–	–	–	–	–
†BINGLEY	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	–	–	1	–	–
†BRIGHOUSE ...	–	–	–	–	–	C. 1
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	6	–	–	–	–
†DONCASTER ...	–	3	–		–	–
†FEATHERSTONE ...	–	1	–	–	–	–
GARFORTH ...	–	–	–	1	–	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	5	–	–	1	–
†HARROGATE ...	–	3	–	–	–	–
†HOLMFIRTH ...	–	–	–	1	–	–
†HOYLAND NETHER	–	3	–	–	4	–
†KEIGHLEY ...	–	1	1		–	C. 1
KIRKBURTON ...	–	1	–	–	1	–
KNOTTINGLEY ...	–	–	1	–	–	–
MALTBY	–	2		–		–
MELTHAM ...	*	*	*	*	*	*
†MEXBOROUGH ...	2	–	–	–	–	–
†MIRFIELD ...	–	–	–		1	–
NEW MILL ...	–	1	–		–	–
†NORMANTON ...	–	–	–	1	1	–
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding —*cont.*						
Boroughs and Urban Districts—*cont.*						
SELBY	–	–	1	–	–	–
†SHIPLEY	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	3	–	1	–
†STANLEY	–	–	–		1	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	1	1	–	–	1	–
TICKHILL ...	–	1	–		–	–
†WATH UPON DEARNE	–	1		–	–	–
†WOMBWELL ...	–	3	–	–	1	–
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	2	–
HALIFAX	–	–	–	–	1	–
HEMSWORTH ...	–	5	1	–	–	–
KIVETON PARK ...	–	1	1	–	–	–
PONTEFRACT ...	–	2	1	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	3	3	–	3	–
SETTLE	–	2	–	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ...	–	3	1	–	–	–
YORK, CITY OF ...	–	–	3	–	–	–
†YORK C.B. ...	–	–	3	–	–	–
WALES.						
ANGLESEY	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAERNARVON ...	–	1	–	–	–	–
Rural Districts:—						
GLASLYN	–	1	–	–	–	–
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	1	–	–	–
CARMARTHEN ...	–	4	2	1	2	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–		1	–		–
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	–	–	–	1	1	–
Rural Districts:—						
CARMARTHEN ...	–	1	–			–
LLANELLY ...	–	2	1	–	1	M. 1
NEWCASTLE IN EMLYN	–	1	–	–	–	–
DENBIGH	–	4	–	1	–	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	–	–	–	M. 1
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	2	–	1	–	–
Rural Districts:—						
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	2	1	–	–	E. 1
Boroughs and Urban Districts:—						
PRESTATYN ...	*	*	*	*	*	*
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (MOLD DIV.)	–	–	–	–	–	E. 1
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ..	–	25	24	2	9	C. 1 G. 2 M. 2
†CARDIFF C.B. ...	–	4	3	–	–	–
†MERTHYR TYDFIL C.B.	–	–	1	–	1	–
†SWANSEA C.B. ..	–	4	6	–	2	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	–	–	–	–
†BARRY	–	–	–	–	–	G. 1
BRIDGEND ...	–	2	–	–	–	–
†CAERPHILLY ...	–	1	1	–	1	–
†GELLIGAER ...	–	–	1	1	–	–
†GLYNCORWG ...	–	–	–	–	1	C. 1
†MAESTEG ...	–	–	4	–	–	–
†MOUNTAIN ASH ...	–	2	–	–	1	–
†NEATH	–	2	–	–	–	–
†OGMORE AND GARW	–	–	–	–	1	–
†PONTYPRIDD ...	–	–	–	–	1	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	2	–	–	–	M. 1
†RHONDDA ...	–	3	6	–	–	M. 1
Rural Districts:—						
CARDIFF	–	–	–	1	–	–
GOWER	–	1	–	–	–	–
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	–	–	–	–	G. 1
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	1	1	–	–	–
MERIONETH ...	–	1	9	–	–	–
Urban Districts:—						
FESTINIOG ..	–	1	8	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	1	6	1		C. 3 M. 2
†NEWPORT C.B. ...	–	–	–	–	–	C. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
†BEDWELLTY ...	–	–	–	1	–	C. 1
†EBBW VALE ...	–	–	–	–	–	M. 2
MONMOUTH ...	–	–	2	–	–	–
†PANTEG	–	1	1	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	1	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	1	–	–	–
PEMBROKE	–	1	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
Total of Part II. ...	106	1089	656	68	369	C. 42 D. 5 E. 49 G. 20 J. 1 L. 61 M. 109

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
LITTLEHAMPTON ...	*	*	*	*	*	*	SOUTHAMPTON ...	–	–	–	–	1	
LIVERPOOL	–	–		1			TYNE	–	–	–	1	–	
PLYMOUTH	–	–	1	–	3	L. 1	PORT OF LONDON ...	–	–	–	–	1	
							Total of Part III.... ...	–	–	1	2	5	L

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	186	206	4	39	C. 9 D. 1 E. 4 G. 8 L. 1 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	106	1089	656	68	369	C. 42 D. 5 E. 49 G. 20 J. 1 L. 61 M. 109
Total of Part III.—Port Sanitary Districts	–	–	1	2	5	L. 1
Total (*i.e.*, of returns received), England and Wales ...	106	1275	863	74	413	C. 51 D. 6 E. 53 G. 28 J. 1 L. 63 M. 128

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certai FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14	Aug. 21.	Aug. 28.	Sept. 4.
LONDON:—												
DEATHS—all ages	766	807	785	775	791	706	823	706	752	716	785	791
" 0 to 1 year ..	61	77	67	69	64	60	76	56	76	68	72	85
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,424	7,167	7,137	7,000	6,992	7,118	7,460	6,079	7,508	6,970	7,029	6,358
DEATHS—all ages	3,525	3,384	3,570	3,424	3,540	3,215	3,305	3,139	3,226	3 280	3,292	3,409
" 0 to 1 year ..	354	379	354	355	363	337	374	354	386	383	409	452
ENTERIC FEVER—Cases	16	32	25	49	36	46	33	14	30	24	24	28
Deaths	2	3	3	3	4	—	4	5	1	—	2	3
SMALL POX—Cases ..	31	12	15	20	23	10	5	8	4	11	5	16
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	792	766	882	816	904	734	716	600	674	669	641	750
" Deaths	4	4	8	6	6	3	3	2	6	6	5	6
DIPHTHERIA—Cases ..	567	606	611	604	608	625	479	509	552	460	511	526
" Deaths ..	24	38	32	17	25	25	21	26	23	28	24	30
MEASLES—Deaths ..	37	26	25	18	14	14	14	13	9	12	10	6
INFLUENZA—Deaths ..	38	37	28	35	22	20	14	19	18	16	18	19

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th September, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Ra M me
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	84	55	74·4	58·6	6	HUDDERSFIELD	72	48	66·4	53·4	
						BRADFORD ..	68	46	64·1	53·3	
BRIGHTON ..	71	58	68·3	61·0	3	SHEFFIELD ..	73	50	67·4	54·3	
PORTSMOUTH ..	80	59	72·5	61·2	5	YORK (MUSEUM)	71	48	66·9	55·3	
NORWICH (EATON).	75	54	69·0	57·3	8	HULL (PEARSON PARK).	74	48	68·7	55·1	
PLYMOUTH ..	75	56	70·4	60·7	1	TYNEMOUTH ..	72	48	65·7	54·3	
BRISTOL (CLIFTON).	79	58	70·1	59·9	19	CARDIFF.. ..	78	51	68·9	58·0	
BIRMINGHAM (EDGBASTON).	77	53	67·9	56·7	13						
NOTTINGHAM ..	75	50	68·0	56·9	5	EDINBURGH ..	68·0	46·0	63·3	51·0	
BIRKENHEAD (BIDSTON).	67	51	64·0	54·7	20	GLASGOW ..	64·0	47·7	61·7	51·6	
						DUBLIN (PHŒNIX PARK).	70·0	45·6	66·4	54·1	
MANCHESTER (WHITWORTH PARK).	73	49	66·0	54·6	21						
						(FITZWILLIAM SQUARE†).	69·2	52·0	65·4	56·8	
BURNLEY	69	45	64·1	52·4	29						
						BELFAST.. ..	71·0	46·0	66·3	52·2	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly: 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 11th September, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	5	..	30·028	70·6	58·1	12·5	64·2	+ 4·8	60·9	3·3	7·6	1·7	89	110·1	49·1	59·0	Loss of Register.	SSW : SW.	1·2	0·0	0·1	259	+ 13	0·00
MONDAY -	6	Apogee	29·978	72·9	61·1	11·8	65·3	+ 6·1	62·6	2·7	9·9	0·8	91	107·8	60·7	59·1	SW	W : SW	1·3	0·0	0·1	280	+ 35	0·06
TUESDAY -	7	New	29·916	72·9	61·0	11·9	65·6	+ 6·6	61·1	4·5	10·9	0·3	85	101·0	57·0	59·1	SW	SW : WSW.	5·0	0·0	0·5	450	+ 206	0·17
WEDNESDAY	8	..	30·080	67·0	58·6	8·4	61·9	+ 3·1	57·4	4·5	8·7	0·8	85	95·0	52·1	59·2	WNW : Calm.	Calm : SSW.	0·5	0·0	0·0	147	- 100	0·00
THURSDAY -	9	In Equator	29·951	78·2	55·6	22·6	65·5	+ 6·9	58·8	6·7	15·3	0·8	79	136·2	48·1	59·4	SSW : SW.	SSW	1·6	0·0	0·1	214	- 36	0·00
FRIDAY -	10	..	29·765	83·8	57·1	26·7	68·7	+10·3	56·5	12·4	24·0	1·2	65	140·4	46·8	59·6	Calm	SSW	1·2	0·0	0·1	197	- 54	0·00
SATURDAY -	11	..	29·617	75·0	55·4	19·6	64·7	+ 6·6	56·7	8·0	17·0	3·2	75	140·7	44·5	59·5	SSW : SW.	SW	2·7	0·0	0·3	317	+ 66	0·00
MEANS -		..	29·905	74·3	58·1	16·2	65·1	+ 6·3	59·1	6·0	13·3	1·3	81	118·7	51·2	59·3	SW		..	.	..	Sum 1864	Sum + 130	Sum 0·23
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	5	wP.	1·3	13·3	Cloudless till 3h., then nearly overcast generally. Mist till 8h. Dew in morning. Occasional lightning between 20h and 21h. Partial solar halo 17¾h.
MONDAY ..	6	wP.	1·1	13·2	Overcast generally. Damping till 9h. Rain 11¼h. till 12¼h., and frequently from 21h.
TUESDAY ..	7	wP.	0·6	13·2	Overcast till 20¼h., then variably cloudy. Rain till 4h. and from 23¾h. Occasional slight damping from 4h. till 12h. Brisk wind 8h. till 20h.
WEDNESDAY	8	wP till 8½h.; mP till 11h., then wP.	0·0	13·1	Overcast till 19¾h., then clearing to cloudless by 20¼h. Damping 3h. till 4h.
THURSDAY	9	wP.	2·7	13·0	Partially cloudy till 4½h.; nearly overcast till 15h.; then partially cloudy. Solar halo 12h. till 15h.
FRIDAY ..	10	wP till 6h.; variably mP and mN till 11h., then wP.	10 0	13·0	Partially cloudy becoming cloudless by 16h.
SATURDAY	11	wP.	7·1	12 9	Variably cloudy becoming nearly overcast by 19½h. Slight rain 20¾h., and about 23h.
			Sum 22·8	Sum 91·7	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·99 ins. at the beginning of the week to 30·04 ins. by 10h. on 5th; decreased to 29·89 ins. by 17h. on 7th; increased to 30·11 ins. by 12h. on 8th; decreased to 29·63 ins. by 8h. on 11th; increased and was 29·59 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 37

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 18TH SEPTEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH SEPTEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-seventh week of the year numbered 6,830 and corresponded to an annual rate of 18·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,450 and corresponded to an annual rate of 9·3 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 8·8, 9·2 and 9·1. Infant mortality was 76 per 1,000 births against 58, 71 and 68 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,485 births, corresponding to a rate of 16·8 per 1,000, and 810 deaths of civilians, corresponding to an annual rate of 9·2, against 8·9, 9·0 and 8·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·0 per 1,000. The infant mortality was 71 as against 46, 60 and 55 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,393 to 3,450. In London the number of deaths from all causes increased from 766 to 810; the deaths from diphtheria which had been 6, 5 and 5 in the preceding three weeks fell to 2 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 23, 33 and 29 in the preceding three weeks, increased to 39 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 18th September, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	6,830	3,450	516	5	1	2	26	24	217	19
London	4,602,000*	1,485	810	105	2	-	1	1	2	39	4
Towns in Outer Ring.											
Croydon C.B ..	199,300	71	18	4	-	-	-	-	1	2	-
Wimbledon ..	58,170	16	6	-	-	-	-	-	-	-	-
Ealing	68,410	32	17	1	-	-	-	-	-	-	-
Acton	63,110	20	10	-	-	-	-	-	1	-	-
Willesden ..	168,900	58	21	2	-	-	-	-	-	-	-
Hendon	59,150*	20	8	3	-	-	-	-	-	-	1
Hornsey	87,210	18	19	-	-	-	-	-	-	-	-
Wood Green ..	51,960	17	7	1	-	-	-	-	-	1	-
Tottenham ..	153,600	43	30	-	-	-	-	-	-	-	-
Edmonton ..	71,210	36	15	4	-	-	-	-	2	2	-
Enfield	63,740	15	13	5	-	-	-	-	-	2	1
West Ham C.B. ..	318,500	124	61	10	-	-	-	2	-	6	1
East Ham C.B. ..	147,200	27	16	2	-	-	-	-	-	-	1
Leyton	132,700	34	32	6	-	-	-	1	-	3	-
Walthamstow ..	130,800	33	12	1	-	-	-	-	-	-	1
Ilford	93,590	29	10	3	-	-	-	-	-	-	-
Gillingham	48,680*	21	6	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	6	6	1	-	-	-	-	-	-	-
Hastings C.B.	60,470	12	12	2	-	-	-	-	-	1	-
Eastbourne C.B. ..	55,060	10	7	-	-	-	-	1	-	-	-
Brighton C.B. ..	137,800*	45	24	7	-	-	-	-	-	3	-
Portsmouth C.B. ..	232,900*	98	43	12	-	-	-	-	-	4	-
Bournemouth C.B. ..	85,840	18	13	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	81	35	1	1	-	-	-	-	-	-
Reading C.B.	93,670*	23	18	-	-	-	-	-	-	-	-
Oxford C.B.	57,090	19	9	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	30	11	-	-	-	-	-	1	-	-
Luton	59,230	20	9	-	-	-	-	-	-	-	-
Cambridge	59,020	20	10	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	36	20	1	-	-	-	-	1	-	-
Ipswich C.B.	83,120*	24	10	2	-	-	-	-	-	1	-
Great Yarmouth C.B.	57,890	17	8	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	46	22	1	-	-	-	1	-	-	-
Swindon	56,880	19	11	3	-	-	-	-	-	1	-
Exeter C.B.	59,820*	28	14	3	-	-	-	1	-	2	-
Plymouth C.B. ..	192,100*	90	47	7	-	-		-	-	4	-
Bath C.B.	69,050	20	12	2	-	-	1	-	-	-	-
Bristol C.B.	385,700*	154	63	8	-	-	-	-	1	1	1
Gloucester C.B. ..	53,060	18	10	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	106	55	12	-	-	-	1	1	3	-
Burton-upon-Trent C.B.	49,530	14	2	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	36	20	3	-	-	-	-	-	2	-
Walsall C.B.	102,300	48	12	3	-	-	-	-	-	2	-
West Bromwich C.B	79,490	42	16	1	1	-	-	-	-	-	-
Dudley C.B.	58,810	24	12	2	-	-	-	-	-	1	-
Worcester C.B. ..	50,230	15	8	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	353	162	25	-	-	-	2	2	9	1
Smethwick C.B. ..	78,840	22	6	2	-	-	-	-	-	1	-
Coventry C.B. ..	129,100	47	21	3	-	-	-	1	-	-	1
Leicester C.B. ..	242,100	73	56	5	-	-	-	2	-	2	-
Lincoln C.B.	66,600*	28	7	-	-	-	-	-	-	-	-
Grimsby C.B.	87,190	34	15	2	-	-	-	-	-	1	-
Nottingham C.B. ..	270,600	105	44	9	-	-	-	-	-	5	1
Derby C.B.	134,400*	49	15	2	-	-	-	-	1	-	-
Chesterfield ..	65,800	35	6	-	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	47	21	2	-	-	-	-	-	-	-
Chester C.B.	41,670	16	8	1	-	1	-	-	-	1	-
Birkenhead C.B. ..	155,500	46	37	9	-	-	-	-	-	12	-
Wallasey C.B. ..	91,720	28	15	1	-	-	-	-	-	2	-
Liverpool C.B. ..	856,000	358	205	54	-	-	-	1	1	34	-
Bootle C.B.	83,260	36	12	1	-	-	-	1	-	1	-
St. Helens C.B. ..	109,600	50	19	3	-	-	-	1	-	-	1

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B	74,260	21	11	-	-	-	-	-	-	-	-
Wigan C.B.	91,010	38	21	4	-	-	-	-	-	1	-
Warrington C.B.	77,970*	22	10	3	-	-	-	-	-	3	-
Bolton C.B.	180,400	58	30	3	-	-	-	-	-	1	-
Bury C.B.	56,700*	11	7	-	-	-	-	-	-	-	-
Manchester C.B.	755,800	273	141	21	-	-	-	1	4	7	1
Salford C.B.	244,700	97	48	10	-	-	-	-	-	-	-
Oldham C.B	146,200	43	25	2	-	-	-	-	-	-	-
Rochdale C.B.	92,190	31	18	2	-	-	-	1	-	1	-
Burnley C.B.	102,300	32	18	3	-	-	-	-	-	2	-
Blackburn C.B.	126,900	37	35	1	-	-	-	-	-	-	-
Preston C.B.	122,900	39	32	4	-	-	-	-	-	1	-
Blackpool C.B.	80,750	18	14	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	22	13	1	-	-	-	-	-	-	-
Huddersfield C.B.	112,100	40	23	1	-	-	-	-	-	1	1
Halifax C.B.	97,860*	22	13	1	-	-	-	-	-	-	1
Bradford C.B.	290,200	87	62	7	-	-	-	-	-	-	-
Leeds C.B.	472,900	158	85	17	-	-	-	-	-	10	-
Dewsbury C.B	54,570	30	14	-	-	-	-	-	-	-	1
Wakefield C.B.	53,980	17	12	-	-	-	-	-	-	-	-
Barnsley C.B.	71,170	31	14	6	-	-	-	-	-	2	-
Sheffield C.B.	526,900*	178	86	14	-	-	-	-	1	7	-
Rotherham C.B.	70,600	28	9	2	-	-	-	-	-	-	-
Doncaster	55,610	30	13	2	-	-	-	-	-	-	-
York C.B.	84,630*	27	16	1	-	-	-	-	-	1	-
Hull C.B.	297,300	108	49	12	-	-	-	1	-	7	-
Middlesbrough C.B.	136,200	80	23	6	-	-	-	-	-	1	-
Darlington C.B.	69,130	20	12	1	-	-	-	1	-	-	-
Stockton-on-Tees	68,000	20	12	3	-	-	-	1	1	-	1
West Hartlepool C.B.	71,590	28	13	2	-	-	-	1	-	1	-
Sunderland C.B.	166,000	66	40	7	1	-	-	2	3	5	-
South Shields C.B.	124,600	52	15	4	-	-	-	1	-	4	-
Gateshead C.B.	129,000	65	33	5	-	-	-	1	-	1	-
Newcastle-on-Tyne C.B.	286,300*	114	53	14	-	-	-	-	1	9	-
Tynemouth C.B.	66,180	17	7	2	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	19	5	-	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	41	13	-	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	98	38	8	-	-	-	-	-	3	-
Rhondda	167,570	62	20	4	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	82,920	25	15	-	-	-	-	-	-	-	-
Aberdare	57,700	24	8	1	-	-	-	-	-	-	-
Swansea C.B.	163,200	56	25	3	-	-	-	-	-	1	-
Greater London	7,719,622*	2,483	1,281	174	2	-	1	5	7	65	9
Outer Ring	3,117,622*	998	471	69	-	-	-	4	5	26	5
16 Great Towns in Outer Ring	1,867,550*	593	295	42	-	-	-	3	4	16	5
Remainder of Outer Ring	1,250,072*	405	176	27	-	-	-	1	1	10	-
Edinburgh†	424,600	140	78	4	-	-	1	2	1	-	1
Glasgow†	1,052,200‡	386	249	46	-	-	3	-	4	18	-
Dublin (Registration Area)†	419,156§	175	135	43	1	-	1	2	1	23	1
Belfast†	416,000	200	116	24	-	-	-	-	1	14	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases†/ne
		1926.										
LONDON‡	4,602,000	Sept. 18	1485	810	9·2	2	-	-	1	1	2	3
CALCUTTA AND SUBURBS	1,077,273	Aug. 14	?	646§	31·1	?	1	?	?	?	?	?
BOMBAY‖	1,279,061	„ 21	432	721	29·3	5	2	1	-	-	-	5
MADRAS	528,791	„ 21	455	502	49·4	4	1	1	?	4	-	4
SYDNEY AND SUBURBS	1,038,950	July 31 (31 days)	1848	933	10·8	-	-	4	1	4	6	1
BRISBANE (Metropolitan Area).	263,711	July 31 (31 days)										
PERTH (Metropolitan Area).	179,388	July 24	65	22	6·4	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	July 31 (31 days)										
WELLINGTON (Urban Area).	121,324	July 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	July 31 (31 days)										
CAPE TOWN	113,709	Aug. 21	48	31	14·2	-	-	-	-	-	-	
JOHANNESBURG	165,958	„ 21	80	33	10·3	-	-	-	-	1	-	
DURBAN	86,813	„ 21	31	14	13·3	-	-	-	-	-	-	
PARIS	2,906,472	Aug. 31 (11 days)	1305	1012	11·6	6	-	2	1	2	3	8
ANTWERP	300,193	Aug. 14	92	51	8·8	-	-	4	-	-	-	
AMSTERDAM	720,837	„ 28	223	108	7·8	-	-	-	-	-	-	
COPENHAGEN	587,400	„ 28	183	94	8·4	-	-	-	-	1	1	
STOCKHOLM	442,528	Sept. 4	104	82	9·6	-	-	-	-	-	-	
GOTHENBURG	230,963	„ 4										
OSLO (CHRISTIANIA) ..	255,724	„ 11	63	40	8·1	-	-	-	1	-	-	
BERLIN	1,999,000	Aug. 28	398	373	9·7	1	?	-	1	-	1	
BRESLAU	560,000	„ 28	157	116	10·8	1	?	2	-	1	-	
COLOGNE	708,000	„ 28	236	105	7·7	-	?	-	-	1	1	
DRESDEN	621,000	„ 28	135	103	8·6	-	?	-	-	-	-	
FRANKFORT-ON-MAIN ..	472,000	„ 28	117	79	8·7	-	?	1	-	-	-	
HAMBURG	1,101,000	„ 28	226	154	7·3	-	?	-	-	1	-	
LEIPZIG	685,000	„ 28	155	113	8·6	1	?	2	-	-	1	
MUNICH	685,000	„ 28	158	133	10·1	-	?	1	-	-	-	
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	April 30 (30 days)										
BUDAPEST	960,995	Aug. 28										
WARSAW	1,015,426	„ 28	?	285	14·6	3	-	1	12	2	1	3
CAIRO	859,400	April 22	1065	610	37·0	3	1	23	-	?	5	6
ALEXANDRIA	492,100	„ 22	635	289	30·6	1	1	5	-	?	-	3
NEW YORK	5,924,139	Aug. 14	?	1107	9·8	4	-	1	1	3	6	3
CHICAGO	2,995,239	„ 27	1310	533	9·1	1	-	2	2	3	3	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 17 deaths from cholera in Calcutta and 1 from plague in Bombay.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th September, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	810	105	10	20	24	39	36	49	95	118	177	137
Enteric fever..	2	-	-	-	-	-	1	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria	2	-	1	1	-	-	-	-	-	-	-	-
Influenza	4	1	-	-	-	-	1	1	-	1	-	-
Erysipelas	1	-	-	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	1	-	-	-	-	-	-	-	-
Meningococcal meningitis	2	1	-	-	-	-	-	-	1	-	-	-
Tuberculosis :—												
Respiratory system	52	-	-	-	-	15	7	7	15	7	1	-
Nervous system	6	1	-	3	1	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	10	-	-	-	2	1	3	-	1	2	1	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	139	-	-	1	1	1	1	7	19	39	48	22
Rheumatic fever	4	-	-	1	2	1	-	-	-	-	-	-
Diabetes	5	-	-	-	1	-	-	-	3	1	-	-
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	2	1	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	51	-	-	-	-	1	-	-	8	4	22	16
Epilepsy	6	-	-	-	-	-	2	1	1	-	2	-
"Convulsions" (not puerperal) ..	3	2	-	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	1	-	-	1	4	-	7	4	6	2	-
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	2	-	-	-	-	-	1	-	1	-	-	-
Other diseases of heart	107	-	-	-	2	3	3	4	6	20	44	25
Other diseases of circulatory system	39	-	-	-	-	-	-	1	3	8	12	15
Bronchitis	19	1	1	1	-	-	1	-	1	1	6	7
Broncho-pneumonia	23	8	4	3	2	-	-	1	-	-	2	3
Lobar-pneumonia	8	1	-	1	-	-	1	1	1	2	1	-
Pneumonia (type not distinguished)	4	1	-	-	-	-	1	-	1	1	-	-
Other diseases of respiratory system	10	-	-	-	-	-	-	-	1	2	4	3
Diarrhœa and enteritis	49	38	1	2	1	-	-	1	2	1	1	2
Appendicitis, Typhlitis	11	-	-	1	4	1	-	3	-	2	-	-
Hernia, Intestinal obstruction.. ..	10	1	-	-	-	1	-	-	3	2	2	1
Cirrhosis of liver	8	-	-	-	-	-	-	1	2	2	1	2
Other diseases of digestive system ..	22	1	-	-	1	-	1	2	8	1	4	4
Acute nephritis	6	-	-	1	1	-	-	-	1	1	1	1
Chronic Bright's disease..	19	-	-	-	-	2	-	-	3	4	3	7
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	1	1	3	5	1
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	7	4	2	-	-	-	-	-	1	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	10	10	-	-	-	-	-	-	-	-	-	-
Old age	25	-	-	-	-	-	-	-	-	-	3	22
Suicide	13	-	-	-	-	1	3	2	1	5	1	-
Burns and Scalds	2	-	1	1	-	-	-	-	-	-	-	-
Drowning	4	-	-	-	-	-	2	-	1	-	1	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	1	-	1	2	2	-	1	1	2
Other deaths by violence	9	-	-	-	-	2	1	2	-	-	1	3
Other specified causes	39	10	-	-	4	3	3	4	4	2	8	1
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th September, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	216	245	3	44	C. 5 D. 1 E. 1 G. 3 L. 1 M. 15
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	8	–	3	M. 1
†BERMONDSEY ...	–	8	7	–	1	–
†BETHNAL GREEN	–	22	19	–	2	–
†CAMBERWELL ...	–	11	21	–	1	M. 1
†CHELSEA	–	4	4	–	2	G. 1
†DEPTFORD ...	–	5	11	–	2	L. 1
†FINSBURY ...	–	4	5	–	1	–
†FULHAM	–	8	10	–	2	M. 1
†GREENWICH ...	–	6	6	–	2	M. 1
†HACKNEY ...	–	17	10	1	–	D. 1
†HAMMERSMITH ...	–	6	11	–	–	M. 1
†HAMPSTEAD ...	–	–	4	–	1	E. 1
†HOLBORN... ..	–	–	3	–	1	–
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	13	13	–	–	M. 2
†KENSINGTON ...	–	6	6	–	1	G. 1
†LAMBETH ...	–	12	11	–	–	M. 1
†LEWISHAM ...	–	8	5	–	–	M. 1
†PADDINGTON ...	–	1	12	–	3	C. 1 M. 1
†POPLAR	–	9	3	–	6	M. 1
†ST. MARYLEBONE	–	1	3	–	–	C. 1 G. 1
†ST. PANCRAS ...	–	5	9	–	3	C. 1
†SHOREDITCH ...	–	10	7	–	3	M. 3
†SOUTHWARK ...	–	7	11	–	2	C. 1
†STEPNEY	–	15	21	1	3	–
†STOKE NEWINGTON	–	7	3	1	–	–
†WANDSWORTH ...	–	12	11	–	2	C. 1
†WESTMINSTER, CITY OF	–	2	5	–	2	–
†WOOLWICH ...	–	7	6	–	1	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	5	5	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	1	2	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
BEDFORD ...	–	1	1	–	–	–
BIGGLESWADE ..	–	–	–	–	2	–
EATON SOCON ...	–	–	1	–	–	–
LUTON	–	1	1	–	–	–
BERKS	–	11	1	1	–	–
†READING C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	4	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	1	–	–
WALLINGFORD ...	–	3	–	–	–	–
BUCKINGHAM ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
ETON	–	–	1	–	–	–
LONG CRENDON...	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE ...	–	4	4	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	3	–	–	–
Rural Districts:—						
CHESTERTON ...	–	2	1			–
LINTON	–	1		–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER		34	13	2	6	L. 1 M. 2
†BIRKENHEAD C.B.	–	4	2	1	2	M. 1
†CHESTER C.B. ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	13	3	–	1	–
†WALLASEY C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
†HYDE	–	–	1	–	–	–
†MACCLESFIELD ...	–	–	3	1	–	L. 1
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–
CHESTER	–	1	–	–	–	M. 1
CONGLETON ...	–	–	1	–	–	–
NANTWICH ...	–	4	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
WIRRAL	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	4	4	–	1	E. 3
Boroughs and Urban Districts:—						
Launceston ...	–	–	–	–	1	–
Liskeard ...	–	–	2	–	–	–
Padstow... ...	–	1	–	–	–	–
†Penzance ...	–	2	–	–	–	–
Redruth ...	–	–	2	–		–
Saltash... ...	*	*	*	*	*	*
Rural Districts:—						
Bodmin	–	–	–	–	–	E. 3
East Kerrier ...	–	1	–	–		–
St. Austell ...	*	*	*	*	*	*
St. Germans ...	*	*	*	*	*	*
CUMBERLAND ...	–	15	5	2	3	G. 1
†Carlisle C.B. ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
Arlecdon and Frizington	–	–	–	–	–	G. 1
Aspatria ...	–	–	–	–	3	–
Holme Cultram	–	1	–	–	–	–
Keswick	–	2	–	–	–	–
†Maryport ...	–	1	–	–	–	–
Penrith	–	1	–	–	–	–
†Whitehaven ...	–	–	–	1	–	–
†Workington ...	–	1	1	–	–	–
Rural Districts:—						
Carlisle ...	–	1	–	–	–	–
Cockermouth ...	–	2	–	1	–	–
Penrith	–	–	1	–	–	–
Whitehaven ...	–	1	1	–	–	
DERBY	3	46	22	1	7	C. 1
†Derby C.B. ...	3	2	11	–	3	–
Boroughs and Urban Districts:—						
†Alfreton ...	–	–	1	–	–	–
Bakewell ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Chesterfield ...	–	8	–	–	1	–
†Glossop	–	–	5	–	–	–
†Ilkeston ...		1	–	–	–	–
†Long Eaton ...	–	5	–	–	–	–
†Ripley	–	1	–	–	1	–
†Swadlincote District	–	7	–	–	–	–
Wirksworth ...	–	–	–	–	1	–
Rural Districts:—						
Bakewell ...	–	3	–	–	–	–
Belper	–		1	–	–	–
Blackwell ...	–	–	2	–	–	–
Chapel en le Frith	–	1	–	–	1	–
Chesterfield ...	–	11	2	1	–	C. 1
Clowne	–	1	–	–	–	–
Norton	–	1	–	–	–	–
Repton	–	2	–	–	–	–
Shardlow ...	–	1	–	–	–	–
DEVON	–	16	9	1	3	C. 3 M. 1
†Exeter C.B. ...	–	2	–	1	–	C. 1
†Plymouth C.B....	–	7	8	–	–	C. 1
Boroughs and Urban Districts:—						
†Barnstaple ...	–	–	–	–	1	–
Bideford ...	–	–	–	–	1	–
†Ilfracombe ...	–	1	–	–	–	–
†Paignton ...	–	–	–	–	–	M. 1
Seaton	–	1	–	–	–	–
†Teignmouth ...	–	–	1	–	–	–
Rural Districts:—						
Axminster ...	–	1	–	–	–	–
Barnstaple ...	–	1	–	–	–	–
Crediton ...	*	*	*	*	*	*
Culmstock ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague: encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
NEWTON ABBOT...	–	–	–	–	1	–
ST. THOMAS ...	–	–	–	–	–	C. 1
TAVISTOCK ...	–	3	–	–	–	–
DORSET	–	4	4	–	–	E. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	2	–	–	–
†POOLE	–	1	1	–	–	–
Rural Districts:—						
SHAFTESBURY ...	–	1	–	–	–	–
WEYMOUTH ...	–	1	1	–	–	E. 1
DURHAM	86	72	37	1	24	C. 2 E. 2 J. 1 M. 3
†DARLINGTON C.B.	–	4	–	1	4	–
†GATESHEAD C.B.	3	9	4	–	1	–
†SOUTH SHIELDS C.B.	2	2	–	–	3	M. 1
†SUNDERLAND C.B.	–	1	4	–	6	C. 1
†WEST HARTLEPOOL C.B.	3	6	7	–	–	–
Boroughs and Urban Districts:—						
BILLINGHAM ...	–	1	1	–	–	–
†BISHOP AUCKLAND	–	–	3	–	–	–
†BLAYDON... ...	1	7	–	–	2	–
†CHESTER LE STREET	–	4	2	–	–	–
†CONSETT	–	1	1	–	–	–
†CROOK	1	1	2	–	–	–
†DURHAM	–	–	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	2	1	–	–	–
†HETTON	12	1	–	–	2	–
†HOUGHTON LE SPRING	4	–	–	–	–	–
†JARROW	5	3	–	–	–	–
†RYTON	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	1	–	–	–
STANHOPE ...	–	1	–	–	–	–
†STANLEY	9	–	5	–	–	E. 2
†STOCKTON ON TEES	–	1	1	–	–	–
†TANFIELD ...	–	3	–	–	–	–
TOW LAW ...	3	2	–	–	–	–
†WASHINGTON ...	–	3	1	–	1	–
†WHICKHAM ...	–	1	1	–	–	C. 1
Rural Districts:—						
AUCKLAND ...	–	3	1	–	1	–
CHESTER LE STREET	3	1	1	–		M. 1
DARLINGTON ...	*	*	*	*	*	*
DURHAM	–	3	–	–	1	–
EASINGTON ...	33	3	–	–	–	–
HOUGHTON LE SPRING	1	–	–	–	1	–
LANCHESTER ...	5	2	1	–	–	–
SEDGEFIELD ...	1	1	–	–	–	J. 1
SOUTH SHIELDS...	–	1	–	–	–	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–
ELY, ISLE OF ...	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
†WISBECH	–	–	1	–	–	–
Rural Districts:—						
WISBECH	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	-	83	39	1	10	E. 7 G. 1 L. 1 M. 3
†EAST HAM C.B. ...	-	5	4	-	-	M. 1
†SOUTHEND-ON-SEA C.B.	-	5	2	-	-	M. 1
†WEST HAM C.B. ...	-	28	11	-	7	G. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	3	1	-	-	-
BRAINTREE ...	-	2	-	-	-	-
BRENTWOOD ...	-	2	-	-	-	-
BRIGHTLINGSEA	-	1	-	1	-	-
†CANVEY ISLAND...	-	2	1	-	-	-
†CLACTON	*	*	*	*	*	*
†COLCHESTER ...	-	2	-	-	-	L. 1
DAGENHAM ...	-	-	1	-	1	-
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK	-	-	1	-	-	E. 3
HALSTEAD ...	-	1	-	-	-	-
†ILFORD	-	2	6	-	1	-
†LEYTON	-	4	6	-	-	-
†ROMFORD ...	-	1	-	-	-	-
TILBURY	-	1	-	-	-	E. 1
†WALTHAMSTOW...	-	11	1	-	1	M. 1
†WANSTEAD ..	-	-	1	-	-	-
†WOODFORD ...	-	6	-	-	-	-
Rural Districts:—						
BILLERICAY ...	-	2	2	-	-	-
BRAINTREE ...	-	-	1	-	-	-
CHELMSFORD ...	-	1	-	-	-	-
HALSTEAD ...	-	2	-	-	-	-
ONGAR	-	-	1	-		-
ORSETT	-	-	-	-	-	E. 3
ROMFORD... ...	-	1	-	-		-
SAFFRON WALDEN	-	1	-	-	-	-
GLOUCESTER ...		20	13	3	2	C. 1 G. 1 L. 19 M. 2
†BRISTOL C.B. ...	-	13	8	3	1	C. 1 G. 1 L. 19 M. 1
†GLOUCESTER C.B.	-	1	2	-	1	-
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	-	2	-	-	-
Rural Districts:—						
CHIPPING SODBURY	-	-	1	-	-	-
DURSLEY	-	1	-	-	-	-
LYDNEY	-	-	-	-	-	M. 1
STROUD	-	5		-	-	-
HEREFORD ..	-	-	1	-	1	-
Boroughs and Urban Districts:—						
LEOMINSTER ...	-	-	1	-	-	-
Rural Districts:—						
WEOBLEY... ...	-	-	-	-	1	-
HERTFORD ..	-	5	-	1	-	E. 4 G. 1 L. 1
Boroughs and Urban Districts:—						
HARPENDEN ...	-	-		-	-	E. 4
†HERTFORD ...	-	2	-	-	-	-
HODDESDON ...	-	1	-	-	-	G. 1
†WATFORD ...	-	1	-	-	-	-
Rural Districts:—						
ST. ALBANS ...	-	-	-	1	-	-
WARE	-	1	-	-	-	-
WATFORD ...	-	-	-	-	-	L. 1
HUNTINGDON ..	-	-	1	-	-	-
Boroughs and Urban Districts:—						
HUNTINGDON ...	-	-	1	-	-	-
Rural Districts:—						
NORMAN CROSS ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT	–	26	37	3	6	E. 5 G. 2 M. 3
†CANTERBURY C.B.	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	4	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	–	G. 1
†BROMLEY ...	–	–	–	1	2	–
†CHATHAM ...	–	1	6	1	–	–
†GRAYFORD ...	–	1	1	–	–	–
†DOVER	–	–	1	–	–	–
†ERITH	–	2	1	–	–	M. 1
†FOLKESTONE ...	–	4	–	–	1	M. 1
†GILLINGHAM ...	–	1	2	–	–	E. 2
†GRAVESEND ...	–	–	2	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	2	1	1	–	–
MILTON REGIS ...	–	–	–	–	1	–
†NORTHFLEET ...	–	2	–	–	–	G. 1
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	E. 1
WHITSTABLE ...	–	–	5	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	2	2	–	–	–
CRANBROOK ...	–	–	–	–	–	M. 1
FAVERSHAM ...	–	–	1	–	–	–
MAIDSTONE ...	–	–	4	–	–	–
MALLING	–	–	1	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
SHEPPEY	–	–	–	–	–	E. 2
STROOD	–	–	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER ...	6	228	142	9	93	C. 6 D. 1 E. 3 F. 1 G. 7 L. 3 M. 21
†BARROW IN FURNESS C.B.	–	1	2	–	1	–
†BLACKBURN C.B.	–	6	3	2	3	–
†BLACKPOOL C.B.	–	2	–	–	1	G. 1
†BOLTON C.B. ...	–	11	1	–	1	C. 1 M. 1
†BOOTLE C.B. ...	–	4	1	–	5	–
†BURNLEY C.B. ...	–	2	2	–	–	–
†BURY C.B. ...	–	3	1	–	–	–
†LIVERPOOL C.B. ...	–	46	33	1	23	C. 1 D. 1 E. 1 F. 1 L. 1 M. 11
†MANCHESTER C.B.	–	59	30		22	C. 1 G. 2 M. 5
†OLDHAM C.B. ...	–	8	3	–	–	–
†PRESTON C.B. ...	–	7	6	–	–	–
†ROCHDALE C.B. ...	–	2	7	–	–	–
†ST. HELENS C.B. ...	–	–	1	–	5	C. 1
†SALFORD C.B. ...	–	25	13	–	4	C. 1 G. 1
†SOUTHPORT C.B.	–	3	1	–	–	
†WARRINGTON C.B.	–	–	1	–	2	M. 1
†WIGAN C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ASHTON IN MAKERFIELD	–	–	–	–	1	–
ASPULL	–	–	–	2	–	–
†ATHERTON ...	–	1	1	–	–	C. 1
†BACUP	–	1	–	–	–	–
BRIERFIELD ...	–	2	–	–	–	–
CARNFORTH ...	–	2	–	–	–	–
†CHADDERTON ...	–	2	–	–	–	–
†CHORLEY	–	1	–	–	1	–
†COLNE	–	–	–	1	–	–
†CROMPTON ...	–	2	–	–	–	–
†DALTON IN FURNESS	–	–	1	–	1	–
†DARWEN	–	2	–	–	3	E. 1
†DENTON	–	–	–	–	3	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ECCLES	–	1	3	–	–	–
†FAILSWORTH ...	–	–	1	–	–	–
†FARNWORTH ...	–	–	1	–	–	–
GOLBORNE ...	–	1	–	–	–	–
†GREAT HARWOOD	–	5	–	1	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	2	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	–	1	–	–	M. 1
†HINDLEY... ...	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	–	1	–	1	–
IRLAM	6	1	–	–	–	–
†LANCASTER ...	–	–	–	1	–	–
†LEIGH	–	2	–	–	1	M. 1
†LITHERLAND ...	–	–	3	–	–	–
†LYTHAM ST. ANNE'S	–	–	–	–	1	–
†MIDDLETON ...	–	1	1	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	–	G. 1
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM ...	–	–	10	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	–	–	–	–	G. 1
†ROYTON	–	–	2	–	–	–
†STRETFORD ...	–	3	–	–	3	–
†SWINTON AND PENDLEBURY	–	–	1	–	2	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	–	E. 1
URMSTON... ...	*	*	*	*	*	*
†WATERLOO WITH SEAFORTH	–	2	3	–	1	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	–	2	–	3	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURNLEY... ...	–	–	–	1	–	–
CLITHEROE ...	–		–	–	–	L. 2
GARSTANG ...	–	–	4	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–		–	–	2	–
PRESTON	–	1	–	–	–	G. 1
SEFTON	*	*	*	*	*	*
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	1	–	–	1	M. 1
LEICESTER... ..	–	16	10	–	4	C. 1 E. 31 F. 1 M. 2
†LEICESTER C.B. ...	–	9	6	–	1	E. 16 M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	–	–	–	2	C. 1
†LOUGHBOROUGH	–	3	1	–	–	E. 2
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	–	–	–	–	–	M. 1
WIGSTON MAGNA	–	–	–	–	–	E. 3
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	1	1	–	–	E. 3
BILLESDON ...	–	–	–	–	–	E. 3
BLABY	–	1	–	–	–	E. 1 F. 1
HINCKLEY ...	–	–	–	–	–	E. 3
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Holland).	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	–	M. 1
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
CROWLAND ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	3	–	–	G. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–		G. 1
Rural Districts:—						
BOURNE	–	–	1	–	–	–
CLAYPOLE ...	–	–	1	–	–	–
GRANTHAM ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	13	7	–	–	C. 1 G. 1 M. 1
†GRIMSBY C.B. ...	–	3	3	–	–	–
†LINCOLN C.B. ...	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
†CLEETHORPES ...	–	3	1	–	–	–
†GAINSBOROUGH ...	–	1	–			–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	–	–
SKEGNESS ...	*	*	*	*	*	*
WINTERTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	–	–	–	–	M. 1
GAINSBOROUGH ...	–	1	–	–	–	–
GRIMSBY	–	1	–	–	–	–
SIBSEY	–	–	–	–	–	C. 1
MIDDLESEX ...	–	38	38	4	3	C. 1 E. 3 G. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	2	–	–	M. 1
†BRENTFORD ...	–	2	2	–	–	–
†EALING	–	2	2	–	–	–
†EDMONTON ...	–	1	6	1	–	–
†ENFIELD	–		3	–	–	–
FELTHAM ...	–	2	–	–	–	
†FINCHLEY ...	–	4	–	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	1	–	1	–	–
†HANWELL ...	–	–	–	–	–	G. 1
†HARROW ON THE HILL	–	–	1	–	–	–
†HENDON	–	1	–	–	–	–
†HESTON AND ISLEWORTH	–	1	2	–	–	–
†HORNSEY	–	2	–	–	1	–
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	–	–	1	–	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
STAINES	–	–	1	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	2	–	–	–	–
†TOTTENHAM ...	–	7	12	–	1	–
†TWICKENHAM ...	–	–	–	1	–	C. 1
†UXBRIDGE ...	–	–	–	–	–	G. 1
†WEALDSTONE ...	–	1	2	–	1	–
†WILLESDEN ...	–	4	1	–	–	E. 3
†WOOD GREEN ...	–	–	2	–	–	–
YIEWSLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	2	–	–	–	–
UXBRIDGE ...	–	–	1			–
NORFOLK	–	9	1	1	1	G. 1 M. 2
†GREAT YARMOUTH C.B.	–	3	1	–	–	M. 1
†NORWICH C.B. ...	–	3	–	–	1	M. 1
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
DOWNHAM ...	–	–	–	–	–	G. 1
FOREHOE ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	1	–	–
THETFORD ..	–	1	–	–	–	–
NORTHAMPTON ...	–	6	4	1	3	C. 1 M. 1
†NORTHAMPTON C.B.	–	3	2	–	2	–
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	1	–	1	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	–	C. 1
DAVENTRY ...	–	–	1	–	–	–
NORTHAMPTON ...	–	–	1	–	1	M. 1
OXENDON... ...	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	10	73	4	3	25	C. 1 E. 1 G. 2 M. 2
†NEWCASTLE UPON TYNE C.B.	–	35	2	2	16	C. 1 E. 1 G. 1 M. 1
†TYNEMOUTH C.B.	3	5	1	–	2	–
Boroughs and Urban Districts:—						
ALNWICK... ...	–	1	–	–	–	–
†ASHINGTON ...	7	1	–	–	–	–
†BEDLINGTONSHIRE	–	4	–	–	–	–
†BERWICK UPON TWEED	–	4	–	–	–	–
†BLYTH	–	–	–	–	3	–
†EARSDON... ...	–	–	1	–	–	–
†GOSFORTH ...	–	3	–	–	–	
†LONGBENTON ...	–	–	–	–	–	G. 1
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	–	1	–	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	12	–	–	3	–
†WHITLEY AND MONKSEATON	–	4	–	–	–	–
Rural Districts:—						
ALNWICK ...	–	1	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
MORPETH ...	–	1	–	–	–	M. 1
NOTTINGHAM ...	1	15	20	–	6	C. 1 D. 1 E. 1 G. 1 M. 1
†NOTTINGHAM C.B.	–	7	14	–	3	C. 1 D. 1 E. 1
Boroughs and Urban Districts:—						
†EAST RETFORD ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	1	–	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	2	4	–	–	G. 1
BINGHAM... ...	–	–	–	–	–	M. 1
EAST RETFORD ...	–	1	–	–	–	–
LEAKE	–	1	–	–	–	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
OXFORD	–	2	2	–	–	C. 2 E. 1
Rural Districts:—						
BANBURY ...	–	–	–	–	–	C. 1
CROWMARSH ...	–	–	1	–	–	–
HENLEY	–	2	1	–	–	C. 1
WOODSTOCK ...	–	–	–	–	–	E. 1
PETERBOROUGH (Soke of)	–	1	–	–	2	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	2	–
SALOP	–	10	1	1	1	–
Boroughs and Urban Districts:—						
LUDLOW	–	–	1	–	–	–
†SHREWSBURY ...	–	6	–	–	–	–
†WENLOCK ...	–	1	–	–	–	–
SALOP— *cont.*						
Rural Districts:—						
ATCHAM	–	–	–	1	–	–
CHURCH STRETTON	–	2	–	–	–	–
LUDLOW	–	–	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET	–	11	1	2	1	C. 1 G. 1 M. 1
†BATH C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
CREWKERNE ...	–	1	–	–	–	–
GLASTONBURY ...	–	–	–	–	–	G. 1
SHEPTON MALLET	–	–	–	1	–	–
Rural Districts:—						
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	–	–	1	–	–
CLUTTON	–	2	–	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	–	C. 1
WELLS	–	1	–	–	–	–
WILLITON ...	–	2	–	–	–	–
SOUTHAMPTON ...	–	13	21	–	3	E. 2 G. 1 M. 2
†BOURNEMOUTH C.B.	–	–	–	–	–	G 1
†PORTSMOUTH C.B.	–	5	6	–	–	M. 1
†SOUTHAMPTON C.B.	–	5	10	–	–	E. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GOSPORT	-	-	-	-	-	E. 1
PETERSFIELD ...	-	-	2	-	-	-
WARBLINGTON ...	*	*	*	*	*	*
†WINCHESTER ...	-	-	-	-	1	-
Rural Districts:—						
FORDINGBRIDGE ..	-	1	-	-	-	-
HARTLEY WINTNEY	-	1	-	-	-	-
HURSLEY... ...	-	-	1	-		-
SOUTH STONEHAM	-	1	1	-	-	-
WHITCHURCH ...	-	-	-	-	1	-
STAFFORD	-	58	28	1	24	C. 2 E. 1 G. 1 L. 1 M. 6
†BURTON UPON TRENT C.B.	-	1	-	-	-	-
†SMETHWICK C.B.	-	1	3	-	1	C. 1
†STOKE ON TRENT C.B.	-	11	6	1	7	M. 1
†WALSALL C.B. ...	-	2	6	-	-	M. 1
†WEST BROMWICH C.B.	-	3	-	-	1	-
†WOLVERHAMPTON C.B.	-	3	-	-	1	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	-	-	-	-	-	M. 1
†BILSTON	-	1	-	-	-	-
†BRIERLEY HILL...	-	3	2	-	-	-
†BROWNHILLS ...	-	-	1	-	1	-
†CANNOCK	-	2	1	-	1	-
†COSELEY	-	2	-	-	1	-
†DARLASTON ...	-	3	-	-	1	-
†HEATH TOWN OR WEDNESFIELD HEATH	-	1	-	-	-	-
KIDSGROVE ...	-	4	1	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWCASTLE UNDER LYME	-	1	1	-	1	M. 1
QUARRY BANK	-	-	2	-	-	-
†ROWLEY REGIS ...	-	3	-	-	-	-
RUGELEY... ...	-	-	-	-	2	-
†SEDGLEY	-	-	1	-	1	-
SHORT HEATH ...	-	-	-	-	-	C. 1
TAMWORTH ...	-	-	2	-	-	-
†TIPTON	-	-	-	-	-	G. 1
UTTOXETER ...	-	1	-	-	-	-
†WOLSTANTON UNITED	-	3	-	-	2	-
Rural Districts:—						
CANNOCK	-	2	-	-	-	-
CHEADLE... ...	-	-	-	-	-	L. 1
KINGSWINFORD ...	-	1	-	-	3	-
LEEK	-	1	-	-	-	-
LICHFIELD ...	-	3	1	-	-	-
NEWCASTLE UNDER LYME	-	2	-	-	-	-
SEISDON	-	2	-	-	-	-
STAFFORD ...	-	-	1	-	-	-
STONE	-	-	-	-	-	E. 1
TAMWORTH (part)	-	2	-	-	-	-
SUFFOLK, EAST ...	-	6	-	1	1	M. 2
†IPSWICH C.B. ...	-	1	-	-	-	M. 2
Boroughs and Urban Districts:—						
ALDEBURGH ...	-	-	-	-	1	-
†FELIXSTOWE ...	-	-	-	1	-	-
†LOWESTOFT ...	-	2	-	-	-	-
STOWMARKET ...	-	2	-	-	-	-
Rural Districts:—						
HARTISMERE ...	*	*	*	*	*	*
HOXNE	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	-	2	-	-	-	C. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	-	-	-	-	-	C. 2
NEWMARKET ...	-	1	-	-	-	-
Rural Districts:—						
THINGOE	-	1	-	-	-	-
SURREY	-	22	31	4	2	C. 1 E. 1 G. 1 M. 3
†CROYDON C.B. ...	-	6	12	-	-	M. 1
Boroughs and Urban Districts:—						
†BARNES	-	-	-	1	-	-
†BEDDINGTON AND WALLINGTON	-	-	2	-	-	-
†CHERTSEY ...	-	-	-	1	-	-
EAST AND WEST MOLESEY	-	-	-	1	-	-
†EGHAM	-	-	1	-	-	-
†FARNHAM ...	-	2	2	-	-	-
†GUILDFORD ...	-	-	1	-	-	-
†KINGSTON ON THAMES	-	-	1	-	-	-
†MERTON AND MORDEN	-	3	-	-	-	-
†MITCHAM... ...	-	2	1	-	-	-
†REIGATE	-	2	-	-	-	-
†RICHMOND ...	-	2	-	-	-	-
†SUTTON	-	-	3	-	-	M. 1
†WALTON UPON THAMES	-	-	-	-	1	G. 1
†WIMBLEDON ...	-	2	-	-	-	E. 1
Rural Districts:—						
CHERTSEY ...	-	1	-	-	-	-
DORKING	-	-	1	-	-	-
EPSOM	-	-	1	1	1	M. 1
FARNHAM ...	-	-	3	-	-	-
GODSTONE ...	-	2	-	-	-	-
GUILDFORD ...	-	-	1	-	-	C. 1
REIGATE	-	-	2	-	-	-
SUSSEX, EAST ...	-	7	5	2	3	C. 1 G. 2 M. 1
†BRIGHTON C.B. ...	-	1	4	-	-	M. 1
†EASTBOURNE C.B.	-	1	-	1	-	G. 1
†HASTINGS C.B. ...	-	2	-	1	3	-
Boroughs and Urban Districts:—						
†HOVE	-	1	-	-	-	-
SEAFORD	-	1	-	-	-	-
Rural Districts:—						
EASTBOURNE ...	-	-	-	-	-	G. 1
EAST GRINSTEAD	-	-	1	-	-	-
RYE	-	1	-	-	-	-
UCKFIELD ...	-	-	-	-	-	C. 1
SUSSEX, WEST ...	-	7	3	-	1	G. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	-	-	2	-	-	-
†WORTHING ...	-	4	1	-	-	G. 1
Rural Districts:—						
EAST PRESTON ...	-	-	-	-	1	-
PETWORTH ...	-	1	-	-	-	-
THAKEHAM ...	-	1	-	-	-	-
WESTHAMPNETT ..	-	1	-	-	-	-
WARWICK	2	57	42	2	20	C. 5 E. 4 G. 1 M. 8
†BIRMINGHAM C.B.	-	36	35	-	19	C. 5 E. 2 M. 5
†COVENTRY C.B. ...	-	2	1	-	-	M. 3
Boroughs and Urban Districts:—						
†NUNEATON ...	-	1	1	-	-	-
†ROYAL LEAMINGTON SPA	-	-	1	-	-	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRATFORD ON AVON	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	–	G. 1
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	8	–	–	–	–
FOLESHILL ...	2	–	–	–	–	–
MERIDEN... ...	–	–	1	–	–	E. 1
SOLIHULL ...	–	3	–	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	2	3	–	–	–
WARWICK ...	–	1	–	2	–	–
WESTMORLAND ...	–	3	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	6	5	–	1	G. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	3	–	–	–	–
DEVIZES	–	–	1	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SWINDON... ...	–	1	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	1	1	–	–	–
CHIPPENHAM ...	–	–	–	–	1	–
HIGHWORTH ...	–	1	–	–	–	–
SALISBURY ...	–	–	–		–	G. 1
WILTON	–	–	1	–	–	–
WORCESTER ...	–	4	2	–	3	C. 1 G. 1
†DUDLEY C.B. ...	–	1	–	–	1	C. 1
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	–	–	–	–	G. 1
†MALVERN ...	–	1	–	–	–	–
†OLDBURY... ...	–	–	1	–	1	–
†REDDITCH ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	–	1	–	–	–
MARTLEY... ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	22	22	2	3	G. 1
†KINGSTON UPON HULL C.B.	–	15	18	–	3	G. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	2	–	–	–	–
COTTINGHAM ...	–	–	–	1	–	–
HESSLE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Rural Districts:—						
DRIFFIELD ...	–	2	–	–	–	–
PATRINGTON ...	–	1	–	–	–	–
POCKLINGTON ...	–	–	2	1	–	–
RICCALL	–	–	1	–	–	–
SOULCOATES ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	2	13	–	2	2	–
†MIDDLESBROUGH C.B.	–	9	–	–	1	–
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	1	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
Rural Districts:—						
GUISBOROUGH ...	2	–	–	–	–	–
NORTHALLERTON	–	–	–	2	–	–
YORKS ... ... (West Riding.)	10	126	67	9	73	C. 5 E. 3 G. 2 L. 1 M. 4
†BARNSLEY C.B. ...	–	3	3	–	–	–
†BRADFORD C.B. ...	–	18	7	1	9	L. 1 M. 2
†DEWSBURY C.B....	–	2	–	–	–	–
†HALIFAX C.B. ...	–	3	1		1	–
†HUDDERSFIELD C.B.	–	6	1	1	1	–
†LEEDS C.B. ...	–	11	8	–	6	C. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†ROTHERHAM C.B.	–	2	1	–	4	–
†SHEFFIELD C.B....	5	36	30	1	31	C. G. 1
†WAKEFIELD C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	1	–
†BARNOLDSWICK ...	–	3	–	–	1	–
†BINGLEY	–	–	–	–	2	–
BIRSTAL	*	*	*	*	*	*
CLAYTON	–	–	–	–	–	C. 1
DENBY AND CUMBERWORTH	–	–	2	–	–	–
†DONCASTER ...	–	4	–	–	–	–
†ELLAND	–	–	–	–	1	–
GARFORTH ...	–	–	–	1	–	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	4	–	–	–	–
†HARROGATE ...	–	–	1	–	–	–
†HEMSWORTH ...	–	1	–	–	1	–
†HOLMFIRTH ...	–	1	–	–	–	E. 1
HONLEY	–	1	–	–	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	–	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	–	1	–	–	E. 1
KNOTTINGLEY ...	–	–	–	1	–	–
LEPTON	–	–		–	1	–
LINTHWAITE ...	–	–	1	–	–	–
MALTBY	–	2	–	–	–	–
†MEXBOROUGH ...	1	–	1	–	–	G 1
NEW MILL ...	–	–	–	1	–	–
†PUDSEY	–	–	–	–	–	C. 1
†RAWMARSH ...	–	2	–	–	1	–
SELBY	–	–	1	–	–	–
†SHIPLEY	–	–	2	–	–	–
SILSDEN	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	1	–	–
†SKIPTON	–	2	–	–	–	–
†SOWERBY ...	*	*	*	*	*	*
†SPENBOROUGH ...	–	1	1	–	–	–
†STANLEY	–	1	–	–	1	–
†SWINTON... ...	4	–	–	–	1	–
THURNSCOE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	–	–	–	–	C. 1
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	1	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	5	1	–	1	–
GOOLE	*	*	*	*	*	*
HALIFAX	–	–	–	2	–	–
HEMSWORTH ...	–	–	–	–	1	E. 1
KEIGHLEY ...	–	–	2	–	–	–
KIVETON PARK ...	–	1	2	–	–	–
PATELEY BRIDGE	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	–	–	–	2	–
SETTLE	–	1	–	–	–	–
SKIPTON	–	1	–	–	–	–
THORNE	–	2	–	–	–	–
TODMORDEN ...	–	–	–	–	1	–
WAKEFIELD ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
WORTLEY ...	–	2	–	–	–	–
§YORK, CITY OF ...	–	2	3	–	1	D. 1 M. 1
†YORK C.B. ...	–	2	3	–	1	D. 1 M. 1
WALES.						
ANGLESEY	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	1	–	–	–
ANGLESEY—*cont.*						
Rural Districts:—						
VALLEY	–	2	–	–	–	M. 1
BRECKNOCK ...	–	–	–	–	1	–
Rural Districts:—						
LLANWRTHWL (parish)	–	–	–	–	1	–
CAERNARVON ...	–	2	1	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
GWYRFAI	–	2	–	–	–	–
CARDIGAN ...	–	1	2	–	–	–
Rural Districts:—						
ABERAYRON ...	–	1	2	–	–	–
CARMARTHEN ...	–	5	4	–	1	G. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	1	–	1	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANELLY ...	–	3	2	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DENBIGH	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	1	–	–	–
Rural Districts:—						
LLANRWST ...	–	1	–	–	–	–
WREXHAM ...	–	3	1	–	–	–
FLINT	–	4	1	–	1	E. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	–	E. 1
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	2	–	–	1	–
GLAMORGAN ...	–	24	36	5	20	C. 1 M. 3
†CARDIFF C.B. ...	–	2	7	1	1	–
†MERTHYR TYDFIL C.B.	–	–	4	–	–	–
†SWANSEA C.B. ...	–	3	7	2	–	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	2	–
†BARRY	–	1	1	–	–	M. 1
†CAERPHILLY ...	–	1	–	–	1	–
†GELLIGAER ...	–	2	1	–	2	–
†MAESTEG ...	–	1	10	–	1	–
†MOUNTAIN ASH ...	–	1	–	1	4	–
†OGMORE AND GARW	–	4	–	–	1	–
†PONTYPRIDD ...	–	1	–	1	1	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	2	3	–	6	M. 2
GLAMORGAN—*cont.*						
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	–	1	–	1	–
SWANSEA... ...	–	1	1	–	–	–
MERIONETH ...	–	1	4	–	–	–
Urban Districts:—						
FESTINIOG ...	–	1	3	–	–	–
TOWYN	–	–	1	–	–	–
MONMOUTH ...	–	11	10	1	1	M. 1
†NEWPORT C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	2	–	–	–
†BEDWELLTY ...	–	1	2	1	–	–
CAERLEON ...	–	2	–	–	–	–
†EBBW VALE ...	–	–	1	–	–	–
MONMOUTH ...	–	1	2	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
†RHYMNEY ...	–	–	2	–	–	–
†TREDEGAR ...	–	1	–	–	1	M. 1
Rural Districts:—						
MAGOR	–	1	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	–	4	–	–	–
Boroughs and Urban Districts:—						
NEYLAND... ...	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	–	3	–	–	–
Total of Part II. ...	120	1176	728	66	365	C. D. E. F. G. J. L. M.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
FALMOUTH AND TRURO	–	–	–	1	–	–
HARTLEPOOL	*	*	*	*	*	*
PLYMOUTH	–	–	–	1	–	
WEYMOUTH	–	–	–	–	–	
Total of Part III.... ...	–	–	–	2	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	216	245	3	44	C. 5 D. 1 E. 1 G. 3 L. 1 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	120	1176	728	66	365	C. 40 D. 3 E. 74 F. 2 G. 35 J. 1 L. 27 M. 80
Total of Part III.—Port Sanitary Districts	–	–	–	2	–	J. 2
Total (*i.e.*, of returns received), England and Wales ...	120	1392	973	71	409	C. 45 D. 4 E. 75 F. 2 G 38 J. 3 L. 28 M. 95

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last TH WEEKS.

Week ended :—	June 26.	July 3.	July 10.	July 17.	July 24	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.
LONDON :—												
DEATHS—all ages	807	785	775	791	706	823	706	752	716	785	791	766
" 0 to 1 year ..	77	67	69	64	60	76	56	76	68	72	85	81
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,167	7,137	7,000	6,992	7,118	7,460	6,079	7,508	6,970	7,029	6,358	6,523
DEATHS—all ages	3,384	3,570	3,424	3,540	3,215	3,305	3,139	3,226	3,280	3,292	3,409	3,393
" 0 to 1 year ..	379	354	355	363	337	374	354	386	383	409	452	445
ENTERIC FEVER—Cases	32	25	49	36	46	33	14	30	24	24	28	29
" Deaths	3	3	3	4	—	4	5	1	—	2	3	4
SMALL POX—Cases ..	12	15	20	23	10	5	8	4	11	5	16	10
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	766	882	816	904	734	716	600	674	669	641	750	773
" Deaths	4	8	6	6	3	3	2	6	6	5	6	3
DIPHTHERIA—Cases ..	606	611	604	608	625	479	509	552	460	511	526	600
" Deaths ..	38	32	17	25	25	21	26	23	28	24	30	20
MEASLES—Deaths ..	26	25	18	14	14	14	13	9	12	10	6	10
INFLUENZA—Deaths ..	37	28	35	22	20	14	19	18	16	18	19	12

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th September, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R m
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	82	48	73·7	54·1	0	HUDDERSFIELD	80	44	67·3	52·9	
BRIGHTON ..	74	52	68·7	57·3	3	BRADFORD ..	77	45	64·6	51·3	
PORTSMOUTH ..	73	53	69·5	58·3	1	SHEFFIELD ..	78	47	66·6	53·6	
NORWICH (EATON).	80	46	69·7	53·7	6	YORK (MUSEUM)	79	45	67·6	52·4	
PLYMOUTH ..	78	53	68·6	58·7	1	HULL (PEARSON PARK).	79	39	68·9	51·8	
BRISTOL (CLIFTON).	80	52	68·7	56·3	9	TYNEMOUTH ..	75	50	66·7	54·1	
BIRMINGHAM (EDGBASTON).	81	47	68·9	53·3	0	CARDIFF.. ..	78	50	67·7	54·9	
NOTTINGHAM ..	80	44	69·4	53·1	11	EDINBURGH ..	79·0	46·0	64·1	51·7	
BIRKENHEAD (BIDSTON).	76	51	65·7	55·3	4	GLASGOW ..	75·0	45·8	63·1	51·1	
MANCHESTER (WHITWORTH PARK).	80	45	67·0	54·1	9	DUBLIN (PHŒNIX PARK).	74·2	35·8	68·0	50·4	
BURNLEY	78	44	64·4	51·9	21	(FITZWILLIAM SQUARE†).	72·1	47·1	67·1	53·3	
						BELFAST.. ..	73·0	42·5	67·0	48·4	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 18th September, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.	Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 12	..	29·618	70·8	53·5	17·3	59·7	+ 1·7	49·9	9·8	23·6	3·1	70	137·3	44·9	59·3	SW : WSW.	WSW : SW.	4·2	0·0	0·4	423	+ 171	0·00
MONDAY - 13	..	29·947	69·1	50·2	18·9	58·8	+ 1·0	47·2	11·6	22·9	2·2	65	132·1	41·7	59·4	SW : WSW : W.	WSW : SW.	1·9	0·0	0·3	371	+ 121	0·00
TUESDAY - 14	..	30·084	71·6	53·1	18·5	62·1	+ 4·4	52·3	9·8	20·7	2·3	71	131·7	44·4	59·3	SW : W	WSW : SW.	1·8	0·0	0·2	306	+ 57	0·00
WEDNESDAY 15	First Quarter.	29·953	69·7	57·9	11·8	62·5	+ 4·9	58·2	4·3	14·4	1·9	86	130·2	49·1	59·3	SW	SW : WSW.	4·5	0·0	0·4	386	+ 139	0·00
THURSDAY - 16	Greatest Declination S.	30·071	75·8	48·1	27·7	62·3	+ 4·8	54·5	7·8	18·3	1·7	75	137·9	37·2	59·2	NW : Calm.	SW : SSW.	1·1	0·0	0·1	167	− 79	0·00
FRIDAY - 17	..	30·046	75·6	56·1	19·5	64·0	+ 6·8	61·1	2·9	15·6	0·0	91	138·7	44·9	59·2	Calm : SW.	SSW : SSE.	0·5	0·0	0·0	156	− 89	0·00
SATURDAY - 18	..	29·925	82·0	52·5	29·5	67·1	+10·2	56·1	11·0	26·3	0·0	68	142·0	43·2	59·2	Calm : SE.	S : SSE.	0·9	0·0	0·1	143	− 101	0·00
MEANS -	..	29·949	73·5	53·1	20·5	62·4	+ 4·8	54·2	8·2	20·3	1·6	75	135·7	43·6	59·3	Southerly		..	..	..	Sum 1952	Sum + 219	Sum 0·00
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	12	wP.	5·9	12·9	Overcast till 1h., cloudy 2h till 5h., overcast 6h. till 10¾h. Clearing 16½h. to nearly cloudless by 19h. Damping 7½h. and at 8½h. Brisk wind 12h. till 19h.
MONDAY ..	13	wP till 15½h., mP till 18h., then wP.	11·4	12·8	Little cloud till 1h., partially cloudy till 5h., then few clouds. Cloudy or partially cloudy 10h. till 13h., then cloudless generally. Dew in morning and at night.
TUESDAY ..	14	wP till 8h., mP till 19h., then wP.	9·1	12·7	Variably cloudy till 12h., then overcast or nearly so. Dew in morning. Frequent solar halo 13h. to 15h. Shower at 2h.
WEDNESDAY	15	wP.	2·6	12·7	Variably cloudy till 7h., overcast or nearly overcast till 22h., partially cloudy by 23h. Slight damping 11½h. till 12h. Slight shower 16½h. Lunar halo 20h. 50m. Dew in evening.
THURSDAY	16	wP.	9·8	12·6	Few clouds generally till 7h.; partially cloudy or cloudy till 17h., then nearly overcast. Haze 8h. till 9h.
FRIDAY ..	17	wP.	3·3	12 5	Nearly or quite overcast till 15h.; cloudy till 17h.; cloudless or little cloud by 17½h. Cloudy period at 22h. Dew at night.
SATURDAY	18	wP.	10·3	12·5	Cloudless or nearly so. Fog 3h. till 8h, Dew in morning and at night.
			Sum 52·4	Sum 88·7	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·59 ins. at the beginning of the week to 30·10 ins. by 11h. on 14th; decreased to 29·92 ins. by 15h. on 15th; increased to 30·10 ins. by 10h. on 16th; decreased generally, and was 29·90 ins. at midnight of 18th.

FOR OFFICIAL USE

1926. No. 38.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 25TH SEPTEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH SEPTEMBER, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-eighth week of the year numbered 6,426 and corresponded to an annual rate of 17·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,507 and corresponded to an annual rate of 9·4 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·2, 9·1 and 9·3. Infant mortality was 74 per 1,000 births against 71, 68 and 76 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,469 births, corresponding to a rate of 16·6 per 1,000, and 819 deaths of civilians, corresponding to an annual rate of 9·3, against 9·0, 8·7 and 9·2, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·1 per 1,000. The infant mortality was 80 as against 60, 55 and 71 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,449 to 3,507. In London the number of deaths from all causes increased from 810 to 819; the deaths from diphtheria which had been 5, 5 and 2 in the preceding three weeks rose to 7 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 33, 29 and 39 in the preceding three weeks, further increased to 58 last week

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 25th September, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	6,426	3,507	477	3	1	3	27	29	239	23
London	4,602,000*	1,469	819	117	-	-	1	5	7	58	7
Towns in Outer Ring.											
Croydon C.B ..	199,300	73	39	5	-	-	-	-	1	2	-
Wimbledon ..	58,170	10	7	-	-	-	-	-	-	-	-
Ealing	68,410	23	14	-	-	-	-	-	-	-	1
Acton	63,110	14	14	1	-	-	-	-	-	1	-
Willesden ..	168,900	38	13	1	-	-	-	-	-	-	-
Hendon	59,150*	16	3	-	-	-	-	-	-	-	-
Hornsey	87,210	21	12	-	-	-	-	-	-	-	-
Wood Green ..	51,960	15	5	-	-	-	-	-	-	-	-
Tottenham ..	153,600	38	15	1	-	-	-	-	-	-	-
Edmonton ..	71,210	47	11	2	-	-	-	-	1	-	-
Enfield	63,740	17	9	1	-	-	-	1	-	2	-
West Ham C.B. ..	318,500	132	61	13	-	-	-	1	1	5	-
East Ham C.B. ..	147,200	41	30	4	-	-	-	-	1	3	-
Leyton	132,700	36	14	2	-	-	-	-	-	1	-
Walthamstow ..	130,800	34	21	1	-	-	1	-	-	1	-
Ilford	93,590	28	14	-	-	-	-	-	-	-	-
Gillingham	48,680*	18	8	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	3	8	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	20	12	1	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	16	3	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	35	25	3	-	-	-	-	-	3	1
Portsmouth C.B. ..	232,900*	76	40	1	-	-	-	1	-	1	-
Bournemouth C.B. ..	85,840	25	19	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	52	35	4	-	-	-	-	-	3	-
Reading C.B.	93,670*	29	17	1	-	-	-	-	-	-	-
Oxford C.B.	57,090	29	10	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	17	13	-	-	-	-	-	-	-	-
Luton	59,230	19	6	2	-	-	-	1	-	-	-
Cambridge	59,020	14	6	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	38	22	4	-	-	-	-	-	2	-
Ipswich C.B.	83,120*	32	12	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	24	10	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	36	18	3	-	-	-	1	-	2	-
Swindon	56,880	16	11	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	23	13	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	83	50	4	-	-	-	1	1	1	-
Bath C.B.	69,050	17	13	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	105	57	7	-	-	-	-	2	1	-
Gloucester C.B. ..	53,060	13	10	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	110	51	10	-	-	-	-	1	5	-
Burton-upon-Trent C.B.	49,530	24	7	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	40	16	2	-	-	-	-	-	-	-
Walsall C.B.	102,300	27	16	5	-	-	-	-	-	2	-
West Bromwich C.B	79,490	36	9	1	-	-	-	-	-	-	-
Dudley C.B.	58,810	27	13	3	-	-	-	-	-	1	-
Worcester C.B. ..	50,230	22	5	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	340	158	18	1	-	-	1	-	8	2
Smethwick C.B. ..	78,840	22	8	-	-	-	-	-	-	-	-
Coventry C.B ..	129,100	32	25	3	-	-	-	-	-	-	2
Leicester C.B. ..	242,100	82	35	7	-	-	-	1	-	2	-
Lincoln C.B.	66,600*	26	13	2	-	-	-	-	-	-	-
Grimsby C.B.	87,190	20	15	-	-	-	-	-	-	1	-
Nottingham C.B. ..	270,600	87	57	7	-	-	-	-	1	5	-
Derby C.B.	134,400*	45	24	2	-	-	-	-	1	2	1
Chesterfield ..	65,800	24	14	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	41	19	1	-	-	-	-	-	-	-
Chester C.B.	41,670	24	5	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	75	35	12	-	-	-	1	-	8	1
Wallasey C.B. ..	91,720	31	15	2	-	-	-	-	-	1	-
Liverpool C.B. ..	856,000	334	197	46	-	-	-	3	1	32	1
Bootle C.B.	83,260	32	23	4	-	-	-	1	-	2	-
St. Helens C.B. ..	109,600	42	20	6	-	-	-	-	-	2	-

* Population adjusted by the exclusion of non-civilians.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	19	13	2	-	-	-	-	-	-	-
Wigan C.B.	91,010	34	17	1	-	-	-	-	-	1	-
Warrington C.B. ..	77,970*	29	13	3		-	-	-	-	1	-
Bolton C.B.	180,400	54	53	5	-	-	-	-	-	2	1
Bury C.B.	56,700*	10	13	-		-	-	-	-	-	-
Manchester C.B. ..	755,800	261	147	19	-	-	-	-	2	8	3
Salford C.B.	244,700	63	40	4	-	-	-	-	-	1	1
Oldham C.B	146,200	43	26	2	-	-	-	-	-	2	-
Rochdale C.B... ..	92,190	21	24	4	-	-	-	-	-	-	-
Burnley C.B.	102,300	24	14	1	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	27	19	1	-	-	-	-	1	-	-
Preston C.B.	122,900	34	31	4	-	-	-	-	-	2	-
Blackpool C.B. ..	80,750	19	18	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	29	11	2	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	29	18	-	-	-	-	-	-	-	-
Halifax C.B.	97,860*	25	23	2	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	80	66	11	-	-	-	2	1	6	-
Leeds C.B.	472,900	143	86	15	-	-	-	2	-	10	1
Dewsbury C.B ..	54,570	16	7	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	30	11	-	-	-	-	1	-	-	-
Barnsley C.B. ..	71,170	32	15	4	-	-	-	-	-	2	-
Sheffield C.B. ..	526,900*	144	95	8	2	-	-	1	-	7	-
Rotherham C.B. ..	70,600	23	19	4	-	-	-	-	-	1	-
Doncaster	55,610	14	7	-	-	-	-	-	-	-	-
York C.B.	84,630*	24	15	3	-	-	-	-	-	3	-
Hull C.B.	297,300	95	55	9	-	-	-	-	2	3	-
Middlesbrough C.B.	136,200	60	26	5	-	-	-	-	-	6	-
Darlington C.B. ..	69,130	22	14	6	-	-	-	-	-	2	-
Stockton-on-Tees ..	68,000	25	15	3	-	-	-	-	-	2	-
West Hartlepool C.B.	71,590	31	8	-	-	-	-	1	2	-	-
Sunderland C.B. ..	166,000	70	36	8	-	-	-	-	-	6	1
South Shields C.B. ..	124,600	53	29	7	-	-	-	1	-	3	-
Gateshead C.B. ..	129,000	48	30	5	-	-	1	-	-	1	-
Newcastle-on-Tyne C.B.	286,300*	110	56	9	-	-	-	1	1	6	-
Tynemouth C.B. ..	66,180	29	4	-	-	-	-	-	-	1	-
Carlisle C.B.	55,160*	19	8	2	-	1	-	-	1	-	-
Newport (Mon.) C.B.	96,420*	26	12	1	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	92	32	2	-	-	-	-	-	1	-
Rhondda	167,570	57	22	2	-	-	-	-	-	1	-
Merthyr Tydfil C.B.	82,920	39	14	3	-	-	-	-	1	-	-
Aberdare	57,700	17	11	1	-	-	-	-	-	-	-
Swansea C.B.	163,200	71	35	4	-	-	-	-	-	4	-
Greater London ..	7,719,622*	2,409	1,312	171	2	-	2	8	11	85	9
Outer Ring	3,117,622*	940	493	54	2	-	1	3	4	27	2
18 Great Towns in Outer Ring	1,867,550*	583	282	31	-	-	1	2	4	15	1
Remainder of Outer Ring	1,250,072*	357	211	23	2	-	-	1	-	12	1
Edinburgh†	424,600	153	100	13	-	-	1	-	-	1	2
Glasgow† ..	1,052,200‡	466	229	36	3	-	2	-	2	15	1
Dublin (Registration Area)†	419,156§	205	93	25	1	-	1	-	2	12	-
Belfast†	416,000	186	99	23	-	-	-	1	1	13	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available p

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
LONDON‡	4,602,000	1926. Sept. 25	1469	819	9·3	-	-	-	1	5	7	58
CALCUTTA AND SUBURBS	1,077,273	Aug. 21										
BOMBAY‖	1,279,061	„ 28	405	786§	32·0	3	4	1	-	-	1	58
MADRAS	528.791	„ 28										
SYDNEY AND SUBURBS	1,038,950	Aug. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	July 31 (31 days)										
PERTH (Metropolitan Area).	179,388	July 31	77	57	16·5	-	-	-	-	-	-	
AUCKLAND (Urban Area).	192,176	July 31 (31 days)										
WELLINGTON (Urban Area).	121,324	July 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	July 31 (31 days)										
CAPE TOWN	113,709	Aug. 28	50	30	13·7	-	-	-	-	-	-	-
JOHANNESBURG	165,958	„ 28	93	38	11·9	-	-	-	-	-	-	-
DURBAN	54,822	„ 28	30	15	14·2	-	-	-	-	-	-	-
PARIS	2,906,472	Sept. 10 (10 days)	1223	922	11·6	2	-	4	1	1	1	74
ANTWERP	300,193	Aug. 21	103	46	8·0	-	-	1	-	1	-	3
AMSTERDAM	720,837	Sept. 4	245	120	8·7	-	-	1	-	1	-	1
COPENHAGEN	587.400	„ 4	177	110	9·8	2	-	-	-	1	-	-
STOCKHOLM	442,528	„ 11	105	99	11·6	-	-	-	-	-	1	-
GOTHENBURG	230,963	„ 11	?	19	4·3	-	-	-	-	1	-	-
OSLO (CHRISTIANIA) ..	255,724	„ 18	62	50	10·2	-	-	-	-	-	-	-
BERLIN	1 999,000	„ 4	341	362	9·4	-	?	-	1	-	5	3
BRESLAU	560,000	„ 4	141	92	8·5	-	?	1	-	1	-	1
COLOGNE	708,000	„ 4	201	110	8·1	2	?	-	-	4	-	9
DRESDEN	621,000	„ 4	117	116	9·7	-	?	-	-	-	-	1
FRANKFORT-ON-MAIN ..	472,000	„ 4	114	63	6·9	-	?	-	-	-	-	1
HAMBURG	1.101.000	„ 4	218	177	8·4	-	?	-	-	1	-	1
LEIPZIG	685,000	„ 4	164	107	8·1	1	?	-	-	1	-	1
MUNICH	685,000	„ 4	175	121	9·2	-	?	2	1	1	1	-
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725.196	April 30 (30 days)										
BUDAPEST	960,995	Sept. 4	283	277	14·8	6	-	-	1	-	1	5
WARSAW	1,015,426	„ 4	?	249	12·8	3	-	-	15	3	1	43
CAIRO	859,400	April 29	795	696	42·2	13	1	33	-	?	6	108
ALEXANDRIA	492,100	„ 29	520	260	27·5	2	2	2	1	?	1	26
NEW YORK	5,924,130	Aug. 21	2498	1070	9·4	2	-	-	-	5	6	58
CHICAGO	2,995,239	Sept. 3	1331	601	10·3	1	?	-	-	1	3	25

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ Including 1 death from cholera in Bombay.

‖ The registration of Births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th September, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	819	117	24	14	23	34	30	47	92	133	146	159
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough	5	5	-	-	-	-	-	-	-	-	-	-
Diphtheria	7	-	1	3	3	-	-	-	-	-	-	-
Influenza	7	1	-	-	-	-	-	-	-	1	2	3
Erysipelas	1	-	-	-	-	-	-	1	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	4	-	1	-	1	1	-	-	-	-	-	1
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	3	2	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	52	1	-	-	-	12	14	8	7	7	3	-
Nervous system	5	2	1	-	1	1	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	1	-	-	-	-	-	-
Other forms	3	-	2	-	-	1	-	-	-	-	-	-
Venereal diseases	1	-	-	-	-	-	-	-	-	1	-	-
Cancer	117	-	-	-	-	1	-	4	21	37	35	19
Rheumatic fever	2	-	-	-	1	1	-	-	-	-	-	-
Diabetes	8	-	-	-	-	-	1	2	-	-	2	3
Alcoholism	1	-	-	-	-	-	-	1	-	-	-	-
Simple meningitis	2	2	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	38	-	-	-	-	-	-	-	4	7	11	16
Epilepsy	3	-	-	1	-	1	-	1	-	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	26	-	1	-	2	1	-	3	5	7	5	2
Pericarditis	2	-	-	-	-	-	-	-	2	-	-	-
Acute endocarditis	3	-	-	-	-	2	-	-	1	-	-	-
Other diseases of heart	127	-	-	-	1	3	2	7	15	21	33	45
Other diseases of circulatory system	45	-	-	-	-	-	-	2	2	12	14	15
Bronchitis	26	1	1	2	-	-	-	-	5	2	6	9
Broncho-pneumonia	21	7	4	3	-	-	-	-	-	1	5	1
Lobar-pneumonia	9	1	-	-	-	-	-	-	3	5	-	-
Pneumonia (type not distinguished)	4	-	1	-	-	-	-	-	-	1	1	1
Other diseases of respiratory system	8	1	-	-	-	-	1	-	-	1	1	4
Diarrhœa and enteritis	65	52	6	2	2	-	-	1	1	-	1	-
Appendicitis, Typhlitis	7	-	-	-	4	1	-	2	-	-	-	-
Hernia, Intestinal obstruction.. ..	6	-	-	-	-	-	-	-	1	3	1	1
Cirrhosis of liver	8	-	-	-	-	-	1	2	3	1	1	-
Other diseases of digestive system ..	20	-	-	1	-	-	1	4	7	-	5	2
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease..	25	-	1	-	-	-	2	1	4	8	5	4
Other diseases of genito-urinary system.	11	-	-	-	-	-	1	-	2	3	3	2
Puerperal sepsis	2	-	-	-	-	1	-	1	-	-	-	-
Other causes incident to childbirth..	5	-	-	-	-	1	2	2	-	-	-	-
Congenital malformations	8	7	1	-	-	-	-	-	-	-	-	-
Premature birth	19	19	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	21	-	-	-	-	-	-	-	-	-	1	20
Suicide	11	-	-	-	-	-	-	1	4	3	3	-
Burns and Scalds	2	-	1	-	-	-	-	-	-	-	-	1
Drowning	4	-	-	-	-	-	1	1	-	2	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	-	-	1	3	-	-	2	2	3	1	2
Other deaths by violence	8	-	-	-	-	2	1	-	1	2	-	2
Other specified causes	42	9	2	-	4	4	3	1	2	4	7	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectio Diseases notified in t week ended 25th Septe ber, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	217	257	9	47	C. 7 E. 2 G. 3 K. 1 L. 1 M. 15
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ..	–	4	12	–	2	K. 1 M. 2
†BERMONDSEY ...	–	2	9	–	1	–
†BETHNAL GREEN	–	22	21	1	3	M. 2
†CAMBERWELL ...	–	14	21	–	1	G. 1 M. 1
†CHELSEA	–	–	5	–	6	C. 1
†DEPTFORD ...	–	8	5	–	4	-
†FINSBURY ...	–	3	6	–	–	L. 1
†FULHAM	–	4	8	–	3	C. 2 M. 1
†GREENWICH ...	–	6	5	–	1	M. 1
†HACKNEY ...	–	11	11	1	–	C. 1
†HAMMERSMITH ...	–	2	6	1	1	–
†HAMPSTEAD ...	–	–	8	–	–	M. 1
†HOLBORN... ...	–	–	10	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	18	12	1	3	C. M.
†KENSINGTON ...	-	4	6	1	1	C. E.
†LAMBETH ...	–	11	10	–	–	G. M.
†LEWISHAM ...	–	6	7	2	1	-
†PADDINGTON ...	–	2	6	1	–	M.
†POPLAR	–	15	4	–	4	E. G. M.
†ST. MARYLEBONE	–	2	2	–	1	C.
†ST. PANCRAS ...	–	6	11	–	2	-
†SHOREDITCH ...	-	13	6	1	3	-
†SOUTHWARK ...	–	8	22	–	2	M.
†STEPNEY	-	28	12	–	2	-
†STOKE NEWINGTON	-	6	3	–	–	-
†WANDSWORTH ...	–	14	23	–	5	M.
†WESTMINSTER, CITY OF	–	1	2	–	–	-
†WOOLWICH ...	–	6	4	–	1	-

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fev

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	18	3	3	1	E. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	15	–	–	–	–
LEIGHTON BUZZARD	–	–	–	–	–	E. 1
†LUTON	–	2	–	3	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD ...	–	1	–	–	–	–
EATON SOCON ...	–	–	3	–	–	–
BERKS	–	14	1	–	–	C. 2
†READING C.B. ...	–	2	–	–	–	C. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	–	1	–	–	C. 1
Rural Districts:—						
EASTHAMPSTEAD	–	2		–	–	–
FARINGDON (part)	–	1	–	–	–	–
HUNGERFORD ...	–	6	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
BUCKINGHAM ...	–	13	1	1	–	C. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	2	–	–	–	–
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	–	1	1	–	C. 1
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	7	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	–	–	–	E. 1
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	E. 1
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	66	26	–	18	E. 2 G. 4 M. 3
†BIRKENHEAD C.B.	–	6	4		– 6	E. 1 G. 1
†CHESTER C.B. ...	–	1	1	–	–	M. 1
†STOCKPORT C.B.	–	23	1	–	–	M. 1
†WALLASEY C.B. ...	–	5	3	–	2	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	–	–	–	1	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	–	–	–	3	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	1	–
HALE	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	1	–	–	–
†HYDE	–	1	1	–	–	–
†MACCLESFIELD ...	–	1	7	–	1	–
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	3	–	–	–	G. 1
†SALE	–	–	1	–	–	–
SANDBACH ...	–	3	–	–	–	–
†STALYBRIDGE ...	–	–	2	–	–	–
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...	–	2	–	–	1	–
Rural Districts:—						
CHESTER	–	5	–	–	–	–
CONGLETON ...	–	1	1	–	–	–
DISLEY	–	–	–	–	1	–
MACCLESFIELD ...	–	–	1	–	1	–
NANTWICH ...	–	1	–	–	–	G. 2
NORTHWICH ...	–	1	–	–		M. 1
RUNCORN ...	–	–	2	–	–	E. 1
WIRRAL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	5	1	–	1	–
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
PADSTOW... ...	–	1	–	–	–	–
ST. JUST	–	1	–	–	–	–
SALTASH... ...	–	–	–	–	1	–
Rural Districts:—						
EAST KERRIER ...	–	–	1	–	–	–
SAINT COLUMB MAJOR	–	2	–	–	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND ..	–	10	2	–	1	M. 4
†CARLISLE C.B. ..	–	6	1	–	–	M. 1
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	1	–	–	1	–
†WORKINGTON ...	–	1	–		–	M. 2
Rural Districts:—						
LONGTOWN ...	–	–	1	–	–	M. 1
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	10	37	17	1	16	G. 2 M. 2
†DERBY C.B. ..	7	–	6	–	9	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	–	2	–	–	–	–
ALVASTON AND BOULTON	–	–	–	–	2	–
BAKEWELL ...	–	–	–	–	–	G. 1
†BELPER	2	–	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
†CHESTERFIELD ...	–	10	2	–	1	–
†GLOSSOP	–	1	6	–	–	–
†HEANOR	–	1	–	–	–	–
†LONG EATON ...	–	4	1	–	–	–
NEW MILLS ...	–	–	–	–	–	G. 1
†SWADLINCOTE DISTRICT	–	4	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BELPER	1	1	1	–	–	–
BLACKWELL ...	–	1	–	–	2	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	5	–	1	–	M. 1
CLOWNE	–	2	–	–	–	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	18	3	1	2	D. 1 E. 1 M. 5
†EXETER C.B. ...	–	4	–	–	–	E. 1
†PLYMOUTH C.B...	–	5	3	–	–	M. 4
Boroughs and Urban Districts:—						
BIDEFORD ...	–	3	–	–	1	–
LYNTON	–	3	–	–	–	–
†NEWTON ABBOT	–	–	–	–	–	D. 1
NORTHAM ...	–	1	–	–	–	–
SOUTH MOLTON ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	1	–	1	–	–
TIVERTON ...	–	1	–	–	–	–
Rural Districts:—						
ST. THOMAS ...	–	–	–	–	–	M. 1
DORSET	–	3	2	–	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	–	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	90	73	29	4	31	C. 2 F. 1 G. 2 M. 10
†DARLINGTON C.B.	–	3	1	1	–	C. 1
†GATESHEAD C.B.	19	10	5	1	–	M. 1
†SOUTH SHIELDS C.B.	2	3	1	–	2	–
†SUNDERLAND C.B.	1	1	3	–	5	M. 3
†WEST HARTLEPOOL C.B.	2	8	3	–	–	M. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	–
†BISHOP AUCKLAND	–	–	3	–	–	–
†BLAYDON... ...	–	5	–	–	–	–
†BRANDON AND BYSHOTTLES	1	–	–	–	–	C. 1
†CHESTER LE STREET	–	6	1	–	–	–
†CROOK	7	–	–	1	–	M. 2
†DURHAM	–	1	–	–	3	–
†FELLING	1	–	–	–	2	M. 1
†HARTLEPOOL ...	–	5	–	–	1	–
†HEBBURN ...	–	1	–	–	2	–
†HETTON	5	–	–	–	1	–
†HOUGHTON LE SPRING	4	–	–	–	–	–
†JARROW	–	5	–	–	3	–
LEADGATE ...	–	1	–	–		–
†SPENNYMOOR ...	1	2	–	–	–	–
†STANLEY	2	3	3	–	–	–
†STOCKTON ON TEES	–	2	1	–	1	–
†TANFIELD ...	–	1	–	–	–	–
TOW LAW ...	3	1	–	–	–	–
†WHICKHAM ...	–	1	1	–	2	–
Rural Districts:—						
AUCKLAND ...	–	2	2		–	M. 1
CHESTER LE STREET	–	3	1	–	–	F. 1
DURHAM	–	2	–	–	–	–
EASINGTON ...	34	3		1	6	–
HOUGHTON LE SPRING	1	–	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
LANCHESTER ..	2	2	2	–	–	–
SEDGEFIELD ..	4	–	–	–	–	–
SOUTH SHIELDS...	1	–	–	–	–	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	G. 1
ELY, ISLE OF ...	–	5	–	–	–	M. 2
Boroughs and Urban Districts:—						
ELY	–	3	–	–	–	–
MARCH	–	1	–	–	–	–
Rural Districts:—						
NORTH WITCHFORD	–	–	–	–	–	M. 1
WISBECH	–	1	–	–	–	M. 1
ESSEX	–	114	41	1	19	E. 4 G. 3 L. 1
†EAST HAM C.B. ...	–	3	8	1	1	–
†SOUTHEND-ON-SEA C.B.	–	6	1	–	1	E. 1
†WEST HAM C.B. ...	–	33	9	–	9	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	6	2	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	2	–	–	–	–
BUCKHURST HILL	–	1		–	–	–
BURNHAM ON CROUCH	–	1	–	–	–	–
†CLACTON	–	1	–	–		G. 1
†COLCHESTER ...	–	1	–	–	–	–
DAGENHAM ...	–	3	–	–	1	–
†GRAYS THURROCK	–	1	2	–	–	E. 1
†HARWICH ...	–	2	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	2	5	–		L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEYTON	–	5	4	–	1	G. 1
MALDON	–	1	–	–	–	–
SHOEBURYNESS ...	–	1	–	–	–	–
TILBURY	–	4	–	–	–	–
†WALTHAMSTOW ...	–	14	4	–	5	–
†WANSTEAD ..	–	–	1	–	1	–
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
BRAINTREE ...	–	2	–	–	–	–
DUNMOW	–	1	–	–	–	–
EPPING	–	3	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
MALDON	–	1	–	–	–	–
ORSETT	–	12	4	–	–	E. 2
ROCHFORD ...	–	–	–	–	–	G. 1
ROMFORD... ...	–	1	–	–	–	–
GLOUCESTER ...	–	31	20	1	5	C. 1 L. 6 M. 1
†BRISTOL C.B. ...	–	21	12	–	1	C. 1 L. 6 M. 1
†GLOUCESTER C.B.	–	2	5	–	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	–	–	–
CIRENCESTER ...	–	–	–	–	1	–
TETBURY	–	–	1	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
LYDNEY	–	1	–	–	–	–
STROUD	–	1	2	–	–	–
TEWKESBURY (part)	–	–	–	1	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	1		–	–	–
WHEATENHURST	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ..	–	4	1	–	–	–
Boroughs and Urban Districts:—						
LEDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	1	–	–	–	–
LEDBURY... ...	–	–	1	–	–	–
WIGMORE ...	–	2	–	–	–	–
HERTFORD ...	–	12	7	3	–	C. 2
Boroughs and Urban Districts:—						
†BARNET	–	–	–	2	–	C. 2
BISHOP'S STORTFORD	–	–	1	–	–	–
BUSHEY	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
†HERTFORD ...	–	1	2	–	–	–
HODDESDON ...	–	1	1	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	–	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	1	1	1	–	–
HUNTINGDON ...	–	–	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	31	34	15	6	E. 3 M. 5
†CANTERBURY C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	1	–	1	M. 1
†BEXLEY	–	2	1	–	–	–
†BROMLEY ...	*	*	*	*	*	*
†CHATHAM ...	–	1	2	–	–	–
†DARTFORD ...	–	–	–	–	1	–
†DOVER	–	1	–	–	–	–
†ERITH	–	2	–	–	1	–
†FAVERSHAM ...	–	2	–	1	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	2	1	–	–	E. 1
†GRAVESEND ...	–	2	8	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	3	–	–	–	E. 1 M. 1
†MARGATE ...	–	–	–	11	–	M. 2
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	1	–	1	–
†RAMSGATE ...	–	1	–	–	1	–
†ROCHESTER ...	–	2	1	1	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	E. 1
SANDWICH ...	–	–	–	–	–	M. 1
†SHEERNESS ...	–	–	1	–	–	–
SIDCUP	–	1	–	–	–	–
SWANSCOMBE ...	–	1	1	–	–	–
WHITSTABLE ...	–	–	2	–	–	–
Rural Districts:—						
BLEAN	–	–	3	–	–	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	1	3	–	–	–
EAST ASHFORD ...	–	–	1	2	–	–
MALLING	–	3	3	–	–	–
SEVENOAKS ...	–	2	1	–	–	–
STROOD	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	2	275	159	10	100	C. 8 D. 1 E. 4 G. 7 M. 25
†BARROW IN FURNESS C.B.	–	2	1	–	–	–
†BLACKBURN C.B.	–	6	7	–	–	M. 1
†BLACKPOOL C.B.	–	1	–	1	2	–
†BOLTON C.B. ...	–	2	3	–	–	–
†BOOTLE C.B. ...	–	10	–	–	1	–
†BURNLEY C.B. ...	–	2	4	–	4	M. 1
†BURY C.B. ...	–	1	3	–	1	M. 1
†LIVERPOOL C.B. ...	–	65	25	1	21	G. 1 M. 12
†MANCHESTER C.B.	–	64	47	1	16	C. 3 D. 1 G. 1 M. 3
†OLDHAM C.B. ...	–	8	4	–	2	C. 1 G. 1 M. 1
†PRESTON C.B. ...	–	7	8	–	–	C. 1
†ROCHDALE C.B. ...	1	5	4	–	–	–
†ST. HELENS C.B. ...	–	3	5	–	3	–
†SALFORD C.B. ...	–	29	16	–	5	C. 1
†SOUTHPORT C.B.	–	3	–	–	2	M. 1
†WARRINGTON C.B.	–	–	1	–	3	C. 1
†WIGAN C.B. ...	–	–	1	–	7	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	1	–	–
†ACCRINGTON ...	–	1	–	–	–	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	1	–	–	–	–	–
†ASHTON UNDER LYNE	–	2	–	–	–	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	2	1	–	–	–
†BACUP	–	4	–	–	–	–
BRIERFIELD ...	–	–	1	–	–	–
†CHADDERTON ...	–	9	2	–	–	–
†CLITHEROE ...	–	–	–	–		E. 1
†COLNE	–	–	–	3	–	–
†CROMPTON ...	–	1	1	–	–	–
†DALTON IN FURNESS	–	1	2	–	–	–
†DARWEN	–	1	–	–	1	–
†DENTON	–	1	1	–	3	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES	–	1	4	–	1	–
†FAILSWORTH ...	–	1	1	–	1	–
†FLEETWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	–	–	–	1	–
†GREAT HARWOOD	–	2	–	–	–	M. 1
†HAYDOCK ...	–	1	–	–	3	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
IRLAM	–	1	–	–	–	–
KEARSLEY ...	–	–	–	–	–	E. 1
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–		–
†LEIGH	–	–	–	–	–	E. 1 M. 1
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	1	–
†LYTHAM ST. ANNE'S	–	–	1	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
MILNROW... ...	–	–	–	–	1	–
†MORECAMBE ...		–	1	–	–	–
†MOSSLEY	–	–	–	–	–	C. 1
†NEWTON IN MAKERFIELD	–	–	–	–	1	M. 1
ORMSKIRK ...	–	–	–	1	–	–
ORRELL	–	–	–	–	1	–
†OSWALDTWISTLE	–	2	–	–	1	G. 1
†PADIHAM ...	–	–	5	–	–	–
†PRESTWICH ...	–	1	1	–	–	–
†RADCLIFFE ...	–	5	1	–	–	–
†RAMSBOTTOM ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	1	–	–	2	–
†STRETFORD	–	1	1	–	–	G. 1
†SWINTON AND PENDLEBURY	–	2	–	–	4	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	M. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	1	G. 1
WHITEFIELD ...	–	1	–	–	1	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES	–	1	2	–	–	M. 1
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	–	–	–	–	–	E. 1
CLITHEROE ...	–	–	–	1	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	–	2	–	–	–
PRESTON	–	2	1	–	1	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	2	–	1	–	G. 1
WHISTON... ...	–	1	–	–	1	–
LEICESTER... ...	–	24	10	2	1	C. 1 E. 8 M. 2
†LEICESTER C.B. ..	–	17	8	–	–	C. 1 E. 3 M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	–	–	–	–
†HINCKLEY ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	3	–	–	–	E. 1
WIGSTON MAGNA	–	1	–	–	–	E. 1
Rural Districts:—						
BARROW UPON SOAR	–	1	1	–	1	E. 1
BILLESDON ...	–		–	–	–	E. 2
MARKET BOSWORTH	–	–	1	2	–	–
MARKET HARBOROUGH	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	–	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	2	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	–	1	–	–	–
SLEAFORD ...	–	2	–	–	1	–
Rural Districts:—						
BOURNE	–	1	1	–	–	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	12	7	–	3	G. 2 M. 1
†GRIMSBY C.B. ...	–	4	–	–	–	G. 1
†LINCOLN C.B. ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	1	–
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	1	M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	1	–	–	–
ISLE OF AXHOLME	–	–	–	–		G. 1
WELTON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	37	56	4	5	C. 1 E. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	–	M. 1
†CHISWICK ...	–	1	3	–	–	–
†EALING	–	3	3	–	–	–
†EDMONTON ...	–	4	16	–	–	–
†ENFIELD	–	5	4	–	–	–
†FINCHLEY ...	–	3	–	1	1	–
HAMPTON WICK...	–	–	–	–	1	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	2	–	–	–	–
†HESTON AND ISLEWORTH	–	1	2	–	–	E. 1 G. 1 M. 1
†HORNSEY... ...	–	1	–	–	–	C. 1
†SOUTHGATE ...	–	–	1	–	–	–
STAINES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	9	5	–	2	–
†TWICKENHAM ...	–	–	5	1	1	–
†WILLESDEN ...	–	3	10	2	–	M. 1
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
HENDON	–	–	5	–	–	–
STAINES	–	1	–	–	–	–
NORFOLK	–	17	6	1	2	–
†GREAT YARMOUTH C.B	–	2	1	1	–	–
†NORWICH C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
WELLS	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	6	–	–	–	–
DEPWADE ...	–	2	–	–	–	–
DOWNHAM ...	–	–	3		1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
KING'S LYNN ...	*	*	*	*	*	*
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	–	1	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
THETFORD ..	–	1	–	–	–	–
NORTHAMPTON ...	–	15	6	–	3	E. 1
†NORTHAMPTON C.B.	–	2	5	–	2	–
Boroughs and Urban Districts:—						
FINEDON	–	1	–	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	5	–	–	–	–
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	–	–	–	E. 1
KETTERING ...	–	–	–	–	1	–
OXENDON... ...	–	1	–	–	–	–
THRAPSTON (part)	–	5	–	–	–	–
NORTHUMBERLAND	6	67	7	1	20	C. 2 M. 2
†NEWCASTLE UPON TYNE C.B.	2	23	3	–	14	C. 2
†TYNEMOUTH C.B	–	12	2	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	4	3	–	1	–	–
†BEDLINGTONSHIRE	–	6	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	7	–	–	–	–
†BLYTH	–	1	–	–	–	M. 1
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	–
†LONGBENTON ...	–	2	–	–	–	–
†NEWBURN ...	–	1	1	–	–	–
PRUDHOE... ...	–	1	–	–	–	–
†WALLSEND ...	–	5	1	–	2	–
WEETSLADE ...	–	–	–	–	–	M. 1
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
BELFORD	–	1	–	–	–	–
GLENDALE ...	–	3	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
NOTTINGHAM ...	1	17	15	1	7	C. 1 G. 2 M. 1
†NOTTINGHAM C.B.	–	10	9	–	4	M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	1	–	–	–
†HUCKNALL ...	–	–	–	–	2	–
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	1	–	1	–	G. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	1	–	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	1	4	–	–	G. 1
BINGHAM... ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	4	3	–	–	E. 1 M. 2
†OXFORD C.B. ...	–	2	2	–	–	E. 1 M. 1
Boroughs and Urban Districts:—						
WOODSTOCK ...	–	–	1	–	–	–
Rural Districts:—						
WITNEY	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	–	M. 1
PETERBOROUGH (Soke of)	–	1	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
SALOP	–	10	1	–	–	E. 2
Boroughs and Urban Districts:—						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	8	–	–	–	–
Rural Districts:—						
CHIRBURY ...	–	–	–	–	–	E. 1
CHURCH STRETTON	–	1	–	–	–	–
CLUN	–	–	–	–	–	E. 1
DRAYTON... ...	–	–	1	–	–	–
SOMERSET	–	7	1	–	5	G. 1 L. 2 M. 2
†BATH C.B. ...	–	1	–	–	–	L. 2 M. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	–	G. 1
MIDSOMER NORTON	–	2	–	–	1	–
WELLS	–	1	–	–	–	–
†YEOVIL	–	–	–	–	1	–
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	3	–	–	–	–
FROME	–	–	–	–	1	–
SHEPTON MALLET	–	–	1	–	–	–
WINCANTON ...	–	–	–	–	1	M. 1
SOUTHAMPTON ...	–	16	26	1	3	C. 1 G. 3 M. 2
†BOURNEMOUTH C.B.	–	–	1	–	1	–
†PORTSMOUTH C.B.	–	7	16	1	–	G. 1
†SOUTHAMPTON C.B	–	1	8	–	–	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	–	2	–	–	–	–
†FAREHAM ...	–	–	–	–	1	–
†GOSPORT	–	1	1	–	–	G. 1
Rural Districts:—						
DROXFORD ...	–	1	–	–	–	–
FORDINGBRIDGE ..	–	–	–	–	1	–
HARTLEY WINTNEY	–	2	–	–	–	–
NEW FOREST ...	–	2	–	–	–	–
STAFFORD	–	49	20	5	29	C. 2 F. 1 L 7 M. 7
†BURTON UPON TRENT C.B.	–	1	4	–	–	–
†SMETHWICK C.B.	–	1	3	–	1	–
†STOKE ON TRENT C.B.	–	11	2	–	11	C 1 M. 3
†WALSALL C.B. ...	–	3	–	1	3	M. 1
†WEST BROMWICH C.B.	–	5	–	1	1	–
†WOLVERHAMPTON C.B.	–	3	2	–	1	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†BROWNHILLS ...	–	2	–	–	1	–
†CANNOCK	–	2		–	1	–
†COSELEY	–	2	1	–	1	–
†DARLASTON ...	–	4	–	–	2	–
KIDSGROVE ...	–	–	1	–	1	–
LICHFIELD ...	–	1	–	1	–	M. 1
†NEWCASTLE UNDER LYME	–	3	–	–	1	–
†ROWLEY REGIS ...	–	1	1	1	1	M. 1
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	1	–	–	–	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	1	–	1	–	–
†WEDNESBURY ...	–	2	–	–	1	M. 1
†WILLENHALL ...	–	–	2	–	–	–
†WOLSTANTON UNITED	–	2	–	–	–	–
Rural Districts:—						
CHEADLE... ...	–	–	–	–	–	C. 1 L. 5
KINGSWINFORD...	–	–	2	–	–	–
LEEK	–	–	1	–	1	F. 1
LICHFIELD ...	–	2	–	–	–	L. 2
STAFFORD ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
SUFFOLK, EAST ...	–	13	–	2	1	–
†IPSWICH C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	–	–	2	–	–
†LOWESTOFT ...	–	7	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ...	*	*	*	*	*	*
SAMFORD... ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	1	–	–	–
NEWMARKET ...	–	1	–	–	–	–
SUDBURY... ...	–	–	1	–	–	–
Rural Districts:—						
MELFORD... ...	–	1	–	–	–	–
THINGOE	–	1	–	–	–	–
SURREY	–	28	18	7	6	C. 1 E. 1 M. 1
†CROYDON C.B. ...	–	5	7	–	–	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	1	E. 1
†CARSHALTON ...	–	1	1	–	–	–
†COULSDON AND PURLEY	–	–	–	1	–	–
DORKING	–		–	1	–	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	–	–	1	–	–
†FARNHAM ...	–	1	1	–	–	–
†KINGSTON ON THAMES	–	1	2	–	1	–
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM... ...	–	2	1	–	1	M. 1
†REIGATE	–	1	–	3	–	–
†SURBITON ...	–	1	–	–	–	–
†WALTON UPON THAMES	–	2	–	–	–	–
†WIMBLEDON ...	–	2	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	3	3	–	–	–
EPSOM	–	1	2	1	–	–
FARNHAM ...	–	1	–	–	1	–
GODSTONE ...	–	2	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	
REIGATE	–	1		–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	11	4	1	1	C. 1 E. 2 G. 2
†BRIGHTON C.B. ...	–	3	3	–	–	G. 1
†EASTBOURNE C.B.	–	1	–	–	1	–
†HASTINGS C.B. ...	–	1	–	1	–	E. 1 G. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
†HOVE	–	–	1	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	3	–	–	–	–
CUCKFIELD ...	–	–	–	–	–	C. 1
NEWHAVEN ...	–	–	–	–	–	E. 1
RYE	*	*	*	*	*	*
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	2	2	1	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	1	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
†WORTHING ...	–	1	1	1	–	–
Rural Districts:—						
PETWORTH ...	–	–	–	–	1	–
WARWICK	–	58	54	–	29	C. 4 D. 1 E. 4 F. 1 G. 2 M. 5
†BIRMINGHAM C.B.	–	42	45	–	26	C. 1 E. 4 F. 1 G. 2 M. 5
†COVENTRY C.B. ...	–	4	1	–	1	C. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	3	–	–	–
†RUGBY	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	2	–	–	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–	3	–	–	1	–
NUNEATON ...	–	1	–	–	1	–
SOUTHAM... ...	–	3	–	–	–	–
STRATFORD ON AVON	–	–	1	–	–	D. 1
TAMWORTH (part)	–	1	2	–	–	–
WESTMORLAND ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	–	1	2	–	–
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	–	2	–	–
SANDOWN ...	–	–	1	–	–	–
WILTS	–	3	11	–	3	G. 1 L. 1
Boroughs and Urban Districts:—						
MELKSHAM ...	–	–	4	–	–	–
†SALISBURY ...	–	–	–	–	–	G. 1
†SWINDON... ...	–	–	2	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	1	–	–	–
DEVIZES	–	–	1		–	L. 1
HIGHWORTH ...	–	1	1	–	1	–
MELKSHAM ...	–	–	2	–	–	–
PEWSEY	–	1	–	–	–	–
WORCESTER ...	–	3	3	–	7	–
†WORCESTER C.B.	–	–	1	–	3	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	1	–
†MALVERN ...	*	*	*	*	*	*
†OLDBURY... ...	–	1	–	–	1	–
†STOURBRIDGE ...	–	1	–	–	2	–
Rural Districts:—						
DROITWICH ...	–	–	1	–	–	–
UPTON ON SEVERN	–	–	1	–	–	–
YORKS ... ... (East Riding.)	–	27	27	1	4	–
†KINGSTON UPON HULL C.B	–	17	26	–	3	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	1	–	–		–
HORNSEA... ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
DRIFFIELD ...	–	4	–	1	–	–
POCKLINGTON ...	–	1	–	–	–	–
RICCALL	–	2	–	–	–	–
SCULCOATES ...	–	1	1	–	–	–
SKIRLAUGH ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (North Riding.)	1	19	5	3	3	C. 1
†MIDDLESBROUGH C.B.	1	7	3	–	–	–
Boroughs and Urban Districts:—						
†ESTON	–	5	1	–	1	–
GUISBOROUGH ...	–	–	1	–	1	–
MASHAM	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	1	–
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
BEDALE	–	1	–	–	–	–
FLAXTON... ...	–	–	–	1	–	–
NORTHALLERTON	–	1	–	2	–	–
STARTFORTH ...	–	–	–	–	–	C. 1
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	11	152	68	12	63	C. 7 E. 3 G. 1 L. 2 M. 6
†BARNSLEY C.B. ...	–	2	–	–	–	–
†BRADFORD C.B. ...	–	17	13	1	6	C. 1 M. 2
†DEWSBURY C.B....	–	1	1	–	–	M. 1
†HALIFAX C.B. ...	–	5	2	–	1	–
†HUDDERSFIELD C.B.	–	5	4	–	1	G. 1
†LEEDS C.B. ...	–	9	5	–	5	C. 1 E. 1 M. 1
†ROTHERHAM C.B.	2	7	–	–	4	L. 1
†SHEFFIELD C.B....	2	52	21	2	28	E. 1 M. 1
†WAKEFIELD C.B.	–	–	2	2	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	–	–	–	–
ALTOFTS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
BAILDON	–	1	–	–	–	–
†BATLEY	–	–	1	–	–	–
†BENTLEY WITH ARKSEY	–	1	1	–	–	–
†BINGLEY	–	–	–	1	–	M. 1
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	–	–	–	–	–	C. 1
DARFIELD ...	–	1	–	–	–	–
†DONCASTER ...	–	5	–	–	1	–
EARBY	–	–	1	–	–	–
GARFORTH ...	–	–	–	2	–	–
†GOLCAR	*	*	*	*	*	*
†GOOLE	–	3	–	1	–	–
GREETLAND ...	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	2	–
†HOYLAND NETHER	–	1	–	–	1	–
ILKLEY	*	*	*	*	*	*
†KEIGHLEY ...	1	1	–	–	–	–
KNOTTINGLEY ...	–	–	–	–	1	–
LEPTON	–	–	2	–	–	–
LINTHWAITE ...	*	*	*	*	*	*
†MEXBOROUGH ...	4	–	–	–	–	–
†MORLEY	–	1	–	–	–	–
†NORMANTON ...	–	–	–	–	1	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	–	1	–	–	–
†PUDSEY	*	*	*	*	*	*
QUEENSBURY ...	–	–	–	–	1	–
†RAWMARSH ...	–	1	–	–	1	–
SELBY	–	2	1	–	–	–
SHELF	*	*	*	*	*	*
†SHIPLEY	–	–	–	–	–	C. 1
†SKIPTON	–	1	–	–	–	–
†SOWERBY ...	–	4	–	–	–	–
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	2	–	–	–	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	2	–
†WORSBOROUGH ...	–	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	–	4	–	1	–
HALIFAX	–	–	1	–	–	–
HEMSWORTH ...	–	2	–	–	–	C. 1
HUNSLET... ...	–	1	–	–	–	–
KIVETON PARK ...	–	2	–	–	1	–
PENISTONE ...	–	–	–	–	–	E. 1
RIPON	*	*	*	*	*	*
ROTHERHAM ...	1	2	4	–	–	–
SEDBERGH ...	–	–	–	–	–	C. 1
TADCASTER ...	–	1	–	2	–	–
THORNE	–	5	–	–	–	–
WETHERBY ...	–	–	2	–	1	C. 1
WHARFEDALE (SOUTH)	–	–	–	1	–	L. 1
WORTLEY ...	1	5	–	–	–	–
§YORK, CITY OF ...	–	2	7	–	1	M. 1
†YORK C.B. ...	–	2	7	–	1	M. 1
WALES.						
ANGLESEY	–	2	1	–	–	C. 1
Boroughs and Urban Districts:—						
BEAUMARIS ...	–	–	1	–	–	–
†HOLYHEAD ...	–	2	–	–	–	C. 1
Rural Districts:—						
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
YSTRADGYNLAIS	–	2	–	–	1	–
CAERNARVON ...	–	2	–	–	1	C. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	–	–	1	–
CONWAY	–	1	–	–	–	C. 1
Rural Districts:—						
GWYRFAI... ...	–	1	–	–	–	–
CARDIGAN ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	1	–	–	–
ABERYSTWYTH (NORTH)	–	–	1	–	–	–
CARMARTHEN ...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
†LLANELLY ...	–	–	2	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	2	–	–	–	–
WHITLAND ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DENBIGH	–	8	1	–	1	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	M. 1
DENBIGH ...	–	1	1	–	–	–
†WREXHAM ...	–	3	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
WREXHAM ...	–	3	–	–	1	–
FLINT	–	7	2	1	–	M. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	–	–	–	–	M. 1
Rural Districts:—						
HAWARDEN ...	–	5	–	1	–	–
HOLYWELL (HOLYWELL DIV.)	–	2	–	–	–	–
HOLYWELL (MOLD DIV.)	–	–	1	–	–	–
OVERTON ...	–	–	1	–	–	–
GLAMORGAN ...	–	41	34	4	15	C. 1 M. 3
†CARDIFF C.B. ...	–	4	1	1	–	M. 1
†MERTHYR TYDFIL C.B.	–	1	4	–	–	–
†SWANSEA C.B. ...	–	3	4	1	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	8	–	–	–	–
†BARRY	–	2	1	–	–	–
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	–	1	–	–	–
†GELLIGAER ...	–	3	2	–	5	–
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	2	9	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Mountain Ash ...	–	1	–	2	2	–
†Neath	–	3	–	–	–	–
†Ogmore and Garw	–	2	1	–	–	–
†Pontypridd ...	–	1	–	–	–	–
†Port Talbot ...	–	1	1	–	–	–
†Rhondda ...	–	5	3	–	5	M. 1
Rural Districts:—						
Cardiff	–	1	–	–	–	–
Llantrisant and Llantwitfardre	–	–	–	–	1	–
Neath	–	–	3	–	1	–
Pontardawe ...	–	–	1	–	–	–
Swansea... ...	–	4	2	–	–	–
MERIONETH ...	–	2	2	–	–	–
Urban Districts:—						
Festiniog ..	–	–	2	–	–	–
Rural Districts:—						
Deudraeth ...	–	2	–	–	–	–
MONMOUTH ...	–	7	10	1	2	C. 1 M. 2
†Newport C.B. ...	–	3	–	1	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†Abercarn ...	–	1	2	–	–	–
Abergavenny ...	–	–	–	–	–	M. 1
†Abersychan ...	–	3	–	–	–	–
†Abertillery ...	–	–	1		–	M. 1
Bedwas and Machen	–	–	1	–	–	–
†Bedwellty ...	–	–	1	–	–	–
†Ebbw Vale ...	–	–	1	–	1	–
Monmouth ...	–	–	1	–	–	–
†Nantyglo and Blaina	–	–	–		1	–
†Rhymney ...	–	–	2	–	–	–
†Risca	–	–	1	–	–	–
PEMBROKE... ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
Haverfordwest.	–	–	–	–	1	–
Total of Part II. ...	121	1410	765	90	424	C. 42 D. 3 E. 39 F. 3 G. 33 L. 19 M. 99

* Returns not received. † Population over 10,000.

‡ C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; G, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
PLYMOUTH	–	–	–	2	–	L. 1	WELLS (NORFOLK) ...	*	*	*	*	*	
SANDWICH	–	–	–	–	–	M. 1	PORT OF LONDON ...	–	1	1	–	–	
SOUTHAMPTON ...	–	–	–	2	–	–							
							Total of Part III.... ...	–	1	1	4	–	L. M

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	217	257	9	47	C. 7 E. 2 G. 3 K. 1 L. 1 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	121	1410	765	90	424	C. 42 D. 3 E. 39 F. 3 G. 33 L. 19 M. 99
Total of Part III.—Port Sanitary Districts	–	1	1	4	–	L. 1 M. 1
Total (*i.e.*, of returns received), England and Wales ...	121	1628	1023	103	471	C. 49 D. 3 E. 41 F. 3 G. 36 K. 1 L. 21 M. 115

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YE AGE) and NOTIFIED CASES of certa FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18
LONDON :—												
DEATHS—all ages	785	775	791	706	823	706	752	716	785	791	766	810
" 0 to 1 year ..	67	69	64	60	76	56	76	68	72	85	81	105
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,137	7,000	6,992	7,118	7,460	6,079	7,508	6,970	7,029	6,358	6,523	6,830
DEATHS—all ages	3,570	3,424	3,540	3,215	3,305	3,139	3,226	3,280	3,292	3,409	3,393	3,449
" 0 to 1 year ..	354	355	363	337	374	354	386	383	409	452	445	516
ENTERIC FEVER—Cases	25	49	36	46	33	14	30	24	24	28	29	24
" Deaths	3	3	4	—	4	5	1	—	2	3	4	5
SMALL POX—Cases ..	15	20	23	10	5	8	4	11	5	16	10	19
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	882	816	904	734	716	600	674	669	641	750	773	837
" Deaths	8	6	6	3	3	2	6	6	5	6	3	2
DIPHTHERIA—Cases ..	611	604	608	625	479	509	552	460	511	526	600	674
" Deaths ..	32	17	25	25	21	26	23	28	24	30	20	24
MEASLES—Deaths ..	25	18	14	14	14	13	9	12	10	6	10	1
INFLUENZA—Deaths ..	28	35	22	20	14	19	18	16	18	19	12	19

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th September, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	88	39	71·7	48·1	2
BRIGHTON ..	79	45	68·6	52·7	0
PORTSMOUTH ..	76	46	69·4	53·2	0·3
NORWICH (EATON).	86	39	68·4	48·1	6
PLYMOUTH ..	75	45	65·9	52·4	4
BRISTOL (CLIFTON).	80	44	65·4	51·6	2
BIRMINGHAM (EDGBASTON).	83	41	65·0	50·0	5
NOTTINGHAM ..	86	35	66·6	45·6	7
BIRKENHEAD (BIDSTON).	77	45	61·7	50·7	36
MANCHESTER (WHITWORTH PARK).	82	40	63·6	48·0	29
BURNLEY	79	37	61·6	46·3	27

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	R m
	°	°	°	°	
HUDDERSFIELD	80	37	63·7	44·7	
BRADFORD ..	78	39	63·1	46·1	
SHEFFIELD ..	79	42	64·1	47·3	
YORK (MUSEUM)	80	40	65·3	45·7	
HULL (PEARSON PARK).	83	41	65·7	46·1	
TYNEMOUTH ..	72	44	61·6	49·4	
CARDIFF	80	42	65·1	48·3	
EDINBURGH ..	72·0	40·0	59·1	46·9	
GLASGOW ..	67·7	40·2	58·2	47·9	
DUBLIN (PHŒNIX PARK).	75·0	34·3	62·6	41·1	
(FITZWILLIAM SQUARE†).	74·1	42·1	61·2	46·7	
BELFAST	73·0	36·0	63·3	45·4	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 25th September, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	19	..	29·887	88·2	55·9	32·3	72·5	+16·0	58·1	14·4	27·2	0·8	61	147·4	42·1	59·2	SSE: Calm.	SSW: S.	0·8	0·0	0·0	141	- 101	0·00
MONDAY -	20	..	29·964	80·0	55·0	25·0	65·6	+ 9·4	57·7	7·9	18·4	0·4	76	135·3	44·0	59·3	Calm: SW: NNW.	NNW: NNE.	2·5	0·0	0·2	247	+ 7	0·00
TUESDAY -	21	Perigee. Full.	30·174	62·9	45·0	17·9	54·2	- 1·7	47·2	7·0	14·5	2·4	77	91·1	31·0	59·0	NNE: NE.	ENE: Calm.	1·9	0·0	0·2	247	+ 9	0·00
WEDNESDAY	22	In Equator	30·201	68·0	39·9	28·1	54·1	- 1·5	44·9	9·2	22·6	2·2	71	120·1	28·2	59·0	Calm	NNW: Calm.	1·0	0·0	0·0	106	- 130	0·00
THURSDAY -	23	..	30·071	68·9	39·1	29·8	55·2	- 0·2	48·0	7·2	18·7	1·9	77	123·2	28·2	59·0	Calm	SSW: SSE.	0·6	0·0	0·0	119	- 117	0·00
FRIDAY -	24	..	29·725	71·4	49·8	21·6	59·2	+ 3·9	53·2	6·0	14·4	0·6	80	124·7	40·6	58·9	Calm: WSW.	WSW: NNW.	1·5	0·0	0·1	196	- 41	0·04
SATURDAY -	25	..	29·613	63·4	40·8	22·6	49·8	- 5·4	40·8	9·0	27·5	2·3	71	130·0	28·9	58·6	NW: SW: WSW.	NW: WSW.	4·1	0·0	0·2	299	+ 60	0·05
MEANS -		..	29·948	71·8	46·5	25·3	58·7	+ 2·9	50·0	8·7	20·5	1·5	73	124·5	34·7	59·0	Variable		..		..	Sum 1355	Sum - 313	Sum 0·09
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	19	wP.	11·5	12·4	Nearly cloudless. Mist 5h. till 9h. Dew in morning.
MONDAY ..	20	wP till 9h.; mP till 18h., then wP.	7 2	12·3	Cloudless till 8½h., then partially cloudy, becoming nearly overcast by 17¾h. Mist 5h. till 12h. Dew in morning.
TUESDAY ..	21	wP till 6h.; mP till 14h., then wP.	0 1	12·3	Overcast generally till 17½h., then partially cloudy.
WEDNESDAY	22	wP till 10h.; then mP.	8·4	12·2	Cloudless till 4h.; very cloudy till 8h., then clearing gradually to cloudless by 9h. Slight hoar frost in morning. Mist 3h till 21h. Dew at night.
THURSDAY	23	wP.	6·2	12·1	Cloudless till 12h., then very cloudy, bcoming overcast by 23h. Dew in morning and at night. Mist 2h, till 12h. Partial solar halo 13h. till 13¾h.
FRIDAY ..	24	wP till 15¾h.; variably sP and sN till 17h., then wP.	2·5	12 1	Nearly overcast generally. Mist 3h. till 6h. Rain 15¾h. till 16¾h. Thunder about 16h.
SATURDAY	25	wP till 9h.; mP till 18h.; variably sP and sN till 19h.; then mP.	5·6	12·0	Partially cloudy till 13h.; nearly overcast till 18½h., then clearing to cloudless by 21h. Dew in morning. Occasional damping between 14h. and 15h. Heavy rain 17¾h. till 18¼h.
			Sum 41·5	Sum 85·4	
No. of Col.		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·90 ins. at the beginning of the week to 29·88 ins. by 15h. on 19th; inecreased generally to 30·23 ins. by 9h. on 22nd; decreased generally to 29·57 ins. by 14h. on 25th; increased and was 29·62 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 39

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 2ND OCTOBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N. Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND OCTOBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-ninth week of the year numbered 6,559 and corresponded to an annual rate of 17·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,729 and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is estimated at 19,417,320 in the year 1925. In the preceding three weeks the rates had been 9·1, 9·3 and 9·4. Infant mortality was 86 per 1,000 births against 68, 76 and 74 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,499 births, corresponding to a rate of 16·9 per 1,000, and 848 deaths of civilians, corresponding to an annual rate of 9·6, against 8·7, 9·2 and 9·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·2 per 1,000. The infant mortality was 80 as against 55, 71 and 80 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,507 to 3,729. In London the number of deaths from all causes increased from 819 to 848; the deaths from diphtheria which had been 5, 2 and 7 in the preceding three weeks rose to 11 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 29, 39 and 58 in the preceding three weeks, further increased to 63 last week.

Two deaths from small-pox, one belonging to South Shields C.B. and one to Willesden U.D. were registered last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. — **Births and Deaths registered in the week ended 2nd October, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,417,320*	6,559	3,729†	566	2	5	3	25	36	246	32
London	4,602,000*	1,499	848	120	-	-	-	4	11	63	7
Towns in Outer Ring:											
Croydon C.B ..	199,300	61	31	7	-	-	-	-	2	2	-
Wimbledon ..	58,170	10	6	-	-	-	-	-	-	-	-
Ealing§	68,410	16	10	1	-	-	-	-	-	-	-
Acton	63,110	15	9	2	-	-	-	1	-	1	-
Willesden ..	168,900	55	29‡	2	-	-	-	-	-	1	-
Hendon	59,150*	15	6	-	-	-	-	-	-	-	-
Hornsey	87,210	19	20	1	-	-	-	-	-	-	1
Wood Green ..	51,960	12	6	-	-	-	-	-	-	-	-
Tottenham ..	153,600	33	24	3	-	-	-	1	-	1	-
Edmonton ..	71,210	35	10	-	-	-	-	-	1	-	-
Enfield	63,740	27	16	1	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	139	68	12	-	-	-	2	-	6	-
East Ham C.B. ..	147,200	39	21	3	-	-	-	1	-	-	1
Leyton	132,700	23	27	2	-	-	-	-	-	-	-
Walthamstow ..	130,800	29	20	2	-	-	-	-	-	1	-
Ilford	93,590	24	26	6	-	-	-	-	-	2	-
Gillingham	48,680*	20	8	3	-	-	-	-	-	1	-
Canterbury C.B ..	23,270*	7	3	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	20	18	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	13	11	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	40	36	2	-	-	-	-	-	1	-
Portsmouth C.B. ..	232,900*	87	53	6	-	-	-	-	4	3	1
Bournemouth C.B. ..	85,840	22	17	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	59	27	3	-	-	-	-	-	-	-
Reading C.B.	93,670*	41	18	4	-	-	-	-	-	-	-
Oxford C.B.	57,090	22	5	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	30	22	7	-	-	-	1	-	2	-
Luton	59,230	26	16	3	-	-	-	-	-	-	-
Cambridge	59,020	14	12	-	-	-	-	-	-	-	1
Southend-on-Sea C.B.	98,060	32	14	2	-	-	-	-	-	1	-
Ipswich C.B.	83,120*	27	10	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	18	7	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	48	27	3	-	-	-	1	-	2	-
Swindon	56,880	31	9	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	31	13	1	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	70	47	2	-	-	-	-	1	1	-
Bath C.B.	69,050	12	19	2	-	-	-	-	-	2	-
Bristol C.B.	385,700*	143	82	13	-	-	-	-	-	3	1
Gloucester C.B. ..	53,060	16	12	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	98	49	7	-	-	-	1	-	4	-
Burton-upon-Trent C.B.	49,530	23	6	3	-	-	-	-	-	1	-
Wolverhampton C.B.	108,800	49	11	3	-	-	-	-	-	-	-
Walsall C.B.	102,300	31	15	2	-	-	-	-	-	1	-
West Bromwich C.B	79,490	35	19	4	-	-	-	-	-	1	3
Dudley C.B.	58,810	24	7	2	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	19	6	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	347	163	22	-	-	-	1	1	11	3
Smethwick C.B. ..	78,840	18	9	2	-	-	-	-	-	1	-
Coventry C.B ..	129,100	47	20	3	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	55	52	7	-	-	-	-	-	5	-
Lincoln C.B.	66,600*	17	16	1	-	-	-	-	-	-	1
Grimsby C.B.	87,190	27	24	5	-	1	-	1	-	2	-
Nottingham C.B. ..	270,600	92	41	9	-	-	-	1	1	8	1
Derby C.B.	134,400*	44	22	3	-	-	-	1	-	1	1
Chesterfield ..	65,800	17	9	3	-	-	-	2	-	-	-
Stockport C.B. ..	125,900	36	24	-	-	-	-	-	-	-	1
Chester C.B.	41,670	14	7	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	54	27	7	-	-	-	-	-	3	-
Wallasey C.B. ..	91,720	21	16	3	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	382	188	46	1	1	1	-	2	31	-
Bootle C.B.	83,260	40	12	3	-	-	-	-	-	-	1
St. Helens C.B.	109,600	41	23	8	-	-	-	-	1	1	1

* Population adjusted by the exclusion of non-civilians.
† Including two deaths from small-pox.
‡ Including one death from small-pox.
§ The extension of Ealing M.B. on October 1st will not be taken into account until next week.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	17	16	-	-	-	-	-	-	-	-
Wigan C.B.	91,010	35	20	7	-	-	-	-	-	2	-
Warrington C.B. ..	77,970*	31	15	-	-	-	-	-	-	-	1
Bolton C.B.	180,400	48	42	9	-	1	-	-	2	3	-
Bury C.B.	56,700*	21	10	-	-	-	-	-	-	-	-
Manchester C.B. ..	755,800	245	135	22	-	-	1	-	3	10	1
Salford C.B.	244,700	83	56	14	-	-	-	1	-	3	-
Oldham C.B	146,200	42	35	3	-	-	-	-	-	1	-
Rochdale C.B... ..	92,190	26	17	1	-	-	-	-	-	-	-
Burnley C.B.	102,300	37	20	2	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	40	20	2	-	-	-	-	1	1	-
Preston C.B.	122,900	34	41	5	-	-	-	-	-	1	-
Blackpool C.B. ..	80,750	21	16	1	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	24	13	3	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	35	16	1	-	-	-	-	-	-	-
Halifax C.B.	97,860*	26	22	1	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	96	66	9	-	-	-	-	1	7	-
Leeds C.B.	472,900	157	111	18	-	-	-	1	-	11	-
Dewsbury C.B ..	54,570	23	12	1	-	-	-	-	-	1	-
Wakefield C.B. ..	53,980	20	9	-	-	-	-	-	1	-	-
Barnsley C.B. ..	71,170	28	15	3	-	-	-	1	-	-	1
Sheffield C.B. ..	526,900*	193	100	16	-		-	1	2	4	-
Rotherham C.B. ..	70,600	21	13	3	-	1	-	-	-	-	-
Doncaster	55,610	25	10	-	1	-	-	-	-	-	-
York C.B.	84,630*	19	20	2	-	-	-	-	-	2	2
Hull C.B.	297,300	107	61	10	-	-	1	1	-	2	1
Middlesbrough C.B.	136,200	44	22	4	-	-	-	-	-	2	-
Darlington C.B. ..	69,130	16	13	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	15	7	2		-	-	-	-	1	-
West Hartlepool C.B.	71,590	40	17	3	-	-	-	-	-	4	-
Sunderland C.B. ..	166,000	75	41	12	-	1	-	-	-	7	-
South Shields C.B. ..	124,600	46	35‖	4	-		-	-	-	3	-
Gateshead C.B. ..	129,000	39	22	6	-	-	-	-	-	6	-
Newcastle-on-Tyne C.B.	286,300*	124	52	7		-	-	1	-	3	-
Tynemouth C.B. ..	66,180	17	12	3	-	-	-	-	1	1	-
Carlisle C.B.	55,160*	12	11	4		-	-	-	-	2	-
Newport (Mon.) C.B.	96,420*	34	14	2	-	-	-	-	-	2	-
Cardiff C.B.	227,100*	89	47	7	-	-	-		-	1	
Rhondda	167,570	51	29	7		-	-	1	-	-	2
Merthyr Tydfil C.B.	82,920	26	19	1	-	-	-	-	1	-	-
Aberdare	57,700	13	11	5		-	-	-	-	1	-
Swansea C.B.	163,200	53	37	5	-	-	-	-	-	2	-
Greater London ..	7,719,622*	2,460	1,424‖	192	1	-	-	9	16	88	10
Outer Ring	3,117,622*	961	576‖	72	1	-	-	5	5	25	3
16 Great Towns in Outer Ring	1,867,550*	552	329‖	42	-	-	-	5	3	14	2
Remainder of Outer Ring	1,250,072*	409	247	30	1	-	-	-	2	11	1
Edinburgh†	424,600	158	79	6	-	1	-	-	1	1	1
Glasgow† ..	1,052,200‡	428	262	53	1	-	1	1	2	15	2
Dublin (Registration Area)†	419,156§	305	106	28	-	3	1	1	1	13	-
Belfast†	416,000	184	106	34	-	-	-	1	1	20	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ The population relates to the City of Glasgow as extended on May 15th, 1926.

§ Census population 1926 (unrevised).

‖ Including one death from Small-pox.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available peri**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,602,000	1926. Oct. 2	1499	848	9·6	–	–	–	–	4	11	63
Calcutta and Suburbs	1,077,273	Aug. 28	?	796‖	38·1	?	4	?	?	?	?	?
Bombay§	1,279,061	Sept. 4	379	715	29·1	4	3	–	–	–	–	48
Madras	528,791	„ 4	422	525‖	51·6	3	2	–	?	5	–	36
Sydney and Suburbs	1,038,950	Aug. 31 (31 days)	454	301	13·7	1	–	–	1	–	1	3
Brisbane (Metropolitan Area).	263,711	July 31 (31 days)										
Perth (Metropolitan Area).	179,388	Aug. 7	68	26	7·5	–	–	–	–	–	–	1
Auckland (Urban Area).	192,176	July 31 (31 days)										
Wellington (Urban Area).	121,324	July 31 (31 days)										
Christchurch (Urban Area).	118,408	July 31 (31 days)										
Cape Town	113,709	Sept. 4	33	16	7·3	–	–	–	–	–	–	–
Johannesburg	165,958	„ 4	82	38	11·9	–	–	–	–	–	1	–
Durban	54,822	„ 4	22	5	4·7	–	–	–	–	–	–	–
Paris	2,906,472	Sept. 20 (10 days)	1160	998	12·5	4	5	2	1	2	2	85
Antwerp	300,193	Aug. 28										
Amsterdam	720,837	Sept. 11	270	90	6·5	–	–	–	–	1	–	2
Copenhagen	587,400	„ 11	191	112	9·9	1	–	–	–	1	–	–
Stockholm	442,528	„ 18	76	83	9·8	–	–	–	–	–	1	–
Gothenburg	230,963	„ 18										
Oslo (Christiania) ..	255,724	„ 25	48	36	7·3	–	–	–	–	1	–	2
Berlin	1,999,000	„ 11	392	396	10·1	–	?	2	2	–	4	3
Breslau	560,000	„ 11	183	125	11·6	–	?	–	–	3	–	3
Cologne	708,000	„ 11	242	153	11·2	–	?	–	–	2	1	12
Dresden	621,000	„ 11	150	105	8·8	–	?	–	–	2	–	2
Frankfort-on-Main ..	472,000	„ 11	95	51	5·6	–	?	–	–	1	–	2
Hamburg	1,101,000	„ 11	262	189	8·9	–	?	–	–	1	–	1
Leipzig	685,000	„ 11	173	119	9·0	1	?	1	–	–	–	6
Munich	685,000	„ 11	163	118	9·0	1	?	1	–	1	–	2
Vienna	1,873,432	June 30 (30 days)										
Prague and Suburbs	725,196	April 30 (30 days)										
Budapest	960,995	Sept. 11	255	280	15·2	6	–	–	4	1	3	16
Warsaw	1,015,426	„ 11	?	302	15·6	8	–	1	17	6	3	43
Cairo	859,400	May 5										
Alexandria	492,100	„ 5										
New York	5,924,139	Aug. 28	2456	1036	9·1	6	–	3	–	6	5	31
Chicago	2,995,239	Sept. 10	1085	508	8·7	3	?	–	1	1	–	23

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cit Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 10 deaths from Cholera in Calcutta and 1 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 2nd October, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	848	120	18	15	22	34	37	48	94	149	162	149
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	11	-	1	4	6	-	-	-	-	-	-	-
Influenza	7	-	-	1	1	-	-	-	1	1	2	1
Erysipelas	1	-	-	-	1	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	1	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	87	1	1	1	-	20	16	9	15	15	9	-
Nervous system	3	-	-	1	1	1	-	-	-	-	-	-
Intestines and peritoneum	1	1	-	-	-	-	-	-	-	-	-	-
Other forms	6	2	-	-	-	-	1	1	-	-	-	2
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	137	-	-	-	-	1	1	8	24	42	38	23
Rheumatic fever	2	-	-	-	2	-	-	-	-	-	-	-
Diabetes	5	-	-	-	-	-	-	1	1	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	2	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	43	-	-	-	-	-	-	1	5	6	14	17
Epilepsy	6	-	-	-	-	-	-	4	-	1	1	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	26	-	-	2	1	-	2	5	3	8	3	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	5	-	-	-	-	1	3	-	1	-	-	-
Other diseases of heart	101	-	-	-	1	2	3	3	12	15	35	30
Other diseases of circulatory system	40	-	-	-	-	-	-	-	5	7	10	18
Bronchitis	15	1	-	-	-	-	-	-	2	3	3	6
Broncho-pneumonia	21	7	2	4	1	-	2	1	1	1	1	1
Lobar-pneumonia	9	1	1	-	-	-	2	-	2	1	2	-
Pneumonia (type not distinguished)	4	-	1	-	-	-	-	1	-	1	1	-
Other diseases of respiratory system	12	-	1	-	1	-	1	1	1	2	4	1
Diarrhœa and enteritis	71	54	9	2	1	1	1	-	1	1	1	-
Appendicitis, Typhlitis	6	-	-	-	2	-	-	-	1	2	1	-
Hernia, Intestinal obstruction.. ..	8	1	-	-	-	-	-	-	1	2	2	2
Cirrhosis of liver	6	-	-	-	-	-	-	1	1	3	1	-
Other diseases of digestive system ..	25	-	-	-	-	-	1	3	3	7	6	5
Acute nephritis	2	-	-	-	-	-	1	-	-	1	-	-
Chronic Bright's disease..	27	-	-	-	-	2	-	1	3	9	8	4
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	1	3	3	1	3
Puerperal sepsis	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth..	6	-	-	-	-	2	1	3	-	-	-	-
Congenital malformations	4	4	-	-	-	-	-	-	-	-	-	-
Premature birth	22	22	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	8	8	-	-	-	-	-	-	-	-	-	-
Old age	25	-	-	-	-	-	-	-	-	1	2	22
Suicide	8	-	-	-	-	1	-	1	1	3	2	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	3	-	-	-	3	2	2	1
Other deaths by violence	13	1	1	-	-	1	-	1	1	2	3	3
Other specified causes	38	7	-	-	1	1	1	2	3	7	8	8
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd October, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	2	275	249	10	61	C. 5 D. 1 E. 3 F. 1 G. 3 L. 1 M. 17 N. 3
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	15	–	10	M. 1 N. 1
†BERMONDSEY ...	–	9	13	–	2	–
†BETHNAL GREEN	–	19	18	2	2	D. 1 G. 1
†CAMBERWELL ...	–	15	10	1	2	C. 1 M. 1
†CHELSEA	–	4	4	–	–	F. 1
†DEPTFORD ...	–	7	5	–	2	G. 1 M. 1
†FINSBURY ...	–	6	9	–	2	–
†FULHAM	–	10	8	–	2	N. 1
†GREENWICH ...	–	6	5	–	1	M. 1
†HACKNEY ...	–	17	7	–	–	M. 2
†HAMMERSMITH ...	–	6	7	–	3	–
†HAMPSTEAD ...	–	2	3	–	1	–
†HOLBORN... ..	–	1	–	–	–	E. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	24	14	–	4	E. 1 M. 2
†KENSINGTON ...	–	10	10	–	4	C. 1 M. 3
†LAMBETH ...	1	13	15	–	3	C. 1 M. 1
†LEWISHAM ...	–	9	7	–	2	M. 1
†PADDINGTON ...	–	1	12	–	–	–
†POPLAR	–	8	7	–	4	N. 1
†ST. MARYLEBONE	1	1	4	2	1	L. 1
†ST. PANCRAS ...	–	8	14	3	1	C. 1
†SHOREDITCH ...	–	13	3	–	4	M. 2
†SOUTHWARK ...	–	7	16	–	1	–
†STEPNEY	–	40	6	1	4	E. 1
†STOKE NEWINGTON	–	5	2	–	1	C. 1
†WANDSWORTH ...	–	6	21	–	4	G. 1 M. 2
†WESTMINSTER, CITY OF	–	6	5	–	–	–
†WOOLWICH ...	–	13	9	1	1	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	38	4	–	1	E. 1 G. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	35	1	–	1	–
DUNSTABLE ...	–	–	–	–	–	G. 1
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	–	–	–	E. 1
†LUTON	–	1	3	–	–	–
Rural Districts:—						
BEDFORD ..	–	1	–	–	–	–
BERKS	–	10	1	1	1	G. 2
†READING C.B. ...	–	1	1	–	–	G. 1
Boroughs and Urban Districts:—						
†NEWBURY ...	–	–	–	1	–	–
†NEW WINDSOR ...	–	1	–	–	–	–
WANTAGE .	–	–	–	–	1	–
Rural Districts:—						
COOKHAM ...	–	–	–	–	–	G. 1
EASTHAMPSTEAD	–	2		–	–	–
FARINGDON (part)	–	1	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	6	1	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	2	–
†CHEPPING WYCOMBE	–	1	–	–	–	M. 1
LINSLADE ...	–	1	–	–	–	–
†WOLVERTON ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—cont.						
Rural Districts:—						
AYLESBURY ...	*	*	*	*	*	*
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	–	–	1	–	–	G. 1
WYCOMBE ...	*	*	*	*	*	*
CAMBRIDGE ...	–	3	1	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
NEWMARKET ...	–	2	–	–	–	–
CHESTER	–	48	19	5	11	G. 1 M. 4
†BIRKENHEAD C.B.	–	7	3	–	4	M. 2
†CHESTER C.B. ...	–	–		–	–	M. 1
†STOCKPORT C.B.	–	22	2	–	1	–
†WALLASEY C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2		–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BREDBURY AND ROMILLEY	–	–	–	–	–	G. 1
†CHEADLE AND GATLEY	–	–	1	–	–	–
†CONGLETON ...	–	–	1	–	–	–
†CREWE	–	4	–	–	–	M. 1
HOOLE	–	–	–	–	1	–
†HYDE	–	2	–	–	–	–
LYMM	–	–	–	1	–	–
†MACCLESFIELD ...	–	1	5	4	–	–
MARPLE	–	–	1	–	–	–
MIDDLEWICH ...	–	1	–	–	–	–
WILMSLOW ...	–	4	–	–	–	–
†WINSFORD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	–	–	1	–
CONGLETON ...	–	1	1	–	1	–
MACCLESFIELD ...	–	1	–	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	–	4	–	–	–
CORNWALL ...	–	5	2	1	–	N. 1
Boroughs and Urban Districts:—						
FOWEY	–	–	–	1	–	–
PADSTOW... ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	–	N. 1
ST. JUST	–	1	–	–	–	–
SALTASH... ...	–	1	–	–	–	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...	–	–	2	–	–	–
WEST PENWITH...	–	1	–	–	–	–
CUMBERLAND ...	–	19	4	–	–	C. 1 M. 1 N. 1
†CARLISLE C.B. ..	–	6	–	–	–	M. 1
Boroughs and Urban Districts:—						
EGREMONT ...	–	2	1	–	–	–
KESWICK	–	2	–	–	–	–
MILLOM	–	1	–	–	–	–
WIGTON	*	*	*	*	*	*
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
BOOTLE	–	–	–	–	–	C. 1
COCKERMOUTH ...	–	5	2	–	–	N. 1
LONGTOWN ...	–	2	–	–	–	–
DERBY	6	49	22	1	13	E. 1
†DERBY C.B. ...	6	2	4	–	4	–
Boroughs and Urban Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	4	–	–	–	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	1	–
†CHESTERFIELD ...	–	13	2	–	2	–
DRONFIELD ...	–	1	–	–		–
†GLOSSOP	–	–	6	–	–	–
†HEANOR	–	–	–	–	1	–
†LONG EATON ...	–	6	1	–	2	E. 1
NEW MILLS ...	–	1	1	–	–	–
NORTH DARLEY...	–	–	1	–	–	–
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	3	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	2	1	–	–	–
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	2	2	–	1	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ..	–	7	2	1	–	–
HARTSHORN AND SEALS	–	1	–	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	1	–	–	1	–
DEVON	–	13	8	–	6	C. 2 E. 1 G. 1 L. 2 M. 3 N. 1
†EXETER C.B. ...	–	2	–	–	–	–
†PLYMOUTH C.B...	–	4	5	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	1	–
DARTMOUTH ...	–	–	–	–	1	
†EXMOUTH ...	–	–	–	–	1	–
KINGSBRIDGE ...	*	*	*	*	*	*
†NEWTON ABBOT	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTHAM ...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	–	L. 2 N. 1
SIDMOUTH ...	–	–	–	–	–	G. 1
SOUTH MOLTON ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	2	–	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
KINGSBRIDGE ...	*	*	*	*	*	*
NEWTON ABBOT...	–	–	1	–	–	E. 1
PLYMPTON ST. MARY	–	–	–	–	–	M. 1
ST. THOMAS ...	–	1	–	–	–	M. 1
SOUTH MOLTON...	–	–	–	–	–	C. 1
TIVERTON ...	–	1	–	–	–	–
DORSET	–	7	1	–	2	C. 1 E. 2
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
BRIDPORT ...	–	3	–	–	–	–
†POOLE	–	1	–	–	2	–
†PORTLAND ..	–	–	1	–	–	–
SHERBORNE ...	–	1	–	–	–	E. 2
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	C. 1
Rural Districts:—						
WEYMOUTH ...	–	1	–	–	–	–
DURHAM	61	85	26	7	28	C. 2 G. 3 M. 10
†DARLINGTON C.B.	–	3	1	2	1	G. 1
†GATESHEAD C.B.	11	13	8	–	2	M. 1
†SOUTH SHIELDS C.B.	4	6	–	–	5	M. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	1	1	–	–	6	G. 1 M. 2
†WEST HARTLEPOOL C.B.	1	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	5	–	–	–	M. 1
BENFIELDSIDE ...	–	2	–	–	–	–
BILLINGHAM ...	–	2	–	–	–	–
†BLAYDON... ...	–	5	–	–	–	–
†CHESTER LE STREET	–	4	1	–	1	–
†CONSETT	–	1	–	–	–	G. 1
†CROOK	4	–	–	–	–	–
†FELLING	1	–	–	–	–	–
†HARTLEPOOL ...	–	8	–	–	–	C. 1
†HEBBURN ...	2	1	–	–	1	–
†HETTON	3	–	–	–	–	–
†HOUGHTON LE SPRING	1	1	–	–	2	M. 1
†JARROW	–	2	–	–	2	C. 1
LEADGATE ...	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	1	–	–	–
†SHILDON	–	–	–	2	–	
†SPENNYMOOR ...	1	–	–	–	–	–
†STANLEY	2	4	–	–	–	M. 1
†STOCKTON ON TEES	–	8	5	–	–	–
†TANFIELD ...	–	2	1	–	–	–
TOW LAW ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	–	–	3	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	1	–	2	–	–	–
CHESTER LE STREET	–	1	–	1	–	–
DURHAM	–	4	–	–	–	–
EASINGTON ...	17	1		–	3	–
HOUGHTON LE SPRING	2	–	–	1	–	–
LANCHESTER ...	5	3	6	–	–	–
SEDGEFIELD ...	4	–	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	–
WEARDALE ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	4	1	–	–	C. 1 D. 1
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
MARCH	–	–	–	–	–	D. 1
WHITTLESEY ...	–	–	1	–	–	–
†WISBECH	–	–	–	–	–	C. 1
Rural Districts:—						
NORTH WITCHFORD	–	3	–	–	–	–
ESSEX	–	127	39	5	14	E. 5 G. 2 M. 7 N. 2
†EAST HAM C.B. ...	–	7	5	–	–	M. 3 N. 1
†SOUTHEND-ON-SEA C.B.	–	5	5	–	1	–
†WEST HAM C.B. ...	–	47	10	–	5	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	6	3	1	–	E. 1
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	3	–	–	–	–
BRIGHTLINGSEA	–	1		–	–	–
BURNHAM ON CROUCH	–	1	–	–	–	–
†COLCHESTER ...		2	–	1		G. 2
DAGENHAM ...	–	3	–		2	–
EPPING	–	–	–	–	–	N. 1
†GRAYS THURROCK	–	1	1	–	1	E. 1
†HORNCHURCH ...	–	2	–	–	–	–
†ILFORD	–	2	4	1	2	M. 1
†LEYTON	–	9	2	1	1	M. 1
MALDON	–	–	–	1	–	–
†ROMFORD ...	–	2	–	–	–	–
TILBURY	–		–	–	–	E. 2
WALTHAM HOLY CROSS	–	–	2	–	–	–
†WALTHAMSTOW...	–	15	3	–	2	–
†WANSTEAD ..	–	1	1	–	–	–
ESSEX—*cont.*						
Rural Districts:—						
BRAINTREE ...	–	4	–	–	–	–
HALSTEAD ...	–	3	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	–	M. 1
ORSETT	–	8	3	–	–	E. 1
ROCHFORD ...	–	2	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
GLOUCESTER ..	–	30	21	1	5	L. 1 N. 1
†BRISTOL C.B. ...	–	14	14	1	2	L. 1
†GLOUCESTER C.B.	–	3	4	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	2	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	–	–	–	1	–
GLOUCESTER ...	–	1	–	–	–	–
LYDNEY	–	1		–	–	–
STROUD	–	2	1	–	–	–
THORNBURY ...	–	7	–	–	–	–
WEST DEAN ...	–	–	–	–	–	N. 1
HEREFORD ..	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
Rural Districts:—						
LEDBURY... ...	–	1	–	–	–	–
WIGMORE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD ..	–	13	8	–	2	L. 1
Boroughs and Urban Districts:—						
†BARNET	–	2	–	–	–	–
BISHOP'S STORTFORD		2	–		–	–
†CHESHUNT ...	–	–		–	1	–
†EAST BARNET VALLEY		2	–	–		–
†HERTFORD ...	–	2	1	–	–	–
†HITCHIN	–	1	–			–
HODDESDON ...	–	–	3	–	–	
†LETCHWORTH ...	–	–	1	–	–	–
STEVENAGE ...	–	–	–	–	1	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	2	–	–	–	–
Rural Districts:—						
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	2	–	–	–
WATFORD ...	–	–	–	–	–	L. 1
HUNTINGDON ...	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
KENT	–	32	42	81	6	F. 1 M. 2
†CANTERBURY C.B.	–	1	3		–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...		6	2	–	1	–
†BROMLEY ...	–	1	–	–	2	–
†CHATHAM ...	–	1	10	–	–	–
†CRAYFORD ...	–	2	–	–	–	–
†DARTFORD ...	–		2	–		
†DEAL	–	1	–	–	–	–
†DOVER	–	1		–	–	–
†ERITH	–	2	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...		2	3	–	–	F. 1
†GRAVESEND ...	–	1	5	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	–	–	80	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	1	1	–	1	–
†RAMSGATE ...	–	1	–	–	–	M. 2
†ROCHESTER ...	–	3	1	–	–	–
SEVENOAKS ...	–	–	–	1	–	–
†SHEERNESS ...	–	–	1	–	1	–
SWANSCOMBE ...	–	–	–	–	1	–
†TONBRIDGE ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	2	–	–	–
CRANBROOK ...		1	–	–	–	–
DARTFORD ...	–	1	3	–	–	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	–	1	–	–	–
MILTON	–	–	2	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	2	1	–	–	–
LANCASTER ...	3	229	138	6	107	C. 6 D. 1 G. 10 L. 2 M. 27 N. 5
†BARROW IN FURNESS C.B.	–	2	2	–		–
†BLACKBURN C.B.	–	7	3	–	4	C. 1 N. 2
†BLACKPOOL C.B.	–	1	1		1	–
†BOLTON C.B. ...	–	1	3	–	–	G. 1
†BOOTLE C.B. ...	*	*	*	*	*	*
†BURNLEY C.B. ...	–	–	3	–	–	M. 1
†BURY C.B. ...	–	2	2		1	M. 1
†LIVERPOOL C.B. ...	–	63	30	1	30	C. 1 G. 1 L. 2 M. 17

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†MANCHESTER C.B	-	57	32	2	35	C. 2 D. 1 G. 1 M. 2
†OLDHAM C.B. ..	-	5	2	-	2	-
†PRESTON C.B. ..	-	4	10	-	1	-
†ROCHDALE C.B. ..	-	2	5	-	1	M. 1
†ST. HELENS C.B....	-	1	5	-	2	-
†SALFORD C.B. ...	-	22	9	1	2	-
†SOUTHPORT C.B.	-	-	1	-	2	-
†WARRINGTON C.B	-	3	3	-	4	G. 1
†WIGAN C.B. ...	-	1	-	-	2	-
Boroughs and Urban Districts:—						
ADLINGTON ...	-	1	-	-	-	-
†ASHTON IN MAKERFIELD	2	-	1	-	-	-
†ASHTON UNDER LYNE	-	1	-	1	-	-
ASPULL	-	-	-	-	1	-
†ATHERTON ...	-	-	-	-	1	M. 1
AUDENSHAW ...	-	1	-	-	1	-
†BACUP	-	2	-		1	-
BRIERFIELD ...	*	*	*	*	*	*
†CHADDERTON ...	-	3	-	-	-	-
†CHORLEY... ...	-	-	-	-	1	-
CHURCH	-	2	-	-	-	-
†CLITHEROE ...	-	-	1	-	-	-
†CROMPTON ...	-	-	-	-		N. 1
†DALTON IN FURNESS	-	-	1	-	-	-
†DENTON	-	-	-	-	1	-
†ECCLES	-	1	-	-	2	-
†FAILSWORTH ..	-	3	-	-	-	-
†FARNWORTH ...	-	-	2	-		-
†FLEETWOOD ...	-	-	-	-	3	G. 1
FULWOOD ...	-	-	1	-		-
GOLBORNE ...	-	1	-	-	-	-
†GREAT HARWOOD	*	*	*	*	*	*
†HAYDOCK ...	-	2	-	-	-	-
†HEYWOOD ...	-	1	-	-	-	N. 1
†HINDLEY... ...	-	1		-	-	-
†HORWICH ...	-	6	-	-	-	-
IRLAM	1	1	-	-	-	-
†LANCASTER ...	-	3	-	-	-	C. 1
LATHOM AND BURSCOUGH		1	-	-	-	-
LEES	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEIGH	-	-	2	-	2	C. 1 M. 1
†LITHERLAND ...	-	1	2	-	-	-
†LITTLEBOROUGH	-	3	-	-	-	-
†LYTHAM ST. ANNE'S	-	1	-	-	-	-
†MORECAMBE ...	-	-	-	-	-	G. 1
†MOSSLEY	-	1	-	-	-	-
†NEWTON IN MAKERFIELD	-	-	-	-	1	-
ORMSKIRK ...	-	-	-	-	1	G. 1
†OSWALDTWISTLE	-	-	-	-	-	N. 1
†PADIHAM ...	-	-	4	-	-	-
PRESCOT	-	-	1	-	-	-
†PRESTWICH ...	-	-	-	-	-	G. 1
†RADCLIFFE ...	-	3	-	-	-	-
†RAMSBOTTOM ...	-	-	1	-	-	M. 1
†RAWTENSTALL ...	-	3	-	-	-	-
†ROYTON	-	1	-	-	-	-
SKELMERSDALE...	-	-	-	1	-	-
†STRETFORD ...	-	4	5	-	2	M. 1
†SWINTON AND PENDLEBURY	-		-	-	1	-
TOTTINGTON ...	-	-	-	-	1	-
†TYLDESLEY WITH SHAKERLEY	-	-	1	-	-	-
†ULVERSTON ...	-	1	-	-	-	-
URMSTON... ..	-	1	-	-	-	-
†WATERLOO WITH SEAFORTH	-	1	1	-	-	-
WHITEFIELD ...	-	1	-	-	-	-
WHITWORTH ...	-	-	-	-	1	-
†WIDNES	-	-	2	-	-	-
†WORSLEY... ...	-	1	-	-	-	-
Rural Districts:—						
BARTON UPON IRWELL	-	-	-	-	-	G. 1
BLACKBURN ...	-	1	-	-	-	-
LANCASTER ...	-	-	1	-	-	-
LIMEHURST ...	-	-	-	-	-	M. 1
WARRINGTON ...	-	3	-	-	-	-
WEST LANCASHIRE	-	2		-	-	G. 1
WHISTON... ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ..	–	27	18	1	4	C. 1 E. 13 G. 1 M. 2
†LEICESTER C.B. ..	–	14	12	–	2	C. 1 E. 8 G. 1 M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	2	–	–	1	–
†COALVILLE ...	–	1	3	–	–	–
†HINCKLEY ...	–	2	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	E. 1
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	–	E. 1
QUORNDON ...	*	*	*	*	*	*
WIGSTON MAGNA	–	1	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	M. 1
BARROW UPON SOAR	–	1	–	–	–	E. 1
BILLESDON ...	–	–	–	–	–	E. 1
BLABY	–	1	1	–		E. 1
HINCKLEY ...	–	1	1	–	–	–
MARKET BOSWORTH	–	2	–	1	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	4	–	1	1	E. 1
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	1	1	E. 1
HOLBEACH ...	–	1	–	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Rural Districts:—						
SLEAFORD ...	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	1	17	9	–	3	E. 2 G. 1 M. 1
†GRIMSBY C.B. ...	–	6	–	–	1	–
†LINCOLN C.B. ...	–	7	1	–	–	E. 2 G. 1 M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	1	–	–	–
†GAINSBOROUGH ...	–	2	–	–	–	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	4	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	1	–	2	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
SPILSBY	–	–	1	–	–	–
MIDDLESEX ..	2	33	44	1	17	C. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	–
†BRENTFORD ...	–	1	1	–	1	
†EALING	–	1	2	–	2	–
†EDMONTON ...	–	1	12	–	–	C. 1
†ENFIELD	–	2	6	–	–	–
†FINCHLEY ...	–	4	–	–	1	–
†FRIERN BARNET	–	1	–	–	1	–
†HAMPTON ...	–	–	–	1	–	–
†HENDON	–	3	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	–	3	–	3	
†HORNSEY	–	2	–	–	–	M. 1
†SOUTHALL NORWOOD	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	1	–
†TOTTENHAM ...	–	13	8	–	2	–
†TWICKENHAM ...	–	1	2	–	–	–
†WEALDSTONE ...	–	2	1	–	–	–
†WEMBLEY ...	–	–	–	–	2	–
†WILLESDEN ...	2	–	2	–	4	
†WOOD GREEN ...	–	–	4	–	–	–
NORFOLK	–	6	5	1	2	M. 3
†GREAT YARMOUTH C.B.	–	1	4	–	–	M. 2
†NORWICH C.B. ...	–	3	1	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	–	–		M. 1
BLOFIELD ...	–	–	–	1	–	–
DOCKING	–	1	–	–	–	–
DOWNHAM ...	–	–	–	–	1	–
HENSTEAD ...	*	*	*	*	*	*
WAYLAND ...	–	1	–	–	1	–
NORTHAMPTON ...	–	18	5	–	3	N. 1
†NORTHAMPTON C.B.	–	1	4	–	2	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	1	–	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	1	–
OUNDLE	–	–	–	–	–	N. 1
†RUSHDEN... ...	–	1	–	–	–	–
NORTHAMPTON—*cont.*						
Rural Districts:—						
DAVENTRY ...	–	–	1	–	–	–
NORTHAMPTON ...	–	1	–	–	–	–
THRAPSTON (part)	–	13	–	–	–	–
NORTHUMBERLAND	6	76	5	5	11	C. 2 E. 3 F. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	27	3	1	7	C. 1 E. 2 F. 1 M. 2
†TYNEMOUTH C.B.	–	17	2	1	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	5	3	–	1	–	M. 1
†BEDLINGTONSHIRE	–	2	–	–	1	–
†BLYTH	–	2	–	–	–	–
CRAMLINGTON ...	–	2	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	1	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	2	–	1	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	3	–	–	–	E. 1
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	8	–	–	–	C. 1
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	3	–	–	–	–
GLENDALE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
MORPETH ...	–	1	–	–	–	
NORHAM AND ISLANDSHIRES	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	–	10	9	–	9	C. 2 E. 7 G. 1 M. 3 N. 1
†NOTTINGHAM C.B.	–	6	7	–	4	C. 2 E. 7 G. 1 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	–	–	2	M. 1
†MANSFIELD ...	–	1		–	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	–	M. 1
†NEWARK	–	–	2	–	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	–
†WEST BRIDGFORD	–	1	–	–	–	M. 1
Rural Districts:—						
BINGHAM... ...	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
OXFORD	–	1	1	–	1	G. 2 M. 2
†OXFORD C.B. ...	–	–	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	–	–	–	–	G. 1
Rural Districts:—						
HEADINGTON ...	–	–	–	–	–	M. 1
WITNEY	–	–	1	–		–
WOODSTOCK ...	–	1	–	–	1	–
PETERBOROUGH (Soke of)	–	1	1	–	–	M. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–		–
Rural Districts:—						
PETERBOROUGH...	–	–	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	15	2	–	2	C. 1 E. 3 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–		–	–	2	–
LUDLOW	–	1	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	8	–	–	–	C. 1
Rural Districts:—						
ATCHAM	–	2	–	–	–	–
CHURCH STRETTON	–	3	–	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	–
CLUN	–	–	–	–	–	E. 2
WELLINGTON ...	–	–	–	–	–	E. 1 M. 1
WEM	–		–	–	–	N. 1
SOMERSET	–	22	8	–	1	E. 1 G. 1 M. 1
†BATH C.B. ...	–	5	1	–	–	M. 1
Boroughs and Urban Districts:—						
†FROME	–	–	1	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
MINEHEAD ...	–	2	–	–	–	
RADSTOCK ...	–	3	–	–	–	–
†WESTON SUPER MARE	–	3	–	–	–	–
Rural Districts:—						
BATH	–	4	–	–	–	–
†BRIDGWATER ...	–	–	1	–	–	–
CLUTTON	–	3	–	–	–	–
DULVERTON ...	–	–	–	–	–	E. 1
FROME	–	1	–	–	–	–
LONG ASHTON ...	–	–	1	–	–	–
TAUNTON... ...	–	–	4	–	–	
WELLS	–		–	–		G. 1
WINCANTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	–	13	20	3	1	C. 1 E. 1 G. 1 M. 3
†PORTSMOUTH C.B.	–	8	12	1	–	-
†SOUTHAMPTON C.B.	–	1	5	–	–	E. 1
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	–	–	–	–	1	–
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT	–	1	–	–	–	M. 1
WARBLINGTON ...	–	–	1	–	–	-
†WINCHESTER ...	–	–	–	–	–	C. 1
Rural Districts:—						
ALTON	–	–	–	–	–	M. 1
ANDOVER... ...	–	–	–	–	–	M. 1
CATHERINGTON ...	–	1	–	–	-	
FAREHAM ...	-	–	–	1	–	–
HARTLEY WINTNEY	–	1	1	–	–	–
NEW FOREST ...	-	–	–	1	–	G. 1
RINGWOOD ...	–	1	–	–	–	–
STAFFORD	–	56	30	5	31	C. 3 E. 1 G. 2 L 2 M. 9
†BURTON UPON TRENT C.B.	–	1	1	–	–	M. 1
†SMETHWICK C.B.	–	3	4	–	–	M. 1
†STOKE ON TRENT C.B.	–	8	7	–	11	C 1 G. 2 M. 2
†WALSALL C.B. ...	–	1	5	·	–	–
†WEST BROMWICH C.B.	–	–	–	2	–	–
†WOLVERHAMPTON C.B.	–	1	2	–	–	M. 3
Boroughs and Urban Districts:—						
†BILSTON	–	1	–	–	1	C. 1
†BRIERLEY HILL...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†BROWNHILLS ...	–	–	1	-	2	–
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	–	–	–	2	C. 1
†DARLASTON ...	–	4	–	–	2	–
KIDSGROVE ...	–	1	2	–	1	E. 1
†NEWCASTLE UNDER LYME	–	1	1	–	1	–
QUARRY BANK	–	1	2	–	3	–
†ROWLEY REGIS ...	–	7	1	–	–	M. 2
†SEDGLEY	–	–	–	–	2	–
†STAFFORD ...	–	3	–	–	–	–
†TIPTON	–	1	–	–	2	–
†WEDNESBURY ...	–	2	–	2	1	–
†WILLENHALL ...	–	4	-	–	–	–
†WOLSTANTON UNITED	–	4	1	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
KINGSWINFORD ...	–	1	–	–	–	–
LICHFIELD ...	–	2	–	1	1	L. 2
NEWCASTLE UNDER LYME	–	1	–	–	–	–
SEISDON	–	1	–	–	–	–
STAFFORD ...	–	–	1	–	–	–
STONE	–	3	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY... ...	–	3	–	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ..	–	16	1	2	1	C. 1 E. 1 G. 1
†IPSWICH C.B. ...	-	5	-	–	–	C. 1
Boroughs and Urban Districts:—						
BECCLES	–	–	–	1	–	–
EYE	–	2	–	–	–	–
†FELIXSTOWE ...	–	–	–	1	–	–
†LOWESTOFT ...	–	5	–	–	–	–
STOWMARKET ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
HARTISMERE ...	–	1	1	–	–	–
MUTFORD AND LOTHINGLAND	–	2	–	–	–	E. 1 G. 1
SUFFOLK, WEST ...	–	11	–	–	–	N. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	6	–	–	–	–
SUDBURY... ...	–	1	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	2	–	–	–	–
MILDENHALL ...	–	2	–	–	–	–
MOULTON ...	–	–	–	–	–	N. 1
SURREY	–	21	30	2	7	D. 1 G. 1
†CROYDON C.B. ...	–	7	13	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	2	–	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†FARNHAM ...	–	1	1	–	–	D. 1
GODALMING ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	1	2	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	1	–	–	1	–
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	1	2	1	–	–
†WALTON UPON THAMES	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	1	1	–	–	–
DORKING	–	1	–	–	2	–
EPSOM	–	–	5	–	–	–
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	–	–	–	1	G. 1
HAMBLEDON ...	–	1	1	1	–	–
REIGATE	–	3	–	–	–	–
SUSSEX, EAST ..	–	7	7	1	1	E. 1 G. 1 M. 1
†BRIGHTON C.B. ...	–	3	5	–	–	–
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	–	2	–	–	M. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	–	–	1	–
†HOVE	–	1	–	–	–	–
†LEWES	–	–	–	–	–	G. 1
NEWHAVEN ...	–	–	–	–	–	E. 1
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
HAILSHAM ...	–	–	–	1	–	–
RYE	–	1	–	–	–	–
SUSSEX, WEST ...	–	4	2	–	1	N. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	3	–	–	–	–
SHOREHAM BY SEA	–	–	1	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
PETWORTH ...	–	–	–	–	–	N. 1
STEYNING WEST...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	-	41	51	4	30	C. 4 D. 2 E. 8 M. 9
†BIRMINGHAM C.B.	-	32	45	2	21	C. 4 D. 2 E. 6 M. 8
†COVENTRY C.B. ..		1	1	1	2	-
Boroughs and Urban Districts:—						
†NUNEATON ...	-	2	1	-	2	-
†ROYAL LEAMINGTON SPA	-	-	-	-	1	-
†SUTTON COLDFIELD	-	2	-	-	2	-
Rural Districts:—						
ATHERSTONE ...	-	1	1	1	1	-
COVENTRY ...	-	-	-	-	1	-
FOLESHILL ..	-	-	1	-	-	-
NUNEATON ...	-		-		-	E. 1
RUGBY	-	-	-	-	-	E. 1
SOLIHULL ...	-	1	-	-	-	-
SOUTHAM... ...	-	1	-	-	-	-
STRATFORD ON AVON	-	1	-	-	-	-
TAMWORTH (part)	-	-	2	-	-	M. 1
WESTMORLAND ...	-	2	-	-	1	-
Rural Districts:—						
EAST WESTMORLAND	-	1	-	-	-	-
SOUTH WESTMORLAND	-	1	-	-	1	-
WIGHT, ISLE OF ...	-	-	1	-	2	-
Boroughs and Urban Districts:—						
EAST COWES ...	-	-	-	-	1	-
VENTNOR... ...	-	-	-	-	1	-
Rural Districts:—						
ISLE OF WIGHT	-	-	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	-	4	8	-	1	J. 1 M. 1
Boroughs and Urban Districts:—						
MALMESBURY ...	-	-	-	-	-	M. 1
MARLBOROUGH ...	-	1	-	-	-	-
MELKSHAM ...	-	-	1	-	-	-
†SWINDON... ...	-	-	3		1	J. 1
Rural Districts:—						
AMESBURY ...	-	-	1	-	-	-
BRADFORD-ON-AVON	-	1	-	-	-	-
HIGHWORTH ...	-	-	3	-	-	-
WILTON	-	2	-	-	-	-
WORCESTER ...	-	10	4	-	6	M. 3
†DUDLEY C.B. ...	-	1	2	-	-	M. 2
†WORCESTER C.B.	-	-	1	-	1	-
Boroughs and Urban Districts:—						
BROMSGROVE ...	-	2	-	-	-	-
†HALESOWEN ...	-	1	-		-	M. 1
†KIDDERMINSTER	-	1	-	-	1	-
†LYE AND WOLLESCOTE	-	1	-	-	-	-
†MALVERN ...	-	2	-	-	-	-
†OLDBURY... ...	-	-	1	-	2	-
†REDDITCH ...	-	-	-	-	2	-
Rural Districts:—						
BROMSGROVE ...	-	1	-	-	-	-
FECKENHAM ...	-	1	-		-	-
YORKS ... ... (East Riding.)	-	15	21	1	11	C. 1 E. 1.
†KINGSTON UPON HULL C.B.	-	13	14	1	8	C. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	-	-	1	-	-	E. 1
HEDON	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (East Riding) —*cont.*						
Rural Districts:—						
DRIFFIELD ...	–	–	6	–	–	–
HOWDEN	–	–	–	–	2	–
RICCALL	–	2	–	–	–	–
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	21	2	2	3	–
†MIDDLESBROUGH C.B.	–	7	2	–	1	–
Boroughs and Urban Districts:—						
†ESTON	–	11	–	–	–	–
LOFTUS	–	–	–	–	2	–
†REDCAR	–	1	–	–	–	–
Rural Districts:—						
NORTHALLERTON	–	1	–	2	–	–
SCARBOROUGH ...	–	1	–	–	–	–
YORKS ... ... (West Riding.)	15	162	82	14	76	C. 5 E. 3 G. 5 M. 17 N. 2
†BARNSLEY C.B. ...	–	4	3	–	–	M. 2
†BRADFORD C.B. ...	–	8	4	2	6	C. 1 E. 1 G. 1
†DEWSBURY C.B....	–	–	–	–	3	C. 1
†HALIFAX C.B. ...	–	1	4	–	1	G. 1
†HUDDERSFIELD C.B.	–	6	3	–	1	M. 1
†LEEDS C.B. ...	–	20	6	–	9	C. 1 G. 1 M. 3 N. 1
†ROTHERHAM C.B.	1	2	1	1	5	–
†SHEFFIELD C.B....	4	28	36	4	23	G. 1
†WAKEFIELD C.B.	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	3	–	–	–	–
ALTOFTS	–	–	–	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	N. 1
†BATLEY	–	–	2	–	–	–
†BENTLEY WITH ARKSEY	1	2	–	–	–	–
†BINGLEY	–	–	–	–	1	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
CLAYTON	–	–	–	–	–	E. 1
†CONISBROUGH ...	–	–	–	–	3	–
†DARTON	–	–	–	–	1	–
DENBY AND CUMBERWORTH	–	1	–	–	1	–
†DONCASTER ...	–	9	1	1	6	–
DRIGHLINGTON ...	–	–	–	–	3	–
EARBY	–	1	1	–	–	–
FARSLEY	–	3	–	–	–	–
GARFORTH ...	–	–	–	1	–	–
†GOOLE	–	6	–	1	–	–
GREASBROUGH ...	–	–	–	–	–	M. 1
†HARROGATE ...	–	2	–	1	–	C. 1 M. 2
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	1	–	–	–
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	2	–	–	–	–
HONLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	4	1	–	–	–
KIRKBURTON ...	–	–	–	–	1	–
KNARESBOROUGH	–	1	1	–	–	–
KNOTTINGLEY ...	–	2	–	–	–	–
LINTHWAITE ...	–	–	1	–	–	–
LUDDENDEN FOOT	–	3	1	–	–	–
MALTBY	–	1	–	–	1	–
MELTHAM ...	*	*	*	*	*	*
†MEXBOROUGH ...	9	2	–	1	1	–
†MORLEY	–	3	–	–	–	M. 1
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	3	–	–	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	–	–	1	M. 1
QUEENSBURY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	4	–	–	–	M. 1
†SADDLEWORTH ...	–	–	–	–	–	C. 1 E. 1
SHELLEY	*	*	*	*	*	*
†SPENBOROUGH ...	–	2	–	–	–	M. 1
SPRINGHEAD ...	–	1	–	–	–	
STOCKSBRIDGE ...	–	2	–	–	1	–
†SWINTON	–	–	1	–	1	–
†TODMORDEN ...		4	–	–	–	M. 1
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ..	–	2	–	–	1	–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts:—						
DONCASTER ...	–	4	1	1	2	M. 1
GREAT OUSEBURN	–	–	1	–	–	–
HALIFAX	–	1	1	–	1	–
HEMSWORTH ...	–	2	–		–	–
HUNSLET... ...	–	2	–	–	–	–
KIVETON PARK ...	–	–	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PONTEFRACT ...	–	–	1	–	–	M. 1
ROTHERHAM ...	–	2	4	–	1	–
SELBY	–	2	–	–	–	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	3	–	–	–	G. 1
WAKEFIELD ...	–	–	–	–	–	M. 1
WORTLEY ...	–	2	–	1	–	–
§YORK, CITY OF ..	–	6	2	–	–	–
†YORK C.B. ...	–	6	2	–	–	–
WALES.						
ANGLESEY	–	7	–	1	–	–
Rural Districts:—						
TWRCELYN ...	–	4	–	1	–	–
VALLEY	–	3	–	–	–	–
BRECKNOCK ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	–	1	–	–	1	–
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	3	–	–	–	–
YSTRADGYNLAIS	–	2	–	–	–	–
CAERNARVON ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	4	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	1	–	–	–	–
CARDIGAN ...	–	1	–	–	1	–
Rural Districts:—						
TREGARON ...	–	1	–	–	1	–
CARMARTHEN ..	–	4	3	–	1	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	2	–	–	–	–
CWMAMMAN ...	–	–	1	–	–	–
KIDWELLY ...	–	1	–	–	–	–
Rural Districts:—						
LLANELLY ...	–	–	2	–	1	–
NEWCASTLE IN EMLYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DENBIGH	–	7	–	–	1	M. 2
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	–	–	–	1	–
DENBIGH ...	–	1	–	–	–	–
LLANGOLLEN ...	–	3	–	–	–	–
Rural Districts:—						
CHIRK	*	*	*	*	*	*
LLANGOLLEN ...	–	1	–	–	–	M. 1
WREXHAM ...	–	2	–	–	–	M. 1
FLINT	–	10	2	–	–	E. 2 G. 1
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	1	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	3	–	–	–	G. 1
HOLYWELL (HOLYWELL DIV.)	–	4	–	–	–	E. 1
OVERTON ...	–	1	1	–	–	E. 1
GLAMORGAN ...	–	44	35	–	13	C. 3 G. 1 M. 4 N. 2
†CARDIFF C.B. ...	–	5	3	–	–	G. 1 N. 1
†MERTHYR TYDFIL C.B.	–	1	1	–	–	–
†SWANSEA C.B. ...	–	7	7	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	1	–
†BARRY	–	–	1	–	–	N. 1
BRIDGEND ...	–	–	1	–	–	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	–	–	–	1	C. 1 M. 1
†GELLIGAER ...	–	–	2	–	1	M. 1
†MAESTEG ...	–	–	8	–	–	–
†MOUNTAIN ASH ...	–	1	–	–	1	–
†NEATH	–	2	–	–	–	–
†OGMORE AND GARW	–	6	–	–	–	–
†PENARTH ...	–	–	–	–	1	–
†PONTYPRIDD ...	–	–	–	–	–	C. 1
†PORT TALBOT ...	–	1	–	–	1	–
†RHONDDA ...	–	5	5	–	5	C. 1 M. 1
Rural Districts:—						
CARDIFF	–	2	–	–	–	–
COWBRIDGE ...	–	3	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	2	–	–	M. 1
NEATH	–	–	2	–	1	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	3	2	–	–	–
SWANSEA... ...	–	4	–	–	1	–
MERIONETH ...	–	1	5	–	–	–
Urban Districts:—						
FESTINIOG ...	–	–	5	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
MONMOUTH ...	–	12	9	1	3	G. 1 M. 1
†NEWPORT C.B. ...	–	8	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	2	1	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	1	–	–	–
BEDWAS AND MACHEN	–	–	–		1	G. 1
†EBBW VALE ...	–	1	–	–	–	–
LLANFRECHFA UPPER	–	1	–	–	–	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	–	4	–	–	–
†TREDEGAR ...	–	–	–		1	–
USK	–	–	–	–	–	M. 1
Rural Districts:—						
PONTYPOOL ...	–	–	2	–	–	–
MONTGOMERY ...	–	1	–	–	1	C. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	–	C. 1
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE	–	–	–	–	1	E. 2
Rural Districts:—						
PEMBROKE ...	–	–	–	–	1	–
ST. DOGMELLS ...	–	–	–	–	–	E. 3
Total of Part II. ...	94	1440	762	153	447	C. 3 D. E. 6 F. G. 4 J. L. M. 12 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below)
BARNSTAPLE	*	*	*	*	*	*	NEWHAVEN	–	–	–	–	–	E. 1
COLCHESTER	*	*	*	*	*	*	PLYMOUTH	–	–	–	–	2	–
MANCHESTER	–		–	–	–	L. 1	**Total of Part III.... ...**	–	–	–	–	2	E. 1 L. 1

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	
Total of Part I.—London	2	275	249	10	61	C D E F G L M N
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	94	1440	762	153	447	C D E F G J L M N
Total of Part III.—Port Sanitary Districts	-	–	–	–	2	E L
Total (*i.e.*, of returns received), England and Wales ...	96	1715	1011	163	510	C D E F G J L M N

* Puerperal Pyrexia became a notifiable infectious disease on 1st October, 1926. The shown were notified in the two days, 1st and 2nd October, 1926.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Cont Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyr

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

le 5.—LONDON and GREAT TOWNS in the GGREGATE.

BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
DON :—													
THS—all ages	775	791	706	823	706	752	716	785	791	766	810	819	848
0 to 1 year ..	69	64	60	76	56	76	68	72	85	81	105	117	120
AT TOWNS, aggre-te (including Lon-n):—													
THS	7,000	6,992	7,118	7,460	6,079	7,508	6,970	7,029	6,358	6,523	6,830	6,426	6,559
THS—all ages	3,424	3,540	3,215	3,305	3,139	3,226	3,280	3,292	3,409	3,393	3,449	3,507	3,729
0 to 1 year ..	355	363	337	374	354	386	383	409	452	445	516	477	566
ERIC FEVER—Cases	49	36	46	33	14	30	24	24	28	29	24	33	36
" Deaths	3	4	—	4	5	1	—	2	3	4	5	3	2
LL POX—Cases ..	20	23	10	5	8	4	11	5	16	10	19	39	32
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	2
LET FEVER—Cases	816	904	734	716	600	674	669	641	750	773	837	963	972
" Deaths	6	6	3	3	2	6	6	5	6	3	2	3	3
ITHERIA—Cases ..	604	608	625	479	509	552	460	511	526	600	674	732	722
" Deaths ..	17	25	25	21	26	23	28	24	30	20	24	29	36
SLES—Deaths ..	18	14	14	14	13	9	12	10	6	10	1	1	5
UENZA—Deaths ..	35	22	20	14	19	18	16	18	19	12	19	23	32

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 2nd October, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON (GREENWICH).	67	38	60·7	41·4	5
HTON ..	65	39	61·4	43·9	3
SMOUTH ..	67	42	62·8	45·1	2
ICH (SOUTHELL LODGE).	67	37	59·8	39·7	8
OUTH ..	68	42	63·4	45·1	2
OL (CLIFTON).	65	39	60·1	45·6	2
INGHAM (DGBASTON).	69	39	59·6	45·3	3
INGHAM ..	69	36	61·0	42·0	3
ENHEAD (BIDSTON).	66	43	58·7	48·9	12
HESTER WHITWORTH PARK).	62	38	57·0	45·7	4
LEY	67	32	59·9	43·0	1

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
HUDDERSFIELD	71	39	61·7	45·3	2
BRADFORD ..	67	37	59·6	45·1	3
SHEFFIELD ..	71	41	60·3	35·7	2
YORK (MUSEUM)	71	38	62·1	44·3	5
HULL (PEARSON PARK).	71	36	61·7	44·9	0
TYNEMOUTH ..	70	37	60·6	46·4	19
CARDIFF.. ..	63	40	60·0	46·9	4
EDINBURGH ..	64·0	38·0	58·0	46·3	39
GLASGOW ..	61·2	33·2	59·0	44·8	42
DUBLIN (PHŒNIX PARK).	69·0	36·8	62·4	46·9	7
(FITZWILLIAM SQUARE†).	68·2	41·0	61·4	49·7	4
BELFAST.. ..	36·0	39·0	62·0	47·2	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 2nd October, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	26	..	29·589	55·4	38·0	17·4	46·2	− 9·0	41·5	4·7	14·9	0·9	84	97·5	25·2	58·3	SW	SW	1·2	0·0	0·0	192	− 49	0·00
MONDAY	27	..	29·750	55·2	38·2	17·0	47·1	− 8·0	43·6	3·5	9·6	2·1	88	84·9	27·1	58·0	W : SW	W : NNW : WSW.	2·4	0·0	0·1	264	+ 19	0·18
TUESDAY	28	Last Quarter.	30·003	59·1	40·0	19·1	50·4	− 4·5	44·7	5·7	13·8	0·5	81	101·2	29·2	57·9	SW : WNW.	NW : W.	1·5	0·0	0·1	245	− 3	0·00
WEDNESDAY	29	Greatest Declination N.	30·148	60·3	46·0	14·3	53·4	− 1·3	44·7	8·7	20·0	2·0	72	90·8	35·9	57·6	WSW : W : NNW.	NNW : Calm.	0·6	0·0	0·0	159	− 92	0·00
THURSDAY	30	..	30·250	66·3	42·9	23·4	53·4	− 1·0	46·5	6 9	19·9	1·4	78	116·0	30·9	57·2	Calm : WSW.	Calm : SW.	0·2	0·0	0·0	138	− 117	0·00
OCTOBER. FRIDAY	1	..	30·225	63·1	39·0	24·1	52·8	− 1·3	45·3	7·5	15·6	1·2	75	107·0	28·4	57·1	Calm	Calm.	0·3	0·0	0·0	125	− 134	0·00
SATURDAY	2	..	30·222	66·9	46·3	20·6	56·8	+ 3·1	48·6	8·2	17·4	0·8	74	112·8	36·3	57·0	Calm	Calm	0·2	0·0	0·0	99	− 163	0·00
MEANS		..	30·027	60·9	41·5	19·4	51·4	− 3·1	45·0	6·5	15·9	1·3	79	101·5	30·4	57·6	Westerly		..	..	..	Sum 1222	Sum − 539	Sum 0·18
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	26	wP till 17h.; then mP.	1·2	11·9	Cloudless till 6h., clouding up to overcast by 7h. till 18h., then partially cloudy. Slight hoar frost and dew in morning. Slight damping between 13¾h. and 15h.
MONDAY ..	27	wP till 1h.; variably sN and mP till 4h.; mP till 12¾h.; variably sP and sN till 15h., then mP.	1·6	11·9	Variably cloudy till 9½h., overcast till 17½h., then becoming nearly cloudless by 21h. Rain 1h. till 4h.; and between 10h. and 11h.; and 12½h. till 14¼h. Mist from 15h. Dew at night.
TUESDAY ..	28	wP till 8h.; mP till 22h., then wP.	2·7	11·8	Partially cloudy till 10h.; nearly overcast till 17h., then clearing to nearly cloudless by 20h. Dew and mist in morning. Slight showers 13¼h. and 17h.
WEDNESDAY	29	wP till 6h.; mP till 21½h., then wP.	0·8	11·8	Cloudy till 2h.; nearly overcast generally till 22h., then partially cloudy.
THURSDAY	30	wP till 10h.; mP till 12½h., then wP.	7·3	11·7	Very cloudy till 8h., then partially cloudy becoming cloudless by 18½h. Mist generally from 3h. Dew in morning and at night.
OCTOBER. FRIDAY ..	1	wP till 10h.; mP till 17h.; then wP.	5·0	11·6	Cloudless till 9h.; then variably cloudy becoming partially cloudy by 22h. Mist generally. Dew in morning.
SATURDAY	2	wP till 11h.; mP till 18h.; then wP.	5·8	11·6	Partially cloudy becoming cloudless by 19h. Mist from 4h.
			Sum 24·4	Sum 82·3	
No. of Col. ..		26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·62 ins. at the beginning of the week to 29·58 ins. by 16h. on September 26th; increased to 30·27 ins. by 11h. on September 30th; decreased to 30·19 ins. by 16h. on October 1st; increased generally and was 30·24 ins. by midnight on October 2nd.

FOR OFFICIAL USE

1926. No. 40.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 9TH OCTOBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N. Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH OCTOBER, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fortieth week of the year numbered 6,574 and corresponded to an annual rate of 17·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,916 and corresponded to an annual rate of 10·5 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 9·3, 9·4 and 10.0. Infant mortality was 81 per 1,000 births against 76, 74 and 86 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,571 births, corresponding to a rate of 17·8 per 1,000, and 912 deaths of civilians, corresponding to an annual rate of 10·3, against 9·2, 9·3 and 9·6, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·6 per 1,000. The infant mortality was 62 as against 71, 80 and 80 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,731 to 3,916. In London the number of deaths from all causes increased from 848 to 912; the deaths from diphtheria which had been 2, 7 and 11 in the preceding three weeks fell to 8 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 39, 58 and 63 in the preceding three weeks, decreased to 49 last week.

One death from small-pox belonging to Lambeth Met. B. was registered last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } **Births and Deaths registered in the week ended 9th October, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years,
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,439,910*	6,574	3,916†	532	5	6	3	22	36	221
London	4,602,000*	1,571	912†	97	-	-	1	4	8	49
Towns in Outer Ring: Croydon C.B ..	199,300	67	47	7	-	-	-	-	1	1
Wimbledon ..	58,170	19	11	2	-	-	-	-	-	-
Ealing‡	91,000	18	10	2	-	-	-	-	-	1
Acton	63,110	8	15	3	-	-	-	-	-	-
Willesden ..	168,900	40	23	2	-	-	-	-	-	-
Hendon	59,150*	11	9	-	-	-	-	-	-	-
Hornsey	87,210	20	17	-	-	-	-	-	-	-
Wood Green ..	51,960	14	12	3	-	-	-	-	-	-
Tottenham ..	153,600	32	25	1	-	-	-	-	-	-
Edmonton ..	71,210	40	11	2	-	-	-	-	-	-
Enfield	63,740	16	11	2	-	-	-	-	-	-
West Ham C.B. ..	318,500	144	56	8	-	-	-	1	-	5
East Ham C.B. ..	147,200	38	27	2	-	-	-	-	1	-
Leyton	132,700	32	22	6	-	-	-	-	-	3
Walthamstow ..	130,800	28	14	3	-	-	-	-	-	1
Ilford	93,590	25	11	1	-	-	-	-	-	-
Gillingham	48,680*	26	13	1	-	-	-	-	-	-
Canterbury C.B ..	23,270*	4	11	-	-	-	-	-	-	-
Hastings C.B.	60,470	11	16	1	-	-	-	-	-	1
Eastbourne C.B. ..	55,060	13	15	2	-	-	-	-	1	-
Brighton C.B. ..	137,800*	38	37	2	-	-	-	-	2	1
Portsmouth C.B. ..	232,900*	100	43	11	-	-	-	-	3	4
Bournemouth C.B. ..	85,840	24	27	1	-	-	-	-	-	-
Southampton C.B. ..	168,600	70	33	3	1	-	-	-	-	-
Reading C.B.	93,670*	27	17	1	-	-	-	-	-	-
Oxford C.B.	57,090	17	14	2	-	-	-	-	-	1
Northampton C.B. ..	93,780*	24	24	3	-	-	-	-	1	1
Luton	59,230	14	14	1	-	-	-	1	-	-
Cambridge	59,020	19	14	1	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	39	17	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	40	15	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,890	20	19	2	-	-	-	-	-	-
Norwich C.B. ..	124,000*	35	28	4	-	-	-	2	-	-
Swindon	56,880	21	12	1	-	-	-	-	-	-
Exeter C.B.	59,820*	17	14	1	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	78	45	3	-	-	-	-	-	-
Bath C.B.	69,050	21	18	1	-	-	-	-	-	1
Bristol C.B.	385,700*	123	72	6	-	-	-	-	-	1
Gloucester C.B. ..	53,060	27	9	1	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	124	61	15	-	-	-	1	-	4
Burton-upon-Trent C.B.	49,530	19	12	3	-	-	-	-	-	-
Wolverhampton C.B.	108,800	32	39	8	-	-	-	-	-	2
Walsall C.B.	102,300	27	19	3	1	-	-	-	-	2
West Bromwich C.B	79,490	43	12	5	-	-	-	-	-	2
Dudley C.B.	58,810	20	12	2	-	-	-	-	-	-
Worcester C.B. ..	50,230	16	9	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	322	204	36	-	-	-	2	4	22
Smethwick C.B. ..	78,840	18	11	2	-	-	-	-	-	-
Coventry C.B ..	129,100	38	25	2	-	-	-	-	-	-
Leicester C.B. ..	242,100	73	57	7	-	1	-	-	1	1
Lincoln C.B.	66,600*	23	12	-	-	-	-	-	-	-
Grimsby C.B.	87,190	18	19	3	-	-	-	-	-	2
Nottingham C.B. ..	270,600	83	51	7	-	-	-	-	1	2
Derby C.B.	134,400*	47	19	2	-	-	-	-	-	1
Chesterfield ..	65,800	18	19	2	-	-	-	-	1	1
Stockport C.B. ..	125,900	50	33	7	-	-	-	-	-	2
Chester C.B.	41,670	19	4	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	70	24	6	-	-	-	-	1	2
Wallasey C.B. ..	91,720	25	16	3	-	-	-	-	-	2
Liverpool C.B. ..	856,000	255	196	50	-	3	-	2	1	29
Bootle C.B.	83,260	25	11	1	-	-	-	-	-	2
St. Helens C.B. ..	109,600	48	23	5	-	-	-	-	-	3

* Population adjusted by the exclusion of non-civilians.
† Including one death from small-pox.
‡ As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	74,260	13	17	1	-	-	-	-	-	-	-
IGAN C.B.	91,010	35	18	4	-	-	-	-	-	4	-
ARRINGTON C.B. ..	77,970*	33	11	1	-	-	-	-	-	-	-
OLTON C.B.	180,400	62	55	6	-	-	-	-	-	3	-
RY C.B.	56,700*	16	14	-	-	-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	264	149	26	-	-	-	1	1	6	2
LFORD C.B.	244,700	76	50	6	-	-	-	-	-	1	4
DHAM C.B	146,200	41	35	3	-	-	-	-	-	2	-
OCHDALE C.B... ..	92,190	26	23	2	-	-	-	2	2	-	-
RNLEY C.B.	102,300	24	9	1	-	-	-	1	-	1	-
ACKBURN C.B. ..	126,900	28	22	3	-	-	-	-	1	-	-
ESTON C.B.	122,900	41	27	4	-	-	-	-	-	3	-
ACKPOOL C.B. ..	80,750	22	21	1	-	-	-	-	-	-	-
RROW-IN-FURNESS C.B.	73,470	23	12	-	-	-	-	-	1	-	-
DDERSFIELD C.B. ..	112,100	23	24	2	-	-	-	-	2	1	-
LIFAX C.B.	97,860*	24	22	2	-	-	-	-	-	1	-
ADFORD C.B. ..	290,200	90	64	7	-	-	-	-	-	3	-
EDS C.B.	472,900	149	92	15	-	-	-	-	-	10	-
WSBURY C.B ..	54,570	22	9	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,980	16	7	1	-	-	-	-	-	-	-
RNSLEY C.B. ..	71,170	32	13	1	-	-	-	-	-	-	-
EFFIELD C.B. ..	526,900*	158	81	11	1	-	-	-	1	7	-
OTHERHAM C.B. ..	70,600	22	15	1	-	-	-	-	-	-	-
ONCASTER	55,610	17	10	1	-	-	-	-	-	-	-
ORK C.B.	84,630*	19	21	3	-	-	-	-	-	-	-
ULL C.B.	297,300	92	61	9	1	1	-	-	1	6	-
DDLESBROUGH C.B.	136,200	51	19	1	-	-	-	-	-	-	-
ARLINGTON C.B. ..	69,130	27	17	3	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	68,000	30	13	2	-	-	-	1	-	-	-
EST HARTLEPOOL C.B.	71,590	29	16	1	-	-	-	-	-	1	-
NDERLAND C.B. ..	166,000	89	48	16	-	1	-	1	-	9	1
UTH SHIELDS C.B. ..	124,600	45	25	2	-	-	-	-	-	1	1
ATESHEAD C.B. ..	129,000	45	27	7	-	-	2	-	-	5	-
EWCASTLE-ON-TYNE C.B.	286,300*	113	71	11	-	-	-	2	-	4	-
NEMOUTH C.B. ..	66,180	32	11	1	-	-	-	1	-	-	-
ARLISLE C.B.	55,160*	14	8	2	-	-	-	-	-	-	-
EWPORT (MON.) C.B.	96,420*	37	10	2	1	-	-	-	-	-	-
ARDIFF C.B.	227,100*	94	46	5	-	-	-	-	-	2	-
IONDDA	167,570	59	20	2	-	-	-	-	-	-	2
ERTHYR TYDFIL C.B.	82,920	26	17	1	-	-	-	-	-	1	-
ERDARE	57,700	13	6	-	-	-	-	-	-	-	-
VANSEA C.B.	163,200	58	32	6	-	-	-	-	1	-	1
REATER LONDON ..	7,742,212*	2,555	1,438‖	166	-	-	1	6	11	69	14
UTER RING	3,140,212*	984	526	69	-	-	-	2	3	20	3
GREAT TOWNS IN OUTER RING	1,890,140*	552	321	44	-	-	-	1	2	11	2
EMAINDER OF OUTER RING	1,250,072*	432	205	25	-	-	-	1	1	9	1
DINBURGH†	424,600	140	99	10	-	1	-	1	1	1	-
LASGOW† ..	1,052,200	491	239	39	-	-	-	1	2	5	1
UBLIN (REGISTRATION AREA)†	419,156§	225	109	29	-	-	-	1	3	14	1
ELFAST†	416,000	201	133	34	-	-	-	-	1	16	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected y the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of esidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and elfast are corrected by the exclusion of deaths of persons admitted into public institutions from vithout the respective areas.

§ Census population 1926 (unrevised).

‖ Including one death from small-pox.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases†
		1926.										
LONDON‡	4,602,000	Oct. 9	1571	912	10·3	–	1	–	1	4	8	4
CALCUTTA AND SUBURBS	1,077,273	Sept. 4	?	753‖	36·3	?	–	?	?	?	?	?
BOMBAY§	1,279,061	„ 11	374	713	29·0	2	3	1	–	1	–	4
MADRAS	528,791	„ 11	417	498	49·0	4	–	–	?	1	1	4
SYDNEY AND SUBURBS	1,038,950	Aug. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	July 31 (31 days)	454	301	13·7	1	–	–	1	–	1	
PERTH (Metropolitan Area).	179,388	Aug. 14	62	43	12·5	–	–	–	–	–	–	
AUCKLAND (Urban Area).	192,176	July 31 (31 days)	297	204	12·7	–	–	–	–	–	4	
WELLINGTON (Urban Area).	121,324	July 31 (31 days)	172	134	13·1	–	–	1	–	1	1	
CHRISTCHURCH (Urban Area).	118,408	July 31 (31 days)	170	218	22·1	–	–	–	–	16	–	
CAPE TOWN	113,709	Sept. 11	45	40	18·3	–	–	–	–	–	–	
JOHANNESBURG	165,958	„ 11	78	40	12·5	–	–	–	–	–	–	
DURBAN	54,822	„ 11	26	13	12·3	–	–	–	–	–	–	
PARIS	2,906,472	Sept. 30 (10 days)										
ANTWERP	300,193	Aug. 28	87	51	8·8	–	–	1	–	–	1	
AMSTERDAM	720,837	Sept. 18	247	96	6·9	1	–	1	–	–	–	
COPENHAGEN	587,400	„ 18	198	107	9·6	–	–	–	–	1	1	
STOCKHOLM	442,528	„ 25	117	93	10·9	1	–	–	–	–	1	
GOTHENBURG	230,963	„ 25	?	36	8·1	–	–	–	–	–	–	
OSLO (CHRISTIANIA) ..	255,724	Oct. 2	56	58	11·8	–	–	–	–	–	–	
BERLIN	1,999,000	Sept. 18	368	367	9·5	1	?	–	–	3	2	
BRESLAU	560,000	„ 18	144	114	10·6	–	?	–	–	3	–	
COLOGNE	708,000	„ 18	223	132	9·7	2	?	–	–	3	–	1
DRESDEN	621,000	„ 18	123	99	8·3	–	?	–	–	–	–	
FRANKFORT-ON-MAIN ..	472,000	„ 18	97	61	6·7	–	?	1	–	–	–	
HAMBURG	1,101,000	„ 18	351	223	10·5	1	?	–	–	–	–	
LEIPZIG	685,000	„ 18	154	110	8·4	2	?	–	–	2	–	
MUNICH	685,000	„ 18	156	116	8·8	–	?	–	–	1	–	2
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	April 30 (30 days)										
BUDAPEST	960,995	Sept. 18	354	257	13·9	7	–	–	5	–	4	12
WARSAW	1,015,426	„ 18	?	268	13·8	2	–	–	21	–	1	29
CAIRO	859,400	May 6	820	809	49·1	5	2	45	–	?	5	144
ALEXANDRIA	492,100	„ 6	434	308	32·6	–	3	1	–	?	2	52
NEW YORK	5,924,139	Sept. 4										
CHICAGO	2,995,239	„ 17	1309	606	10·4	–	?	–	2	3	2	24

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 13 deaths from Cholera in Calcutta

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th October, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	912	97	19	12	26	24	52	51	104	175	182	170
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	1	-	-	-	-	-	-	1	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria	8	-	-	2	5	1	-	-	-	-	-	-
Influenza	11	1	-	-	-	1	1	3	1	2	1	1
Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	1	1	-	-
Meningococcal meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	66	-	-	-	1	13	19	5	16	8	2	2
Nervous system	5	-	1	1	2	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	1	-	-	-	-	-
Other forms	6	-	1	1	-	-	-	1	1	1	1	-
Venereal diseases	5	1	1	-	-	-	1	-	-	2	-	-
Cancer	142	-	-	-	-	-	4	7	23	49	43	16
Rheumatic fever	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes	4	-	-	-	-	-	1	-	-	2	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	-	1	1	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	39	-	-	-	-	-	-	-	3	11	12	13
Epilepsy	3	-	-	-	-	1	1	-	-	-	1	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	-	-	1	2	-	2	4	6	5	4	4
Pericarditis	2	-	-	-	1	-	-	-	1	-	-	-
Acute endocarditis	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of heart	129	-	-	-	2	3	4	6	12	21	45	36
Other diseases of circulatory system	47	-	-	-	-	-	-	-	5	11	12	19
Bronchitis	41	2	-	1	-	-	1	1	1	6	17	12
Broncho-pneumonia	28	5	6	1	1	-	-	2	1	3	5	4
Lobar-pneumonia	13	-	-	-	-	-	2	1	1	6	1	2
Pneumonia (type not distinguished)	13	1	-	-	2	-	1	-	-	4	2	3
Other diseases of respiratory system	13	-	-	-	-	-	1	-	4	2	2	4
Diarrhœa and enteritis	51	43	6	1	-	-	-	-	-	1	-	-
Appendicitis, Typhlitis	2	-	1	-	1	-	-	-	-	-	-	-
Hernia, Intestinal obstruction.. ..	13	-	-	-	-	-	2	4	1	-	4	2
Cirrhosis of liver	5	-	-	-	-	-	-	-	1	3	1	-
Other diseases of digestive system ..	15	1	-	-	1	-	1	3	2	1	3	3
Acute nephritis	2	-	-	-	-	-	2	-	-	-	-	-
Chronic Bright's disease..	31	-	-	-	-	-	-	2	7	12	5	5
Other diseases of genito-urinary system.	13	-	-	-	-	-	-	1	3	3	2	4
Puerperal sepsis	1	-	-	-	-	1	-	-	-	-	-	-
Other causes incident to childbirth..	4	-	-	-	-	-	2	2	-	-	-	-
Congenital malformations	3	3	-	-	-	-	-	-	-	-	-	-
Premature birth	13	13	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-		-	-	-		-
Old age	32	-	-	-	-	-	-	-		1	4	27
Suicide	18	-	-	-	-	1	1	3	2	5	4	2
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	18	-	1	1	6	-	-	1	2	4	2	1
Other deaths by violence	13	2	-	-	-	1	3	-	2	-	2	3
Other specified causes	49	13	-	1	1	-	1	4	8	8	6	7
Ill-defined causes	1	-	-	-	-	1	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th October, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	1	303	304	4	75	C. 7 D. 2 E. 1 G. 5 M. 16 N. 34
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ..	–	12	13	1	8	M. 2 N. 1
†BERMONDSEY ..	–	8	30	–	4	N. 1
†BETHNAL GREEN	–	14	15	–	3	–
†CAMBERWELL ...	–	20	17	–	1	M. 1 N. 1
†CHELSEA	–	7	5	–	4	–
†DEPTFORD ..	–	15	7	–	–	–
†FINSBURY ...	–	1	3	1	1	–
†FULHAM	–	8	6		2	G. 1 M. 1 N. 2
†GREENWICH ...	–	9	11		1	–
†HACKNEY ...	–	22	9	–	2	–
†HAMMERSMITH ...	–	3	7	–	1	M. 1
†HAMPSTEAD ...	–	2	3	–	2	N. 2
†HOLBORN... ...	–	3	2	–	–	

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ..	–	18	12	–	3	M. 3 N. 4
†KENSINGTON ...		10	4	1	3	M. 1
†LAMBETH ...	–	23	13	–	2	C. 1 G. 2 M. 1 N. 9
†LEWISHAM ...	–	11	18	–	1	C. 1 N. 1
†PADDINGTON ...	–	5	15	–	4	G. 1 N. 2
†POPLAR	–	23	12	–	9	–
†ST. MARYLEBONE	1	2	8	–	1	C. 1 N. 1
†ST. PANCRAS ..	–	15	8	–	5	C. 1 N. 2
†SHOREDITCH ...	–	10	16	–	1	C. 1 M. 3
†SOUTHWARK ...	–	8	20	–	4	C. 1 G. 1 N. 4
†STEPNEY	–	30	14	1	1	D. 1 M. 1 N. 2
†STOKE NEWINGTON	–	7	2	–	1	–
†WANDSWORTH ...	–	7	16	–	3	C. 1 E. 1 N. 2
†WESTMINSTER, CITY OF	–	3	5	–	–	M 2
†WOOLWICH ...	–	6	13	–	8	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	22	3	2	2	C. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	19	–	–	–	–
DUNSTABLE ...	*	*	*	*	*	*
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	2	2	1	–	N. 1
Rural Districts:—						
BEDFORD ...	–	–	–	1	1	C. 1
BIGGLESWADE ...	–	1	–	–	–	–
EATON SOCON ...	–	–	1	–	–	–
BERKS	–	9	–	1	–	M. 2 N. 2
†READING C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	N. 2
Rural Districts:—						
COOKHAM ...	–	1	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	2		–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR... ...	–	–	–	1	–	–
WOKINGHAM ...	–	–	–	–	–	M. 1
BUCKINGHAM ...	–	21	2	1	1	M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	5	–	1	–	–
†CHEPPING WYCOMBE	–	3	–	–	1	M. 1
LINSLADE ...	–	2	–	–	–	–
MARLOW	*	*	*	*	*	*
†WOLVERTON ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—cont.						
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	3	2	–	–	–
WYCOMBE ...	–	2	–	–	–	–
CAMBRIDGE ..	–	–	7	–	1	M. 1
Borough:—						
†CAMBRIDGE ...	–	–	7	–	–	M. 1
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
CHESTER	–	72	16	–	17	C. 1 E. 1 G. 3 M. 6 N. 4
†BIRKENHEAD C.B.	–	4	1	–	4	C. 1 M. 2
†CHESTER C.B. ...	–	1	–	–	–	M. 1
†STOCKPORT C.B.	–	23	3	–	–	G. 1 N. 2
†WALLASEY C.B. ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	4	–	–	1	N. 1
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HALE	–	2	–	–	–	–
HOOLE	–	–	–	–	–	G. 1
†HOYLAKE AND WEST KIRBY	–	–	2	–	–	–
†HYDE	–	3	–	–	–	–
†MACCLESFIELD ...	–	–	1	–	2	–
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	1	1	–	–	–
†NORTHWICH ...	–	1	–	–	–	G. 1
†SALE	–	1	1	–	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	–	M. 1
WILMSLOW ...	–	2	1	–	1	–
†WINSFORD ...	–	5	–	–	3	–
Rural Districts:—						
BUCKLOW ...	–	1	–		–	–
CONGLETON ...	–	–	1	–	1	E. 1 M. 1
MACCLESFIELD ...	–	2	–	–	–	N. 1
NORTHWICH ...	–	1	–	–	–	M. 1
RUNCORN ...	–	6	1	–	1	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	1	–	–	–	–
CORNWALL ..	–	5	2	–	–	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BODMIN	*	*	*	*	*	*
†CAMBORNE ...	–	–	1	–	–	–
LISKEARD ...	–	–	–	–	–	E. 1
PADSTOW... ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	–	M. 1
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
EAST KERRIER ...	–	2	1	–	–	–
CORNWALL—*cont.*						
Rural Districts—*cont.*						
HELSTON... ...	–	–	–	–	–	N. 1
SAINT COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	1	–	–	–	–
TRURO	*	*	*	*	*	*
CUMBERLAND ...	–	12	7	1	2	E. 1 N. 5
†CARLISLE C.B. ...	–	5	1	–	–	N. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	–	N. 1
COCKERMOUTH ...	–	1	1		–	–
EGREMONT ...	–	–	1	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	–	E. 1
Rural Districts:—						
BRAMPTON ...	–	2	1	–	–	–
CARLISLE ...	–	–	2	–	–	–
COCKERMOUTH ...	–	–	1	1	–	N. 1
LONGTOWN ...	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	N. 1
WIGTON	–	–	–	–	–	N. 1
DERBY	8	49	17	–	19	C. 2 N. 3
†DERBY C.B. ..	8	8	6	–	9	C. 1
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	–	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	1	–
†CHESTERFIELD ...	–	6	3	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	–	5	–	–	–
†ILKESTON ...	–	2	–	–	1	N. 1
†LONG EATON ...	–	4	–	–	1	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	–	C. 1
†SWADLINCOTE DISTRICT	–	10	–	–	–	–
†THE MATLOCKS...	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	N. 1
CHESTERFIELD ..	–	8	2	–	4	–
CLOWNE	–	–	–	–	1	–
HARTSHORN AND SEALS	–	1	–	–	–	–
REPTON	–	2	–	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	28	13	1	3	C. 2 F. 1 G. 1 M. 2 N. 6
†EXETER C.B. ...	–	2	–	–	1	–
†PLYMOUTH C.B....	–	12	8	–	1	C. 1 M. 1 N. 3
Boroughs and Urban Districts:—						
BIDEFORD ...	–	2	–	–	–	–
†EXMOUTH ...	–	2	–	–	–	–
†ILFRACOMBE ...	–	–	–	–	–	G. 1
†NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	3	–	–	–	–
TAVISTOCK ...	–	–	–	–	–	N. 3
†TEIGNMOUTH ...	–	2	4	–	1	–
†TORQUAY ...	–	–	–	1	–	–
Rural Districts:—						
BIDEFORD ...	–	–	–	–	–	C. 1
CREDITON ...	–	1	–	–	–	–
HONITON ...	–	–	–	–	–	F. 1
PLYMPTON ST. MARY	–	1	1	–	–	M. 1
SOUTH MOLTON...	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	6	1	2	1	E. 2 M. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	4	–	–	–	–
†POOLE	–	1	1	–	–	
WAREHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
DORCHESTER ...	–	–	–	2	–	–
SHAFTESBURY ...	–	–	–	–	1	–
SHERBORNE ...	–	–	–	–	–	E. 1
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	–	–	–	–	E. 1
DURHAM	86	76	20	2	30	C. 4 E. 1 M. 9 N. 5
†DARLINGTON C.B.	–	2	–	2	1	M. 1
†GATESHEAD C.B.	13	15	4	–	2	N. 1
†SOUTH SHIELDS C.B.	2	3	–	–	4	M. 2
†SUNDERLAND C.B.	1	3	2	–	5	N. 1
†WEST HARTLEPOOL C.B.	1	4	–	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	1	M. 1
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	N. 1
†BLAYDON... ...	–	4	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	4	–	–	–	–	–
†CHESTER LE STREET	–	–	1	–	1	N. 1
†CONSETT	–	2	–	–	–	–
†CROOK	3	–	–	–	–	–
†DURHAM	–	–	1	–	1	C. 1 M. 1
†FELLING	1	–	–	–	2	–
†HARTLEPOOL ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEBBURN ...	–	2	–	–	–	C. 1 N. 1
†HETTON	7	–	–	–	3	–
†HOUGHTON LE SPRING	2	–	–	–	1	–
†JARROW	3	3	–	–	3	–
†RYTON	–	4	–	–	–	E. 1
STANHOPE ...	–	1	–	–	–	–
†STANLEY	6	2	1	–	–	M. 1
†STOCKTON ON TEES	–	5	1	–	–	–
†TANFIELD ...	–	–	1	–	–	M. 1
TOW LAW ...	2	–	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	1	–	–	–	1	–
Rural Districts:—						
AUCKLAND ..	1	1	–	–	–	–
CHESTER LE STREET	7	13	3	–	–	–
DARLINGTON ...	–	–	–	–	–	C. 1
DURHAM	1	–	–	–	–	–
EASINGTON ...	16	2	3	–	1	C. 1
HOUGHTON LE SPRING	–	–	–	–	1	–
LANCHESTER ...	8	2	2	–	–	–
SEDGEFIELD ...	6	–	–	–	–	–
SOUTH SHIELDS...	1	–	–	–	–	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	M. 1
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	3	–	–	–	–
WHITTLESEY ...	–	–	2	–	–	–
†WISBECH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	139	68	1	19	C. 1 E. 8 G. 2 M. 6 N. 10
†EAST HAM C.B. ...	–	9	11	–	3	N. 1
†SOUTHEND-ON-SEA C.B.	–	15	7	–	4	E. 3 M. 1
†WEST HAM C.B. ...	–	50	17	–	7	G. 1 M. 2 N. 7
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	5	1	–	1	M. 1
BRAINTREE ...	–	4	–	–	–	–
BRENTWOOD ...	–	1	1	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	2	2	–	–	–
DAGENHAM ...	–	2	1	–	–	E. 1 M. 1
†GRAYS THURROCK	–	–	3	–	–	–
HALSTEAD ...	–	3	–	–	–	–
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	4	5	–	–	C. 1 N. 1
†LEYTON	–	7	6	–	–	G. 1
TILBURY	–	1	–	–	1	E. 4
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW...	–	7	7	–	1	–
†WANSTEAD ..	–	2	3	–	–	–
WITHAM	–	1	1	1	–	–
†WOODFORD ...	–	1	–	–	2	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
DUNMOW	–	2	–	–	–	–
EPPING	–	–	2	–	–	–
HALSTEAD ...	–	6	–	–	–	–
MALDON	–	4	–	–	–	–
ORSETT	–	4	–	–	–	–
ROCHFORD ...	–	3	–	–	–	M. 1 N. 1
TENDRING ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER ...	–	20	27	–	6	D. 1 E. 1 G. 1 M. 2 N. 3
†BRISTOL C.B. ...	–	12	19	–	6	E. 1 G. 1 N. 2
†GLOUCESTER C.B.	–	2	2	–	–	
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	–	–	–	D. 1
STOW ON THE WOLD	*	*	*	*	*	*
STROUD	–	–	1	–		–
TEWKESBURY ...	*	*	*	*	*	*
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
GLOUCESTER ...	–	–	–	–	–	N. 1
NEWENT	–	–	1	–	–	–
STROUD	–	1	1	–	–	–
TEWKESBURY (part)	*	*	*	*	*	*
THORNBURY ...	–	4	–	–	–	M. 1
WARMLEY ...	–	–	–	–	–	M. 1
WEST DEAN ...	–	–	1	–	–	–
WINCHCOMB (part)	–	1	1	–	–	–
HEREFORD ..	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
ROSS	*	*	*	*	*	*
Rural Districts:—						
HEREFORD ...		–		–	–	N. 1
ROSS	*	*	*	*	*	*
WHITCHURCH ...	*	*	*	*	*	*
HERTFORD ...	–	11	8	2	–	C. 1 N. 1
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EAST BARNET VALLEY	–	–	–	–	–	N. 1
GREAT BERKHAMPSTEAD	–	–	–	–	–	C. 1
HARPENDEN ...	–	1	–	–	–	–
†HERTFORD ...	–	1	4	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
TRING	–	–	1	–	–	–
WARE	–	1	2	1	–	–
†WATFORD ...	–	1	1	1	–	–
Rural Districts:—						
HATFIELD ...	–	2	–	–	–	–
ST. ALBANS ...	–	2	–	–	–	–
HUNTINGDON ...	–	3	3	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–		–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	1	3	–	–	–
KENT	–	42	35	20	8	C. 2 E. 5 M. 1 N. 5
†CANTERBURY C.B.	–	2	2	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	–	E. 1
†BECKENHAM ...	–	5	2	–	–	–
†BEXLEY	–	4	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	N. 1
†BROMLEY ...	–	–	–	–	3	N. 1
†CHATHAM ...	–	1	6	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	1	1	–	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	1	–	–	1	C. 1
†GRAVESEND ...	–	1	3	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	–	1	18	–	N. 1
†NORTHFLEET ...	–	1	2	–	1	–
†PENGE	–	–	4	–	–	–
†RAMSGATE ...	–	1	–	1	–	–
†ROCHESTER ...	–	4	–	–	–	N. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	E. 1
SWANSCOMBE ...	–	1	–	–	–	–
†TONBRIDGE ...	–	5	–	–	–	M. 1
WHITSTABLE ...	–	–	2	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	–	E. 2 N. 1
BRIDGE	–	–	1	–	–	–
CRANBROOK ...	–	–	2	–	–	–
DARTFORD ...	–	2	3	–	–	–
EAST ASHFORD ...	–	2	–	1	–	–
FAVERSHAM ...	*	*	*	*	*	*
HOLLINGBOURNE	–	1	3	–	–	–
ISLE OF THANET	–	–	1	–	1	–
MALLING	–	5	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	–	–	–	–	E. 1
WEST ASHFORD...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	6	279	125	4	143	C. 13 D. 1 E. 3 G. 8 L. 6 M. 29 N. 20
†BARROW IN FURNESS C.B.	–	2	2	–	–	–
†BLACKBURN C.B.	–	7	4	–	1	–
†BLACKPOOL C.B.	–	–	1	1	–	M. 1 N. 1
†BOLTON C.B. ...	–	8	3	–	1	C. 1
†BOOTLE C.B. ...	–	3	1	–	2	–
†BURNLEY C.B. ...	–	8	2	–	1	–
†BURY C.B. ...	–	2	1	–	–	M. 1
†LIVERPOOL C.B. ...	–	48	30	1	29	C. 2 E. 1 G. 4 M. 15
†MANCHESTER C.B.	–	66	30	1	45	C. 6 G. 2 M. 8 N. 5
†OLDHAM C.B. ...	–	8	4	–	1	C. 1 N. 1
†PRESTON C.B. ...	–	6	2	–	–	–
†ROCHDALE C.B. ...	–	1	1	–	2	N. 2
†ST. HELENS C.B....	–	3	–	–	2	C. 1 L. 5 M. 1
†SALFORD C.B. ...	–	24	15	–	13	C. 1 G. 1 M. 1 N. 3
†SOUTHPORT C.B.	–	–	–	–	1	–
†WARRINGTON C.B.	–	2	1	–	2	M. 1
†WIGAN C.B. ...	–	1	–	–	6	N. 3
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	E. 1
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	6	1	–	–	1	–
†ASHTON UNDER LYNE	–	3	–	–	3	–
ASPULL	–	2	–	–	–	–
†ATHERTON ...	–	2	–	–	–	–
†BACUP	–	2	–	–	1	–
BILLINGE... ...	–	–	1	–	–	–
BLACKROD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHADDERTON ...	–	4	–	–	2	–
†CHORLEY... ...	–	–	–	–	1	–
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	–	1	–	1	–
†DALTON IN FURNESS	–	3	2	–	–	–
†DARWEN	–	5	1	–	–	–
†DENTON	–	1	.	–	–	–
†ECCLES	–	2	1	–	–	–
†FAILSWORTH ...	–	–	–	1	3	–
†FARNWORTH ...	–	1	–	–	–	G. 1 N. 1
†FLEETWOOD ...	–	–	–		2	–
FULWOOD ...	–	–	–	–	1	–
HEYSHAM ...	–	1	–	–	–	-
†HEYWOOD ...	–	2	1	–	–	N. 1
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	–	–	–	–	C. 1
†INCE IN MAKERFIELD	–	1	–	–	1	M. 1
†LANCASTER ...	–	–	–	–	–	E. 1
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	–	2	–	2	–
†LITHERLAND ...	–	1	.	–	–	–
LITTLE LEVER ...	–	1	–	–	1	–
LONGRIDGE ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	1	–	–	–
†MIDDLETON ...	–	1	1	–	1	–
MILNROW... ...	–	–	–	–	–	N. 1
†NEWTON IN MAKERFIELD	–	1	–	–	1	-
†OSWALDTWISTLE	–	1	1	–	–	–
†PADIHAM ...	–	–	6	–	-	–
POULTON LE FYLDE	*	*	*	*	*	*
PRESCOT	–	2	–	–	–	
†RADCLIFFE ...	–	1	–	–	–	N. 1
†RAMSBOTTOM ...	–	5	–		1	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON	–	–	–	–	2	–
†ROYTON	–	–	1	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	2	–
†STRETFORD ...	–	1	3		1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	1	–	–	–	–
TOTTINGTON ...	–	–	–	–	–	N. 1
†TURTON	–	5	–	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	1	–	1	–
†WESTHOUGHTON	–	3	–	–	–	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES	–	1	1	–	1	–
Rural Districts:—						
BARTON UPON IRWELL	–	2	–	–	–	–
BLACKBURN ...	–	–	–	–	2	–
CLITHEROE ...	–	1	–	–	–	L. 1
LANCASTER ...	–	1	–	–	–	–
PRESTON	–	2	1	–	–	D. 1
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	17	–	–	–	–
WHISTON... ...	–	1	1	–	2	–
LEICESTER... ...	–	17	15	–	7	E. 9 M. 2 N. 1
†LEICESTER C.B. ...	–	4	9	–	1	E. 7 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	2	–	–	-	–
†COALVILLE ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	1	-	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	*	*	*	*	*	*
THURMASTON ...	–	1	-		1	E. 1
WIGSTON MAGNA	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	7	–	–	–	–
BARROW UPON SOAR	–	–	–	–	–	E. 1 M. 1
HINCKLEY ...	–	–	–	–	1	–
MARKET BOSWORTH	–	1	5	–	1	–
MELTON MOWBRAY	–	1		–	1	–
LINCOLN (parts of Holland).	–	–	–	–	–	E. 1
Rural Districts:—						
BOSTON	–		–	–	–	E. 1
LINCOLN (parts of Kesteven).	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	N. 1
Rural Districts:—						
SLEAFORD ...	–	2	1	–	–	–
LINCOLN (parts of Lindsey).	–	24	3	–	5	E. 3 G. 1 M. 1 N. 2
†GRIMSBY C.B. ..	–	3	–	–	2	N. 1
†LINCOLN C.B. ..	–	6	–	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
†GAINSBOROUGH ...	–	3	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	7	–	–	2	M. 1 N. 1
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	G. 1
GRIMSBY... ...	–	1	1	–	–	–
LOUTH	–	–	1	–	–	E. 3
SPILSBY	–	–	1	–	–	–
WELTON	–	1	–	–	–	–
MIDDLESEX ..	–	50	70	2	12	C. 1 M. 2 N. 11
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–	1	–
†BRENTFORD ...	–	–	–	–	2	–
†CHISWICK ...	–	3	–	–	1	–
†EALING	–	2	2	1	–	–
†EDMONTON ...	–	1	20	–	1	N. 2
†ENFIELD	–	6	5	–	–	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	4	1	–	–	C. 1
†FRIERN BARNET	–	–	1	–	1	M. 1
†HENDON	–	3	5	–	–	N. 1
†HESTON AND ISLEWORTH	–	1	6	–	1	N. 1
†HORNSEY... ...	–	1	3	–	–	N. 1
KINGSBURY ...	–	–	–	–	–	M. 1
†SOUTHGATE ...	–	1	–	–	–	–
†TOTTENHAM ...	–	8	17	–	2	–
†TWICKENHAM ...	–	–	1	–	–	–
†WEALDSTONE ...	–	2	–	–	–	N. 1
†WEMBLEY ...	–	–	2	–		–
†WILLESDEN ...	–	11	4	–	3	N. 5
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	2	–	–	–
STAINES	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	4	1	1	1	G. 1
†GREAT YARMOUTH C.B.	–	–	1	–	–	–
†NORWICH C.B. ...	–	4	–	1	–	–
Rural Districts:—						
LODDON AND CLAVERING	–	–	–	–	–	G. 1
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	6	2	1	6	M. 1 N. 2
†NORTHAMPTON C.B.	–	1	2	–	4	N. 1
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	1	M. 1
†RUSHDEN... ...	–	–	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
THRAPSTON (part)	–	3	–	1	–	–
WELLINGBOROUGH	–	–	–	–	–	N. 1
NORTHUMBERLAND	6	72	11	4	26	M. 2 N. 7
†NEWCASTLE UPON TYNE C.B.	1	35	3	–	20	M. 1 N. 2
†TYNEMOUTH C.B.	4	17	5	–	–	–
Boroughs and Urban Districts:—						
ALNWICK ...	–	2	–		–	–
†ASHINGTON ...	1	1	–	4	1	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BERWICK UPON TWEED	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	1	–	–	–	M. 1 N. 1
†EARSDON	–	1	–	–	–	–
†LONGBENTON ...	–	–	–	–	–	N. 1
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	–	–	2	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	6	2	–	2	N. 2
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
HEXHAM	–	1	–	–	–	–
MORPETH ...	–	–	–	–	–	N. 1
ROTHBURY ...	–	1	–	–	–	–
NOTTINGHAM ...	1	22	14	–	15	C. 2 F. 4 M. 5
†NOTTINGHAM C.B	–	10	13	–	5	C. 2 M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	2	–
†CARLTON	–	2	–	–	1	–
†EAST RETFORD ...	–	–	–	–	1	–
†HUCKNALL ...	–	1	–	–	1	–
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	–	–	M. 1
†MANSFIELD ...	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	–	M. 1
†SUTTON IN ASHFIELD	1	–	–	–	1	–
†WEST BRIDGFORD	–	–	–	–	1	–
†WORKSOP... ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
Basford	–	2	–	–	2	M. 1
Bingham... ...	–	–	1	–	–	–
East Retford ...	–	–	–	–	1	–
Leake	–	–	–	–	–	F. 4
Skegby	–	1	–	–	–	–
Southwell ...	–	2	–	–	–	–
Stapleford ...	–	1	–	–	–	–
OXFORD	–	6	1	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
†Banbury ...	–	–	–	–	–	E. 1
Rural Districts:—						
Banbury ...	–	1	1	–	–	–
Chipping Norton	–	–	–	–	1	M. 1
Crowmarsh ...	–	1	–	–	–	–
Headington ...	–	2	–	–	–	–
Henley	–	1	–	–	–	–
Witney	–	1	–	–		–
Woodstock ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	3	1	–	1	N. 1
Borough:—						
†Peterborough...	–	2	–	–	–	N. 1
Rural Districts:—						
Peterborough...	–	1	1	–	1	–
RUTLAND	–	–	–	1	–	E. 2
Urban District:—						
Oakham	–	–	–	1	–	E. 2
SALOP	–	17	2	–	–	M. 1 N. 3
Boroughs and Urban Districts:—						
Market Drayton	–	1	–	–	–	–
†Shrewsbury ...	–	4	–	–	–	N. 1
Rural Districts:—						
Atcham	–	3	–	–	–	–
Chirbury ...	–	–	–	–	–	M. 1
Church Stretton	–	1	–	–	–	–
Drayton... ...	–	–	2	–	–	–
Oswestry ...	–	8	–	–	–	–
Wem	–	–	–	–	–	N. 2
SOMERSET	–	20	5	1	6	G. 1 M. 3
†Bath C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†Bridgwater ...	–	–	–	–	–	M. 1
Chard	–	–	–	–	2	–
Highbridge ...	–	1	–	–	–	–
Minehead ...	–	1	–	–	–	–
Radstock ...	–	3	–	–	–	–
Shepton Mallet	–	–	–	1	–	–
†Taunton ...	–	–	1	–	–	–
†Weston super Mare	–	1	–	–	–	M. 1
†Yeovil	–	–	–	–	1	–
Rural Districts:—						
Bath	–	4	–	–	–	–
Dulverton ...	–	–	–	–	–	G. 1
Frome	–	–	–	–	1	–
Long Ashton ...	–	1	–	–	–	M. 1
Shepton Mallet	–	1	–	–	–	–
Taunton... ...	–	–	3	–	–	–
Wells	–	3	–	–	1	–
Wincanton ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	–	22	27	3	5	C. 2 G. 1 M. 2 N. 5
†BOURNEMOUTH C.B	–	–	2	–	–	–
†PORTSMOUTH C.B	–	6	18	–	–	C. 1 G. 1
†SOUTHAMPTON C.B	–	3	4	3	–	C. 1 N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ANDOVER... ...	–	–	1	–	2	M. 1 N. 1
†BASINGSTOKE ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†GOSPORT	–	1	–		2	–
MILTON	*	*	*	*	*	*
ROMSEY	–	–	–	–	–	N. 1
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
FAREHAM ...	–	1	1	–	–	–
FORDINGBRIDGE ..	–	–	–	–	–	M. 1
HARTLEY WINTNEY	–		1	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	3	–	–	–	N. 1
STOCKBRIDGE ...	*	*	*	*	*	*
WINCHESTER ...	–	2	–		–	–
STAFFORD	–	63	36	2	32	C. 4 G. 2 L 3 M. 9 N. 5
†BURTON UPON TRENT C.B.	–	1	1	–	–	–
†SMETHWICK C.B.	–	2	4	–	1	–
†STOKE ON TRENT C.B.	–	15	4	1	12	C. 1 M. 3
†WALSALL C.B. ..	–	3	2	–	2	G. 2
†WEST BROMWICH C.B.	–	3	–	–	1	C 1 M. 1 N. 1
†WOLVERHAMPTON C.B.	–	6	1	–	3	C. 1 M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†BILSTON	–	–	1	–	–	–
†BRIERLEY HILL...	–	2	2	–	–	–
†BROWNHILLS ...	–	1	1	–	1	–
†CANNOCK	–	1	3	–	–	N. 1
†DARLASTON ...	–	1	–	–	–	–
KIDSGROVE ...	–	2	3	–	2	–
†LEEK	–	1	–	–	–	N. 1
†NEWCASTLE UNDER LYME	–	1	2	–	–	–
†ROWLEY REGIS ...	–	2	–	–		–
RUGELEY... ...	–	2	–	–	–	–
†SEDGLEY	–	–	1	–		–
†STAFFORD ...	–	–	–	–	–	C. 1
TAMWORTH ...	–	–	3	–	–	–
†TIPTON	–	2	–	–	4	M. 2 N. 1
†WEDNESBURY ...	–	5	–	–	1	–
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	5	1	1	1	–
†WOLSTANTON UNITED	–	1	–	–	1	M. 1
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	1	–	–	–	L. 3 M. 1
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	1	3	–	–	–
LEEK	–	–		–	1	–
LICHFIELD ...	–	–	–	–	1	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	*	*	*	*	*	*
TAMWORTH (part)	–	2	2	–	–	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...	–	–	1	–	–	–
SUFFOLK, EAST ...	–	16	6	3	2	N. 1
†IPSWICH C.B. ..	–	1		–	–	N. 1
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	–	–	1	–	–
†LOWESTOFT ...	–	10	4	–	–	–
SOUTHWOLD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
HARTISMERE ...	–	2	1	–	–	–
HOXNE	–	–	1	–	–	–
MUTFORD AND LOTHINGLAND	–	2	–	–	2	–
WOODBRIDGE ...	–	–	–	2	–	–
SUFFOLK, WEST ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
NEWMARKET ...	–	4	–	–	–	–
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
SURREY	–	26	31	4	3	E. 1 M. 1 N. 1
†CROYDON C.B. ...	–	9	7	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	–
†CARSHALTON ...	–	–	4	–	–	–
†CHERTSEY ...	–	1	–	1	–	–
†COULSDON AND PURLEY	–	1	1	–	–	–
DORKING	–	–	1	–	–	–
†EGHAM	–	–	–	–	1	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY	*	*	*	*	*	*
†KINGSTON ON THAMES	–	2	–	–	–	–
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM... ...	–	1	–	–	–	–
†REIGATE	–	–	–	2	–	–
†RICHMOND ...	–	–	–	1	–	–
†SURBITON ...	–	1	1	–	1	–
†SUTTON	–	–	7	–	–	–
†WIMBLEDON ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	–	1	–	–	–	–
EPSOM	–	–	6	–	–	–
FARNHAM ...	–	–	2	–	–	–
GUILDFORD ...	–	2	1	–	–	–
REIGATE	–	–	–	–	1	L. 1 N. 1
SUSSEX, EAST ...	–	9	8	4	10	E. 1 N. 1
†BRIGHTON C.B. ...	–	1	6	3	3	N. 1
†EASTBOURNE C.B.	–	2	–	–	2	–
†HASTINGS C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
HAYWARDS HEATH	–	1	1	–	–	–
†HOVE	–	–	–	–	2	–
Rural Districts:—						
BATTLE	–	–	–	–	–	E. 1
CHAILEY	–	2	–	–	–	–
CUCKFIELD ...	–	–	–	1	–	–
EAST GRINSTEAD	–	–	–	–	1	–
HAILSHAM ...	–	1	–	–	–	–
UCKFIELD ...	–	1	1	–	–	–
SUSSEX, WEST ...	–	6	1	3	1	C. 1 M. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	2	–	–
†CHICHESTER ...	–	4	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	–	–	–	–	M. 1
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
STEYNING WEST...	–	–	–	–	–	M. 1
WESTBOURNE ...	–	–	1	–	–	–
WESTHAMPNETT	–	–	–	1	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	64	58	1	34	C. 2 E. 3 G. 1 M. 6 N. 4
†BIRMINGHAM C.B.	–	51	50	1	27	C. 2 E. 3 M. 6
†COVENTRY C.B. ...	–	5	1	–	3	G. 1 N. 2
Boroughs and Urban Districts:—						
KENILWORTH ...	*	*	*	*	*	*
†NUNEATON ...	–	2	2	–	1	–
†RUGBY	*	*	*	*	*	*
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	1	–	1	–
†WARWICK ...	*	*	*	*	*	*
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
ATHERSTONE ...	–	1	1	–	1	–
BRAILES	–	–	–		–	N. 1
FOLESHILL ..	–	–	–	–	–	N. 1
MERIDEN... ...	*	*	*	*	*	*
NUNEATON ...	–	–	–	–	1	–
RUGBY	*	*	*	*	*	*
SOLIHULL ...	*	*	*	*	*	*
SOUTHAM... ...	*	*	*	*	*	*
TAMWORTH (part)	–	2	3	–	–	–
WARWICK ...	*	*	*	*	*	*
WESTMORLAND ..	–	9	1	–	–	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	1	–	–	–	–
GRASMERE ...	–	1	–	–	–	–
WINDERMERE ...	–	–	1	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	7	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	–	–	2	–	G. 1
Boroughs and Urban Districts:—						
†COWES	–	–	–	1	–	–
EAST COWES ...	–	–	–	1	–	–
†RYDE	–	–	–	–	–	G. 1
WILTS	–	9	7	1	4	M. 2 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	2	3	–	2	–
†TROWBRIDGE ...	–	1	–	–	–	M. 1
Rural Districts:—						
AMESBURY ...	–	1	–	1	–	–
BRADFORD-ON-AVON	–		1	–	–	–
CALNE	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	–	M. 1
HIGHWORTH ...	–	1	1	–	–	N. 1
MELKSHAM ...	–	–	–	–	1	–
PEWSEY	–	2	–	–	1	–
WORCESTER ...	–	11	2	–	2	G. 1 N. 1
†DUDLEY C.B. ...	–	2	1	–	–	–
†WORCESTER C.B.	–	–	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	1	1	–	–	–
†MALVERN ...	–	–	–	–	1	–
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
FECKENHAM ...	–	1	–	–	–	–
MARTLEY... ...	–	2	–	–	–	–
TEWKESBURY (part)	*	*	*	*	*	*
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	21	36	1	2	C. 1 G. 1 M. 2
†KINGSTON UPON HULL C.B.	–	16	24	1	2	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	11	–	–	–
HOWDEN	–	1	–	–	–	–
RICCALL	–	2	–	–	–	–
YORKS ... ... (North Riding.)	–	24	6	1	8	C. 1 N. 2
†MIDDLESBROUGH C.B.	–	9	2	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	4	1	–	2	–
†REDCAR	–	–	–		1	–
SCALBY	*	*	*	*	*	*
†SCARBOROUGH ...	–	2	1	–	1	–
†THORNABY ON TEES	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which hey are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
CROFT	–	–	–	–	–	N. 1
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	–	C. 1
NORTHALLERTON	–	1	–	1	–	–
PICKERING ...	–	3	–		–	–
STOKESLEY ...	–	–	2	–	–	N. 1
THIRSK	–	3	–	–	–	–
YORKS ... ... (West Riding.)	13	135	84	12	84	C. 4 E. 2 G. 3 L. 6 M. 14 N. 17
†BARNSLEY C.B. ...	–	2	2	–	3	M. 1
†BRADFORD C.B. ...	–	10	6	1	8	G. 2 M. 1
†DEWSBURY C.B....	–	–	1	–	–	–
†HALIFAX C.B. ...	–	3	2	–	2	M. 1 N. 1
†HUDDERSFIELD C.B	–	4	7	–	1	M. 2
†LEEDS C.B. ..	–	11	16	–	14	M. 2 N. 5
†ROTHERHAM C.B.	–	4	–	–	6	M. 1 N. 1
†SHEFFIELD C.B....	2	45	26	–	27	C. 2 M. 5 N. 1
†WAKEFIELD C.B.	–	2	2	–	–	L. 6
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	2	3	–	1	N. 1
†BINGLEY	1	1	–	–	–	–
†BRIGHOUSE ...	–	–	–	–	1	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	2	–	1	1	–
DARFIELD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DONCASTER ...	2	1	1	1	–	N. 1
DRIGHLINGTON ...	–	–	–	–	–	E. 1
EARBY	–	–	–	1	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOLCAR	–	1	–	–	2	–
†GOOLE	–	2	–	–	–	–
GREETLAND ...	–	–	–	–	2	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	1	2	1	–	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	–	–	1	3	–
†HOLMFIRTH ...	–	–	–	–	–	N. 1
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	2	2	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	1	–
LEPTON	–	–	1	–	–	–
MALTBY	–	–	1	–	1	–
MARSDEN... ...	–	–	3	–	–	–
METHLEY ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	2	–	–	–	N. 1
†MORLEY	–	1	–	–	–	–
†NORMANTON ...	*	*	*	*	*	*
OTLEY	–	2	–	–	–	N. 2
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	–	–	–	1	–
†ROTHWELL ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	2	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
†SOWERBY ...	–	2	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON... ...	–	1	–	1	–	N. 2
THURSTONLAND AND FARNLEY TYAS.	–	1	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	4	–	–	–	–
†WATH UPON DEARNE	–	–	1	–	–	–
†WOMBWELL ..	2	–	–	–	1	–
†WORSBOROUGH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BISHOPTHORPE ...	–	–	–	3	–	–
DONCASTER ...	–	–	–	–	3	–
GOOLE	–	–	–	–	–	G. 1
HALIFAX	–	–	1	–	–	C. 1
HEMSWORTH ...	–	3	–	–	–	–
HUNSLET... ...	–	2	–	–	–	N. 1
PENISTONE ...	–	–	–	–	–	E. 1
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	4	–	5	–	–	–
TADCASTER ...	–	–	–	1	1	C. 1
THORNE	–	5	–	–	–	–
TODMORDEN ...	–	–	1	–	–	–
WETHERBY ...	–	–	2	1	1	–
WORTLEY ...	–	2	–	–	–	–
§YORK, CITY OF ...	–	4	1	1	1	–
†YORK C.B. ...	–	4	1	1	1	–
WALES.						
ANGLESEY	–	8	2	–	–	–
Boroughs and Urban Districts:—						
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
TWRCELYN ...	–	2	–	–	–	–
VALLEY	–	6	–	–	–	–
BRECKNOCK ...	–	1	2	–	–	C. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
BRYNMAWR ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	–	–	1	–	–	–
HAY	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	–	–	–	C. 1
CAERNARVON ...	–	2	–	1	–	–
Rural Districts:—						
GWYRFAI	–	2	–	1	–	–
CARDIGAN ...	–	–	4	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	2	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	2	–	–	–
CARMARTHEN ..	–	4	7	–	–	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	2	–	–	–
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	2	1	–	–	–
LLANELLY ...	–	1	2	–	–	–
DENBIGH	–	2	–	–	–	N. 2
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
WREXHAM ...	–	2	–		–	N. 2
FLINT	–	4	3	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	1	–	–	–
OVERTON ..	–	2	–	–	–	–
GLAMORGAN ..	–	52	64	–	28	C. 1 M. 7 N. 10
†CARDIFF C.B. ..	–	8	8	–	2	M. 3 N. 4
†MERTHYR TYDFIL C.B.	–	1	–	–	2	–
†SWANSEA C.B. ..	–	9	5	–	2	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	1	–	5	–
†BARRY	–	1	5	–	3	M. 2
BRIDGEND ...	–	–	1	–	–	–
†CAERPHILLY ...	–	1	2	–	1	–
†GELLIGAER ...	–	1	–	–	1	C. 1
†MAESTEG ...	–	1	12	–	2	M. 1
†MOUNTAIN ASH ...	–	2	–	–	–	–
†NEATH	–	3	1	–	–	–
†OGMORE AND GARW	–	–	–	–	–	M. 1
†PENARTH ...	–	–	7	–	–	–
†PONTYPRIDD ...	–	2	–	–	2	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	3	–	–	–	N. 3
†RHONDDA ...	–	5	10	–	8	N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	1	5	–	·	–
NEATH	–	2	1	–	–	N. 1
PENYBONT ...	–	1	2	–	·	–
PONTARDAWE ...	–	1	–		·	–
SWANSEA... ..	–	7	3	–	–	-
MERIONETH .	-	–	4	–	–	-
Urban Districts:—						
FESTINIOG ..	–	–	4	–	–	–
MONMOUTH ..	–	8	9	-	7	M. 1 N. 1
†NEWPORT C.B. ..	-	1	–	–	3	-
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	2	-	–	–
†ABERSYCHAN ...		2	-	–	–	–
†ABERTILLERY ..	-	–	1		-	M. 1
†BEDWELLTY ...	–	-	-	–	–	N. 1
†EBBW VALE ...	-	1	1		1	
MONMOUTH ...	*	*	*	*	*	*
†MYNYDDISLWYN		–	1		–	-
†NANTYGLO AND BLAINA	-	1	1	–	–	–
†PANTEG	-	1	–	-	–	–
†RHYMNEY ...	-	–	3	-	–	-
†TREDEGAR ...	–	-	–		3	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MONMOUTH ...	*	*	*	*	*	*
ST. MELLONS ...	–	1	–	–	–	–
PEMBROKE	-	2	–	–	.	C. 1
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	C. 1
PEMBROKE ...	*	*	*	*	*	*
ST. DOGMELLS ...	–	1	–	–	·	–
RADNOR		1	-	–	–	–
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts:—						
PAINSCASTLE ...	–	1	–	-	–	–
Total of Part II. ...	120	1548	881	86	559	C. 48 D. 2 E. 45 F. 5 G. 28 L. 16 M. 125 N. 146

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
Liverpool	–	–	–	–	–	L. 1	Port of London ..	–	–	–	1	–
Southampton ...	–	–	1	–	–	–	Total of Part III.... ...	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyre

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	303	304	4	75	C. 7 D. 2 E. 1 G. 5 M. 16 N. 34
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	120	1548	881	86	559	C. 48 D. 2 E. 45 F. 5 G. 28 L. 16 M. 125 N. 146
Total of Part III.—Port Sanitary Districts	-	–	1	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales ...	121	1851	1186	91	634	C. 55 D. 4 E. 46 F. 5 G 33 L. 17 M 141 N. 180

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended:—	July 17	July 24	July 31.	Aug. 7.	Aug. 14	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18	Sept. 25.	Oct. 2.	Oc 9
LONDON:—													
DEATHS—all ages	791	706	806	706	752	716	785	791	766	810	819	848	9
" 0 to 1 year ..	64	60	74	56	76	68	72	85	81	105	117	120	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,992	7,118	7,460	6,079	7,508	6,970	7 029	6,358	6,523	6,830	6 426	6,560	6 5
DEATHS—all ages	3,540	3,215	3,287	3,139	3,226	3.280	3,292	3.409	3,393	3 449	3,507	3,731	3.9
" 0 to 1 year ..	363	337	372	354	386	383	409	452	445	516	477	566	5
ENTERIC FEVER—Cases	36	46	33	14	30	24	24	28	29	24	33	36	
" Deaths	4	—	4	5	1	—	2	3	4	5	3	2	
SMALL POX—Cases ..	23	10	5	8	4	11	5	16	10	19	39	32	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	2	
SCARLET FEVER—Cases	904	734	716	600	674	669	641	750	773	837	963	968	1,0
" Deaths	6	3	3	2	6	6	5	6	3	2	3	3	
DIPHTHERIA—Cases ..	608	625	479	509	552	460	511	526	600	674	732	722	8
" Deaths ..	25	25	21	26	23	28	24	30	20	24	29	36	
MEASLES—Deaths ..	14	14	14	13	9	12	10	6	10	1	1	5	
INFLUENZA—Deaths ..	22	20	14	19	18	16	18	19	12	19	23	32	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 9th October, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.†	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°							
LONDON (GREENWICH).	73	44	66·6	49·6	2	HUDDERSFIELD	72	43	62·6	50·7	23
BRIGHTON ..	66	47	64·6	51·0	0·4	BRADFORD ..	70	44	60·0	52·7	19
PORTSMOUTH ..	68	48	66·7	52·6	3	SHEFFIELD ..	69	45	61·9	51·7	25
NORWICH (SOUTHWELL LODGE).	69	45	64·2	50·0	8	YORK (MUSEUM)	74	43	63·0	51·0	10
PLYMOUTH ..	72	48	66·7	54·4	2	HULL (PEARSON PARK).	73	46	63·1	51·4	28
BRISTOL (CLIFTON).	69	46	62·9	52·6	8	TYNEMOUTH ..	74	47	62·7	54·6	9
BIRMINGHAM (EDGBASTON).	70	44	61·9	51·3	25	CARDIFF.. ..	68	45	61·9	52·7	13
NOTTINGHAM ..	70	43	63·1	52·0	16	EDINBURGH ..	69·0	45·0	59·9	51·4	22
BIRKENHEAD (BIDSTON).	65	45	59·3	53·3	22	GLASGOW ..	66·9	45·2	58·8	51·9	30
MANCHESTER (WHITWORTH PARK).	72	45	63·0	53·0	21	DUBLIN (PHŒNIX PARK).	72·0	44·0	63·1	51·3	17
BURNLEY.. ..	72	41	61·0	52·0	23	(FITZWILLIAM SQUARE).	69·3	46·0	62·3	54·4	14
						BELFAST.. ..	71·0	47·0	65·1	52·1	25

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 9th October, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	3	..	30·283	67·2	44·1	23·1	55·7	+ 2·4	54·1	1·6	9·0	0·0	94	94·3	34·1	56·8	Calm	Calm	0·0	0·0	0·0	76	− 189	0·00
MONDAY -	4	Apogee	30·351	61·9	51·2	10·7	57·0	+ 4·0	53·6	3·4	7·8	0·0	88	70·1	40·3	56·6	Calm: NE.	ENE	1·1	0·0	0·1	207	− 58	0·00
TUESDAY -	5	..	30·184	62·3	55·5	6·8	58·3	+ 5·5	51·5	6·8	11·9	0·9	78	105·7	51·5	56·6	ENE: E.	E: ENE.	2·1	0·0	0·2	259	− 5	0·00
WEDNESDAY	6	In Equator New.	29·898	73·0	52·3	20·7	60·5	+ 8·0	56·4	4·1	15·0	0·2	86	118·1	42·2	56·5	ENE	Calm: S.	0·6	0·0	0·0	154	− 108	0·00
THURSDAY -	7	..	29·778	67·8	50·7	17·1	57·9	+ 5·6	51·9	6·0	14·7	0·6	80	123·2	38·6	56·5	SW	SW: SSW.	0·6	0·0	0·1	214	− 44	0·00
FRIDAY -	8	..	29·595	69·8	45·8	24·0	57·5	+ 5·5	50·9	6·6	18·3	0·6	79	118·2	33·5	56·6	SSW	SSW: WSW.	1·7	0·0	0·1	271	+ 18	0·06
SATURDAY -	9	..	29·177	64·4	46·1	18·3	54·0	+ 2·4	44·3	9·7	24·6	0·6	70	106·7	35·9	56·3	SW: SSW.	WSW	15·2	0·0	1·7	656	+ 405	0·13
MEANS -		..	29·825	56·6	49·4	17·2	57·3	+ 4·8	51·8	5·5	14·5	0·4	82	105·2	39·4	56·6	Variable		..	..	..	Sum 1837	Sum + 19	Sum 0·09
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	3	wP till 13h.; mP till 16h.; then wP.	0·2	11 5	Nearly overcast generally. Mist from 1h. Dew in morning.
MONDAY ..	5	wP.	0 0	11·4	Cloudy, becoming overcast by 1h. Fog till 7½h. Frequent damping between 9h. and 15h.
TUESDAY ..	4	wP.	0 8	11·4	Overcast with cloudy interval between 10½h. and 15h.
WEDNESDAY	6	wP.	6 7	11·3	Overcast till 9h., then partially cloudy. Fog 4h. till 9h. Dew in morning and evening.
THURSDAY	7	wP.	4·8	11·2	Variably cloudy till 12h., then partially cloudy, becoming cloudless by 19h.
FRIDAY ..	8	wP.	5 5	11·2	Variably cloudy. Dew in morning. Partial solar halo 14½h. Rain 19½h. till 21h.
SATURDAY	9	wP till 11h.; mP till 17h., then wP.	4·0	11·1	Partially cloudy till 5h.; overcast till 12h., then partially cloudy becoming cloudless by 18¼h. Rain 5¾h. till 6h., and occasional slight rain between 7h. and 12h. Brisk wind 5h. till 11h., and from 19h.; high wind 11h. till 19h. with moderate gale 13h. till 15h.
			Sum 22·0	Sum 79·1	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 30·24 ins. at the beginning of the week to 30·37 ins. by 11h. on 4th; decreased to 29·10 ins. by 11h. on 9th; increased and was 29·36 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 41.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 16TH OCTOBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH OCTOBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-first week of the year numbered 6,240 and corresponded to an annual rate of 16·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,793 and corresponded to an annual rate of 10·2 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 9·4, 10·0 and 10·5. Infant mortality was 81 per 1,000 births against 74, 86 and 81 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,381 births, corresponding to a rate of 15·6 per 1,000, and 895 deaths of civilians, corresponding to an annual rate of 10·1, against 9·3, 9·6 and 10·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 9·8 per 1,000. The infant mortality was 74 as against 80, 80 and 62 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 3,916 to 3,793. In London the number of deaths from all causes decreased from 912 to 895; the deaths from diphtheria which had been 7, 11 and 8 in the preceding three weeks rose to 13 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 58, 63 and 49 in the preceding three weeks, decreased to 28 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } **Births and Deaths registered in the week ended 16th October, 1926.**

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,240	3,793	505	1	9	2	16	39	171	38
London	4,602,000*	1,381	895	102	-	-	-	4	13	28	6
Towns in Outer Ring.											
Croydon C.B ..	199,300	48	37	2	-	-	-	-	-	-	1
Wimbledon ..	58,170	10	8	-	-	-	-	-	-	-	1
Ealing†	91,000	20	21	1	-	-	-	-	-	-	-
Acton	63,110	19	14	1	-	-	-	-	-	-	-
Willesden ..	168,900	58	29	3	-	-	-	-	-	1	1
Hendon	59,150*	16	5	-	-	-	-	-	-	-	-
Hornsey	87,210	14	11	-	-	-	-	1	-	-	-
Wood Green ..	51,960	16	7	-	-	-	-	-	-	-	-
Tottenham ..	153,600	34	26	2	-	-	-	-	-	-	2
Edmonton ..	71,210	49	15	2	-	-	-	-	1	1	1
Enfield	63,740	15	5	1	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	127	73	13	-	-	1	-	-	7	-
East Ham C.B. ..	147,200	42	19	5	-	-	-	-	1	2	-
Leyton	132,700	29	19	-	-	-	-	-	1	-	-
Walthamstow ..	130,800	31	23	4	-	-	-	-	-	1	-
Ilford	93,590	28	17	-	-	-	-	-	1	-	-
Gillingham	48,680*	13	7	-	-	-	-	-	1	-	-
Canterbury C.B ..	23,270*	10	5	1	-	-	-	-	-	-	-
Hastings C.B.	60,470	19	12	1	-	-	-	-	-	1	-
Eastbourne C.B. ..	55,060	20	14	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	41	34	4	-	-	-	-	-	3	1
Portsmouth C.B. ..	232,900*	85	36	4	-	-	-	-	1	3	-
Bournemouth C.B. ..	85,840	22	24	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	55	29	2	-	-	-	-	-	1	-
Reading C.B.	93,670*	27	25	-	-	-	-	-	-	-	-
Oxford C.B.	57,090	23	16	2	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	25	12	-	-	-	-	-	-	-	-
Luton	59,230	13	3	-	-	-	-	-	-	-	-
Cambridge	59,020	24	9	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	18	20	3	-	-	-	-	-	-	1
Ipswich C.B.	83,120*	24	16	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	17	11	2	-	-	-	-	-	1	-
Norwich C.B. ..	124,000*	42	22	2	-	-	-	-	-	-	-
Swindon	56,880	14	12	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	23	10	-	-	-	-	-	-	-	1
Plymouth C.B. ..	192,100*	81	43	8	-	-	-	-	2	1	-
Bath C.B.	69,050	13	13	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	90	78	11	1	-	-	-	1	2	2
Gloucester C.B. ..	53,060	17	18	2	-	-	-	-	-	1	-
Stoke-on-Trent C.B.	278,900	97	60	16	-	1	-	1	-	7	-
Burton-upon-Trent C.B.	49,530	22	8	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	32	18	2	-	-	-	-	-	-	-
Walsall C.B.	102,300	40	18	6	-	-	-	-	1	1	-
West Bromwich C.B	79,490	24	7	2	-	-	-	-	-	-	-
Dudley C.B.	58,810	19	7	1	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	14	16	2	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	324	179	33	-	1	-	2	1	14	1
Smethwick C.B. ..	78,840	30	11	3	-	-	-	-	-	1	-
Coventry C.B ..	129,100	40	17	2	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	69	54	3	-	-	-	-	-	1	-
Lincoln C.B.	66,600*	16	8	-	-	-	-	-	-	-	-
Grimsby C.B.	87,190	32	12	2	-	-	-	-	-	2	-
Nottingham C.B. ..	270,600	83	58	7	-	-	-	-	-	3	1
Derby C.B.	134,400*	37	23	3	-	-	-	-	-	-	-
Chesterfield ..	65,800	28	10	-	-	-	-	-	1	-	-
Stockport C.B. ..	125,900	37	21	3	-	-	-	-	-	1	-
Chester C.B.	41,670	9	4	-	-	-	-	-	-	1	-
Birkenhead C.B. ..	155,500	57	22	6	-	-	-	-	-	2	1
Wallasey C.B. ..	91,720	37	11	3	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	373	168	39	-	1	-	1	2	21	1
Bootle C.B.	83,260	31	18	6	-	-	-	2	-	2	-
St. Helens C.B. ..	109,600	45	18	8	-	-	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	9	15	-	-	-	-	-	-	-	-
WIGAN C.B.	91,010	24	17	2	-	-	-	-	-	-	-
WARRINGTON C.B. ..	77,970*	37	12	3		-	-	-	-	-	-
BOLTON C.B.	180,400	49	40	6	-	1	-	-	-	3	1
BURY C.B.	56,700*	13	10	1		-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	266	191	29	-	-	1	2	2	10	3
SALFORD C.B.	244,700	79	50	3	-	-	-	-	1	3	1
OLDHAM C.B	146,200	38	34	7	-	-	-	-	-	2	-
ROCHDALE C.B... ..	92,190	25	25	2	-	-	-	-	-	-	1
BURNLEY C.B.	102,300	28	20	4	-	-	-	-	-	-	-
BLACKBURN C.B. ..	126,900	35	24	3	-	-	-	-	-	-	-
PRESTON C.B.	122,900	43	29	2	-	-	-	-	-	2	-
BLACKPOOL C.B. ..	80,750	13	19	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	22	11	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	20	19	-	-	-	-	-	-	-	1
HALIFAX C.B.	97,860*	21	23	1	-	-	-	-	-	1	-
BRADFORD C.B. ..	290,200	80	53	4	-	2	-	-	1	1	1
LEEDS C.B.	472,900	136	102	12	-	-	-	-	-	4	-
DEWSBURY C.B ..	54,570	27	15	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	17	7	1	-	-	-	-	-	1	-
BARNSLEY C.B. ..	71,170	33	9	3	-	-	-	1	-	1	1
SHEFFIELD C.B. ..	526,900*	161	93	15	-	-	-	-	2	7	1
ROTHERHAM C.B. ..	70,600	29	5	-	-	-	-	-	-	-	-
DONCASTER	55,610	17	15	-	-	-	-	-	-	-	-
YORK C.B.	84,630*	16	27	4	-	-	-	-	-	1	-
HULL C.B.	297,300	93	68	12	-	-	-	-	2	5	1
MIDDLESBROUGH C.B.	136,200	62	31	7	-	-	-	-	-	2	1
DARLINGTON C.B. ..	69,130	25	17	3	-	-	-	-	-	1	1
STOCKTON-ON-TEES ..	68,000	32	7	3	-	-	-	-	1	-	-
WEST HARTLEPOOL C.B.	71,590	33	13	2	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	166,000	65	42	6	-	1	-	1	1	6	
SOUTH SHIELDS C.B. ..	124,600	55	27	7	-	-	-	1	1	2	-
GATESHEAD C.B. ..	129,000	44	23	3	-	1	-	-	-	3	-
NEWCASTLE-ON-TYNE C.B.	286,300*	113	68	10	-	-	-	-	-	2	1
TYNEMOUTH C.B. ..	66,180	29	20	3	-	-	-	-	1	-	-
CARLISLE C.B.	55,160*	14	6	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	96,420*	38	18	-	-	-	-	-	-	-	1
CARDIFF C.B.	227,100*	95	41	6	-	1	-	-	-	-	1
RHONDDA	167,570	59	31	2	-	-	-	-	-	1	-
MERTHYR TYDFIL C.B.	82,920	28	18	2	-	-	-	-	-	1	-
ABERDARE	57,700	18	11	2	-	-	-	-	-	1	-
SWANSEA C.B.	163,200	50	26	4	-	-	-	-	-	1	-
GREATER LONDON ..	7,742,212*	2,290	1,430	153	-	-	1	5	19	49	17
OUTER RING	3,140,212*	909	535	51	-	-	1	1	6	21	11
GREAT TOWNS IN OUTER RING	1,890,140*	556	329	34	-	-	1	1	4	12	6
REMAINDER OF OUTER RING	1,250,072*	353	206	17	-	-	-	-	2	9	5
EDINBURGH†	424,600	153	99	10	1	-	-	-	-	1	4
GLASGOW† ..	1,052,200	426	228	30	2	-	1	-	1	8	2
DUBLIN (REGISTRATION AREA)†	419,156§	175	117	30	-	-	-	2	3	12	1
BELFAST†	416,000	180	110	25	-	-	1	-	-	17	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases(un-
LONDON‡	4,602,000	1926. Oct. 16	1381	895	10·1	–	–	–	–	4	13	2
CALCUTTA AND SUBURBS	1,077,273	Sept. 11	?	775‖	37·4	?	4	?	?	?	?	?
BOMBAY§	1,279,061	„ 18	397	667‖	27·1	6	1	2	–	1	–	4
MADRAS	528,791	„ 18	491	448	44·0	1	1	–	?	3	–	3
SYDNEY AND SUBURBS	1,038,950	Aug. 31 (31 days)	1786	865	10·0	1	–	4	4	6	5	
BRISBANE (Metropolitan Area).	263,711	Aug. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Aug. 21	55	44	12·7	–	–	–	–	1	–	
AUCKLAND (Urban Area).	192,176	Aug. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Aug. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Aug. 31 (31 days)										
CAPE TOWN	113,709	Sept. 18	58	25	11·4	–	–	–	–	–	–	
JOHANNESBURG	165,958	„ 18	73	33	10·3	1	–	–	–	–	–	
DURBAN	54,822	„ 18	20	17	16·1	–	–	–	–	–	–	
PARIS	2,906,472	Sept. 30 (10 days)	1164	956	12·0	9	–	2	1	–	2	7
ANTWERP	300,193	Sept. 4	93	45	8·1	–	–	–	–	–	–	
AMSTERDAM	720,837	„ 25	263	107	7·7	–	–	–	–	–	1	
COPENHAGEN	587,400	„ 25	192	111	9·8	–	–	–	–	–	2	
STOCKHOLM	442,528	Oct. 2	115	77	9·0	–	–	–	–	–	–	
GOTHENBURG	230,963	„ 2										
OSLO (CHRISTIANIA) ..	255,724	„ 9	63	47	9·6	–	–	–	–	–	–	
BERLIN	1,999,000	Sept. 25	351	403	10·5	–	?	–	–	3	2	
BRESLAU	560,000	„ 25	208	121	11·2	–	?	–	–	–	–	
COLOGNE	708,000	„ 25	228	128	9·4	–	?	–	–	5	–	
DRESDEN	621,000	„ 25	151	96	8·0	–	?	–	–	–	–	
FRANKFORT-ON-MAIN ..	472,000	„ 25	113	56	6·2	–	?	–	–	–	–	
HAMBURG	1,101,000	„ 25	275	179	8·5	3	?	–	–	2	–	
LEIPZIG	685,000	„ 25	177	140	10·6	–	?	–	–	–	–	
MUNICH	685,000	„ 25	187	126	9·6	1	?	1	–	1	–	
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	April 30 (30 days)										
BUDAPEST	960,995	Sept. 25	305	265	14·3	6	–	–	5	–	2	1
WARSAW	1,015,426	Oct. 2	?	?	14·7	3	–	–	26	3	1	2
CAIRO	859,400	May 13	802	965	58·6	4	1	45	–	?	6	23
ALEXANDRIA	492,100	„ 13	464	322	34·1	3	2	1	–	?	1	4
NEW YORK	5,924,139	Sept. 11	2394	1143	10·1	3	–	1	–	3	10	4
CHICAGO ..	2,995,239	„ 24	1106	619	10·6	–	?	–	1	–	4	2

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 18 deaths from cholera in Calcutta and 3 from plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th October, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	895	102	10	12	24	31	42	53	114	132	170	205
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	4	-	-	-	-	-	-	-	-	-	-
Diphtheria	13	-	2	5	5	-	-	-	1	-	-	-
Influenza	6	-	-	-	-	-	-	1	1	1	2	1
Erysipelas	4	-	-	-	1	-	-	1	-	1	-	1
Acute Poliomyelitis, Poliocencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	1	-	1	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	64	-	-	-	3	13	18	5	14	10	1	-
Nervous system	5	-	-	3	1	-	-	-	1	-	-	-
Intestines and peritoneum	1	1	-	-	-	-	-	-	-	-	-	-
Other forms	4	1	-	-	1	-	1	-	-	-	-	1
Venereal diseases	3	3	-	-	-	-	-	-	-	-	-	-
Cancer	121	1	-	-	1	2	2	8	29	33	32	13
Rheumatic fever	2	-	-	-	-	1	-	-	-	1	-	-
Diabetes	2	-	-	-	-	-	1	-	-	-	1	-
Alcoholism	1	-	-	-	-	-	-	-	-	1	-	-
Simple meningitis	2	1	-	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	45	-	-	-	-	-	-	2	1	8	16	18
Epilepsy	2	-	-	-	1	-	-	-	1	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	-	-	-	1	3	1	3	9	4	5	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	3	-	-	-	1	1	-	-	-	1	-	-
Other diseases of heart	141	-	-	-	2	3	3	4	15	26	33	55
Other diseases of circulatory system	53	-	-	-	-	-	-	1	2	9	17	24
Bronchitis	41	1	1	-	-	-	-	-	4	3	10	22
Broncho-pneumonia	25	7	2	-	2	-	1	2	3	1	3	4
Lobar-pneumonia	24	-	1	-	-	-	2	5	4	4	5	3
Pneumonia (type not distinguished)	10	1	-	-	-	-	1	1	1	3	1	2
Other diseases of respiratory system	7	-	-	-	1	-	-	-	1	1	2	2
Diarrhœa and enteritis	31	26	2	-	-	-	-	-	-	-	1	2
Appendicitis, Typhlitis	2	-	-	1	-	-	-	-	1	-	-	-
Hernia, Intestinal obstruction.. ..	12	2	-	-	1	-	1	1	1	1	-	5
Cirrhosis of liver	7	-	-	-	-	-	-	1	2	2	2	-
Other diseases of digestive system ..	21	1	1	1	-	-	1	1	4	1	6	5
Acute nephritis	1	-	-	-	-	-	-	-	-	-	-	1
Chronic Bright's disease..	30	-	-	1	-	-	1	5	4	11	6	2
Other diseases of genito-urinary system.	17	-	-	-	-	-	1	1	4	2	6	3
Puerperal sepsis	4	-	-	-	-	1	2	-	1	-	-	-
Other causes incident to childbirth..	5	-	-	-	-	1	1	3	-	-	-	-
Congenital malformations	12	12	-	-	-	-	-	-	-	-	-	-
Premature birth	26	26	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	29	-	-	-	-	-	-	-	-	1	6	22
Suicide	10	-	-	-	-	1	1	4	2	2	-	-
Burns and Scalds	3	-	1	-	-	-	-	-	-	-	1	1
Drowning	1	-	-	-	-	-	-	-	-	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	13	-	-	-	1	4	1	-	1	2	2	2
Other deaths by violence	13	-	-	1	1	-	1	-	-	-	2	8
Other specified causes	36	6	-	-	1	1	1	4	5	3	9	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th October, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	1	267	329	8	111	C. 3 E. 2 G. 3 M. 18 N. 22
†CITY OF LONDON	–	1	4	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	5	–	7	E. 1 N. 1
†BERMONDSEY ...	–	12	30	1	3	M. 1 N. 1
†BETHNAL GREEN	–	13	22	–	7	M 4 N. 2
†CAMBERWELL ...	–	18	24	–	4	M. 1 N. 1
†CHELSEA	–	2	2	–	3	–
†DEPTFORD ...	–	10	8	–	2	–
†FINSBURY ...	–	2	7	–	2	–
†FULHAM	–	5	8	–	6	M. 1 N. 1
†GREENWICH ...	–	8	10	1	2	–
†HACKNEY ...	–	23	11	–	2	N. 3
†HAMMERSMITH ...	–	1	14	1	7	M. 1
†HAMPSTEAD ..	–	1	–	–	3	–
†HOLBORN... ..	–	2	3	–	1	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	21	22	2	3	C. 1 E. 1 G. 1 M. 3 N. 2
†KENSINGTON ...	–	5	7	1	2	N. 1
†LAMBETH ...	–	20	10	1	1	C. 1 M. 1
†LEWISHAM ...	–	11	12	–	6	N. 1
†PADDINGTON ...	–	1	11	–	2	M. 1 N. 1
†POPLAR	–	23	9	–	12	M. 1 N. 1
†ST. MARYLEBONE	–	1	2	1	1	–
†ST. PANCRAS ...	1	10	9	–	5	M. 3 N.
†SHOREDITCH ...	–	11	13	–	2	–
†SOUTHWARK ...	–	10	20	–	12	N. 4
†STEPNEY	–	27	22	–	5	C. 1 G. 1 M. 1
†STOKE NEWINGTON	–	4	2	–	–	–
†WANDSWORTH ...	–	5	27	–	7	G. 1 N. 2
†WESTMINSTER, CITY OF	–	3	7	–	2	–
†WOOLWICH ...	–	7	8	–	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	14	6	–	1	N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	8	1	–	1	–
†LUTON	–	1	2	–	–	N. 1
Rural Districts:—						
BEDFORD ...	–	4	–	–	–	–
BIGGLESWADE ...	–	–	–	–	–	N. 1
EATON SOCON ...	–	–	3	–	–	–
LUTON	–	1	–	–	–	–
BERKS	–	5	1	1	1	E. 1 M. 1 N. 1
†READING C.B. ...	–	–	1	1	–	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†MAIDENHEAD ...	–	1	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	1	–
EASTHAMPSTEAD	–	1		–	–	E. 1
FABINGDON (part)	–	–	–	–	–	N. 1
HUNGERFORD ...	–	2	–	–	–	–
BUCKINGHAM ...	–	7	2	–	3	G. 1 M. 2
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	1	–	–	–
†CHEPPING WYCOMBE	–	–	–	–	1	M. 1
MARLOW	–	–	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...	–	–	–	–	–	G. 1
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	2	1	–	–	–
LONG CRENDON...	–	–	–	–	–	M. 1
WINSLOW... ...	*	*	*	*	*	*
WYCOMBE ...	–	3	–	–	–	–
CAMBRIDGE ...	–	2	4	1	–	G. 1
Borough:—						
†CAMBRIDGE ...	–	1	4	1	–	–
Rural Districts:—						
MELBOURN ...	–	1	–	–	–	G. 1
CHESTER	–	74	32	2	16	C. 3 E. 2 G. 1 L. 1 M. 4 N. 5
†BIRKENHEAD C.B.	–	11	4	–	5	G. 1 N. 1
†CHESTER C.B. ...	–	1	–	–	–	–
†STOCKPORT C.B.	–	26	6	–	1	N. 1
†WALLASEY C.B. ...	–	5	1	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	2	2	–	–	–
†ALTRINCHAM ...	–	4	–	–	–	N. 1
ASHTON UPON MERSEY	–	1	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	–	C. 1
BOWDON	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CONGLETON ...	–	–	1	–	–	–
†CREWE	–	2	1	–	1	–
†DUKINFIELD ...	–	–	–	–	2	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	C. 1
HALE	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	1	2	–	2	–
LYMM	–	1	–	–	–	
†MACCLESFIELD ...	–	1	2	1	–	L. 1
MARPLE	–	–	1	–	–	N. 1
†NORTHWICH ...	–	4		–	1	M. 1
†RUNCORN... ...	–	–	1	–	–	–
†SALE	–	1	–	–	–	–
TARPORLEY ...	–	–	1	–	–	–
WILMSLOW ...	–	1	1	–	–	–
†WINSFORD ...	–	5	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	2	–	1	E. 1
CONGLETON ...	–	2	–	–	–	E. 1
DISLEY	–	–	–	–	–	N. 1
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	–	1	–	1	–
NORTHWICH ...	–	1	–	–	1	–
RUNCORN ...	–	1	–	1	–	–
TARVIN	–	–	1	–	–	M. 1
WIRRAL	–	–	3	–	–	M. 2
CORNWALL ...	–	6	1	1	7	N. 1
Boroughs and Urban Districts:—						
REDRUTH ...	–	–	–	–	1	–
ST. JUST	–	3	–	–	–	–
SALTASH... ...	–	–	–	–	1	–
TORPOINT ...	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	–	–	1	–	3	–
CAMELFORD ...	–	–	–	–	–	N. 1
HELSTON... ...	–	2	–	–	–	–
ST. GERMANS ...	–	1	–	1	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ..	–	16	7	1	–	E. 3
†CARLISLE C.B. ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	E. 1
EGREMONT ...	–	–	2	–		–
†MARYPORT ...	–	–	1	1	–	–
PENRITH	–	–	–	–	–	E. 1
†WORKINGTON ...	–	1	2	–	–	–
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
CARLISLE ...	–	4	–	–	–	–
COCKERMOUTH ...	–	7	–			–
LONGTOWN ...	*	*	*	*	*	*
WHITEHAVEN ...	–	–	–	–	–	E. 1
DERBY	4	33	19	–	17	C. 4 E. 2 M. 2 N. 4
†DERBY C.B. ..	4	1	9	–	4	C. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–		N. 1
ALVASTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	M. 1
BAKEWELL ...	–	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	–	C. 1
†BUXTON	–	1	–	–		–
†CHESTERFIELD ...	–	5	2	–	2	C. 1 E. 1
CLAY CROSS ...	–	–	–	–	–	E. 1
†GLOSSOP	–	1	3	–	–	–
†HEANOR	–	–	–		1	–
†ILKESTON ...	–	1	–	–	–	N. 1
†LONG EATON ...	–	5	–	–	–	–
†SWADLINCOTE DISTRICT	–	10	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	1	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ..	–	4	3	–	3	N. 1
CLOWNE	–	–	–		1	M. 1
HARTSHORN AND SEALS	–	1	–	–	–	–
HAYFIELD ...	–	–	–		–	N. 1
SHARDLOW ...	–	–	–	–	2	–
CODNOR PARK AND SHIPLEY (Parishes)	–	–	1	–	–	–
DEVON	–	42	23	–	4	C. 1 M. 3 N. 1
†EXETER C.B. ...	–	16		–	1	M. 1
†PLYMOUTH C.B...	–	6	17	–	–	M. 2
Boroughs and Urban Districts:—						
BIDEFORD ...	–	4	–	–	–	–
†EXMOUTH ...	–	4	–	–	–	–
GREAT TORRINGTON	*	*	*	*	*	*
†ILFRACOMBE ...	–	1	–		–	–
IVYBRIDGE ...	–	–	1	–	–	–
NORTHAM ...	–	–	1	–	–	–
OKEHAMPTON ...	–	–	–	–	–	C. 1
†TEIGNMOUTH ...	–	3	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
CULMSTOCK ...	–	1	–	–	–	–
HONITON ...	–	–	–	–		N. 1
NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	2	–
ST. THOMAS ...	–	2	–	–	–	–
TAVISTOCK ..	–	2	4	–	–	–
TORRINGTON ...	*	*	*	*	*	*
TOTNES	–	–	–	–	1	–
DORSET	–	3	2	1	2	G. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	–	–
†PORTLAND ..	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts:—*cont.*						
SHERBORNE ...	–	1	–	1	–	G. 1
WAREHAM ...	–	–	1	–	–	–
Rural Districts:—						
WIMBORNE AND CRANBORNE	–	1	1	–	1	–
DURHAM	111	80	23	1	27	D. 1 J. 1 M. 7 N. 5
†DARLINGTON C.B.	–	5		–	1	–
†GATESHEAD C.B.	22	22	3	–	–	–
†SOUTH SHIELDS C.B.	5	5	1	–	2	–
†SUNDERLAND C.B.	–	–	2	1	11	M. 2 N. 3
†WEST HARTLEPOOL C.B.	1	4	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	D. 1
†BLAYDON... ...	–	6	–		–	–
†BRANDON AND BYSHOTTLES	25	–	1	–	–	–
†CHESTER LE STREET	–	4	–	–	–	–
†CROOK	1	–	–	–	–	M. 1
†DURHAM	–	–	1	–	–	–
†HARTLEPOOL ...	–	2	4	–	1	–
†HEBBURN ...	–	3	–	–	–	–
†HETTON	4	–	–	–	–	–
†HOUGHTON LE SPRING	3	–	2	–	–	–
†JARROW	6	1	–	–	1	M. 1
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	–	–
†SHILDON	1	1	–		–	–
†STANLEY	1	2	–	–	–	J. 1 N. 1
†STOCKTON ON TEES	–	6	2	–	–	M. 1 N. 1
†TANFIELD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WASHINGTON ...	3	–	–	–	–	–
†WHICKHAM ...	–	2	–	–	2	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ..	1	2	1	–	–	–
CHESTER LE STREET	–	2	1	–	2	–
DURHAM	1	–	–		–	–
EASINGTON ..	22	3	1	–	1	–
HOUGHTON LE SPRING	3	1	–	–	5	–
LANCHESTER ..	2	1	3	–	–	–
SEDGEFIELD ..	10	–	–	–	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	–	M. 2
ELY, ISLE OF ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	–	–
WHITTLESEY ...	–	–	1	–	1	–
†WISBECH	–	–	–	–	1	–
Rural Districts:—						
ELY	–	2	–	–	–	–
ESSEX	–	136	55	3	33	C. 3 E. 3 M. 5 N. 4
†EAST HAM C.B. ...	–	4	10	1	5	–
†SOUTHEND-ON-SEA C.B.	–	9	1	1	5	C. 1 M. 3
†WEST HAM C.B. ...	–	47	10	–	10	N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	–	–	1	M. 1
BRAINTREE ...	–	3	–	–	–	–
BRENTWOOD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANVEY ISLAND...	–	–	1	–	–	–
CHINGFORD ...	–	1	1	–	1	–
†COLCHESTER ...	–	4		–	–	–
DAGENHAM ...	–	3	2	–	–	C. 1 N. 1
EPPING	–	–	1	–	–	–
†HARWICH ...	–	–		1	–	–
†HORNCHURCH ...		2	–	–		–
†ILFORD	–	3	6	–		–
†LEYTON	–	5	7	–	4	–
MALDON	–	–	1	–	–	–
†ROMFORD ...	–	1	1	–	–	–
SAFFRON WALDEN	–	3	–	–	–	–
SHOEBURYNESS ...	–	1	–		–	M. 1
TILBURY	–	1	–		2	E. 1
†WALTHAMSTOW...	–	21	8	–	3	C. 1
†WANSTEAD ..	–	1	1	–	–	–
WITHAM	–	–	1	–	–	–
†WOODFORD ...	–	–	1	–	2	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	E. 1
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	5	–	–	–	–
HALSTEAD ...	–	3	–	–	–	–
MALDON	–	3	–	–	–	–
ONGAR	–		1	–	–	–
ORSETT	–	4	1	–	–	E. 1
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
STANSTED ...	–	1		–	–	–
GLOUCESTER ..	–	27	19	1	5	C. 1 M. 2 N. 4
†BRISTOL C.B. ...	–	12	12	1	2	C. 1 M. 2 N. 2
†GLOUCESTER C.B.	–	1	4	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
COLEFORD ...	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSWOOD ...	–	1	–	–	–	–
STROUD	–	2	–	–	–	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	N. 1
GLOUCESTER ...	–	1	–	–	–	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	2	1	–	2	–
WARMLEY ...	–	1	–	–	–	–
WHEATENHURST	–	–	1	–	–	–
HEREFORD ..	–	1	–	–	–	–
Rural Districts:—						
WIGMORE ...	–	1	–	–	–	–
HERTFORD .	–	10	8	1	–	C. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	C. 1
BISHOP'S STORTFORD	–	1	–	–	–	–
†CHESHUNT ...	–	–	2	–	–	N. 1
†EAST BARNET VALLEY	–	1	–	–	–	–
HODDESDON	–	–	–	1	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	2	–	–	–	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	1	–	–	–
BERKHAMPSTEAD	–	–	1	–	–	–
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	2	–	–	–	–
ST. ALBANS ...	–	–	2	–	–	–
WATFORD ...	–	–	1	–	–	–
HUNTINGDON ...	–	3	5	–	–	N. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	2	–	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
RAMSEY	–	–	–	–	–	N. 1
Rural Districts:—						
NORMAN CROSS ...	–	–	3	–	–	–
ST. IVES	–	–	2	–	–	–
KENT	–	33	35	1	13	E. 8 F. 15 M. 1 N. 1
†CANTERBURY C.B.	–	–	1	–	–	F. 4
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–		1	–
†BECKENHAM ...	–	–	–	–	2	–
†BEXLEY	–	3	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	E. 7 F. 11
†BROMLEY ...	–	1	–	–	1	N. 1
†CHATHAM ...	–	2	8	–	–	–
†CRAYFORD ...	–	–	–	–	1	–
†DOVER	–	4	–	–	1	–
†ERITH	–	–	1	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	1	–
†GILLINGHAM ...	–	3	1	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GRAVESEND ...	–	1	10	–	–	–
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	–	–	1	3	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	1	1	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	2	–	–	–	–
†SHEERNESS ...	–	–	–	–	1	–
SIDCUP	–	1	–	–	–	–
SWANSCOMBE ...	–	–	3	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	–	2	–	–	–
Rural Districts:—						
BLEAN	–	–	1	–	–	E. 1
BRIDGE	–	–	–	–	–	M. 1
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	–	1	–	–	–
EAST ASHFORD ...	–	2	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	–	–	–	1	–
MALLING	–	4	2	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	*	*	*	*	*	*
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ..	–	265	138	16	164	C. 13 D. 1 E. 1 G. 11 M. 39 N. 9
†BARROW IN FURNESS C.B.	–	3	2	–	1	–
†BLACKBURN C.B.	–	10	1	–	5	M. 1
†BLACKPOOL C.B.	–	2	–	–	3	C. 1
†BOLTON C.B. ...	–	8	8	–	2	M. 1
†BOOTLE C.B. ...	–	6	3	–	1	M. 1
†BURNLEY C.B. ..	–	3	1	–	1	–
†BURY C.B. ...	–	–	2	–	3	–
†LIVERPOOL C.B. ..	–	45	27	1	39	C. 3 G. 5 M. 18

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†MANCHESTER C.B.	–	64	30	–	40	C. 6 E. 1 G. 2 M. 9 N. 3
†OLDHAM C.B. ...	–	7	4	–	–	–
†PRESTON C.B. ...	–	3	6	–	3	C. 1 N. 2
†ROCHDALE C.B. ...	–	2	6	–	–	G. 1
†ST. HELENS C.B. ...	–	1	5	–	1	M. 3 N. 1
†SALFORD C.B. ...	–	26	15	–	6	M. 2 N. 1
†SOUTHPORT C.B.	–	1	2	–	3	–
†WARRINGTON C.B.	–	1	1	–	14	G. 1 N. 1
†WIGAN C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	1	–	–
†ACCRINGTON ...	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	–	–	1	–	C. 1 G. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	1	–	–	–
†BACUP	–	3	–	–	–	M. 1
BRIERFIELD ...	–	–	–		2	–
†CHADDERTON ...	–	2	1	–	1	–
†CHORLEY	–	–	–	–	2	M. 1
†COLNE	–	–	–	8	–	–
†DALTON IN FURNESS	–	1		–	–	–
†DARWEN	–	2	–	–	1	–
†DENTON	–	–	–	–	1	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	–	–	1	C. 1
†FAILSWORTH ..	–	–	–	–	1	–
†FARNWORTH ...	–	–	–	1	–	–
†FLEETWOOD ...	–	–	–	–	–	M. 1
GOLBORNE ...	–	3	–	–	–	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	–	–	–	1	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	–	2	–	–	–
†HINDLEY	–	–	–	–	1	–
†HORWICH ...	–	1	1	–	1	–
HUYTON WITH ROBY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†INCE IN MAKERFIELD	–	–	–	–	3	–
IRLAM	–	1	2	–	–	–
†LANCASTER ...	–	2	–	–	1	N. 1
LEES	–	–	–	–	1	–
†LEIGH	–	–	3	1	–	–
LEYLAND	–	2	–	–	–	–
†LITHERLAND ...	–	2	–	–	–	–
LITTLE HULTON ..	–	–	1	–	–	–
MILNROW	–	1	–	–	–	–
†MORECAMBE ...	–	–	–	–	1	–
†MOSSLEY	–	3	–	–	–	–
†NELSON	–	–	–	1	–	–
†NEWTON IN MAKERFIELD	–	3	–	–	–	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM ...	–	–	4	–	–	–
POULTON LE FYLDE	–	–	–	–	1	–
PRESCOT	–	1	–	–	–	–
†RADCLIFFE ...	–	2	1	–	–	–
†RAMSBOTTOM ...	–	4	–	–	3	–
RISHTON	–	–	–	–	1	–
†STRETFORD ...	–	2	–	–	2	–
†SWINTON AND PENDLEBURY	–	–	1	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	2	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	–	–	–	4	M. 1
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	2	–	–
BLACKBURN ...	–	1	–	–	–	–
BURY	–	1	1	–	–	–
CHORLEY	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	–	D. 1
FYLDE	–	1	–	–	–	–
LEIGH	–	–	–	–	1	–
PRESTON	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
SEFTON	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	33	1	–	2	–
WHISTON... ...	–	–	1	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER... ..	–	22	9	1	5	C. 1 E. 7 F. 1 G. 1 M. 1 N. 2
†LEICESTER C.B. ..	–	11	7	1	–	C. 1 E. 3 G. 1 N. 2
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	4	–	–	–	–
†COALVILLE ...	–	–	–	–	1	–
HINCKLEY ...	–	2	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	E. 1 F. 1
MARKET HARBOROUGH	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	4	1	–	–	–
BARROW UPON SOAR	–	–	–	–	–	E. 1
BILLESDON ...	–	–	–	–	–	E. 2
BLABY	–	–	1	–	–	–
LUTTERWORTH ...	–	–	–	–	–	M. 1
MARKET HARBOROUGH	–	–	–	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	4	–	1	–	E. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	1	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	E. 1
EAST ELLOE ...	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	2	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BRANSTON ...	–	1	–	–	1	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	22	5	2	7	E. 1 M. 3
†GRIMSBY C.B. ...	–	8	–	–	3	–
†LINCOLN C.B. ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	3	–	–	–	–
†CLEETHORPES ...	–	–	1	–	–	M. 1
†GAINSBOROUGH ...	–	3	1	–	–	–
LOUTH	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	2	M. 1
SKEGNESS ...	–	1	1	1	–	E. 1
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
HORNCASTLE ...	–	–	–	–	–	M. 1
ISLE OF AXHOLME	–	–		1	–	
LOUTH	*	*	*	*	*	*
SPILSBY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	42	76	1	29	C. 1 E. 5 M. 1 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	4	3	–	–	–
†BRENTFORD ...	–	–	–	–	1	–
†CHISWICK ...	–	2	–	–	–	–
†EALING	–	–	3	–	–	–
†EDMONTON ...	–	–	21	–	1	–
†ENFIELD	–	2	2	–	–	–
FELTHAM ...	–	3	–	–	–	–
†FINCHLEY ...	–	4	1	–	–	E. 2
†FRIERN BARNET	–	–	–	–	3	–
HAYES	–	2	1	–	–	N. 1
†HENDON	–	2	–	–	2	E. 1
†HESTON AND ISLEWORTH	–	–	1	–	2	E. 1 N. 1
†HORNSEY... ...	–	–	3	–	1	C. 1
†SOUTHALL NORWOOD	–	–	1	–	1	–
†SOUTHGATE ...	–	1	–	–	1	–
STAINES	–	1	1	–	–	–
†TOTTENHAM ...	–	10	21	–	2	M. 1 N. 2
†TWICKENHAM ...	–	–	2	1	2	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	1	–	–	1	–
†WEMBLEY ...	–	–	–	–	2	–
†WILLESDEN ...	–	8	11	–	7	E. 1
†WOOD GREEN ...	–	1	1	–	1	N. 2
Rural Districts:—						
HENDON	–	–	3	–	1	–
STAINES	–	1		–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	8	1	1	4	D. 1
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	5	1	–	3	D. 1
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
KING'S LYNN ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	-	1	-	-	1	-
NORTHAMPTON ...	-	6	9	-	5	E. 1 N. 3
†NORTHAMPTON C.B.	-	-	8	-	1	N. 1
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	-	1	-	-	1	-
†KETTERING ..	-	2	-	-	1	-
†RUSHDEN... ...	-	1	-	-	-	-
†WELLINGBOROUGH	-	1	-	-	1	-
Rural Districts:—						
DAVENTRY ...	-	-	-	-	1	N. 1
HARDINGSTONE ...	-	-	-	-		E. 1
NORTHAMPTON ..	-	-	1	-		-
THRAPSTON (part)	-	1	-		-	-
WELLINGBOROUGH		-	-	-	-	N. 1
NORTHUMBERLAND	1	79	6	-	27	C. 2 E. 1 G. 3 L. 1 M. 2 N. 2
†NEWCASTLE UPON TYNE C.B.	-	28	3	-	20	C. 1 E. 1 G. 1 M. 1
†TYNEMOUTH C.B	-	18	1	-	3	C. 1
Boroughs and Urban Districts:—						
ALNWICK ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHINGTON ...	-	8	-	-	-	G. 1
†BEDLINGTONSHIRE	-	1	-	-	-	-
†BERWICK UPON TWEED	-	1	-	-	-	-
†BLYTH	-	1	-	-	2	M. 1 N. 1
†EARSDON	-	2	-	-	-	-
†NEWBURN ...	1	3	-	-	-	N. 1
PRUDHOE... ...	-	1	-	-	-	-
†WALLSEND ...	-	7	-	-	1	G. 1 L. 1
†WHITLEY AND MONKSEATON	-	2	-	-	-	-
Rural Districts:—						
ALNWICK... ...	-	1	-	-	-	-
BELFORD	-	1	-	-	-	-
CASTLE WARD ...	-	1	-	-	-	-
HEXHAM	-	2	1	-	1	-
MORPETH ...	-	-	1	-	-	-
ROTHBURY ...	-	1	-	-	-	-
NOTTINGHAM ...	-	15	15	-	11	L. 1 M. 1 N. 1
†NOTTINGHAM C.B	-	5	9	-	9	L. 1 M. 1
Boroughs and Urban Districts:—						
†ARNOLD	-	-	-	-	1	-
†BEESTON... ...	-	-	1	-	-	-
†CARLTON	-	3	-	-	-	-
EASTWOOD ...	-	-	-	-	1	-
†HUCKNALL ...	-	3	-	-	-	-
†MANSFIELD ...	-	2	-	-	-	-
†NEWARK	-	-	3	-	-	-
WARSOP	-	-	-	-	-	N. 1
†WEST BRIDGFORD	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
EAST RETFORD ...	–	–	1	–	–	–
SOUTHWELL ...	–	2	–	–		–
OXFORD	–	6	–	–	1	C. 1 M. 1 N. 4
†OXFORD C.B. ...	–	1	–	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	–	–	C. 1
THAME	–	–	–	–	–	N. 1
Rural Districts:—						
CHIPPING NORTON	–	2	–	–	1	–
HEADINGTON ...	–	–	–	–	–	N. 1
WOODSTOCK ...	–	3	–	–	–	–
PETERBOROUGH (Soke of)	–	4	–	–	2	–
Borough:—						
†PETERBOROUGH...	–	3	–	–	1	–
Rural Districts:—						
PETERBOROUGH...	–	1	–	–	1	–
RUTLAND	–	5	–	–	–	–
Rural Districts:—						
OAKHAM	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	6	–	–	E. 1 N. 2
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	–	N. 1
LUDLOW	–	–	3	–	–	–
†SHREWSBURY ...	–	6	1	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
DRAYTON... ...	–	–	2	–	–	–
ELLESMERE ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	–	E. 1 N. 1
SOMERSET	–	18	6	2	4	C. 1 E. 3 M. 2
†BATH C.B. ...	–	4	2	–	–	E. 1 M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
†FROME	–	–	4	–	1	–
GLASTONBURY ...	*	*	*	*	*	*
MIDSOMER NORTON	–	1	–	–	1	M. 1
†WESTON SUPER MARE	–	–	–	–	1	–
†YEOVIL	–	–	–	–	–	E. 2
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	–	C. 1
BATH	–	3	–	–	–	–
CLUTTON	–	5	–	–		–
DULVERTON ...	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	1	–	–
WELLS	–	1		1	–	–
WILLITON ...	–	2	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	36	24	2	15	C. 1 E. 1 M. 4 N. 2
†BOURNEMOUTH C.B.	–	3	–	–	–	–
†PORTSMOUTH C.B.	–	6	12	2	1	M. 1 N. 1
†SOUTHAMPTON C.B.	–	2	8	–	7	C. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	9	–	–	–	–
ANDOVER... ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–		2	–
†FAREHAM ...	–	–	–	–	1	–
†GOSPORT	–	2	–	–	1	–
MILTON	*	*	*	*	*	*
†WINCHESTER ...	–	–	–	–	–	M. 1
Rural Districts:—						
ALRESFORD ...	–	4	–	–	–	E. 1
BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	M. 1
FORDINGBRIDGE ..	–	–	–	–	1	–
HARTLEY WINTNEY	–	2	1	–	–	–
KINGSCLERE ...	–	1	1	–	–	–
LYMINGTON ...	–	–	1	–	–	–
NEW FOREST ...	–	3	–	–	–	–
PETERSFIELD ...	–	–	1	–	–	M. 1
WHITCHURCH ...	–	–		–	1	N. 1
STAFFORD	–	65	33	1	31	C. 1 D. 1 E. 3 M. 11 N. 5
†BURTON UPON TRENT C.B.	–	–	3	–	1	D. 1
†SMETHWICK C.B.	–	1	1	–	3	M. 1
†STOKE ON TRENT C.B.	–	14	6	–	8	E. 1 M. 4 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALSALL C.B. ...	–	1	4	–	1	N. 1
†WEST BROMWICH C.B.	–	2	3	1	–	M. 1
†WOLVERHAMPTON C.B.	–	4	–	–	3	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	1	–	–	–	–
†AUDLEY	–	1	1	–	–	N. 1
†BILSTON	–	2	1	–	–	–
†BRIERLEY HILL...	–	2	3	–		–
†BROWNHILLS ...	–	2	–	–	1	–
†CANNOCK	–	6	1		–	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	4	1	–	1	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	1	–
KIDSGROVE ...	–	2	1	–	1	M. 1 N. 1
QUARRY BANK	–	–	1	–	1	–
†ROWLEY REGIS ...	–	1	–	–	1	M. 1
RUGELEY... ...	–	1	–	–	1	–
†STAFFORD ...	–	1	–	–	1	E. 1
†TIPTON	–	–			4	–
UTTOXETER ...	*	*	*	*	*	*
†WEDNESBURY ...	–	3	–	–	–	M. 1
WEDNESFIELD ...	–	–	–	–	–	M. 1
†WILLENHALL ...	–	3	1	–	1	–
Rural Districts:—						
CANNOCK	–	1	–	–	1	–
CHEADLE... ...	–	1	2	–	–	–
KINGSWINFORD ...	–	2	2	–	–	C. 1
LICHFIELD ...	–	3		–	–	N. 1
NEWCASTLE UNDER LYME		–	1	–	–	–
STAFFORD ...	–	–	–	–	1	–
STONE	–	2	–	–	–	–
TAMWORTH (part)	–	2	1	–	–	E. 1
TUTBURY... ...	–	1	–	–		–
UTTOXETER ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

), Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	20	–	–	3	E. 6 M. 1 N. 1
†IPSWICH C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ...	–	10	–	–	1	–
SOUTHWOLD ...	–	–	–	–	–	M. 1 N. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	1	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	–	–	–	–	E. 6
MUTFORD AND LOTHINGLAND	–	3	–	–	–	–
PLOMESGATE ...	–	3	–	–	–	–
SUFFOLK, WEST ...	–	3	–	–	–	N. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	2	–	–	–	N. 1
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
SURREY	–	36	23	1	8	C. 1 E. 1 G. 1 M. 1 N. 5
†CROYDON C.B. ...	–	8	5	–	–	C. 1 E. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	–	–	–	–	M. 1
†CARSHALTON ...	–	–	3	–	–	–
†CHERTSEY ...	–	–	–	–	–	G. 1
EAST AND WEST MOLESEY	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EGHAM	–	4	1	–	2	N. 1
†FARNHAM ...	–	2	–	–	–	–
†GUILDFORD ...	–	–	–	–	–	N. 1
†KINGSTON ON THAMES	–	1	–	–	–	–
†MITCHAM... ...	–	–	2	–	–	N. 1
†REIGATE	–	1	–	–	–	–
†SURBITON ...	–	1	1	–	1	–
†SUTTON	–	2	3	–	–	N. 1
†THE MALDENS AND COOMBE	–	–	1	–	2	–
†WIMBLEDON ...	–	9	–	–	–	–
WINDLESHAM ...	–	–	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	1	4	–	–	N. 1
EPSOM	–	1	3	1	2	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	3	–	–	–	–
SUSSEX, EAST ..	–	18	7	2	4	E. 1 N. 1
†BRIGHTON C.B. ...	–	2	5	1	3	–
†EASTBOURNE C.B.	–	5	1	–	–	–
†HASTINGS C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	1	–	–
EAST GRINSTEAD	–	–	–	–	–	N. 1
†HOVE	–	–	1	–	1	–
†LEWES	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	2	–	–	–	–
HAILSHAM ...	–	3	–	–	–	–
NEWHAVEN ...	–	–	–	–	–	E. 1
UCKFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	1	1	–	–	–
STEYNING WEST...	–	–	1	–	–	–
WARWICK	–	68	55	1	45	C. 3 E. 2 G. 3 M. 7 N. 2
†BIRMINGHAM C.B.	–	46	42	1	36	C. 3 E. 1 G. 3 M. 5
†COVENTRY C.B. ...	–	4	3	–	1	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	–	–	2	M. 1
†ROYAL LEAMINGTON SPA	–	1	1	–	–	E. 1 N. 1
†RUGBY	–	2	1	–	–	–
†SUTTON COLDFIELD	–	1	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	–	2	–	–	–
ATHERSTONE ...	–	1	3	–	–	–
FOLESHILL ...	–	1	–	–	–	M. 1
MERIDEN... ...	–	–	–	–	2	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	–	–	–	1	–
SOUTHAM... ...	–	4	–	–	–	–
STRATFORD ON AVON	–	1	–	–		–
TAMWORTH (part)	–	4	2	–	1	N. 1
WARWICK ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ..	–	6	–	–	1	N. 1
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	1	–
WINDERMERE ...	–	1	–	–	–	N. 1
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	–	–	–	2	G. 1 N. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	–	–	1	N. 1
†RYDE	–	–	–	–	1	G. 1
WILTS	–	5	3	–	2	M. 1 N. 4
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	–	M. 1
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	–	–	–	–
†SWINDON... ...	–	1	2	–	2	N. 2
Rural Districts:—						
BRADFORD-ON-AVON	–	–	1	–	–	–
CALNE	–	2	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	–	N. 1
HIGHWORTH ...	–	1	–	–	–	N. 1
MELKSHAM ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	12	9	1	6	G. 1 M. 3 N. 2
†DUDLEY C.B. ...	–	1	2	–	1	–
†WORCESTER C.B.	–	1	–	1	2	M. 3
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	–	–	–	–	N. 1
†HALESOWEN ...	–	1	1	–	–	–
†KIDDERMINSTER	–	1	–	–	–	N. 1
†LYE AND WOLLESCOTE	–	–	2	–	1	–
†MALVERN ...	–	3	1	–	–	–
†OLDBURY... ...	–	–	1	–	–	G. 1
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
EVESHAM... ...	–	1	–	–	–	–
FECKENHAM ...	–		1	–	–	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	1	–	1	–
YORKS ... ... (East Riding.)	1	15	25	1	5	–
†KINGSTON UPON HULL C.B.	1	11	19	1	3	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
COTTINGHAM ...	–	–	–	–	1	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	–	1	–		–
WITHERNSEA ...	–	–	1	–	1	–
Rural Districts:—						
BRIDLINGTON ...	–	–	1	–	–	–
DRIFFIELD ...	–	1	1	–	–	–
ESCRICK	–	2	–	–	–	–
RICCALL	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (North Riding.)	-	23	6	2	8	C. 1
†MIDDLESBROUGH C.B	–	8	1	–	2	C. 1
Boroughs and Urban Districts:—						
†ESTON	–	9	2	–	1	–
LOFTUS	–	–	–	–	2	–
MALTON	–	–	1	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†SCARBOROUGH ...	–	4		1	–	–
†WHITBY	–	–	1	–	1	–
Rural Districts:—						
GUISBOROUGH ...	–	1	–	–	–	–
NORTHALLERTON	–	–	–	1	–	–
RICHMOND ...	–	–	1	–	2	–
YORKS ... ... (West Riding.)	14	167	71	12	90	C. 8 E. 2 G. 3 L. 7 M. 9 N. 9
†BARNSLEY C.B. ...	–	2	1	–	2	M. 1
†BRADFORD C.B. ...	–	11	7	1	10	C. 1 E. 1 G. 1 M. 1 N. 1
†DEWSBURY C.B....	–	5	2	–	2	M. 1
†HALIFAX C.B. ...	–	–	–	–	1	C. 1
†HUDDERSFIELD C.B.	–	9	3	–	1	–
†LEEDS C.B. ...	–	24	6	2	12	C. 2 N. 2
†ROTHERHAM C.B.	–	3	–	4	3	–
†SHEFFIELD C.B....	6	46	26	–	30	C. 2 G. 1 M. 3 N. 2
†WAKEFIELD C.B.	–	2	1	–	1	L. 6

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	–	–	–	–
†BARNOLDSWICK ...	–	–	2	–	–	M. 1
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	–	–	–	–	–	N. 1
†CASTLEFORD ...	–	–	–	1	–	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	2	–	–	1	–
†DARTON	–	–	–	–	–	N. 1
†DONCASTER ...	–	2	2	–	2	–
EARBY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	1	–	1	–
GARFORTH ...	*	*	*	*	*	*
†GOOLE	–	4	–	–	2	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	2	1	–	–	–
HEBDEN BRIDGE	–	–	–	–	1	–
†HOLMFIRTH ...	–	2	–	–	3	M. 1
†HOYLAND NETHER	–	–	–	–	1	–
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	–	2	–	–	1	–
KIRKBURTON ...	–	–	–	–	1	N. 1
KNOTTINGLEY ...	–	–	1	–	–	–
LEPTON	–	–	2	–	–	–
LINTHWAITE ...	–	2	–	–	–	–
MARSDEN... ...	–	–	1	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	7	1	–	–	1	–
†MORLEY	–	1	–	–	1	–
OTLEY	–	–	–	–	–	C. 1
PENISTONE ...	*	*	*	*	*	*
†PUDSEY	–	–	1	–	–	–
†RAWMARSH ...	–	3	–	–	1	–
RIPON	–	1	–	–	–	–
†ROTHWELL ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	2	–	–	–	–
SOUTH CROSLAND	–	1	–	–	1	–
†SOWERBY ...	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	3	1	1	G. 1
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY	–	–	1	–	1	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
STOCKSBRIDGE ...	–	5	–	–	1	–
†SWINTON... ...	–	1	1	1	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ...	–	2	–	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	–	–	1	–	–
DONCASTER ...	–	3	1	–	1	–
GOOLE	–	–	–	1	–	–
GREAT OUSEBURN	–	–	2	–	–	E. 1
HEMSWORTH ...	–	–	–	–	2	M. 1
HUNSLET... ...	–	1	–	–	–	–
KIVETON PARK ...	–	2	–	–	–	C. 1
KNARESBOROUGH	–	–	–	–	2	–
ROTHERHAM ...	1	2	1	–	2	–
SELBY	–	1	–	–	–	–
SETTLE	–	2	–	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	3	1	–	–	–
THORNE	–	1	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WETHERBY ...	–	–	2	–	1	–
WHARFEDALE (NORTH)	*	*	*	*	*	*
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1 N. 1
WORTLEY ...	–	2	–	–	–	–
§YORK, CITY OF ...	–	3	1		1	D. 1 N. 2
†YORK C.B. ...	–	3	1	–	1	D. 1 N. 2
WALES.						
ANGLESEY	–	15	3	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	6	1	–	–	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESEY—*cont.*						
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	8	2	–	–	–
BRECKNOCK ..		3	–	–	1	M. 1
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
BUILTH	–	–	–		1	–
HAY	–	1	–	–	–	–
YSTRADGYNLAIS	–	2	–	–	–	M. 1
CAERNARVON ...	–	–	–	1	1	C. 1
Boroughs and Urban Districts:—						
CAERNARVON ...	–	–	–	–	–	C. 1
CONWAY	–	–	–	–	1	–
Rural Districts:—						
LLEYN	–	–	–	1	–	–
CARDIGAN ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	1	–	–	–
CARMARTHEN ..	–	1	5	–	1	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	2		–	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	–	1	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	5	1	–	–	E. 1 G. 1 M. 5 N. 3
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	E. 1 G. 1
†WREXHAM ...	–	2	–	–	–	–
Rural Districts:—						
LLANRWST ...	–	–	–	–	–	M. 1
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	3	–	–	–	M. 4 N. 3
FLINT	–	7	1	1	–	E. 1 G. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–	–	–	G. 1
CONNAH'S QUAY...	–	–	–	1	–	–
Rural Districts:—						
HAWARDEN ...	–	3	1	–		–
HOLYWELL (HOLYWELL DIV.)	–	4	–		–	E. 1
GLAMORGAN ...	–	46	41	1	15	E. 2 M. 4 N. 9
†CARDIFF C.B. ..	–	8	3	–	2	E. 1 M. 1 N. 7
†MERTHYR TYDFIL C.B.	–	1	1	–	1	N. 1
†SWANSEA C.B. ..	–	3	5	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	2	–
†BARRY			3	–	–	–
BRIDGEND ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	1	1	–	–	–
†GELLIGAER ...	–	–	1	–	–	–
†GLYNCORWG ...	–	6	–	–	–	–
†MAESTEG ...	–	–	4	–	1	–
†MOUNTAIN ASH ...	–	2	–	1	–	–
†NEATH	–	3	1	–	–	–
†OGMORE AND GARW	–	–	3	–	–	–
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	–	–	–	1	–
PORTHCAWL ...	–	–	–	–	–	N. 1
†PORT TALBOT ...	–	4	–	–	–	–
RHONDDA ...	–	6	5	–	6	E. 1 M. 1
Rural Districts:—						
CARDIFF	–	–	1		–	–
COWBRIDGE ...	–	–	–	–	–	M. 1
GOWER	–	–	2	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	3	–	–	–
NEATH	–	1	1	–	1	–
PENYBONT ...	–	1	3	–	–	–
PONTARDAWE ...	–	1	2		–	–
SWANSEA... ...	–	2	1	–	–	–
RIONETH ...	–	3	–	–	–	–
rban Districts:—						
FESTINIOG ...	–	1	–	–	–	–
ural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
PENLLYN	–	1	–	–	–	–
NMOUTH ...	–	8	8	–	1	M. 1
NEWPORT C.B. ...	–	1	–	–	–	–
oroughs and Urban Districts:—						
BERCARN ...	–	1	–	–	–	–
BERTILLERY ...	–	1	2	–	–	–
LAENAVON ...	–	–	–	–	1	–
BBW VALE ...	–	3	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
MONMOUTH ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	1	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	2	–	–	–
Rural Districts:—						
MAGOR	–	2	–	–	–	–
MONMOUTH ...	*	*	*	*	*	*
MONTGOMERY ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
PEMBROKE... ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	*	*	*	*	*	*
Rural Districts:—						
NARBERTH ...	–	–	1	–	–	–
PEMBROKE ...	–	1	–	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
PAINSCASTLE ...	–	1	–	–	–	–
Total of Part II. ...	131	1572	837	64	632	C. 48 D. 5 E. 60 F. 16 G. 30 J. 1 L. 10 M. 125 N. 107

* Returns not received. † Population over 10,000.

uerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
ontinued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
NEW SHOREHAM ...	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	1	–
PLYMOUTH	–	–	–	2	1	L. 1	Total of Part III.... ...	–	–	–	3	1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyre

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see footnote below).
Total of Part I.—London	1	267	329	8	111	C. 3 E. 2 G. 3 M. 18 N. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	131	1572	837	64	632	C. 48 D. 15 E. 60 F. 16 G. 30 J. 1 L. 10 M. 125 N. 107
Total of Part III.—Port Sanitary Districts	-	–	–	3	1	L. 2
Total (*i.e.*, of returns received), England and Wales ...	132	1839	1166	75	744	C. 51 D. 5 E. 62 F. 16 G 33 J. 1 L. 12 M. 143 N. 129

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	July 24.	July 31.	Aug. 7.	Aug. 14	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	C
LONDON :—													
DEATHS—all ages	706	806	706	752	716	785	791	766	810	819	848	912	
" 0 to 1 year ..	60	74	56	76	68	72	85	81	105	117	120	97	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,118	7,460	6,079	7,508	6,970	7,029	6,358	6,523	6,830	6,426	6,560	6,574	6,
DEATHS—all ages	3,215	3,287	3,139	3,226	3,280	3,292	3,409	3,393	3,449	3,507	3,731	3,916	3,
" 0 to 1 year ..	337	372	354	386	383	409	452	445	516	477	566	532	
ENTERIC FEVER—Cases	46	33	14	30	24	24	28	29	24	33	36	24	
" Deaths	—	4	5	1	—	2	3	4	5	3	2	5	
SMALL POX—Cases ..	10	5	8	4	11	5	16	10	19	39	32	35	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	2	1	
SCARLET FEVER—Cases	734	716	600	674	669	641	750	773	837	963	968	1,074	1,
" Deaths	3	3	2	6	6	5	6	3	2	3	3	3	
DIPHTHERIA—Cases ..	625	479	509	552	460	511	526	600	674	732	722	827	
" Deaths ..	25	21	26	23	28	24	30	20	24	29	36	36	
MEASLES—Deaths ..	14	14	13	9	12	10	6	10	1	1	5	6	
INFLUENZA—Deaths ..	20	14	19	18	16	18	19	12	19	23	32	36	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th October, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	65	39	58·4	46·9	36	HUDDERSFIELD	59	38	54·6	42·1	44
BRIGHTON ..	64	38	60·1	48·4	29	BRADFORD ..	57	35	52·9	41·4	37
PORTSMOUTH ..	65	42	60·7	49·8	24	SHEFFIELD ..	60	40	54·6	44·1	29
NORWICH (EATON).	60	39	56·4	45·4	31	YORK (MUSEUM)	60	36	54·7	42·1	13
PLYMOUTH ..	66	43	60·7	49·7	28	HULL (PEARSON PARK).	61	36	55·7	42·1	16
BRISTOL (CLIFTON).	61	42	55·7	47·7	61	TYNEMOUTH ..	59	35	54·3	40·7	19
BIRMINGHAM (EDGBASTON).	61	39	53·3	44·7	16	CARDIFF.. ..	60	41	56·3	45·4	47
NOTTINGHAM ..	61	37	55·6	43·9	20	EDINBURGH ..	55·0	36·0	50·0	38·9	22
BIRKENHEAD (BIDSTON).	59	42	53·1	45·9	37	GLASGOW ..	54·0	34·8	50·4	39·2	42
MANCHESTER (WHITWORTH PARK).	60	36	54·6	43·9	55	DUBLIN (PHŒNIX PARK).	60·7	32·0	54·4	39·6	27
BURNLEY	57	32	52·9	40·0	42	(FITZWILLIAM SQUARE†).	61·0	37·2	55·0	43·5	18
						BELFAST.. ..	60·0	32·0	55·1	40·4	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th October, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	10	..	29·653	59·4	39·9	19·5	48·2	− 3·1	38·9	9·3	19·7	4·7	70	119·0	26·4	56·2	WSW : W	W:WSW	3·7	0·0	0·3	398	+ 147	0·01
MONDAY -	11	..	29·568	61·3	38·5	22·8	51·9	+ 1·0	44·9	7·0	15·3	3·2	77	112·8	25·2	56·3	SW : SSW.	SW : WSW.	5·0	0·0	0·4	370	+ 117	0·01
TUESDAY -	12	..	29·601	60·2	49·0	11·2	55·0	+ 4·4	47·0	8·0	16·9	1·5	75	108·3	40·5	56·0	WSW	SSW : SW.	6·7	0·0	0·3	361	+ 104	0·31
WEDNESDAY	13	Greatest Declination S. First Quarter.	29·563	64·9	54·5	10·4	59·2	+ 8·9	45·5	13·7	19·6	1·5	61	112·0	46·5	56·0	SW : WSW : W	W:WSW: SW.	5·9	0·0	0·9	555	+ 293	0·04
THURSDAY -	14		29·534	63·6	46·5	17·1	54·4	+ 4·3	48·5	5·9	15·7	0·4	80	108·8	46·8	55·9	SW : WSW.	WSW : Calm : N.	6·9	0·0	0·6	429	+ 163	0·41
FRIDAY -	15	..	29·670	50·2	41·1	9·1	44·7	− 5·2	43·7	1·0	5·5	0·0	96	64·3	41·0	55·7	NNW : Calm.	ENE : NNE.	1·4	0·0	0·1	185	− 83	0·64
SATURDAY -	16	..	29·239	50·2	41·5	8·7	45·6	− 4·2	43·5	2·1	6·9	0·4	92	67·0	38·2	55·5	N : NNW Calm.	Calm	0·4	0·0	0·0	111	− 156	0·00
MEANS -		..	29·647	58·5	44·4	14·1	51·3	+ 0·9	44·6	6·7	14·2	1·7	79	98·9	37·8	55·9	WSW		..	..	..	Sum 2409	Sum + 585	Sum 1·42
No of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	10	wP till 14½h.; sN till 15h.; then mP.	7·7	11·0	Cloudless till 9h.; partially cloudy till 14½h.; nearly overcast till 15h., then clearing to cloudless by 16½h. Brisk wind till 3h. Dew in morning. Heavy showers with hail between 14½h. and 15h. Slight haze at night.
MONDAY ..	11	wP.	1·5	11·0	Nearly overcast generally. Slight shower 14½h., and between 16½h. and 20h. Brisk wind 19h. till 22h.
TUESDAY ..	12	wP till 19h.; then loss of register.	1·0	10 9	Partially cloudy becoming nearly overcast by 4h. Rain 15½h. till 18h. and from 19½h. Brisk wind from 21h.
WEDNESDAY	13	wP till 11h.; mP till 16h., then wP.	8·2	10·8	Overcast till 2h.; partially cloudy till 15h., becoming overcast generally by 16h. Rain till 1h. Brisk wind till 17h.
THURSDAY	14	wP.	2·2	10·8	Overcast with slight break between 10½h. and 13½h. Rain 5½h. till 9h.; and from 15½h. Brisk wind till 16h.
FRIDAY ..	15	wP till 6h.; mP till 9½h.; then wP.	0·0	10·7	Overcast. Rain till 2h.; from 7½h. till 11½h.; and from 12½h. till 22½h. Mist from 15h.
SATURDAY	16	wP till 6h.; mP till 15h.; then wP.	0·0	10 7	Overcast generally. Mist from 5h. Dew at night.
			Sum 20·6	Sum 75·9	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·36 ins. at the beginning of the week to 29·76 ins. by 1h. on 11th; decreased to 29·47 ins. by 19h. on 11th; increased to 29·72 ins. by 10h. on 12th; decreased to 29 35 ins. by 1h. on 13th; increased to 29·62 ins. by 19h. on 13th; decreased to 29·45 ins. by 5h. on 14th; increased generally to 29·70 ins. by 10h. on 15th; decreased to 29·59 in. by 17h. on 15th; increased generally and was 29·93 ins. by midnight on the 16th

FOR OFFICIAL USE

1926. No. 42.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 23RD OCTOBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD OCTOBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-second week of the year numbered 6,509 and corresponded to an annual rate of 17·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,137 and corresponded to an annual rate of 11·1 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 10·0, 10·5 and 10·2. Infant mortality was 75 per 1,000 births against 86, 81 and 81 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,485 births, corresponding to a rate of 16·8 per 1,000, and 1,014 deaths of civilians, corresponding to an annual rate of 11·5, against 9·6, 10·3 and 10·1, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 10.4 per 1,000. The infant mortality was 61 as against 80, 62 and 74 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 3,793 to 4,137. In London the number of deaths from all causes increased from 895 to 1,014; the deaths from diphtheria which had been 11, 8 and 13 in the preceding three weeks were again 13 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 63, 49 and 28 in the preceding three weeks, were 33 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 23rd October, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years,	Influenza
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	1
105 GREAT TOWNS ..	19,439,910*	6,509	4,137	488	1	6	5	19	40	159	
LONDON	4,602,000*	1,485	1,014	90	-	-	2	5	13	33	
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	67	54	9	-	-	-	-	2	3	
WIMBLEDON ..	58,170	13	9	-	-	-	-	-	-	-	
EALING†	91,000	24	18	1	-	-	-	-	-	-	
ACTON	63,110	19	12	-	-	-	-	-	-	-	
WILLESDEN ..	168,900	50	37	2	-	-	-	-	-	-	
HENDON	59,150*	14	17	1	-	-	-	-	-	-	
HORNSEY	87,210	16	12	-	-	-	-	-	-	-	
WOOD GREEN ..	51,960	14	12	-	-	-	-	-	5	2	
TOTTENHAM ..	153,600	38	26	3	-	-	-	-	-	1	
EDMONTON ..	71,210	35	9	2	-	-	-	-	-	-	
ENFIELD	63,740	23	8	1	-	-	-	-	-	5	
WEST HAM C.B. ..	318,500	164	57	9	-	-	-	-	-	1	
EAST HAM C.B. ..	147,200	27	26	-	-	-	-	1	1	3	
LEYTON	132,700	31	30	7	-	-	-	-	-	-	
WALTHAMSTOW ..	130,800	37	21	1	-	-	-	-	-	-	
ILFORD	93,590	34	11	2	-	-	-	-	-	1	
GILLINGHAM	48,680*	20	14	3	-	-	-	-	-	-	
CANTERBURY C.B ..	23,270*	8	5	-	-	-	-	-	-	-	
HASTINGS C.B.	60,470	10	14	-	-	-	-	-	-	-	
EASTBOURNE C.B. ..	55,060	18	10	-	-	-	-	-	-	1	
BRIGHTON C.B. ..	137,800*	51	28	2	-	-	-	-	1	1	
PORTSMOUTH C.B. ..	232,900*	80	41	7	-	-	-	-	-	-	
BOURNEMOUTH C.B. ..	85,840	17	23	-	-	-	-	-	2	4	
SOUTHAMPTON C.B. ..	168,600	56	40	7	-	-	-	-	-	-	
READING C.B.	93,670*	37	19	1	-	-	-	-	-	-	
OXFORD C.B.	57,090	22	8	1	-	-	-	-	-	-	
NORTHAMPTON C.B. ..	93,780*	35	23	3	-	-	-	-	-	-	
LUTON	59,230	11	10	1	-	-	-	-	-	-	
CAMBRIDGE	59,020	12	5	-	-	-	-	-	-	-	
SOUTHEND-ON-SEA C.B.	98,060	26	21	2	-	-	-	-	-	2	
IPSWICH C.B.	83,120*	21	12	2	-	-	-	-	-	-	
GREAT YARMOUTH C.B.	57,890	18	11	-	-	-	-	-	-	-	
NORWICH C.B. ..	124,000*	45	20	1	-	-	-	1	-	-	
SWINDON	56,880	23	11	1	-	-	-	-	-	-	
EXETER C.B.	59,820*	25	16	1	-	-	-	-	-	-	
PLYMOUTH C.B. ..	192,100*	88	48	3	-	-	-	-	1	-	
BATH C.B.	69,050	17	17	-	-	-	-	-	-	-	
BRISTOL C.B.	385,700*	121	90	6	-	-	-	-	-	-	
GLOUCESTER C.B. ..	53,060	20	8	1	-	-	-	-	-	-	
STOKE-ON-TRENT C.B.	278,900	123	78	11	-	-	1	-	1	3	
BURTON-UPON-TRENT C.B.	49,530	24	9	-	-	-	-	-	-	-	
WOLVERHAMPTON C.B.	108,800	51	14	1	-	-	-	-	-	-	
WALSALL C.B.	102,300	51	19	2	-	-	-	1	-	-	
WEST BROMWICH C.B	79,490	28	21	7	-	-	-	-	-	1	
DUDLEY C.B.	58,810	38	14	4	-	-	-	-	-	2	
WORCESTER C.B. ..	50,230	19	9	-	-	-	-	-	-	-	
BIRMINGHAM C.B. ..	945,900	314	160	14	-	-	1	1	1	5	
SMETHWICK C.B. ..	78,840	18	15	1	-	-	-	-	-	-	
COVENTRY C.B ..	129,100	40	27	2	-	-	-	-	-	1	
LEICESTER C.B. ..	242,100	80	47	6	-	-	-	-	-	1	
LINCOLN C.B.	66,600*	19	13	-	-	-	-	-	-	-	
GRIMSBY C.B.	87,190	25	15	2	-	-	-	-	-	1	
NOTTINGHAM C.B. ..	270,600	96	66	8	-	-	-	-	3	3	
DERBY C.B.	134,400*	49	24	6	-	-	-	-	-	-	
CHESTERFIELD ..	65,800	21	13	1	-	-	-	-	-	-	
STOCKPORT C.B. ..	125,900	33	21	1	-	-	-	-	-	-	
CHESTER C.B.	41,670	15	6	2	-	-	-	-	-	2	
BIRKENHEAD C.B. ..	155,500	65	33	2	-	-	-	1	-	2	
WALLASEY C.B. ..	91,720	30	12	1	-	-	-	-	-	1	
LIVERPOOL C.B. ..	856,000	313	198	43	-	1	-	3	3	17	
BOOTLE C.B.	83,260	33	22	6	-	1	-	-	-	2	
ST. HELENS C.B. ..	109,600	47	31	10	-	-	-	-	-	1	

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	9	14	-	-	-	-	-	-	-	-
WIGAN C.B.	91,010	22	21	5	-	-	-	-	-	1	-
WARRINGTON C.B. ..	77,970*	40	12	2	-	-	-	-	-	-	-
BOLTON C.B.	180,400	51	38	4	-	-	-	-	-	-	1
BURY C.B.	56,700*	14	13	-	-	-	-	-	1	-	-
MANCHESTER C.B. ..	755,800	278	191	31	-	-	1	3	1	10	3
SALFORD C.B.	244,700	85	66	11	-	-	-	-	-	2	-
OLDHAM C.B	146,200	47	32	2	-	-	-	-	-	1	2
ROCHDALE C.B... ..	92,190	29	36	3	-	-	-	-	-	-	-
BURNLEY C.B.	102,300	24	22	-	-	-	-	-	-	-	-
BLACKBURN C.B. ..	126,900	40	28	1	-	-	-	-	-	-	1
PRESTON C.B.	122,900	45	29	7	-	-	-	-	-	1	-
BLACKPOOL C.B. ..	80,750	15	18	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	26	16	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	33	22	2	-	-	-	-	-	-	-
HALIFAX C.B.	97,860*	30	37	6	-	-	-	-	-	3	-
BRADFORD C.B. ..	290,200	83	63	1	-	-	-	-	-	-	-
LEEDS C.B.	472,900	144	104	19	-	-	-	-	-	9	1
DEWSBURY C.B ..	54,570	20	10	3	-	-	-	-	-	1	-
WAKEFIELD C.B. ..	53,980	17	9	-	1	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	36	11	1	-	-	-	-	-	1	1
SHEFFIELD C.B. ..	526,900*	165	114	12	-	-	-	1	-	3	1
ROTHERHAM C.B. ..	70,600	21	15	5	-	-	-	-	-	2	-
DONCASTER	55,610	16	16	-	-	-	-	-	1	-	1
YORK C.B.	84,630*	17	19	2	-	-	-	-	1	-	2
HULL C.B.	297,300	100	73	9	-	1	-	1	-	3	1
MIDDLESBROUGH C.B.	136,200	51	17	4	-	-	-	-	-	2	-
DARLINGTON C.B. ..	69,130	12	12	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	31	16	2	-	1	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,590	21	13	-	-	-	-	-	1	1	-
SUNDERLAND C.B. ..	166,000	63	50	13	-	1	-	1	-	7	-
SOUTH SHIELDS C.B. ..	124,600	48	32	3	-	-	-	-	-	-	-
GATESHEAD C.B. ..	129,000	46	22	7	-	-	-	-	-	4	1
NEWCASTLE-ON-TYNE C.B.	286,300*	131	53	10	-	-	-	-	-	5	-
TYNEMOUTH C.B. ..	66,180	18	17	3	-	-	-	-	-	1	-
CARLISLE C.B.	55,160*	18	14	-	-	-	-	-	1	-	-
NEWPORT (MON.) C.B.	96,420*	31	9	1	-	-	-	-	-	-	1
CARDIFF C.B.	227,100*	75	40	4	-	-	-	-	-	-	-
RHONDDA	167,570	61	28	4	-	1	-	-	-	1	-
MERTHYR TYDFIL C.B.	82,920	14	16	3	-	-	-	-	-	-	-
ABERDARE	57,700	22	8	2	-	-	-	-	-	1	1
SWANSEA C.B.	163,200	56	27	3	-	-	-	-	-	1	-
GREATER LONDON ..	7,742,212*	2,496	1,624	150	-	-	3	7	24	55	26
OUTER RING	3,140,212*	1,011	610	60	-	-	1	2	11	22	8
6 GREAT TOWNS IN OUTER RING	1,890,140*	606	359	38	-	-	-	1	9	15	2
REMAINDER OF OUTER RING	1,250,072*	405	251	22	-	-	1	1	2	7	6
EDINBURGH†	424,600	169	90	15	-	-	1	-	-	1	2
GLASGOW† ..	1,052,200	478	247	35	-	-	-	-	2	6	1
DUBLIN (REGISTRATION AREA)†	419,156§	169	113	29	2	1	1	3	3	6	-
BELFAST†	416,000	179	113	20	-	-	-	1	1	6	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (un-
		1926.										
LONDON‡	4,602,000	Oct. 23	1485	1014	11·5	–	–	–	2	5	13	33
CALCUTTA AND SUBURBS	1,077,273	Sept. 18	?	798‖	38·6	?	4	?	?	?	?	?
BOMBAY§	1,279,061	„ 25	478	705	28·7	6	3	4	–	–	–	46
MADRAS	528,791	„ 25	406	491‖	48·3	–	–	–	?	6	–	34
SYDNEY AND SUBURBS	1,038,950	„ 30 (30 days)										
BRISBANE (Metropolitan Area).	263,711	Aug. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Aug. 28	59	28	8·2	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	192,176	Aug. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Aug. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Aug. 31 (31 days)										
CAPE TOWN	113,709	Sept. 25	37	18	8·2	–	–	–	–	–	–	–
JOHANNESBURG	165,958	„ 25	77	49	15·3	–	–	–	–	–	–	–
DURBAN	54,822	„ 25	19	17	16·1	–	–	1	–	–	–	–
PARIS	2,906,472	Oct. 10 (10 days)										
ANTWERP	300,193	Sept. 11	85	49	8·6	–	–	–	–	–	1	[illegible]
AMSTERDAM	720,837	Oct. 2	267	101	7·3	1	–	–	–	–	–	[illegible]
COPENHAGEN	587,400	„ 2	210	94	8·4	–	–	–	–	–	2	[illegible]
STOCKHOLM	442,528	„ 9										
GOTHENBURG	230,963	„ 2										
OSLO (CHRISTIANIA) ..	255,724	„ 16	63	43	8·7	–	–	–	–	–	–	
BERLIN	1,999,000	„ 2	384	398	10·4	–	?	1	3	3	3	
BRESLAU	560,000	„ 2	136	118	11·0	–	?	1	–	–	–	
COLOGNE	708,000	„ 2	216	125	9·2	–	?	–	–	2	–	1
DRESDEN	621,000	„ 2	143	87	7·3	–	?	–	–	1	–	
FRANKFORT-ON-MAIN ..	472,000	„ 2	109	67	7·4	–	?	2	–	–	1	
HAMBURG	1,101,000	„ 2	263	174	8·2	–	?	–	–	–	–	
LEIPZIG	685,000	„ 2	172	140	10·6	–	?	–	–	3	–	
MUNICH	685,000	„ 2	173	118	9·0	–	?	–	–	1	–	
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	April 30 (30 days)										
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	„ 9	?	275	12·7	4	–	–	26	–	2	
CAIRO	859,400	May 20										
ALEXANDRIA	492,100	„ 20										
NEW YORK	5,924,139	Sept. 18										
CHICAGO	2,995,239	Oct. 1	1032	587	10·0	–	?	–	–	–	4	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the Germa Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childre year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 9 deaths from cholera in Calcutta and 3 in Madras.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd October, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1,014	90	14	16	33	35	51	51	121	176	215	212
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	-	-	2	-	-	-	-	-	-	-
Whooping cough	5	3	1	1	-	-	-	-	-	-	-	-
Diphtheria	13	-	2	4	7	-	-	-	-	-	-	-
Influenza	18	-	-	-	-	-	1	-	3	6	5	3
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	2	-	-	-	-	1	-	-	-	1	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis:—												
Respiratory system	74	2	-	-	2	16	16	11	15	10	2	-
Nervous system	5	-	-	2	2	-	-	-	1	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	-	-	1	-
Other forms	6	-	-	1	-	-	1	-	2	2	-	-
Venereal diseases	1	-	-	-	-	-	1	-	-	-	-	-
Cancer	135	-	-	-	-	-	3	4	21	40	38	29
Rheumatic fever	4	-	-	-	3	-	1	-	-	-	-	-
Diabetes	10	-	-	-	-	-	2	-	-	3	3	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	1	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	44	-	-	-	-	-	-	2	4	14	10	14
Epilepsy	6	-	-	-	1	1	1	1	-	1	1	-
"Convulsions" (not puerperal)	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	19	-	-	-	2	2	1	3	5	1	3	2
Pericarditis	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	4	-	-	-	-	2	1	-	-	1	-	-
Other diseases of heart	155	-	-	-	4	1	1	7	18	30	46	48
Other diseases of circulatory system	56	-	-	-	-	-	-	1	6	14	19	16
Bronchitis	82	3	2	-	-	-	1	1	3	13	25	34
Broncho-pneumonia	36	10	1	6	1	-	-	1	3	1	6	7
Lobar-pneumonia	21	-	-	-	1	1	2	2	6	3	5	1
Pneumonia (type not distinguished)	7	-	1	-	-	-	-	-	2	1	1	2
Other diseases of respiratory system	19	1	-	-	2	-	-	3	1	6	5	1
Diarrhœa and enteritis	38	28	5	1	-	-	1	-	-	1	1	1
Appendicitis, Typhlitis	4	-	-	-	-	-	3	-	-	-	1	-
Hernia, Intestinal obstruction	11	-	-	-	-	-	-	3	1	1	4	2
Cirrhosis of liver	2	-	-	-	-	-	-	-	2	-	-	-
Other diseases of digestive system	37	1	1	-	2	3	5	2	4	6	10	3
Acute nephritis	1	-	-	-	-	-	-	-	-	-	1	-
Chronic Bright's disease	29	-	-	-	1	-	-	1	10	5	7	5
Other diseases of genito-urinary system.	13	-	-	-	-	-	-	2	-	2	6	3
Puerperal sepsis	2	-	-	-	-	-	2	-	-	-	-	-
Other causes incident to childbirth	4	-	-	-	-	-	4	-	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	6	6	-	-	-	-	-	-	-	-	-	-
Old age	35	-	-	-	-	-	-	-	-	-	7	28
Suicide	13	-	-	-	-	2	-	1	5	3	1	1
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	1	1	1	2	1	1	1	1	2	1
Other deaths by violence	15	-	-	-	1	1	1	-	2	2	1	7
Other specified causes	36	7	-	-	-	3	2	4	6	8	4	2
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd October, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	1	279	319	2	93	C. 5 D. 2 E. 2 G. 4 M. 23 N. 29
†CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	15	14	–	4	E. 1 N. 1
†BERMONDSEY ...	–	8	35	–	2	M. 2 N. 1
†BETHNAL GREEN	–	19	9	–	7	M 5 N. 3
†CAMBERWELL ...	–	15	12	–	2	G. 1 M. 1
†CHELSEA	–	4	1	–	–	M. 1 N. 2
†DEPTFORD ...	–	12	11	–	2	–
†FINSBURY ...	–	6	5	–	4	–
†FULHAM	–	1	6	1	3	E. 1 N. 1
†GREENWICH ...	–	7	14	–	2	–
†HACKNEY ...	–	22	13	–	2	C. 1 G. 1 M. 1 N. 2
†HAMMERSMITH ...	–	10	7	–	2	N. 1
†HAMPSTEAD ...	–	1	6	–	1	–
†HOLBORN... ...	–	1	1	–	2	M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	1	21	22	–	7	C. 1 D. 1 M. 2 N. 1
†KENSINGTON ...	–	2	8	–	4	N. 1
†LAMBETH ...	–	14	13	–	4	C. 2 G. 1 [illegible] 1 N. 1
†LEWISHAM ...	–	7	15	–	1	G. 1
†PADDINGTON ...	–	5	9	–	3	N. 3
†POPLAR	–	15	7	–	9	M. 2 N. 1
†ST. MARYLEBONE	–	3	6	–	3	C. 1 N. 1
†ST. PANCRAS ...	–	12	11	–	3	M. 1 N. 1
†SHOREDITCH ...	–	10	14	–	2	M. 2 N. 2
†SOUTHWARK ...	–	15	18	–	6	M. 1 N. 3
†STEPNEY	–	28	22	1	4	N. 1
†STOKE NEWINGTON	–	6	1	–	1	M. 1 N. 2
†WANDSWORTH ...	–	10	22	–	5	D. 1
†WESTMINSTER, CITY OF	–	2	7	–	1	M. 1 N. 1
†WOOLWICH ...	–	8	8	–	7	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	20	4	–	4	C. 1 D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	15	–	–	1	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	3	–	–	M. 1
Rural Districts:—						
AMPTHILL ...	–	–	1	–	1	–
BEDFORD ...	–	4	–	–	–	G. 1
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	–	–	–	–	C. 1 D. 1
BERKS	–	9	1	–	1	G. 1 N. 2
†READING C.B. ...	–	4	1	–	1	G. 1 N. 2
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	–	–	–	–
Rural Districts:—						
COOKHAM ...	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	8	1	–	4	E. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
†SLOUGH	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
BUCKINGHAM ...	–	1		–	1	–
ETON	–	2	1	–	–	–
NEWPORT PAGNELL ...	–	2	–	–	1	E. 1
WYCOMBE ...	*	*	*	*	*	*
CAMBRIDGE ..	–	2	4	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	4	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	57	25	3	15	C. 2 E. 1 M. 1 N. 2
†BIRKENHEAD C.B.	–	3	2	–	1	C. 1
†CHESTER C.B. ...	–	1	2	–	2	–
†STOCKPORT C.B.	–	30	6	–	2	–
†WALLASEY C.B. ...	–	6	3	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	1	–	1	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	C. 1
†CHEADLE AND GATLEY	–	1	–	–	1	–
†CONGLETON ...	–	–	3	–	2	–
†CREWE	–	2	–	–	–	N. 1
†DUKINFIELD ...	–	1	–	–	1	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	1	–	–
HOLLINGWORTH	–	–	–	–	–	N. 1
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	–	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYMM	–	–	1	1	–	–
†MACCLESFIELD ...	–	1	3	–	1	–
MARPLE	–	1	–	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ...	–	1	–	–	–	–
†SALE	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	1	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	2	1	–	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	1	–	1	1	–
TARVIN	–	–	–	–	–	E. 1
CORNWALL ...	–	2	3	2	–	M. 3
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
MADRON	–	–	1	1	–	–
PAUL	–	–	–	–	–	M. 1
†PENZANCE ...	–	–	1	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	–	–	–	–	M. 1
ST. AUSTELL ...	–	–	–	–	–	M. 1
ST. GERMANS ...	–	1	–	–	–	–
TRURO	–	–	1	–	–	–
CUMBERLAND ...	–	21	6	–	1	N. 3
†CARLISLE C.B. ..	–	9	1	–	–	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
EGREMONT ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARYPORT ...	–	1	1	–	–	–
MILLOM	–	–	–	–	1	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	3	–	–	–	–
†WORKINGTON ...	–	–	–	–	–	N. 1
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	–	–	2	–	–	–
COCKERMOUTH ...	–	–	1	–	–	N. 1
LONGTOWN ...	–	3	–	–	–	–
PENRITH	–	2	–	–	–	–
WHITEHAVEN ...	–	–	–	–	–	N. 1
DERBY	12	39	27	–	17	C. 1 M. 2 N. 1
†DERBY C.B. ...	8	6	11	–	7	M. 2
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	–	–	–	–	1	–
†BELPER	3	1	–	–	–	–
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	5	–	–	2	–
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	–	5	–	–	–
HEAGE	1	–	–	–	–	–
†HEANOR	–	–	1	–	–	–
†LONG EATON ...	–	2	–	–	1	–
NEW MILLS ...	–	2	–	–	–	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	7	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	1	C. 1
BLACKWELL ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHAPEL EN LE FRITH	–	3	–	–	–	–
CHESTERFIELD ...	–	5	2	–	–	N. 1
CLOWNE	–	–	3	–	–	–
GLOSSOP DALE ...	–	–	–	–	2	–
HARTSHORN AND SEALS	–	3	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON	–	1	1	–	–	–
SHARDLOW ...	–	1	–	–	1	–
DEVON	–	39	15	1	8	G. 1 L. 1 M. 2 N. 2
†EXETER C.B. ...	–	18		–	–	–
†PLYMOUTH C.B....	–	10	14	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	1	–	–	–	–
BRIXHAM... ...	–	–	–	–	1	–
DARTMOUTH ...	–	–	–	–	1	–
†EXMOUTH ...	–	3	–	–	–	–
HONITON ...	–	1				–
LYNTON	*	*	*	*	*	*
†NEWTON ABBOT	–	–	–	1	–	–
OKEHAMPTON ...	–	2	–	–	–	–
†PAIGNTON ...	–	–	–	–		L. 1
SALCOMBE ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–		1	–
Rural Districts:—						
CREDITON ...	–	–	–	–	–	N. 1
HONITON ...	–	–	–	–	1	–
NEWTON ABBOT...	–	3	–	–	1	G. 1
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	8	3	–	–	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–	–	–
†POOLE	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	3	–	–	–	–
BRIDPORT ...	–	2	–	–	–	–
STURMINSTER ...	–	–	1	–	–	–
WEYMOUTH ...	–	–	2	–	–	–
DURHAM	93	53	29	2	27	C. 4 D. 1 G. 6 M. 5 N. 1
†DARLINGTON C.B.	1	1	3	2	1	–
†GATESHEAD C.B.	9	15	3	–	2	C. 1 G. 2 M. 1
†SOUTH SHIELDS C.B.	4	–	1	–	7	M. 1
†SUNDERLAND C.B.	–	–	1	–	6	C. 1 D. 1
†WEST HARTLEPOOL C.B.	–	2	3	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	1	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	14	–	–	–	–	–
†CHESTER LE STREET	1	3	–	–	–	–
†CONSETT	–	3	1	–	–	M. 1
†CROOK	4	–	–	–	–	–
†FELLING	1	–	–	–	1	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON	13	–	–	–	1	–
†HOUGHTON LE SPRING	2	–	–	–	–	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†JARROW	2	3	-	-	3	-
†RYTON	-	1	-	-	-	-
†STANLEY	-	3	3	-	-	-
†STOCKTON ON TEES	-	1	3	-	-	
†TANFIELD ...	-	1	1	-	-	G. 1
TOW LAW ...	-	1	-	-	-	-
†WASHINGTON ...	-	-	1	-	-	-
†WHICKHAM ...	-	1	-	-	-	-
WILLINGTON ...	-	-	1	-	-	-
Rural Districts:—						
AUCKLAND ..	7	-	-	-	-	M. 1
CHESTER LE STREET	7	4	2	-	-	M. 1 N. 1
DURHAM	2	-	-	-	1	-
EASINGTON ..	4	5	1	-	-	C. 1 G. 1
HOUGHTON LE SPRING	1	1	-		-	-
LANCHESTER ...	10	2	5	-	-	-
SEDGEFIELD ..	11	-	-	-	-	-
SOUTH SHIELDS...	-	-	-	-	-	C. 1
SUNDERLAND ...	-	-	-	-	1	G. 2
ELY, ISLE OF ..	-	2	-	-	2	M. 1
Boroughs and Urban Districts:—						
ELY	-	2	-	-	-	-
†WISBECH	-	-	-	-	2	-
Rural Districts:—						
WISBECH	-	-	-	-	-	M. 1
ESSEX	-	155	56	-	42	E. 3 M. 2 N. 6
†EAST HAM C.B. ...	-	6	3	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND-ON-SEA C.B.	-	7	1	-	5	M. 1 N. 1
†WEST HAM C.B. ...	-	54	14	-	12	M. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN..	-	2	1	-	5	-
BRENTWOOD ...	-	1		-	1	-
BUCKHURST HILL	-	-	1	-	-	N. 1
BURNHAM ON CROUCH	-	1	-	-	-	-
†CHELMSFORD ...	-	2	-	-		-
CHINGFORD ...	-	3	-	-	-	-
†COLCHESTER ...	-	-		-	1	-
DAGENHAM ...	-	1	5	-	-	N. 1
FRINTON ON SEA	-	-	-	-	-	E. 2
†GRAYS THURROCK	-	1	1	-	2	-
†HARWICH ...	-	1	-	-	-	-
†HORNCHURCH ...	-	1	1	-	-	-
†ILFORD	-	4	3	-	1	-
†LEYTON	-	14	8	-	2	-
†ROMFORD ...	-	1	-	-	-	-
SAFFRON WALDEN	-	1	-	-	-	-
SHOEBURYNESS ...	-	1	-	-	-	-
TILBURY	-	1	-	-	-	E. 1
WALTHAM HOLY CROSS	-	2	-	-	-	-
†WALTHAMSTOW ...	-	20	12	-	1	-
WALTON ON THE NAZE	-	-	-	-	1	-
†WANSTEAD ...	-	-	2	-	2	-
†WOODFORD ...	-	-	-	-	1	-
Rural Districts:—						
BILLERICAY ...	-	1	1	-	1	-
BRAINTREE ...	-	6	-	-	-	-
CHELMSFORD ...	-	2	1	-	-	-
DUNMOW	-	1	-	-		-
EPPING	-	1	1	-		N. 1
HALSTEAD ...	-	4	-	-	-	-
MALDON	-	7		-		-
ORSETT	-	5	-	-	2	-
ROCHFORD ...	-	1	-	-		-
ROMFORD... ...	-	2	1	-	1	-
TENDRING ...	-	1	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	24	26	1	22	E. 1 M. 3 N. 1
†BRISTOL C.B. ...	–	10	14	–	15	E. 1 M. 2 N. 1
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	1	1	–	–	M. 1
CIRENCESTER ...	–	3	–	–	–	–
TETBURY	–	–	1	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	3	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	1	–
LYDNEY	–	2	–	–	–	–
STROUD	–	2	3	1	–	–
THORNBURY ...	–	2	–	–	1	–
WARMLEY ...	–	1	2	–	2	–
WEST DEAN ...	–	1	–	–	1	–
HEREFORD ..	–	1	1	–	1	N. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	–	1	–	–	–
ROSS	–	–	–	–	–	N. 1
Rural Districts:—						
LEDBURY... ...	–	–	1	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	22	14	–	–	C. 1 G. 1 N. 2
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	C. 1
BISHOP'S STORTFORD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESHUNT ...	–	1	–	–	–	–
HARPENDEN ...	–	–	2	–	–	–
†HERTFORD ...	–	–	1	–	–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	2	6		–	–
†LETCHWORTH ...	–	3	–	–	–	–
†ST. ALBANS ...	–	–	1	–	–	–
STEVENAGE ...	–	–	–	–	–	G. 1
WARE	–	–	–	–	–	N. 1
†WATFORD ...	–	5	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	1	–	–	–
HATFIELD ...	–	5	–	–	–	–
HERTFORD ...	–	–	–	–	–	N. 1
HITCHIN	–	2	–	–	–	–
WARE	–	1	1	–	–	–
WATFORD ...	–	1	1	–	–	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
Rural Districts:—						
THRAPSTON (part)	–	3	–	–	–	–
KENT	–	57	21	4	17	C. 1 D. 1 E. 22 F. 15 M. 3 N. 2
†CANTERBURY C.B.	–	3	1	–	1	M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	4	–	–	1	E. 18 F. 15

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BROMLEY ...	–	2	–	–	1	–
†CHATHAM ...	–	3	7	–	–	N. 1
CHISLEHURST ...	–	–	–	–	–	M. 1
†DARTFORD ...	–	2	–	–	–	–
†DEAL	–	1	–	–	–	–
†DOVER	–	–	2	–	–	D. 1
†ERITH	–	3	–	–	3	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	–	2	–	–	–
†GILLINGHAM ...	–	2	1	1	1	–
†GRAVESEND ...	–	2	3	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	–	–	–	–	N. 1
MILTON REGIS ...	–	2	–	–	–	–
†NORTHFLEET ...	–	–	–	–	–	G. 1
†PENGE	–	1	–	–	1	G. 1
†RAMSGATE ...	–	5	–	1	3	E. 2
†ROCHESTER ...	–	3	–	2	–	M. 1
†TONBRIDGE ...	–	4	–	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BRIDGE	–	–	–	–	–	E. 1
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	5	2	–	–	–
EAST ASHFORD ...	–	–	–	–	–	C. 1
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	1	–
MALLING	–	3	–	–	–	–
MILTON	–	–	1	–	–	E. 1
SHEPPEY	–	–	–	–	2	–
TENTERDEN ...	–	–	–	–	1	–
TONBRIDGE ...	–	–	1	–	–	M. 1
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	2	276	114	6	172	C. 5 E. 3 F. 1 G. 7 L. 1 M. 32 N. 13

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BARROW IN FURNESS C.B.	–	3	3	–	1	–
†BLACKBURN C.B.	–	14	5	–	2	M. 1 N. 1
†BLACKPOOL C.B.	–	1	–	–	3	–
†BOLTON C.B. ...	–	7	4	–	3	–
†BOOTLE C.B. ...	–	10	2	–	5	E. 1 N. 1
†BURNLEY C.B. ...	–	7	3	–	5	M. 1
†BURY C.B. ...	–	1	1	–	2	–
†LIVERPOOL C.B. ...	–	53	26	–	40	C. 1 G. 2 M. 19 N. 1
†MANCHESTER C.B.	–	76	19	1	42	C. 2 M. 3 N. 3
†OLDHAM C.B. ...	–	6	3	–	3	M. 2
†PRESTON C.B. ...	–	4	5	–	–	N. 1
†ROCHDALE C.B. ...	–	2	–	–	–	–
†ST. HELENS C.B....	–	4	2	–	9	–
†SALFORD C.B. ...	–	28	15	–	14	F. 1
†SOUTHPORT C.B.	–	–	–	–	2	–
†WARRINGTON C.B.	–	6	2	–	1	M. 1
†WIGAN C.B. ...	–	–	1	–	6	G. 2
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	1	–	1	–
†ASHTON IN MAKERFIELD	2	–	–	–	–	–
†ASHTON UNDER LYNE	–	–	–	–	1	E. 1 M. 1
†ATHERTON ...	–	1	1	–	–	G. 1
†BACUP	–	–	1	–	1	M. 1
†CHADDERTON ...	–	3	2	–	–	–
†CHORLEY... ...	–	–	–	–	2	–
CLAYTON LE MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	–	–	–	–	C. 1
†COLNE	–	1	–	1	–	–
†DALTON IN FURNESS	–	1	1	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	1	–	–	–	N. 2
†ECCLES	–	2	1	–	–	–
†FAILSWORTH ...	–	1	–	–	–	–
†FARNWORTH ...	–	–	–	1	1	–
†FLEETWOOD ...	–	–	–	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
FULWOOD ...	–	–	–	–	–	N. 1
GOLBORNE ...	–	1	1	–	–	–
†HASLINGDEN ...	–	2	–	1	–	–
†HEYWOOD ...	–	–	–	–	–	M. 1
†HINDLEY... ...	–	–	–	–	–	G. 1
†HORWICH ...	–	–	1	–	1	–
†INCE IN MAKERFIELD	–	–	1	–	1	–
IRLAM	–	–	1	–	–	–
KEARSLEY ...	–	–	–	–	1	N. 1
†LANCASTER ...	–	1	1	–	–	C. 1 M. 1
LATHOM AND BURSCOUGH	–	–	1	–	1	–
†LEIGH	–	–	1	–	–	–
LITTLE LEVER ...	–	2	–	–	1	–
†MIDDLETON ...	–	–	–	–	3	–
MILNROW... ...	–	1	–	–	–	–
†MORECAMBE ...	–	2	–	–	–	–
†MOSSLEY	–	3	–	–	–	–
ORMSKIRK ...	–	1	–	–	–	–
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM... ...	–	–	4	–	–	–
†RADCLIFFE ...	–	2	1	–	3	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	2	1	–	–	N. 1
†ROYTON	–	2	–	–	–	–
†STRETFORD ...	–	1	1	–	1	–
†SWINTON AND PENDLEBURY	–	3	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	–	G. 1
UPHOLLAND ...	–	–	–	1	–	–
URMSTON... ...	–	–	–	–	1	–
†WALTON LE DALE	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	1	–
†WESTHOUGHTON	–	–	–	–	–	M. 1
WHITEFIELD ...	–	2	–	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	–	–	–	3	N. 1
†WORSLEY... ...	–	–	–	–	–	E. 1
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	–	1	1	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	–	–	–	1	–
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	–	–	–	1	–
PRESTON	–	2	–	–	–	–
SEFTON	*	*	*	*	*	*
ULVERSTON ...	–	1	–	1	–	–
WEST LANCASHIRE	–	5	–	–	–	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER... ...	–	23	15	1	8	E. 2 F. 2
†LEICESTER C.B. ...	–	8	8	1	1	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	3	–
†COALVILLE ...	–	4	–	–	1	–
†HINCKLEY ...	–	3	1	–	1	–
†LOUGHBOROUGH	–	3	–	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
SHEPSHED ...	–	–	1	–	–	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	3	–	–	1	–
BILLESDON ...	–	–	3	–	–	–
HINCKLEY ...	–	–	1	–	1	E. 2
MELTON MOWBRAY	–	–	–	–	–	F. 2
LINCOLN (parts of Holland).	–	–	1	–	–	–
Rural Districts:—						
SPALDING (part)..	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	-	1	1	-	1	-
Boroughs and Urban Districts:—						
†GRANTHAM ...	-	1	-	-	-	-
Rural Districts:—						
SLEAFORD ...	-	-	1	-	1	-
LINCOLN (parts of Lindsey).	-	19	5	-	9	C. 1 G. 2 M. 1 N. 1
†GRIMSBY C.B. ...	-	5	-	-	1	G. 1
†LINCOLN C.B. ...	-	8	-	-	-	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	1	-		-	-
BRIGG	-	-	1	-	-	-
†CLEETHORPES ...	-	-	-	-	-	N. 1
†GAINSBOROUGH ...	-	2	-	-	-	
HORNCASTLE ...	-	-	-	-	2	-
MABLETHORPE AND SUTTON	-	1	-	-	-	
†SCUNTHORPE AND FRODINGHAM	-	2	3	-	2	C. 1
Rural Districts:—						
CAISTOR	-	-	-	-	-	G. 1
GRIMSBY	-	-	1	-	2	-
HORNCASTLE ...	-	-	-	-	2	-
MIDDLESEX ...	-	50	62	2	22	E. 2 G. 2 M. 2 N. 3
Boroughs and Urban Districts:—						
†ACTON	-	3	-	-	-	-
†BRENTFORD ...	-	1	1	-	-	-
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EALING	-	4	2	-	1	-
†EDMONTON ...	-	3	12	-	2	-
†ENFIELD	-	3	3	-	1	-
†FINCHLEY ...	-	-	-	-	1	G. 1
†HARROW ON THE HILL	-	-	1	-	-	-
†HENDON	-	3	1	-	1	G. 1
†HESTON AND ISLEWORTH	-	1	6	-	-	-
†HORNSEY... ...	-	2	2	-	3	E. 1
RUISLIP NORTHWOOD	-		4	-	-	-
†SOUTHALL NORWOOD	-	-	2	-	-	-
†SOUTHGATE ...	-	-	-	-	1	-
†TOTTENHAM ...	-	19	19	1	2	N. 1
†TWICKENHAM ...	-	-	-	1	-	-
†WEALDSTONE ...	-	1	-	-	-	-
†WEMBLEY ...	-	-		-	2	-
†WILLESDEN ...	-	3	7	-	6	E. 1 M. 1 N. 2
†WOOD GREEN ...	-	3	1	-	1	-
Rural Districts:—						
HENDON	-	1	1	-	-	-
STAINES	-	3	-	-	-	M. 1
UXBRIDGE ...	-	-	-	-	1	-
NORFOLK	-	16	5	3	4	E. 2 M. 1 N. 4
†GREAT YARMOUTH C.B	-	4	-	1	-	-
†NORWICH C.B. ...	-	7	1	2	-	M. 1 N. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	4	-	-	
THETFORD ..	-	-	-	-	-	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	-	3	-	-	-	E. 1
DEPWADE ...	-	-	-	-	1	N. 1
ERPINGHAM ...	-	-	-	-	-	N. 1
FOREHOE ...	-	1	-	-	-	-
MITFORD AND LAUNDITCH	-	-	-	-	1	-
SMALLBURGH ...	-	-	-	-	-	E. 1
WALSINGHAM ...	-	-	-	-	2	-
WAYLAND ...	-	1	-	-	-	-
NORTHAMPTON ...	-	8	1	1	7	C. 2 F. 1
†NORTHAMPTON C.B.	-	-	1	1	1	C. 1
Boroughs and Urban Districts:—						
FINEDON	-	1	-	-	1	-
HIGHAM FERRERS	-	1	-	-	-	-
†KETTERING ..	-	1	-	-	1	-
†RUSHDEN... ...	-	1	-	-	1	-
Rural Districts:—						
DAVENTRY ...	-	-	-	-	1	C. 1 F. 1
EASTONON-THE-HILL	-	1	-	-	-	-
GRETTON	-	-	-	-	1	-
NORTHAMPTON ...	-	-	-	-	1	-
THRAPSTON (part)	-	3	-	-	-	-
NORTHUMBERLAND	5	62	8	3	30	M. 4 N. 2
†NEWCASTLE UPON TYNE C.B.	-	23	4	3	25	M. 1 N. 1
†TYNEMOUTH C.B	1	13	2	-	-	M. 2
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	4	5	1	-	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	-	-	1	-	-	-
†BERWICK UPON TWEED	-	3	-	-	-	-
†BLYTH	-	1	-	-	-	-
CRAMLINGTON ...	-	1	-	-	-	-
†GOSFORTH ...	-	1	-	-	-	-
†NEWBURN ...	-	2	-	-	-	-
SEATON DELAVAL	-	-	-	-	2	-
†WALLSEND ...	-	5	-	-	1	-
WEETSLADE ...	-	-	-	-	-	M. 1
†WHITLEY AND MONKSEATON	-	1	-	-	-	-
Rural Districts:—						
ALNWICK... ...	-	2	-	-	-	-
GLENDALE ...	-	3	-	-	-	-
HEXHAM	-	1	-	-	-	-
ROTHBURY ...	-	1	-	-	-	-
NOTTINGHAM ...	-	13	19	1	15	E. 1 F. 1 G. 1 M. 2 N. 1
†NOTTINGHAM C.B	-	3	17	1	5	E. 1 F. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ARNOLD	-	-	-	-	1	-
†BEESTON... ...	-	-	1	-		-
†CARLTON	-	1	-	-	-	-
†HUCKNALL ...	-	-	-	-	1	-
HUTHWAITE ...	-	-	-	-	-	M. 1
†KIRKBY IN ASHFIELD	-	-	-	-	2	-
†MANSFIELD ...	-	2	-	-	1	N. 1
†MANSFIELD WOODHOUSE	-	2	-	-	3	-
†WEST BRIDGFORD	-	-	1	-	-	-
†WORKSOP... ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	1	–	–	1	–
SOUTHWELL ...	–	4	–	–	1	–
OXFORD	–	1	1	–	–	C. 1 M. 1
†OXFORD C.B. ...	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	–	C. 1
PETERBOROUGH (Soke of)	–	4	–	1	–	–
Borough:—						
†PETERBOROUGH...	–	2	–	1	–	–
Rural Districts:—						
BARNACK... ...	–	2	–	–	–	–
RUTLAND	–	–	–	–	–	E. 5
Rural Districts:—						
OAKHAM	–	–	–	–	–	E.
SALOP	–	6	4	–	1	–
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	1	–
LUDLOW	–	1	–	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
†WENLOCK ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
DRAYTON... ...	–	–	1	–	–	–
NEWPORT ...	*	*	*	*	*	*
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	1	1	–	–	–
SOMERSET	–	11	6	–	9	E. 2 N. 2
†BATH C.B. ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	N. 1
†FROME	–	–	3	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	–	–	–	1	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
CHARD	–	–	–	–	–	N. 1
CLUTTON... ...	–	2	–	–	–	–
FROME	–	–	–	–	1	–
TAUNTON... ...	–	–	1	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WELLS	–	6	–	–	–	–
WILLITON ...	–	–	–	–	–	E. 1
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	–	E. 1
SOUTHAMPTON ...	–	29	36	2	5	C. 1 E. 1 G. 1 M. 4 N. 5
†BOURNEMOUTH C.B.	–	–	–	–	–	G. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
†PORTSMOUTH C.B.	–	11	19	–	–	C. 1 M. 1
†SOUTHAMPTON C.B.	–	4	16	1	2	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	1	N. 2
†BASINGSTOKE ...	–	1	–	1	–	–
FLEET	–	1	–	–	–	–
†GOSPORT	–	1	–	–	–	–
WARBLINGTON ...	–	–	–	–	1	E. 1
†WINCHESTER ...	–	1	–	–	–	N. 1
Rural Districts:—						
FAREHAM ...	–	1	–	–	1	–
FORDINGBRIDGE ..	–	1	–	–	–	–
KINGSCLERE ...	–	2	–	–	–	M. 1
NEW FOREST ...	–	–	–	–		N. 1
ROMSEY	–	2	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	N. 1
WINCHESTER ...	–	–	1	–	–	–
STAFFORD	–	75	38	1	45	C. 5 G. 2 M. 8 N. 4
†BURTON UPON TRENT C.B.	–	–	5	–	1	–
†SMETHWICK C.B.	–	4	–	–	3	–
†STOKE ON TRENT C.B.	–	9	7	1	14	C. 2 G. 1 M. 5
†WALSALL C.B. ...	–	4	2	–	6	C. 1 N. 1
†WEST BROMWICH C.B.	–	1	1	–	–	–
†WOLVERHAMPTON C.B.	–	5	–	–	4	N. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	3	–	–	–	–
†AUDLEY	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
BIDDULPH ...	–	–	1	–	1	M. 1
†BILSTON	–	–	2	–	–	M. 1
†BRIERLEY HILL...	–	–	2		2	–
†BROWNHILLS ...	–	–	7	–	–	–
†CANNOCK	–	9	4	–	–	–
†COSELEY	–	1	–	–	1	–
†DARLASTON ...	–	4	–	–	–	G. 1
†HEATH TOWN OR WEDNESFIELD HEATH	–	3	–	–	–	–
KIDSGROVE ...	–	4	–	–	2	–
†LEEK	–	1	–	–	–	N. 1
LICHFIELD ...	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
PERRY BARR ...	–	1	–	–	–	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	–	–	1	C. 1
†SEDGLEY	–	–	–	–	5	–
†STAFFORD ...	–	1	1	–	–	C. 1
†TIPTON	–	3	–	–	2	–
†WEDNESBURY ...	–	2	–	–	1	M. 1 N. 1
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	3	2	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE... ...	–	2	1	–	1	–
KINGSWINFORD...	–	1	1	–	–	–
STONE	–	3	–	–	–	–
TAMWORTH (part)	–	–	–	–	1	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	–	1	–	–	–
SUFFOLK, EAST ...	–	28	4	1	2	E. 3 N. 1
†IPSWICH C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
†LOWESTOFT ...	–	20	–	–	1	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
STOWMARKET ...	–	2	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	4	–	–	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	–	–	–	–	E. 3
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	2	–	–	–	–
SAMFORD... ...	–	–	–	1	–	–
SUFFOLK, WEST ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	2	–	–	–	–
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–
SURREY	–	31	16	1	9	C. 1 E. 2 G. 1 M. 1 N. 2
†CROYDON C.B. ...	–	9	6	–	1	N. 1
Boroughs and Urban Districts:—						
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	4	–	–	1	–
DORKING	–	–	–	–	–	C. 1
†EGHAM	–	2	1	–	–	–
†EPSOM	–	–	–	1	2	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ESHER AND THE DITTONS	–	1	2	–	–	–
†FARNHAM ...	–	1	–	–	–	–
GODALMING ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	–	–	–	1	–
†SURBITON ...	–	–	1	–	1	–
†WIMBLEDON ...	–	3	–	–	2	E. 1
†WOKING	–	2	1	–	–	N. 1
Rural Districts:—						
CHERTSEY ...	–	1	2	–	–	–
EPSOM	–	2	3	–	–	–
FARNHAM ...	–	1	–	–	–	E. 1
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	–	–	–	G. 1 M. 1
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	17	5	–	5	C. 1 G. 1 M. 1
†BRIGHTON C.B. ...	–	6	3	–	4	–
†EASTBOURNE C.B.	–	1	–	–	–	C. 1
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	2	–	–	1	–
†LEWES	–	–	–	–	–	G. 1
RYE	–	–	2	–	–	–
UCKFIELD ...	–	4	–	–	–	–
Rural Districts:—						
BATTLE	–	–	–	–	–	M. 1
CHAILEY	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	3	4	2	6	M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	1	–	–	1	–
†LITTLEHAMPTON	–	–	–	1	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	–	2	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	M. 1
MIDHURST ...	–	–	–	–	1	–
PETWORTH ...	–	–	–	–	2	–
STEYNING WEST...	–	1	–	–	1	–
THAKEHAM ...	–	–	–	1	–	–
WESTBOURNE ...	–	–	2	–	–	–
WARWICK	–	53	49	1	28	E. 7 G. 1 M. 6 N. 2
†BIRMINGHAM C.B.	–	39	37	1	21	E. 3 G. 1 M. 6
†COVENTRY C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	2	–	–	–
†ROYAL LEAMINGTON SPA	–	2	1	–	1	–
†STRATFORD ON AVON	–	–	–	–	–	E. 1
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
ATHERSTONE ...	–	2	5	–	2	–
BRAILES	–	–	–	–	–	N. 1
FOLESHILL ...	–	2	–	–	–	–
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	–	–	–	–	N. 1
SOLIHULL ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
SOUTHAM... ...	–	1	–	–	–	–
STRATFORD ON AVON	–	–	–	–	–	E. 2
TAMWORTH (part)	–	1	1	–	–	E. 1
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ..	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	3	–	–	–	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
VENTNOR... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	8	9	–	–	E. 1 G. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	2	1	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ...	–	1	–	–	–	E. 1
†SWINDON... ...	–	1	1	–	–	–
†TROWBRIDGE ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	–	–	–	–	–	G. 1
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
HIGHWORTH ...	–	3	–	–	–	–
MELKSHAM ...	–		1	–	–	–
TISBURY	–	–	1	–	–	–
WILTON	–	–	4	–	–	–
WORCESTER ...	–	8	8	–	2	D. 1 F. 1 M. 3
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	1	1	–	2	M. 3
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	–	–	–	–	D. 1
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	1	–	–	–
†REDDITCH ...	–	–	–	–	–	F. 1
†STOURBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	4	–	–	–	–
UPTON ON SEVERN	–	–	4	–	–	–
YORKS ... ... (East Riding.)	1	24	26	–	5	E. 1 M. 2
†KINGSTON UPON HULL C.B.	1	15	20	–	3	E. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	2	–	–	–	–
HORNSEA	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	3	–		–
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN	–	2	–	–	2	–
RICCALL	–	2	–	–	–	–
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding.)	–	23	6	–	1	G. 1 M. 1 N. 1
†MIDDLESBROUGH C.B.	–	11	1	–	–	G. 1
Boroughs and Urban Districts:—						
†ESTON	–	7	1	–	–	–
LOFTUS	–	–	1	–	–	–
MASHAM	–	–	–	–	–	N. 1
†SCARBOROUGH ...	–	1	2	–	–	–
Rural Districts:—						
CROFT	–	–	–	–	1	–
RICHMOND ...	–	–	1	–	–	M. 1
STOKESLEY ...	–	3	–	–	–	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	12	174	75	11	88	C. 2 E. 2 G. 1 L. 7 M. 15 N. 8
†BARNSLEY C.B. ...	–	2	1	–	2	M. 2
†BRADFORD C.B. ...	–	17	12	–	2	M. 2 N. 3
†DEWSBURY C.B....	–	–	–	–	2	–
†HALIFAX C.B. ...	–	1	3	–	–	C. 1 M. 1
†HUDDERSFIELD C.B.	–	9	7	–	2	E. 1
†LEEDS C.B. ...	–	17	11	2	13	M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†ROTHERHAM C.B.	–	2	2	1	5	–
†SHEFFIELD C.B....	7	44	24	1	37	G. 1 M. 4 N. 2
†WAKEFIELD C.B.	–	2	–	–	1	C. 1 L. 7
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	1	–	–	–
BAILDON	–	4	–	–	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	1	–	–	–	–	–
†CONISBROUGH ...	–	3	–	–	1	–
CUDWORTH ...	–	1	–	–	–	–
†DARTON	–	–	–	–	1	M. 1
†DONCASTER ...	–	4	1	–	1	–
EARBY	–	–	–	1	–	M. 1
†ELLAND	–	1	–	–	–	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	1	–	–	N. 1
GILDERSOME ...	–	–	1	–	–	–
†GOOLE	–	4	–	–	2	–
†HARROGATE ...	–	2	1	–	–	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	–	3	–	–	–	–
KIRKBURTON ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	2	–	–	–	–
LEPTON	–	1	–	–	–	–
MALTBY	–	2	–	–	–	–
†MEXBOROUGH ...	4	3	–	–	–	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	1	–	1	–	–
†NORMANTON ...	–	–	–	–	1	–
†PUDSEY	–	–	–	–	1	–
QUEENSBURY ...	–	–	–	–	1	–
†RAWMARSH ...	–	2	–	–	–	–
†SKIPTON	–	2	–	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
†SPENBOROUGH ...	–	–	1	–	2	–
†STANLEY	–	1	2	–	1	–
STOCKSBRIDGE ...	–	3	–	–	–	–
†SWINTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	–	–	–	–	E. 1
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ...	–	5	1	–	1	–
†WORSBOROUGH ...	–	1	–	–	1	N. 1
Rural Districts:—						
BISHOPTHORPE ...	–	–	–	3	–	–
DONCASTER ...	–	2	1	–	3	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	3	–	–	2	M. 1
HUNSLET... ...	–	2	–	–	–	–
KEIGHLEY ...	–	–	–	–	–	M. 1
KIVETON PARK ...	–	–	3	–	–	–
PONTEFRACT ...	–	–	–	1	–	–
ROTHERHAM ...	–	2	–	–	2	–
SETTLE	–	4	–	–	–	–
TADCASTER ...	–	2	–	1	–	–
THORNE	–	1	–	–	–	–
WETHERBY ...	–	1	1	–	1	N. 1
WORTLEY ...	–	2	–	–	1	–
§YORK, CITY OF ...	–	2	3	4	–	N. 1
†YORK C.B. ...	–	2	3	4	–	N. 1
WALES.						
ANGLESEY	–	4	3	–	–	G. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	2	–	–	–	G. 1
Rural Districts:—						
AETHWY	–	–	3	–	–	–
VALLEY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ..		3	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	–	3	–	–	–	–
CAERNARVON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	1	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ..	–	2	8	–	2	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	–	–
†CARMARTHEN ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	1	–	–	–
†LLANELLY ...	–	–	3		2	–
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANELLY ...	–	–	2	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	6		–	–	N. 1
Boroughs and Urban Districts:—						
DENBIGH ...	*	*	*	*	*	*
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	N. 1
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
WREXHAM ...	–	4	–	–	–	–
FLINT	–	3	7	1	1	E. 3
Boroughs and Urban Districts:—						
FLINT	–	–	–	1	–	–
HOLYWELL ...	–	–	2	–	–	–
PRESTATYN ...	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	3	–	1	E. 1
OVERTON ..	–		–	–	–	E. 2
GLAMORGAN ...	–	49	41	1	23	C. 1 M. 7 N. 7
†CARDIFF C.B. ...	–	7	5	–	2	M. 3 N. 1
†MERTHYR TYDFIL C.B.	–	4	3	–	1	–
†SWANSEA C.B. ...	–	3	3		–	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	3	–	4	–
†BARRY	–	2	2	–	–	–
†CAERPHILLY ...		1	3		–	M. 1
†GELLIGAER ...	–	–	1	–	2	–
†MAESTEG ...	–	–	7	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
LAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
MOUNTAIN ASH ...	–	1	–	–	3	–
NEATH	–	4	–	–	1	–
OGMORE AND GARW	–	2	–	–	–	M. 1
PONTYPRIDD ...	–	–	–	–	–	C. 1 N. 3
PORT TALBOT ...	–	5	–	–	–	–
RHONDDA ...	–	6	7	1	7	M. 1 N. 2
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	1	–
NEATH	–	1	1	–	1	N. 1
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	2	2	–	–	–
SWANSEA... ...	–	9	2	–	–	–
ERIONETH ...	–	1	7	–	–	N. 2
Urban Districts:—						
BALA	–	–	–	–	–	N. 1
FESTINIOG ..	–	–	7	–	–	–
Rural Districts:—						
PENLLYN	–	1	–	–	–	N. 1
ONMOUTH ...	–	14	6	1	4	C 1 E. 1 M. 2 N. 2
NEWPORT C.B. ...	–	5	–	–	4	M. 1
Boroughs and Urban Districts:—						
ABERCARN ...	–	–	–	1	–	–
ABERSYCHAN ...	–	2	–	–	–	–
BEDWELLTY ...	–	–	3	–	–	N. 1
EBBW VALE ...	–	–	–	–	–	M. 1
LLANTARNAM ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* † note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	–	1	–	–	–	–
†RHYMNEY ...	–	2	1	–	–	C. 1
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	2	–	–	–	E. 1
Rural Districts:—						
MAGOR	–	–	1	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	–	3	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	2	–	–	–	–
NEWTOWN AND LLANIDLOES	–	1	–	–	–	–
PEMBROKE... ..	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	–	–	–	N. 1
RADNOR	–	–	–	–	–	G. 1
Rural Districts:—						
PAINSCASTLE ...	–	–	–	–	–	G. 1
Total of Part II. ...	125	1584	830	57	668	C. 31 D. 4 E. 66 F. 21 G. 33 L. 9 M. 118 N. 86

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
BRISTOL	–	–	–	1	–	–	SWANSEA	–	–	1	–	–
LIVERPOOL	–	–	–	–	1	–	PORT OF LONDON ...	–	–	–	–	1
PLYMOUTH	–	–	–	–	–	L. 1	**Total of Part III.... ...**	–	–	1	1	2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plagu C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Pol encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continu Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrex

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	1	279	319	2	93	C. 5 D. 2 E. 2 G. 4 M. 23 N. 29
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	125	1584	830	57	668	C. 31 D. 4 E. 66 F. 21 G. 33 L. 9 M. 118 N. 86
Total of Part III.—Port Sanitary Districts	–	–	1	1	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	126	1863	1150	60	763	C. 36 D. 6 E. 68 F. 21 G. 37 L. 10 M. 141 N. 115

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.
LONDON :—												
DEATHS—all ages	806	706	752	716	785	791	766	810	819	848	912	895
" 0 to 1 year ..	74	56	76	68	72	85	81	105	117	120	97	102
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,460	6.079	7,508	6,970	7,029	6,358	6,523	6,830	6.426	6,560	6,574	6,240
DEATHS—all ages	3,287	3,139	3,226	3.280	3,292	3,409	3,393	3,449	3,507	3,731	3,916	3,793
" 0 to 1 year ..	372	354	386	383	409	452	445	516	477	566	532	505
ENTERIC FEVER—Cases	33	14	30	24	24	28	29	24	33	36	24	30
" Deaths	4	5	1	—	2	3	4	5	3	2	5	1
SMALL POX—Cases ..	5	8	4	11	5	16	10	19	39	32	35	40
" Deaths ..	—	—	—	—	—	—	—	—	—	2	1	—
SCARLET FEVER—Cases	716	600	674	669	641	750	773	837	963	968	1,074	1,055
" Deaths	3	2	6	6	5	6	3	2	3	3	3	2
DIPHTHERIA—Cases ..	479	509	552	460	511	526	600	674	732	722	827	833
" Deaths ..	21	26	23	28	24	30	20	24	29	36	36	39
MEASLES—Deaths ..	14	13	9	12	10	6	10	1	1	5	3	9
INFLUENZA—Deaths ..	14	19	18	16	18	19	12	19	23	32	36	38

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd October, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	54	24	47·7	33·4	4
BRIGHTON ..	54	35	49·0	38·0	0·2
PORTSMOUTH ..	55	34	50·0	38·8	5
NORWICH (EATON).	50	29	47·6	33·4	12
PLYMOUTH ..	56	34	50·6	39·7	2
BRISTOL (CLIFTON).	52	27	45·1	34·0	9
BIRMINGHAM (EDGBASTON).	51	30	44·9	34·1	6
NOTTINGHAM ..	49	26	46·3	32·9	2
BIRKENHEAD (BIDSTON).	48	33	45·6	37·7	7
MANCHESTER (WHITWORTH PARK).	49	27	46·1	32·9	2
BURNLEY	48	22	45·4	29·6	1

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rai M met
	°	°	°	°	
HUDDERSFIELD	48	25	46·1	31·1	
BRADFORD ..	47	26	44·7	31·3	
SHEFFIELD ..	47	32	45·1	34·4	
YORK (MUSEUM)	49	30	46·9	33·0	
HULL (PEARSON PARK).	51	30	48·4	33·3	
TYNEMOUTH ..	48	32	46·6	35·1	
CARDIFF.. ..	53	26	46·0	33·3	
EDINBURGH ..	46·0	30·0	43·6	32·9	
GLASGOW ..	46·6	28·1	42·9	31·8	
DUBLIN (PHŒNIX PARK).	51·7	24·0	48·7	29·0	
(FITZWILLIAM SQUARE†).	50·0	31·8	46·7	34·7	
BELFAST.. ..	55·0	26·0	48·4	30·6	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 23rd October, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	17	..	30·010	54·0	38·8	15·2	45·7	− 3·9	38·1	7·6	16·3	0·0	75	91·2	32·3	55·4	Calm: NNW.	N	1·4	0·0	0·1	192	− 70	0·00
MONDAY -	18	..	30·229	48·2	28·8	19·4	38·8	−10·5	30·0	8·8	20·3	2·2	70	93·0	18·9	55·1	N	N: Calm.	1·1	0·0	0·1	194	− 62	0·00
TUESDAY -	19	Perigee	30·179	47·3	24·2	23·1	35·9	−13·2	32·3	3·6	15·3	1·3	87	58·1	13·1	55·0	Calm	Calm	0·0	0·0	0·0	93	− 158	0·00
WEDNESDAY	20	In Equator	29·884	46·4	33·2	13·2	40·0	− 8·8	32·0	8·0	15·7	0·5	73	74·6	28·8	54·6	Calm	NNE: NE.	0·6	0·0	0·0	150	− 99	0·00
THURSDAY -	21	Full	29·438	47·1	36·3	10·8	41·0	− 7·6	36·8	4·2	8·8	1·9	85	79·0	29·0	54·1	NE	NE	1·4	0·0	0·1	247	− 2	0·09
FRIDAY -	22	..	29·347	46·6	34·0	12·6	40·9	− 7·4	35·6	5·3	9·5	1·1	81	80·7	27·9	53·9	NE: Calm.	Calm: ENE.	1·1	0·0	0·0	134	− 120	0·03
SATURDAY -	23	..	29·429	45·4	35·5	9·9	40·1	− 8·0	30·0	10·1	17·7	2·8	66	74·8	28·6	53·5	NE: ENE.	ENE: NE.	3·2	0·0	0·3	287	+ 27	0·06
MEANS -		..	29·788	47·9	33·0	14·9	40·3	− 8·5	33·5	6·8	14·8	1·4	77	78·8	25·5	54·5	NE		..	..	..	Sum 1297	Sum − 484	Sum 0·18
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	24	wP.	2·7	10·6	Nearly overcast till 11½.; then variably cloudy, becoming cloudless by 21h. Mist till 7h.
MONDAY ..	25	wP till 9h.; then mP.	8·9	10·5	Nearly cloudless generally. Mist 5h. till 9h., and from 15h. Hoar frost in morning and at night.
TUESDAY ..	26	wP till 10h.; mP till 15½h.; sP till 19½h.; then mP.	2·4	10·4	Cloudless till 11½h.; partially cloudy till 15h; then variably cloudy, becoming nearly overcast by 21h. Mist till 13½h. Fog from 19h. Hoar frost in morning. Lunar halo 18½h till 19h.
WEDNESDAY	27	wP till 8h.; then mP.	0·8	10·4	Overcast till 15h., then variably cloudy. Fog till 7h. Partial Solar halo 15½h. till 16¾h Lunar halo from 17½h. Hoar frost at night.
THURSDAY	28	wP till 6½h.; variably sN and sP till 7½h.; then mP.	0·4	10·3	Nearly overcast with cloudy interval between 14h. and 15½h. Lunar halo till 1h. Damping 3¾h. Rain 5½h. till 9h. Dew at night.
FRIDAY ..	29	wP till 13½h.; variably mP and mN till 14½h.; then wP.	0·7	10·3	Nearly overcast generally. Damping 5½h. Showers at 9¾h., 11½h. and 15½h. Rain between 12½h. and 13¾h., and from 23½h. Hail 13¾h. Partial Lunar halo 21h.
SATURDAY	30	Variably sN and sP till 5h.; wP till 8h.; mP till 11h.; wP till 16h.; then mP.	0·2	10 2	Nearly overcast till 17h., then partially cloudy. Rain till 2h., and from 4h. till 5h. Hail 8¾h. Partial Solar halo 11h.
			Sum 16·1	Sum 72·7	
No. of Col. ..	..	26	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·93 ins. at the beginning of the week to 30·26 ins. by 21h. on 18th; decreased to 29·32 ins. by 7h. on 22nd; increased generally and was 29·44 ins. by midnight on the 23rd.

FOR OFFICIAL USE

1926. No. 43.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 30TH OCTOBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 30TH OCTOBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-third week of the year numbered 6,389 and corresponded to an annual rate of 17·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,698 and corresponded to an annual rate of 12·6 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 10·5, 10·2 and 11·1. Infant mortality was 80 per 1,000 births against 81, 81 and 75 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,451 births, corresponding to a rate of 16·4 per 1,000, and 1,125 deaths of civilians, corresponding to an annual rate of 12·7, against 10·3 10·1 and 11·5, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·2 per 1,000. The infant mortality was 78 as against 62, 74 and 61 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,137 to 4,698. In London the number of deaths from all causes increased from 1,014 to 1,125; the deaths from diphtheria which had been 8, 13 and 13 in the preceding three weeks fell to 8 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 49, 28 and 33 in the preceding three weeks, were 30 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 30th October, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,389	4,698	514	1	7	3	14	43	124	71
London	4,602,000*	1,451	1,125	113	-	1	-	4	8	30	15
Towns in Outer Ring.											
Croydon C.B ..	199,300	62	53	3	-	-	-	-	2	-	1
Wimbledon ..	58,170	13	17	1	-	-	-	-	-	-	-
Ealing†	91,000	23	15	2	-	-	-	-	-	-	1
Acton	63,110	15	16	2	-	-	-	-	-	-	-
Willesden ..	168,900	36	35	1	-	-	-	-	1	-	1
Hendon	59,150*	15	11	1	-	-	-	-	-	-	-
Hornsey	87,210	25	19	-	-	-	-	-	-	-	1
Wood Green ..	51,960	10	12	2	-	-	-	-	-	-	-
Tottenham ..	153,600	30	32	4	-	-	-	-	-	-	1
Edmonton ..	71,210	33	19	1	-	-	-	-	-	1	-
Enfield	63,740	18	11	1	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	138	70	9	-	-	-	-	1	3	1
East Ham C.B. ..	147,200	34	28	3	-	-	-	-	-	1	-
Leyton	132,700	38	23	5	-	-	-	-	-	1	-
Walthamstow ..	130,800	33	26	4	-	-	-	-	-	1	-
Ilford	93,590	32	24	3	-	-	-	-	2	-	-
Gillingham	48,680*	23	15	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	4	4	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	10	14	1	-	-	-	-	-	-	1
Eastbourne C.B. ..	55,060	14	15	1	-	-	-	-	-	-	1
Brighton C.B. ..	137,800*	34	48	1	-	-	-	-	-	1	-
Portsmouth C.B. ..	232,900*	90	55	3	-	-	-	1	-	-	1
Bournemouth C.B. ..	85,840	23	14	-	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	53	44	9	-	-	-	-	1	3	-
Reading C.B.	93,670*	30	20	1	-	-	-	-	-	-	-
Oxford C.B.	57,090	18	18	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	15	27	-	-	-	-	-	-	-	-
Luton	59,230	15	12	-	-	-	-	-	-	-	-
Cambridge	59,020	15	16	-	-	-	-	-	-	-	1
Southend-on-Sea C.B.	98,060	23	33	3	-	-	-	-	-	-	1
Ipswich C.B.	83,120*	26	15	2	-	-	-	1	-	1	-
Great Yarmouth C.B.	57,890	25	14	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	36	21	1	-	-	-	-	-	-	-
Swindon	56,880	26	11	1	-	-	-	-	-	-	1
Exeter C.B.	59,820*	25	18	-	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	73	40	4	-	-	1	-	2	-	-
Bath C.B.	69,050	17	18	-	-	-	-	-	-	-	1
Bristol C.B.	385,700*	128	96	6	-	-	-	-	-	2	4
Gloucester C.B. ..	53,060	18	10	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	114	72	12	-	1	-	1	1	2	1
Burton-upon-Trent C.B.	49,530	11	11	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	30	28	3	-	-	-	-	-	-	1
Walsall C.B.	102,300	50	29	5	-	-	-	-	-	-	-
West Bromwich C.B	79,490	24	23	4	-	-	-	-	-	-	1
Dudley C.B.	58,810	32	15	5	-	-	-	-	-	1	-
Worcester C.B. ..	50,230	20	14	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	314	203	18	-	2	-	2	3	6	1
Smethwick C.B. ..	78,840	28	14	3	-	-	-	-	1	1	-
Coventry C.B ..	129,100	34	19	4	-	-	-	-	1	1	1
Leicester C.B. ..	242,100	74	68	4	-	-	-	-	-	1	3
Lincoln C.B.	66,600*	28	20	3	-	-	-	-	-	-	-
Grimsby C.B.	87,190	33	21	2	-	-	-	-	1	-	-
Nottingham C.B. ..	270,600	94	75	6	-	-	-	-	1	1	3
Derby C.B.	134,400*	40	34	6	-	-	1	-	2	-	-
Chesterfield ..	65,800	28	14	3	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	34	22	2	-	-	-	-	-	1	1
Chester C.B.	41,670	19	10	3	-	-	-	-	-	1	-
Birkenhead C.B. ..	155,500	57	23	3	-	-	-	-	1	1	-
Wallasey C.B. ..	91,720	25	21	-	-	-	-	-	1	-	-
Liverpool C.B. ..	856,000	338	238	40	-	-	-	2	4	11	1
Bootle C.B.	83,260	27	18	2	-	-	-	-	-	-	-
St. Helens C.B. ..	109,600	46	31	3	-	-	-	1	1	1	1

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	19	25	2	-	-	-	1	-	-	1
WIGAN C.B.	91,010	29	14	1	-	-	-	-	-	-	-
WARRINGTON C.B. ..	77,970*	28	18	5	-	-	-	-	1	1	1
BOLTON C.B.	180,400	56	49	1	-	-	-	-	-	2	1
BURY C.B.	56,700*	9	15	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	755,800	274	193	20	1	-	-	-	3	5	1
SALFORD C.B.	244,700	77	62	13	-	-	-	-	-	2	-
OLDHAM C.B	146,200	43	66	7	-	-	-	-	1	-	3
ROCHDALE C.B... ..	92,190	28	23	-	-	-	-	-	-	-	-
BURNLEY C.B.	102,300	27	24	2	-	1	-	-	-	-	-
BLACKBURN C.B. ..	126,900	33	38	3	-	-	-	-	-	1	1
PRESTON C.B.	122,900	41	30	3	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	80,750	23	17	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	73,470	26	11	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	112,100	32	28	2	-	-	-	-	-	-	1
HALIFAX C.B.	97,860*	16	22	2	-	1	-	-	-	1	-
BRADFORD C.B. ..	290,200	75	84	5	-	-	-	-	-	-	-
LEEDS C.B.	472,900	141	129	16	-	-	-	-	-	5	1
DEWSBURY C.B ..	54,570	13	14	3	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	17	10	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	39	16	4	-	-	-	1	-	-	2
SHEFFIELD C.B. ..	526,900*	169	120	18	-	-	1	-	1	5	1
ROTHERHAM C.B. ..	70,600	31	13	2	-	-	-	-	-	-	-
DONCASTER	55,610	23	7	-	-	-	-	-	-	1	-
YORK C.B.	84,630*	28	23	4	-	-	-	-	-	4	1
HULL C.B.	297,300	99	75	7	-	-	-	-	-	2	1
MIDDLESBROUGH C.B.	136,200	70	19	3	-	-	-	-	-	1	1
DARLINGTON C.B. ..	69,130	26	20	4	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	68,000	26	10	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,590	34	20	4	-	-	-	-	-	1	-
SUNDERLAND C.B. ..	166,000	58	44	8	-	-	-	-	-	1	1
SOUTH SHIELDS C.B. ..	124,600	41	27	2	-	-	-	-	-	-	1
GATESHEAD C.B. ..	129,000	49	35	6	-	-	-	-	-	6	-
NEWCASTLE-ON-TYNE C.B.	286,300*	130	62	11	-	-	-	-	-	6	-
TYNEMOUTH C.B. ..	66,180	27	17	6	-	1	-	-	-	3	1
CARLISLE C.B.	55,160*	21	9	2	-	-	-	-	-	-	1
NEWPORT (MON.) C.B.	96,420*	30	19	5	-	-	-	-	-	1	-
CARDIFF C.B.	227,100*	87	45	3	-	-	-	-	2	2	-
RHONDDA	167,570	53	35	5	-	-	-	-	1	-	1
MERTHYR TYDFIL C.B.	82,920	21	20	1	-	-	-	-	-	-	2
ABERDARE	57,700	8	13	3	-	-	-	-	-	1	1
SWANSEA C.B.	163,200	65	40	5	-	-	-	-	-	1	-
GREATER LONDON ..	7,742,212*	2,350	1,860	178	-	1	-	6	14	42	28
OUTER RING	3,140,212*	899	735	65	-	-	-	2	6	12	13
6 GREAT TOWNS IN OUTER RING	1,890,140*	555	411	42	-	-	-	-	6	7	6
REMAINDER OF OUTER RING	1,250,072*	344	324	23	-	-	-	2	-	5	7
EDINBURGH†	424,600	130	110	18	-	-	1	1	3	-	1
GLASGOW† ..	1,052,200	441	275	61	1	-	2	1	2	14	3
DUBLIN (REGISTRATION AREA)†	419,156§	193	145	27	-	-	-	1	2	9	-
BELFAST†	416,000		Not re	ceived.							

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,602,000	1926. Oct. 30	1451	1125	12·7	–	–	1	–	4	8	30
CALCUTTA AND SUBURBS	1,077,273	Sept. 25	?	811‖	39·1	?	3	?	?	?	?	?
BOMBAY§	1,279,061	Oct. 2	534	681‖	27·7	3	1	1	–	1	–	47
MADRAS	528,791	„ 2	508	460	45·2	3	3	–	?	–	–	26
SYDNEY AND SUBURBS	1,038,950	Sept. 30 (30 days)										
BRISBANE (Metropolitan Area).	263,711	Aug. 31 (31 days)	515	249	11·3	–	–	–	–	–	1	–
PERTH (Metropolitan Area).	179,388	Aug. 28	59	28	8·2	–	–	–	–	–	–	–
		Sept. 4	61	34	9·9	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	192,176	Aug. 31 (31 days)	319	173	10·8	1	?	–	?	1	3	–
WELLINGTON (Urban Area).	121,324	Aug. 31 (31 days)	186	91	9 0	–	?	–	?	3	1	–
CHRISTCHURCH (Urban Area).	118,408	Aug. 31 (31 days)	196	141	14·4	–	?	1	?	7	–	–
CAPE TOWN	113,709	Oct. 2	36	24	11·0	–	–	–	–	–	–	–
JOHANNESBURG	165,958	„ 2	95	36	11·3	–	–	–	–	1	–	–
DURBAN	54,822	„ 2										
PARIS	2,906,472	Oct. 10 (10 days)										
ANTWERP	300,193	Sept. 18	74	38	6·8	–	–	1	–	–	–	4
		„ 25	94	50	8·7	–	–	–	–	1	–	1
AMSTERDAM	722,085	Oct. 9	268	102	7·4	–	–	1	–	–	–	1
COPENHAGEN	587,400	„ 9	184	133	11·7	–	–	–	–	1	–	2
STOCKHOLM	442,528	„ 9										
GOTHENBURG	230,963	„ 2	?	33	7·4	–	–	–	–	–	–	–
		„ 9	?	34	7·7	–	–	–	–	–	–	–
OSLO (CHRISTIANIA) ..	255,724	„ 16	63	43	8·7	–	–	–	–	–	–	–
BERLIN	1,999,000	„ 9	376	443	11·5	2	?	1	–	–	4	3
BRESLAU	560,000	„ 9	147	100	9·3	–	?	–	–	–	–	2
COLOGNE	708,000	„ 9	203	139	10·2	2	?	–	–	8	1	5
DRESDEN	621,000	„ 9	136	132	11·0	–	?	–	–	–	–	1
FRANKFORT-ON-MAIN..	472,000	„ 9	99	71	7·8	–	?	–	–	–	–	2
HAMBURG	1,101,000	„ 9	261	201	9·5	1	?	–	–	2	–	–
LEIPZIG	685,000	„ 9	183	160	12·1	1	?	–	1	–	1	4
MUNICH	685,000	„ 9	149	149	11·3	–	?	1	–	–	–	2
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	April 30 (30 days)										
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	„ 9	?	275	12·7	4	–	–	26	–	2	18
CAIRO	859,400	May 20										
ALEXANDRIA	492,100	„ 20										
NEW YORK	5,924,139	Sept. 18										
CHICAGO	2,995,239	Oct. 8	1212	607	10·4	2	?	–	–	1	4	13

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 7 deaths from cholera in Calcutta and 3 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th October, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1,125	113	11	13	23	44	48	89	118	178	231	257
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	4	3	-	1	-	-	-	-	-	-	-	-
Diphtheria	8	-	-	4	4	-	-	-	-	-	-	-
Influenza	15	-	-	-	-	-	2	-	-	3	3	7
Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	-	-	1
Meningococcal meningitis	3	2	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	87	-	-	-	2	19	22	17	12	10	4	1
Nervous system	4	-	1	1	1	-	1	-	-	-	-	-
Intestines and peritoneum	2	2	-	-	-	-	-	-	-	-	-	-
Other forms	4	-	-	-	1	-	-	1	-	2	-	-
Venereal diseases	3	2	-	-	-	-	-	1	-	-	-	-
Cancer	115	-	-	-	-	-	1	8	19	31	40	16
Rheumatic fever	1	-	-	-	-	1	-	-	-	-	-	-
Diabetes	20	-	-	-	-	-	2	2	2	6	5	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	-	-	1	1	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	59	-	-	-	-	1	-	3	2	10	22	21
Epilepsy	3	-	-	-	-	2	-	-	1	-	-	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	34	5	-	-	3	3	2	4	5	7	2	3
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	2	-	-	1	1	-	-
Other diseases of heart	185	-	-	-	2	1	3	14	17	31	50	67
Other diseases of circulatory system	56	-	-	-	-	-	-	1	6	9	18	22
Bronchitis	92	2	-	2	-	-	-	2	7	15	27	37
Broncho-pneumonia	53	16	5	3	2	1	1	-	4	6	8	7
Lobar-pneumonia	35	1	1	-	1	3	-	6	10	6	4	3
Pneumonia (type not distinguished)	9	1	-	-	-	-	-	2	3	2	-	1
Other diseases of respiratory system	14	-	-	-	-	-	1	1	3	1	3	5
Diarrhœa and enteritis	33	29	1	-	-	-	1	1	-	1	-	-
Appendicitis, Typhlitis	7	-	-	-	-	1	-	1	3	1	1	-
Hernia, Intestinal obstruction	12	1	-	-	-	-	-	-	-	3	5	3
Cirrhosis of liver	4	-	-	-	-	-	-	-	1	2	1	-
Other diseases of digestive system ..	23	-	-	-	-	-	-	4	4	6	4	5
Acute nephritis	2	-	-	-	-	1	-	-	-	-	-	1
Chronic Bright's disease	32	-	-	-	-	-	2	4	1	10	10	5
Other diseases of genito-urinary system.	21	-	-	-	-	-	-	4	5	2	7	3
Puerperal sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	3	-	-	-	-	-	-
Congenital malformations	5	4	-	-	1	-	-	-	-	-	-	-
Premature birth	20	20	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	10	10	-	-	-	-	-	-	-	-	-	-
Old age	41	-	-	-	-	-	-	-	-	-	5	36
Suicide	15	-	-	-	-	-	3	6	2	4	-	-
Burns and Scalds	3	-	1	1	1	-	-	-	-	-	-	-
Drowning	1	-	-	-	-	-	-	-	-	-	1	-
Suffocation in bed	-	-	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	16	-	-	-	3	2	2	2	2	3	2	-
Other deaths by violence	14	-	-	-	-	-	1	3	1	2	1	6
Other specified causes	44	13	1	-	1	3	4	2	5	3	8	4
Ill-defined causes	1	-	-	-	-	-	-	-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th October, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	302	296	3	129	C. 7 D. 2 E. 14 F. 1 G. 3 M. 18 N. 26
†CITY OF LONDON	-	-	2	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	8	8	-	13	M. 1 N. 1
†BERMONDSEY ...	-	12	36	-	2	D. 1 N. 1
†BETHNAL GREEN	-	20	17	-	5	M. 3 N. 1
†CAMBERWELL ..	-	17	19	1	1	
†CHELSEA		-	3	-	4	N. 1
†DEPTFORD ..	-	14	3	-	3	E. 2 M. 1
†FINSBURY ..		5	4	-	3	-
†FULHAM		6	4	-	7	G. 1
†GREENWICH ..	-	12	7	-	4	C. 1
†HACKNEY ..	-	17	15	-	3	C. 1 N. 1
†HAMMERSMITH ..	-	1	2	-	8	C. 1 N. 1
†HAMPSTEAD .	-	2	5	-	1	-
†HOLBORN... .	-	-	2	-	1	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	40	19	-	7	D. 1 E. 3 F. 1 M. 3 N. 4
†KENSINGTON ...	-	2	6	-	4	C. 1 E. 1 G. 1 M. 1 N. 2
†LAMBETH ...	-	22	11	-	9	M. 2
†LEWISHAM ...	-	8	22	1	4	E. 1 N. 1
†PADDINGTON ...	-	4	6	-	9	C. 1 E. 1 N. 2
†POPLAR	-	16	9	-	11	M. 1 N. 1
†ST. MARYLEBONE	-	2	6	-	1	C. 1 E. 1 M. 1 N. 1
†ST. PANCRAS ...	-	11	14	-	2	N. 1
†SHOREDITCH ...	-	8	8	-	4	M. 3
†SOUTHWARK ...	-	7	12	-	5	E. 1 M. 1 N. 1
†STEPNEY	-	31	23	-	2	C. 1
†STOKE NEWINGTON	-	1	2	-	-	N. 1
†WANDSWORTH ...	-	25	10	-	7	E. 4 N. 3
†WESTMINSTER, CITY OF	-	4	12	1	-	G. 1 N. 3
†WOOLWICH ...	-	7	9	-	9	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	18	2	–	2	E. 2 M. 2 N. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	2	–	–	–	–
†BEDFORD... ...	–	6	–	–	1	M. 1
DUNSTABLE ...	–	–	1	–	–	E. 1
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	3	1	–	–	M. 1
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD ...	–	6	–	–	–	–
EATON BRAY ...	–	–	–	–	–	E. 1
LUTON	–	–	–	–	–	N. 1
BERKS	–	12	3	–	–	F. 1 G. 1 N. 1
†READING C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	3	–	–	–	–
†NEWBURY ...	–	1	–	–	–	–
†NEW WINDSOR ...	–	1	1	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	1	–	–	–	–
HUNGERFORD ...	–	2	–	–	–	–
NEWBURY ...	–	–	–	–	–	N. 1
WANTAGE .	–	–	–	–	–	F. 1
WINDSOR... ...	–	–	–	–	–	G. 1
WOKINGHAM ...	–	3	1	–	–	–
BUCKINGHAM ...	–	3	1	–	1	E. 2 N. 2
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE	–	–	–	–	1	E. 1
MARLOW	–	–	–	–	–	E 1
BUCKINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
NEWPORT PAGNELL	–	–	1	–	–	–
†SLOUGH	–	–	–	–	–	N. 1
†WOLVERTON ...	–	1		–	–	–
Rural Districts:—						
ETON	–	1	–	–	–	N. 1
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ..	–	4	2	–	1	M. 1
Borough:—						
†CAMBRIDGE ..	–	3	2	–	1	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	M. 1
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	64	22	3	16	C. 3 E. 1 G. 2 M. 8 N. 5
†BIRKENHEAD C.B.	–	8	6	–	6	G. 1 M 1
†CHESTER C.B. ..	–	1	–	–	–	C. 1
†STOCKPORT C.B.	–	20	4	1	2	C. 2 M. 4
†WALLASEY C.B. ...	–	6	3	–	–	E. 1 N. 3
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	1	1	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	5	–	–	1	N. 1
†CONGLETON ...	–	1	2	–	1	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	2	–	–	–	–
HALE	–	–	1	–	–	–
HOLLINGWORTH	–	–	–	–	–	M. 1
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	–	1	3	–
LYMM	–	1	–	–	–	–
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	–	–	–	–	N. 1
†NORTHWICH ...	–	1	–	1	–	–
†RUNCORN... ...	–	1	–	–	–	–
†SALE	–	–	1	–	–	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
CHESTER	–	1	–	–	–	G. 1
MACCLESFIELD ...	–	4	–	–	–	–
NANTWICH ...	–	1	1	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	–	–	–	1	–
TARVIN	–	–	–	–	–	M. 1
WIRRAL	–	–	1	–	2	M. 1
CORNWALL ...	–	8	2	–	1	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
LISKEARD ...	–	–	1	–	–	–
LOOE	*	*	*	*	*	*
PADSTOW... ...	–	1	1	–	–	–
PENRYN	–	1	–	–	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
HELSTON... ...	–	4	–	–	–	–
CUMBERLAND ..	–	21	8	–	2	–
†CARLISLE C.B. ..	–	5	–	–	–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...	–	1	–	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
†MARYPORT ...	–	–	1	–	–	–
PENRITH	–	2	–	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
BOOTLE	–	–	–	–	1	–
BRAMPTON ...	–	–	1	–	–	–
CARLISLE ...	–	4	–	–	–	–
COCKERMOUTH ...	–	2	1	–	1	–
LONGTOWN ...	–	3	–	–	–	–
WHITEHAVEN ...	–	1	3	–	–	–
DERBY	3	45	22	–	17	C. 2 M. 2 N. 1
†DERBY C.B. ...	2	3	8	–	9	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	3	1	–	–	–
†BELPER	1	–	–	–	–	–
†BOLSOVER ...	–	1	1	–	1	–
†CHESTERFIELD ...	–	5	5	–	–	–
CLAY CROSS ...	–	1	–	–	–	–
†GLOSSOP	–	–	2	–	–	–
†HEANOR	–	–	1	–	2	–
†LONG EATON ...	–	5	1	–	1	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	4	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	N. 1
BAKEWELL ...	–	2	–	–	–	–
BELPER	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; ercephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
BLACKWELL ...	–	2	2	–	1	C. 1
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ..	–	6	1	–	–	C. 1
CLOWNE	*	*	*	*	*	*
HARTSHORN AND SEALS	–	1	–	–		–
REPTON	–	7	–	–	–	–
SHARDLOW	–	1	–	–	–	–
CODNOR PARK AND SHIPLEY (Parishes)	–	1	–	–	–	–
DEVON	–	24	5	1	4	E. 1 G. 1 N. 2
†EXETER C.B. ...	–	9	1	–	–	–
†PLYMOUTH C.B....	*	*	*	*	*	*
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	–	G. 1
BIDEFORD ...	–	1	1	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXMOUTH ...	–	2	–	–	–	–
†NEWTON ABBOT	–	–	3	–	–	–
†TEIGNMOUTH ...	–	1	–	1	1	–
TIVERTON ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
CULMSTOCK ...	–	–	–	–	–	N. 1
KINGSBRIDGE ...	–	3	–	–	–	–
NEWTON ABBOT...	–	2	–	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
PLYMPTON ST. MARY	–	2	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
TIVERTON ...	–	–	–	–	–	E. 1
TORRINGTON ...	–	1	–	–	–	–
TOTNES	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	7	2	–	2	E. 1 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	1	–	–	–
†POOLE	–	1	–	–	1	–
SWANAGE ...	–	–	–	–	–	N. 1
Rural Districts:—						
BEAMINSTER ...	–	3	–	–	–	–
CERNE	–	1	–	–	–	M. 1
POOLE	–	1	–	–	–	–
STURMINSTER ...	–	–	1	–	1	–
WIMBORNE AND CRANBORNE	–	–	–	–	–	E. 1 G. 1
DURHAM	118	64	27	1	32	G. 2 M. 3 N. 6
†DARLINGTON C.B.	2	5	1	–	–	–
†GATESHEAD C.B.	15	10	4	–	1	G. 1
†SOUTH SHIELDS C.B.	2	1	–	–	6	–
†SUNDERLAND C.B.	–	1	5	–	12	N. 1
†WEST HARTLEPOOL C.B.	–	6	3	–	–	N. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	G. 1
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	28	–	–	–	–	–
†CHESTER LE STREET	–	4	3	–	–	–
†CONSETT		2	1	–	–	–
†CROOK	4	1	1	–	–	–
†FELLING	1	–	–	–	1	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	–	1	1	–	–	–
†HETTON	8	–	–	–	2	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
I, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	4	–	1	–	–	–
†JARROW	12	1	–	–	8	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	1	–	–	–
†SHILDON	–	–	–	–	–	N. 1
†SPENNYMOOR ..	1	–	–	–	–	–
†STANLEY	1	1	–	–	–	–
†STOCKTON ON TEES	–	1	2	–	1	–
TOW LAW ...	–	2	–	–	–	–
†WHICKHAM ...	–	6	–	–	–	–
WILLINGTON ...	1	1	1	–	–	–
Rural Districts:—						
AUCKLAND ...	3	2	–	1	–	N. 1
CHESTER LE STREET	2	3	–	–	–	–
DARLINGTON ...	–	–	1	–	–	–
DURHAM	2	1	–	–	1	–
EASINGTON ...	10	5	–	–	–	N. 1
HOUGHTON LE SPRING	4	–	–	–	–	M. 1
LANCHESTER ...	12	1	2	–	–	M. 1
SEDGEFIELD ..	6	–	–	–	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	–	M. 1
ELY, ISLE OF ...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
ELY	–	1	–	–	1	–
WHITTLESEY ...	–	–	1	–	2	–
Rural Districts:—						
WISBECH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	144	65	1	33	C. 1 E. 2 M. 6 N. 4
†EAST HAM C.B. ...	–	11	5	–	3	C. 1
†SOUTHEND-ON-SEA C.B.	–	10	2	1	1	E. 1
†WEST HAM C.B. ...	–	53	14	–	18	M. 2 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	5	4	–	–	–
BRAINTREE ...	–	2	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
BUCKHURST HILL	–	1	–	–	–	–
BURNHAM ON CROUCH	–	–	1	–	–	–
CANVEY ISLAND...	–	–	1	–	–	–
†CHELMSFORD ...	–	3	–	–	–	–
CHINGFORD ...	–	2	–	–	–	–
DAGENHAM ...	–	3	2	–	–	–
†HARWICH ...	–	–	–	–	–	N. 1
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	6	4	–	2	–
†LEYTON	–	10	13	–	3	–
†ROMFORD ...	–	–	1	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
TILBURY	–	1		–	–	E. 1
†WALTHAMSTOW ...	–	20	10	–	3	M. 2
†WANSTEAD ..	–	1	–	–	–	–
†WOODFORD ...	–	–	1	–	2	–
Rural Districts:—						
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	1	3	–	–	–
DUNMOW	–	2	–	–	1	–
EPPING	–	–	2	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–		–	–	M. 1
MALDON	–	1	–	–	–	–
ORSETT	–	2	2	–	–	M. 1
ROCHFORD ...	–	3	–	–	–	N. 1
TENDRING ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	33	25	1	13	D. 2 M. 1 N. 1
†BRISTOL C.B. ...	-	13	16	-	9	N. 1
†GLOUCESTER C.B.	-	1	1	-	3	M. 1
Boroughs and Urban Districts:—						
CHARLTON KINGS	-	-	2	-	-	-
†CHELTENHAM ...	-	-	-	-	1	D. 2
CIRENCESTER ...	-	1	-	-	-	-
TEWKESBURY ...	-	-	1	-	-	-
Rural Districts:—						
DURSLEY	-	3	-	-	-	-
EAST DEAN AND UNITED PARISHES	-	2	-	-	-	-
LYDNEY	-	1	-	-	-	-
MARSTON SICCA .	-	4	-	-	-	-
NEWENT	-	1	-	-	-	-
STROUD	-	4	3	1	-	-
TETBURY (part)	-	-	1	-	-	-
THORNBURY ...	-	1	-	-	-	-
WARMLEY ...	-	1	-	-	-	-
WEST DEAN ...	-	1	-	-	-	-
WINCHCOMB (part)	-	-	1	-	-	-
HEREFORD ...	-	5	-	-	2	E. 2
Rural Districts:—						
KINGTON	-	1	-	-	-	-
LEDBURY... ...	-	1	-	-	-	-
LEOMINSTER ...	-	2	-	-	-	-
ROSS	-	-	-	-	2	-
WIGMORE ...	-	1	-	-	-	E. 2
HERTFORD ...	-	11	4	-	-	E. 1
Boroughs and Urban Districts:—						
BUSHEY	-	1	-	-	-	-
†CHESHUNT ...	-	-	1	-	-	-
HARPENDEN ...	-	-	1	-	-	-
†ST. ALBANS ...	-	2	-	-	-	-
†WATFORD ...	-	3	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	-	-	-	-	-	E. 1
HATFIELD ...	-	3	-	-	-	-
ST. ALBANS ...	-	1	-	-	-	-
WARE	-	-	1	-	-	-
WATFORD ...	-	1	-	-	-	-
HUNTINGDON ...	-	6	1	-	4	C. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	-	-	-	-	1	-
HUNTINGDON ...	-	3	-	-	-	-
OLD FLETTON ...	-	-	-	-	2	-
Rural Districts:—						
HUNTINGDON ...	-	1	-	-	-	-
NORMAN CROSS ...	-	-	1	-	1	-
OUNDLE (part) ...	-	2	-	-	-	-
ST. IVES	-	-	-	-	-	C. 1
KENT	-	53	34	1	12	E. 5 F. 6 G. 1 M. 8 N. 2
†CANTERBURY C.B.	-	-	3	-	1	-
Boroughs and Urban Districts:—						
†ASHFORD	-	-	-	-	1	G. 1
†BECKENHAM ...	-	1	2	-	2	-
†BEXLEY	-	7	-	-	-	-
†BROADSTAIRS AND ST. PETER'S	-	3	-	-	-	E. 4 F. 6
†BROMLEY ...	-	1	-	-	2	-
†CHATHAM ...	-	1	8	-	-	-
†CRAYFORD ...	-	1	-	-	-	-
†DARTFORD ...	-	2	-	-	2	-
†DOVER	-	6	-	-	1	-
†ERITH	-	2	1	-	1	-
†FAVERSHAM ...	-	1	-	-	-	-
†FOLKESTONE ...	-	-	2	-	-	-

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†GILLINGHAM ...	–	2	–	–	–	M. 3
†GRAVESEND ...	–	–	4	–	–	–
†HERNE BAY ...	–	–	1	–	–	N. 1
†MAIDSTONE ...	–	5	2	–	–	M. 1
†MARGATE ...	–	–	1	1	–	–
MILTON REGIS ...	–	–	1	–	–	
†NORTHFLEET ...	–	1	2	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	2	–	–	1	M. 1
						N. 1
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	M. 1
SIDCUP	–	–	1	–	–	–
SWANSCOMBE ...	–	1	1	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	–	M. 1
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	3	1	–	–	–
EAST ASHFORD ...	–	1	–	–	1	–
FAVERSHAM ...	–	1	–	–	–	E. 1
ISLE OF THANET	–	–	–	–	–	M. 1
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	7	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
LANCASTER ...	–	241	142	6	181	C. 4
						D. 1
						E. 1
						G. 6
						M. 30
						N. 9
†BARROW IN FURNESS C.B.	–	2	2	–	–	–
†BLACKBURN C.B.	–	6	2	–	3	M. 1
						N. 2
†BLACKPOOL C.B.	–	2	1	–	2	M. 1
†BOLTON C.B. ...	–	4	6	–	1	–
†BOOTLE C.B. ...	–	8	3	–	7	–
†BURNLEY C.B. ..	–	7	1	–	3	M. 1
						N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURY C.B. ...	–	–	2	–	1	–
†LIVERPOOL C.B. ..	–	47	33	1	54	C. 2
						E. 1
						G. 2
						M. 18
†MANCHESTER C.B.	–	62	26	2	40	C. 2
						D. 1
						G. 1
						M. 4
†OLDHAM C.B. ...	–	6	10	–	3	–
†PRESTON C.B. ...	–	3	5	–	–	–
†ROCHDALE C.B. ...	–	1	1	–	–	–
†ST. HELENS C.B....	–	10	6	–	3	–
†SALFORD C.B. ...	–	15	12	1	17	G. 1
						M. 2
†SOUTHPORT C.B.	–	5	–	–	2	–
†WARRINGTON C.B.	–	1	4	–	5	–
†WIGAN C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	2	1	–	–	–
†ATHERTON ...	–	1	–	–	–	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	1	1	–	–	–
BRIERFIELD ...	–	1	–	–	3	–
†CHADDERTON ...	–	–	1	–	1	–
†CHORLEY	–	1	–	–	4	–
CHURCH	–	2	1	–	–	–
†COLNE	–	–	–	1	1	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	4	–	–	–	M. 1
†DENTON	–	–	1	–	–	–
†DROYLSDEN ...	–	1	–	–	2	–
†ECCLES	–	2	–	–	–	–
†FAILSWORTH ..	–	–	–	–	1	–
†FARNWORTH ...	–	1	–	–	1	–
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	2	1	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORWICH ...	–	–	2	–	4	–
†INCE IN MAKERFIELD	–	–	–	–	4	–
KEARSLEY ...	–	–	–	–	–	N. 1
†LANCASTER ...	–	4	–	–	1	G. 1 N. 1
†LEIGH		–	1	–	1	N. 1
LITTLE CROSBY...	*	*	*	*	*	*
LITTLE LEVER ...	*	*	*	*	*	*
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†NELSON	–	1	–	1	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	–	M. 1
ORMSKIRK ...	*	*	*	*	*	*
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–		13	–	–	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	2	–	–	–	–
†RAMSBOTTOM ...	–	3	–	–	3	–
†RAWTENSTALL ...	–	2	–	–	1	N. 1
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD ...	–	5	–	–	–	–
†SWINTON AND PENDLEBURY	–	3	–	–	3	–
†TURTON	–	1	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
WARDLE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	1	N. 1
†WIDNES	–	–	1	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURNLEY... ...	–	1	–	–	–	–
BURY	–	1	–	–	–	–
FYLDE	–	1	–	–	–	–
LEIGH	–	–	–	–	–	G. 1
LUNESDALE ...	*	*	*	*	*	*
PRESTON	–	2	–	–	–	–
SEFTON	*	*	*	*	*	*
ULVERSTON ...	–	–	–	–	–	N. 1
WEST LANCASHIRE	–	6	–	–	–	–
LEICESTER... ...	–	22	16	–	5	C. 1 E. 8 G. 3 N. 1
†LEICESTER C.B. ...	–	11	7	–	–	C. 1 E. 2 G. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
ASHBY WOULDS...	–	–	1	–	–	–
†COALVILLE ...	–	1	1	–	–	–
†LOUGHBOROUGH	–	4	–	–	–	E. 1 G. 1
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	–	–	1	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	3	1	–	1	–
BARROW UPON SOAR	–	–	–	–	1	E. 1 G. 1
BELVOIR	–	–	1	–	–	–
HALLATON ...	–	–	–	–	–	E. 2
HINCKLEY ...	–	–	4	–	–	E. 1
LUTTERWORTH ...	–	–	–	–	–	E. 1
MARKET BOSWORTH	–	1	–	–	1	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	1	C. 1 E. 1
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	1	–
†SPALDING ...	–	1	–		–	–
Rural Districts:—						
BOSTON	–	–	–	–	–	E. 1
SPALDING (part)..	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	1	–	–	1	-
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	28	4	1	2	E. 2 G. 2 M. 1
†GRIMSBY C.B. ..	–	5	–	–	1	G. 1
†LINCOLN C.B. ...	–	8	–	–	–	E. 1 G. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	3	–	–	–	-
†CLEETHORPES ...	–	4	–	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	-
LOUTH	-	–	–	–	–	E. 1
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	1	-
Rural Districts:—						
GLANFORD BRIGG	–	2	2	–	–	–
ISLE OF AXHOLME	–	-	1	1	–	–
LOUTH	–	2	–	–	–	–
WELTON	–	1	–	–	–	M. 1
MIDDLESEX ..	–	59	83	1	21	C. 3 D. 1 E. 3 M. 5 N. 5
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	-
†BRENTFORD ...	–	-	1	–	2	C. 1 M. 1
†CHISWICK ...	–	–	2	-	-	–
†EALING	–	2	2	–	3	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EDMONTON ...	–	3	16	–	–	–
†ENFIELD	–	4	4	–	1	M. 1
†FINCHLEY ...	–	2	–	–	1	–
†FRIERN BARNET	–	2	–	–	1	–
†HARROW ON THE HILL	–	–	–	–	1	–
HAYES	–	–	–	–	1	–
†HENDON	–	2	1	–	–	C. 1
†HESTON AND ISLEWORTH	–	–	4	–	–	C. 1 D. 1
†HORNSEY... ...	–	2	1	–	1	N. 1
†SOUTHALL NORWOOD	–	–	6	–	–	M. 1
†SOUTHGATE ...	-	1	1	–	–	–
†TOTTENHAM ...	–	17	27	-	3	N. 2
†TWICKENHAM ...	–	–	1	–	1	M. 1
†UXBRIDGE ...	–	–	–	-	–	E. 1
†WEALDSTONE ...	–	10	1	–	–	M. 1 N. 1
†WEMBLEY ...	–	–	-	-	1	–
†WILLESDEN ...	–	6	10	–	3	E. 1 N. 1
†WOOD GREEN ...	–	2	2	–	1	E. 1
YIEWSLEY ...	-	–	1	–	–	–
Rural Districts:—						
HENDON	–	4	1	–	1	–
UXBRIDGE ...	–	1	2	1	–	–
NORFOLK	–	15	2	8	2	M. 1 N. 1
†NORWICH C.B. ...	–	6	–	1	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–		2	–	–	-
Rural Districts:—						
BLOFIELD ...	–	2	–	4	–	–
DEPWADE ...	–	5	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOCKING	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–
FOREHOE ...	–	–	–	–	–	N. 1
FREEBRIDGE LYNN	–	–	–	3	–	–
SWAFFHAM ...	–	–	–	–	–	M. 1
NORTHAMPTON ...	–	7	5	–	8	E. 1
†NORTHAMPTON C.B.	–	–	5	–	3	–
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	–	–	–	1	–
†KETTERING ..	–	1	–	–	3	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	–	–	–	E. 1
HARDINGSTONE ...	–	–	–	–	1	–
OUNDLE (part) ...	–	1	–	–	–	–
THRAPSTON (part)	–	3	–	–	–	–
NORTHUMBERLAND	1	78	5	4	33	C. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	1	34	4	1	23	C. 1
†TYNEMOUTH C.B.	–	17	–	–	–	–
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	–	1	–	–
†ASHINGTON ...	–	6	–	1	2	–
†BEDLINGTONSHIRE	–	3	–	–	1	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	3	–	–	2	–
CRAMLINGTON ...	–	2	–	–	–	–
†LONGBENTON ...	–	–	–	–	1	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	M. 1
PRUDHOE... ...	–	–	1	–	1	–
SEATON DELAVAL	–	2	–	1	1	–
†WALLSEND ...	–	6	–	–	–	–
WEETSLADE ...	–	–	–		1	–
†WHITLEY AND MONKSEATON	–	1	–	–	1	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
NOTTINGHAM ...	–	23	36	2	14	E. 3 M. 8 N. 1
†NOTTINGHAM C.B.	–	13	31	–	7	E. 2 M. 4 N. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	1	–	–	–
†BEESTON... ...	–	–	–	–	–	E. 1
†CARLTON	–	3	–	–	–	–
†EAST RETFORD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	M. 1
†MANSFIELD ...	–	3	1	1	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	–	M. 1
†NEWARK	–	–	–	–	–	M. 1
†SUTTON IN ASHFIELD	–	–	1	–	2	–
†WEST BRIDGFORD	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	1	1	1	1	–
BINGHAM... ...	–	1	–	–	–	M. 1
EAST RETFORD ...	–	1	–	–	1	–
STAPLEFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	6	–	–	1	E. 1 N. 2
†OXFORD C.B. ...	–	2	–	–	–	N. 1
Boroughs and Urban Districts:—						
THAME	–	2	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	1	–	–	1	–
CROWMARSH ...	–	–	–	–	–	N. 1
HENLEY	–	–	–	–	–	E. 1
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	M. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	M. 1
RUTLAND	–	3	–	–	–	E. 6
Rural Districts:—						
OAKHAM	–	3	–	–	–	E. 6
SALOP	–	4	3	–	–	N. 2
Boroughs and Urban Districts:—						
LUDLOW	–	–	2	–	–	–
WELLINGTON ...	–	1	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	–	N. 1
CHURCH STRETTON	–	1	–	–	–	–
CLUN	–	–	–	–	–	N. 1
ELLESMERE ...	–	2	–	–	–	–
OSWESTRY ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	7	1	1	7	G. 2 M. 1 N. 2
†BATH C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	1	–
GLASTONBURY ...	–	–	–	–	–	G. 1
ILMINSTER ...	–	–	–	–	1	–
MINEHEAD ...	–	–	–	–	1	–
†TAUNTON ...	–	–	–	–	–	M. 1 N. 1
†WESTON SUPER MARE	–	–	–	–	–	G. 1 N. 1
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
CHARD	–	–	–	–	3	–
SHEPTON MALLET	–	–	–	1	–	–
WELLS	–	3	–	–	–	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	38	40	–	7	C. 2 G. 1 M. 2
†BOURNEMOUTH C.B.	–	2	–	–	–	–
†PORTSMOUTH C.B	–	18	36	–	–	C. 1 G. 1
†SOUTHAMPTON C.B.	–	5	4	–	3	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	1	–
†BASINGSTOKE ...	–	3	–	–	–	–
†GOSPORT	–	–	–	–	1	C. 1
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	2	–	–	–	–
BASINGSTOKE ...	–	1		–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts—*cont.*						
FAREHAM ...	–	–	–	–	1	–
KINGSCLERE ...	–	–	–	–	–	M. 1
NEW FOREST ...	–	3	–	–	–	
ROMSEY	–	3	–	–	–	–
STAFFORD	–	65	36	–	48	C. 3 D. 1 E. 3 G. 1 L. 1 M. 8
†BURTON UPON TRENT C.B.	–	–	2	–	–	–
†SMETHWICK C.B.	–	2	1	–	3	G. 1
†STOKE ON TRENT C.B.	–	5	9	–	23	C. 2 D. 1 E. 2 M. 3
†WALSALL C.B. ...	–	6	3	–	4	C. 1 M. 1
†WEST BROMWICH C.B.	–	10	1	–	1	–
†WOLVERHAMPTON C.B.	–	7	–	–	–	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	–
†BILSTON	–	–	1	–	–	–
†BRIERLEY HILL...	–	–	1	–	1	–
†CANNOCK	–	6	–	–	1	–
†COSELEY	–	1	1	–	–	–
†DARLASTON ...	–	3	–	–	3	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	2	–	–	–	–
KIDSGROVE ...	–	1	3	–	1	–
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
QUARRY BANK	–	1	1	–	–	–
†ROWLEY REGIS ...	–	3	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUGELEY... ...	–	–	–	–	2	–
†SEDGLEY	–	–	1	–	–	–
†STAFFORD ...	–	1	–	–	2	–
†TIPTON	–	1	–	–	1	M. 2
†WEDNESBURY ...	–	1	–	–	1	–
†WILLENHALL ...	–	4	2	–	–	E. 1
†WOLSTANTON UNITED	–	2	1	–	1	–
Rural Districts:—						
CANNOCK	–	3	–	–	–	–
CHEADLE... ...	–	1	1	–	–	–
KINGSWINFORD...	–	–	2	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	–	L. 1
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SEISDON	–	1	–	–	–	–
STAFFORD ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	1	–
UTTOXETER ...	–	–	2	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	16	3	–	5	C. 1 N. 1
†IPSWICH C.B. ...	–	4	–	–	3	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	5	–	–	1	N. 1
Rural Districts:—						
BLYTHING ...	–	–	3	–	–	–
HARTISMERE ...	–	2	–	–	–	–
HOXNE	–	1	–	–	1	–
MUTFORD AND LOTHINGLAND	–	2	–	–	–	–
PLOMESGATE ...	–	1	–	–	–	C. 1
SAMFORD... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	7	–	–	3	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	2	–
HADLEIGH ...	–	–	–	–	1	–
NEWMARKET ...	–	5	–	–	–	G. 1
Rural Districts:—						
COSFORD	*	*	*	*	*	*
THINGOE	–	2	–	–	–	–
SURREY	–	61	21	4	11	C. 2 D. 1 E. 3 G. 1 M. 1 N. 5
†CROYDON C.B. ...	–	22	9	–	4	C. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	1	–
†CARSHALTON ...	–	1	–	–	–	–
†CHERTSEY ...	–	–	–	–	1	–
DORKING	–	–	–	–	–	E. 1
†EGHAM	–	4	–	–	–	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FRIMLEY	–	1	–	–	–	D. 1
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	–	1	–	–	G. 1
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	3	3	–	2	C. 1
†REIGATE	–	2	–	2	–	N. 1
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	1	3	–	–	–
†SUTTON	–	–	2	–	1	–
†WALTON UPON THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	2	–	–	1	–
SURREY—*cont.*						
Rural Districts:—						
CHERTSEY ...	–	4	1	–	–	–
EPSOM	–	7	–	–	–	E. 1
FARNHAM ...	–	–	–	–	–	E. 1
GODSTONE ...	–	3	–	1	–	N. 1
GUILDFORD ...	–	1	–	–	–	–
REIGATE	–	5	–	1	1	N. 1
SUSSEX, EAST ...	–	16	6	1	1	E. 3 G. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	3	3	–	–	E. 1 G. 1 N. 1
†EASTBOURNE C.B.	–	6	–	–	–	–
†HASTINGS C.B. ...	–	3	–	1	1	E. 1
Boroughs and Urban Districts:—						
HAYWARDS HEATH	–	–	3	–	–	–
SEAFORD	–	–	–	–	–	E. 1
UCKFIELD ...	–	4	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	–	M. 1
SUSSEX, WEST ...	–	2	4	–	1	F. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	–	–	–	–	F. 1
SOUTHWICK ...	–	–	–	–	1	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
STEYNING WEST...	–	–	1	–	–	–
WESTHAMPNETT	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	63	46	1	35	C. 1 E. 5 G. 1 M. 8 N. 2
†BIRMINGHAM C.B.	–	50	34	1	30	C. 1 E. 1 G. 1 M. 8 N. 1
†COVENTRY C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	2	–
†ROYAL LEAMINGTON SPA	–	1	1	–	–	E. 2
†SUTTON COLDFIELD	–	3	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	N. 1
ATHERSTONE ...	–	1	4	–	–	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ..	–	1	–	–	–	–
MERIDEN... ...	–	–	–	–	1	E. 1
RUGBY	–	1	–	–	–	–
TAMWORTH (part)	–	1	4	–	–	E. 1
WARWICK ...	–	1	–	–	1	–
WESTMORLAND ...	–	2	–	–	1	G. 2
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
SHAP	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	–	G. 1
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	4	–	1	–	–
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
†RYDE	*	*	*	*	*	*
VENTNOR... ...	–	1	–	1	–	–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	–	–	–
WILTS	–	9	7	–	6	C. 1 E. 2 M. 1 N. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	4	1	–	–	–
†SALISBURY ...	–	–	3	–	–	–
†SWINDON... ...	–	–	–	–	3	C. 1
WARMINSTER ...	–	–	–	–	–	N. 1
Rural Districts:—						
AMESBURY ...	–	–	–	–	–	E. 1
CALNE	–	–	–	–	–	M. 1
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES	–	–	–	–	2	–
HIGHWORTH ...	–		2	–	1	–
MALMESBURY ...	–	1	–	–	–	N. 1
MELKSHAM ...	–	1	–	–	–	–
TISBURY	–	1	–	–	–	E. 1
WILTON	–	–	1	–	–	–
WORCESTER ...	–	10	6	–	9	E. 1
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	1	–
†KIDDERMINSTER	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†OLDBURY... ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†REDDITCH ...	–	2	1	–	–	E. 1
†STOURBRIDGE ...	–	–	–	–	2	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
FECKENHAM ...	–	–	–	–	1	–
MARTLEY... ...	–	1	–	–	1	–
PERSHORE ...	–	2	–	–	–	–
UPTON ON SEVERN	–	–	2	–	–	–
YORKS ... ... (East Riding.)	–	36	27	–	5	C. 1 M. 1 N. 1
†KINGSTON UPON HULL C.B	–	18	22	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	2	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
HORNSEA... ...	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	3	–	–	–	–
HOWDEN	–	1	–	–	2	–
NORTON	*	*	*	*	*	*
POCKLINGTON ...	–	1	1	–	–	–
RICCALL	–	10	2	–	–	–
SCULCOATES ...	–	–	–	–	–	N. 1
YORKS ... ... (North Riding.)	–	20	1	1	11	C 1 N. 1
†MIDDLESBROUGH C.B.	–	8	–	–	4	N. 1
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	2	–
MALTON	*	*	*	*	*	*
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
PICKERING ...	–	1	–	–	–	–
†REDCAR	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	1	–	–	–	C. 1
†THORNABY ON TEES	–	–	–	1	–	–
Rural Districts:—						
AYSGARTH ...	*	*	*	*	*	*
GUISBOROUGH ...	–	–	–	–	1	–
HELMSLEY ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
PICKERING ...	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	1	–
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding.)	9	153	59	5	97	C. 5 D. 1 E. 1 L. 3 M. 16 N. 11
†BARNSLEY C.B. ...	–	3	1	1	–	C. 1 M. 1 N. 1
†BRADFORD C.B. ...	–	18	10	–	7	C. 1 E. 1 M. 1
†DEWSBURY C.B....	–	–	1	–	2	–
†HALIFAX C.B. ...	–	–	–	1	–	–
†HUDDERSFIELD C.B.	–	3	5	–	3	–
†LEEDS C.B. ...	–	13	10	–	14	C. 1 N. 3
†ROTHERHAM C.B.	–	5	–	–	6	C. 1 M. 1
†SHEFFIELD C.B....	5	43	22	1	35	C. 1 D. 1 M. 8 N. 2
†WAKEFIELD C.B.	–	1	–	–	–	L. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	–	–	1	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BATLEY	–	–	–	–	–	N. 1
†BINGLEY	–	–	–	–	2	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	–	–	1	–	–
†BRIGHOUSE ...	–	–	1	–	–	–
†CONISBROUGH ...	–	–	–	–	1	–
†DARTON	–	1	–	–	–	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	3	2	–	–	1	M. 2
DRIGHLINGTON ...	–	–	–	–	1	–
†ELLAND	–	1	–	–	–	–
†GOOLE		5	–	–	1	–
GREETLAND ...	*	*	*	*	*	*
†HARROGATE ...	–	3	–	–	1	M. 1 N. 1
HEBDEN BRIDGE	–	2	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORBURY ...	–	–	1	–	–	–
HORSFORTH ...	–	–	–	–	2	–
†HOYLAND NETHER	–	2	–	–	1	–
ILKLEY	–	–	–	–	2	–
†KEIGHLEY ...	–	2	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
LINTHWAITE ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	1	–	–	1	–
†MORLEY	–	1	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	–	–	2	–
†OSSETT	–	1	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
†PUDSEY	–	1	–	–	–	–
RAWDON	*	*	*	*	*	*
†RAWMARSH ...	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
SELBY	–	3	1	–	–	–
†SHIPLEY	–	1	1	–	–	–
†SKIPTON	–	–	1	–	1	–
†SOWERBY ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	1	–
†SWINTON... ...	–	–	–	–	1	–
THURNSCOE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
THURSTONLAND AND FARNLEY TYAS	–	–	–	–	1	–
TICKHILL ...	*	*	*	*	*	*
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	–	N. 1
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	1	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	–	1	–	1	–
DONCASTER ...	–	1	–	–	2	M. 1
GOOLE	–	1	–	–	1	–
HEMSWORTH ...	–	3	–	–	1	N. 1
HUNSLET... ...	–	3	–	–	–	–
KIVETON PARK ...	–	2	–	–	–	–
ROTHERHAM ...	–	1	1	–	–	M. 1 N. 1
SETTLE	–	4	–	–	–	–
SKIPTON	1	1	–	–	1	–
TADCASTER ...	–	3	–	1	–	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	–	2	–	–	–
WORTLEY ...	–	2	–	–	1	–
§YORK, CITY OF ...	–	7	5	–	–	–
†YORK C.B. ...	–	7	5	–	–	–
WALES.						
ANGLESEY	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ANGLESEY—*cont.*						
Rural Districts:—						
TWRCELYN ...	-	1	-	-	-	-
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	-	2	3	-	-	N. 2
Boroughs and Urban Districts:—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts:—						
BRECKNOCK (DEFYNNOCK AND LLANGORSE)	-	-	3	-		N. 1
BUILTH	-	-	-	-	-	N. 1
CRICKHOWELL ...	-	1	-	-	-	-
YSTRADGYNLAIS	-	1	-	-	-	-
CAERNARVON ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
†BANGOR	-	1	-	-	-	-
Rural Districts:—						
LLEYN	-	1	-	-	-	-
CARDIGAN ...	-	1	-	-	-	G. 1
Boroughs and Urban Districts:—						
CARDIGAN ...	-	-	-	-	-	G. 1
Rural Districts:—						
TREGARON ...	-	1	-	-	-	-
CARMARTHEN ..	-	2	6	-	3	M. 1
Boroughs and Urban Districts:—						
†CARMARTHEN ...	-	-	2	-	-	-
CWMAMMAN ...	-	-	1	-	1	-
KIDWELLY ...	-	-	1	-	-	-
†LLANELLY ...	-	-	1	-	2	-
Rural Districts:—						
LLANDOVERY ...	-	2	-	-	-	-
LLANELLY ...	-	-	1	-	-	M. 1
DENBIGH	-	4	1	-	3	E. 1 N. 1
Boroughs and Urban Districts:—						
†COLWYN BAY ...	-	-	-	-	1	E. 1
†WREXHAM ...	-	1	1	-	-	-
Rural Districts:—						
CHIRK	-	1	-	-	-	-
WREXHAM ...	-	2	-	-	2	N. 1
FLINT	-	6	-	-	2	J. 1
Boroughs and Urban Districts:—						
BUCKLEY... ...	-	-	-	-	1	-
PRESTATYN ...	-	3	-	-		-
†RHYL	-	1	-	-	-	-
Rural Districts:—						
HAWARDEN ...	-	1	-	-	1	-
HOLYWELL (HOLYWELL DIV.)	-	1	-	-	-	J. 1
OVERTON ..	*	*	*	*	*	*
GLAMORGAN ..	-	59	38	-	21	C. 3 E. 2 M. 5 N. 9
†CARDIFF C.B. ..	-	6	3	-	1	C. 2 M. 2 N. 3
†MERTHYR TYDFIL C.B.	-	1	2	-	-	E. 1
†SWANSEA C.B. ...	-	10	4	-	4	C. 1 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	-	2	3	-	2	N. 1
†BARRY	-	1	4	-	-	-
BRIDGEND ...	-	2	-	-	-	-
†CAERPHILLY ...	-	1	1	-	-	-
†GELLIGAER ...	-	1	2	-	2	-
†GLYNCORWG ...	-	-	-	-	-	M. 1
†MAESTEG ...	-	3	3	-	-	-
†MOUNTAIN ASH ...	-	2	-	-	1	M. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	4	–	–	–	–
†OGMORE AND GARW	–	3	–	–	1	–
†PONTYPRIDD ...	–	1	1	–	2	N. 1
†PORT TALBOT ...	–	5	2	–	1	N. 1
†RHONDDA ...	–	9	6	–	6	E. 1
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	–	–
NEATH	–	–	3	–	–	N. 1
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ...	–	2	3	–	–	–
SWANSEA... ...	–	6	–	–	–	M. 1
MERIONETH ...	–	1	12	–	–	–
Urban Districts:—						
FESTINIOG ...	–	–	12	–	–	–
Rural Districts:—						
PENNAL (PARISH)	–	1	–	–	–	–
MONMOUTH ...	–	10	16	1	4	C. 1 D. 1 N 2
†NEWPORT C.B. ...	–	3	2	1	4	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	–	–	–	C. 1 N. 1
†BEDWELLTY ...	–	–	2	–	–	N. 1
CAERLEON ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	–	2	–	–	D. 1
†NANTYGLO AND BLAINA	–	–	2	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	1	4	–	–	–
†TREDEGAR ...	–	–	2	–	–	–
USK	*	*	*	*	*	*

Boroughs, Urban and Rural Districts and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
MONMOUTH ...	–	2	–	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
ST. MELLONS ...	–	2	–	–	–	–
MONTGOMERY ..	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
Rural Districts:—						
NEWTOWN AND LLANIDLOES	–	–	–	–	–	N. 1
PEMBROKE	–	1	1	–	2	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	1	–	–	–
HAVERFORDWEST.	–	–	–	–	1	–
MILFORD HAVEN	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
RADNOR						
Urban District:—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ..	131	1622	861	45	697	C. 38 D. 8 E. 64 F. 8 G. 30 J. 1 L. 4 M. 124 N. 88

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
PLYMOUTH	–	–	–	–	2	–							
Total of Part III.... ...	–	–	–	–	2	–							

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	302	296	3	129	C. 7 D. 2 E. 14 F. 1 G. 3 M. 18 N. 26
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	131	1622	861	45	697	C. 38 D. 8 E. 64 F. 8 G. 30 J. 1 L. 4 M. 124 N. 88
Total of Part III.—Port Sanitary Districts	–	–	–	–	2	–
Total (*i.e.*, of returns received), England and Wales ...	131	1924	1157	48	828	C. 45 D. 10 E. 78 F. 9 G. 33 J. 1 L. 4 M. 142 N. 114

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	Aug. 7.	Aug. 14	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.
LONDON:—												
DEATHS—all ages	706	752	716	785	791	766	810	819	848	912	895	1,014
" 0 to 1 year ..	56	76	68	72	85	81	105	117	120	97	102	90
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,079	7,508	6,970	7,029	6,358	6,523	6,830	6,426	6,560	6,574	6,240	6,509
DEATHS—all ages	3,139	3,226	3,280	3,292	3,409	3,393	3,449	3,507	3,731	3,916	3,793	4,137
" 0 to 1 year ..	354	386	383	409	452	445	516	477	566	532	505	488
ENTERIC FEVER—Cases	14	30	24	24	28	29	24	33	36	24	30	28
" Deaths	5	1	—	2	3	4	5	3	2	5	1	1
SMALL POX—Cases ..	8	4	11	5	16	10	19	39	32	35	40	32
" Deaths ..	—	—	—	—	—	—	—	—	2	1	—	—
SCARLET FEVER—Cases	600	674	669	641	750	773	837	963	968	1,074	1,055	1,106
" Deaths	2	6	6	5	6	3	2	3	3	3	2	5
DIPHTHERIA—Cases ..	509	552	460	511	526	600	674	732	722	827	833	817
" Deaths ..	26	23	28	24	30	20	24	29	36	36	39	40
MEASLES—Deaths ..	13	9	12	10	6	10	1	1	5	3	9	6
INFLUENZA—Deaths ..	19	18	16	18	19	12	19	23	32	36	38	54

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th October, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rain in Mil metr
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	54	27	48·4	35·4	24	HUDDERSFIELD	46	24	43·6	30·1	1
BRIGHTON ..	55	33	50·0	39·4	32	BRADFORD ..	43	26	41·9	32·1	2
PORTSMOUTH ..	54	31	49·4	38·9	35	SHEFFIELD ..	46	29	43·9	33·1	1
NORWICH (EATON).	51	27	47·7	34·0	18	YORK (MUSEUM)	46	23	43·6	32·9	1
PLYMOUTH ..	55	29	50·7	39·0	36	HULL (PEARSON PARK).	49	27	46·3	32·9	3
BRISTOL (CLIFTON).	52	28	45·9	34·4	37	TYNEMOUTH ..	46	31	44·3	34·7	2
BIRMINGHAM (EDGBASTON).	49	29	44·7	33·4	13	CARDIFF.. ..	54	27	47·3	34·6	3
NOTTINGHAM ..	48	26	45·9	32·7	11	EDINBURGH ..	43·0	29·0	40·9	32·1	2
BIRKENHEAD (BIDSTON).	46	29	43·0	35·3	7	GLASGOW ..	43·0	25·3	41·1	32·2	3
MANCHESTER (WHITWORTH PARK).	47	27	44·9	33·1	8	DUBLIN (PHŒNIX PARK).	51·3	24·2	46·7	30·0	2
BURNLEY.. ..	45	22	42·3	29·4	17	(FITZWILLIAM SQUARE†).	51·1	30·0	45·7	35·1	2
						BELFAST.. ..	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 30th October, 1926

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	24	..	29·433	49·2	30·9	18·3	40·8	− 7·1	33·9	6·9	19·5	0·0	76	95·2	23·9	53·2	NE: Calm.	SSE: SW.	3·2	0·0	0·1	202	− 67	0·40
MONDAY	25	..	29·086	52·0	34·0	18·0	42·4	− 5·3	34·7	7·7	16·3	0·6	74	102·3	29·9	53·0	SW	WSW: NW.	3·0	0·0	0·3	338	+ 60	0·20
TUESDAY	26	Greatest Declination N.	29·807	48·5	29·8	18·7	40·5	− 7·1	31·9	8·6	15·5	1·8	70	71·2	22·7	52·8	NW: NNW.	NNW: Calm.	5·8	0·0	0·6	368	+ 82	0·00
WEDNESDAY	27	..	29·810	53·9	27·1	26·8	42·1	− 5·4	34·5	7·6	16·0	4·7	74	93·6	20·2	52·3	Calm: SE.	SE: ESE.	1·2	0·0	0·1	210	− 82	0·00
THURSDAY	28	Last Quarter.	29·181	43·2	40·3	2·9	41·2	− 6·2	39·7	1·5	9·2	0·7	95	49·7	37·2	52·0	E	ENE: NNE.	2·3	0·0	0·2	296	− 0	0·27
FRIDAY	29	..	29·160	45·9	40·8	5·1	43·2	− 4·1	39·6	3·6	6·9	1·3	87	51·0	38·2	51·7	NNE	NNE	2·5	0·0	0·3	351	+ 55	0·08
SATURDAY	30	..	29·523	46·2	37·8	8·4	41·4	− 5·8	36·7	4·7	11·4	4·4	83	60·2	33·1	51·5	NNE	NNE	1·7	0·0	0·2	300	+ 6	0·01
MEANS		..	29·429	48·4	34·4	14·0	41·7	− 5·9	35·9	5·8	13·5	1·9	80	74·7	29·3	52·4	NNE		..	..	..	Sum 2065	Sum + 54	Sum 0·96
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	24	wP till 18½h.; variably mN and mP till 21h., then wP.	4·5	10·1	Partially cloudy till 7¾h.; cloudless till 11h., then becoming nearly overcast by 12h. Hoar frost in morning. Rain from 18½h. till 23h.
MONDAY ..	25	wP till 13h.; mP till 16h.; variably mN and mP till 17h., then wP	5·1	10·1	Variably cloudy, becoming overcast by 15¾h. Lunar halo 1h. Rain 16¼ till 16¾h.; and 21¾h. till 22¾h. Snow about 22½h.
TUESDAY ..	26	wP till 10h., then mP.	4·5	10·0	Variably cloudy, becoming cloudless by 16¾h. Faint lunar halo 0½h. Brisk wind 7h. till 10h. Fog from 19h. Hoar frost at night.
WEDNESDAY	27	mP till 4h., then wP.	4·4	10·0	Variably cloudy. Fog till 7h. Hoar frost in morning.
THURSDAY	28	wP till 9h.; variably mN and wP till 17h., then wP.	0·0	9·9	Overcast throughout Rain generally till 22h.
FRIDAY ..	29	wP till 17h.; mP till 21½h., then wP.	0·0	9·8	Overcast. Rain 4h. till 9h; and occasionally between 12h. and 21h.
SATURDAY	30	wP till 11h.; then mP.	0·0	9·8	Overcast generally. Rain at 4h. and 11½h.. Occasional damping between 12h. and 18h.
			Sum 18·5	Sum 69·7	
No. of Col. ..		—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative; w. weak; m. moderate s. strong, and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·44 ins. at the beginning of the week to 29·53 ins. by 12h. on 24th; decreased to 29·02 ins. by 16h. on 25th; increased to 29·99 ins. by 23h. on 26th, decreased to 29·08 ins. by 2h. on 29th; increased and was 29·67 ins. by midnight on the 30th.

1926. No. 44.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 6TH NOVEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; York Street, Manchester;
1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH NOVEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-fourth week of the year numbered 6,891 and corresponded to an annual rate of 18·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,817 and corresponded to an annual rate of 12·9 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 10·2, 11·1 and 12·6. Infant mortality was 73 per 1,000 births against 81, 75 and 80 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,621 births, corresponding to a rate of 18·3 per 1,000, and 1,209 deaths of civilians, corresponding to an annual rate of 13·7, against 10·1 11·5 and 12·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·0 per 1,000. The infant mortality was 58 as against 74, 61 and 78 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,697 to 4,817. In London the number of deaths from all causes increased from 1,124 to 1,209, the deaths from diphtheria which had been 13, 13 and 8 in the preceding three weeks rose to 12 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 28, 33 and 30 in the preceding three weeks, fell to 24 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 6th November, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 GREAT TOWNS ..	19,439,910*	6,891	4,817	503	1	11	8	18	40	101	88
LONDON	4,602,000*	1,621	1,209	94	-	1	-	3	12	24	14
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	64	54	3	-	-	-	-	1	-	3
WIMBLEDON ..	58,170	17	16	-	-	-	-	-	-	-	1
EALING†	91,000	32	15	-	-	-	-	-	-	-	-
ACTON	63,110	20	11	-	-	-	-	-	-	-	-
WILLESDEN ..	168,900	54	30	3	-	-	-	-	-	-	1
HENDON	59,150*	12	15	1	-	-	-	-	-	-	1
HORNSEY	87,210	17	14	-	-	-	-	-	-	-	1
WOOD GREEN ..	51,960	12	9	-	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	28	21	4	-	-	-	-	1	2	-
EDMONTON ..	71,210	41	15	1	-	-	-	-	-	-	-
ENFIELD	63,740	16	3	-	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	148	78	9	-	-	-	-	-	3	2
EAST HAM C.B. ..	147,200	49	29	5	-	-	-	1	1	-	-
LEYTON	132,700	33	19	-	-	-	-	-	-	-	1
WALTHAMSTOW ..	130,800	31	24	2	-	-	1	1	-	-	-
ILFORD	93,590	32	13	2	-	-	-	-	2	2	-
GILLINGHAM	48,680*	24	8	1	-	-	-	-	-	-	1
CANTERBURY C.B ..	23,270*	4	6	-	-	-	-	-	-	-	-
HASTINGS C.B.	60,470	14	14	1	-	-	-	-	-	-	1
EASTBOURNE C.B. ..	55,060	7	14	-	-	-	-	-	-	-	-
BRIGHTON C.B. ..	137,800*	35	33	1	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	232,900*	99	38	3	-	-	-	-	1	1	-
BOURNEMOUTH C.B. ..	85,840	24	24	1	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	168,600	71	31	1	-	1	-	-	-	1	1
READING C.B.	93,670*	32	20	-	-	-	-	-	-	-	-
OXFORD C.B.	57,090	26	19	2	-	-	-	-	-	1	-
NORTHAMPTON C.B. ..	93,780*	18	25	-	-	-	-	-	2	-	-
LUTON	59,230	18	7	1	-	-	-	-	-	-	-
CAMBRIDGE	59,020	12	18	2	-	-	-	-	-	-	1
SOUTHEND-ON-SEA C.B.	98,060	28	15	1	-	-	-	-	-	-	-
IPSWICH C.B.	83,120*	37	22	2	-	-	-	-	-	-	1
GREAT YARMOUTH C.B.	57,890	24	19	4	-	-	-	-	-	-	1
NORWICH C.B. ..	124,000*	26	25	1	-	-	-	-	-	-	-
SWINDON	56,880	30	7	1	-	-	-	-	-	-	1
EXETER C.B.	59,820*	20	12	-	-	-	1	-	-	-	1
PLYMOUTH C.B. ..	192,100*	94	58	5	-	-	-	-	1	-	-
BATH C.B.	69,050	26	30	2	-	-	-	-	-	1	1
BRISTOL C.B.	385,700*	149	101	8	-	-	-	-	-	1	2
GLOUCESTER C.B. ..	53,060	25	14	-	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,900	142	65	15	-	1	-	1	-	3	2
BURTON-UPON-TRENT C.B.	49,530	23	18	-	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	51	23	3	-	-	-	-	-	1	-
WALSALL C.B.	102,300	44	23	6	-	-	-	-	-	1	-
WEST BROMWICH C.B	79,490	41	20	3	-	-	-	-	1	-	-
DUDLEY C.B.	58,810	21	15	-	-	-	-	-	1	-	-
WORCESTER C.B. ..	50,230	13	11	-	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	945,900	325	212	26	-	3	1	2	2	6	6
SMETHWICK C.B. ..	78,840	26	14	-	-	-	-	-	-	-	-
COVENTRY C.B ..	129,100	33	13	-	-	-	-	-	-	-	-
LEICESTER C.B. ..	242,100	76	65	8	-	-	-	-	-	-	1
LINCOLN C.B.	66,600*	12	15	-	-	-	-	-	-	-	1
GRIMSBY C.B.	87,190	36	22	4	-	-	-	-	-	2	-
NOTTINGHAM C.B. ..	270,600	91	90	13	-	-	-	-	4	3	4
DERBY C.B.	134,400*	53	17	1	-	-	-	-	-	-	1
CHESTERFIELD ..	65,800	27	11	1	-	-	-	-	-	-	-
STOCKPORT C.B. ..	125,900	31	30	9	-	-	-	-	-	1	2
CHESTER C.B.	41,670	18	10	1	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	155,500	58	34	6	-	-	-	-	-	4	1
WALLASEY C.B. ..	91,720	21	25	4	-	1	-	-	-	-	1
LIVERPOOL C.B. ..	856,000	362	267	59	1	2	-	4	4	4	2
BOOTLE C.B.	83,260	33	32	8	-	1	-	-	-	1	-
ST. HELENS C.B. ..	109,600	48	32	7	-	-	-	-	-	2	4

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	20	16	2	-	1	-	-	-	-	1
Wigan C.B.	91,010	37	15	2	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	35	19	5	-	-	-	-	-	2	-
Bolton C.B.	180,400	60	45	6	-	-	-	-	-	1	1
Bury C.B.	56,700*	21	11	-	-	-	-	-	-	-	-
Manchester C.B. ..	755,800	264	209	27	-	-	-	-	1	9	6
Salford C.B.	244,700	70	74	8	-	-	-	-	-	1	2
Oldham C.B	146,200	43	49	3	-	-	1	-	-	-	1
Rochdale C.B... ..	92,190	22	34	4	-	-	-	-	-	-	2
Burnley C.B.	102,300	24	34	9	-	-	-	-	-	1	1
Blackburn C.B. ..	126,900	37	37	4	-	-	-	1	-	-	-
Preston C.B.	122,900	28	31	1	-	-	-	-	-	-	1
Blackpool C.B. ..	80,750	26	27	2	-	-	-	-	-	-	1
Barrow-in-Furness C.B.	73,470	12	18	2	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	17	21	1	-	-	-	-	-	-	1
Halifax C.B.	97,860*	22	20	-	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	98	76	4	-	-	-	-	1	-	-
Leeds C.B.	472,900	155	133	7	-	-	-	-	1	1	1
Dewsbury C.B ..	54,570	12	20	2	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	19	14	-	-	-	-	-	-	-	2
Barnsley C.B. ..	71,170	45	19	3	-	-	-	2	-	-	-
Sheffield C.B. ..	526,900*	179	128	12	-	-	-	-	1	2	1
Rotherham C.B. ..	70,600	33	4	-	-	-	-	-	-	-	-
Doncaster	55,610	23	11	1	-	-	-	1	-	-	-
York C.B.	84,630*	19	20	-	-	-	-	-	-	-	1
Hull C.B.	297,300	124	94	8	-	-	-	-	-	3	1
Middlesbrough C.B.	136,200	60	31	8	-	-	-	-	-	-	-
Darlington C.B. ..	69,130	30	19	4	-	-	-	-	-	1	-
Stockton-on-Tees ..	68,000	29	16	1	-	-	-	-	-	2	-
West Hartlepool C.B.	71,590	28	17	-	-	-	-	-	1	-	-
Sunderland C.B. ..	166,000	82	61	10	-	-	-	1	-	2	-
South Shields C.B. ..	124,600	52	26	1	-	-	-	-	2	-	-
Gateshead C.B. ..	129,000	52	25	4	-	-	-	-	-	1	-
Newcastle-on-Tyne C.B.	286,300*	104	57	10	-	-	1	-	-	5	-
Tynemouth C.B. ..	66,180	31	15	5	-	-	2	-	-	3	-
Carlisle C.B.	55,160*	22	15	1	-	-	-	-	-	1	-
Newport (Mon.) C.B.	96,420*	41	15	-	-	-	-	-	-	-	1
Cardiff C.B.	227,100*	90	52	4	-	-	-	-	-	1	1
Rhondda	167,570	73	28	1	-	-	1	1	-	1	-
Merthyr Tydfil C.B.	82,920	28	24	3	-	-	-	-	-	-	1
Aberdare	57,700	10	12	2	-	-	-	-	-	-	1
Swansea C.B.	163,200	60	26	1	-	-	-	-	-	-	-
Greater London ..	7,742,212*	2,657	1,841	138	-	1	1	6	19	32	30
Outer Ring	3,140,212*	1,036	632	44	-	-	1	3	7	8	16
16 Great Towns in Outer Ring	1,890,140*	606	366	30	-	-	1	2	5	7	10
Remainder of Outer Ring	1,250,072*	430	266	14	-	-	-	1	2	1	6
Edinburgh†	424,600	144	135	24	-	-	3	-	-	-	1
Glasgow† ..	1,052,200	468	335	67	1	1	1	-	1	9	1
Dublin (Registration Area)†	419,156§	203	148	28	-	1	-	1	2	4	1
Belfast†	416,000	176	142	19	1	-	-	1	4	2	7

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available peri**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,602,000	1926. Nov. 6	1621	1209	13·7	–	–	1	–	3	12	24
Calcutta and Suburbs	1,077,273	Oct. 2										
Bombay§	1,279,061	Oct. 9	502	659‖	26·8	4	2	–	–	–	–	25
Madras	528,791	„ 9	442	474	46·6	5	1	–	?	3	1	38
Sydney and Suburbs	1,038,950	Sept. 30 (30 days)										
Brisbane (Metropolitan Area).	263,711	Sept. 30 (30 days)										
Perth (Metropolitan Area).	179,388	Sept. 11 „ 18 „ 25 „ 30 (30 days)										
Auckland (Urban Area).	192,176											
Wellington (Urban Area).	121,324	Sept. 30 (30 days)										
Christchurch (Urban Area).	118,408	Sept. 30 (30 days)										
Cape Town	113,709	Oct. 9	58	25	11·4	1	–	–	–	–	–	–
Johannesburg	165,958	„ 9	82	37	11·6	–	–	–	–	–	–	1
Durban	54,822	„ 9	32	11	10·4	–	–	–	–	–	–	–
Paris	2,906,472	Oct. 10 (10 days)										
Antwerp	300,193	Oct. 2										
Amsterdam	722,085	„ 16	215	98	7·1	–	–	–	–	–	1	–
Copenhagen	587,400	„ 16	195	117	10·4	–	–	–	–	–	1	2
Stockholm	442,528	„ 9										
Gothenburg	230,963	„ 16	?	39	8·8	–	–	–	–	–	–	–
Oslo (Christiania) ..	255,724	„ 23	62	58	11·8	–	–	–	–	–	–	–
Berlin	1,999,000	„ 16	360	394	10·3	–	?	2	–	1	7	–
Breslau	560,000	„ 16	132	105	9·7	–	?	1	–	1	–	2
Cologne	708,000	„ 16	218	136	10·0	1	?	–	–	2	1	9
Dresden	621,000	„ 16	135	111	9·3	–	?	–	–	–	–	2
Frankfort-on-Main ..	472,000	„ 16	102	74	8·2	1	?	1	–	–	–	–
Hamburg	1,101,000	„ 16	211	189	8·9	1	?	1	–	2	1	1
Leipzig	685,000	„ 16	149	137	10·4	–	?	–	–	–	–	1
Munich	685,000	„ 16	167	146	11·1	1	?	1	–	–	1	4
Vienna	1,873,432	June 30 (30 days)										
Prague and Suburbs	725,196	April 30 (30 days)	872	749	12·6	3	–	1	3	–	7	11
Budapest	960,995	Oct. 2										
Warsaw	1,015,426	„ 16	?	270	13·9	7	–	–	16	–	1	9
Cairo	859,400	May 20	720	772	46·8	9	2	37	–	?	2	139
Alexandria	492,100	„ 20	436	255	27·0	1	–	1	–	?	1	41
New York	5,924,139	Sept. 18										
Chicago	2,995,239	Oct. 15	1305	614	10·5	2	?	–	–	1	5	16

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children under year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 1 death from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th November, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1,209	94	20	13	33	30	58	64	128	193	276	290
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	-	3	-	-	-	-	-	-	-	-	-
Diphtheria	12	-	1	4	7	-	-	-	-	-	-	-
Influenza	14	-	-	-	1	-	1	1	1	7	3	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	1	-
Acute Poliomyelitis, Poliocncephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	90	-	-	-	2	15	28	19	16	5	4	1
Nervous system	6	-	2	1	3	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	-	-	1	-
Other forms	7	1	-	-	1	1	1	1	-	2	-	-
Venereal diseases	1	1	-	-	-	-	-	-	-	-	-	-
Cancer	151	-	-	-	-	-	4	3	31	45	47	21
Rheumatic fever	2	-	-	-	1	-	-	1	-	-	-	-
Diabetes	15	-	-	-	-	-	-	2	2	4	4	3
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	-	-	-	-	-	-	-	-	-	1
Cerebral hæmorrhage, &c., Apoplexy	67	-	-	-	-	1	-	1	4	14	22	25
Epilepsy	6	-	-	-	1	1	1	2	-	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	30	-	-	1	3	2	2	-	10	6	3	3
Pericarditis	1	-	-	-	-	-	-	-	-	1	-	-
Acute endocarditis	9	-	-	-	-	5	1	1	2	-	-	-
Other diseases of heart	202	-	-	-	1	-	3	6	21	42	61	68
Other diseases of circulatory system	70	-	-	-	-	-	-	2	4	10	33	21
Bronchitis	92	3	2	-	1	-	-	3	7	10	25	41
Broncho-pneumonia	38	16	3	1	-	-	-	-	3	2	9	4
Lobar-pneumonia	35	-	1	1	2	-	4	4	4	11	5	3
Pneumonia (type not distinguished)	21	-	1	1	1	-	-	-	4	1	5	8
Other diseases of respiratory system	14	-	-	-	-	-	-	-	-	2	3	9
Diarrhœa and enteritis	31	21	3	1	-	-	1	-	1	-	2	2
Appendicitis, Typhlitis	4	-	-	-	-	-	-	-	3	-	1	-
Hernia, Intestinal obstruction.. ..	9	-	-	-	1	-	-	1	-	1	5	1
Cirrhosis of liver	5	-	-	-	-	-	-	1	1	2	1	-
Other diseases of digestive system ..	29	-	1	1	-	1	1	3	10	3	4	5
Acute nephritis	2	-	-	-	-	1	-	-	-	-	1	-
Chronic Bright's disease..	27	-	-	-	1	-	2	1	3	7	7	6
Other diseases of genito-urinary system.	26	-	-	-	1	-	-	1	2	3	7	12
Puerperal sepsis	2	-	-	-	-	1	-	1	-	-	-	-
Other causes incident to childbirth..	1	-			-	-	-	1	-	-	-	-
Congenital malformations	7	6	-	-	1	-	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	9	9	-	-	-	-	-	-	-	-	-	-
Old age	48	-	-	-	-	-	-	-		1	4	43
Suicide	13	-	-	-	-	-	1	3	3	4	2	-
Burns and Scalds	3	-	1	-	-	1	-	-	-	-	1	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	11	-	-	-	1	-	3	2	1	1	1	2
Other deaths by violence	16	-	-	-	-	-	2	-	2	5	2	5
Other specified causes	51	13	1	1	4	1	3	4	3	3	12	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th November, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	275	295	4	124	C. 8 D. 1 E. 2 G. 10 L. 1 M. 18 N. 33
†CITY OF LONDON	–	2	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	11	12	–	10	C. 2 N. 2
†BERMONDSEY ...	–	1	28	–	–	N. 2
†BETHNAL GREEN	–	8	17	–	6	–
†CAMBERWELL ...	–	15	15	1	1	N. 1
†CHELSEA	–	1	–	–	2	G. 1
†DEPTFORD ...	–	7	10	–	6	–
†FINSBURY ...	–	9	2	–	2	N. 1
†FULHAM	–	5	6	–	9	G. 2
†GREENWICH ...	–	15	17	–	2	G. 1
†HACKNEY ...	–	19	12	–	1	C. 3 G. 2 N. 5
†HAMMERSMITH ...	–	7	6	–	1	N. 2
†HAMPSTEAD ...	–	–	1	1	1	–
†HOLBORN... ...	–	3	2	–	4	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	22	18	1	5	N. 2
†KENSINGTON ...	–	5	11	–	3	–
†LAMBETH ...	–	18	13	–	6	E. 1 G. 1 M. 4 N. 9
†LEWISHAM ...	–	9	10	–	4	C. 1
†PADDINGTON ...	–	5	5	–	7	C. 1 G. 1 M. 3
†POPLAR	–	24	9	–	13	M. 1
†ST. MARYLEBONE	–	5	3	–	3	E. 1 M. 1 N. 2
†ST. PANCRAS ...	–	4	9	–	12	G. 1 L. 1 M. 2 N. 1
†SHOREDITCH ...	–	11	8	–	4	D. 1 G. 1 M. 2
†SOUTHWARK ...	–	15	14	–	5	C. 1 N. 2
†STEPNEY	–	19	21	–	1	M. 2 N. 1
†STOKE NEWINGTON	–	6	1	1	–	M. 2
†WANDSWORTH ...	–	16	29	–	8	M. 1 N. 1
†WESTMINSTER, CITY OF	–	4	10	–	2	N. 1
†WOOLWICH ...	–	9	5	–	6	N. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	16	7	–	2	–
Boroughs and Urban Districts:—						
†Bedford... ...	–	6	–	–	2	–
Dunstable ...	–	–	3	–	–	–
Kempston ...	–	–	1	–	–	–
†Luton	–	3	1	–		–
Rural Districts:—						
Ampthill ...	–	1	–	–	–	–
Biggleswade ..	–	2	–	–	–	–
Eaton Bray ...	–	1	–	–	–	–
Eaton Socon ...	–	–	2			–
Luton	–	3	–	–	–	–
BERKS	–	7	4	2	2	C. 2 N. 3
†Reading C.B. ..	–	2		–	–	N. 3
Boroughs and Urban Districts:—						
Abingdon ...	–	–	1	–	–	–
†Maidenhead ...	–	–	–	1	1	–
†New Windsor ...	–	1	–	–	–	C. 1
Wokingham ...	–	–	2	–	–	–
Rural Districts:—						
Cookham ...	–	–	–	1	–	–
Easthampstead	–	1	–	–		–
Hungerford ...	–	1	–	–	–	–
Newbury ...	–	1	–	–		–
Wantage .	–	1	–	–	1	–
Wokingham ...		–	1	–		C. 1
BUCKINGHAM ...	–	5	2	–	4	C. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
Aylesbury ...	–	–	1	–	–	–
Buckingham ...	–	1		–	–	–
†Chepping Wycombe	–	1			3	C. 1
Marlow	*	*	*	*	*	*
†Wolverton ...		1	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
Amersham ...	–	1	1	–	–	E. 1
Buckingham ...	–	–			1	–
Eton	–			–	–	N. 1
Wycombe ...	–	1	–	–	–	–
CAMBRIDGE ...	–	–	3	–	1	C. 1 M. 1
Borough:—						
†Cambridge ...	–		2	–	–	C. 1 M. 1
Rural Districts:—						
Newmarket ..	–	–	1	–	1	–
CHESTER	–	74	24	3	24	C. 3 G. 2 L. 1 M. 4 N. 2
†Birkenhead C.B.	–	7	2	–	9	–
†Chester C.B. ...	–	1	–	–	2	–
†Stockport C.B.	–	26	4	–	1	C. 1
†Wallasey C.B. ...	–	8	4	–	1	G. 1 M 1
Boroughs and Urban Districts:—						
Alsager	–	–	–		–	M. 1
†Altrincham ...	–	1			–	–
Ashton upon Mersey	–	2	2		–	–
†Bebington and Bromborough	–		1	–	2	–
†Cheadle and Gatley	–	2	–	–	–	C. 1
Compstall ...		–	–	1		–
†Congleton ..	–		3	–	1	–
†Crewe	–	2		–	–	–
†Dukinfield ...	–		1		2	N. 1
Hale	–	2	–	–		–
†Hazel Grove and Bramhall	–	–	–	–	1	G. 1
†Hyde		2	2	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	1	–	1	–	L. 1
MIDDLEWICH ...	–	–	–	–	–	M. 1
MOTTRAM IN LONGDENDALE	–	–	–	–	3	–
†NORTHWICH ...	–	5	–		–	–
†RUNCORN... ...		–	–	–	1	–
†SALE	–	1	2	–	–	–
SANDBACH ...	–	1	–	–	–	–
Rural Districts:—						
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	C. 1
NANTWICH ...		1	2	–	–	–
NORTHWICH ...	–	5	–	–	–	M. 1
RUNCORN ...	–	3	–	–	–	N. 1
WIRRAL	–	1	1	–	1	–
CORNWALL ...	–	14	–	1	2	G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
LISKEARD ...	–	1	–	–	–	–
PADSTOW... ...	–	1	–	–	–	–
PAUL	–	–	–	–	–	G. 1
PENRYN	–	1	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. IVES	–	1	–	–	–	–
ST. JUST	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	2	–	–	–	–
CAMELFORD ...	–	–	–	–	1	–
EAST KERRIER ...	–	1	–	–	–	–
HELSTON... ...	–	2	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
ST. AUSTELL ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	21	9	–	3	C. 1 N. 1
†CARLISLE C.B. ...	–	4	1	–	2	N. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	–	–	–	–	C. 1
EGREMONT ...	–	–	5			–
HOLME CULTRAM	–	3	–	–	–	–
KESWICK	–	1	–	–		–
†MARYPORT ...	–	–	1		–	–
MILLOM	–	–	1	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	1	–		–
Rural Districts:—						
BRAMPTON ...	–	5	–	–		–
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	1	–	–	–	–
LONGTOWN ...	–	1	–	–	–	–
PENRITH	–	1	–		–	–
WHITEHAVEN ...		2	–	–	–	–
WIGTON	–	1	–	–	1	–
DERBY	15	57	25	2	31	E. 2 G. 2 M. 4 N. 2
†DERBY C.B. ...	11	6	11	1	11	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	4	2	–	1	M. 1
BAKEWELL ...	–	2	–	–	–	E. 1
†BELPER	3	–	1	–	–	–
†BUXTON	–	–	–	–	–	G. 1
†CHESTERFIELD ...	–	19	2	–	5	G. 1
†GLOSSOP	–	–	2	–	2	–
HEAGE	1	–	–	1	–	–
†HEANOR	–	1	–	–	–	–
†ILKESTON ...	–	1	–	–	1	N. 1
†LONG EATON ...	–	6	1	–	1	–
†RIPLEY	–	–	–	–	3	M. 1
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	3	–	–	–	–
WIRKSWORTH ...	–	1	–	–		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
BAKEWELL ...	–	3	–	–		–
BLACKWELL ...	–	–	1	–	1	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	3	2	–	2	M. 1 N. 1
CLOWNE	–	1	2	–	–	–
HAYFIELD ..	–		–		3	–
NORTON	–	1	–	–	1	–
REPTON	–	5	–	–	–	E. 1
SHARDLOW ...	–	–	1	–	–	M. 1
DEVON	–	31	14	–	13	M. 2 N. 4
†EXETER C.B. ...	–	15	2	–	1	M. 1 N. 3
†PLYMOUTH C.B...	–	10	9	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	1	1	–	–	–
BRIXHAM... ...	–	–	–	–	1	–
†EXMOUTH ...	–	4	–	–	–	–
HONITON ...	–	–	–	–	1	–
†NEWTON ABBOT	–	–	1	–		–
†TEIGNMOUTH ...	–	–	–	–	1	–
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
BROADWOOD WIDGER	–	–	–	–	1	–
OKEHAMPTON ...	–	–	–		2	–
PLYMPTON ST. MARY	–	–	–	–	2	–
SOUTH MOLTON...	–	–	–	–	1	–
TAVISTOCK ...	–	–	–	–	1	–
TOTNES		–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	5	1	–	4	–
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	3	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
CERNE	–	2	–	–	–	–
POOLE	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	–	1	–	–	–
DURHAM	263	77	22	1	56	C. 1 G. 2 M. 6 N. 8
†DARLINGTON C.B.	–	2	1	1	1	–
†GATESHEAD C.B.	11	8	3	–	2	M. 1
†SOUTH SHIELDS C.B.	4	1	2	–	13	M. 1
†SUNDERLAND C.B.	–	1	–	–	19	M. 1 N. 1
†WEST HARTLEPOOL C.B.	–	8	1	–	1	G. 1 N. 3
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	–	–	–	M. 1 N. 1
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	6	–	–	1	–
†BRANDON AND BYSHOTTLES	98	–	–	–	–	N. 1
†CHESTER LE STREET	–	3	2	–	1	–
†CONSETT	–	2	–	–	–	–
†CROOK	9	–	–	–	–	–
†HARTLEPOOL ...	–	–	1	–	2	–
†HEBBURN ...	–	1	1	–	2	–
†HETTON	19	–	–	–	1	–
†HOUGHTON LE SPRING	3	1	1	–	1	–
†JARROW	11	5	–	–	4	–
LEADGATE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RYTON	–	3	–	–	–	–
†SEAHAM HARBOUR	–	1	1	–	–	N. 1
†SHILDON	10	–	–	–	–	C. 1
†STANLEY	1	5	–	–	–	–
†STOCKTON ON TEES	–	4	–	–	2	N. 1
†TANFIELD ...	–	–	1	–	–	–
TOW LAW ...	–	2	–	–	–	–
†WHICKHAM ...	–	1	–	–	1	–
WILLINGTON ...	2	–	–	–	–	–
Rural Districts:—						
AUCKLAND ..	4	–	–	–	–	G. 1
CHESTER LE STREET	6	1	1	–		–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	6	5	1	–		–
EASINGTON ..	15	4	1	–	3	M. 2
HOUGHTON LE SPRING		2	–	–	1	–
LANCHESTER ...	49	4	4	–	–	–
SEDGEFIELD ..	15	–	–	–	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	–	1	–	–	–
ELY, ISLE OF ..	–	1	–	–	4	–
Boroughs and Urban Districts:—						
MARCH	–	–	–	–	1	–
WHITTLESEY ...	–	–	–	–	3	–
Rural Districts:—						
WISBECH	–	1	–	–	–	–
ESSEX	–	135	62	2	32	C. 7 E. 2 G. 2 M. 3 N. 9
†EAST HAM C.B. ...	–	1	11	–	–	C. 1
†SOUTHEND-ON-SEA C.B.	–	11	2	–	3	M. 2 N. 2
†WEST HAM C.B. ...	–	51	16	–	6	C. 1 G. 1 N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	2	N. 1
BRAINTREE ...	–	2	–	–	–	–
BRENTWOOD ...	–	3	–	–	–	–
BURNHAM ON CROUCH	–	1	–	–	–	–
†CHELMSFORD ...	–	–	–	1		–
†COLCHESTER ...			–	–	1	–
DAGENHAM ...	–	2	1	–	2	C. 1
†GRAYS THURROCK	–	–	4	–	–	–
†HARWICH ...	–	–	–	–	–	C. 1
†HORNCHURCH ...	–	1	–	–	–	–
†ILFORD	–	4	3	–	3	C. 1 N. 2
†LEYTON	–	5	9		3	C. 1 N. 1
†ROMFORD ...	–	2	1	–	–	–
TILBURY	–	2	1	–	–	–
†WALTHAMSTOW ...	–	18	2	–	6	C. 1 G. 1
†WANSTEAD ..	–	1	–	–	–	E. 1
†WOODFORD ...	–	–	3	–	1	–
Rural Districts:—						
BILLERICAY ...	–	3	1	–	3	–
BRAINTREE ...	–	1	–	–	–	–
BUMPSTEAD ...	–	–	–	–	1	–
CHELMSFORD ...	–		5	–	–	–
EPPING	–	2	1	–	–	–
HALSTEAD ...	–	5	–	–	–	–
LEXDEN AND WINSTREE	–	–		–	–	M. 1
MALDON	–	9	–	–	1	
ORSETT	–	4	2	–	–	E. 1
ROCHFORD ...	–	1	–	1		–
ROMFORD... ...	–	5	–	–	–	–
TENDRING ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	-	39	21	-	14	C. 2 G. 3 M. 3 N. 6
†BRISTOL C.B. ...	-	18	18	-	7	C. 2 G. 2 M. 1 N. 5
†GLOUCESTER C.B.	-	1	1	-	5	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	-	3	-	-		-
CIRENCESTER ...	-	1	-	-	-	-
Rural Districts:—						
CAMPDEN... ...	-	-	-	-	1	-
CHIPPING SODBURY	-	-	1	-	-	-
EAST DEAN AND UNITED PARISHES	-	2	-	-		-
LYDNEY	-	1		-		-
MARSTON SICCA .	-	1	-	-	-	-
STROUD		8	-	-	-	-
TETBURY (part)	-	-	1	-	-	-
THORNBURY ...	-	3	-	-	-	-
WARMLEY ...	-	1		-	-	G. 1 M. 1
WEST DEAN ...	-	-	-	-	1	-
WINCHCOMB(part)	-			-	-	N. 1
HEREFORD ...	-	8	2	-	1	N. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	-	-	1			-
ROSS	-	2	-	-	-	-
Rural Districts:—						
HEREFORD ...	-	5	-	-	-	-
KINGTON		-	1		-	-
LEDBURY... ...	-	-	-	-	-	N. 1
ROSS	-	1			1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	-	9	11	-	3	D. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	-	-	-	-	-	G. 1 N. 1
BUSHEY	-	2	4	-	-	-
†CHESHUNT ...	-	1	1	-	1	-
HODDESDON ...	-	2	-	-	-	-
†ST. ALBANS ...	-	-	-	-	1	
†WATFORD ...	-	1	-	-	-	-
Rural Districts:—						
ASHWELL ...	-	-	-	-	-	D. 1
HITCHIN		1	1	-	-	-
ST. ALBANS ...	-	1	1	-	1	-
WARE	-	-	2	-	-	-
WATFORD ...	-	-	2	-		-
WELWYN	-	1	-	-	-	-
HUNTINGDON ...	-	2	-	-	-	M. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	-	1	-	-	-	-
ST. IVES	-	1	-	-	-	-
Rural Districts:—						
ST. IVES	-	-	-	-	-	M. 1
KENT	-	63	24	1	19	C. 1 E. 2 G. 1 M. 3 N. 2
†CANTERBURY C.B.	-	2	1	-	2	-
Boroughs and Urban Districts:—						
†ASHFORD	-	-	-	-	1	-
†BECKENHAM ...	-	3	2	-	1	N. 1
†BEXLEY	-	1	-		1	-

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Opbthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	–	–	–	1	–
†CHATHAM ...	–	3	6	–	1	M. 1
CHERITON ...	–	–	–	–	–	M. 1
CHISLEHURST ...		–	1	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ..		6	2		–	–
†DOVER	–	4	–	–		–
†ERITH	–	–	1	1	1	N. 1
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ..	–	–	–		–	M. 1
†GILLINGHAM ...	–	9	1	–	–	–
†GRAVESEND ...	–	–	3	–	–	–
†MAIDSTONE ...	–	6	–	–	–	–
†MARGATE ...	–	1	–	–	–	–
MILTON REGIS ...	–	–	–	–	–	E. 1
†NORTHFLEET ..	–	2	–	–		–
†PENGE	–	–	–	–	1	–
†RAMSGATE ..	–	–	1	–	1	–
†ROCHESTER ...	–	6	–		–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SWANSCOMBE ...	–	–	2		–	–
†TONBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	1		–	–	C. 1
BROMLEY ...	–	4	1	–	–	–
CRANBROOK ...	–	–	–	–	1	–
DARTFORD ..	–	3	1	–	–	–
EASTRY	–	–	–	–	1	
ELHAM	–	–	–	–	2	–
FAVERSHAM ..	–	–	–	–	–	E. 1
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	–	–	–	1	–
MALLING... ...	–	3	–	–	3	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	4	–	–	–	–
TONBRIDGE ...	–	–	–		–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	228	118	5	273	C. 7 E. 4 F. 2 G. 11 L. 7 M. 26 N. 16
†BARROW IN FURNESS C.B.	–	2	3	–	–	–
†BLACKBURN C.B.	–	2	1	–	3	G. 1 N. 1
†BLACKPOOL C.B.	–	3	–	–	4	M. 1
†BOLTON C.B. ...	–	8	5	–	6	E. 1
†BOOTLE C.B. ...	–	6	2	–	6	M. 1 N. 1
†BURNLEY C.B. ...	–	1	1	–	4	–
†BURY C.B. ...	–	5	–		3	M. 1
†LIVERPOOL C.B. ...	–	46	29	1	83	C. 2 G. 4 L. 1 M. 16 N. 5
†MANCHESTER C.B.	–	74	20	1	85	C. 2 E. 1 G. 3 M. 5 N. 1
†OLDHAM C.B. ...	–	4	3	–	–	–
†PRESTON C.B. ...	–	2	3	–	2	E. 1 N. 1
†ROCHDALE C.B. ...	–	2	7	–	–	–
†ST. HELENS C.B. ...	–	5	2	–	10	N. 1
†SALFORD C.B. ...	–	16	11		6	N. 2
†SOUTHPORT C.B.	–	1	1	1	4	–
†WARRINGTON C.B.	–	2	3	–	5	G. 1 M. 1
†WIGAN C.B. ...	–	–	–	–	4	N. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	1	–	3	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	2	–
ASPULL	–	1	–	–	–	M. 1
†ATHERTON ..	–	–	–	–	1	–
†BACUP	–	–	1	–	–	–
BLACKROD ...	–	1	–	–	–	–
†CHADDERTON ..	–	1	–	–	1	–
†DARWEN	–	2	1	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia. § There were three cases of diphtheria notified in

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DENTON	–	2	–	–	–	
†DROYLSDEN ...	–	1		–	–	C. 1
†ECCLES	–	1	1	–	–	–
†FAILSWORTH ..	–	1	–	–	2	–
†FARNWORTH ...	–	–	1	–	–	–
†FLEETWOOD ...	–	–	1	–	–	C. 1
†GREAT CROSBY ...	–	–	–	–	2	–
†HASLINGDEN ...	–	2	–	–	1	–
†HAYDOCK ...	–	1	–	–	1	–
HEYSHAM ..	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	–	–	–	1	–
†HORWICH ...	–	–	1	–	1	N. 1
HUYTON WITH ROBY	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
†LANCASTER ...	–	1	–	–	–	N. 1
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	–	–	–	3	
†LITHERLAND ...	–	1	–	–	–	–
LITTLE CROSBY...	–	1	–	–	–	–
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	–	2	1	1	–
†MIDDLETON ...	–	2	–	–	2	–
†MORECAMBE ...	–	1	2	–	–	
†MOSSLEY	–	–	1	–	–	C. 1
†NELSON	–	–	–	1	1	–
†NEWTON IN MAKERFIELD	–	–	1	–	1	–
ORMSKIRK ...	–	–	1	–	–	–
ORRELL	–	2	–	–	1	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	–	§4	–	–	–
†PRESTWICH ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	–	–
RISHTON	–	1	–	–	3	
†ROYTON	–	–	–	–	1	–
†STRETFORD ...	–	2	1	–	1	–
†SWINTON AND PENDLEBURY	–	2	–	–	2	–
TOTTINGTON ...	–	–	–	–	2	–
†TURTON	–	1	1	–		F. 2 G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	1	–	1	–
†WIDNES	–	2	2	–	8	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 3
GARSTANG ...	–	–	–	–	–	N. 1
PRESTON	–	6	1	–	–	–
WEST LANCASHIRE	–	2	–	–	–	E. 1
WHISTON... ...	–	–	–	–	–	L. 3
LEICESTER... ...	–	14	14	–	7	E. 4 M. 2 N. 5
†LEICESTER C.B. ...	–	6	9	–	2	E. 3 M. 1 N. 5
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	–	–
†COALVILLE ...	–	1	1	–	–	M. 1
†HINCKLEY ...	–	–	–	–	1	–
†LOUGHBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	3	–
QUORNDON ...	–	–	–	–	1	–
SHEPSHED ...	–	–	3	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	1	–	–	–	–
HALLATON ...	–	–	–	–	–	E. 1
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L. Dysentery; M. Ophthalmia Neonatorum;
the week ended 30th October, 1926, and not thirteen as shown in the weekly return.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	-	1	-	-	2	-
Rural Districts:—						
BOSTON	-	-	-	-	1	-
CROWLAND ...	-	1	-		-	-
EAST ELLOE ...	-	-	-	-	1	-
LINCOLN (parts of Kesteven).	-	8		-	2	-
Boroughs and Urban Districts:—						
†GRANTHAM ...	-	1	-		-	-
STAMFORD ...	-	-	-	-	1	-
Rural Districts:—						
BOURNE	-	3	-	-	-	-
BRANSTON ...		-	-	-	1	-
GRANTHAM ...	-	3	-	-	-	-
SLEAFORD ...	-	1	-		-	-
LINCOLN (parts of Lindsey).	-	9	6	-	1	C. 1 E. 1 F. 1 M. 1 N. 2
†GRIMSBY C.B. ..	-	4			-	-
†LINCOLN C.B. ...	-	3	-	-	-	C. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	-	1	3	-	-	-
†GAINSBOROUGH ...	-	-	-	-	-	M. 1 N. 1
†SCUNTHORPE AND FRODINGHAM	-		2	-	1	-
SKEGNESS ...	-	1	-	-	-	N. 1
Rural Districts:—						
GAINSBOROUGH ...		-	1	-	-	
HORNCASTLE ...	-	-	-	-	-	F. 1
SPILSBY		-	-	-	-	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	57	92		35	C. 1 E. 1 G. 1 M. 2 N. 8
Boroughs and Urban Districts:—						
†ACTON	-	3	-	-	-	-
†BRENTFORD ...		1		-	1	-
†CHISWICK ...	-	1	-	-	-	-
†EALING	-	6	-	-	1	N. 1
†EDMONTON ...	-	3	13		5	-
†ENFIELD	-	2	4	-	1	-
FELTHAM ...	-	1	-	-	-	-
†FINCHLEY ...	-	3	2	-	2	N. 1
†FRIERN BARNET	-	-	-		3	-
†HARROW ON THE HILL	-	-	-	-	1	-
†HENDON	-	5	4	-	-	-
†HESTON AND ISLEWORTH	-	1	1	-	4	N. 1
†HORNSEY... ...	-	1	5	-	2	
RUISLIP NORTHWOOD	-	-	1	-	-	-
†SOUTHALL NORWOOD	-	2	1	-	2	
†SOUTHGATE ...	-	-	2	-	-	N. 1
SUNBURY ON THAMES	-	1		-	-	-
†TEDDINGTON ...	-	-		-	1	-
†TOTTENHAM ...	-	10	36	-	4	G. 1 M. 1
†TWICKENHAM ...	-	-	1			
†WEALDSTONE ...	-	5	-	-	2	-
†WILLESDEN ...	-	3	16	-	8	C. 1 M. 1 N. 4
†WOOD GREEN ...	-	6	1	-	-	E. 1
Rural Districts:—						
HENDON	-	-	1	-	-	-
STAINES	-	3	-	-		-
UXBRIDGE ...	-	-	4	-	-	-
NORFOLK	-	15	3	-	5	E. 1 G. 1
†GREAT YARMOUTH C.B	-	4	-	-		-
†NORWICH C.B. ...	-	4	-		1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
SHERINGHAM ...	–	–	–	–	–	G. 1
Rural Districts:—						
AYLSHAM... ...	–	–			1	–
BLOFIELD ...	–	1	1	–		–
DEPWADE ...	–	1		–	–	–
DOCKING	–	2	–	–	–	–
KING'S LYNN ...	*	*	*	*	*	*
MARSHLAND ...	–	–	1		–	E. 1
SWAFFHAM ...	–	–	–	–	1	–
WALSINGHAM ...	–	–	–	–	2	
WAYLAND ...	–	3	–	–	–	–
NORTHAMPTON ...	–	11	6	–	13	M. 1 N. 1
†NORTHAMPTON C.B.	–	4	3	–	6	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING	–	–	–	–	2	–
OUNDLE	–	–	1	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	–	N. 1
Rural Districts:—						
BRACKLEY ...	–	–	–	–		M. 1
DAVENTRY	–	–	1	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	–	1	–	–	–
OUNDLE (part) ...	–	1	–	–	–	–
THRAPSTON (part)	–	3	–	–	2	–
TOWCESTER ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	4	57	9	1	36	C. 4 E. 1 G. 1 M. 2 N. 2
†NEWCASTLE UPON TYNE C.B.	1	21	4		20	C. 2 E. 1 G. 1 M. 2
†TYNEMOUTH C.B.	–	12	2	–	4	–
Boroughs and Urban Districts:—						
ALNWICK ...	–		–	–	–	N. 1
†ASHINGTON ...	2	5	–	1	3	N. 1
†BEDLINGTONSHIRE	–	2	–	–	1	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	–		1	–
CRAMLINGTON ...	–	5		–	–	–
†EARSDON... ...	1	1	–	–	–	–
HEXHAM	–	–	–	–	1	C. 1
NEWBIGGIN BY THE SEA	–	1	–	–	2	–
†NEWBURN ...	–	–	–	–	1	C. 1
PRUDHOE... ...	–	1	–	–	–	–
SEATON DELAVAL	–	–	–	–	2	–
†WALLSEND ...	–	4	–		1	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–		–	–
BELLINGHAM ...	–	1	–		–	
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	–	1		–	–
HEXHAM	–	–	1	–	–	
MORPETH ...	–	1	–	–	–	–
NOTTINGHAM ...	2	16	17	2	19	G. 1 M. 1 N. 2
†NOTTINGHAM C.B.	–	7	14	–	6	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	–	–	–	2	

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CARLTON	–	3	–	–	1	–
†HUCKNALL ...	–	1	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	–	–	–	3	–
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	2	–	1	–	–	–
WARSOP	–	–	–	–	–	N. 1
†WEST BRIDGFORD	–	–	–	1	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	2	–	–	1	N. 1
EAST RETFORD ...	–	–	–	1	–	–
LEAKE	–	1	2	–	–	–
WORKSOP... ...	–	1	–	–	1	–
OXFORD	–	3	1	–	2	C. 1 M. 2 N. 2
†OXFORD C.B. ...	–	2	–	–	–	M. 1
Boroughs and Urban Districts:—						
BICESTER... ...	–	–	–	–	–	N. 1
Rural Districts:—						
CHIPPING NORTON	–	–	–	–	–	M. 1
CROWMARSH ...	–	–	1	–	–	–
CULHAM	–	–	–	–	1	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	–	–	–	–	C. 1 N. 1
HENLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	1	–	–	5	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	3	–
Rural Districts:—						
BARNACK... ...	–	–	–	–	2	–
RUTLAND	–	–	–	–	–	E. 2
Urban District:—						
OAKHAM	–	–	–	–	–	E. 1
Rural Districts:—						
OAKHAM	–	–	–	–	–	E. 1
SALOP	–	12	1	–	2	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	1	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	–	C. 1
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	4	–	–	–	–
†WENLOCK ...	–	2	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	–	–
NEWPORT ...	–	–	–		1	–
OSWESTRY ...	*	*	*	*	*	*
TEME	–	–	–	–	–	N. 1
WELLINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	–	M. 1
SOMERSET ...	–	31	2	1	12	G. 1 N. 1
†BATH C.B. ..	–	10	1	–	2	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
GLASTONBURY ...	–	–	–	–	1	G. 1
ILMINSTER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	1	–	–	–
MINEHEAD ...	–	1	–	–	–	–
PORTISHEAD ...	–	–	–	–	1	–
SHEPTON MALLET	–	–	–	1	2	–
STREET	–	1	–	–	–	–
†TAUNTON ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	2	–	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	2	–	–	–	–
CLUTTON	–	1	–	–	1	
KEYNSHAM ...	–	1	–	–	1	–
LANGPORT ...	–	2	–	–	1	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	2	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	1	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ..	–	26	31	2	8	C. 1 D. 1 E. 1 M. 4 N. 7
†BOURNEMOUTH C.B.	–	1	–	–	–	C. 1 N. 1
†PORTSMOUTH C.B.	–	10	22	–	–	N. 1
†SOUTHAMPTON C.B.	–	3	6	–	4	D. 1 M. 1 N. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	–	N. 2
†BASINGSTOKE ...	–	3	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
FLEET	–	1		–	–	–
†GOSPORT	–	–	–	–	1	–
LYMINGTON ...	–	–	–	1	–	
WARBLINGTON ...	–	–	–	1	–	–
†WINCHESTER ...	–	1	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	2	–	–	–	–
ALTON	–	1	1	–	–	–
ANDOVER... ...	–	1	–	–	–	–
BASINGSTOKE ...	–	–	–	–	–	M. 1
CHRISTCHURCH ...	–	–	–	–	1	–
HARTLEY WINTNEY	–	1	2	–	–	E. 1
HURSLEY... ...	–	–	–	–	–	M. 1
PETERSFIELD ...	–	–	–	–	–	M. 1
SOUTH STONEHAM	–	2	–	–	–	–
STAFFORD	–	69	31	1	42	C. 5 G. 2 L. 2 M. 2 N. 7
†BURTON UPON TRENT C.B.	–	2	4	–	2	–
†SMETHWICK C.B.	–	3	2	–	4	C. 1
†STOKE ON TRENT C.B.	–	14	4	1	7	C. 1
†WALSALL C.B. ...	–	2	3	–	–	G. 1
†WEST BROMWICH C.B.	–	1	–	–	5	–
†WOLVERHAMPTON C.B.	–	3	1	–	2	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	1	–
BIDDULPH ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BILSTON	–	1	1		1	–
†BRIERLEY HILL...	–	–	1	–	2	C. 1
†BROWNHILLS ...	–	3	3	–	–	G. 1
†CANNOCK	–	4	1	–	1	–
†COSELEY	–	1	–	–	2	–
†DARLASTON ...	–	1	–	–	1	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	–	–	–	2	–
KIDSGROVE ...	–	1	–	–	–	M. 1
†LEEK	–	2	–	–	–	N. 1
LICHFIELD ...	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	5	1	–	2	N. 2
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	2	–	–	1	–
TAMWORTH ...	–	–	1	–	1	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	2	1	–	2	N. 1
†WEDNESBURY ...	–	2	–	–	1	–
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	1	–	–	–	N. 1
†WOLSTANTON UNITED	–	4	–	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	C. 1
CHEADLE	–	1	–	–	–	N. 1
KINGSWINFORD ...	–	–	1	–	–	–
LICHFIELD ...	–	3	1	–	2	L. 2
STONE	–	2	2	–	–	–
WALSALL... ...	–	1	1	–	–	–
SUFFOLK, EAST ..	–	8	2	–	3	M. 2 N. 1
†IPSWICH C.B. ..	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ..	–	3	–	–	–	N. 1
STOWMARKET ...	–	2			–	–
WOODBRIDGE ...	–		–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
HARTISMERE ...	–	2	–	–	–	–
SAMFORD... ...	–	–	2	–	–	M. 1
WANGFORD ...	–	–	–	–	–	M. 1
SUFFOLK, WEST ...	–	8	–	–	3	N. 2
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	1	N. 1
NEWMARKET ...	–	1	–	–	1	–
SUDBURY... ...	–	–	–	–	–	N. 1
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
THINGOE	–	5	–	–	1	–
SURREY	–	52	23	–	10	C. 1 E. 1 M. 2 N. 6
†CROYDON C.B. ...	–	16	5	–	1	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	1	1	–	1	N. 2
†CATERHAM ...	–	–	–	–	1	M. 1
†CHERTSEY ...	–	–	1	–	2	–
†COULSDON AND PURLEY	–	2	1	–	–	–
†EGHAM	–	1	2	–	–	–
†EPSOM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FARNHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSTON ON THAMES	–	2	1	–	–	–
†MERTON AND MORDEN	–		–	–	–	N. 1
†MITCHAM... ...	–	8	1	–	1	
†RICHMOND ...	–	–	–	–	–	E. 1
†SURBITON ...	–	1	1	–	1	
†SUTTON	–	1	4	–	–	–
†THE MALDENS AND COOMBE	–	1	1	–	1	–
†WIMBLEDON ...	–	5	1	–	–	–
WINDLESHAM ...	–	–	–	–	–	N. 1
Rural Districts:—						
CHERTSEY ...	–	3	–	–	–	–
DORKING	–	3	–	–	–	–
EPSOM	–	4	2	–	1	N. 1
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ..	–	24	10	–	11	G. 1 M. 1 N. 2
†BRIGHTON C.B. ...	–	7	8	–	4	M. 1 N. 1
†EASTBOURNE C.B.	–	1	–	–	4	N. 1
†HASTINGS C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†BEXHILL	–	2		–	–	–
†HOVE	–	–	2	–	2	–
UCKFIELD ...	–	4	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–		–	–
HAILSHAM ...	–	3	–	–	–	–
STEYNING EAST...	–	1	–	–	–	
UCKFIELD ...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	7	3	–	2	L. 1 N. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	–	L. 1 N. 1
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
SOUTHWICK ...	–	–	–	–	–	N. 1
†WORTHING ...	–	2		–	1	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	–	3	–	–	–
WESTHAMPNETT	–	2	–	–	–	–
WARWICK	–	58	34	–	58	C. 1 E. 5 F. 1 G. 2 M. 9 N. 3
†BIRMINGHAM C.B.	–	37	28	–	50	C. 1 E. 2 G. 2 M. 7 N. 2
†COVENTRY C.B. ...	–	6	2	–	3	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	4	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	–	–	1	E. 1
†SUTTON COLDFIELD	–	–	–	–	1	E. 1 F. 1
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	2	3	–	–	
COVENTRY ...	–	1	–	–	–	–
MERIDEN... ...	–	1		–	1	–
RUGBY	–	2	–	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
SOLIHULL ...	–	1	–	–	–	–
STRATFORD ON AVON	–	–	–	–	–	N. 1
TAMWORTH (part)	–	2	1	–	–	–
WARWICK ...	–	1	–		1	M. 1
WESTMORLAND ...	–	6	–	–	3	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	1	–
SHAP	–	1	–		–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	3	–	–	–	–
WEST WARD ...	–	–	–	–	1	–
WIGHT, ISLE OF ..	–	1	–	–	–	E. 2 N. 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
†NEWPORT... ...	–	–	–	–	–	E. 1 N. 1
†RYDE						E. 1
WILTS	–	14	11	–	4	E. 2 G. 2 M. 2 N. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	2	1	–	–	–
DEVIZES	–	–	2	–	–	–
MELKSHAM ...	–	–	3	–	–	–
†SALISBURY ...	–	–	2	–	–	G. 1
†SWINDON... ...	–	1	–	–	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	–	–	–	–	M. 1
CALNE	–	3		–	–	
CHIPPENHAM ...	–	2	–	–	–	N. 1
DEVIZES	–	–		–	1	–
HIGHWORTH ...	–	–	1	–	–	–
MALMESBURY ...	–	–	–	–		M. 1
MELKSHAM ...	–	1	–	–	–	
MERE	–	–	–	–		E. 1
PEWSEY	–	–	–	–	1	–
SALISBURY ...	–	–	–	–	–	E. 1
TISBURY	–	–	2	–		–
WARMINSTER ...	–	–	–	–	–	G. 1
WILTON	–	5		–	–	
WORCESTER ...	–	10	4		10	M. 2
†DUDLEY C.B. ...		2	1	–	–	–
†WORCESTER C.B.	–	–	–	–	4	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	–	–	–	–	M. 1
†LYE AND WOLLESCOTE	–	2	1	–	–	M. 1
†MALVERN ...	–	1	1	–	1	–
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	–	–		1	–
Rural Districts:—						
DROITWICH ...	–	3	–	–	1	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	22	22	–	8	C. 2 M. 2 N. 1
†KINGSTON UPON HULL C.B.	–	15	19	–	7	C. 2 M. 2 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Rural Districts:—						
Bridlington ...	–	1	–	–	–	–
Driffield ...	–	3	–	–	–	–
Howden	–	1	–	–	–	–
Pocklington ...	–	–	1	–	1	–
Riccall	–	1	1	–	–	–
YORKS ... ... (North Riding.)	1	22	3	–	8	N. 2
†Middlesbrough C.B.	1	6	–	–	3	N. 2
Boroughs and Urban Districts:—						
†Eston	–	8	–	–	–	–
Guisborough ...	–	1	–	–	–	–
Malton	–	1	–	–	–	–
†Redcar	–	1	–		3	–
Scalby	*	*	*	*	*	*
†Scarborough ...	–	1	3	–	–	–
†Thornaby on Tees	–	2	–	–	–	–
Rural Districts:—						
Flaxton ...	–	–	–		1	–
Kirby Moorside	–	–	–	–	1	–
Scarborough ...	–	2	–	–	–	–
Wath	*	*	*	*	*	*
YORKS ... ... (West Riding.)	17	171	67	12	116	C. 6 D. 1 E. 1 G. 1 L. 6 M. 15 N. 13
†Barnsley C.B. ...	–	6	2	–	1	C. 1
†Bradford C.B. ...	–	9	4	–	12	C. 1 M. 2 N. 1
YORKS (West Riding) —*cont.*						
†Dewsbury C.B....	–	1	–	–	4	M. 1
†Halifax C.B. ...	–	2	2	–	2	–
†Huddersfield C.B.	–	9	5	–	2	D. 1
†Leeds C.B. ...	–	17	10		11	C. 1 M. 4 N. 3
†Rotherham C.B.	–	2	2	–	6	N. 1
†Sheffield C.B....	2	43	21	4	41	E. 1 G. 1 M. 4 N. 3
†Wakefield C.B.	–	1	–	–	–	C. 1 L. 6
Boroughs and Urban Districts:—						
†Adwick le Street	–	5	–	–	–	–
Altofts	–	–	–	–	1	–
Baildon	–	1		–	–	–
†Barnoldswick ...	–	2	–		1	–
†Batley	–	–	1	–	1	–
†Bentley with Arksey	–	1	–	–	–	–
†Bingley	–	5	–	–	–	N. 2
†Bolton upon Dearne	–	–	1	–	–	–
†Castleford ...	–	–		1	–	–
†Conisbrough ...	–	1	1	–	–	M. 1
Cudworth ...	–	–	–	–	3	
†Darton	–	4	–	–	–	–
†Doncaster ...	1	1	–	–	2	N. 1
Drighlington ...	–	1	–		3	–
†Featherstone ...	–	1	–	–	–	–
Gildersome ...	–	–		1	2	–
†Golcar	–	–	–	–	1	–
†Goole	–	4	–	–	2	–
Greetland ...	–	–	–	–	1	–
†Harrogate ...	–	1	–	–	–	–
Heckmondwike	–	–	–		1	–
†Holmfirth ...	–	–	2	–	1	–
Horsforth ...	–	1	–	–	–	–
†Hoyland Nether	–	–	1	–	1	–
†Keighley ...	1	2	1	–	–	–
Knottingley ...	–	1	–	–	–	–
Maltby	–	1	–	–	–	C. 1
†Mexborough ...	12	–	–		1	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORMANTON ...	–	1	1	–	3	–
†OSSETT	–	2	–	–	–	–
RAWDON	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–		2			–
SHELF	*	*	*	*	*	*
†SHIPLEY	–	1	1	–	–	–
†SPENBOROUGH ...	–	–	–	–	3	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON	1	–	–	–	–	–
THURSTONLAND AND FARNLEY TYAS	–	–	–	2	–	–
TICKHILL ...	–	2	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
†WATH UPON DEARNE	–	2	1	–	–	–
WHITWOOD ...	–	–	–	1	–	–
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
BISHOPTHORPE ...	–	4	–	2	–	–
DONCASTER ..	–	2	–	–	2	–
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ..	–	4	–	–	2	N. 1
HUNSLET... ...	–	2	–	–	–	–
KEIGHLEY ...	–	–	2	–	–	–
KIVETON PARK ...	–	1	1		–	–
KNARESBOROUGH	–	1	1	–	–	–
PENISTONE ...	–	–	–	–	–	N. 1
RIPON	–	1	–	–	–	–
ROTHERHAM ..	–	2	1	–	2	–
SETTLE	–	3	1	–	1	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	5	–	1		C. 1
THORNE	–	2		–	2	M. 2
TODMORDEN ...	–	2	1	–	–	–
WAKEFIELD ..	–	1	–	–	–	–
WETHERBY ...	–		2	–		M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	1	–	–	–	–
§YORK, CITY OF ...	–	1	–	–	–	C. 1
†YORK C.B. ...	–	1	–	–	–	C. 1
WALES.						
ANGLESEY	–	5	3	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	3	1	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	1	2	–	–	–
BRECKNOCK ...	–	–	1	–	1	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	1	–
HAY	–	–	1	–	–	–
CAERNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
Rural Districts:—						
LLEYN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIGAN ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
Rural Districts:—						
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ...	–	5	5	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	2	–	–	M. 1
†LLANELLY ...	–	1	2	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	4	1	–	–	N. 1
LLANELLY ...	–	–	–	–	–	M. 1
LLANYBYTHER ...	–	–	–	–	1	–
DENBIGH	–	2	1	–	–	C 1
Rural Districts:—						
CHIRK	–	1	–	–	–	–
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	1	1	–	–	C. 1
FLINT	–	4	3	–	6	–
Boroughs and Urban Districts:—						
FLINT	–	–	–		1	–
HOLYWELL ...	–	–	1	–	–	–
MOLD	*	*	*	*	*	*
†RHYL	–	–	–	–	1	–
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	3	2	–	4	–
OVERTON ..	*	*	*	*	*	*
GLAMORGAN ...	–	45	43	3	37	E. 1 G. 1 L. 1 N. 3
†CARDIFF C.B. ..	–	2	6	3	6	E. 1 N. 1
†MERTHYR TYDFIL C.B.	–	–	4	–	5	–
†SWANSEA C.B. ..	–	5	3	–	4	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	2	–
†BARRY	–	–	6	–	–	–
†CAERPHILLY ...	–	1	–	–	2	–
†GELLIGAER ...	–	–	–	–	4	–
†MAESTEG ...	–	–	6	–	–	–
†MOUNTAIN ASH ...	–	–	1	–	2	–
†NEATH	–	2	–	–	1	–
†OGMORE AND GARW	–	3	–	–	–	–
†PENARTH ...	–	–	–	–	–	N. 1
†PONTYPRIDD ...	–	1	–	–	1	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	5	1	–	–	–
†RHONDDA ...	–	16	5	–	6	L. 1
Rural Districts:—						
COWBRIDGE ...	–	1	1	–	–	–
GOWER	–	1	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	2	–	–	–
NEATH	–	2	4	–	2	–
PENYBONT ...	–	–	–	–	1	–
PONTARDAWE ...	–	–	2	–	–	G. 1
SWANSEA... ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MERIONETH ...		–	8	–	–	–
Urban Districts:—						
FESTINIOG ..	–	–	4	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	1	–	–	–
EDEIRNION ...	–	–	1	–	–	–
PENLLYN	–	–	2	–	–	–
MONMOUTH ...	–	7	5	–	7	M. 1 N. 2
†NEWPORT C.B. ...	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	1	2		–	M. 1
BEDWAS AND MACHEN	–	–	–	–	–	N. 2
†BLAENAVON ...		–	–	–	1	–
LLANFRECHFA UPPER	–	1	–	–		–
MONMOUTH ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
PONTYPOOL ...	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–		–
†RISCA	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
PONTYPOOL ...	–	–	–	–	1	–
ST. MELLONS ...	–	1	–	–	–	–
MONTGOMERY ..	–	2	2	–	1	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	2	–	1	–
NEWTOWN AND LLANLLWCHAIARN ...	–	2	–	–	–	–
PEMBROKE	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	–	–	1	–
Total of Part II. ..	302	1598	812	39	971	C. 1 D. 1 E. 1 F. 1 G. 1 L. 1 M. 1 N. 1

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LITTLEHAMPTON ...	*	*	*	*	*	*
PLYMOUTH	–	–	–	–	–	L. 1
SWANSEA		–	1	–	–	–

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
PORT OF LONDON ...	–	–	–	–	–
Total of Part III.... ...	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever: J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
Total of Part I.—London	–	275	295	4	124	C. 8 D. 1 E. 2 G. 10 L. 1 M. 18 N. 33
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	302	1598	812	39	971	C. 52 D. 3 E. 34 F. 4 G. 39 L. 18 M. 109 N. 136
Total of Part III.—Port Sanitary Districts	–	–	1	–	–	D. 1 L. 1
Total (*i.e.*, of returns received), England and Wales ...	302	1873	1108	43	1095	C. 60 D. 5 E. 36 F. 4 G. 49 L. 20 M. 127 N. 169

† The letters in this column denote the following diseases:—A, Cholera; B, Plague uerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- ıalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue ; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. 'here were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain and DEATHS of INFANTS under 1 Y AGE) and NOTIFIED CASES of cer FECTIOUS DISEASES in the last T WEEKS.

Week ended :—	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oc 3
LONDON :—												
DEATHS—all ages	752	716	785	791	766	810	819	848	912	895	1,014	1,
" 0 to 1 year ..	76	68	72	85	81	105	117	120	97	102	90	
GREAT TOWNS, aggregate (including London):—												
BIRTHS	7,508	6,970	7,029	6,358	6,523	6,830	6,426	6,560	6,574	6,240	6,509	6,
DEATHS—all ages	3,226	3,280	3,292	3,409	3,393	3,449	3,507	3,731	3,916	3,793	4,137	4,
" 0 to 1 year ..	386	383	409	452	445	516	477	566	532	505	488	
ENTERIC FEVER—Cases	30	24	24	28	29	24	33	36	24	30	28	
" Deaths	1	—	2	3	4	5	3	2	5	1	1	
SMALL POX—Cases ..	4	11	5	16	10	19	39	32	35	40	32	
" Deaths ..	—	—	—	—	—	—	—	2	1	—	—	
SCARLET FEVER—Cases	674	669	641	750	773	837	963	968	1,074	1,055	1,106	1
" Deaths	6	6	5	6	3	2	3	3	3	2	5	
DIPHTHERIA—Cases ..	552	460	511	526	600	674	732	722	827	833	817	
" Deaths ..	23	28	24	30	20	24	29	36	36	39	40	
MEASLES—Deaths ..	9	12	10	6	10	1	1	5	9	9	6	
INFLUENZA—Deaths ..	18	16	18	19	12	19	23	32	36	38	54	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th November, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.
	°	°	°	°			°	°	°	°
LONDON (GREENWICH).	59	27	50·7	37·1	10	HUDDERSFIELD	55	22	46·9	33·4
BRIGHTON ..						BRADFORD ..	57	24	46·7	32·1
PORTSMOUTH ..	57	30	51·2	41·1	26	SHEFFIELD ..	55	28	46·1	35·1
NORWICH (EATON).	54	29	49·0	37·6	12	YORK (MUSEUM)	55	25	46·6	33·9
PLYMOUTH ..	57	31	53·1	40·3	54	HULL (PEARSON PARK).	56	27	48·3	36·9
BRISTOL (CLIFTON).	55	28	48·4	35·1	44	TYNEMOUTH ..	55	26	45·7	36·6
BIRMINGHAM (EDGBASTON).	55	27	45·9	35·9	39	CARDIFF.. ..	55	28	48·6	35·1
NOTTINGHAM ..	56	27	48·1	34·4	19	EDINBURGH ..	56·0	28·0	44·6	34·9
BIRKENHEAD (BIDSTON).	55	30	45·3	36·4	27	GLASGOW ..	56·5	24·9	45·6	32·8
MANCHESTER (WHITWORTH PARK).	55	24	47·3	35·3	39	DUBLIN (PHŒNIX PARK).	58·2	22·0	51·7	31·7
BURNLEY	56	19	47·9	31·0	79	(FITZWILLIAM SQUARE†).	59·0	28·2	50·5	36·2
						BELFAST.. ..	59·5	24·5	49·1	34·5

* The hours of observation are given in the Monthly Weather Report of the Meteorological Offi
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th November, 1926

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	31	Apogee	29·748	46·3	34·0	12·3	38·7	− 8·4	33·2	5·5	13·6	2·9	80	58·5	27·0	51·2	NNE : N	N	2·4	0·0	0·3	318	+ 27	0·00
NOVEMBER MONDAY -	1	..	29·917	49·0	27·1	21·9	38·6	− 8·4	33·0	5·6	13·0	1·6	80	83·3	22·7	51·0	N : Calm.	SSE	0·7	0·0	0·1	176	− 111	0·00
TUESDAY -	2	..	29·552	45·0	40·0	5·0	42·3	− 4·5	38·9	3·4	6·9	0·0	88	51·7	30·8	51·0	SSE	SSE	1·9	0·0	0·2	239	− 45	0·00
WEDNESDAY	3	In Equator	29·542	46·2	37·9	8·3	42·6	− 4·0	41·0	1·6	4·7	0·8	94	55·0	29·9	50·9	Calm : ENE.	NE : Calm.	0·2	0·0	0·0	144	− 137	0·00
THURSDAY -	4	..	29·702	52·2	43·0	9·2	47·4	+ 1·0	42·7	4·7	8·6	1·3	83	75·2	36·6	50·7	Calm	SSW	2·1	0·0	0·1	187	− 92	0·00
FRIDAY -	5	New	29·285	59·0	43·8	15·2	50·7	+ 4·6	45·2	5·5	12·5	1·6	81	92·0	34·5	50·5	S : SSW	SSW : SW.	6·8	0·0	1·2	543	+ 264	0·27
SATURDAY -	6	..	29·249	56·0	43·2	12·8	49·3	+ 3·5	45·2	4·1	11·0	0·6	86	84·0	33·9	50·4	SSW : S	S : Calm : W.	3·1	0·0	0·2	287	+ 8	0·11
MEANS -		..	29·571	50·5	38·4	12·1	44·2	− 2·3	39·9	4·3	10·1	1·3	85	71·4	30·8	50·8	Variable		..	..	..	Sum 1894	Sum − 86	Sum 0·38
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	31	wP till 10h., then mP.	1·8	9·7	Overcast till 12½h., then partially cloudy, becoming cloudless by 16½h. Dew and hoar frost at night.
NOVEMBER MONDAY ..	1	mP till 12h., then wP.	1·3	9·7	Cloudless till 11½h., then partially cloudy, becoming nearly overcast by 13h. Hoar frost and haze in morning.
TUESDAY ..	2	wP.	0·0	9·6	Overcast generally with partially cloudy period between 18½h. and 19½h. Damping 5½h. till 6h.; and 15h. till 15½h. Shower 22h.
WEDNESDAY	3	wP till 15h.; mP till 17½h., then wP.	0·0	9·5	Variably cloudy, becoming overcast by 7h. Mist from 6h. Dew in evening.
THURSDAY	4	wP.	0·1	9·5	Nearly overcast generally. Fog till 9h.
FRIDAY ..	5	wP till 15h.; mP till 20h., then wP.	2·3	9·4	Overcast till 12h., then partially cloudy, becoming cloudless by 15¾h. Damping 5h. till 8h.; then rain generally till 11h. Shower at 14h. Brisk wind from 2h till 8h., and 14h. till 17h. High wind 5h. till 11h.
SATURDAY	6	wP till 19h.; wN till 20h.; variably mN and mP till 22h, then mP.	0·9	9·3	Cloudless till 4h.; nearly overcast till 23h., then partially cloudy. Shower at 13h. Frequent rain between 15½h. and 19h., then continuously till 21h.
			Sum 6·4	Sum 66·7	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive: N. negative; w. weak; m. moderate: s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·67 ins. at the beginning of the week to 29·96 ins. by 9h. on November 1st; decreased to 29·51 ins. by 17h. on 2nd; increased to 29·77 ins. by 10h. on 4th; decreased to 29·21 ins. by 10h. on 5th; increased to 29·47 ins. by 1h. on 6th; decreased and was 29·18 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 45.

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 13TH NOVEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH NOVEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-fifth week of the year numbered 6,672 and corresponded to an annual rate of 17·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,665 and corresponded to an annual rate of 12·5 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 11·1, 12·6 and 12·9. Infant mortality was 73 per 1,000 births against 75, 80 and 73 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,438 births, corresponding to a rate of 16·3 per 1,000, and 1,108 deaths of civilians, corresponding to an annual rate of 12·6, against 11·5 12·7 and 13·7, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·6 per 1,000. The infant mortality was 60 as against 61, 78 and 58 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,817 to 4,665. In London the number of deaths from all causes decreased from 1,209 to 1,108; the deaths from diphtheria which had been 13, 8 and 12 in the preceding three weeks fell to 6 last week; and the deaths of infants (under 2 years of age) from diarrhœa and enteritis, which had been 33, 30 and 24 in the preceding three weeks, further fell to 20 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 13th November, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 GREAT TOWNS ..	19,439,910*	6,672	4,665	488	3	17	5	16	33	91
LONDON	4,602,000*	1,438	1,108	86	-	-	1	3	6	20
TOWNS IN OUTER RING. CROYDON C.B ..	199,300	69	52	3	-	-	-	-	1	-
WIMBLEDON ..	58,170	15	10	-	-	-	-	-	-	-
EALING†	91,000	27	18	1	-	-	-	-	-	-
ACTON	63,110	18	11	3	-	-	-	-	-	-
WILLESDEN ..	168,900	39	40	1	-	-	-	-	-	-
HENDON	59,150*	10	11	1	-	-	-	-	-	-
HORNSEY	87,210	16	26	3	-	-	-	1	-	-
WOOD GREEN ..	51,960	11	6	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	52	36	4	-	-	-	-	2	1
EDMONTON ..	71,210	35	9	-	-	-	-	-	-	-
ENFIELD	63,740	21	14	4	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	141	57	6	-	-	-	-	-	3
EAST HAM C.B. ..	147,200	25	30	2	-	-	-	-	1	-
LEYTON	132,700	34	22	3	-	-	-	-	-	-
WALTHAMSTOW ..	130,800	22	30	-	-	-	-	-	-	-
ILFORD	93,590	29	23	2	-	-	-	1	1	-
GILLINGHAM	48,680*	28	11	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,270*	10	13	2	-	-	-	-	-	-
HASTINGS C.B.	60,470	9	16	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,060	15	15	-	-	-	-	-	-	-
BRIGHTON C.B. ..	137,800*	23	28	2	-	-	-	-	-	-
PORTSMOUTH C.B. ..	232,900*	101	50	5	1	-	-	-	1	1
BOURNEMOUTH C.B. ..	85,840	26	27	-	-	-	-	-	-	-
SOUTHAMPTON C.B. ..	168,600	68	49	4	-	2	-	-	1	-
READING C.B.	93,670*	34	14	1	-	-	-	-	-	-
OXFORD C.B.	57,090	18	15	1	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,780*	22	24	2	-	-	-	-	-	-
LUTON	59,230	22	10	-	-	-	-	-	-	-
CAMBRIDGE	59,020	19	20	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	98,060	29	19	2	-	-	-	-	1	-
IPSWICH C.B.	83,120*	27	17	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,890	17	22	1	-	-	-	-	-	-
NORWICH C.B. ..	124,000*	46	32	2	-	-	-	-	-	-
SWINDON	56,880	26	21	2	-	-	-	-	-	-
EXETER C.B.	59,820*	13	15	1	-	-	-	-	-	1
PLYMOUTH C.B. ..	192,100*	76	42	5	-	-	-	-	-	-
BATH C.B.	69,050	27	20	2	-	-	-	-	-	-
BRISTOL C.B.	385,700*	137	98	10	-	-	-	-	2	1
GLOUCESTER C.B. ..	53,060	13	11	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,900	98	67	12	-	-	-	1	-	2
BURTON-UPON-TRENT C.B.	49,530	14	7	1	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	44	24	3	-	-	-	-	-	1
WALSALL C.B.	102,300	52	23	4	-	-	-	-	1	-
WEST BROMWICH C.B	79,490	39	21	3	-	-	-	-	-	2
DUDLEY C.B.	58,810	35	18	2	-	-	-	-	-	-
WORCESTER C.B. ..	50,230	14	8	1	-	-	-	-	-	-
BIRMINGHAM C.B. ..	945,900	358	221	20	-	3	-	-	2	8
SMETHWICK C.B. ..	78,840	25	12	2	-	-	1	1	-	-
COVENTRY C.B ..	129,100	46	22	3	-	-	-	-	-	-
LEICESTER C.B. ..	242,100	72	55	5	-	-	1	-	-	-
LINCOLN C.B.	66,600*	18	18	-	-	-	-	-	-	-
GRIMSBY C.B.	87,190	36	14	1	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,600	87	63	8	-	2	-	-	2	2
DERBY C.B.	134,400*	40	31	2	-	-	-	-	-	-
CHESTERFIELD ..	65,800	29	12	1	-	-	-	-	1	-
STOCKPORT C.B. ..	125,900	47	34	6	-	-	-	-	-	2
CHESTER C.B.	41,670	16	8	2	-	-	-	-	-	-
BIRKENHEAD C.B. ..	155,500	59	35	10	-	-	-	-	-	2
WALLASEY C.B. ..	91,720	24	23	3	-	-	-	-	2	-
LIVERPOOL C.B. ..	856,000	393	233	35	-	2	-	1	1	5
BOOTLE C.B.	83,260	41	17	3	-	-	-	-	-	1
ST. HELENS C.B. ..	109,600	47	25	7	-	-	-	-	-	3

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
UTHPORT C.B ..	74,260	19	18	1	-	-	-	-	-	-	-
IGAN C.B.	91,010	35	22	3	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	34	15	4	-	-	-	1	-	2	1
OLTON C.B.	180,400	51	45	3	-	-	-	-	-	-	3
URY C.B.	56,700*	15	15	1		-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	269	221	36	1	-	1	1	-	12	5
ALFORD C.B.	244,700	86	64	8	-	-	-	-	1	1	4
LDHAM C.B	146,200	42	60	7	-	-	-	-	-	1	2
OCHDALE C.B... ..	92,190	18	24	2	-	1	-	-	1	1	1
URNLEY C.B.	102,300	28	31	3	-	-	-	-	-	-	-
LACKBURN C.B. ..	126,900	30	38	3	-	-	-	1	-	-	1
RESTON C.B.	122,900	41	35	6	-	-	-	-	-	-	-
LACKPOOL C.B. ..	80,750	23	19	-	-	-	-	-	-	1	1
ARROW-IN-FURNESS C.B.	73,470	23	21	2	-	1	-	-	1	-	-
UDDERSFIELD C.B. ..	112,100	28	34	2	-	-	-	-	-	-	-
ALIFAX C.B.	97,860*	24	29	2	-	-	-	-	-	-	-
RADFORD C.B. ..	290,200	79	63	9	-	-	-	1	-	1	2
EEDS C.B.	472,900	165	116	11	-	2	-	-	3	2	4
EWSBURY C.B ..	54,570	17	12	1	-	-	-	-	-	-	-
AKEFIELD C.B. ..	53,980	26	17	2	-	-	-	-	-	-	1
ARNSLEY C.B. ..	71,170	39	13	4	-	-	-	-	-	2	-
IEFFIELD C.B. ..	526,900*	167	126	11	1	1	-	1	1	6	2
OTHERHAM C.B. ..	70,600	29	15	1	-	-	1	-	-	1	-
ONCASTER	55,610	22	11	-	-	-	-	-	-	-	-
ORK C.B.	84,630*	31	26	2	-	-	-	-	-	-	-
ULL C.B.	297,300	117	60	7	-	-	-	-	1	-	1
IDDLESBROUGH C.B.	136,200	52	28	1	-	-	-	-	-	-	-
ARLINGTON C.B. ..	69,130	23	9	1	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	68,000	32	13	-	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,590	37	14	4	-	-	-	-	-	-	-
NDERLAND C.B. ..	166,000	84	47	10	-	2	-	2	-	-	1
OUTH SHIELDS C.B. ..	124,600	64	38	7	-	-	-	1	-	1	-
ATESHEAD C.B. ..	129,000	42	28	5	-	-	-	-	-	2	-
EWCASTLE-ON-TYNE C.B.	286,300*	120	65	10	-	1	-	-	-	-	3
NEMOUTH C.B. ..	66,180	21	16	2	-	-	-	-	-	-	-
ARLISLE C.B.	55,160*	21	18	2	-	-	-	-	-	1	-
EWPORT (MON.) C.B.	96,420*	41	20	2	-	-	-	-	-	-	-
ARDIFF C.B.	227,100*	86	47	6	-	-	-	-	-	-	1
ONDDA	167,570	57	34	6	-	-	-	-	-	1	-
ERTHYR TYDFIL C.B.	82,920	15	20	1	-	-	-	-	-	1	-
ERDARE	57,700	17	9	1	-	-	-	-	-	-	-
ANSEA C.B.	163,200	55	26	4	-	-	-	-	-	-	1
REATER LONDON ..	7,742,212*	2,371	1,793	136	-	1	2	6	13	29	51
UTER RING	3,140,212*	933	685	50	-	1	1	3	7	9	25
GREAT TOWNS IN OUTER RING	1,890,140*	564	395	33	-	-	-	2	5	4	14
EMAINDER OF OUTER RING	1,250,072*	369	290	17	-	1	1	1	2	5	11
DINBURGH†	424,600	153	153	21	-	-	1	-	-	1	1
LASGOW† ..	1,052,200	439	308	46	-	1	-	2	1	4	6
UBLIN (REGISTRATION AREA)†	419,156§	167	142	28	-	-	2	-	1	7	1
ELFAST†	416,000	154	143	21	-	-	-	1	2	5	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected y the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of esidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and elfast are corrected by the exclusion of deaths of persons admitted into public institutions from ithout the respective areas.

§ Census population 1926 (unrevised).

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available p**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
London‡	4,602,000	1926. Nov. 13	1438	1108	12·6	–	–	–	1	3	6	20
Calcutta and Suburbs	1,077,273	Oct. 2	?	873‖	42·1	?	2	?	?	?	?	?
Bombay§	1,279,061	Oct. 16	461	706	28·7	6	3	1	–	–	–	33
Madras	528,791	„ 16										
Sydney and Suburbs	1,038,950	Sept. 30 (30 days)	1794	839	9 7	2	–	7	9	9	15	3
Brisbane (Metropolitan Area).	263,711	Sept. 30 (30 days)										
Perth (Metropolitan Area).	179,388	Sept. 11	79	45	13·0	–	–	–	–	–	1	–
		„ 18	77	38	11·0	–	–	–	–	–	–	–
		„ 25	64	42	12·2	–	–	–	–	2	–	–
Auckland (Urban Area).	192,176	„ 30 (30 days)										
Wellington (Urban Area).	121,324	Sept. 30 (30 days)										
Christchurch (Urban Area).	118,408	Sept. 30 (30 days)										
Cape Town	113,709	Oct. 16	55	20	9·1	–	–	–	–	–	–	–
Johannesburg	165,958	„ 16	75	32	10·0	–	–	–	–	1	–	–
Durban	54,822	„ 16	27	17	16·1	–	–	1	–	1	–	–
Paris	2,906,472	Oct. 20 (10 days)	1101	1056	13·2	6	3	3	1	–	5	50
Antwerp	300,193	Oct. 2										
Amsterdam	722,085	„ 23	286	118	8·5	–	–	1	–	1	–	1
Copenhagen	587,400	„ 23	182	106	9·5	–	–	–	–	–	2	–
Stockholm	442,528	„ 16	88	97	11·4	–	–	–	–	–	–	–
Gothenburg	230,963	„ 23	?	40	9·0	–	–	–	–	–	1	–
Oslo (Christiania) ..	255,724	„ 30	61	51	10·4	–	–	–	–	–	–	2
Berlin	1,996,000	„ 23	387	399	10·4	–	?	–	–	–	4	4
Breslau	561,000	„ 23	166	118	10·9	–	?	1	–	–	–	2
Cologne	710,000	„ 23	234	138	10·1	–	?	–	–	5	1	6
Dresden	622,000	„ 23	110	133	11·1	–	?	–	–	–	–	1
Frankfort-on-Main..	471,000	„ 23	91	68	7·5	–	?	–	–	–	–	–
Hamburg	1,104 000	„ 23	267	199	9·4	–	?	–	1	–	–	4
Leipzig	685,000	„ 23	159	120	9·1	–	?	–	–	–	–	1
Munich	685,000	„ 23	160	138	10·5	–	?	–	–	–	–	2
Vienna	1,873,432	June 30 (30 days)										
Prague and Suburbs	725,196	May 31 (31 days)	906	726	11·8	–	–	7	5	–	6	12
Budapest	960,995	Oct. 2										
Warsaw	1,015,426	„ 23	?	252	13·0	11	–	1	16	–	1	16
Cairo	859,400	May 27	708	739	44·8	8	2	35	–	?	1	150
Alexandria	492,100	„ 27	419	291	30·8	2	–	–	–	?	–	49
New York	5,924,139	Sept. 18										
Chicago	2,995,239	Oct. 22	1144	601	10·3	1	?	1	1	1	5	12

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children u year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 7 deaths from Cholera in Calcutta and 1 in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th November, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1,108	86	14	17	15	45	49	69	137	166	253	257
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria	6	1	-	1	4	-	-	-	-	-	-	-
Influenza	26	-	1	-	-	-	1	1	3	8	10	2
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	83	1	-	-	1	20	18	18	17	4	4	-
Nervous system	4	1	2	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	-	-	1	-	-	-	-
Other forms	3	1	-	-	-	-	-	-	1	-	1	-
Venereal diseases	2	-	-	-	-	-	-	-	-	2	-	-
Cancer	130	-	-	1	-	-	3	7	24	30	44	21
Rheumatic fever	4	-	-	-	1	-	-	1	-	1	1	-
Diabetes	10	-	-	-	-	1	1	-	-	4	4	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	-	-	-	1	-	-	2	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	60	-	-	-	-	2	1	1	8	8	24	16
Epilepsy	4	-	-	-	-	1	-	-	1	1	1	-
"Convulsions" (not puerperal) ..	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	24	-	1	1	-	2	2	4	7	4	2	1
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	9	-	-	-	-	5	-	1	1	-	1	1
Other diseases of heart	181	-	-	-	-	2	6	2	14	33	64	60
Other diseases of circulatory system	53	-	-	-	-	-	-	3	5	7	12	26
Bronchitis	109	2	3	1	1	-	2	1	10	11	30	48
Broncho-pneumonia	43	11	3	4	-	-	-	2	1	10	7	5
Lobar-pneumonia	24	-	1	2	-	1	2	1	5	4	4	4
Pneumonia (type not distinguished)	11	1	-	-	-	-	2	2	1	3	-	2
Other diseases of respiratory system	15	-	-	-	-	-	-	1	1	1	7	5
Diarrhœa and enteritis	25	18	2	2	-	1	1	-	1	-	-	-
Appendicitis, Typhlitis	7	-	-	-	2	2	-	-	2	-	1	-
Hernia, Intestinal obstruction.. ..	13	3	-	-	1	1	2	1	1	1	3	-
Cirrhosis of liver	4	-	-	-	-	-	-	1	1	1	-	1
Other diseases of digestive system ..	28	2	-	1	-	2	-	3	8	5	5	2
Acute nephritis	2	-	-	-	-	-	-	-	2	-	-	-
Chronic Bright's disease..	40	-	-	-	-	-	2	2	7	10	11	8
Other diseases of genito-urinary system.	25	-	-	-	-	-	1	2	3	4	6	9
Puerperal sepsis	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth..	1	-	-	-	-	-	-	1	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	37	-	-	-	-	-	-	-	-	-	-	37
Suicide	14	-	-	-	-	3	1	2	2	4	2	-
Burns and Scalds	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	1	1	1	-	1	3	4	1	-
Other deaths by violence	16	2	-	-	1	-	1	-	3	1	2	6
Other specified causes	38	13	-	-	-	-	2	8	4	4	5	2
Ill-defined causes	2	-	-	-	-	-	-	-	-	1	1	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th November, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	305	282	6	134	C. 7 D. 1 E. 1 G. 2 M. 10 N. 26
†CITY OF LONDON	-	1	1	-	2	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	8	17	-	6	M. 1
†BERMONDSEY ...	-	6	24	-	3	C. 2
†BETHNAL GREEN	-	15	14	-	11	M. 1 N. 1
†CAMBERWELL ...	-	28	21	-	2	-
†CHELSEA	-	1	4	-	3	-
†DEPTFORD ...	-	10	6	1	5	N. 1
†FINSBURY ...	-	4	5	-	1	N. 1
†FULHAM	-	7	9	-	9	G. 1 N. 1
†GREENWICH ...	-	17	11	-	8	-
†HACKNEY ...	-	21	20	-	-	M. 1 N. 4
†HAMMERSMITH ...	-	11	5	1	-	N. 1
†HAMPSTEAD ...	-	1	3	-	3	-
†HOLBORN... ...	-	3	-	-	1	N. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	20	15	2	6	M. [illegible] N. [illegible]
†KENSINGTON ...	-	6	5	-	-	N. [illegible]
†LAMBETH ...	-	15	9	2	9	D. [illegible] N. [illegible]
†LEWISHAM ...	-	11	11	-	4	-
†PADDINGTON ...	-	7	6	-	3	N. [illegible]
†POPLAR	-	22	6	-	16	M. [illegible] N. [illegible]
†ST. MARYLEBONE	-	1	2	-	1	N. [illegible]
†ST. PANCRAS ...	-	5	6	-	4	G. [illegible] N. [illegible]
†SHOREDITCH ...	-	5	8	-	4	M. [illegible]
†SOUTHWARK ...	-	11	21	-	7	C. [illegible] N. [illegible]
†STEPNEY	-	32	21	-	4	-
†STOKE NEWINGTON	-	6	2	-	-	-
†WANDSWORTH ...	-	19	19	-	15	C. [illegible] M. [illegible]
†WESTMINSTER, CITY OF	-	4	3	-	-	-
†WOOLWICH ..	-	8	8	-	7	E. [illegible] N. [illegible]

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	15	8	–	4	D. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	5	3	–	–	–
BIGGLESWADE ...	–	–	–		2	–
DUNSTABLE ...	–	–	2			–
†LUTON	–	–	1	–	2	D. 1 N. 1
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD ...	–	8	1	–	–	–
LUTON	–	1	1	–		–
BERKS	–	7	3	–	–	–
†READING C.B. ...	–	1	2	–	–	–
Rural Districts:—						
EASTHAMPSTEAD	–	2	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
NEWBURY ...	–	2	–	–	–	–
WOKINGHAM ...	–	1	1	–	–	–
BUCKINGHAM ...	–	8	1	–	1	C. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	1	–	–	–	–
†SLOUGH	–	–	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	–	–	–	–	C. 1
ETON	–	1	1	–	–	–
NEWPORT PAGNELL	–	2	–	–	–	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	1	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	6	2	–	–	E. 1 N. 2
Borough:—						
†CAMBRIDGE ...	–	4	2	–	–	E. 1 N. 1
Rural Districts:—						
NEWMARKET ...	–	2	–	–	–	N. 1
CHESTER	–	79	18	3	31	C. 1 E. 1 L. 2 M. 3 N. 3
†BIRKENHEAD C.B.	–	5	1	–	4	M. 1
†STOCKPORT C.B.	–	35	2	–	9	C. 1 M 1
†WALLASEY C.B. ...	–	7	3	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
ALSAGER	–	1	–	–	–	–
†ALTRINCHAM ...	–	–	–	–	1	–
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	1	–	2	–
†CHEADLE AND GATLEY	–	7	–	2	–	–
†CONGLETON ...	–	–	1	–	–	
†CREWE	–	4	–	–	–	E. 1
†DUKINFIELD ...	–	1	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	1	–
HALE	–	–	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	–	–	1	–	–
†HYDE	–	–	–	–	1	–
LYMM	–	2	–	–	–	–
†MACCLESFIELD ...	–	1	–	–	–	L. 2
MOTTRAM IN LONGDENDALE	–	1	–	–	–	–
NESTON AND PARKGATE	–	1	–	–	1	–
†NORTHWICH ...	–	1	–	–	–	N. 1
†RUNCORN... ...	–	1	–	–	1	–
†SALE	–	–	1	–	–	–
SANDBACH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STALYBRIDGE ...	–	1	–	–	–	M. 1
†WINSFORD ...	–	1	–	–	–	N. 1
YEARDSLEY CUM WHALEY	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	1	–	2	–
CHESTER	–	1	–	–	1	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	1	4	–	–	–
NORTHWICH ...	–	1	–	–	–	N. 1
RUNCORN ...	–	1	1	–	–	–
WIRRAL	–	–	2	–	3	–
CORNWALL ...	–	8	–	–	2	G. 1
Boroughs and Urban Districts:—						
LISKEARD ...	–	1	–	–	–	–
ST. JUST	–	1	–		–	–
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
CALSTOCK ...	–	2	–	–	–	–
HELSTON... ...	–	4	–	–		–
ST. AUSTELL ...	–	–	–	–	1	–
WEST PENWITH...	–	–	–	–	–	G. 1
CUMBERLAND ...	–	9	5	–	12	–
†CARLISLE C.B. ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	1	–	1	–
CLEATOR MOOR ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	1	–
HOLME CULTRAM	–	–	–	–	1	–
MILLOM	–	1	–	–	1	–
†WHITEHAVEN ...	–	1	–	–	1	–
†WORKINGTON ...	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...		2	1	–	–	–
COCKERMOUTH ...	–	1	2	–	–	–
WHITEHAVEN ...	–	–	1		–	–
WIGTON	–		–	–	1	–
DERBY	17	45	29	1	19	C. 2 G. 1 M. 2 N. 5
†DERBY C.B. ..	4	3	9	1	5	–
Boroughs and Urban Districts:—						
†ALFRETON ..	–	1	–	–	–	–
ALVASTON AND BOULTON	–	–	1	–	–	–
BAKEWELL ...		1	–	–	–	–
†BELPER	11	–	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
†CHESTERFIELD ...	–	6	10	–	5	–
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	–	3	–	1	–
HEAGE	2	–	–	–	–	–
†HEANOR	–	1	–	–	–	–
†LONG EATON ...	–	12	1	–	1	–
NEW MILLS ...	–	2	–	–	1	G. 1
†RIPLEY	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	M. 1
†THE MATLOCKS...	–	–	1	–	–	–
WIRKSWORTH ...	–	–	–	–	–	N. 1
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	–	–	–	–	N. 1
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	3	3	–	1	C. 1 N. 1
CLOWNE	–	1	1	–	–	C. 1
GLOSSOP DALE ...	–	2	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HARTSHORN AND SEALS	–	1	–	–	–	N. 1
HAYFIELD ..	–	–	–	–	1	–
NORTON	–	1	–	–	1	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	–	2	–	–	–	M. 1
DEVON	–	30	12	–	10	G. 2 M. 3 N. 5
†EXETER C.B. ...	–	3	–	–	1	–
†PLYMOUTH C.B.	–	13	9	–	–	M. 3 N. 3
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	2	–
†BARNSTAPLE ...	–	1	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	–	–	1	–	–	–
†EXMOUTH ...	–	6	–	–	1	–
†ILFRACOMBE ...	–	1	–	–	–	–
†NEWTON ABBOT	–	–	1	–	–	–
NORTHAM ...	–	2	–	–	–	–
†PAIGNTON ...	–	–	–	–	–	G. 1
SALCOMBE ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY ...	–	–	1	–	2	–
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
HONITON... ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–		2	–
ST. THOMAS ...	–	–	–	–	–	G. 1 N. 2
DORSET	–	5	–	–	3	F. 1 M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†POOLE	–	2	–	–	–	–
SHERBORNE ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	M. 1
DORCHESTER ...	–	–	–	–	1	–
SHAFTESBURY ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	–	–	–	–	F. 1
DURHAM	164	72	21	1	56	C. 1 G. 1 M. 5 N. 8
†DARLINGTON C.B.		2	–	1	1	N. 2
†GATESHEAD C.B.	5	8	4	–	2	M. 1
†SOUTH SHIELDS C.B.	2	1	–	–	8	–
†SUNDERLAND C.B.	–	2	–	–	14	G. 1 N. 1
†WEST HARTLEPOOL C.B.	2	8	1	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	–	–	–	–
BILLINGHAM ...	–	1	1	–	–	–
†BLAYDON... ...	–	4	–	–	–	–
†BRANDON AND BYSHOTTLES	32	–	–	–	–	–
†CHESTER LE STREET	1	1	–	–	–	–
†CONSETT	–	2	1	–	–	–
†CROOK	5	1	–	–	–	N. 1
†DURHAM	1	–	–	–	–	–
†FELLING	–	–	–	–	1	–
†HARTLEPOOL ...		2	1	–	–	–
†HEBBURN ...	–	3	1	–	–	–
†HETTON ...	15	–	–		–	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	6	–	–	–	2	–
†JARROW ...	12	1	–		8	
LEADGATE	–	–	–	–	–	M. 1
†RYTON ...	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON ...	6	1		–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR	1	–	2	–	–	–
†STANLEY ...	–	7	–	–	–	–
†STOCKTON ON TEES	–	2	3	–	–	M. 1 N. 1
†TANFIELD ...	–	4	2		–	–
†WHICKHAM ...	–	2	1	–	3	–
WILLINGTON ...	15	2	–	–	–	–
Rural Districts:—						
AUCKLAND	4	2		–	1	N. 1
BARNARD CASTLE	–	1	–	–	–	
CHESTER LE STREET	14	2	1	–	2	–
DURHAM ...	3	4	–			–
EASINGTON	9	–	1	–	4	–
HOUGHTON LE SPRING	–	–	–	–	2	–
LANCHESTER ...	23	4	2		1	–
SEDGEFIELD	8	–	–		1	M. 1
SOUTH SHIELDS	–	–	–	–	1	C. 1 N. 1
SUNDERLAND	–	–	–	–	2	–
ELY, ISLE OF	–	1	1	–	1	G. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–		–	–
MARCH ...	–	–	–	–	–	G. 1
WHITTLESEY ...		–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	155	51	2	37	E. 2 M. 6 N. 4
†EAST HAM C.B. ...	–	13	9	–	2	–
†SOUTHEND-ON-SEA C.B.	–	16	1		3	E. 1
†WEST HAM C.B. ...	–	41	18	–	14	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	6	–	–	1	M. 2
BRAINTREE ...	–	1	–	–	–	
BUCKHURST HILL		1	–	–	–	–
CANVEY ISLAND...	–	2	1		–	–
†CHELMSFORD ...			–	–	1	–
†COLCHESTER ...		2	–	–	–	–
DAGENHAM ...	–	3	2	–	2	M. 1
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK	–	1	1	–		–
HALSTEAD ...	–	1	–	–	–	–
†HARWICH ..	–	1	–	–	–	–
†ILFORD	–	6	3		–	N. 2
†LEYTON	–	13	9		1	N. 1
†ROMFORD ...		3	–	–	–	–
TILBURY	–	1	–	1	1	E. 1
†WALTHAMSTOW ...	–	21	2	1	3	–
†WOODFORD ...	–	–	2	–	1	–
Rural Districts:—						
BILLERICAY ...	–	–	–		1	M. 1
BRAINTREE ...	–	2	–	–	2	–
CHELMSFORD ...	–	5	1	–	–	M. 1
DUNMOW	–	–	–		2	–
EPPING		1	–	–	–	–
HALSTEAD ...	–	2	–	–	–	–
MALDON		7	–	–	3	–
ORSETT		3	1	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	2	–	–		–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...		48	21	–	13	G. 1 M. 1 N. 5
†BRISTOL C.B. ...	–	23	14	–	8	G. 1 M. 1 N. 2
†GLOUCESTER C.B.	–	–	2	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	2	–	–	–
†KINGSWOOD ...	–	2	1	–	–	–
STROUD	–	1	–	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	N. 1
CIRENCESTER ...	–	1		–		–
DURSLEY	–	1	–	–	–	–
GLOUCESTER ...	–		–		–	N. 1
LYDNEY	–	1	–		–	–
PEBWORTH ...	*	*	*	*	*	*
STROUD	–	13	1	–	1	–
TETBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	–	
WEST DEAN ...	–	–	–	–	1	–
WHEATENHURST	–	–	–	–	–	N. 1
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	13	2	1	1	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	[illegible]	–	–	–	–
ROSS	–	3	–	1	–	–
Rural Districts:—						
BROMYARD ...	–	–	1	–	–	–
DORE	–	–	–	–	1	–
LEOMINSTER ...	–	6				C. 1
WEOBLEY... ...	–	–	1	–	–	–
WIGMORE ...	–	1	–	–		–
HERTFORD ..		6	4	–	1	–
Boroughs and Urban Districts:—						
BUSHEY		1	–	–	–	–
†CHESHUNT ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HERTFORD ...		1	1	–	–	–
†ST. ALBANS ...	–	1	–	–		–
†WATFORD ...			1	–	1	–
Rural Districts:—						
HATFIELD ...	–	3	–	–	–	–
HUNTINGDON ...		9	–	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	3	–	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
ST. IVES		2	–	–	–	–
Rural Districts:—						
HUNTINGDON ...		–	–	–	2	–
OUNDLE (part) ...	–	1	–	–	–	–
ST. IVES	–	2	–	–		–
KENT	–	59	35	2	10	C. 2 E. 1 M. 1 N. 3
†CANTERBURY C.B.	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD	–	1		1	–	–
†BECKENHAM ...	–	5	2	–	–	–
†BEXLEY	–	2	–			–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	E. 1
†BROMLEY ...	–	1	1		1	N. 1
†CHATHAM ...		4	3		–	–
†CRAYFORD ...		–	1	–	–	–
†DARTFORD ...	–	5	–	–	1	–
†DEAL	–	2	–	–	–	–
†DOVER	–	5	–	–	1	–

* Returns not received † Population over 10,000.

. Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:— *cont.*						
†ERITH	–	1	–	–	–	N. 1
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ..		–	–		–	C. 1
†GILLINGHAM ...	–	5	3	–	–	–
†GRAVESEND ...	–	1	7	–	–	–
LYDD	–	–	–	1	–	–
†MAIDSTONE ..	–	3	–	–	–	–
†MARGATE ..	–	–	2		–	–
MILTON REGIS ...	–	1	–	–	–	–
†NORTHFLEET ..	–	2	2		–	–
†PENGE	–	1	2	–	1	–
†RAMSGATE ..	–	1	1	–	1	–
†ROCHESTER ...	–	2	–		–	M. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	2	–
SANDWICH ...	*	*	*	*	*	*
SWANSCOMBE ...	–		1	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
BROMLEY ...	–	2	–	–	–	N. 1
DARTFORD ..	–	1	1	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
EASTRY	–	–	1	–	–	–
MAIDSTONE ...		–	–	–	–	C. 1
MALLING... ...	–	5	1	–	1	–
SEVENOAKS ...	–	1	1	–	–	
SHEPPEY	–	1	1	–	1	–
STROOD	–	2	1	–		–
LANCASTER ...	6	212	114	9	298	C. 10 D. 2 E. 2 G. 8 L. 14 M. 25 N. 28
†BARROW IN FURNESS C.B.	–	1	–	–	1	C. 1
†BLACKBURN C.B.	–	4	2	–	3	M. 1
†BLACKPOOL C.B.	–	1		2	–	–
†BOLTON C.B. ...	–	7	11	–	7	M. 1 N. 2
†BOOTLE C.B. ...	–	1	1	–	4	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURNLEY C.B. ..	–	4	4	–	6	L. 1 N. 1
†BURY C.B. ...	–	3	1	–	2	–
†LIVERPOOL C.B. ..	–	44	18	3	84	C. 2 D. 1 G. 2 M. 12 N. 6
†MANCHESTER C.B.	–	51	23	4	96	C. 4 D. 1 E. 1 G. 3 M. 2 N. 4
†OLDHAM C.B. ...	–	11	5	–	5	N. 1
†PRESTON C.B. ..	–	4	3	–	4	N. 1
†ROCHDALE C.B. ..	–	3	1	–	–	G. 1
†ST. HELENS C.B....	–	1	4	–	4	M. 1 N. 1
†SALFORD C.B. ..	–	19	12	–	15	C. 1 E. 1 G. 1 M. 1
†SOUTHPORT C.B.	–	1	–		1	N. 1
†WARRINGTON C.B	–	–	2	–	1	N. 1
†WIGAN C.B. ..	–	1	–	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	3	–
†ASHTON IN MAKERFIELD	6	1	–	–	–	–
†ASHTON UNDER LYNE	–	–	–	–	3	C. 1
†ATHERTON ...	–	1	–	–	–	–
AUDENSHAW ...	–		–		1	–
†BACUP	–	3	–	–	1	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	–	–	1	M. 1
†CHORLEY... ...	–	–	–	–	3	
CHURCH	–	2	–	–	–	–
†COLNE	–	–	–	–	–	N. 1
†CROMPTON ...	–	1		–		N. 1
†DARWEN	–	–	–	–	1	N. 1
†DROYLSDEN ...	–	1	–	–	2	N. 1
†ECCLES	–	2	–	–	–	N. 1
†FAILSWORTH ..	–	1		–	3	–
†FARNWORTH ...	–	1	1	–	–	–
†FLEETWOOD ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
GOLBORNE ...	–	2	–	–	1	–
†GREAT CROSBY ...	–		1	–	3	–
†HAYDOCK ...	–	2	–	–	1	–
†HEYWOOD ...	–	1		–	4	–
†HINDLEY... ...	–	1		–	2	
†HORWICH ...	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	1	–	–	–	–
†LANCASTER ...	–	–	–	–	3	L. 7
†LEIGH	–	–	5	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	1	–	1	–
†MIDDLETON ...	–	–	–	–	1	M. 1
†MORECAMBE ...	–	–	1	–	1	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	–	1	–	1	–
†NEWTON IN MAKERFIELD	–	–	1	–	2	–
NORDEN	–	1	–	–	–	–
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM... ...	–	–	8	–	–	–
†PRESTWICH ...	–	–	–	–	1	–
†RADCLIFFE ...	–	2	–	–	–	N. 1
†RAMSBOTTOM ...	–	1	–	–	–	–
RISHTON	–	1	–	–		–
STANDISH WITH LANGTREE	–	1		–	2	–
†STRETFORD ...	–	5	3	–	3	N. 1
†SWINTON AND PENDLEBURY	–	3	–	–	3	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	–	G. 1
UPHOLLAND ...	–	–	–	–	–	C. 1
†WATERLOO WITH SEAFORTH	–	2		–	1	–
†WESTHOUGHTON	–	1	–	–	1	M. 1
†WIDNES	–	–	2	–	5	M. 1 N. 1
†WORSLEY... ...	–	3	–	–	–	–
Rural Districts:—						
BURNLEY... ...	–	1	–	–	1	–
BURY	–	1		–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CHORLEY	–	–	–	–	1	–
CLITHEROE ...	–	–	–	–	–	L. 1
GARSTANG ...	–	1	1	–	–	–
LANCASTER ...	–	2	–	–	–	–
LIMEHURST ...	–	–	–	–	–	N. 1
PRESTON	–	1	1	–	–	–
WARRINGTON ...	–	–	–	–	1	L. 4
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	–	–	–	2	L. 1
LEICESTER... ..	–	22	10	–	8	C. 1 M. 2 N. 4
†LEICESTER C.B. ...	–	9	5	–	2	C. 1 N. 3
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	–	–
†COALVILLE ...	–	–	2	–	–	–
†HINCKLEY ...	–	–	–	–	–	M. 1
†LOUGHBOROUGH	–	2	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	–
BARROW UPON SOAR	–	6	–	–	–	N. 1
BELVOIR	–	–	–	–	1	–
BLABY	–	1	1	–	3	–
LOUGHBOROUGH	–	1	–	–	–	–
LUTTERWORTH ...	–	–	–	–	–	M. 1
MARKET BOSWORTH	–	1	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	1	–	2	E. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	–	–	–	1	E. 1
SPALDING (part)..	–	1	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	2	N. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
STAMFORD ...	–	–	1	–	1	–
Rural Districts:—						
BOURNE	–	1	–		–	–
BRANSTON ...	–	–	–	–	–	N. 1
LINCOLN (parts of Lindsey).	–	19	4	–	4	C. 1 E. 2 G. 4 M. 1 N. 2
†GRIMSBY C.B. ...	–	8	–	–	1	N. 1
†LINCOLN C.B. ...	–	4	–	–	–	E. 1 G. 2
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	2	–	–	1	–
†GAINSBOROUGH ...	–	–	1			–
†SCUNTHORPE AND FRODINGHAM	–	3	–	–	2	E. 1 M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	–	1	–	–	–
GLANFORD BRIGG	–	–	1	–	–	–
GRIMSBY	–	1	1	–	–	–
HORNCASTLE ...	–	1	–		–	–
LOUTH	–	–		–	–	C. 1
SPILSBY	–		–	–	–	G. 2 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	57	90	3	25	E. 4 G. 2 M. 5 N. 6
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	N. 1
†BRENTFORD ...	–	3	1	–	–	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	5	2	–	1	–
†EDMONTON ...	–	3	8	–	–	–
†ENFIELD	–	2	8	–	2	E. 2 M. 1
†FINCHLEY ...	–	3	1	–	2	G. 1
†FRIERN BARNET	–	–	–	–	2	–
HAMPTON WICK...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
HAYES	–	–	1	–	2	–
†HENDON	–	4	11	–	1	E. 1
†HESTON AND ISLEWORTH	–	1	1	–	–	M. 1
†HORNSEY... ...	–	1	1	–	2	M. 1 N. 1
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	–	3	–	–	E. 1
SUNBURY ON THAMES	–	1	–	–	1	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	13	32	3	4	–
†TWICKENHAM ...	–	–	–	–	–	M. 1
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	3	–	–	–	–
†WEMBLEY ...	–	–	–	–	1	N. 1
†WILLESDEN ...	–	8	15	–	3	M. 1 N. 1
†WOOD GREEN ...	–	2	1	–	2	N. 1
Rural Districts:—						
HENDON	–	2	1	–	–	G. 1
STAINES	–	–	–	–	1	N. 1
UXBRIDGE ...	–	2	1	–		–
NORFOLK	–	19	3	3	4	N. 5
†GREAT YARMOUTH C.B	–	2	1	–	–	–
†NORWICH C.B. ...	–	6	1	1	1	N. 4

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	1		–	–	–
SWAFFHAM ...	–	–	–	–	–	N. 1
Rural Districts:—						
BLOFIELD ...	–	1	–	2	–	–
DEPWADE ...	–	1	–	–	–	–
DOCKING	–	3		–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
FOREHOE ...	–	1			–	–
ST. FAITH'S ...	–	–	–	–	1	–
SMALLBURGH ...	–	1	–	–	1	–
WALSINGHAM ...	–	–	–		1	–
WAYLAND ...	–	3	–	–	–	–
NORTHAMPTON ..	–	17	6	1	10	M. 2 N. 1
†NORTHAMPTON C.B.	–	9	4	–	6	M. 1
Boroughs and Urban Districts:—						
†KETTERING ..	–	1	–	–	–	–
RAUNDS	–	–	–	–	–	M. 1
†RUSHDEN... ...	–	1	–	–	2	N. 1
Rural Districts:—						
DAVENTRY .	–	1		–	–	–
NORTHAMPTON ...	–	–	1	1	–	–
OUNDLE (part) ...	–	–	–	–	1	–
POTTERSPURY ...	–	1		–	–	–
THRAPSTON (part)	–	4	–	–	–	–
TOWCESTER ...	–	–	–		1	–
WELLINGBOROUGH	–	–	1	–	–	–
NORTHUMBERLAND	6	55	6	3	36	C. 1 G. 2 M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	1	24	1	1	27	–
†TYNEMOUTH C.B	2	9	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	3	3	–	1	1	M. 1
†BEDLINGTONSHIRE	–	2	–	1	–	–
†BERWICK UPON TWEED	–	1	–	–	–	G. 1
†BLYTH	–	2	–		3	–
†GOSFORTH ...	–	1	–		–	–
HEXHAM	–	–	1	–	–	M. 1
NEWBIGGIN BY THE SEA	–	3	–	–	–	N. 2
†NEWBURN ...	–	1	–	–	–	C. 1
PRUDHOE... ...	–	–	–	–		G 1
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	7	–	–	1	M. 1
WEETSLADE ...	–	–	–	–	–	N. 1
†WHITLEY AND MONKSEATON	–	–	1			–
Rural Districts:—						
BELFORD	–	1	–		–	–
CASTLE WARD ...	–	–	–	–	1	–
HEXHAM	–	–	2	–	–	–
NOTTINGHAM ...	–	23	32	1	22	E. 1 G. 2 M. 3 N. 2
†NOTTINGHAM C.B	–	12	19	–	10	E. 1 M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†CARLTON	–	1	1	–	1	–
†EAST RETFORD ...	–	4	9	–	2	–
†HUCKNALL ...	–	1		–	2	–
†KIRKBY IN ASHFIELD	–		–	1	–	N. 1
†MANSFIELD ...	–	–	–	–	2	N. 1
†MANSFIELD WOODHOUSE	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	–	–	1	M. 1
†WORKSOP... ...	–	–	–	–	1	G. 1
Rural Districts:—						
BASFORD	–	–	1	–	1	
LEAKE	–	2	2	–	–	–
SKEGBY	–	–	–	–	1	–
SOUTHWELL ...	–	2	–	–	–	–
OXFORD	–	11	–	–	4	N. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
THAME	–	2	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–		–	–	2	–
CROWMARSH ...	–	4	–	–	–	–
CULHAM	–		–	–	1	–
HEADINGTON ...	–	1	–	–	–	–
HENLEY	–	3	–	–	–	N. 1
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
Rural Districts:—						
PETERBOROUGH...	–	1	–	–	–	–
RUTLAND	–	2	–	–	–	E. 2
Rural Districts:—						
OAKHAM	–	2	–	–	–	–
UPPINGHAM ...	–	–	–	–	–	E. 2
SALOP	–	13	2	–	3	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	2	–	–	–	–
DAWLEY	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...		1	–	–	–	–
†WENLOCK ...	–	2	1	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	–	–
ELLESMERE ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
TEME	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	2	–
SOMERSET	–	19	7	1	6	N. 3
†BATH C.B. ..	–	5	1	–	1	N. 3
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1		–	1	–
†FROME	–	–	1	–	–	–
GLASTONBURY ...	–	2	–	–	–	–
HIGHBRIDGE ...	–	–	1	–	–	–
MINEHEAD ...	–	1	1	–	–	–
RADSTOCK ...	–	1	–	–	–	–
WELLS	–	1	–	–	1	
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
CLUTTON... ...	–	3	–	–	–	–
LONG ASHTON ...	–	–	1	–	–	–
SHEPTON MALLET	–	2	–	1	–	–
WELLS	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOUTHAMPTON ...	–	41	37	2	11	C. 2 M. 4 N. 4
†BOURNEMOUTH C.B	-		–	-	1	–
†PORTSMOUTH C.B	–	20	30	1	-	M. 1 N. 2
†SOUTHAMPTON C.B.	–	3	3	–	6	C. 2 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	2	M. 1
†BASINGSTOKE ...	-	1	–		-	-
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	-	
†FAREHAM ...		2	–	–	–	N. 1
†FARNBOROUGH ...	–	–	-			N. 1
†GOSPORT	–	3	1	–	1	M. 1
WARBLINGTON ...	*	*	*	*	*	*
†WINCHESTER ...		1		–	–	–
Rural Districts:—						
ALTON	*	*	*	*	*	*
DROXFORD ...	–	1	–	–	-	–
FAREHAM ..	-	1			-	-
FORDINGBRIDGE ..	*	*	*	*	*	*
HARTLEY WINTNEY	–	6	–		–	–
PETERSFIELD ...	–	–	2	-	–	
RINGWOOD ...	–	1	–	-	–	–
ROMSEY	–	2	–	–	-	–
STOCKBRIDGE ...	–	–		1	–	–
WHITCHURCH ...	–		–	–	1	–
STAFFORD	1	72	55	-	52	C. 2 E. 1 G. 1 L. 3 M. 12 N. 4
†BURTON UPON TRENT C.B.	–	1	2	–	2	–
†SMETHWICK C.B.	–	-	2	–	6	M. 2
†STOKE ON TRENT C.B.	1	15	4	–	15	M. 1
†WALSALL C.B. ...	–	5	13	–	5	M. 1 N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	3	–	-	5	M. 1
†WOLVERHAMPTON C.B.	–	3	–		–	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	M. 1
BIDDULPH ...	-	1		–	1	-
†BROWNHILLS ...	–	2	11	–	1	-
†CANNOCK	–	3		–	–	-
†COSELEY	-	–	1	–	–	–
†DARLASTON ...	–	2	-	–	–	–
†HEATH TOWN OR WEDNESFIELD HEATH	-	2	–	–	–	–
KIDSGROVE ...			2	–	3	–
†LEEK	-	1	–		-	M. 1
†NEWCASTLE UNDER LYME	–	2	–		-	M. 1
PERRY BARR ...	–	1	–	–	–	–
†ROWLEY REGIS ...		3	2	–	-	–
†SEDGLEY			-	–	1	–
†STAFFORD ...		4			–	–
TAMWORTH ...	–	–	1	–	–	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	1	–	–	4	–
†WEDNESBURY ...	-	1	1	–	4	M. 2
WEDNESFIELD ...	–	1		–	–	–
†WILLENHALL ...		3	1	–	1	–
†WOLSTANTON UNITED	–	1	–	–	-	–
Rural Districts:—						
CANNOCK	–	4	6	–	–	–
CHEADLE	–	1	2	-	1	L. 3 N. 1
KINGSWINFORD ...		3	3		-	–
LICHFIELD ..	-	–	1	–	1	G. 1
NEWCASTLE UNDER LYME	–	–	–	–	1	-
SEISDON	–	1		-	-	E. 1
STAFFORD ...	-	1	–	–	–	-
STONE	–	1	-	-	–	–
TAMWORTH (part)	-	–	2	–	-	–
TUTBURY... ...	–	–	–	–		C. 1
UTTOXETER ...	–	1	1	–	–	–
WALSALL... ...	–	1	–	-	-	–

* Returns not received. † Population over 10,000.

), Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ..	-	12	7	-	5	E. 1 M. 2 N. 1
†IPSWICH C.B. ..	-	1	-	-	2	N. 1
Boroughs and Urban Districts:—						
BECCLES	-		1		-	-
†FELIXSTOWE ...	-	2	-	-	-	-
HALESWORTH ...		1		-	-	-
†LOWESTOFT ..	-	2	-	-	1	M. 1
Rural Districts:—						
BLYTHING ...	-	-			-	E. 1
EAST STOW ...	-	-	-	-	-	M. 1
HARTISMERE ...		6	-	-	-	-
SAMFORD... ...	-	-	5	-	1	-
WANGFORD ...	-		-	-	1	-
WOODBRIDGE ...		-	1	-	-	-
SUFFOLK, WEST ...	-	2	-	-	-	-
Boroughs and Urban Districts:—						
NEWMARKET ...	-	1		-	-	-
Rural Districts:—						
MOULTON ...	-	1	-	-	-	-
SURREY	-	54	16	2	14	C. 1 E. 1 F. 2 M. 2 N. 3
†CROYDON C.B. ..	-	20	8	-	2	N. 1
Boroughs and Urban Districts:—						
†BARNES	-	1	-	-	1	-
†BEDDINGTON AND WALLINGTON	-	1	-	-	-	-
†CARSHALTON ...	-	2	-	-	2	-
†CATERHAM ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†COULSDON AND PURLEY	-	8	1	1	-	-
EAST AND WEST MOLESEY	-	-	-	-	1	-
†EGHAM	-	2	-	-	1	-
†EPSOM	-	-	1	-	1	-
†ESHER AND THE DITTONS	-		1	-	-	-
†FRIMLEY	-	-	-	-	-	F. 2
GODALMING ...	-	-	-	-	1	-
†GUILDFORD ...	-	-	-	-	-	N. 1
†KINGSTON ON THAMES	-	1	-			-
†MERTON AND MORDEN	-	-	-	-	-	C. 1 M. 1
†MITCHAM... ...	-	1	-	-	3	E. 1
†SURBITON ...	-	2	1	-	-	-
†SUTTON		-	1	-		M. 1
†THE MALDENS AND COOMBE	-			-	2	-
†WIMBLEDON ...	-	6	-	-	-	-
Rural Districts:—						
CHERTSEY ...	-	3	-	-	-	-
DORKING	-	-	1	-	-	-
EPSOM	-	-	2	-	-	-
GODSTONE ...				-	-	N. 1
GUILDFORD ...	-	1	-	-	-	-
HAMBLEDON ...		4	-	-	-	-
REIGATE	-	1		1	-	-
SUSSEX, EAST ..	-	11	8	-	16	D. 1 E. 1 M. 1 N. 7
†BRIGHTON C.B. ...	-	2	6	-	9	M. 1 N. 2
†EASTBOURNE C.B.	-	3	-	-	-	-
†HASTINGS C.B. ...	-	2	-		4	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
BATTLE	–	–	–	–	–	E. 1
BURGESS HILL ...	–	–		–	1	–
†LEWES	–	–	–	–	–	N. 1
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
BATTLE		–	–	–	–	N. 1
CHAILEY	–	2	–	–	–	N. 1
CUCKFIELD ...	–	1	–	–	1	
HAILSHAM ...	–	–	2	–	–	N. 2
HASTINGS ...	*	*	*	*	*	*
NEWHAVEN ...	–	–	–	–	1	–
SUSSEX, WEST ..	–	8	2	–	4	E. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	2	–	–	–	–
†HORSHAM ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	–	–	–	–	E. 1
SHOREHAM BY SEA	–	1		–	2	–
†WORTHING ...	–	1	1	–	2	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	–	E. 1
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	2	–	–	–	–
WARWICK	–	49	44	1	69	C. 3 E. 1 G. 3 M. 11 N. 3
†BIRMINGHAM C.B.	–	33	34	1	54	C. 3 E. 1 M. 9 N. 1
†COVENTRY C.B. ..	–	2	4	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1		–	1	–
†NUNEATON ...	–	3	–		2	M. 1
†ROYAL LEAMINGTON SPA	–	–	1	–	–	G. 2
†RUGBY	–	1	2	–	3	–
†SUTTON COLDFIELD		1	–		–	–
Rural Districts:—						
ALCESTER ...	–		–	–	1	–
ATHERSTONE ...	–	1	1	–	1	–
FOLESHILL ...	–	3	1	–	–	–
MERIDEN... ...	–	2		–	1	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	–	–	–	2	M. 1
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	–	–	–	–	G. 1 N. 1
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	–	–	–	–	N. 1
WESTMORLAND .	–	4	1	–	4	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	1	–	–	–	–
†KENDAL	–	–	1	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	3	–	–	1	–
WEST WARD ...		–	–	–	1	–
WIGHT, ISLE OF ..	–	5	2	–	1	N. 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	2	–	–	–	–
SANDOWN ...		–	1	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF—*cont.*						
Rural Districts:—						
ISLE OF WIGHT	–	3	1	–	1	–
WILTS	–	8	8	–	14	D. 1 E. 1 G. 1 J. 1
Boroughs and Urban Districts:—						
MELKSHAM ...	–	–	2	–	–	–
†SALISBURY ...	–	–	–	–	–	D. 1
†SWINDON... ...	–	–	2	–	9	–
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	
HIGHWORTH ...	–	2	3	–	3	J. 1
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	–	–	–	–	E. 1
WESTBURY AND WHORWELLSDOWN	–	–	–	–	–	G. 1
WILTON	–	1	–	–	1	–
WORCESTER ...	–	13	3	1	10	E. 1 M. 2
†DUDLEY C.B. ...	–	2	1	–	–	–
†WORCESTER C.B.	–	1	–	1	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	3	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	1	M. 1
†MALVERN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OLDBURY... ...	–	2	1		3	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	1	–	–	E. 1
MARTLEY... ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	1	M. 1
TEWKESBURY (part)	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	17	23	–	4	G. 1 M. 4 N. 2
†KINGSTON UPON HULL C.B.	–	11	18	–	4	G. 1 M. 4 N. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	1	–	–	–
HOWDEN	–	1	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
RICCALL	–	2	1	–	–	–
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding.)	2	12	3	–	10	–
†MIDDLESBROUGH C.B	2	6	1	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	3	-	–	1	–
LOFTUS	–	-	1		1	–
†REDCAR	–	–	1	–	–	–
†SCARBOROUGH ...	*	*	*	*	*	*
†SKELTON AND BROTTON	–	–	-	–	1	–
Rural Districts:—						
BEDALE	*	*	*	*	*	*
FLAXTON ...	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	1	-
STARTFORTH ...	–	1	–	–	–	-
THIRSK	–	1		–	–	–
YORKS ... ... (West Riding.)	22	150	72	4	123	C. 7 E. 2 G. 1 M. 11 N. 20
†BARNSLEY C.B. ...	–	–	–	–	–	C. 1
†BRADFORD C.B. ...	-	11	6	1	10	C. 2 M. 1 N. 3
†DEWSBURY C.B....	-	1	–	-	1	M. 1
†HALIFAX C.B. ...	–	2	–	-	2	M. 1 N. 1
†HUDDERSFIELD C.B.	–	10	2	–	4	M. 1 N. 2
†LEEDS C.B. ...	–	23	17	–	18	M. 2 N. 2
†ROTHERHAM C.B.	-	2	-	–	5	–
†SHEFFIELD C.B....	9	50	27	–	45	C. 2 N. 1
†WAKEFIELD C.B.	–	–	2	–	1	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	4	–	-	2	C. 1 M. 1
†BATLEY	-	3	–	–	-	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	1	-	1	–	–	–
†BINGLEY	–	–	1	-	1	N. 1
†BOLTON UPON DEARNE	–	-	–	–	–	M. 1
†CONISBROUGH ...	–	2		-	1	C. 1
CUDWORTH ...	-	1	-	–	-	-
DARFIELD ...	–	–	-	-	1	N. 1
†DARTON	–	-	-	-	1	N. 1
†DONCASTER ...	2	6	-	–	1	M. 2 N. 1
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	-
†GOLCAR	-	–	–	–	3	-
†GOOLE	-	2	–	.	1	-
†HARROGATE ...	–	1	1	–	2	E. 1
HEBDEN BRIDGE	–	–	1	–	–	–
†HOYLAND NETHER	–	1	–	–	–	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	1	1	–		-	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	1	–	–	–	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	5	–	-	–	1	G. 1
†MIRFIELD ...	–	–	–	–	1	E. 1
†MORLEY	–	2	–	–	–	–
†NORMANTON ...	–	–	–	–	1	*
†OSSETT	-	2	–	–	–	–
OTLEY	-	–	–	–	1	–
†PONTEFRACT ...	-	2	–	–	–	-
†PUDSEY	-	1	1	–	–	–
QUEENSBURY ...	–	–	–	-	1	–
RAWDON	–	-	–	–	1	–
†RAWMARSH ...	–	1	–	–	-	–
†ROTHWELL ...	–	1	–	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
†SOWERBY ...	–	–	–	1	–	–
SPRINGHEAD ...	–	-	1	-		–
†STANLEY	–	–	1	–	2	–
STOCKSBRIDGE ...	–	–		.	1	–
†SWINTON	4	–	2	–	-	–
†TODMORDEN ...	–	–	–	–	1	–
†WATH UPON DEARNE	–	–	–	–	1	N. 1
†WOMBWELL ...	–	–		–	3	N. 1

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts:—						
BISHOPTHORPE ...		3	-	1	-	-
DONCASTER ...	-	1	1		3	M. 1 N. 2
HEMSWORTH ...	-	3	2	-	1	N. 2
HUNSLET... ...	-	1	-		-	
KIVETON PARK ...	-	1	1	-	1	-
KNARESBOROUGH	*	*	*	*	*	*
PONTEFRACT ...	-	-	-	1	-	-
ROTHERHAM ...	-	-	4	-	2	-
TADCASTER ...	-	2	1	-	-	-
THORNE	-	-	-	-	1	N. 1
WAKEFIELD ...	-	2	-	-	-	-
WETHERBY ...	-	-	-		1	-
WORTLEY ...	-	3	-	-	-	-
§YORK, CITY OF ...	-	1	1		-	-
†YORK C.B. ...	-	1	1	-	-	-
WALES.						
ANGLESEY	-	17	1	-	1	N. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	-	7	1	-	-	N. 1
Rural Districts:—						
AETHWY	-	-	-	-	1	-
TWRCELYN ...	-	3	-	-	-	-
VALLEY	-	7	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK	-	-	-	-	1	-
Boroughs and Urban Districts:—						
BRYNMAWR ...	-	-	-	-	1	-
CAERNARVON ...	-	3	1	-	-	D.
Boroughs and Urban Districts:—						
†BANGOR		2	-	-	-	-
CONWAY	-	1	-	-	-	-
†LLANDUDNO ...	-	-	1	-	-	D.
CARDIGAN ...	-	2	2	-	-	-
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	-	2	-	-	-	-
CARDIGAN ...	-	-	2	-	-	-
CARMARTHEN ...	-	1	5	1	-	-
Boroughs and Urban Districts:—						
AMMANFORD ...	-	-	1	-	-	-
†LLANELLY ...	-	-	2	-	-	-
Rural Districts:—						
CARMARTHEN ...	-	-	-	1	-	-
LLANELLY ...	-	1	-	-	-	-
LLANYBYTHER ...	-	-	2		-	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
ENBIGH	–	3	4	–	2	D. 1
Boroughs and Urban Districts:—						
COLWYN BAY ...	–	–	1	–	–	D. 1
DENBIGH ...	*	*	*	*	*	*
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
LLANSILIN ...	–	1	–	–	1	–
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	–	2		–	–
LINT	–	1	3	–	3	M. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	–	–		1	–
FLINT	–	–	2	–	1	
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	1	1	–	1	–
HOLYWELL (MOLD DIV.)	–	–	–	–	–	M. 1
LAMORGAN ..	–	44	49	–	41	G. 1 M. 4 N. 5
CARDIFF C.B. ..	–	5	4	–	7	M. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	2	M. 1 N. 1
SWANSEA C.B. ...	–	7	2	–	5	–
Boroughs and Urban Districts:—						
ABERDARE ...	–	3	1	–	3	–
BARRY	–	1	3	–	1	M. 1
CAERPHILLY ...	–	1	5	–		–
GELLIGAER ...	–	3	–	–	3	M. 1
MAESTEG ...	–	1	4		–	–
MOUNTAIN ASH ...	–	–	2		2	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	3	1	–	–	–
†PENARTH ...	–	–	–	–	1	–
†PONTYPRIDD ...	–	2	–	–	2	N. 1
†PORT TALBOT ...	–	2	4	–	–	G. 1
†RHONDDA ...	–	10	3	–	9	N. 1
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	1	7	–	–	–
NEATH	–	1	7	–	1	N. 2
PENYBONT ...	–	1	1	–	3	–
PONTARDAWE ...	–	2	1	–	–	–
SWANSEA... ...		1	1	–	–	–
MERIONETH ...	–	3	3		–	N. 1
Urban Districts:—						
BALA	–	–	–	–	–	N. 1
FESTINIOG ..	–	–	2	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	2	–	–	–	–
PENLLYN	–	1	1	–	–	–
MONMOUTH ...	–	15	1	–	5	L 1
†NEWPORT C.B. ...	–	6	–	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERTILLERY ..	–	1	1	–	1	–
BEDWAS AND MACHEN	–	–	–	–	1	–
CAERLEON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EBBW VALE ...	-	1	-		-	-
†NANTYGLO AND BLAINA	-	1	-	-	-	-
†TREDEGAR ...	-	-	-	-	1	L. 1
Rural Districts:—						
ST. MELLONS ...	-	3	-	-	-	-
MONTGOMERY .	-	-	1	-	3	C. 1
Boroughs and Urban Districts:—						
LLANIDLOES ...	-	-	-	-	1	-
Rural Districts:—						
LLANFYLLIN ...	-	-	1	-	-	-
NEWTOWN AND LLANIDLOES	-	-	-	-	2	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	-	1	1	-	1	-
Boroughs and Urban Districts:—						
MILFORD HAVEN	-	1	-	-	1	-
†PEMBROKE ...	-	-	1		-	-
TENBY	*	*	*	*	*	*
Rural Districts:—						
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II. ..	218	1597	842	42	1021	C. 3 D. E. 2 F. G. 3 J. L. 2 M. 11 N. 14

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL		1	-	-	-	-
PLYMOUTH	-	-	-	-	-	L. 1
SANDWICH	*	*	*	*	*	*

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (see
PORT OF LONDON ...	-	2	-	1	-	
Total of Part III.	-	3	-	1	-	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	305	282	6	134	C. 7 D. 1 E. 1 G. 2 M. 10 N. 26
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	218	1597	842	42	1021	C. 37 D. 7 E. 28 F. 3 G. 33 J. 1 L. 20 M. 117 N. 144
Total of Part III.—Port Sanitary Districts	–	3	–	1	–	L. 1
Total (*i.e.*, of returns received), England and Wales ...	218	1905	1124	49	1155	C. 44 D. 8 E. 29 F. 3 G. 35 J. 1 L. 21 M. 127 N. 170

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain Ca and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16	Oct. 23	Oct. 30.	Nov. 6.
LONDON:—												
DEATHS—all ages	716	785	791	766	810	819	848	912	895	1,014	1,124	1,209
„ 0 to 1 year ..	68	72	85	81	105	117	120	97	102	90	113	94
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,970	7,029	6,358	6,523	6,830	6,426	6,560	6,574	6,240	6,509	6,389	6,891
DEATHS—all ages	3,280	3,292	3,409	3,393	3,449	3,507	3,731	3,916	3,793	4,137	4,697	4,817
„ 0 to 1 year ..	383	409	452	445	516	477	566	532	505	488	514	503
ENTERIC FEVER—Cases	24	24	28	29	24	33	36	24	30	28	17	17
„ Deaths	—	2	3	4	5	3	2	5	1	1	1	1
SMALL POX—Cases ..	11	5	16	10	19	39	32	35	40	32	30	31
„ Deaths ..	—	—	—	—	—	—	2	1	—	—	—	—
SCARLET FEVER—Cases	669	641	750	773	837	963	968	1,074	1,055	1,106	1,151	1,076
„ Deaths	6	5	6	3	2	3	3	3	2	5	3	8
DIPHTHERIA—Cases ..	460	511	526	600	674	732	722	827	833	817	848	777
„ Deaths ..	28	24	30	20	24	29	36	36	39	40	43	40
MEASLES—Deaths ..	12	10	6	10	1	1	5	3	9	6	7	11
INFLUENZA—Deaths ..	16	18	19	12	19	23	32	36	38	54	71	88

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th November, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	57	37	52·9	41·3	53
BRIGHTON ..	55	39	53·6	43·4	74
PORTSMOUTH ..	56	38	54·5	43·5	77
NORWICH (EATON).	55	36	51·1	40·7	30
PLYMOUTH ..	59	35	54·9	42·3	65
BRISTOL (CLIFTON).	55	36	51·3	39·9	75
BIRMINGHAM (EDGBASTON).	52	35	48·9	38·1	55
NOTTINGHAM ..	54	31	50·3	37·0	32
BIRKENHEAD (BIDSTON).	57	36	49·1	40·1	15
MANCHESTER (WHITWORTH PARK).	57	35	50·7	38·7	27
BURNLEY	53	35	48·4	37·1	37
HUDDERSFIELD	56	33	48·9	38·4	[illegible]
BRADFORD ..	53	34	48·6	37·1	[illegible]
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	54	34	49·9	37·9	[illegible]
HULL (PEARSON PARK).	54	34	50·7	39·4	[illegible]
TYNEMOUTH ..	53	35	49·9	40·1	[illegible]
CARDIFF	55	34	51·0	39·4	[illegible]
EDINBURGH ..	51·0	33·0	48·0	37·9	[illegible]
GLASGOW ..	52·0	28·2	46·6	37·2	[illegible]
DUBLIN (PHŒNIX PARK).	55·5	26·3	51·3	32·1	[illegible]
(FITZWILLIAM SQUARE†).	56·8	32·2	49·8	37·9	[illegible]
BELFAST	54·5	26·0	50·9	34·4	[illegible]

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th November, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	7	..	29·292	52·8	37·0	15·8	43·6	− 1·8	37·5	6·1	13·7	0·5	79	88·1	28·4	50·5	WSW : SW.	WSW : SSW.	0·5	0·0	0·1	223	− 59	0·02
MONDAY -	8	..	28·891	48·4	41·1	7·3	44·4	− 0·6	42·7	1·7	4·2	0·0	93	51·6	31·2	50·5	SSE : SE.	E : Calm.	3·0	0·0	0·2	262	− 24	0·69
TUESDAY -	9	..	29·268	50·9	40·5	10·4	45·1	+ 0·5	38·9	6·2	11·6	1·1	80	86·0	34·2	50·2	W : SW.	SSW	3·7	0·0	0·3	402	+ 111	0·35
WEDNESDAY	10	Greatest Declination S.	29·344	53·1	39·7	13·4	48·6	+ 4·3	43·4	5·2	10·0	2·4	81	73·0	31·8	50·1	S : SSE.	S	5·6	0·0	0·7	441	+ 146	0·10
THURSDAY -	11	..	29·429	56·5	48·1	8·4	51·9	+ 7·9	47·6	4·3	11·0	2·8	85	82·0	42·6	50·0	S	SSW	6·1	0·0	0·9	456	+ 158	0·07
FRIDAY -	12	First Quarter.	29·633	55·0	38·9	16·1	47·0	+ 3·3	44·1	2·9	9·6	0·5	90	81·3	29·3	50·0	SSW : Calm.	Calm : SSW.	0·0	0·0	0·0	152	− 147	0·00
SATURDAY -	13	..	29·257	52·8	40·2	12·6	48·0	+ 4·5	45·1	2·9	8·3	1·2	90	53·0	29·8	50·0	SSW	SSW : SW.	8·0	0·0	1·2	567	+ 268	0·85
MEANS -		..	29·302	52·8	40·8	12·0	46·9	+ 2·6	42·8	4·2	9·8	1·2	85	74·0	32·5	50·2	SSW		..	..	..	Sum 2503	Sum + 453	Sum 2·08
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	wP till 8h., mP till 16h.; variably sP and sN till 17h., then mP	5·0	9·3	Partially cloudy becoming overcast by 20h. Haze 9h. till 19h. Shower 16h. Hoar frost in morning and at night.
MONDAY ..	8	Variably sN and sP till 4h.; wP till 12h., then variably mN and mP.	0·0	9·3	Overcast generally. Rain 1h. till 7h.; 12h. till 16½h.: 19½h. till 20¾h., and from 22h.
TUESDAY ..	9	Variably mP and mN till 5h.; wP till 11h.; mP till 12h.; then variably sN and sP.	3·8	9·2	Nearly overcast till 7h., then variably cloudy becoming nearly overcast by 13h., clearing from 22h. to cloudless by 23h. Rain generally till 4h., and from 14¾h. till 22h. Brisk wind 1h. till 6h.
WEDNESDAY	10	Variably sP and sN till 1h.; wP till 11h.; variably mP and mN till 16h., then wP.	0·5	9·1	Partially cloudy becoming overcast by 7h. Shower about 1h. Frequent rain between 12½h. and 15½h.; and from 21½h. till 22½h. Brisk wind from 12h.
THURSDAY	11	wP till 6h.; mP till 11h., then wP.	0·5	9·1	Overcast generally. Damping at 3h., and 6h. till 7h. Rain 7h. till 7½h., and frequently between 12h. and 22½h. Brisk wind till 13h.
FRIDAY ..	12	wP till 9h.; mP till 13h., then wP.	2·6	9·0	Nearly overcast till 11h., then partially cloudy becoming cloudless by 19½h. Mist 6h. till 21h.
SATURDAY	13	wP.	0·1	9·0	Cloudless till 3h., becoming nearly overcast by 8½h. till 20½h., then variably cloudy. Brisk wind 6h. till 8h. Rain 10½h. till 15¾h.; and 17½h. till 20h.
		—	Sum 12·5	Sum 64·0	
No. of Col. ..	..		27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P. positive; N. negative: w. weak; m. moderate s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·18 ins. at the beginning of the week to 29·32 ins. by 21h. on 7th; decreased to 28·72 ins. by 0h. on 9th; increased to 29·41 ins. by 7h. on 10th; decreased to 29·31 ins. by 16h. on 10th; increased to 29·66 ins. by 19h. on 12th; decreased to 29·16 ins. by 20h. on 13th; increased and was 29·22 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 46.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 20TH NOVEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH NOVEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-sixth week of the year numbered 6,505 and corresponded to an annual rate of 17·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,528 and corresponded to an annual rate of 12·1 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·6, 12·9 and 12·5. Infant mortality was 77 per 1,000 births against 80, 73 and 73 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,501 births, corresponding to a rate of 17·0 per 1,000, and 1,048 deaths of civilians, corresponding to an annual rate of 11·9, against 12·7 13·7 and 12·6, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·7 per 1,000. The infant mortality was 55 as against 78, 58 and 60 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,665 to 4,528. In London the number of deaths from all causes decreased from 1,108 to 1,048; the deaths from diphtheria which had been 8, 12 and 6 in the preceding three weeks were 10 last week; and the deaths from influenza which had been 15, 14 and 26 in the preceding three weeks, fell to 19 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 20th November, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.
105 GREAT TOWNS ..	19,439,910*	6,505	4,528	499	1	6	3	28	32	68
LONDON	4,602,000*	1,501	1,048	83	-	1	-	3	10	15
TOWNS IN OUTER RING.										
CROYDON C.B ..	199,300	77	45	3	-	-	-	-	-	-
WIMBLEDON ..	58,170	8	5	-	-	-	-	-	-	-
EALING†	91,000	31	17	1	-	-	-	-	-	-
ACTON	63,110	15	12	1	-	-	-	-	-	-
WILLESDEN ..	168,900	32	26	2	-	-	-	-	-	-
HENDON	59,150*	14	8	1	-	-	-	-	-	-
HORNSEY	87,210	27	23	1	-	-	-	-	-	1
WOOD GREEN ..	51,960	13	12	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	43	27	6	-	-	-	2	-	-
EDMONTON ..	71,210	39	16	2	-	-	-	1	1	3
ENFIELD	63,740	18	17	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	126	64	7	-	-	-	3	-	-
EAST HAM C.B. ..	147,200	39	23	-	-	-	-	-	-	-
LEYTON	132,700	28	40	5	-	-	-	-	-	-
WALTHAMSTOW ..	130,800	31	21	1	-	-	-	1	-	-
ILFORD	93,590	26	10	-	-	-	-	-	-	-
GILLINGHAM	48,680*	16	12	-	-	-	-	-	-	-
CANTERBURY C.B ..	23,270*	9	9	1	-	-	-	-	-	-
HASTINGS C.B.	60,470	16	19	3	-	-	-	-	-	-
EASTBOURNE C.B. ..	55,060	22	12	1	-	-	-	-	-	1
BRIGHTON C.B. ..	137,800*	32	28	1	-	-	-	-	1	-
PORTSMOUTH C.B. ..	232,900*	96	44	2	-	-	-	-	3	-
BOURNEMOUTH C.B. ..	85,840	22	23	1	-	-	-	-	-	1
SOUTHAMPTON C.B. ..	168,600	60	35	2	-	-	-	-	-	-
READING C.B.	93,670*	25	30	1	-	-	-	-	-	-
OXFORD C.B.	57,090	19	11	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,780*	25	28	1	-	-	-	1	1	-
LUTON	59,230	20	17	-	-	-	-	-	-	-
CAMBRIDGE	59,020	16	15	1	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	98,060	25	17	-	-	-	-	-	-	-
IPSWICH C.B.	83,120*	21	9	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,890	15	12	2	-	-	-	1	-	-
NORWICH C.B. ..	124,000*	41	35	7	-	-	-	1	-	-
SWINDON	56,880	21	12	1	-	-	-	-	-	-
EXETER C.B.	59,820*	21	13	2	-	-	-	-	-	-
PLYMOUTH C.B. ..	192,100*	62	37	3	-	-	-	-	-	-
BATH C.B.	69,050	12	19	3	-	-	-	-	-	-
BRISTOL C.B.	385,700*	117	88	10	-	-	-	-	1	-
GLOUCESTER C.B. ..	53,060	17	16	2	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,900	91	50	8	-	-	-	-	-	1
BURTON-UPON-TRENT C.B.	49,530	19	12	2	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	37	31	4	-	-	-	-	-	1
WALSALL C.B.	102,300	27	12	3	-	-	-	1	-	-
WEST BROMWICH C.B	79,490	39	16	3	-	-	-	-	-	-
DUDLEY C.B.	58,810	24	14	1	-	-	-	-	-	-
WORCESTER C.B. ..	50,230	17	15	-	-	-	-	-	-	-
BIRMINGHAM C.B. ..	945,900	344	203	26	-	-	1	2	2	5
SMETHWICK C.B. ..	78,840	22	12	-	-	-	-	-	-	1
COVENTRY C.B. ..	129,100	49	30	4	-	-	-	-	-	1
LEICESTER C.B. ..	242,100	83	60	4	-	-	-	-	-	-
LINCOLN C.B.	66,600*	19	10	2	-	-	-	-	-	-
GRIMSBY C.B.	87,190	37	25	3	-	-	-	-	-	-
NOTTINGHAM C.B. ..	270,600	104	66	8	-	-	-	-	-	1
DERBY C.B.	134,400*	47	37	4	-	-	-	-	-	-
CHESTERFIELD ..	65,800	23	10	-	-	-	1	-	-	-
STOCKPORT C.B. ..	125,900	28	26	3	-	-	-	-	-	-
CHESTER C.B.	41,670	16	7	-	-	-	-	-	-	-
BIRKENHEAD C.B. ..	155,500	57	28	3	-	-	-	-	-	-
WALLASEY C.B. ..	91,720	28	19	-	-	-	-	-	-	-
LIVERPOOL C.B. ..	856,000	358	244	55	-	1	-	1	2	9
BOOTLE C.B.	83,260	22	14	5	-	-	-	-	-	-
ST. HELENS C.B. ..	109,600	47	22	5	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11
OUTHPORT C.B ..	74,260	24	18	-	-	-	-	-	-	-	-
IGAN C.B.	91,010	40	19	2	-	-	-	-	-	-	-
ARRINGTON C.B. ..	77,970*	24	16	4	-	-	-	-	-	-	-
OLTON C.B.	180,400	42	54	3	-	-	-	-	-	-	2
URY C.B.	56,700*	22	9	3	-	-	-	-	-	-	-
ANCHESTER C.B. ..	755,800	278	200	32	1	-	1	1	2	5	4
ALFORD C.B.	244,700	75	62	8	-	-	-	-	-	2	-
LDHAM C.B	146,200	29	52	6	-	-	-	-	1	-	1
OCHDALE C.B... ..	92,190	16	27	2	-	-	-	1	-	-	-
URNLEY C.B.	102,300	34	25	5	-	-	-	1	-	-	1
LACKBURN C.B. ..	126,900	23	34	1	-	-	-	-	1	-	-
RESTON C.B.	122,900	39	43	8	-	-	-	-	-	-	1
LACKPOOL C.B. ..	80,750	12	21	-	-	-	-	-	-	-	1
ARROW-IN-FURNESS C.B.	73,470	24	22	1	-	-	-	-	-	-	-
UDDERSFIELD C.B. ..	112,100	31	28	1	-	-	-	-	1	-	-
ALIFAX C.B.	97,860*	28	23	4	-	-	-	-	-	-	-
RADFORD C.B. ..	290,200	80	108	16	-	-	-	-	-	2	1
EEDS C.B.	472,900	178	104	12	-	-	-	-	-	1	3
EWSBURY C.B ..	54,570	24	10	-	-	-	-	1	-	-	-
AKEFIELD C.B. ..	53,980	27	16	2	-	-	-	-	-	2	-
ARNSLEY C.B. ..	71,170	31	15	4	-	-	-	-	-	1	-
IEFFIELD C.B. ..	526,900*	168	99	9	-	-	-	1	1	1	4
OTHERHAM C.B. ..	70,600	21	12	1	-	-	-	-	-	-	-
ONCASTER	55,610	28	17	2	-	-	-	-	-	-	-
ORK C.B.	84,630*	21	20	2	-	-	-	-	-	1	-
ULL C.B.	297,300	100	78	13	-	-	-	1	2	2	1
IDDLESBROUGH C.B.	136,200	55	35	7	-	-	-	-	-	1	1
ARLINGTON C.B. ..	69,130	28	13	2	-	-	-	-	-	-	-
OCKTON-ON-TEES ..	68,000	22	14	1	-	-	-	-	-	-	-
EST HARTLEPOOL C.B.	71,590	31	13	3	-	-	-	-	-	-	1
UNDERLAND C.B. ..	166,000	64	56	6	-	1	-	1	-	1	1
OUTH SHIELDS C.B. ..	124,600	55	19	4	-	-	-	1	-	-	3
ATESHEAD C.B. ..	129,000	57	28	4	-	1	-	-	1	2	-
EWCASTLE-ON-TYNE C.B.	286,300*	117	89	8	-	1	-	1	1	4	2
YNEMOUTH C.B. ..	66,180	26	18	4	-	-	-	-	-	-	-
ARLISLE C.B.	55,160*	22	22	-	-	-	-	-	1	-	-
EWPORT (MON.) C.B.	96,420*	37	21	1	-	-	-	-	-	-	-
ARDIFF C.B.	227,100*	87	41	6	-	1	-	-	-	1	-
IONDDA	167,570	45	33	4	-	-	-	1	-	-	-
ERTHYR TYDFIL C.B.	82,920	24	28	2	-	-	-	-	-	1	-
EERDARE	57,700	20	12	1	-	-	-	-	-	1	-
ANSEA C.B.	163,200	60	36	5	-	-	-	1	-	-	-
REATER LONDON ..	7,742,212*	2,426	1,686	122	-	1	-	10	16	20	30
UTER RING	3,140,212*	925	638	39	-	-	-	7	6	5	11
GREAT TOWNS IN OUTER RING	1,890,140*	567	366	30	-	-	-	7	1	4	8
EMAINDER OF OUTER RING	1,250,072*	358	272	9	-	-	-	-	5	1	3
DINBURGH†	424,600	111	129	21	-	1	-	1	-	1	3
LASGOW† ..	1,052,200	471	309	50	1	1	2	1	4	4	4
UBLIN (REGISTRATION AREA)†	419,156§	235	102	19	-	-	1	1	2	3	1
ELFAST†	416,000	168	115	20	-	-	-	1	-	1	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of sidents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and elfast are corrected by the exclusion of deaths of persons admitted into public institutions from ithout the respective areas.

§ Census population 1926 (unrevised

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last availabl

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS. Exclusive of Still born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœa
		1926.										
LONDON‡	4,602,000	Nov. 20	1501	1048	11·9	–	–	1	–	3	10	
CALCUTTA AND SUBURBS	1,077,273	Oct. 9	?	766‖	36·9	?	2	?	?	?	?	
BOMBAY§	1,279,061	Oct. 23	477	628	25·5	4	5	–	–	–	–	
MADRAS	528,791	" 16	371	406	39·8	2	1	–	?	2	1	
		" 23	464	408	40·1	5	1	–	?	–	–	
SYDNEY AND SUBURBS	1,038,950	Oct. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	Sept. 30 (30 days)										
PERTH (Metropolitan Area).	179,388	Oct. 2	49	41	11·9	–	–	–	–	–	–	
		" 9	32	25	7·2	–	–	–	–	–	–	
		" 16	84	44	12·7	–	–	–	–	–	–	
AUCKLAND (Urban Area).	192,176	Sept. 30 (30 days)										
WELLINGTON (Urban Area).	121,324	Sept. 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	Sept. 30 (30 days)										
CAPE TOWN	113,709	Oct. 23	48	13	5·9	–	–	–	–	–	–	
		" 30	53	30	13·7	–	–	–	–	–	–	
JOHANNESBURG	165,958	" 23	84	54	16·9	1	–	1	–	–	–	
		" 30	79	45	14·1	1	–	–	–	–	–	
DURBAN	54,822	" 23	13	16	15·1	–	–	–	–	–	–	
		" 30	25	11	10·4	–	–	–	–	–	–	
PARIS	2,906,472	Oct. 31 (11 days)	1362	1269	14·5	5	6	3	2	–	11	
ANTWERP	300,193	Oct. 2	82	52	9·1	–	–	–	–	–	–	
		" 9	97	54	9·4	1	–	–	–	1	–	
		" 16	88	56	9·7	–	–	–	–	–	–	
AMSTERDAM	722,085	" 30	249	147	10·6	–	–	–	–	1	1	
COPENHAGEN	587,400	" 30	170	147	13·1	–	–	–	–	3	1	
STOCKHOLM	442,528	" 23	85	82	9·6	–	–	–	–	–	1	
GOTHENBURG	230,963	" 30	?	47	10·0	–	–	–	–	–	–	
OSLO (CHRISTIANIA) ..	255,724	Nov. 6	50	58	11·8	–	–	–	–	–	–	
		" 13	52	54	11·0	–	–	–	–	–	–	
BERLIN	1,996,000	Oct. 30	377	489	12·7	–	?	–	1	3	2	
BRESLAU	561,000	" 30	172	117	10·8	–	?	–	–	–	–	
COLOGNE	710,000	" 30	198	137	10·0	–	?	–	–	4	–	
DRESDEN	622,000	" 30	114	116	9·7	–	?	–	1	–	1	
FRANKFORT-ON-MAIN ..	471,000	" 30	97	64	7·1	1		–	–	–	1	
HAMBURG	1,104,000	" 30	206	193	9·1	–	?	1	1	–	–	
LEIPZIG	685,000	" 30	168	125	9·5	–	?	1	–	1	–	
MUNICH	655,000	" 30	157	164	12·4	1	?	1	1	–	–	
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	June 30 (30 days)	871	640	10·8	3	–	8	–	1	5	
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	Nov. 6	?	244	12·3	4	–	–	19	–	–	
CAIRO	859,400	June 3	777	727	44·1	8	1	22	–	?	1	
		" 10	821	1007	61·1	9	1	23	–	?	5	
ALEXANDRIA	492,100	" 3	355	251	26·6	1	–	1	–	?	–	
		" 10	379	324	34·3	1	2	–	–	?	1	
NEW YORK	5,924,139	Sept. 18										
CHICAGO	2,995,239	Oct. 29	1134	639	10·9	1	?	–	–	–	9	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the Germa Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *childre year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 18 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th November, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1,048	83	17	18	17	34	51	69	101	192	238	228
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria	10	1	1	4	4	-	-	-	-	-	-	-
Influenza	19	3	-	-	-	2	-	2	2	3	3	4
Erysipelas	4	1	-	-	-	-	-	-	-	1	1	1
Acute Poliomyelitis, Poliocncephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-		-	-	-	-	-	-	1	-	-
Meningococcal meningitis	2	1	-	1	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	83	-	1	-	1	10	14	23	17	13	4	-
Nervous system	3	-	1	-	1	-	1	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	1	-	-	-	-	-	-
Other forms	4	-	1	-	-	-	1	2	-	-	-	-
Venereal diseases	4	2	-	-	-	-	1	-	-	-	1	-
Cancer	138	-	-	-	-	1	2	7	21	43	46	18
Rheumatic fever	2	-	-	-	1		-	-	-	1	-	-
Diabetes	7	-	-	-	-	-	1	1	1	2	1	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	
Simple meningitis	4	1	-	1	1	-	-	-	-	1	-	-
Cerebral hæmorrhage, &c., Apoplexy	62	-	-	-	-	-	-	-	2	13	25	22
Epilepsy	4	-		-	-	-	1		-	1	2	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	
Other diseases of nervous system ..	31	1	-	2	1	3	2	6	5	4	6	1
Pericarditis	1	-	-	-	-	-	-	1	-	-	-	-
Acute endocarditis	10	-	-	-	2	1	4	2	1	-	-	-
Other diseases of heart	182	-	-	-	2	1	6	6	11	38	57	61
Other diseases of circulatory system	40	-	-	-	-	-	1	-	1	5	16	17
Bronchitis	73	6	1	-	-	1	-	2	3	11	17	32
Broncho-pneumonia	40	13	6	1	1	-	-	1	3	3	7	5
Lobar-pneumonia	25	-	-	2	-	1	2	3	4	8	4	1
Pneumonia (type not distinguished)	16	-	1	3	-	1	-	2	-	5	2	2
Other diseases of respiratory system	16	1	-	-	-	-	-	2	1	3	3	6
Diarrhœa and enteritis	17	13	2	-	-	1	-	-	-	1	-	-
Appendicitis, Typhlitis	5	-	-	-	1	1	-	-	2	1	-	
Hernia, Intestinal obstruction.. ..	12	3	-	-	-	1	-	1	2	1	-	4
Cirrhosis of liver	8	-	-	-	-	-	2	-	-	2	3	1
Other diseases of digestive system ..	22	2	-	1	1	-	2	3	5	6	1	1
Acute nephritis	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease..	31	-	-	-	-	2	1	1	5	12	8	2
Other diseases of genito-urinary system.	15	1	-	1	-	-	-	1	2	2	4	4
Puerperal sepsis	5	-	-	-	-	-	2	3	-	-		
Other causes incident to childbirth..	2	-				-	2	-	-	-		-
Congenital malformations	2	2	-	-	-	-	-	-	-	-	-	-
Premature birth	19	19			-	-	-		-	-		
Debility, atrophy (congenital) ..	1	1	-	-	-	-		-	-			
Old age	36	-	-			-	-	-		-	5	31
Suicide	10	-				1	-	-	6	2	1	-
Burns and Scalds	3	1	1	-	-	1	-	-	-	-	-	-
Drowning	1	-	-	-	-	1	-	-	-	-	-	-
Suffocation in bed	-	-	-	-	-	-		-	-	-	-	-
Vehicles and horses	20	-	-	1	1	-	3	-	-	4	7	4
Other deaths by violence	17	-	-	-	-	2	2	-	1	2	4	6
Other specified causes	33	7	1	1	-	1	1	-	5	3	10	4
Ill-defined causes	1	-	-	-	-	1	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th November, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	291	263	8	159	C. 13 E. 8 F. 2 G. 1 L. 1 M. 11 N. 23
†CITY OF LONDON	–	–	2	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	13	18	–	9	C. 1
†BERMONDSEY ...	–	9	17	–	1	M. 1 N. 1
†BETHNAL GREEN	–	12	15	–	13	–
†CAMBERWELL ...	–	20	8	–	3	C. 1
†CHELSEA	–	3	6	–	5	M. 1 N. 1
†DEPTFORD ...	–	17	7	–	7	C. 1
†FINSBURY ...	–	6	5	–	3	E. 1
†FULHAM	–	4	2	–	4	M. 1 N. 2
†GREENWICH ...		12	8	1	5	C. 1
†HACKNEY ...	–	21	11	–	3	M. 1 N. 1
†HAMMERSMITH ...	–	12	5	–	2	M. 2 N. 1
†HAMPSTEAD ...	–	4	7	–	2	N. 1
†HOLBORN... ...	–	2	1	–	1	–

LONDON	Small-pox	Scarlet Fever	Diphtheria	Enteric Fever	Pneumonia	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont*						
†ISLINGTON ..		21	26	–	7	C. 2 E. 2 M. 1 N. 3
†KENSINGTON ...	–	5	8	–	5	–
†LAMBETH ..	–	20	12		6	C. 4 M. 1 N. 3
†LEWISHAM ...	–	4	7	–	2	N 1
†PADDINGTON ...	–	1	8	–	6	E. 1 F. 1 M. 1 N. 1
†POPLAR	–	17	4	–	17	M. 1
†ST. MARYLEBONE	–	2	3	1	2	L. 1
†ST. PANCRAS ...	–	3	15	–	8	N. 1
†SHOREDITCH ...	–	11	6	–	14	G. 1 N. 1
†SOUTHWARK ..	–	7	15	1	7	C. 1 N. 1
†STEPNEY	–	29	11	1	8	N. 1
†STOKE NEWINGTON	–	8	3	–	–	C. 1 N. 1
†WANDSWORTH ...	–	17	18	–	12	C. 1 E. 3 M. 1 N. 2
†WESTMINSTER, CITY OF	–	3	6	1	2	F. 1
†WOOLWICH .	–	8	9	3	4	E. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	11	4	–	1	C. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	5	1	–	–	–
LEIGHTON BUZZARD	–	–	–	–	–	N. 1
†LUTON	–	3	1	–	1	–
Rural Districts:—						
BEDFORD ...	–	3	–	–	–	–
BIGGLESWADE ...	–	–	1	–	–	C. 1 E. 1
EATON SOCON ...	–	–	1	–	–	–
BERKS	–	13	8	–	1	C. 1
†READING C.B. ...	–	5	5	–	–	–
Rural Districts:—						
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
NEWBURY ...	–	–	1	–	–	–
WANTAGE ...	–	3	–	–	–	
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	2	–	–	C. 1
BUCKINGHAM ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	2	–	–		–
BLETCHLEY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE	–	1		–	–	–
MARLOW	–	1	–	–	–	–
†SLOUGH	–	1	–	–	–	–
Rural Districts:—						
ETON	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ..	–	5	4	–	1	E. 2 M. 1 N. 1
Borough:—						
†CAMBRIDGE ...	–	3	4	–	–	E. 2 M. 1
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
LINTON	–	1	–	–	–	–
MELBOURN ...	–	1	–		–	–
NEWMARKET ...	–	–	–	–	–	N. 1
CHESTER	–	73	19	2	36	G. 2 M. 1 N. 7
†BIRKENHEAD C.B.	–	5	2	–	12	G. 1 N. 1
†CHESTER C.B. ...	–	1	–	–	2	–
†STOCKPORT C.B.	–	29	–	1	4	N. 3
†WALLASEY C.B ...	–	8	3	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	2	–		–
ASHTON UPON MERSEY	–	2	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	1	–	–	–
BOWDON	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	2	–	–	1	–
†CHEADLE AND GATLEY	–	3	–	–	1	–
†CONGLETON ...	–	–	3	–	1	–
†CREWE	–	–	1	–	–	G. 1
†DUKINFIELD ...	–	1	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–		–	1	–
HALE	–	1	–		–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	–	1	–	1	–
†MACCLESFIELD ...	–	–	–	1	2	–
NESTON AND PARKGATE	–	–	–	–	2	–
†NORTHWICH ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUNCORN... ...	–	–	–	–	1	M. 1
†SALE	–	1	1	–	–	–
†STALYBRIDGE ...	–	–	–		2	N. 3
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1		–	–	–
CONGLETON ...	–	2	–	–	–	
MACCLESFIELD ...	–	1	–		–	–
NANTWICH ...	–	1	–	–	–	–
RUNCORN ...	–	4	2	–	1	–
TARVIN	–	3	–	–	–	–
WIRRAL	–	2	1	–	2	–
CORNWALL ..	–	13	3	–	6	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
†FALMOUTH ...	–	4	–		–	–
LISKEARD ...	–	1	–	–	–	–
LOOE	–	–	–	–	2	–
PADSTOW... ...	–	1	–	–	–	–
PENRYN	–	1	–	–	–	–
TORPOINT ...	–		–	–	2	–
†TRURO	–	1	–	–	–	–
WADEBRIDGE ...	–	–		–	1	–
Rural Districts:—						
HELSTON... ...		3	–		–	–
LAUNCESTON ..	–	–	–	–	1	–
SAINT COLUMB MAJOR		1	–	–	–	–
TRURO	–	–	2	–	–	–
WEST PENWITH...	–	–	1	–		–
CUMBERLAND ..	–	13	7	–	7	C. 1 N. 3
†CARLISLE C.B. .	–	5	3	–	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
EGREMONT ...	–	–	1		–	–
HOLME CULTRAM		1	–	–		–
PENRITH	–	–	–	–	–	N. 1
†WHITEHAVEN ...		–	–	–	2	C. 1
†WORKINGTON ...		1	–	–		–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...		4	1	–	1	N. 1
LONGTOWN ...	–	–	2	–	–	–
WIGTON	–	–	–	–	1	–
DERBY	16	55	22	1	36	C. 1 E. 1 M. 1 N. 5
†DERBY C.B. ..	4	7	8	1	12	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	3	N. 1
ALVASTON AND BOULTON	–	–	1		–	–
BAKEWELL ...		2	–	–	–	–
†BELPER	1	–	–	–	–	N. 1
†BOLSOVER ...	–	1	–	–	–	C. 1
†CHESTERFIELD ...	–	15	4	–	7	N. 1
†GLOSSOP	–	3	–	–	1	–
HEAGE	6	–	–	–	–	–
†HEANOR	–	1	1	–	3	–
†LONG EATON ...	–	4	1	–	–	–
†RIPLEY	2	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	3	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	3	–	–		–
BELPER	2		–	–	1	N. 1
BLACKWELL ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; ercephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHAPEL EN LE FRITH	–	–	–	–	1	–
CHESTERFIELD ...	–	6	5	–	1	–
CLOWNE	–	3	1	–	1	–
HARTSHORN AND SEALS	–	1	–	–	1	
NORTON	–	1	–	–	–	–
REPTON	–	2	1	–	1	–
SHARDLOW ...	–	2	–	–	2	E. 1
SUDBURY... ...	–	–	–	–	1	–
DEVON	–	36	7	1	5	C. 4 D. 1 E. 4 G. 2 M. 2 N. 6
†EXETER C.B. ...	–	2	–	–	–	–
†PLYMOUTH C.B...	–	18	5	–	2	C. 3 D. 1 E. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	–	–	–	C. 1
BIDEFORD ...	–	2	–	–	–	–
DAWLISH... ...	–	–	–	–	–	G. 1
EXMOUTH ...	–	3	–	–	–	–
ILFRACOMBE ...	–	–	1	–	–	–
NEWTON ABBOT	–	–	1	–	–	–
PAIGNTON ...	–	1	–	–	1	E. 1
SIDMOUTH ...	–	–	–	–	–	M. 1
TAVISTOCK ...	–	–	–	–	1	–
TORQUAY ...	–	–	–	1	–	N. 1
TOTNES	*	*	*	*	*	*
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	–	–	–	–	–	N. 1
HOLSWORTHY (part)	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
HONITON	–	5	–	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	G. 1
PLYMPTON ST. MARY	–	1	–	–	–	E. 2
TIVERTON ...	–	1	–	–	1	N. 1
DORSET	–	17	–	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	N. 1
†POOLE	–	3	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	3	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	3	–	–	–	–
BRIDPORT ...	–	2	–	–	–	–
DORCHESTER ...	–	2	–	–	–	–
SHAFTESBURY ...	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	–	G. 1
DURHAM	288	68	17	1	69	C. 5 D. 1 E. 2 G. 3 M. 5 N. 7
†DARLINGTON C.B.	–	–	–	1	3	E. 1 N. 1
†GATESHEAD C.B.	5	8	3	–	3	–
†SOUTH SHIELDS C.B.	–	8	2	–	13	M. 1
†SUNDERLAND C.B.	–	–	4	–	8	C. 1 D. 1
†WEST HARTLEPOOL C.B.	–	1	1	–	3	N. 1

* Returns not received. † Population over 10,000.

'uerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
ontinued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	1	C. 2 N. 1
†BLAYDON... ...	–	3	–	–	1	–
†BRANDON AND BYSHOTTLES	92	–	–	–	–	–
†CHESTER LE STREET	1	2	1	–	1	-
†CONSETT	–	7	–	–	–	–
†CROOK	12	–	–	–		-
†DURHAM	–	–	–	–	2	–
†FELLING	–	–	–	–	3	-
†HARTLEPOOL ...	–	2	–	–	–	-
†HEBBURN ...	–	2	1	–	2	–
†HETTON	19	1	–	–	–	–
†HOUGHTON LE SPRING	3	–	–	–	1	–
†JARROW	14	–	–	–	9	E. 1 M. 1
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	1	–	–	–	-
†SHILDON	4	–	–	–	–	G. 1
†SOUTHWICK ON WEAR	–	2	–	–	1	–
†SPENNYMOOR ...	4	–	–	–	–	N. 1
†STANLEY	3	4	1	–	1	M. 2
†STOCKTON ON TEES	–	5	1	–	–	N. 1
†TANFIELD ...	–	–	–	–	1	–
TOW LAW ...	–	2	–	–	–	–
†WASHINGTON ...	–	–	–	–	–	N. 1
†WHICKHAM ...	1	–	–	–	2	-
WILLINGTON ...	19	1	–	–	–	–
Rural Districts:—						
AUCKLAND ..	16	–	–	–	–	–
BARNARD CASTLE	–	–	–	–	–	C. 1
CHESTER LE STREET	14	2	–	–	2	C. 1
DURHAM	4	2	–	–	1	G. 1
EASINGTON ...	15	7	–	–	5	G. 1 N. 1
HOUGHTON LE SPRING	1	-	1	–	2	–
LANCHESTER ...	41	4	–		1	–
SEDGEFIELD ..	20	1	–	–	1	-
SOUTH SHIELDS...	–	1	1		–	–
SUNDERLAND ...	–	1	–		2	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	6	3	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
ELY	–	1	1	–	–	–
WHITTLESEY ...	–	–	2	–	–	–
†WISBECH	–	1	–	–	–	–
Rural Districts:—						
ELY	–	3	–	–	–	–
ESSEX	–	148	69	2	36	C. 2 G. 2 M. 5 N. 13
†EAST HAM C.B. ...	–	15	7	–	–	M. 1 N. 1
†SOUTHEND-ON-SEA C.B.	–	12	1	1	5	M. 1 N. 2
†WEST HAM C.B. ...	–	48	18	–	12	G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	7	2	-	4	M. 2
BRAINTREE ...	–	2	–	–	-	–
BRENTWOOD ...	–		2	–	–	–
BUCKHURST HILL	–	2	2	–	–	–
BURNHAM ON CROUCH	–	1	–	–	–	–
CANVEY ISLAND...	–		1	–		-
CHINGFORD ...	–	2	–		–	–
†COLCHESTER ...	–	–	–	–	1	G. 1 N. 1
DAGENHAM ...	–	3	2		2	N. 1
†GRAYS THURROCK	–	–	1		–	N. -
HALSTEAD ...	–	3	–	–	1	–
†HORNCHURCH ...	–	–	–	–	2	-
†ILFORD	–	4	7		–	C. 1 N. 3
†LEYTON	-	8	6	–	1	–
MALDON	–	–	–	–	1	-
WALTHAM HOLY CROSS	–	1		1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis: G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTHAMSTOW ...	–	18	5	–	5	N. 1
†WANSTEAD ...	–	–	4	–	1	C. 1
†WOODFORD ...	–	1	3	–	1	N. 1
Rural Districts:—						
BILLERICAY ...	–	1	2	1	–	–
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	1	–	–	–	–
EPPING	–	3	5	–	–	N. 1
HALSTEAD ...	–	1	–	–	–	–
MALDON	–	2	–	–	–	–
ORSETT	–	2	1	–	–	–
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	5	–	–	–	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	–	–	–	–	N. 1
GLOUCESTER ...	–	32	15	–	12	E. 1 G. 3 M. 2 N. 6
†BRISTOL C.B. ...	–	15	7	–	9	E. 1 G. 2 M. 1 N. 2
†GLOUCESTER C.B.	–	–	2	–	2	M. 1 N. 3
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	1	–	–	–
†KINGSWOOD ...	–	–	–	–	–	N. 1
STROUD	–	–	3	–	–	–
Rural Districts:—						
CAMPDEN ...	–	–	1	–	–	–
DURSLEY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	3	–	–	–	–
LYDNEY	–	1		–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
NEWENT	–	2	–	–	–	–
STROUD	–	4	1	–	1	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	4	3	–	2	N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	3	–	–	–
ROSS	–	3	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
WIGMORE ...	–	1	–	–	–	N. 1
HERTFORD ..	–	9	3	–	2	C. 1
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	–	–	–	1	–
†EAST BARNET VALLEY	–	1	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	2	1	–	–	–
HODDESDON ...	–	3	1	–	–	–
ROYSTON	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
WATFORD ...	–	1	–	–	1	C. 1
HUNTINGDON ...	–	7	1	–	4	E. 1 N. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	3	–	–	2	E. 1
RAMSEY	–	–	–	–	1	–
ST. IVES	–	2	–	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
NORMAN CROSS ...	–	–	1	–	1	–
ST. IVES	–	2	–	–	–	N. 1
KENT	–	74	27	1	12	D. 2 E. 3 G. 4 M. 2 N. 1
†CANTERBURY C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	6	–	–	1	E. 1 M. 1
†BEXLEY	–	2	–		–	G. 2
†BROMLEY ...	–	1	–	–	2	D. 1
†CHATHAM ...	–	5	6	–	–	–
†CRAYFORD ...	–	1	1	–	–	–
†DARTFORD ...	–	3	–	–	–	–
†DEAL	–	2	–	–	–	–
†DOVER	–	10	–	–	–	–
†ERITH	–	3	3	–	1	–
†FOLKESTONE ...	–	3	1	–	–	–
†GILLINGHAM ...	–	2	3	–	–	–
†GRAVESEND ...	–	5	3	–	–	–
†HERNE BAY ...	–	–	–	–	2	–
†MAIDSTONE ...	–	3	1	–	1	–
†MARGATE ...	–	1	–	–	–	–
NEW ROMNEY .	–	1	–	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	3	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	E. 1 M. 1
SEVENOAKS ...	–	–	–	–	–	G. 1
SIDCUP	–	–	–	–	–	G. 1
SITTINGBOURNE	–	–	–	–		D. 1
SWANSCOMBE ...	–	–	1	–	–	–
†TONBRIDGE ...	–	5	–	–	–	–
WHITSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BRIDGE	–	–	–	–	1	–
DARTFORD ...	–	1	3	–	1	–
EASTRY	–	–	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
FAVERSHAM ...	–	2	1	–	–	–
ISLE OF THANET	–	–	–	–	1	–
MALLING	–	6	–	–	–	N. 1
SEVENOAKS ...	–	2	–	–	–	–
STROOD	–	2	1	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	1	1	–	–
LANCASTER ...	5	244	130	3	245	C. 3 D. 1 E. 2 F. 2 G. 9 L. 1 M. 16 N. 13
†BARROW IN FURNESS C.B.	–	–	1	1	–	C. 1
†BLACKBURN C.B.	–	5	3	–	2	–
†BLACKPOOL C.B.	–	4	–	–	2	–
†BOLTON C.B. ...	–	14	3	–	2	–
†BOOTLE C.B. ...	–	3	3	–	1	–
†BURNLEY C.B. ..	–	7	3	–	5	G. 1
†BURY C.B. ...	–	2	1	–	3	–
†LIVERPOOL C.B. ..	–	44	27	1	67	D. 1 M. 11 N. 3
†MANCHESTER C.B.	–	64	17	1	59	C. 1 F. 1 G. 1 M. 3 N. 3
†OLDHAM C.B. ...	–	2	8	–	6	N. 1
†PRESTON C.B. ...	–	5	3	–	2	–
†ROCHDALE C.B. ...	–	4	4	–	–	N. 2
†ST. HELENS C.B....	–	–	1	–	13	N. 1
†SALFORD C.B. ...	–	18	12	–	16	–
†SOUTHPORT C.B.	–	5	–	–	2	–
†WARRINGTON C.B.	–	1	1	–	8	N. 1
†WIGAN C.B. ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	–	–
†ACCRINGTON ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†ASHTON IN MAKERFIELD	4	–	–	–	–	–
†ASHTON UNDER LYNE	–	–	2	–	–	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	–	1	–	–	G. 1
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	2	–	–	–	–
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ..	–	1	–	–	–	–
†CHORLEY... ...	–	–	–	–	4	–
CHURCH	–	2	–	–	–	–
†CLITHEROE ...	–	–	1	–	–	G. 1 M. 1
†COLNE	–	2	1	–	1	C. 1
†CROMPTON ...	–	2	–	–	1	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	2	1	–	–	G. 2
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–		1	–	2	–
†ECCLES		4	1	–	1	–
†FAILSWORTH ..	–	–	–	–	2	
†FARNWORTH ...	–	1	–	–	–	–
FULWOOD ...	–	–	–	–	1	–
GOLBORNE ...	1	–	–	–	–	
†GREAT CROSBY ...		–	1	–	–	–
†GREAT HARWOOD	*	*	*	*	*	*
†HASLINGDEN ...	–	3	–	–	2	–
†HAYDOCK ...	–	1	–	–	1	–
HEYSHAM ..	–	2		–	–	–
†HEYWOOD ...	–		2	–	2	–
†HORWICH ...		1	–	–	2	–
HURST	–	1	–	–	–	–
HUYTON WITH ROBY	–	–	–	–	1	–
†INCE IN MAKERFIELD		–	1	–	–	–
†LANCASTER ...		1	–	–		–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	–	2	–	–	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
†LITTLEBOROUGH	–	–	1		–	–
†LYTHAM ST. ANNE'S	–	–	2	–	–	–
†MIDDLETON ...	–	–	2	–	–	F. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	–	1	–	–		N. 1
†NEWTON IN MAKERFIELD	–	2	1	–	–	E. 1
NORDEN	–	1	–	–	1	–
ORMSKIRK ...	–	1	–	–		–
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM... ...	–	–	6	–	–	–
PRESCOT	–	–	1			–
†RADCLIFFE ...	–	2	2		–	–
†RAMSBOTTOM ...	–	1		–	1	–
†RAWTENSTALL ...	–	4	1	–	1	E. 1 G. 1
RISHTON	–	2	–	–	1	–
†ROYTON	–		–	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	3	–
†STRETFORD ...	–	2	1	–	1	–
†SWINTON AND PENDLEBURY	–	1	–	–	2	G. 2
URMSTON... ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	5	3	–	2	–
†WESTHOUGHTON	–	1	–	–	–	N. 1
†WIDNES	–	1	2	–	8	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
LEIGH	–	1	2	–	–	–
LIMEHURST ...	–	–	–	–		M. 1
LUNESDALE ...	–	2	–	–	–	–
PRESTON	–	4	–	–	–	
WARRINGTON ...	–	–	–	–	–	L. 1
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	–	1	–	–	–
WIGAN	–	–	–	–	2	–
LEICESTER... ...	–	23	18	1	7	E. 2 M. 2 N. 1
†LEICESTER C.B. ...	–	12	6	–	4	E. 1 M. 2 N. 1

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L. Dysentery; M. Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1		–	–	–
†HINCKLEY ...	–	1		–	–	–
†LOUGHBOROUGH		–	2		–	–
MARKET HARBOROUGH	–	–	–	–		E. 1
MELTON MOWBRAY	–	–		–	1	–
OADBY	–	3	–			–
SHEPSHED ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH		1	–		–	–
BARROW UPON SOAR	–	5	3	1	–	–
BELVOIR	–		–	–	1	–
BILLESDON ...	–	–	1	–	–	–
HINCKLEY ..	–	–	6	–		–
LINCOLN (parts of Holland).	–	3	1	–	1	E. 2
Rural Districts:—						
BOSTON		2	–	–	1	E. 1
EAST ELLOE ...	–	–	–	–	–	E. 1
SPALDING (part)..	–	1	1	–		–
LINCOLN (parts of Kesteven).	–	5	–	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
BOURNE	–	5	–		–	–
†GRANTHAM ...	–	–		–	–	C. 1
Rural Districts:—						
BOURNE	–	–	–		–	G. 1
GRANTHAM ...	–	–	–		2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	31	6	–	2	G. 1 N. 2
†GRIMSBY C.B. ...	–	4	2	–	1	N. 1
†LINCOLN C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	4	–	–	–	–
†CLEETHORPES ...	–	4	1	–	–	–
†GAINSBOROUGH ...	–	1	1	–	1	–
MABLETHORPE AND SUTTON	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	2	–		N. 1
Rural Districts:—						
CAISTOR	–	1	–	–	–	G. 1
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	2	–	–		–
HORNCASTLE ...	–	3	–	–	–	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ..	–	75	79	1	34	C. 1 E. 3 M. 1 N. 8
Boroughs and Urban Districts:—						
†BRENTFORD ...	–	–	2	–	1	N. 1
†CHISWICK ...	–	1	–	–	1	–
†EALING	–	–	3	–	4	N. 1
†EDMONTON ...		–	16	–	2	N. 1
†ENFIELD	–	2	2	–	6	E. 1 N. 1
FELTHAM ...	–	–	–	–	1	–
†FINCHLEY ...	–	2	1	–	1	N. 1
†FRIERN BARNET	–	–	–	–	1	–
†HAMPTON ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	M. 1
HAYES	–	–	–	–	1	–
†HENDON	–	1	4	–	–	–
†HESTON AND ISLEWORTH	–	1	1	–	2	E. 1
†HORNSEY... ...		2	7	–	2	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	2	3	–	3	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	8	–	–	1	–
†TOTTENHAM ...	–	23	28	1	4	–
†TWICKENHAM ...	–	–	2	–	–	–
†UXBRIDGE ...	–	6	–	–	–	–
†WEALDSTONE ...	–	7	1	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	5	7	–	3	C. 1 N. 2
†WOOD GREEN ...	–	4	2	–	1	–
YIEWSLEY ...	–	1	–		–	–
Rural Districts:—						
HENDON	–	6	–	–	–	E. 1
NORFOLK	–	22	6	1	7	E. 1 N. 2
†GREAT YARMOUTH C.B	–	–	1	–	3	–
†NORWICH C.B. ...	–	7	3	–	3	N. 1
Boroughs and Urban Districts:—						
CROMER	*	*	*	*	*	*
†KING'S LYNN ...	–	–	2	–	–	–
Rural Districts:—						
BLOFIELD ...	–	–	–	1	–	–
DEPWADE ...	–	3	–	–	–	–
DOCKING	–	3	–	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	
SMALLBURGH ...	–	–	–	–	–	E. 1
SWAFFHAM ...	–	–	–	–	–	N. 1
WAYLAND ...	–	8	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	68	7	–	12	C. 1 D. 1 E. 1 G. 1 N. 1
†NORTHAMPTON C.B.	–	49	5	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	–	–	–	D. 1
HIGHAM FERRERS	–	1	–	–	–	–
†KETTERING ..	–	–	–	–	–	N. 1
OUNDLE	–	1		–	–	–
RAUNDS	–	–	–	–		G 1
ROTHWELL ...	–	–	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	4	–		–	–
DAVENTRY ..	–	2	–		1	–
HARDINGSTONE ...	–	–	–		2	–
KETTERING ...	–	–	–	–	1	
NORTHAMPTON ...	–	3	1	–	–	–
OUNDLE (part) ...	–	2		–	–	–
OXENDON... ...	–	–	–	–	–	E. 1
THRAPSTON (part)	–	4	1			–
TOWCESTER ...	–	1	–	–	–	C. 1
WELLINGBOROUGH	–	1	–			–
NORTHUMBERLAND	4	49	7	2	61	C. 1 G. 2 M. 3 N. 3
†NEWCASTLE UPON TYNE C.B.	1	18	5	1	26	C. 1 M. 1
†TYNEMOUTH C.B	–	9	1	1	3	–
Boroughs and Urban Districts:—						
ALNWICK ...	*	*	*	*	*	*
†ASHINGTON ...	3	2	1	–	1	–
†BEDLINGTONSHIRE	–	–	–	–	7	N. 1

* Returns not received. † Population over 10,000.

J, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	3	–	–	–	–
†BLYTH	–	4	–	–	–	N. 1
CRAMLINGTON ...	–	–	–	–	8	–
†EARSDON	*	*	*	*	*	*
†GOSFORTH ...	–	1	–	–	–	M. 1
NEWBIGGIN BY THE SEA	–	1	–	–	1	–
†NEWBURN ...	–	1	–	–	2	–
SEATON DELAVAL	–	–	–		2	G. 1
†WALLSEND ...	–	7	–	–	4	M. 1
†WHITLEY AND MONKSEATON	–	–	–	–	1	G. 1
Rural Districts:—						
ALNWICK... ...	–	–	–	–	–	N. 1
CASTLE WARD ...	–	1	–	–	2	
GLENDALE ...	–	2	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	–	–	4	–
NOTTINGHAM ..	1	23	40	3	20	–
†NOTTINGHAM C.B	–	12	23	–	12	–
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON... ...	–	–	1	–	1	–
†CARLTON	–	3	1	–	–	–
†EAST RETFORD ...	–	1	13	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	2	–	–	3	–
†SUTTON IN ASHFIELD	1	–	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	5	1	–	–	–
BINGHAM... ...	–	–	–	2	–	–
SOUTHWELL ...	–	–	–	1	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	7	3	1	2	C. 1 E. 1
†OXFORD C.B. ..	–	2	–	1	1	C. 1
Boroughs and Urban Districts:—						
THAME	–	1	–	–	–	–
Rural Districts:—						
BANBURY ...	–	–	–	–	–	E. 1
CHIPPING NORTON	–		–	–	1	–
CULHAM	–	–	3	–	–	–
HENLEY	–	2	–	–	–	–
WITNEY	–	1	–	–	–	–
WOODSTOCK ...	–	1		–	–	–
PETERBOROUGH (Soke of)	–	9	1	–	–	E. 1 N. 1
Borough:—						
†PETERBOROUGH...	–	5	–	–	–	E. 1 N. 1
Rural Districts:—						
BARNACK... ...	–	4	1	–	–	–
RUTLAND	–	1	–	–	1	–
Urban District:—						
OAKHAM	–	1	–	–	–	–
Rural Districts:—						
KETTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	11	1	–	2	N. 1
Boroughs and Urban Districts:—						
OSWESTRY ...	–	5	–	–	–	–
†SHREWSBURY ...	–	3	–	–	–	–
WELLINGTON ...	–	–	–	–	2	–
Rural Districts:—						
CHIRBURY ...	–	1	–	–	–	–
DRAYTON... ...	–	1	1	–	–	–
WELLINGTON ...	–	1	–	–	–	N. 1
SOMERSET	–	23	13	–	17	C. 1 E. 1 M 1 N. 1
†BATH C.B. ...	–	10	1	–	1	M. 1 N. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
†FROME	–	–	6	–	1	–
MIDSOMER NORTON	–	–	2	–	–	–
MINEHEAD ...	–	1	–	–	–	–
RADSTOCK ...	–	1	–	–	1	–
WELLS	–	–	–	–	1	
†WESTON SUPER MARE	–	–	1	–	1	–
WIVELISCOMBE ...	–	–	–		1	–
†YEOVIL	–	–	–	–	3	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	2	–
BRIDGWATER ...	–	–	–	–	–	C. 1
CHARD	–	–	–	–	1	–
CLUTTON... ...	–	1	1	–	1	E. 1
DULVERTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	2	–	–	–	–
TAUNTON... ...	–	1	–	–		–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	1	–		–	–
WILLITON ...	–	3		–	–	–
WINCANTON ...	–	–	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ..	–	46	39	–	7	C. 1 G. 1 M. 2 N. 5
†BOURNEMOUTH C.B.	–	2	–	–	1	N. 1
†PORTSMOUTH C.B	–	14	28	–	–	–
†SOUTHAMPTON C.B.	–	4	5	–	4	C. 1 M. 2 N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	2	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	1	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
FLEET		–	–	–	–	N. 1
†GOSPORT	–	9	1	–	–	–
PETERSFIELD ...	–	–	1	–	–	–
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	3	–	–	–	–
BASINGSTOKE ...	–	2	–		–	–
FAREHAM ...	–	2	–	–	–	–
HARTLEY WINTNEY	–	1	1	–	–	–
LYMINGTON ...	–	–	–	–	–	N. 1
NEW FOREST ...	–	1		–	–	G. 1
PETERSFIELD ...	–	–	1	–	–	–
ROMSEY	–	1		–	–	–
STAFFORD	–	62	43	3	55	C. 1 E. 1 G. 2 M. 3 N. 6
†BURTON UPON TRENT C.B.	–	2		–	2	G. 1
†SMETHWICK C.B.	–	3	–	–	7	–
†STOKE ON TRENT C.B.	–	7	8	1	20	C. 1 M. 1
†WALSALL C.B. ...	–	3	14	–	2	–

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	2	7	1	2	–
†WOLVERHAMPTON C.B.	–	7	–	–	2	E. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	–	N. 1
†BILSTON	–	1	–	–	–	–
†BROWNHILLS ...	–	1	–	–	3	–
†CANNOCK	–	4	2	–	1	–
†DARLASTON ...	–	1	1	–	3	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	2	–	–	–	–
KIDSGROVE ...	–	–	2	–	3	
†LEEK	–	2	–	–	–	N. 1
†NEWCASTLE UNDER LYME	–	3	–	–	–	
QUARRY BANK	–	1	–	–	2	M. 1
†ROWLEY REGIS ...	–	2	–	–	1	N. 1
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	3	–	–	–	–
TAMWORTH ...	–	1		–	–	–
†TIPTON	–	–	–	–	4	N. 1
†WEDNESBURY ...	–	2	1	1	1	M. 1
†WILLENHALL ...	–	2	–	–	–	N. 1
†WOLSTANTON UNITED	–	2	1	–	–	–
Rural Districts:—						
CANNOCK	–	2	5	–	–	G. 1
GNOSALL	–	1	–	–	–	N. 1
KINGSWINFORD ...	–	2	1	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	2	–	–	–	
STAFFORD ...	–	–	–	–	2	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
SUFFOLK, EAST ...	–	11	1	–	3	C. 1 E. 1 L. 3 M. 2 N. 2
†IPSWICH C.B. ...	–	6	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
BECCLES	–	–	–	–	–	C. 1 L. 3
BUNGAY	–	1	–	–	1	–
LEISTON CUM SIZEWELL	–	–	1	–	–	–
†LOWESTOFT ...	–	2	–	–	–	M. 2 N. 1
STOWMARKET ...	–	–	–	–	–	N. 1
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
HOXNE	–	–	–	–	–	E. 1
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	6	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	3	–	–	–	–
NEWMARKET ...	–	3	–	–	–	–
Rural Districts:—						
MELFORD... ...	–	–	–	–	–	N. 1
SURREY	–	60	20	9	10	C. 1 E. 1 M. 3 N. 4
†CROYDON C.B. ...	–	17	9	–	1	M. 2 N. 2
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARSHALTON ...	–	2	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	5	–	–	–	–
DORKING	–	3	–	–	–	–
†EGHAM	–	2	–	–	–	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†KINGSTON ON THAMES	–	1	3	–	–	E. 1
LEATHERHEAD ...	–	–	–	–	1	
†MERTON AND MORDEN	–	4	–	–	–	
†MITCHAM... ...	–	4	1	–	–	–
†REIGATE	–	2	–	6	1	
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	1	2	–		M. 1
†SUTTON	–	1	–	–	3	
†THE MALDENS AND COOMBE	–	–	–	–	–	N. 1
†WIMBLEDON ...	–	9	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	N. 1
DORKING	–	–		–	1	–
EPSOM	–	1	2	1	1	–
FARNHAM ...	–	1	–	–	–	C. 1
GUILDFORD ...	–	–	–	1	–	–
REIGATE	–	3	–	1	–	–
SUSSEX, EAST ..	–	12	4	1	5	C. 1 G. 1 M. 1 N. 4
†BRIGHTON C.B. ...	–	4	4	–	1	G. 1 N. 2
†EASTBOURNE C.B.	–	3	–	–	1	–
†HASTINGS C.B. ...	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	–	–	–	C. 1
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, EAST—*cont.*						
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	1	–	–
NEWHAVEN ...	–	–	–	–	1	–
UCKFIELD ...	–	–	–	–	1	N. 2
SUSSEX, WEST	–	9	3	1	–	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	5	1	–	–	–
†WORTHING ..	–	1	2	–	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTBOURNE ...		–	–	1	–	–
WARWICK	–	84	40	–	39	C. 8 D. 1 E. 1 G. 4 M. 4 N. 3
†BIRMINGHAM C.B.	–	53	32	–	32	C. 6 D. 1 G. 1 M. 3
†COVENTRY C.B. ...	–	4	2	–	1	C. 1 E. 1 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	–		1	–
†ROYAL LEAMINGTON SPA	–	1		–	–	N. 1
†RUGBY		3	–		–	–
†SUTTON COLDFIELD		2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	-	1	-	-	-	-
ATHERSTONE ...	-	6	2	-	1	-
BRAILES	-	-	-	-	1	-
FOLESHILL ...	-	5	1	-	1	C. 1
MERIDEN... ...	-	1	-	-	1	G. 1
RUGBY	-	1	-	-	1	-
SOLIHULL ...	-	2	-	-	-	G. 1
SOUTHAM... ...	-	-	1	-	-	N. 1
TAMWORTH (part)	-	2	1	-	-	-
WESTMORLAND ...	-	5	-	-	1	C. 1
Boroughs and Urban Districts:—						
†KENDAL	-	-	-	-	1	-
KIRKBY LONSDALE	-	1		-	-	-
SHAP	-	1	-	-	-	-
WINDERMERE ...	-	-	-	-	-	C. 1
Rural Districts:—						
SOUTH WESTMORLAND	-	2	-	-	-	-
WEST WARD ...	-	1	-	-	-	-
WIGHT, ISLE OF ...	-	2	-	-	-	E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†COWES	-	-		-	-	G. 1 M. 1
EAST COWES ...	-	1	-	-	-	E. 1
†RYDE	-	1	-	-	-	-
WILTS	-	4	4	-	8	N. 2
Boroughs and Urban Districts:—						
DEVIZES	-	-	1	-	-	-
†SALISBURY ...	-	-	-	-	-	N. 1
†SWINDON... ...	-	-	1	-	4	N. 1
†TROWBRIDGE ...	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	-	1	-	-	-	-
CHIPPENHAM ...	-	1	-	-	-	-
HIGHWORTH ...	-	-	1	-	2	-
MELKSHAM ...	-	-	-	-	1	-
SALISBURY ...	-	1	-	-	-	-
WILTON	-	-	1	-	-	-
WORCESTER ...	-	20	3	1	7	G. 1 M. 2 N. 2
†DUDLEY C.B. ...	-	2	-	-	1	-
†WORCESTER C.B.	-	5	-	1	2	M. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	-	-	1	-	-	-
BROMSGROVE ...	-	1	-	-	-	-
†HALESOWEN ...	-	1	-	-	-	N. 2
†KIDDERMINSTER	-	-	-	-	1	-
†LYE AND WOLLESCOTE	-	1	-	-	1	-
†MALVERN ...	-	1	2	-	1	-
NORTH BROMSGROVE	-	2	-	-	-	-
†OLDBURY... ...	-	4	-	-	1	-
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	-	1	-	-	-	-
Rural Districts:—						
BROMSGROVE ...	-	1	-	-		-
FECKENHAM ...	-	-	-	-	-	G. 1
PERSHORE ...	-	1	-	-	-	M. 1
YORKS ... ... (East Riding.)	-	30	28	1	4	M. 2 N. 2
†KINGSTON UPON HULL C.B.	-	23	25	-	4	M. 2 N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	2	1	1	–	–
HESSLE	–	1	–	–	–	–
WITHERNSEA ...	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	2	–	–	–	–
RICCALL	–	–	2	–	–	–
YORKS ... ... (North Riding.)	1	20	10	–	8	M. 1 N. 2
†MIDDLESBROUGH C.B.	1	8	3	–	1	N. 2
Boroughs and Urban Districts:—						
†ESTON	–	5	1	–	–	–
LOFTUS	–	–	–	–	2	–
MALTON	–	–	2	–	–	
†SCARBOROUGH ...	–	1	3	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
Rural Districts:—						
CROFT	*	*	*	*	*	*
FLAXTON ...	–	–	1	–	–	
HELMSLEY ...	–	2	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
LEYBURN... ...	–	–	–	–	1	–
MIDDLESBROUGH	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	1	M. 1
SCARBOROUGH ...		1		–	1	–
STARTFORTH ...	–	1	–	–	–	–
WATH	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	38	175	67	9	121	C. 1 E. 2 G. 1 M. 6 N. 13
†BARNSLEY C.B. ...	–	1	1	1	–	M. 1
†BRADFORD C.B. ...	–	9	5	1	12	N. 1
†DEWSBURY C.B....	–	2	2	–	2	–
†HALIFAX C.B. ...	–	4	3	–	–	–
†HUDDERSFIELD C.B.	–	14	4	–	5	C. 1
†LEEDS C.B. ...	–	14	7	–	27	M. 1 N. 2
†ROTHERHAM C.B.	–	7	–	–	5	–
†SHEFFIELD C.B....	3	60	24	–	29	E. 1 G. 1 M. 1 N. 2
†WAKEFIELD C.B.	–	–	2	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	–	1	1	–
†BARNOLDSWICK ...	–	–	1	–	1	–
†BATLEY	–	–	1	–	–	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	2	–	–	1	–
BURLEY IN WHARFEDALE	–	–	–	–	2	–
†CASTLEFORD ...	–	–	–	1	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	–		1	–
†DARTON	–	–	–	1	1	–
†DONCASTER ...	6	5	–	–	2	–
†FEATHERSTONE ...	–	1		–	–	–
†GOLCAR	*	*	*	*	*	*
†GOOLE	–	3	–	–	–	–
†HARROGATE ...		1	–	–	1	–
HECKMONDWIKE	–	1	–	–	1	–
†HEMSWORTH ...	–	–	–	1	1	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOYLAND NETHER	–	1	–	1	2	–
HUNSWORTH ...	–	1	–	–	–	–
ILKLEY	–	4	–	–	–	–
†KEIGHLEY ...	2	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
KNOTTINGLEY ...	–	1	2	–	1	
LINTHWAITE ...	*	*	*	*	*	*
MARSDEN... ...	*	*	*	*	*	*
MELTHAM ...		1	–	–	–	–
†MEXBOROUGH ..	12	–	–	–	–	M. 1
†MIRFIELD ...	–	–	–		1	–
†MORLEY	–	1	–	–	3	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	*	*	*	*	*	*
PENISTONE ...	–	2	–	–	–	–
†PONTEFRACT ...	–	1	–		–	–
†PUDSEY	–	–	–	–	1	–
QUEENSBURY ...	–	–	–	–	1	–
†RAWMARSH ...	–	1	–	–	1	N. 1
†SADDLEWORTH ...	–	1	–	–	–	–
SCAMMONDEN ...	*	*	*	*	*	*
SELBY	–	1	1	–	–	–
SHEPLEY... ...	–	–	–	–	1	–
†SHIPLEY		2	–		–	–
SILSDEN	1	–	–	–	–	–
SLAITHWAITE ...	*	*	*	*	*	*
SOUTH CROSLAND	–	1	–	–	–	–
†SOWERBY ...	–	–	–	–	–	E. 1
SPRINGHEAD ...	–	1	1	–		–
†STANLEY	–	–	–		2	–
STOCKSBRIDGE ...	–	–	–	–	1	N. 1
†SWINTON... ...	5	–		1	1	M. 1
†TODMORDEN ...	4	2	–	–	–	–
†WATH UPON DEARNE	1	1	1	–	1	–
†WOMBWELL ...	–	–	–	–	1	–
Rural Districts:—						
BOWLAND ...	–	–	–	–	1	–
DONCASTER ..	3	1	3		2	M. 1
GREAT OUSEBURN	–	–		–	–	N. 1
HEMSWORTH ...		2	1	1	2	N. 1
KEIGHLEY ...	1	–	2	–	–	
KIVETON PARK ...	–	–	–	–	–	N. 1
PATELEY BRIDGE	–	–	1	–	–	
PONTEFRACT ..	–	–	–	–		N. 1
RIPON	–	–	–	–	–	N. 1
ROTHERHAM ...	–	1	2	–	3	N. 1
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
SETTLE	–	1	–	–	1	–
SKIPTON	–	1	1		–	–
THORNE	–	4	1	–	–	–
WAKEFIELD ...	–	3	–	–	–	–
WORTLEY ...	–	7		–	–	–
§YORK, CITY OF ..	–	1	3	–	1	M. 1 N. 1
†YORK C.B. ..	–	1	3	–	1	M. 1 N. 1
WALES.						
ANGLESEY	–	7	4	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	2	2	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1	–	–	–	–
VALLEY	–	4	2	–	–	–
BRECKNOCK ...	–	–	–	–	1	N. 1
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	–	–	–	–	N. 1
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	1	–
CAERNARVON ...	–	9	–	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
BETHESDA ...	–	–	–	–	–	N. 1
CONWAY	–	1	–	–	–	–
†LLANDUDNO ..	–	3	–	–	–	C. 1
LLANFAIRFECHAN	–	3	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN ...	-	2	1	-	-	-
Rural Districts:—						
ABERAYRON ...		2	-	-	-	-
LLANDYSSIL ...	-	-	1	-	-	-
CARMARTHEN ..	-	3	4	-	5	-
Boroughs and Urban Districts:—						
AMMANFORD ...	-		1	-	-	-
CWMAMMAN ...	-	-	-		2	-
KIDWELLY ...		-	-		1	-
†LLANELLY ...	-	2	1	-	1	
Rural Districts:—						
CARMARTHEN ...	-	-	1	-	-	-
LLANELLY ..	-	1	1	-	1	-
DENBIGH	-	4	2	1	1	E. 1
Boroughs and Urban Districts:—						
DENBIGH ...	-	-	1		-	-
†WREXHAM ...	-	1	-	-		-
Rural Districts:—						
LLANGOLLEN ...	-	2	-		-	-
ST. ASAPH (DENBIGH)	-	-	-		-	E. 1
UWCHALED ...	-	-	-	-	1	-
WREXHAM ...	-	1	1	1	-	-
FLINT	-	5	3	-	4	M. 1
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	-	-	-	-	1	-
FLINT	-	1	-	-	1	-
HOLYWELL ...			1	-	-	-
†RHYL	-	-	1	-	-	-
Rural Districts:—						
HAWARDEN ...	-	3	-	-	1	M. 1
HOLYWELL (HOLYWELL DIV.)	-	1	1	-	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN .	-	49	51	1	33	C. 3 G. 2 E. 2 M. 8 N. 5
†CARDIFF C.B. .	-	4	6	1	7	M. 4 N. 1
†MERTHYR TYDFIL C.B.		-	4	-	4	N. 1
†SWANSEA C.B. ..	-	4	4	-	3	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	-	2	-	-	1	-
†BARRY	-	1	3	-	2	-
BRIDGEND ...	-	1	-	-		-
†CAERPHILLY ...	-	1	4	-	1	C. 1 N. 1
†GELLIGAER ...	-	-	3	-	2	-
†GLYNCORWG ...	-	1	-	-	-	-
†MAESTEG ...	-	4	6	-	-	G. 1
†MOUNTAIN ASH ...	-	2	3	-	-	-
†NEATH	-	3	3	-	-	-
†OGMORE AND GARW		3	1	-	1	-
†PENARTH ..	-		1	-	-	-
†PONTYPRIDD .	-	1	-	-	1	C. 1 N. 1
PORTHCAWL ..		2	1	-	1	-
†PORT TALBOT ...	-	6	3		-	-
†RHONDDA ...	-	7	4	-	8	E. 1 G. 1 M. 3
Rural Districts:—						
CARDIFF	-	2	1	-	-	-
COWBRIDGE ...	-	1	1	-	-	-
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT FARDRE	-	1	1	-	1	-
NEATH		1	2	-	1	-
PENYBONT ...	-	-	-	-	-	E 1
PONTARDAWE ...	-	2	-	-	-	-

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	-	–	5	-	–	N. 1
Urban Districts :—						
FESTINIOG ..	–	–	1	–	–	-
MALLWYD ...	–	–	2	-	–	–
TOWYN	–	–	1	–	-	–
Rural Districts :-						
EDEIRNION ...	–	–	1	-	–	–
PENLLYN	–	–	–	–	–	N. 1
MONMOUTH ..	–	7	4	–	5	–
†NEWPORT C.B. ...	–	2	-	–	2	
Boroughs and Urban Districts :—						
†ABERCARN ...		4		-	-	
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ..		–	1	–	–	–
†ABERTILLERY .	–	–	2	–	-	–
BEDWAS AND MACHEN	-	–	1	–	-	–
†EBBW VALE ...	–	–	–	-	1	–
†NANTYGLO AND BLAINA	-		–	–	2	-
†RISCA	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	–	1	–	2	-
Boroughs and Urban Districts :—						
LLANFYLLIN ...	–	–	1	–	–	-
Rural Districts :—						
MACHYNLLETH ...	–	–	–	–	2	-
PEMBROKE	-	1	3	-	1	N. G.
Boroughs and Urban Districts :—						
GOODWICK ...	–	–	1		-	-
MILFORD HAVEN	–	–	–	-	1	N.
†PEMBROKE ...	–	1	1	-	-	N.
Rural Districts :—						
PEMBROKE ...	–	–	–	–	–	G.
ST. DOGMELLS ...	–	–	1	–	–	-
Total of Part II. ...	353	1819	868	47	964	C. D. E. F. G. L. M. N.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LOWESTOFT	–	–	1	–	–	–
PLYMOUTH	–	–	–	–	-	L. 1

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
PORT OF LONDON ...	–	–	1	-	–
Total of Part III.... ...	–	–	2	–	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyre

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	291	263	8	159	C. 13 E. 8 F. 2 G. 1 L. 1 M. 11 N. 23
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	353	1819	868	47	964	C. 44 D. 7 E. 39 F. 2 G. 45 L. 4 M. 79 N. 143
Total of Part III.—Port Sanitary Districts	–	–	2	–	–	L. 1
Total (*i.e.*, of returns received), England and Wales ...	353	2110	1133	55	1123	C. 57 D. 7 E. 47 F. 4 G 46 L. 6 M. 90 N. 166

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain C and Deaths of Infants under 1 Ye Age) and Notified Cases of certai fectious Diseases in the last Thi Weeks.

Week ended :—	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9	Oct. 16	Oct. 23	Oct. 30.	Nov. 6	Nov. 13
LONDON:—												
Deaths—all ages	785	791	766	810	819	848	912	895	1,014	1,124	1,209	1,108
" 0 to 1 year ..	72	85	81	105	117	120	97	102	90	113	94	88
GREAT TOWNS, aggregate (including London):—												
Births	7,029	6,358	6,523	6,830	6,426	6,560	6,574	6,240	6,509	6,389	6,891	6,672
Deaths—all ages	3,292	3,409	3,393	3,449	3,507	3,731	3,916	3,793	4,137	4,697	4,817	4,665
" 0 to 1 year ..	409	452	445	516	477	566	532	505	488	514	503	488
Enteric Fever—Cases	24	28	29	24	33	36	24	30	28	17	17	27
" Deaths	2	3	4	5	3	2	5	1	1	1	1	3
Small Pox—Cases ..	5	16	10	19	39	32	35	40	32	30	31	30
" Deaths ..	—	—	—	—	—	2	1	—	—	—	—	—
Scarlet Fever—Cases	641	750	773	837	963	968	1,074	1,055	1,106	1,151	1,076	1,106
" Deaths	5	6	3	2	3	3	3	2	5	3	8	5
Diphtheria—Cases ..	511	526	600	674	732	722	827	833	817	848	777	788
" Deaths ..	24	30	20	24	29	36	36	39	40	43	40	33
Measles—Deaths ..	10	6	10	1	1	5	6	9	6	7	11	17
Influenza—Deaths ..	18	19	12	19	23	32	36	38	54	71	88	100

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 20th November, 1926. (*Supplied by the Meteorological Office.*)

Towns	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Ra M me
	°	°		°				°			
London (Greenwich).	58	40	53·3	45·1	25	Huddersfield	49	37	47·6	40·6	
Brighton ..		Not	receive	d.		Bradford ..	52	37	46·7	39·4	
Portsmouth ..	56	42	53·7	47·5	39	Sheffield ..	52	37	49·1	40·4	
Norwich (Eaton).	55	40	52·3	43·6	24	York (Museum)	51	37	49·4	40·7	
Plymouth ..	56	38	53·3	46·0	26	Hull (Pearson Park).	53	37	50·4	40·0	
Bristol (Clifton).	55	40	51·6	43·6	47	Tynemouth ..	52	38	48·4	42·4	
Birmingham (Edgbaston).	53	37	48·0	41·0	45	Cardiff.. ..	56	40	51·6	42·7	
Nottingham ..	55	37	49·3	41·0	27	Edinburgh ..		Not	receive	d.	
Birkenhead (Bidston).	50	39	47·6	42·1	46	Glasgow ..	48·0	38·0	46·0	39·7	
Manchester (Whitworth Park).	52	40	50·3	42·0	56	Dublin (Phœnix Park).	51·2	31·5	49·3	37·6	
						(Fitzwilliam Square†).		Not	receive	d.	
Burnley.. ..	48	34	45·7	39·0	66	Belfast.. ..	50·5	32·0	48·6	42·2	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th November, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	14	..	29·509	54·9	46·0	8·9	49·6	+ 6·3	40·3	9·3	18·4	4·3	70	89·9	35·9	49·9	SW	SW	9·1	0·0	1·3	619	+ 322	0·03
MONDAY -	15	..	29·901	56·0	44·6	11·4	51·8	+ 8·7	47·5	4·3	8·3	1·1	85	79·5	36·1	49·9	SW: SSW.	SSW: SW.	6·2	0·0	0·9	490	+ 195	0·04
TUESDAY -	16	Perigee In Equator	30·059	55·3	49·0	6·3	51·8	+ 9·0	50·2	1·6	4·7	0·0	94	62·0	46·0	49·8	SW: Calm.	Calm: SSE: SSW.	1·0	0·0	0·1	168	− 127	0·06
WEDNESDAY	17	..	29·491	54·1	41·3	12·8	48·7	+ 6·1	46·8	1·9	4·7	1·2	93	63·9	34·3	49·8	SSW	SSW: WSW: SW.	2·7	0·0	0·3	296	+ 2	0·08
THURSDAY -	18	..	28·989	54·3	41·2	13·1	49·4	+ 7·0	48·6	0·8	3·6	0·6	97	58·3	34·1	50·0	SE	ESE: SSE.	3·2	0·0	0·2	277	− 16	0·31
FRIDAY -	19	Full	28·662	52·8	41·9	10·9	45·6	+ 3·3	41·7	3·9	7·3	1·6	86	59·8	32·9	50·0	S: SW	SSW	0·8	·0	0·1	246	− 49	0·05
SATURDAY -	20	..	28·451	53·0	39·6	13·4	46·0	+ 3·8	44·0	2·0	8·7	0·5	93	66·8	29·3	49·7	SSW: SSE.	S: SW	4·4	0·0	0·5	410	+ 114	0·43
MEANS -		..	29·295	54·3	43·4	11·0	49·0	+ 6·3	45·6	3·4	8·0	1·3	88	68·6	35·5	49·9	SW		..	..	..	Sum 2506	Sum + 441	Sum 1·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	14	wP till 12½h.; variably sN and mP till 15h.; mP till 19h.; then wP.	Loss of	Register.	Partially cloudy till 13½h.; clouding up to nearly overcast by 14½h.; clearing from 15½h. to cloudless by 16h. Brisk wind from 6h. Showers 6¾h. and 11¼h. Rain 13½h. till 14¾h. Dew at night.
MONDAY ..	15	wP.	0·8	8·8	Cloudless till 3h., then clouding up gradually to overcast by 11h. Brisk wind till 1h.; and from 11h. till 20h. Slight rain about 12h.; from 13¾h. till 14¼h.; and from 17h.
TUESDAY ..	16	wP till 16h.; mP till 18½h., then wP.	0·0	8·8	Overcast throughout. Damping till 5h.; from 8h. till 9h.; about 15h.; and 17¾h. till 19½h.
WEDNESDAY	17	wP till 15h.; then mP.	0·0	8·8	Overcast generally. Slight rain 12h. till 14¾h. Lunar halo from 23h.
THURSDAY	18	wP till 10h.; variably wN and wP till 18h.; then wP.	0·0	8·7	Overcast throughout. Lunar halo till 1h. Rain generally from 9h.
FRIDAY ..	19	wP till 7½h.; mP till 22h.; then wP.	0·0	8·7	Overcast till 17½h.; partially cloudy till 22h.; then clearing to nearly cloudless by 23h. Rain till 3h. Slight mist and dew at night. Lunar halo 21¾h. till 22¼h.
SATURDAY	20	wP till 8h.; variably wN and wP till 15h.; wP till 19h.; mP till 23½h.; mN till 23¾h.; then mP.	0·0	8·6	Nearly cloudless till 2h.; then nearly overcast generally. Rain 5½h. till 6h.; 8¾h. till 12h.; 12¾h. till 14h.; and at 23h.
		—	Sum 0·8	Sum 52·4	
No. of Col. ..			27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·22 ins. at the beginning of the week to 29·97 ins. by 8h. on 15th; decreased to 29·82 ins. by 15h. on 15th; increased to 30·12 ins. by 11h. on 16th; decreased to 28·62 ins. by 15h. on 19th; increased to 28·72 ins. by 1h. on 20th; decreased to 28·32 ins. by 14h. on 20th; increased and was 28·64 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 47

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 27TH NOVEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH NOVEMBER, 1926.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-seventh week of the year numbered 6,352 and corresponded to an annual rate of 17·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,193 and corresponded to an annual rate of 11·2 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·9, 12·5 and 12·1. Infant mortality was 76 per 1,000 births against 73, 73 and 77 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,472 births, corresponding to a rate of 16·6 per 1,000, and 950 deaths of civilians, corresponding to an annual rate of 10·8, against 13·7 12·6 and 11·9, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·3 per 1,000. The infant mortality was 67 as against 58, 60 and 55 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,527 to 4,193. In London the number of deaths from all causes decreased from 1,048 to 950; the deaths from diphtheria which had been 12, 6 and 10 in the preceding three weeks rose to 16 last week; and the deaths from influenza which had been 14, 26 and 19 in the preceding three weeks, fell to 8 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 27th November, 1926.

Towns	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,352	4,193	481	4	8	4	22	46	69	52
London	4,602,000*	1,472	950	98	1	-	1	4	16	17	8
Towns in Outer Ring.											
Croydon C.B ..	199,300	65	41	5	-	-	-	-	1	1	1
Wimbledon ..	58,170	5	7	-	-	-	-	-	-	-	-
Ealing†	91,000	25	10	1	-	-	-	-	-	-	-
Acton	63,110	11	9	-	-	-	-	-	-	-	-
Willesden ..	168,900	37	32	2	-	-	-	1	-	-	1
Hendon	59,150*	22	7	-	-	-	-	-	-	-	-
Hornsey	87,210	15	15	1	-	-	-	-	-	-	-
Wood Green ..	51,960	7	3	1	-	-	-	-	-	-	-
Tottenham ..	153,600	29	31	2	-	-	-	-	-	-	-
Edmonton ..	71,210	44	14	1	-	-	-	-	-	-	1
Enfield	63,740	16	8	-	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	118	53	7	-	-	-	1	-	-	1
East Ham C.B. ..	147,200	32	32	1	-	-	-	-	-	-	-
Leyton	132,700	33	23	8	-	-	-	-	-	1	-
Walthamstow ..	130,800	42	15	1	-	-	-	1	-	-	1
Ilford	93,590	26	17	1	-	-	-	-	-	-	-
Gillingham	48,680*	29	15	4	-	-	1	-	-	1	-
Canterbury C.B ..	23,270*	6	4	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	8	21	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	10	8	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	39	31	1	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	97	52	1	-	-	-	-	1	-	-
Bournemouth C.B. ..	85,840	29	21	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	39	30	1	-	-	-	-	1	-	1
Reading C.B.	93,670*	40	31	5	-	-	-	-	1	-	1
Oxford C.B.	57,090	15	13	2	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	24	16	3	-	-	-	1	1	-	-
Luton	59,230	23	13	2	1	-	-	-	-	-	-
Cambridge	59,020	17	9	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	30	24	-	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	27	14	-	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,890	14	13	1	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	47	24	2	1	-	-	1	-	-	-
Swindon	56,880	15	15	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	21	20	1	-	-	-	-	-	-	-
Plymouth C.B. ..	192,100*	73	48	8	-	-	-	-	-	1	-
Bath C.B.	69,050	26	16	-	-	-	-	-	-	-	1
Bristol C.B.	385,700*	121	81	4	-	-	1	-	1	-	3
Gloucester C.B. ..	53,060	18	13	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	111	76	11	-	-	-	-	-	2	-
Burton-upon-Trent C.B.	49,530	16	12	3	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	50	19	2	-	-	-	1	-	-	-
Walsall C.B.	102,300	38	20	2	-	-	-	-	1	-	-
West Bromwich C.B	79,490	25	20	2	-	-	-	-	-	-	-
Dudley C.B.	58,810	26	10	2	-	-	-	-	-	2	-
Worcester C.B. ..	50,230	18	12	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	353	185	25	-	2	-	2	1	9	3
Smethwick C.B. ..	78,840	19	9	-	-	-	-	1	-	-	-
Coventry C.B. ..	129,100	41	25	5	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	71	60	11	-	1	-	1	1	1	-
Lincoln C.B.	66,600*	12	21	1	-	-	-	-	-	1	-
Grimsby C.B.	87,190	25	17	2	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	95	71	8	-	-	-	-	3	1	-
Derby C.B.	134,400*	46	36	10	-	-	-	-	-	-	-
Chesterfield ..	65,800	9	11	-	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	35	34	1	-	-	-	-	-	-	1
Chester C.B.	41,670	23	8	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	61	42	4	-	-	-	-	-	1	1
Wallasey C.B. ..	91,720	31	15	1	-	-	-	-	-	-	-
Liverpool C.B. ..	856,000	324	210	43	-	3	-	3	3	8	1
Bootle C.B.	83,260	36	19	2	-	1	-	-	1	-	-
St. Helens C.B. ..	109,600	35	24	3	-	-	-	-	-	1	2

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	74,260	24	19	1	-	-	-	-	-	-	13
Wigan C.B.	91,010	32	11	1	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	35	9	2	-	-	-	-	-	-	-
Bolton C.B.	180,400	50	51	3	-	-	-	-	1	-	4
Bury C.B.	56,700*	17	12	-	-	-	-	-	-	-	1
Manchester C.B. ..	755,800	238	201	24	1	-	-	2	1	8	4
Salford C.B.	244,700	60	74	14	-	-	-	-	-	1	-
Oldham C.B.	146,200	32	38	4	-	-	-	-	-	-	2
Rochdale C.B.	92,190	14	21	4	-	-	-	-	-	-	1
Burnley C.B.	102,300	27	24	3	-	-	-	-	-	-	2
Blackburn C.B. ..	126,900	26	31	1	-	-	-	-	-	-	1
Preston C.B.	122,900	33	26	1	-	-	-	-	-	-	1
Blackpool C.B. ..	80,750	22	22	4	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	15	11	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	40	21	1	-	-	-	-	-	-	-
Halifax C.B.	97,860*	31	30	4	-	-	-	-	1	1	-
Bradford C.B. ..	290,200	79	73	4	-	-	-	-	-	-	-
Leeds C.B.	472,900	143	124	15	-	-	-	-	-	-	-
Dewsbury C.B. ..	54,570	12	13	1	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	19	14	4	-	-	-	-	-	1	-
Barnsley C.B. ..	71,170	30	11	1	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	174	77	10	-	-	1	-	5	2	-
Rotherham C.B. ..	70,600	33	11	1	-	-	-	-	-	-	-
Doncaster	55,610	23	10	1	-	-	-	-	-	-	-
York C.B.	84,630*	27	15	1	-	-	-	-	-	-	-
Hull C.B.	297,300	120	64	5	-	-	-	1	1	-	-
Middlesbrough C.B.	136,200	55	38	5	-	-	-	-	1	-	1
Darlington C.B. ..	69,130	12	11	2	-	-	-	-	-	1	1
Stockton-on-Tees ..	68,000	34	11	2	-	-	-	-	-	-	-
West Hartlepool C.B.	71,590	28	15	-	-	-	-	-	-	-	-
Sunderland C.B. ..	166,000	75	41	8	-	-	-	1	-	3	-
South Shields C.B. ..	124,600	52	30	7	-	-	-	-	1	1	-
Gateshead C.B. ..	129,000	35	32	6	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	286,300*	109	61	11	-	-	-	-	2	3	-
Tynemouth C.B. ..	66,180	31	15	2	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	23	13	3	-	-	-	1	-	-	1
Newport (Mon.) C.B.	96,420*	37	19	6	-	-	-	-	-	1	-
Cardiff C.B.	227,100*	82	43	3	-	1	-	-	-	-	-
Rhondda	167,570	54	36	1	-	-	-	-	1	-	-
Merthyr Tydfil C.B.	82,920	21	20	-	-	-	-	-	-	-	1
Aberdare	57,700	15	10	-	-	-	-	-	-	-	1
Swansea C.B.	163,200	66	30	6	-	-	-	-	-	-	-
Greater London ..	7,742,212*	2,349	1,508	149	1	-	1	8	18	20	22
Outer Ring	3,140,212*	877	558	51	-	-	-	4	2	3	14
16 Great Towns in Outer Ring	1,890,140*	527	317	31	-	-	-	3	1	2	5
Remainder of Outer Ring	1,250,072*	350	241	20	-	-	-	1	1	1	9
Edinburgh†	424,600	137	118	18	-	1	-	-	-	1	-
Glasgow† ..	1,052,200	438	313	57	-	-	1	1	4	4	3
Dublin (Registration Area)†	419,156§	216	116	21	-	1	-	-	1	4	4
Belfast†	416,000	200	127	20	1	-	-	1	2	6	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
		1926.										
LONDON‡	4,602,000	Nov. 27	1472	950	10·8	1	–	–	1	4	16	17
CALCUTTA AND SUBURBS	1,077,273	Oct. 16	?	815‖	39·3	?	3	?	?	?	?	?
BOMBAY§	1,279,061	„ 30	473	611	24·8	2	–	–	–	1	–	29
MADRAS	528,791	„ 30	482	388	38·2	4	–	–	?	4	–	25
SYDNEY AND SUBURBS	1,038,950	Oct. 31 (31 days)	456	195	8·8	1	–	–	1	–	–	–
BRISBANE (Metropolitan Area).	263,711	Sept. 30 (30 days)										
PERTH (Metropolitan Area).	179,388	Oct. 23										
AUCKLAND (Urban Area).	192,176	Sept. 30 (30 days)	312	181	11·3	–	–	–	–	1	–	–
WELLINGTON (Urban Area).	121,324	Sept. 30 (30 days)	201	109	10·8	–	–	–	–	–	2	–
CHRISTCHURCH (Urban Area).	118,408	Sept. 30 (30 days)	203	106	10·8	–	–	–	–	5	–	–
CAPE TOWN	113,709	Nov. 6										
JOHANNESBURG	165,958	„ 6										
DURBAN	54,822	„ 6										
PARIS	2,906,472	„ 10 (10 days)	1207	1154	15·6	4	2	16	4	–	12	42
ANTWERP	300,193	Oct. 23	86	53	9·3	–	–	–	–	–	1	5
		„ 30	116	61	10·5	–	–	–	–	–	–	4
AMSTERDAM	722,085	Nov. 6	254	124	8·9	1	–	–	–	–	–	–
COPENHAGEN	587,400	„ 6	178	139	12·4	–	–	–	–	2	–	1
STOCKHOLM	442,528	„ 6	77	100	11·8	–	–	–	–	–	1	–
GOTHENBURG	230,963	„ 6										
OSLO (CHRISTIANIA) ..	255,724	„ 20	55	56	11·4	1	–	–	–	–	–	–
BERLIN	1,996,000	„ 6	401	479	12·5	–	?	3	1	1	1	3
BRESLAU	561,000	„ 6	135	101	9·4	–	?	–	2	–	–	1
COLOGNE	710,000	„ 6	198	132	9·7	–	?	–	–	3	–	4
DRESDEN	622,000	„ 6	134	100	8·4	–	?	–	–	–	–	–
FRANKFORT-ON-MAIN ..	471,000	„ 6	122	63	7·0	–	?	1	–	–	–	1
HAMBURG	1,104,000	„ 6	319	247	11·6	–	?	1	–	–	–	1
LEIPZIG	685,000	„ 6	159	135	10·2	–	?	–	1	1	–	1
MUNICH	685,000	„ 6	174	156	11·8	–	?	–	2	–	2	3
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	June 30 (30 days)	871	640	10·8	3	–	8	–	1	5	8
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	Nov. 6	?	244	12·6	4	–	–	19	–	–	23
CAIRO	859,400	June 17	775	801	48·6	9	1	26	–	?	3	177
ALEXANDRIA	492,100	„ 17	373	319	33·8	3	–	1	–	?	–	59
NEW YORK	5,924,139	Sept. 18										
CHICAGO	2,995,239	Nov. 5	1169	601	10·3	–	?	1	–	3	7	11

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Ci Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 8 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th November, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	950	98	10	18	30	42	35	67	109	169	198	174
Enteric fever..	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping cough	4	3	-	1	-	-	-	-	-	-	-	-
Diphtheria	16	-	2	6	8	-	-	-	-	-	-	-
Influenza	8	-	-	-	-	1	2	1	1	-	1	2
Erysipelas	1	-	-	-	-	-	-	-	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	78	-	-	1	-	17	8	18	15	12	5	2
Nervous system	3	-	-	2	-	1	-	-	-	-	-	-
Intestines and peritoneum	3	-	-	-	-	1	1	-	1	-	-	-
Other forms	5	2	-	-	-	2	-	-	-	-	1	-
Venereal diseases	2	-	-	-	-	-	-	-	-	2	-	-
Cancer	120	-	-	-	-	1	4	9	18	37	33	18
Rheumatic fever	5	-	-	-	3	1	-	-	1	-	-	-
Diabetes	8	-	-	-	1	-	1	-	1	1	2	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	49	-	-	-	-	-	1	2	6	9	20	11
Epilepsy	5	-	-	-	-	-	2	1	-	1	1	-
"Convulsions" (not puerperal) ..	3	3	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	27	4	-	-	2	1	1	2	1	6	6	4
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	1	1	2	-	-	-	-
Other diseases of heart	138	-	-	-	2	2	5	3	16	28	52	30
Other diseases of circulatory system	55	-	-	-	-	-	-	2	3	14	12	24
Bronchitis	71	6	1	-	1	-	-	3	2	12	21	25
Broncho-pneumonia	45	17	2	2	-	1	1	-	2	4	6	10
Lobar-pneumonia	24	1	-	-	1	2	2	3	6	4	5	-
Pneumonia (type not distinguished)	11	3	-	1	-	-	1	1	1	1	2	1
Other diseases of respiratory system	13	-	1	1	-	1	-	2	2	2	2	2
Diarrhœa and enteritis	20	15	2	-	-	-	-	1	1	1	-	-
Appendicitis, Typhlitis	4	-	-	1	1	-	-	-	1	1	-	-
Hernia, Intestinal obstruction.. ..	11	1	1	-	-	1	-	-	2	3	-	3
Cirrhosis of liver	3	-	-	-	-	-	-	1	1	1	-	-
Other diseases of digestive system ..	24	1	-	1	-	1	1	2	6	7	3	2
Acute nephritis	4	-	-	1	-	-	-	-	2	1	-	-
Chronic Bright's disease..	24	-	-	-	1	-	-	2	3	6	8	4
Other diseases of genito-urinary system.	7	1	-	-	-	1	-	-	3	2	-	-
Puerperal sepsis	3	-	-	-	-	-	2	1	-	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	1	1	-	-	-	-	-
Congenital malformations	5	5	-	-	-	-	-	-	-	-	-	-
Premature birth	21	21	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	27	-	-	-	-	-	-	-		-	4	23
Suicide	13	-	-	-	-	-	-	3	6	4	-	-
Burns and Scalds	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	2	-	-	-	-	-	-	-	1	1	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	17	-	-	-	5	4	-	2	1	1	1	3
Other deaths by violence	15	-	-	-	1	-	-	2	2	1	4	5
Other specified causes	40	9	1	1	3	1	-	4	3	7	8	3
Ill-defined causes	1	-	-	-	-	-	-	-	-	-	1	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th November, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	263	285	9	158	C. 7 D. 3 E. 10 G. 7 J. 1 M. 21 N. 23
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	9	–	9	M. 1
†BERMONDSEY ...	–	4	17	–	3	N. 1
†BETHNAL GREEN	–	13	21	–	13	C. 1 G. 1
†CAMBERWELL ...	–	20	14	–	4	C. 1 G. 1 N. 1
†CHELSEA	–	1	1	–	4	G. 1
†DEPTFORD ...	–	13	9	–	5	G. 1 M. 2
†FINSBURY ...	–	1	7	–	–	G. 1 N. 1
†FULHAM	–	1	7	1	4	C. 1 E. 2 G. 1 M. 1 N. 2
†GREENWICH ...	–	10	9	–	5	E. 1
†HACKNEY ...	–	18	15	–	4	N. 2
†HAMMERSMITH ...	–	10	7	1	–	G. 1
†HAMPSTEAD ...	–	1	1	–	–	M. 1 N. 2
†HOLBORN... ...	–	5	1	–	2	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	22	21	–	3	M. 5 N. 1
†KENSINGTON ...	–	6	11	1	4	D. 1 M. 1 N. 2
†LAMBETH ...	–	16	4	1	12	C. 1 E. 1 M. 2 N. 4
†LEWISHAM ...	–	12	11	–	5	M. 1 N. 1
†PADDINGTON ...	–	8	9	–	4	E. 1
†POPLAR	–	20	15	1	17	M. 1 N. 2
†ST. MARYLEBONE	–	4	4	–	1	C. 1 D. 1 N. 1
†ST. PANCRAS ...	–	10	7	–	5	M. 1
†SHOREDITCH ...	–	3	7	–	18	M. 3
†SOUTHWARK ...	–	8	24	–	10	C. 2 E. 1 M. 1 N. 1
†STEPNEY	–	15	20	4	8	D. 1 J. 1
†STOKE NEWINGTON	–	6	2	–	–	–
†WANDSWORTH ...	–	14	25	–	7	E. 3 M. 1 N. 1
†WESTMINSTER, CITY OF	–	2	3	–	3	–
†WOOLWICH ...	–	8	4	–	8	E. 1 N. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	12	–	1	–	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	4	–	–	–	–
†LUTON	–	1	–	1	–	–
Rural Districts:—						
BEDFORD ...	–	4	–	–	–	–
LUTON	–	3	–	–	–	–
BERKS	–	16	2	–	1	C. 1 N. 3
†READING C.B. ..	–	2	1	–	–	N. 1
Boroughs and Urban Districts:—						
WANTAGE .	.	2	–	–	–	–
Rural Districts:—						
BRADFIELD ...	–	1	–	–	–	–
COOKHAM ...	–	5	–	–	–	C. 1 N. 1
NEWBURY ...	–	–	1	–	.	N. 1
WALLINGFORD ...	–	–	–	–	1	–
WANTAGE ...	–	5	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	10	3	–	1	M. 1 N. 2
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD ...	–	2	–	–	–	–
BLETCHLEY ...	–	–	–	–	–	M. 1
†CHEPPING WYCOMBE	–	2	–	–	–	N. 1
†SLOUGH	–	1	1	–	–	–
†WOLVERTON ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...	–	–	–	–	–	N. 1
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	2	1	–	–	–
HAMBLEDEN ...	–	–	1	–	–	–
CAMBRIDGE ...	–	–	4	–	1	G. 1 M. 1
Borough:—						
†CAMBRIDGE ...	–	–	2	–	–	G. 1
Rural Districts:—						
CHESTERTON ...	–	–	1	–	1	M. 1
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	63	22	6	28	C. 2 G. 1 M. 1 N. 2
†BIRKENHEAD C.B	–	8	5	1	4	–
†CHESTER C.B. ..	–	1	–	2	1	–
†STOCKPORT C.B.	–	22	1	–	2	–
†WALLASEY C.B. ...	–	6	2	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	1	–	–	M. 1
ASHTON UPON MERSEY	–	1	2	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	4	–
BUGLAWTON ...	–	–	–	–	–	N. 1
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	–	4	–	1	–
†CREWE	–	2	1	–	1	–
†DUKINFIELD ...	–	2	–	–	2	–
HALE	–	2	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	–	1	1	4	–
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	3	–	1	1	–
†NORTHWICH ...	–	5	–	–	–	C. 1 N. 1
†SALE	–	1	–	–	–	–
YEARDSLEY CUM WHALEY	–	2	–	–	–	–
Rural Districts:—						
CHESTER	–	–	–	–	–	G. 1
CONGLETON ...	–	1	1	1	–	–
MACCLESFIELD ...	–	–	–	–	3	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN ...	–	1	–	–	–	–
TARVIN	–	1	–	–	1	–
WIRRAL	–	3	2	–	1	–
CORNWALL ...	–	3	–	–	–	F. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
BODMIN	–	–	–	–	–	G. 1
†FALMOUTH ...	–	1	–	–	–	
REDRUTH ...	*	*	*	*	*	*
STRATTON AND BUDE	–	–	–	–	–	N. 1
Rural Districts:—						
ST. AUSTELL ...	–	2	–	–	–	–
TRURO	–	–	–	–		F. 1
CUMBERLAND ..	–	20	17	–	3	E. 1 N. 1
†CARLISLE C.B. ..	–	8	–		–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	–	–	E. 1
EGREMONT ...	–	–	3	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
MILLOM	–	3	–	–	–	–
PENRITH	–	1	–	–	–	–
†WORKINGTON ...		2		–	1	–
Rural Districts:—						
BRAMPTON ...	–	–	11	–	–	–
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...	–	4	2	–	1	–
PENRITH	–	–	–	–	1	N. 1
WHITEHAVEN ...	–	–	1		–	–
DERBY	5	59	24	1	25	M. 4 N. 1
†DERBY C.B. ...	5	3	9	–	10	M. 4 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	2	–	1	–
BAKEWELL ...	–	1	–	–	–	–
†BELPER	*	*	*	*	*	*
†BOLSOVER ...	–	–	–	–	2	–
†CHESTERFIELD ...	–	9	3	–	2	–
†GLOSSOP	–	1	2	–	1	–
HEAGE	*	*	*	*	*	*
†HEANOR	–	2	1	–	2	–
†LONG EATON ...	–	5	2	–	1	–
NEW MILLS ...	–	2	–	–	1	–
†RIPLEY	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	8	–	–	–	–
†THE MATLOCKS...	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	1	–	1	–	–
BLACKWELL ...	–	2	2	–	1	–
CHAPEL EN LE FRITH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	8	3	–	1	–
CLOWNE	–	4	–		1	–
NORTON	–	1	–	–	–	–
REPTON	–	4	–	–	–	–
SHARDLOW ...	–	4	–	–	1	–
DEVON	–	40	24	1	9	C. 1 E. 1 G. 2 M. 4 N. 3
†EXETER C.B. ...	–	11	3	–	1	–
†PLYMOUTH C.B....	–	15	14	–	1	C. 1 E. 1 M. 2 N. 3
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1		–	–	–
†BARNSTAPLE ...	–	–	–	–	2	–
BIDEFORD ...	–	4	–	–	–	–
†EXMOUTH ...	–	3	–	–	–	–
HONITON ...	–	–	–	–	–	M. 1
†ILFRACOMBE ...	–	1	–	–	–	–
†NEWTON ABBOT	–	–	2	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	1	–	–	–
TIVERTON ...	–		–	–	1	–
†TORQUAY ...	–	–	–	–	3	G. 2 M. 1
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
CREDITON ...	–	–	1	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	–	2	1	–	–
ST. THOMAS ...	–	2	–	–	–	–
TOTNES	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	10	1	–	3	G. 1 N. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
BRIDPORT ...	–	4	–	–	–	–
DORCHESTER ...	–	–	–	–	1	N. 1
†POOLE	–	1	–	–	1	–
†PORTLAND ..	–	1	–	–	–	–
WAREHAM ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	1	–
SHAFTESBURY ...	–	1	–	–	–	–
STURMINSTER ...	–	1	–	–	–	–
WEYMOUTH ...	–	–	–	–	–	G. 1
DURHAM	250	75	20	3	76	C. 2 G. 2 M. 11 N. 9
†DARLINGTON C.B.	–	3	2	1	2	C. 1 M. 1 N. 1
†GATESHEAD C.B.	6	11	3	–	9	M. 1
†SOUTH SHIELDS C.B.	4	1	1	–	17	M. 1
†SUNDERLAND C.B.	1	5	1	1	13	C. 1 M. 1 N. 2
†WEST HARTLEPOOL C.B.	–	1	1	–	1	N. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	–	–	1	–
BARNARD CASTLE	–	–	–	–	2	–
BILLINGHAM ...	–	–	–	–	–	N. 1
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ...	–	–	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	60	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	1	–	1	–	1	–
†CONSETT	–	4	–	–	–	G. 1
†CROOK	12	–	–	–	–	–
†DURHAM	–	–	–	–	1	M. 1 N. 1
†FELLING	–	–	–	–	1	M. 1
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	–	2	–	1	–
†HETTON	12	–		–	2	M. 1
†HOUGHTON LE SPRING	5	–	–	–	1	–
†JARROW	16	1	–	–	10	–
LEADGATE ...	–	2	–	–	–	–
†RYTON	–	6	–	–	–	–
†SEAHAM HARBOUR	–	2	–	–	–	–
†SHILDON	11	–	–		–	–
†SPENNYMOOR ...	2	–	2	–	–	–
†STANLEY	1	5	1	–	–	–
†STOCKTON ON TEES	–	5	1	–	1	M. 1 N. 1
†TANFIELD ...	1	1	–	–	–	–
TOW LAW ...	–	3	–	–	–	–
†WASHINGTON ...	–	–	–	1	1	–
†WHICKHAM ...	–	2	–	–	1	–
WILLINGTON ...	27	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	4	–	1	–	–	N. 1
BARNARD CASTLE	–	–	–	–	–	G. 1
CHESTER LE STREET	25	5	–		2	–
DURHAM	4	5	1	–	–	–
EASINGTON ...	9	3	–	–	2	N. 1
HOUGHTON LE SPRING	2	2	–	–	3	–
LANCHESTER ...	34	5	1	–	–	–
SEDGEFIELD ..	11	–	–	–	–	–
SOUTH SHIELDS...	1	–	–	–	1	–
SUNDERLAND ...	–	–	1	–	2	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
WHITTLESEY ...	–	–	–	–	–	M. 1
ESSEX	–	117	61	–	24	C. 1 G. 3 M. 3 N. 6
†EAST HAM C.B. ...	–	10	14	–	1	–
†SOUTHEND-ON-SEA C.B.	–	4	3	–	–	M. 1 N. 1
†WEST HAM C.B. ...	–	40	15	–	6	G. 2 N. 3
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	–	–	1	M. 2
BRENTWOOD ...	–	1	3	–	–	–
BUCKHURST HILL	–	–	2	–	–	–
CANVEY ISLAND...	–	1	–	–	1	–
†CHELMSFORD ...		1	–	–	–	–
CHINGFORD ...	–	1	1	–	–	–
†CLACTON	–	–	–	–	1	–
†COLCHESTER ...	–	1	–	–	–	–
DAGENHAM ...	–	6	–	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
HALSTEAD ...			–	–	1	–
†ILFORD	–	1	3	–	5	C. 1
†LEYTON	–	10	10	–	–	G. 1
†ROMFORD ...	–	1	–	–	–	N. 1
SAFFRON WALDEN		1	–	–	–	–
TILBURY	–	2	–	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	16	3	–	1	–
†WANSTEAD ..		1	1	–	–	–
WITHAM	–		–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	2	–		–	–
BRAINTREE ...	–	1		–	–	–
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW	–	1	–	–	2	–
EPPING	–	–	2	–	–	–
HALSTEAD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
LEXDEN AND WINSTREE	–	–	–	–	–	N. 1
MALDON	–	2	–	–	1	–
ONGAR	–	–	1	–	–	–
ORSETT	–	1	2	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	1	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
STANSTED ...	–	2	–	–	–	–
TENDRING ...	–	1	–	–	2	–
GLOUCESTER ...	–	39	16	–	10	C. 1 E. 1 G. 3 L. 1 M. 4 N. 2
†BRISTOL C.B. ...	–	25	11	–	8	C. 1 E. 1 G. 3 L. 1 M. 3 N. 1
†GLOUCESTER C.B.	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	3	1	–	–	–
CIRENCESTER ...	–	2	–	–	–	–
STOW ON THE WOLD	–	2	–	–	–	–
TEWKESBURY ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	*	*	*	*	*	*
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	1	–	–	–
GLOUCESTER ...	–	–	–	–	1	M. 1
LYDNEY	–	1	–	–	–	–
STOW ON THE WOLD (part)	–	1	–	–	–	–
STROUD	–	1		–	–	–
TEWKESBURY (part)	–	2	–	–	–	–
THORNBURY ...	*	*	*	*	*	*
WEST DEAN ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	25	–	–	1	E. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
ROSS	–	1	–	–	–	E. 1
Rural Districts:—						
HEREFORD ...	–	2	–	–	–	–
KINGTON	–	–	–	–	–	L. 1
LEOMINSTER ...	–	17	–	–	–	M. 1
ROSS	–	4	–	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ..	–	14	2	–	1	C. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	–	–	1	–
†HERTFORD ...	–	5	1	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	–	–	–	C. 1
RICKMANSWORTH	–	1	–	–	–	–
Rural Districts:—						
HATFIELD ...	–	4	–	–	–	–
WARE	–	1	1	–	–	–
HUNTINGDON ...	–	11	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	4	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	3	–	–	–	–
ST. IVES	–	2	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	49	22	1	14	C. 1 E. 1 M. 1 N. 1
†CANTERBURY C.B.	–	–	3	–	–	E. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	1	–
†BECKENHAM ...	–	3	–	1	2	–
†BEXLEY	–	3	1	–	–	–
†BROMLEY ..	–	2	–	–	1	N. 1
†CHATHAM ...	–	1	2	–	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ..	–	–	1	–	1	–
†DOVER	–	4	–	–	–	M. 1
†ERITH	–	2	1	–	–	–
FAVERSHAM ...	–	1	–	–	–	–
†GILLINGHAM ...	–	8	–	–	–	–
†GRAVESEND ...	–	3	3	–	–	–
†HERNE BAY ...	–	–	2	–	1	–
LYDD	–	1	–	–	–	–
†MAIDSTONE ...	–	4	–	–		–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	2	–	1	–
†PENGE	–	3	1	–	–	–
†RAMSGATE ...	–	–	2	–	2	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SANDWICH ...	–	–	–		1	–
†SHEERNESS ...	–	–	–	–	1	–
SWANSCOMBE ...	*	*	*	*	*	*
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BRIDGE	–	–	–	–	1	–
DARTFORD ..	–	3	–	–	–	C. 1
HOLLINGBOURNE	–	–	–	–	2	–
MALLING	–	2	–	–	–	–
SHEPPEY	–	1	–	–	–	–
STROOD	–	5	–		–	–
TONBRIDGE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	234	135	2	252	C. 9 E. 1 F. 1 G. 7 L. 3 M. 25 N. 18
†BARROW IN FURNESS C.B.	–	2	5	–	1	–
†BLACKBURN C.B.	–	7	2	–	3	–
†BLACKPOOL C.B.	–	1	–	–	2	M. 1
†BOLTON C.B. ...	–	6	5	–	3	C. 1 G. 1 M. 1
†BOOTLE C.B. ...	–	6	2	–	2	G. 1
†BURNLEY C.B. ...	–	6	4	–	–	M. 2
†BURY C.B. ...	–	–	1	–	1	–
†LIVERPOOL C.B. ...	–	28	26	1	63	C. 1 F. 1 M. 12 N. 5
†MANCHESTER C.B.	–	70	17	–	79	C. 3 G. 1 M. 4 N. 3
†OLDHAM C.B. ...	–	8	5	–	3	C. 1
†PRESTON C.B. ..	–	1	4	–	1	E. 1
†ROCHDALE C.B. ...	–	6	–	–	–	–
†ST. HELENS C.B. ...	–	4	3	–	3	N. 1
†SALFORD C.B. ...	–	26	12	–	7	M. 1 N. 1
†SOUTHPORT C.B.	–	4	–	–	1	–
†WARRINGTON C.B.	–	–	4	–	5	–
†WIGAN C.B. ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	1	–	–	G. 1 N. 1
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	2	1	–	1	M. 1
ASPULL	–	–	1		2	–
†ATHERTON ..	–	–	–	–	4	–
†BACUP	–	–	1	–	1	–
BLACKROD ...	–	–	–	–	–	M. 1
†CHORLEY	–	–	–	–	1	–
CHURCH	–	2	–	–	–	–
CLAYTON LE MOORS	–	–	1	–	–	–
†CLITHEROE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	–	2	–	–	–
†DARWEN	–	4	–	–	–	N. 1
†DENTON	–	–	1	–		–
†ECCLES	–	–	–	–	3	–
†FAILSWORTH ...	–	1	–	–	5	–
†FARNWORTH ...	–	1	1	–	1	C. 1
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT HARWOOD	–	1	–	–	–	G. 1
†HASLINGDEN ...	–	2	–	–	–	–
†HAYDOCK ...	–	1	–	–	1	–
†HEYWOOD ...	–	2	2	–	–	G. 1
†HINDLEY... ...	–	–	–	–	4	–
†HORWICH ...	–	–	2	–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	–	–	2	C. 1
†LANCASTER ...	–	2	–	–	–	L. 2
†LEIGH	–	1	1	–	3	N. 1
†LITHERLAND ...	–	–	2	–	–	–
†LITTLEBOROUGH	–	–	3	–	–	
†LYTHAM ST. ANNE'S	–	–	–	–	3	–
MILNROW... ...	–	1		–	–	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	–	–	–		N. 1
†NEWTON IN MAKERFIELD	–	2	–	–	4	–
NORDEN	–	1	–	–	–	–
ORMSKIRK ...	–	–	–	–	–	N. 1
†OSWALDTWISTLE	–	2	–	–	–	–
†PADIHAM... ...	–	–	5	–	–	–
POULTON LE FYLDE	*	*	*	*	*	*
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	5	–	–	–	–
RAINFORD ...	–	–	2	–	–	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–		6	–	1	–
RISHTON	–	1	–	–	–	–
†ROYTON	–	1	–	–	3	–
STANDISH WITH LANGTREE	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRETFORD ...	–	1	3	–	2	N. 1
†SWINTON AND PENDLEBURY	–	1	–	–	–	G. 1 N. 1
TOTTINGTON ...	–	–	–	–	2	–
†TURTON	–	–	2	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	–	–
ULVERSTON ...	–	1	1	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	3	–	–	6	–
†WESTHOUGHTON	–	–	–	1	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	–	2	–	13	N. 1
Rural Districts:—						
BLACKBURN ...	–	–	–	–	–	C. 1
BURY	–	1	2	–	–	–
CLITHEROE ...	–	1	–		–	L. 1
LIMEHURST ...	–	–	–	–	–	M. 2
LUNESDALE ...	–	1		–	–	–
PRESTON	–	4	–	–	–	–
SEFTON	–	–	–	–	1	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	1		–	1	–
WIGAN	–	–	–	–	4	–
LEICESTER	–	21	13	–	9	C. 1 E. 5 M. 2 N. 5
†LEICESTER C.B. ...	–	11	7	–	6	C. 1 E. 3 M. 2 N. 3
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	1	–
†HINCKLEY ...	–	–	–		–	E. 1
†LOUGHBOROUGH	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MELTON MOWBRAY	–	2	–	–	–	–
THURMASTON ...	–	2	–	–	–	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	E. 1
BLABY	–	–	–	–	–	N. 1
HINCKLEY ...	–	1	1	–	–	N. 1
LOUGHBOROUGH	–	3	–	–	–	–
LUTTERWORTH ...	–	–	–	–	2	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	4	1	–	–	M. 1
Boroughs and Urban Districts:—						
HOLBEACH ...	–	2	–	–	–	M. 1
Rural Districts:—						
CROWLAND ...	–	–	1	–	–	–
EAST ELLOE ...	*	*	*	*	*	*
SPALDING (part)..	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	4	–	–	–	E. 2
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
†GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	2	–	–	–	E. 2
LINCOLN (parts of Lindsey).	–	23	6	1	3	C. 2 E. 1 G. 1 M. 2 N. 1
†GRIMSBY C.B. ...	–	3	5	–	1	N. 1
†LINCOLN C.B. ...	–	10	1	–	1	G. 1 M. 2
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
MARKET RASEN...	–	–	–	–	–	C. 1
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	–	–
SKEGNESS ...	–	1	–	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	E. 1
GLANFORD BRIGG	–	2	–	–	–	C. 1
GRIMSBY	–	2	–	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
SPILSBY	–	–	–	1	–	–
MIDDLESEX ...	–	75	78	1	18	C. 2 D. 1 E. 1 G. 3 M. 2 N. 5
Boroughs and Urban Districts:—						
†ACTON	–	4	2	–	1	–
†BRENTFORD ...	–	1	2	–	1	D. 1
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	2	3	–	1	–
†EDMONTON ...	–	2	12	–	2	N. 1
†ENFIELD	–	–	3	–	–	M. 1
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	5	2	–	–	G. 2
†FRIERN BARNET	–	1	–	–	1	–
†HAMPTON ...	–	3	–	–	–	–
†HENDON	–	7	5	–	–	–
†HESTON AND ISLEWORTH	–	1	–	–	–	–
†HORNSEY... ...	–	4	7	–	1	C. 1
†SOUTHALL NORWOOD	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SOUTHGATE ...	–	–	3	–	2	E. 1
STAINES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	19	22	1	2	N. 1
†TWICKENHAM ...	–	–	2	–	1	N. 1
†WEALDSTONE ...	–	4	–	–	–	G. 1
†WEMBLEY ...	–	–	–	–	1	
†WILLESDEN ...	–	11	5	–	4	C. 1 M. 1 N. 2
†WOOD GREEN ...	–	2	2	–	–	–
Rural Districts:—						
HENDON	–	4	1	–	–	–
UXBRIDGE ...	–	1	4	–	–	–
NORFOLK	–	13	1	–	2	E. 1 M. 1
†GREAT YARMOUTH C.B.	–	1	–	–	1	E. 1
†NORWICH C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	2	–	–	–	–
DOCKING	–	3	–	–	–	M. 1
ERPINGHAM ...	–	2	–	–	–	–
MARSHLAND ...	–	–	–	–	1	–
WALSINGHAM ...	–	1	–	–	–	–
WAYLAND ...	–	3	–	–	–	–
NORTHAMPTON ...	–	53	4	2	5	E. 1 G. 1 M. 1 N. 1
†NORTHAMPTON C.B.	–	37	2	–	3	E. 1 G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
FINEDON	–	1	–	–	–	–
†KETTERING ..	–	2	–	–	–	N. 1
Rural Districts:—						
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	–	1	–	–	–
MIDDLETON CHENEY	–	–	–	–	–	M. 1
NORTHAMPTON ...	–	8	1	1	–	–
OUNDLE (part) ...	–	2	–	–	–	–
OXENDON... ...	–	1		–	–	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	1	–	–	–	–
TOWCESTER ...	–	–	–	1	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	10	39	8	1	47	C. 3 D. 1 E. 1 G. 1 M. 2 N. 4
†NEWCASTLE UPON TYNE C.B.	1	16	3	–	33	C. 2 D. 1 E. 1 M. 1 N. 1
†TYNEMOUTH C.B	2	3	1	–	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	5	–	–	–	–	N. 1
†BEDLINGTONSHIRE	1	1	–	–	2	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1	–	1	3	–
CRAMLINGTON ...	–	–	2	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	1	–	–	–
†LONGBENTON ...	–	3	1	–	3	G. 1
NEWBIGGIN BY THE SEA	–	–	–	–	–	N. 1
†NEWBURN ...	1	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
PRUDHOE... ...	–	2	–	–	–	–
†WALLSEND ...	–	8	–	–	–	N. 1
†WHITLEY AND MONKSEATON	–	–	–	–	1	C. 1 M. 1
Rural Districts:—						
ALNWICK... ...	*	*	*	*	*	*
BELFORD	–	1	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	–
ROTHBURY ...	–	–	–	–	1	–
NOTTINGHAM ...	–	24	38	–	13	C. 1 E. 3 M. 4 N. 4
†NOTTINGHAM C.B.	–	15	26	–	4	E. 2 M. 3 N. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	1	–
†BEESTON... ...	–	1	–	–	–	–
†EAST RETFORD ...		–	4	–	–	–
EASTWOOD ...	–	–	–	–	1	M. 1
HUTHWAITE ...	–	–	1	–	–	–
†MANSFIELD ...	–	–	–	–	1	N. 1
†SUTTON IN ASHFIELD		–	3	–	–	–
WARSOP	–	1	–	–	1	–
†WEST BRIDGFORD	–	–	2	–	1	–
†WORKSOP... ...	–	–	–	–	–	C. 1
Rural Districts:—						
BASFORD	–	3	2	–	3	N. 1
EAST RETFORD ...	–	1	–	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	1	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	5	1	–	2	C. 2 E. 2
†OXFORD C.B. ...	–	2	–	–	–	C. 2
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	1	E. 1
Rural Districts:—						
BANBURY ...	–	–	1	–	–	E. 1
BICESTER... ...	–	–	–	–	1	–
HENLEY	–	2	–	–	–	–
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	–	1	–	1	E. 1
Borough:—						
†PETERBOROUGH...	–	–	1	–	1	E. 1
SALOP	–	15	2	–	1	M 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	M. 1
†SHREWSBURY ...	–	1	–	–	–	–
†WENLOCK ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	1	–
CHURCH STRETTON	–	2	–	–	–	–
LUDLOW	–	5	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL	–	–	1	–	–	–
WELLINGTON ...	–	2	–	–	–	–
WEM	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	23	18	–	9	G. 1 M. 1 N. 1
†BATH C.B. ...	–	9	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	1	–	–	–
BURNHAM ON SEA	–	–	–	–	–	N. 1
†FROME	–	–	1	–	–	–
MIDSOMER NORTON	–	–	–	–	1	
MINEHEAD ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	1	–	–	–
†TAUNTON ...	–	–	1	–	1	–
WELLS	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	1	M. 1
BATH	–	2	–	–	–	–
CLUTTON	–	2	–	–	–	G. 1
FROME	–	–	1	–	–	–
SHEPTON MALLET	–	5	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	–	11	–	1	–
YEOVIL	–	–	–	–	2	–
SOUTHAMPTON ..	–	39	42	–	6	M. 5 N. 5
†BOURNEMOUTH C.B	–	1	–	–	–	–
†PORTSMOUTH C.B	–	17	27	–	–	M. 1
†SOUTHAMPTON C.B.	–	5	10	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	4	–	–	–	–
ANDOVER... ...	–	–	–	–	1	N. 2
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	2	–		–	–
†GOSPORT	–	1	1	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYMINGTON ...	–	1	–	–	–	–
ROMSEY	–	1	–	–	–	M. 1
WARBLINGTON ...	–	–	1	–	–	–
†WINCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
ALRESFORD ...	–	3	–	–	–	–
ANDOVER... ...	–	–	–		–	N. 1
BASINGSTOKE ...	–	–	–	–	–	M. 1
CATHERINGTON ...			1	–	–	–
FAREHAM ...	–	–	–	–	1	–
HARTLEY WINTNEY	–	1	1	–	–	–
HAVANT	–	–	1	–	–	–
NEW FOREST ...	–	2		–	–	M. 1
STAFFORD	–	60	45	1	52	C. 2 D. 1 E. 1 G. 3 M. 11 N. 5
†BURTON UPON TRENT C.B.	–	3	1	–	9	–
†SMETHWICK C.B.	–	1	2	–	–	–
†STOKE ON TRENT C.B.	–	11	7	1	14	G. 1 M. 5
†WALSALL C.B. ...	–	7	15	–	4	G. 1 N. 1
†WEST BROMWICH C.B	–	1	2	–	3	M. 1 N. 1
†WOLVERHAMPTON C.B.	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
†AUDLEY		–	–	–	2	–
BIDDULPH ..	–	–	1	–	–	–
†BILSTON	–	1	–	–	–	C. 1
†BRIERLEY HILL...	–	1	3	–	–	–
†BROWNHILLS ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	–	6	1	–	1	–
†COSELEY	–	–	1	–	–	
†DARLASTON ...	–	3	–	–	1	M. 1
KIDSGROVE ...		1	–	–	2	–
QUARRY BANK	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	2	–	3	–
RUGELEY... ...	–	–	–	–	2	–
†STAFFORD ...	–	–	–	–	–	N. 1
STONE	–	–	–	–	1	–
TAMWORTH ...		1	2	–	–	–
†TIPTON	–	–	–	–	3	–
†WEDNESBURY ...	–	3	1	–	1	M. 2
WEDNESFIELD ...	–	–	–	–	–	M. 1
†WILLENHALL ...	–	4	–	–	1	–
†WOLSTANTON UNITED	–	2	–	–	2	N. 1
Rural Districts:—						
CANNOCK	–	2	4	–	–	G. 1 N. 1
CHEADLE... ...	–	1	–	–	1	C. 1
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	–	–	–	D. 1
NEWCASTLE UNDER LYME	–	1	–	–	–	–
SEISDON	*	*	*	*	*	*
STAFFORD ...	–	–	–	–	–	E. 1
STONE	–	3	–	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	8	6	–	3	N. 1
Boroughs and Urban Districts:—						
BUNGAY	–	1	–	–	–	–
LEISTON CUM SIZEWELL	–	–		–	1	–
†LOWESTOFT ...	–	2	2	–	1	N. 1
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	–	1	–	–	–
MUTFORD AND LOTHINGLAND	–	2	–	–	–	–
PLOMESGATE ...	–	–	1	–	–	–
SAMFORD... ...	–	1	2	–	1	–
SUFFOLK, WEST ...	–	8	–	–	–	G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	–	5	–	–	–	–
Rural Districts:—						
CLARE	–	–	–	–	–	G. 1
THINGOE	–	2	–	–	–	–
SURREY	–	47	23	3	11	C. 1 E. 4 G. 3 M. 3 N. 5
†CROYDON C.B. ...	–	23	14	–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	–
†CARSHALTON ...	–	–	2	–	–	–
†CHERTSEY ...	–	1	–	–	3	–
†COULSDON AND PURLEY	–	3	–	–	–	–
†EPSOM	–	–	–	1	1	G. 1
†ESHER AND THE DITTONS	–	–	–	–	–	E. 1
FARNHAM ...	–	2	–	–	1	–
†FRIMLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	1	–	–	1	–
†MITCHAM... ...	–	4	2	–	–	M. 2
†REIGATE	–	3	–	2	–	N. 1
†RICHMOND ...	–	–	–	–	–	C. 1
†SURBITON ...	–	1	1	–	–	–
†SUTTON	–	1	1	–	2	E. 1
†THE MALDENS AND COOMBE	–	–	–	–	–	E. 1
†WIMBLEDON ...	–	3	–	–	–	E. 1 M. 1
†WOKING	–	–	–	–	–	N. 1
Rural Districts:—						
EPSOM	–	2	2	–	2	–
FARNHAM ...	–	–	–	–	–	G. 1
GODSTONE ...	–	–	–	–	–	N. 1
GUILDFORD ...	–	1	–	–	–	N. 1
SUSSEX, EAST ...	–	30	8	–	12	E. 1 M. 1 N. 2
†BRIGHTON C.B. ...	–	3	6	–	9	E. 1 M. 1 N. 2
†EASTBOURNE C.B.	–	8	–	–	1	–
†HASTINGS C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	2	1	–		–
†LEWES	–	2	–	–	–	–
PORTSLADE BY SEA	–	–	–	–	2	–
Rural Districts:—						
CHAILEY	–	4	–	–	–	–
EASTBOURNE ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
HAILSHAM ...	–	1	–	–	–	–
HASTINGS ...	–	1	–	–	–	–
NEWHAVEN ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	5	3	1	–	N. 2
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	–	–
†HORSHAM ...	–	–	2	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	3	–	1	–	N. 1
Rural Districts:—						
HORSHAM ...	–	–	–	–	–	N. 1
STEYNING WEST...	–	1	–	–	–	–
WARWICK	–	65	45	1	44	C. 2 D. 1 E. 5 G. 3 M. 15 N. 4
†BIRMINGHAM C.B.	–	41	40	1	36	C. 1 D. 1 E. 3 G. 2 M. 15
†COVENTRY C.B. ...	–	3	–	–	1	C. 1 E. 1 N. 2
Boroughs and Urban Districts:—						
†NUNEATON ...	–	5	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	–	–	2	–
†RUGBY	–	1	–	–	1	–
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	3	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	–	–	–	N. 1
FOLESHILL ...	–	8	–	–	–	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	–	–	–	–	E. 1 G. 1
SOLIHULL ...	–	1	–	–	–	N. 1
TAMWORTH (part)	–	2	2	–	2	–
WARWICK ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	7	–	1	1	–
Boroughs and Urban Districts:—						
APPLEBY	–	2	–	–	–	–
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	4	–	1	–	–
WIGHT, ISLE OF ...	–	1	–	–	2	N. 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
ST. HELENS ..	–	–	–	–	–	N. 1
Rural Districts:—						
ISLE OF WIGHT	–	–	–	–	2	–
WILTS	–	12	6	–	4	E. 1 F. 2 G. 1 M. 2
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	–	–	1	–
CHIPPENHAM ...	–	–	1	–	–	–
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	9	–	–	–	–
†SALISBURY ...	–	–	–	–	–	F. 2
†SWINDON... ...	–	–	2	–	3	–
Rural Districts:—						
CALNE	–	1	–	–	–	–
DEVIZES	–	–	–	–	–	G. 1
HIGHWORTH ...	–	1	2	–	–	M. 1
PEWSEY	–	–	–	–	–	M. 1
TISBURY	–	–	–	–	–	E. 1
WILTON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	12	–	–	9	C. 1 E. 2 G. 1 N. 4
†DUDLEY C.B. ...	–	2	–	–	1	–
†WORCESTER C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†HALESOWEN ...	–	–	–	–	3	–
†KIDDERMINSTER	–	–	–	–	2	C. 1 N. 1
†LYE AND WOLLESCOTE	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	
†OLDBURY... ...	–	–	1	–	–	N. 1
†REDDITCH ...	–	–	–	–	–	N. 1
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	G. 1
FECKENHAM ...	–	–	–	–	–	E. 1
KIDDERMINSTER	–	1	–	–		–
MARTLEY... ...	–	1	–	–	–	–
PERSHORE ...	–	–	–	–	–	E. 1
SHIPSTON ON STOUR	–	–	–	–	–	N. 1
TEWKESBURY (part)	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	24	24	–	3	G. 2 M. 1 N. 2
†KINGSTON UPON HULL C.B.	–	19	16	–	2	G. 2 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HESSLE	–	2	–	–	–	N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	–	–	–	N. 1
POCKLINGTON ...	–	–	3	–	–	–
RICCALL	–	–	3	–	–	–
YORKS ... ... (North Riding.)	2	25	10	1	3	D. 1 E. 1
†MIDDLESBROUGH C.B.	2	14	4	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
LOFTUS	–	1	–	–	–	–
NORTHALLERTON	–	–	–	1	–	–
†REDCAR	–	1	–	–	–	–
†SCARBOROUGH ...	–	2	2	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	–	1	–	–	–
†WHITBY	–	–	–	–	–	D. 1
Rural Districts:—						
FLAXTON ...	–	–	1	–	–	–
STARTFORTH ...	–	1	–	–	–	–
STOKESLEY ...	–	–	2	–	–	–
WHITBY	–	–	–	–	1	E. 1
YORKS ... ... (West Riding.)	46	182	68	13	127	C. 5 E. 3 G. 9 M. 17 N. 6
†BARNSLEY C.B. ...	–	3	2	–	1	–
†BRADFORD C.B. ...	–	15	6	–	10	M. 1
†DEWSBURY C.B....		1	–	–	–	C. 1
†HALIFAX C.B. ...	–	4	1	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†HUDDERSFIELD C.B.	–	11	2	–	2	–
†LEEDS C.B. ...	–	19	6	2	27	M. 4
†ROTHERHAM C.B.	2	5	–	–	5	M. 1
†SHEFFIELD C.B....	14	43	30	2	37	C. 2 G. 2 M. 2 N. 1
†WAKEFIELD C.B.	–	1	2	1	1	C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	4	1	–	–	–
ALTOFTS	–	–	–	–	1	–
†BARNOLDSWICK ...	–	–	1	–	–	–
†BATLEY	–	3	1	–	–	–
†BINGLEY	–	–	1	–	2	–
†BOLTON UPON DEARNE	–	1	–	–	–	G. 1
†CASTLEFORD ...	–	1	–	–	1	–
†CONISBROUGH ...	–	–	–	4	1	E. 1 M. 1
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	–	–	1	–	–
DENHOLME ...	–	1	–	–	–	–
†DONCASTER ...	3	1	–	1	1	M. 1
†ELLAND	–	1		–	–	–
GILDERSOME ...	–	–	–		1	–
†GOLCAR	–	1	–	–	2	–
†GOOLE	–	3	–	–	–	M. 1
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	4	1	–	2	E. 2
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	–	–		1	–
†HEMSWORTH ...	–	–	1	–	–	N. 1
†HOLMFIRTH ...	–	1	–	–	2	–
†HOYLAND NETHER	–	2	–	–	2	–
HUNSWORTH ...	–	1	–	–	–	–
ILKLEY	–	2	–	–	–	–
†KEIGHLEY ...	–	1	1	–	2	–
KIRKBURTON ...	*	*	*	*	*	*
KNARESBOROUGH	–	1	–	–	2	G. 2
KNOTTINGLEY ...	–	–		1	–	C. 1
MALTBY	*	*	*	*	*	*
†MEXBOROUGH ...	16	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORLEY	–	–	–	–	1	N. 1
MYTHOLMROYD ...	–	–	–	–	1	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ..	–	–	–	–	3	–
OTLEY	–	–	–		2	–
OXENHOPE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	–	1	–	–	–
†PUDSEY	–	–	–	1	–	–
†RAWMARSH ...	–	1	1	–	–	M. 1
SELBY	–	1	–	–	–	–
†SHIPLEY	–	3	–	–	–	–
SILSDEN	1	2	–	–	–	–
†SKIPTON	1	2	–	–	–	N. 1
†SOWERBY ...	–	–	1	–		–
†SPENBOROUGH ...	–	1	1	–	1	–
SPRINGHEAD ...	–	–	–	–	–	G. 1
STAINLAND ...	–	–	–	–	1	–
†STANLEY	–	1	–	–	3	–
STOCKSBRIDGE ...	–	2	–	–	1	–
†SWINTON... ...	3	2	–	–	–	–
THURNSCOE ...	1	–	–	–	–	–
TICKHILL ...	–		–	–	1	–
†TODMORDEN ...	3	1	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	1	1		–	–
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts:—						
BOWLAND ...	–	–	–	–	–	M. 1
DONCASTER ..	–	–	1	–	1	M. 1
GREAT OUSEBURN	–	–	1		–	–
HEMSWORTH ...	–	2	1	–	1	M. 1
KEIGHLEY ...	2	–	–	–	–	–
KIVETON PARK ...		2	–	–	1	–
ROTHERHAM ..	–	3	–	–	2	M. 1 N. 1
SELBY	–	1	–	–	–	–
SETTLE	–	1	3	–	–	–
TADCASTER ...	–	8	1	–	–	–
THORNE		2	–	–	–	–
WAKEFIELD ...	–	6	–	–	1	N. 1
WETHERBY ...	–	–	–	–	1	–
WORTLEY ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
§YORK, CITY OF ..	–	2	3	–	1	–
†YORK C.B. ...	–	2	3	–	1	–
WALES.						
ANGLESEY	–	14	14	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	10	4	–	–	–
LLANGEFNI ...	–	–	6	–	–	–
Rural Districts:—						
VALLEY	–	4	4	–	–	–
BRECKNOCK ..	–	4	–	–	–	–
Boroughs and Urban Districts:—						
BRYNMAWR ...	–	1	–	–	–	–
Rural Districts:—						
VAYNOR AND PENDERYN	–	2	–	–	–	–
YSTRADGYNLAIS	–	1	–	–	–	–
CAERNARVON ...	–	3	1	–	–	G. 2
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	1	–	–	–	–
LLANFAIRFECHAN	–	2	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	–	1	–	–	–
LLEYN	–	–	–	–	–	G. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	4	6	–	1	D. 1 N. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	–	N. 1
Rural Districts:—						
CARMARTHEN ...	–	4	–	–	–	–
LLANDILO FAWR	–	–	1	–	–	D. 1
LLANELLY ...	–	–	1	–	1	–
LLANYBYTHER ...	–	–	3	–	–	–
WHITLAND ...	–	–	1	–	–	–
DENBIGH	–	2	2	–	1	F. 1 G. 2
Boroughs and Urban Districts:—						
†COLWYN BAY ...	–	–	–	–	–	F. 1 G. 2
Rural Districts:—						
LLANSILIN ...	*	*	*	*	*	*
RUTHIN	–	1	1	–	–	–
WREXHAM ...	–	1	1	–	1	–
FLINT	–	4	5	–	2	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	1	1	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	2	3	–	1	–
ST. ASAPH (FLINT)	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	52	56	–	25	C. 1 E. 3 F. 1 G. 2 M. 3 N. 6
†CARDIFF C.B. ..	–	4	5	–	4	E. 1
†MERTHYR TYDFIL C.B.	–	–	3	–	3	E. 1 F. 1
†SWANSEA C.B. ...	–	7	6	–	–	N. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	–	G. 1
†BARRY	–	3	7	–	3	N. 1
†CAERPHILLY ...	–	2	3	–	2	–
†GELLIGAER ...	–	2	3	–	3	N. 1
†GLYNCORWG ...	–	–	–	–	–	M. 1
†MAESTEG ...	–	5	1	–	–	–
†MOUNTAIN ASH ...	–	–	1	–	–	N. 1
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	4	2	–	1	G. 1 N. 1
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	1	–	–	2	C. 1
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	2	3	–	–	–
†RHONDDA ...	–	9	5	–	4	M. 1
Rural Districts:—						
CARDIFF	–	–	2	–	–	–
COWBRIDGE ...	–	1	–	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	1	6	–	1	–
NEATH	–	–	2	–	–	E 1 M. 1 N. 1
PENYBONT ...	–	–	1	–	1	–
PONTARDAWE ...	–	4	1	–	–	–
SWANSEA... ...	–	3	1	–	–	–
MERIONETH ...	–	1	3	–	–	–
Urban Districts:—						
BALA	*	*	*	*	*	*
MALLWYD ...	–	–	3	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
PENLLYN	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	12	4	–	1	M. 1 N. 1
†NEWPORT C.B. ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	–	–	–	N. 1
†BEDWELLTY ...	–	–	3	–	–	–
†BLAENAVON ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	–	M. 1
†RHYMNEY ...	*	*	*	*	*	*
†TREDEGAR ...	–	3	1	–	–	–
USK	*	*	*	*	*	*
Rural Districts:—						
PONTYPOOL ...	*	*	*	*	*	*
ST. MELLONS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ..	–	–	1	–	3	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	1	–
MACHYNLLETH ...	–	–	–	–	2	–
PEMBROKE	–	4	1	–	1	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST.	–	4	–	–	–	–
Total of Part II. ...	313	1722	900	41	871	C. 4 D. 6 E. 4 F. 6 G. 5 L. 5 M. 13 N. 11

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HARTLEPOOL	*	*	*	*	*	*
LIVERPOOL	–	–		1	–	–

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PLYMOUTH	–	–	–	–	1	
PORT OF LONDON ...	–	–	–	–	1	L
Total of Part III.	–	–	–	1	2	L

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexi

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	-	263	285	9	158	C. 7 D. 3 E. 10 G. 7 J. 1 M. 21 N. 23
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	313	1722	900	41	871	C. 42 D. 6 E. 45 F. 6 G. 54 L. 5 M. 133 N. 117
Total of Part III.—Port Sanitary Districts	-	-	-	1	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	313	1985	1185	51	1031	C. 49 D. 9 E. 55 F. 6 G. 61 J. 1 L. 6 M. 154 N. 140

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	No 2
LONDON :—													
DEATHS—all ages	791	766	810	819	848	912	895	1,014	1,124	1,209	1,108	1,048	9
" 0 to 1 year ..	85	81	105	117	120	97	102	90	113	94	86	83	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,358	6,523	6,830	6,426	6,560	6,574	6,240	6,509	6,389	6,891	6,672	6,505	6,
DEATHS—all ages	3,409	3,393	3,449	3,507	3,731	3,916	3,793	4,137	4,697	4,817	4,665	4,527	4,
" 0 to 1 year ..	452	445	516	477	566	532	505	488	514	503	488	499	
ENTERIC FEVER—Cases	28	29	24	33	36	24	30	28	17	17	27	25	
" Deaths	3	4	5	3	2	5	1	1	1	1	3	1	
SMALL POX—Cases ..	16	10	19	39	32	35	40	32	30	31	30	20	
" Deaths ..	—	—	—	—	2	1	—	—	—	—	—	—	
SCARLET FEVER—Cases	750	773	837	963	968	1,074	1,055	1,106	1,151	1,076	1,106	1,201	1,
" Deaths	6	3	2	3	3	3	2	5	3	8	5	3	
DIPHTHERIA—Cases ..	526	600	674	732	722	827	833	817	848	777	788	775	
" Deaths ..	30	20	24	29	36	36	39	40	43	40	33	32	
MEASLES—Deaths ..	6	10	1	1	5	8	9	6	7	11	17	6	
INFLUENZA—Deaths ..	19	12	19	23	32	36	38	54	71	88	100	78	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 27th November, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	54	31	45·9	36·6	10
BRIGHTON ..	Not received.				
PORTSMOUTH ..	53	33	48·8	39·1	15
NORWICH (EATON).	49	31	44·7	35·9	13
PLYMOUTH ..	52	32	50·0	40·1	39
BRISTOL (CLIFTON).	49	32	45·4	37·3	17
BIRMINGHAM (EDGBASTON).	50	32	46·1	37 0	4
NOTTINGHAM ..	48	27	45·1	33·4	4
BIRKENHEAD (BIDSTON).	47	35	43·3	38·0	17
MANCHESTER (WHITWORTH PARK).	47	29	41·6	34·4	4
BURNLEY	47	27	43·9	32·6	4

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°	
HUDDERSFIELD	47	26	43·3	33·3	2
BRADFORD ..	46	28	43·3	34·0	2
SHEFFIELD ..	51	33	46·6	37·9	1
YORK (MUSEUM)	47	29	43·7	35·4	4
HULL (PEARSON PARK).	48	31	45·6	35·9	9
TYNEMOUTH ..	49	33	45·6	38·7	15
CARDIFF.. ..	51	28	47·0	35·9	27
EDINBURGH ..	46·0	34·0	44·4	37·9	5
GLASGOW ..	46·8	29·0	44·5	35·4	15
DUBLIN (PHŒNIX PARK).	43·0	28·0	46·1	33·4	8
(FITZWILLIAM SQUARE†).	48·8	34·2	46·5	38·3	7
BELFAST.. ..	49·0	31·0	46·7	34·6	6

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th November, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	21	..	28·823	54·0	39·0	15·0	46·1	+ 4·0	40·7	5·4	13·0	2·3	81	88·4	29·2	50·0	S: SSW.	SSW	5·2	0·0	0·5	399	+ 103	0·09
MONDAY -	22	..	29·148	50·2	44·1	6·1	47·0	+ 4·9	44·6	2·4	5·5	0·0	91	59·0	35·2	49·6	SSW	SW: Calm: NNW.	4·1	0·0	0·2	262	- 38	0·07
TUESDAY -	23	Greatest Declination N.	29·548	44·7	37·3	7·4	40·7	- 1·3	39·4	1·3	3·7	0·8	95	54·4	29·3	49·6	NNW: Calm: WSW.	SW: WSW.	0·1	0·0	0·0	164	- 140	0·00
WEDNESDAY	24	..	29·897	42·8	33·0	9·8	38·7	- 3·3	38·0	0·7	2·9	0·[illegible]	97	42·9	26·5	49·6	Calm	Calm	0·0	0·0	0·0	104	- 204	0·00
THURSDAY -	25	..	30·065	40·6	30·7	9·9	35·7	- 6·2	35·7	0·0	2·2	0·0	100	42·0	24·3	49·3	Calm	Calm	0·0	0·0	0·0	47	- 266	0·00
FRIDAY -	26	..	29·885	46·0	32·7	13·3	40·6	- 1·2	38·4	2·2	7·3	0·7	92	53·8	25·8	49·3	S	WSW: Calm.	1·4	0·0	0·1	193	- 124	0·23
SATURDAY -	27	Last Quarter.	29·879	41·1	30·6	10·5	36·8	- 4·9	36·8	0·0	2·5	0·0	100	55·5	26·0	49·0	Calm	Calm	0·1	0·0	0·0	112	- 206	0·00
MEANS -		..	29·606	45·6	35·3	10·3	40·8	- 1·1	39·1	1·7	5·3	0·6	94	56·6	28·0	49·5	SW		..	..	..	Sum 1281	Sum - 875	Sum 0·39
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	21	wP till 11½h.; v. till 15h.; wP till 19h.; then v. and wP.	4·4	8·5	Little cloud till 11h.; very cloudy 12h. till 14½h.; then variably cloudy. Frequent showers 12h. till 14½h., and shower 23h. 10m. Partial solar halo, 46° radius, 15h. till 15h. 20m.
MONDAY ..	22	wP till 3h.; loss of register till 11½h.; then wP.	0·1	8·5	Variably cloudy till noon; then overcast generally. Shower 1h. and 11h. Mist from 15h.
TUESDAY ..	23	wP.	0·0	8·5	Overcast till 12h., little cloud 13h. till 15h., overcast by 17h. Mist till 3h., and mist or fog 7h. till 23h.
WEDNESDAY	24	wP.	0·0	8·4	Overcast till 9h., very cloudy till 15h., then overcast. Mist 7h. till 15h., fog from 15¾h. Heavy dew and slight hoar frost at night.
THURSDAY	25	wP till 4h.; mP till 23h.; then wP.	0·0	8·4	Foggy till 19½h., then overcast and misty; Mist clearing at 23h. Dew in morning.
FRIDAY ..	26	wP till 14h.; mP till 17h.; v. till 18½h.; sN till 19½h.; then wP.	0·2	8·3	Overcast generally till 14h., then variably cloudy. Rain 4h. till 5h., 8¾h. till 11h., and 17½h. till 18¼h. Mist 11h. till 20½h., then fog.
SATURDAY	27	wP.	0·0	8·3	Overcast generally till 14¾h., variably cloudy till 22h., then little cloud. Fog till 9h., mist till 19h., then fog. Dew in morning and at night.
		—	Sum 4·7	Sum 58·9	
No. of Col.			27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Office, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·64 ins. at the beginning of the week to 30·39 ins. by 9h. on November 25th; decreased and was 29·80 ins. by midnight on November 27th.

FOR OFFICIAL USE

1926. No. 48

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 4TH DECEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1. St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH DECEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-eighth week of the year numbered 6,515 and corresponded to an annual rate of 17·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,497 and corresponded to an annual rate of 12·1 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·5, 12·1 and 11·2. Infant mortality was 80 per 1,000 births against 73, 77 and 76 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,543 births, corresponding to a rate of 17·4 per 1,000, and 1,043 deaths of civilians, corresponding to an annual rate of 11·8, against 12·6 11·9 and 10·8, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 11·8 per 1,000. The infant mortality was 70 as against 60, 55 and 67 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,193 to 4,497. In London the number of deaths from all causes increased from 950 to 1,043; the deaths from diphtheria which had been 6, 10 and 16 in the preceding three weeks were again 16 last week; and the deaths from influenza which had been 26, 19 and 8 in the preceding three weeks, rose to 14 last week.

Table 1.—105 COUNTY BOROUGHS and GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH and IRISH TOWNS. } { BIRTHS and DEATHS registered in the week ended 4th December, 1926.

TOWNS.	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11
105 GREAT TOWNS ..	19,439,910*	6,515	4,497	518	3	18	7	18	39	58	6
LONDON	4,602,000*	1,543	1,043	108	1	-	2	4	16	19	1
TOWNS IN OUTER RING.											
CROYDON C.B ..	199,300	60	37	3	-	-	-	-	-	-	-
WIMBLEDON ..	58,170	14	12	-	-	-	-	-	-	-	-
EALING†	91,000	21	12	-	-	-	-	-	-	-	-
ACTON	63,110	19	10	-	-	-	-	-	-	-	-
WILLESDEN ..	168,900	33	18	2	-	-	-	-	-	-	-
HENDON	59,150*	16	6	-	-	-	-	-	-	-	-
HORNSEY	87,210	21	26	1	-	-	-	-	-	-	-
WOOD GREEN ..	51,960	13	9	-	-	-	-	-	-	-	-
TOTTENHAM ..	153,600	34	24	2	-	-	-	-	1	-	-
EDMONTON ..	71,210	33	22	2	-	-	-	-	-	-	-
ENFIELD	63,740	14	14	3	-	-	-	-	-	-	-
WEST HAM C.B. ..	318,500	132	56	14	1	-	-	-	-	-	-
EAST HAM C.B. ..	147,200	35	35	4	-	-	-	-	-	-	-
LEYTON	132,700	39	22	3	-	-	-	-	-	-	-
WALTHAMSTOW ..	130,800	53	30	1	-	-	-	-	-	-	-
ILFORD	93,590	31	21	5	-	-	-	-	-	1	-
GILLINGHAM	48,680*	18	8	1	-	-	-	-	1	1	-
CANTERBURY C.B ..	23,270*	9	5	-	-	-	-	-	1	-	-
HASTINGS C.B.	60,470	25	11	-	-	-	-	-	-	-	-
EASTBOURNE C.B. ..	56,060	13	12	2	-	-	-	-	-	-	-
BRIGHTON C.B. ..	137,800*	44	33	1	-	-	-	-	-	-	-
PORTSMOUTH C.B. ..	232,900*	76	41	6	-	-	-	-	1	2	-
BOURNEMOUTH C.B. ..	85,840	22	21	1	-	-	1	-	-	-	-
SOUTHAMPTON C.B. ..	168,600	37	35	5	-	3	-	-	-	-	-
READING C.B.	93,670*	28	28	-	-	-	-	-	1	-	-
OXFORD C.B.	57,090	26	10	-	-	-	-	-	-	-	-
NORTHAMPTON C.B. ..	93,780*	20	20	1	-	-	-	-	-	-	-
LUTON	59,230	17	12	-	-	-	-	-	-	-	-
CAMBRIDGE	59,020	14	8	-	-	-	-	-	-	-	-
SOUTHEND-ON-SEA C.B.	98,060	30	20	2	-	-	-	-	-	1	-
IPSWICH C.B.	83,120*	34	15	-	-	-	-	-	-	-	-
GREAT YARMOUTH C.B.	57,890	26	9	1	-	-	-	-	-	-	-
NORWICH C.B. ..	124,000*	29	31	-	-	-	-	-	-	-	-
SWINDON	56,880	15	11	2	-	-	-	-	-	1	-
EXETER C.B.	59,820*	17	18	3	-	-	-	-	-	1	-
PLYMOUTH C.B. ..	192,100*	52	45	7	-	-	-	-	1	-	-
BATH C.B.	69,050	10	19	2	-	-	-	-	-	-	-
BRISTOL C.B.	385,700*	128	81	9	-	-	-	-	-	1	-
GLOUCESTER C.B. ..	53,060	19	18	3	-	-	-	-	-	-	-
STOKE-ON-TRENT C.B.	278,900	104	54	7	-	-	-	2	-	-	-
BURTON-UPON-TRENT C.B.	49,530	8	10	1	-	-	-	-	-	-	-
WOLVERHAMPTON C.B.	108,800	43	19	3	-	-	-	-	-	-	-
WALSALL C.B.	102,300	48	23	3	-	-	-	-	-	-	-
WEST BROMWICH C.B	79,490	44	19	6	-	-	-	-	-	1	-
DUDLEY C.B.	58,810	30	11	1	-	-	-	-	-	-	-
WORCESTER C.B. ..	50,230	14	17	1	-	-	-	-	-	1	-
BIRMINGHAM C.B. ..	945,900	331	225	28	-	3	-	4	2	3	-
SMETHWICK C.B. ..	78,840	17	9	-	-	-	-	-	-	-	-
COVENTRY C.B. ..	129,100	36	33	2	-	-	-	-	-	-	-
LEICESTER C.B. ..	242,100	96	53	4	-	-	-	-	-	1	-
LINCOLN C.B.	66,600*	28	21	1	-	-	-	-	-	-	-
GRIMSBY C.B.	87,190	29	26	3	-	1	-	-	-	-	-
NOTTINGHAM C.B. ..	270,600	94	63	9	-	-	1	-	2	1	-
DERBY C.B.	134,400*	45	45	7	-	-	-	-	-	1	-
CHESTERFIELD ..	65,800	20	17	3	-	-	-	-	-	1	-
STOCKPORT C.B. ..	125,900	41	30	1	-	-	-	1	-	-	-
CHESTER C.B.	41,670	12	9	4	-	-	-	1	-	-	-
BIRKENHEAD C.B. ..	155,500	58	37	7	-	-	-	-	-	-	-
WALLASEY C.B. ..	91,720	21	24	3	-	-	-	1	1	-	-
LIVERPOOL C.B. ..	856,000	406	261	43	-	6	-	1	3	6	6
BOOTLE C.B.	83,260	28	21	3	-	-	-	1	-	-	-
ST. HELENS C.B. ..	109,600	51	26	4	-	-	-	-	-	1	-

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	74,260	21	16	1	-	-	-	-	-	-	-
Wigan C.B.	91,010	30	25	-	-	-	-	-	-	-	1
Warrington C.B. ..	77,970*	32	21	5	-	-	-	-	-	1	-
Bolton C.B.	180,400	39	50	2	-	-	-	-	1	-	-
Bury C.B.	56,700*	11	10	2	-	-	-	-	-	1	-
Manchester C.B. ..	755,800	231	230	23	-	-	-	-	-	7	5
Salford C.B.	244,700	74	52	10	-	-	-	-	-	1	-
Oldham C.B	146,200	43	42	1	-	-	-	-	1	-	2
Rochdale C.B... ..	92,190	23	28	1	-	-	-	-	-	-	2
Burnley C.B.	102,300	25	32	5	-	-	-	-	-	-	-
Blackburn C.B. ..	126,900	35	27	3	-	-	-	-	-	-	1
Preston C.B.	122,900	30	26	1	-	-	-	-	-	-	-
Blackpool C.B. ..	80,750	28	26	3	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	28	16	2	-	-	-	-	1	-	-
Huddersfield C.B. ..	112,100	27	28	1	-	-	-	-	-	-	-
Halifax C.B.	97,860*	25	29	1	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	95	78	4	-	-	-	-	1	-	1
Leeds C.B.	472,900	159	109	12	-	2	-	-	1	-	4
Dewsbury C.B ..	54,570	19	15	3	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	22	8	2	-	-	-	-	-	1	-
Barnsley C.B. ..	71,170	32	15	4	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	163	93	13	-	-	2	1	1	2	2
Rotherham C.B. ..	70,600	22	17	3	-	-	-	-	-	-	-
Doncaster	55,610	18	13	2	-	-	-	-	-	-	-
York C.B.	84,630*	19	15	1	-	-	-	-	-	-	-
Hull C.B.	297,300	108	93	10	-	1	1	-	1	1	-
Middlesbrough C.B.	136,200	50	35	7	-	-	-	-	-	-	1
Darlington C.B. ..	69,130	25	17	4	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	39	9	2	-	-	-	-	-	-	-
West Hartlepool C.B.	71,590	33	13	2	-	-	-	1	-	-	-
Sunderland C.B. ..	166,000	74	40	8	-	-	-	-	-	-	-
South Shields C.B. ..	124,600	41	26	2	-	-	-	-	-	-	-
Gateshead C.B. ..	129,000	37	45	7	-	-	-	-	-	2	3
Newcastle-on-Tyne C.B.	286,300*	133	61	15	-	1	-	1	1	1	1
Tynemouth C.B. ..	66,180	22	9	-	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	14	15	-	-	-	-	-	1	-	-
Newport (Mon.) C.B.	96,420*	24	18	2	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	78	51	8	1	1	-	-	-	-	1
Rhondda	167,570	49	23	1	-	-	-	-	-	-	-
Merthyr Tydfil C.B.	82,920	33	17	1	-	-	-	-	-	-	-
Aberdare	57,700	24	15	2	-	-	-	-	-	-	1
Swansea C.B.	163,200	56	28	4	-	-	-	-	-	-	-
Greater London ..	7,742,212*	2,501	1,638	169	4	-	2	6	17	23	27
Outer Ring	3,140,212*	958	595	61	3	-	-	2	1	4	13
16 Great Towns in Outer Ring	1,890,140*	568	354	40	1	-	-	-	1	1	9
Remainder of Outer Ring	1,250,072*	390	241	21	2	-	-	2	-	3	4
Edinburgh†	424,600	153	110	11	-	1	1	1	-	-	3
Glasgow† ..	1,052,200	443	323	54	-	-	2	2	8	4	4
Dublin (Registration Area)†	419,156§	240	129	21	-	1	-	2	3	3	2
Belfast†	416,000	200	121	19	-	-	2	1	1	1	6

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
LONDON‡	4,602,000	1926. Dec. 4	1543	1043	11·8	1	–	–	2	4	16	19
CALCUTTA AND SUBURBS	1,077,273	Oct. 23	?	812‖	39·2	?	2	?	?	?	?	?
		„ 30	?	875	42·4	?	4	?	?	?	?	?
BOMBAY§	1,279,061	Nov. 6	472	592	24·0	3	3	1	–	–	–	21
		„ 13	436	636	25·9	2	2	–	–	–	–	30
MADRAS	528,791	„ 6	412	378	37·2	2	–	–	–	1	–	21
SYDNEY AND SUBURBS	1,038,950	Oct. 31 (31 days)										
BRISBANE (Metropolitan Area).	263,711	Oct. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Oct. 23										
AUCKLAND (Urban Area).	192,176	Oct. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Oct. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Oct. 31 (31 days)										
CAPE TOWN	113,709	Nov. 6	47	20	9·1	–	–	–	–	–	–	–
JOHANNESBURG	165,958	„ 6	69	38	11·9	1	–	–	–	–	–	2
DURBAN	54,822	„ 6	17	14	13·3	–	–	–	–	–	–	–
PARIS	2,906,472	„ 20 (10 days)	1205	1220	15·3	12	1	5	2	2	5	24
ANTWERP	300,193	Nov. 6	96	59	10·3	–	–	–	–	–	–	3
AMSTERDAM	722,085	„ 13	245	131	9·4	1	–	1	–	–	–	2
		„ 20	258	105	7·6	–	–	–	–	1	1	–
COPENHAGEN	587,400	„ 13	189	106	9·5	–	–	–	–	1	1	1
		„ 20	180	143	12·5	–	–	–	–	2	1	–
STOCKHOLM	442,528	„ 13	95	102	12·0	–	–	–	–	–	2	–
		„ 20	102	94	11·0	–	–	–	–	–	–	1
GOTHENBURG	230,963	„ 6	?	39	8·8	–	–	–	–	–	–	–
		„ 13	?	40	9·0	–	–	–	–	–		–
OSLO (CHRISTIANIA) ..	255,724	„ 20	55	56	11·4	1	–	–	–	–	–	–
		„ 27	48	50	10·2	–	–	1	–	–	–	–
BERLIN	1,996,000	„ 13	370	448	11·7	–	?	–	1	3	7	2
BRESLAU	561,000	„ 13	134	128	11·9	–	?	–	1	–	1	2
COLOGNE	710,000	„ 13	240	149	10·9	1	?	–	–	2	1	3
DRESDEN	622,000	„ 13	120	111	9·3	–	?	–	–	–	–	–
FRANKFORT-ON-MAIN ..	471,000	„ 13	97	75	8·3	–	?	–	–	1	–	2
HAMBURG	1,104,000	„ 13	193	207	9·7	1	?	1	1	–	–	1
LEIPZIG	685,000	„ 13	181	141	10·7	–	?	–	–	–	–	2
MUNICH	685,000	„ 13	158	166	12·6	–	?	1	–	–	–	4
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	July 31 (31 days)										
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	Nov. 13	?	266	13·7	7	–	–	18	–	4	7
		„ 20	?	243	12·5	3	1	–	12	2	3	11
CAIRO	859,400	June 24	631	791	48·0	10	1	12	–	?	4	179
		July 1	1008	737	44·7	12	2	15	–	?	1	191
ALEXANDRIA	492,100	June 24	282	292	30·9	–	1	1	–	?	–	65
		July 1	490	282	29·9	2	–	–	–	?	–	64
NEW YORK	5,924,139	Sept. 18										
CHICAGO	2,995,239	Nov. 12	980	595	10·2	–	?	1	2	–	4	8

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 15 and 11 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th December, 1926, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1043	108	25	16	25	27	48	60	126	177	189	242
Enteric fever	1	-	-	-	-	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria	16	2	2	5	6	1	-	-	-	-	-	-
Influenza	14	1	1	-	-	-	-	2	4	3	-	3
Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	-	-	-	-	-	1	1	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	86	-	-	-	1	11	23	20	18	11	2	-
Nervous system	3	-	1	1	1	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	-	-	1	-
Other forms	1	1	-	-	-	-	-	-	-	-	-	-
Venereal diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	118	-	-	-	-	-	2	3	23	42	31	17
Rheumatic fever	3	-	-	-	2	1	-	-	-	-	-	-
Diabetes	6	-	-	-	1	-	-	-	1	1	1	2
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	-	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	59	-	-	-	-	-	-	1	4	13	22	19
Epilepsy	2	-	-	-	-	-	2	-	-	-	-	-
"Convulsions" (not puerperal) ..	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	16	-	-	1	1	1	3	1	4	4	1	-
Pericarditis	1	-	-	-	-	-	-	-	-	-	1	-
Acute endocarditis	5	-	-	-	-	2	1	2	-	-	-	-
Other diseases of heart	185	-	-	-	-	5	3	5	15	36	55	66
Other diseases of circulatory system	42	-	-	-	-	-	-	2	5	6	9	20
Bronchitis	91	9	3	1	-	1	1	3	9	8	20	36
Broncho-pneumonia	63	29	6	5	1	-	1	1	2	5	6	7
Lobar-pneumonia	29	-	2	-	3	-	2	7	5	5	3	2
Pneumonia (type not distinguished)	12	1	-	1	-	1	-	-	1	2	2	4
Other diseases of respiratory system	19	-	-	1	-	-	1	2	3	3	3	6
Diarrhœa and enteritis	19	16	3	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	3	-	-	-	1	1	-	-	1	-	-	-
Hernia, Intestinal obstruction.. ..	9	-	-	-	1	-	-	1	2	2	1	2
Cirrhosis of liver	10	-	-	-	-	-	1	1	3	5	-	-
Other diseases of digestive system ..	16	-	1	-	1	-	1	-	2	8	-	3
Acute nephritis	1	-	-	-	-	-	-	-	-	-	1	-
Chronic Bright's disease..	39	-	-	-	-	-	1	2	7	11	13	5
Other diseases of genito-urinary system.	11	-	-	-	-	-	1	-	2	2	2	4
Puerperal sepsis	4	-	-	-	-	1	3	-	-	-	-	-
Other causes incident to childbirth..	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations	5	4	-	-	1	-	-	-	-	-	-	-
Premature birth	16	16	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	9	9	-	-	-	-	-	-	-	-	-	-
Old age	39	-	-	-	-	-	-	-	-	-	6	33
Suicide	10	-	-	-	-	-	1	2	5	1	1	-
Burns and Scalds	1	-	-	-	-	-	-	-	-	-	1	-
Drowning	1	-	-	-	-	-	-	1	-	-	-	-
Suffocation in bed	1	-	1	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	-	2	1	-	1	2	1	2	3
Other deaths by violence	12	1	-	-	-	-	1	1	1	3	-	5
Other specified causes	39	15	1	-	3	1	-	2	4	3	5	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th December, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	265	309	3	171	C. 7 D. 1 E. 8 G. 6 L. 1 M. 10 N. 15
†CITY OF LONDON	–	2	4	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	12	–	15	N. 1
†BERMONDSEY ...	–	8	11	–	–	N. 1
†BETHNAL GREEN	–	10	3	–	8	E. 1 N. 1
†CAMBERWELL ...	–	14	11	–	6	D. 1 E. 1 G. 1
†CHELSEA	–	3	4	–	9	E. 1
†DEPTFORD ...	–	13	14	–	1	–
†FINSBURY ...	–	2	3	–	3	–
†FULHAM	–	10	12	–	9	C. 1 M. 4
†GREENWICH ...	–	10	12	1	2	C. 1
†HACKNEY ...	–	20	16	–	–	G. 1 N. 1
†HAMMERSMITH ...	–	9	5	–	4	C. 1 N. 2
†HAMPSTEAD ...	–	1	4	–	–	G. 1 M. 1
†HOLBORN... ...	–	2	–	–	–	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont*						
†ISLINGTON ...	–	25	27	1	4	G. 1 M. 1 N. 1
†KENSINGTON ...	–	6	14	–	2	N. 1
†LAMBETH ...	–	16	17	1	5	E. 1 G. 1 M. 1 N. 4
†LEWISHAM ...	–	9	16	–	–	M. 1
†PADDINGTON ...	–	5	18	–	5	–
†POPLAR	–	10	6	–	14	C. 1
†ST. MARYLEBONE	–	4	2	–	–	N. 1
†ST. PANCRAS ...	–	3	10	–	10	E. 1 L. 1 M. 2
†SHOREDITCH ...	–	3	13	–	22	N. 2
†SOUTHWARK ...	–	10	14	–	11	E. 1
†STEPNEY	–	20	18	–	17	G. 1
†STOKE NEWINGTON	–	1	1	–	2	–
†WANDSWORTH ...	–	19	25	–	9	C. 3
†WESTMINSTER, CITY OF	–	5	9	–	–	E. 1
†WOOLWICH ...	–	15	8	–	13	E. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	18	2	–	3	E. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	–	–	1	–
†BEDFORD... ...	–	10	–	–	1	E. 1
†LUTON	–	2	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BEDFORD ...	–	5	–	–	–	
BIGGLESWADE ...	–	–	–	–	1	–
EATON SOCON ...	–	–	2	–	–	–
BERKS	–	11	6	–	1	C. 1 N. 2
†READING C.B. ..	–	6	4	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	2	–	–	–	–
WANTAGE .	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
COOKHAM ...	–	1	–	–	–	–
HUNGERFORD ...	–	–	–	–	–	N. 1
WINDSOR... ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	1	–
BUCKINGHAM ...	–	13	2	–	–	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD ...		3	–	–		–
†CHEPPING WYCOMBE	–	2	–			
MARLOW	*	*	*	*	*	*
†SLOUGH	–		1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
ETON	–	1	1	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
WINSLOW... ...	–	4	–		–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ...	–	5	1	–	–	E. 1 N. 2
Borough:—						
†CAMBRIDGE ..	–	3	1	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	N. 1
CHESTERTON ...	–	–	–	–	–	E. 1
LINTON	–	2	–		–	N. 1
CHESTER	–	85	32	2	35	C. 1 G. 1 N. 5
†BIRKENHEAD C.B.	–	7	1	–	13	–
†CHESTER C.B. ...	–	1	1	–	3	–
†STOCKPORT C.B.	–	32	3	–		G. 1 N. 2
†WALLASEY C.B. ...	–	10	5	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
ASHTON UPON MERSEY	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	1	3	–
BREDBURY AND ROMILEY	–	1	1	–	3	–
†CHEADLE AND GATLEY	–	2	–	1	–	–
†CONGLETON ...	–	1	5	–	1	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ELLESMERE PORT AND WHITBY	–	2	–	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	–	–
†HYDE	–	–	4	–	1	–
†MACCLESFIELD ...	–	1	1	–	2	–
MARPLE	–	1	–	–	–	–
MOTTRAM IN LONGDENDALE	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	2		–	–	–
†RUNCORN... ...	–	1	–	–	–	N. 1
†SALE	–	2	2	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
TARPORLEY ...	–	–	1	–	–	–
WILMSLOW ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–
CONGLETON ...	–	1	–	–	–	–
DISLEY	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	–	N. 1
NORTHWICH ...	–	2	2	–	–	–
RUNCORN ...	–	1	2	–	–	N. 1
WIRRAL	–	2	–	–	5	C. 1
CORNWALL ...	–	7	3	3	4	E. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
†FALMOUTH ...	–	3	–	–	–	–
LOOE	*	*	*	*	*	*
PAUL	–	–	–	2	–	–
PENRYN	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
ST. JUST	–	1	–	–	–	–
WADEBRIDGE ...		–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts:—						
BODMIN	–	–	–	–	–	N. 1
CALSTOCK ...	–	–	1	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
LAUNCESTON ..	–	–	–	–	1	–
LISKEARD ...	–	–	1	–	–	–
ST. AUSTELL ...	–	1	–	–	–	E. 1
SAINT COLUMB MAJOR	*	*	*	*	*	*
ST. GERMANS ...	–	–	–	–	1	–
WEST PENWITH...	–	–	1	–	–	G. 1
CUMBERLAND ...	–	12	13	–	1	N. 1
†CARLISLE C.B. ...	–	6	4	–	1	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ...	–	–	–	–		N. 1
HOLME CULTRAM	–	1	–	–	–	–
†MARYPORT ...		1	–	–	–	–
MILLOM	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...		1	3	–	–	–
CARLISLE ...	–	1	1	–	–	–
COCKERMOUTH ...	–	–	3	–		–
LONGTOWN ...	*	*	*	*	*	*
DERBY	39	43	18	–	22	C. 1 F. 1 M. 1 N. 2
†DERBY C.B. ..	9	4	5	–	7	C. 1 N. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	6	–
ALVASTON AND BOULTON	*	*	*	*	*	*
BAKEWELL ...	–	1	–		–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Belper	13	–	–	–	–	
†Bolsover ...	–	–	–	–	–	N. 1
†Chesterfield ...	–	14	4	–	3	–
Dronfield ...	–	–	–	–	1	–
†Glossop	–	–	1	–	1	–
Heage	12	–	–	–	–	
†Heanor	–	1	–	–	1	–
†Ilkeston ...	–	1	–	–	–	–
†Long Eaton ...	–	8	–	–	–	–
†Ripley	1	–	–	–	–	–
†Swadlincote District	–	3	–	–	1	–
Rural Districts:—						
Ashbourne ...	–	1	–	–	–	–
Bakewell ...	–	1	–	–	–	–
Belper	3	–	–	–	–	–
Blackwell ...	–	1	1	–	–	–
Chesterfield ...	–	3	6	–	2	M. 1
Clowne	–	1	1	–	–	–
Norton	–	1	–	–	–	–
Repton	–	1	–	–	–	–
Shardlow ...	–	2	–	–	–	F. 1
DEVON	–	33	17	1	8	E. 1 G. 1 M. 3 N. 2
†Exeter C.B. ...	–	4	1	–	1	G. 1 M. 2
†Plymouth C.B....	–	12	11	–	3	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
Bideford ...	–	1	–	–	–	N. 1
Brixham... ...	–		2	–	–	–
†Exmouth ...	–	4	–		1	–
Honiton ...	–	–	–	1	–	–
†Ilfracombe ...	–	1	–	–	–	–
†Newton Abbot	–	2	–	–		–
Tavistock ...	–	–	–	–	1	–
†Teignmouth ...	–	2	–	–	–	–
†Torquay ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Broadwood Widger	–	–	–	–	1	–
Crediton ...	–	1	2	–	–	–
Kingsbridge ...	–	2	–	–	–	–
Plympton St. Mary	–	2	1	–	–	–
St. Thomas ...	–	2	–	–	–	–
DORSET	–	4	1	–	1	C. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	–	–	–	–	C. 1
Bridport ...	–	1	–	–	–	–
Sherborne ...	–	–	–	–	1	–
†Weymouth and Melcombe Regis	–	1	1	–	–	–
Rural Districts:—						
Bridport ...	*	*	*	*	*	*
Poole	–	1	–	–	–	–
Shaftesbury ...	–	1	–	–	–	–
DURHAM	247	66	26	1	78	C. 1 D. 1 G. 1 N. 6
†Darlington C.B.	–	6	–	–	1	–
†Gateshead C.B.	15	3	5	–	6	–
†South Shields C.B.	–	4	–	–	13	–
†Sunderland C.B.	–	3	2	–	10	N. 1
†West Hartlepool C.B.	–	4	2	–	3	N. 1
Boroughs and Urban Districts:—						
†Annfield Plain	–	–	–	–	–	N. 1
Billingham ...	–	–	2	–	–	–
†Blaydon... ..	–	3	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRANDON AND BYSHOTTLES	25	1	-		–	–
†CHESTER LE STREET	4	–	3	–	2	-
†CONSETT	–	3	–	–	1	–
†CROOK	13	–	–	–	–	–
†HARTLEPOOL ..	–	2	–	–	3	
†HEBBURN ..	–	1	-	-	4	–
†HETTON	8	–		–	1	-
†HOUGHTON LE SPRING	7		–	–	3	
†JARROW	21	3	–	–	15	C. 1 N. 1
LEADGATE ..	–	2		-	–	-
†RYTON	-	2	–	–		-
†SEAHAM HARBOUR		3	-	–	1	N. 1
†SHILDON	11	–	-			-
†SOUTHWICK ON WEAR	-	–	4	–	1	–
†SPENNYMOOR ..	3	-	–	–	–	-
†STANLEY	6	4	-	–	1	–
†STOCKTON ON TEES	–	3	–	-	1	N. 1
†TANFIELD ...	1	2	-	–	-	-
WILLINGTON ...	10	–	–	–	–	–
Rural Districts:—						
AUCKLAND ..	26	–	1		–	D. 1
CHESTER LE STREET	36	2	3	–	–	–
DURHAM	8	3	–	–	4	-
EASINGTON ..	15	5	2	–	2	G. 1
HOUGHTON LE SPRING	–	-	–	–	3	–
LANCHESTER ..	22	4	2	–		–
SEDGEFIELD ..	16	1	–	–	3	-
STOCKTON ..	–	1	-			-
WEARDALE ..	–	1	–	–	-	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ..	–	6	1	-	1	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	3	–		-	–
ELY		1	–	–		–
WHITTLESEY ...	–	-	1	-	1	–
Rural Districts:—						
ELY	–	2	–	–	–	–
NORTH WITCHFORD	–	–	–	–	-	M. 1
ESSEX	-	87	42	2	26	C. 1 E. 1 M. 2 N. 4
†EAST HAM C.B. ...	-	–	3	-		-
†SOUTHEND-ON-SEA C.B.	–	10	3	–		N. 1
†WEST HAM C.B. ...	-	22	13	2	11	N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1			3	–
BRAINTREE ...		2	-		-	-
BRENTWOOD ...	-		1	–		
BUCKHURST HILL	–	–	2	-	–	–
CANVEY ISLAND...	-	1	–	–	–	–
CHINGFORD ...	-	–	1	–	–	–
†COLCHESTER ...	–	1				–
DAGENHAM ...	*	*	*	*	*	*
†GRAYS THURROCK	–		-	–	1	
†ILFORD	-	2	4	-	3	-
†LEYTON	–	3	2	–	1	C. 1 M. 2
MALDON	-	1	–			–
†ROMFORD ...	*	*	*	*	*	*
SAFFRON WALDEN	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	1	–	-		–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†WALTHAMSTOW ..	-	15	7	-	2	N. 1
†WANSTEAD ..	-	5	1		-	-
†WOODFORD ...	-	1	-	-	1	-
Rural Districts:—						
BILLERICAY ...	-	2	-	-	-	-
BUMPSTEAD ...	-	-	-	-	1	-
CHELMSFORD ...	-	-	-	-	-	N. 1
DUNMOW	-	3	1	-	-	-
EPPING	-	-	1	-	-	-
HALSTEAD ...	-	1	-	-		-
MALDON	-	1	-	-	-	-
ONGAR	-	-	-	-	-	E. 1
ORSETT		1	2	-	-	-
ROCHFORD ...	-	2	1	-	-	-
ROMFORD... ...	*	*	*	*	*	*
SAFFRON WALDEN	-	4	-	-	-	-
STANSTED ...	-	3	-	-	-	-
TENDRING ...	-	4	-	-	-	-
GLOUCESTER ...	-	37	26	1	9	C. 1 E. 1 G. 2 M. 3 N. 2
†BRISTOL C.B. ..	-	24	18	1	8	C. 1 E. 1 G. 1 M. 1 N. 1
†GLOUCESTER C.B.	-	2	3	-	-	-
Boroughs and Urban Districts:—						
COLEFORD ...	-	-	1	-	-	-
STROUD	-	2	-	-	-	-
TEWKESBURY ...	-	-	2	-	-	-
Rural Districts:—						
CHIPPING SODBURY	-	-	1	-	-	-
CIRENCESTER ...	-	-	-	-	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES	-	-	-	-	-	G. 1
LYDNEY	-	-	-	-	-	N. 1
STOW ON THE WOLD (part)	-	-	-	-	-	M. 1
STROUD	-	3	-	-	-	-
TEWKESBURY (part)	-	1	-	-	-	-
THORNBURY ...	-	4	-	-	-	-
WEST DEAN	-	1	1	-	-	-
HEREFORD ..	-	-	1	-	-	-
Boroughs and Urban Districts:—						
LEOMINSTER ...	-	-	1	-		-
ROSS	*	*	*	*	*	*
Rural Districts:—						
ROSS	*	*	*	*	*	*
HERTFORD .	-	16	2	1	-	C. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	-	1	-	-	-	-
†HERTFORD ...		2	1		-	-
HODDESDON ...	-	1	1	-		-
RICKMANSWORTH	-	1	-	-	-	-
†WATFORD .		4	-	-	-	C. 1
Rural Districts:—						
HADHAM		1	-	-	-	-
HATFIELD ...	-	4	-	-	-	-
HERTFORD ...	-	1	-	-	-	-
HITCHIN	-	-	-	1	-	-
WATFORD ..		1	-	-		-

* Returns not received † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	-	8	1	-	-	E. 1 M. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	-	1	-	-	-	-
HUNTINGDON ...	-	3	-	-	-	E. 1
Rural Districts:—						
HUNTINGDON ...	-	3	-	-		-
OUNDLE (part) ...	-	1	-	-		-
ST. IVES	-	-	1	-	-	M. 1
KENT	-	39	41	2	7	C. 2 E. 1 G. 2 M. 1 N. 2
†CANTERBURY C.B.	-	1	3	-	-	-
Boroughs and Urban Districts:—						
†ASHFORD... ...	-	-	-	-	-	C. 1
†BECKENHAM ...	-	5	-	-	-	-
†BEXLEY	-	1	1	-	-	-
†BROMLEY ...	-	1	-	-	2	-
†CHATHAM ...	-	4	3	-	-	-
CHERITON ...	-	1	-	-	1	-
†DARTFORD ...	-	1	2	-	-	-
†DEAL	-	1	-	-	-	-
†DOVER	-	1	-	-	-	-
†ERITH	-	-	3	-	-	-
†FAVERSHAM ...	-	1	-	-	-	
†FOLKESTONE ...	-	-	2	-	-	C. 1
†GILLINGHAM ...	-	4	2	-	-	-
†GRAVESEND ...	-	2	-	-	-	-
†HERNE BAY ...	-	-	1	-	-	-
†MAIDSTONE ...	-	2	2	-	-	-
†MARGATE ...	-	1	3	-		-
†NORTHFLEET ...	-	-	2	-	-	-
†PENGE	-	1	1	-	-	-
†RAMSGATE ...	-	-	2	-	1	-
†ROYAL TUNBRIDGE WELLS	-	-		-	-	N. 1
SEVENOAKS ...	-	-	-	-	1	G. 1
SWANSCOMBE ...	-	-	7	1	1	-
TENTERDEN ...	-	-	-	-	-	N. 1
†TONBRIDGE ...	-	1	-	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	-	2	-	-	-	M. 1
CRANBROOK ...	-	1	-	-	-	-
DARTFORD ...	-	3	5	-	-	-
FAVERSHAM ...	-	1	-	-	-	-
MALLING... ...	-	2	2	1	-	-
SHEPPEY	-	1	-	-	-	-
TONBRIDGE ...	-	1	-	-	-	E. 1 G. 1
WEST ASHFORD...	-	-	-	-	1	-
LANCASTER ...	-	222	147	2	267	C. 6 D. 1 E. 2 G. 9 L. 1 M. 19 N. 18
†BARROW IN FURNESS C.B.	-	1	5	-	-	-
†BLACKBURN C.B.	-	3	4	-	8	C. 1 N. 2
†BLACKPOOL C.B.	-	1	2	-	-	-
†BOLTON C.B. ...	-	9	5	-	3	N. 2
†BOOTLE C.B. ...		5	1		10	-
†BURNLEY C.B. ..	-	4	3	-	4	M. 1 N. 1
†BURY C.B. ...	-	2	-	-	1	-
†LIVERPOOL C.B...	-	33	39	-	46	C. 2 D. 1 G. 1 M. 11 N. 5
†MANCHESTER C.B.	-	42	31	-	67	C. 2 G. 3 L. 1 M. 3 N. 3
†OLDHAM C.B. ...	-	13	7	-	4	-
†PRESTON C.B. ..	-	2	3	-	2	-
†ROCHDALE C.B....	-	6	4	-	1	G. 1
†ST. HELENS C.B....	-	3	1	-	6	M. 1
†SALFORD C.B. ...	-	17	13	-	15	M. 1 N. 1
†SOUTHPORT C.B.	-	3	1	-	1	N. 1
†WARRINGTON C.B	-	4	3	-	7	G. 1
†WIGAN C.B. ...	-	2	1	-	4	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	–	–	1	–	–
†ACCRINGTON ...	–	2	–	–	2	–
†ASHTON IN MAKERFIELD	–	–	–	–	5	–
†ASHTON UNDER LYNE	–	1	–	–	1	–
†ATHERTON ...	–	1	–	–	–	–
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	1	–	–	–	–
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ...	–	2	–	–	1	–
†CHORLEY... ...	–	–	–	–	8	–
CLAYTON LE MOORS	–	2	–	–	–	–
†CLITHEROE ...	–	–	–	–	–	E. 1 N. 1
†COLNE	–	2	–	–	3	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	1	–	–	–
†DARWEN	–	3	–	–	1	–
†DENTON	–	4	1	–	1	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	–	–	3	–
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	–	–	–	3	N. 1
†FLEETWOOD ...	–	2	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	–	–	–	–
†HINDLEY... ...	–	–	1	–	7	G. 1
†HORWICH ...	–	2	1	–	4	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	2	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	1	–	–	–
LATHOM AND BURSCOUGH	–	2	2	–	–	–
LEES	–	–	–	–	1	–
†LEIGH	–	–	3	–	2	
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	1	2	–	–	–
†MIDDLETON ...	–	–	–	–	4	–
†NELSON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
NORDEN	–	1	–	–	–	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	–	3	–	2	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	3	1	–	–	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	3	1	–	–	–
RISHTON	–	1	–	–	1	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	–	1	–	1	G. 1 M. 1 N. 1
†SWINTON AND PENDLEBURY	–	–	–	–	4	E. 1
†TURTON	–	3	2	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	2	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITWORTH ...	–	–	1	–	–	–
†WIDNES	–	2	1	–	4	M. 1
Rural Districts:—						
BLACKBURN ...	–	3	–	–	–	–
BURY	–	1	–	–	4	–
CLITHEROE ...	–	–	–	–	–	G. 1
FYLDE	–	1	–	–	–	–
LUNESDALE ...	–	1	–	–	–	C. 1
PRESTON	–	2	1	–	1	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	1	–	–	1	–
WIGAN	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER...	–	12	14	–	7	D. 1 E. 1 M. 1 N. 1
†LEICESTER C.B.	–	7	10	–	2	D. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	1	–	1	–
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	E. 1
LOUGHBOROUGH	–	1	–	–	–	–
LUTTERWORTH ...	–	1	–	–	–	–
MARKET BOSWORTH	–	2	1	–	–	–
MELTON MOWBRAY	–	–	1	–	2	–
LINCOLN (parts of Holland).	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1		–	–	–
SPALDING (part)..	–	1	1	–	–	–
LINCOLN (parts of Kesteven).	–	4	1	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	2	–	–	–	–
Rural Districts:—						
BOURNE	–	2	1	–	–	–
BRANSTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	26	7	–	1	E. 1 G. 4 M. 1 N. 2
†GRIMSBY C.B. ..	–	5	2		–	–
†LINCOLN C.B. ...	–	9	–	–	–	E. 1 G. 2
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	1	–	–	–
†CLEETHORPES ...	–	3	–	–	–	–
†GAINSBOROUGH ...	–	–	1	–	–	–
LOUTH	–	–	–	–	–	G. 1
MABLETHORPE AND SUTTON	–	1	–	–	–	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	–	N. 1
Rural Districts:—						
CAISTOR		–	–	–	–	M. 1
GLANFORD BRIGG	–	1	1	–		–
GRIMSBY	–	2	–	–	–	–
HORNCASTLE ...	–	–		–	1	–
ISLE OF AXHOLME	–		–	–	–	G. 1
LOUTH	–	3	–	–	–	N. 1
MIDDLESEX	–	66	66	3	20	E. 2 M. 2 N. 5
Boroughs and Urban Districts:—						
†ACTON	–	2	1	–		–
†BRENTFORD ..	–	–	–	–	1	–
†CHISWICK ...	–	2	2	–	–	–
†EALING	–	2	1	–	2	E. 1
†EDMONTON ..	–	–	15	–	–	–
†ENFIELD	–	3	4	–	2	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ..	–	11	2	–	–	–
†FRIERN BARNET	–	3		–	1	–
HAYES	–		–	1	–	–
†HENDON	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	-	–	2	-	–	–
†HORNSEY	-	4	-	-	–	-
KINGSBURY ...	-	–	–	–	–	N. 1
†SOUTHALL NORWOOD	-	2	2	–	-	–
†SOUTHGATE ...	–	1		1	–	–
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	–	–	–	1	-
†TOTTENHAM ...	–	11	27	1	8	E. 1 N. 1
†TWICKENHAM ...	–	2	–	–	–	–
†UXBRIDGE ...	-	1	-	–	–	–
†WEALDSTONE ...	-	2		–	–	-
†WEMBLEY ...	–	2	–	–	1	-
†WILLESDEN ...	–	7	6	–	3	M. 2 N. 3
†WOOD GREEN ...	-	1	1	–	–	–
Rural Districts:—						
HENDON	–	3	–	–	–	–
STAINES	–	1	1	–	–	-
UXBRIDGE ...	–	2		–	1	–
NORFOLK		7	6	–	1	C. 1 G. 1 N. 1
†GREAT YARMOUTH C.B	–	1	1	-	–	-
†NORWICH C.B. ...	–	3	4	–	1	-
Rural Districts:—						
AYLSHAM... ...	–	-	-	–	–	N. 1
BLOFIELD ...	–	1	-	–	–	-
DOCKING	–	1		–	–	-
DOWNHAM ...	–	1	–	–	–	–
FOREHOE ...	–	–	–	–	–	G. 1
FREEBRIDGE LYNN	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	22	5	–	10	M. 1 N. 1
†NORTHAMPTON C.B.	–	10	4	–	8	–
Boroughs and Urban Districts:—						
FINEDON	-	1	–	–	–	–
HIGHAM FERRERS	–	1	–	–	–	–
†KETTERING	-	–	–	–	–	M. 1
OUNDLE	–	2	–	–	–	–
†WELLINGBOROUGH	-	2	-	–	1	–
Rural Districts:—						
DAVENTRY ..	–	–	–	-	–	N. 1
HARDINGSTONE ...	–	1	–	–	–	–
NORTHAMPTON ..		–	1	–	–	-
OUNDLE (part) ...	-	2		-	–	–
OXENDON... ...	–	-	–	-	1	–
POTTERSPURY ...	–	1		–	–	-
THRAPSTON (part)	–	2	–	–	–	–
NORTHUMBERLAND	2	42	7	2	62	C. 1 M. 1 N. 3
†NEWCASTLE UPON TYNE C.B.	-	18	2	1	42	M. 1 N. 1
†TYNEMOUTH C.B	1	3	4	–	4	-
Boroughs and Urban Districts:—						
†ASHINGTON ..	1	2		–	2	N. 2
†BEDLINGTONSHIRE	–	2	–	–	1	–
†BERWICK UPON TWEED	–	4	–	–	-	–
†BLYTH	-	2		–	2	–
†GOSFORTH ...	–	1	–	-	–	-
HEXHAM	-	1	–	-	–	–
†LONGBENTON ...	–	–		1	1	–
†NEWBURN ...	-	1		–	2	-
PRUDHOE...	-	–	–		1	–
SEATON DELAVAL		-	–	–	1	-
SEGHILL		–	–	–	4	–
†WALLSEND ...	-	2		–	1	–
WEETSLADE ...	–	1	–	–		-
†WHITLEY AND MONKSEATON		–	–	-	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
BELLINGHAM ...	–	2	–	–	–	–
GLENDALE ...	–	2	–	–	–	–
HEXHAM	–	1	1	–	–	–
NORHAM AND ISLANDSHIRES	–	–	–	–	–	C. 1
NOTTINGHAM ...	–	14	37	1	17	C. 2 E. 1 M. 2 N. 3
†NOTTINGHAM C.B.	–	10	32	–	8	C. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	2	–
†EAST RETFORD ...	–	–	3	–	1	–
†KIRKBY IN ASHFIELD	–	–	–		–	N. 1
†MANSFIELD ...	–	–	–		2	–
†MANSFIELD WOODHOUSE	*	*	*	*	*	*
†NEWARK	–	–	–	–	–	C. 1
†SUTTON IN ASHFIELD	–	–	–	–	3	E. 1
WARSOP	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	–	1	–	–	–
BINGHAM... ...	–	–	–	1	–	–
LEAKE	–	–	–	–	1	–
SOUTHWELL ...	–	2	–	–	–	N. 1
OXFORD	–	9	3	–	1	E. 3
†OXFORD C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	–	E. 3
THAME	–	3	–	–	–	–
WHEATLEY ...	–	2	–	–	–	–
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	–	1	–	1	–
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	1	1	–	–	–
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	3	–	–	–	N. 1
Borough:—						
†PETERBOROUGH...	–	2	–	–	–	–
Rural Districts:—						
BARNACK... ...	–	1	–	–	–	–
PETERBOROUGH...	–	–	–	–	–	N. 1
SALOP	–	14	2	–	1	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	1	C. 1
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	3	–	–	–	N. 1
Rural Districts:—						
ATCHAM	–	5	–	–	–	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	–	M. 1
OSWESTRY ...	–	1	–	–	–	–
TEME	–	1	–	–	–	–
WELLINGTON ...	–	2	2	–	–	–
SOMERSET	–	29	11	1	3	E. 1 M. 1 N. 3
†BATH C.B. ...	–	5	–	–	–	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	–	–
BURNHAM ON SEA	–	–	–	–	1	–
PORTISHEAD ...	–	–	–	–	–	N. 2
RADSTOCK ...	–	1	–	–	–	–
SHEPTON MALLET	–		1		–	–
†TAUNTON ...	–	–	1		–	–
WATCHET ...	*	*	*	*	*	*
WELLS		–	–	1	–	–
†YEOVIL	–	–	–		1	–
Rural Districts:—						
AXBRIDGE ...		–	3	–	–	M. 1
BATH		4	–	–	–	–
BRIDGWATER ...	–	–	–		1	
CHARD	–	–	–	–	–	N. 1
CLUTTON	–	3	–	–	–	–
SHEPTON MALLET	–	3	–	–	–	–
WELLS	–	3	2	–	–	
WILLITON ...	–	8	–	–	–	–
WINCANTON ...	–	–	4	–	–	–
SOUTHAMPTON ...	–	35	40		2	E. 1 G. 1 M. 1 N. 7
†BOURNEMOUTH C.B.	–	–	1	–	–	G. 1
†PORTSMOUTH C.B.	–	12	27	–	–	E. 1
†SOUTHAMPTON C.B.	–	3	4	–	–	M. 1 N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	N. 1
†BASINGSTOKE ...	–	2	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	1	N. 1
†FARNBOROUGH ...	–	2	–	–	–	–
†GOSPORT	–	–	–		–	N. 1
†WINCHESTER ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ALTON	–	–	4		–	–
CATHERINGTON ...	–	–	1	–	–	–
FAREHAM ...	–	3	–	–	–	–
FORDINGBRIDGE	–	–	–	–	1	N. 1
HARTLEY WINTNEY	–	4	1	–	–	–
HAVANT	–		1	–	–	–
NEW FOREST ...	–	3	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
STOCKBRIDGE ...	–	1		–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	52	55	–	40	E. 1 G. 1 M. 10 N. 2
†BURTON UPON TRENT C.B.	–	3	9	–	1	M. 1
†SMETHWICK C.B.	–	–	1	–	3	–
†STOKE ON TRENT C.B.	–	12	6	–	7	E. 1 M. 3
†WALSALL C.B. ...	–	3	10	–	5	M. 3
†WEST BROMWICH C.B.	–	1	4	–	3	N. 1 –
†WOLVERHAMPTON C.B.	–	2		–	–	G. 1 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	1	M. 2
BIDDULPH ...	–	–	–	–	1	–
†BILSTON	–	4	–	–	2	–
†BRIERLEY HILL...	–	–	1	–	1	–
†CANNOCK	–	–	–		1	–
†COSELEY	–	1	3	–	–	–
†DARLASTON ...	–	2	–	–	–	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	3	–	3	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
PERRY BARR ...	*	*	*	*	*	*
QUARRY BANK	-	–	–	–	1	–
†ROWLEY REGIS ...		3	1	–	1	M. 1
RUGELEY... ...	–	–	–	–	1	–
†STAFFORD ..		1	–	–		–
†TIPTON	–	2	–	–	1	–
†WEDNESBURY ...		3	2		1	-
†WILLENHALL ..	-	-	–	–	1	-
†WOLSTANTON UNITED		2	1	–	4	-
Rural Districts:—						
CANNOCK	-	2	6	–	1	–
CHEADLE... ...		1		–	–	-
KINGSWINFORD ...	–	-	2	–	–	–
LICHFIELD ..		–	2	-	–	-
NEWCASTLE UNDER LYME	-	-	1	-		–
STAFFORD ...	–		1		1	–
STONE	–	2	–	-		–
TAMWORTH (part)	–	–	1	–	–	–
WALSALL... ..		-	1	-	–	-
SUFFOLK, EAST	–	12	5	1	1	C. 1 E. 2 M. 1 N. 1
†IPSWICH C.B. ..	–	4	1	-	1	C. 1 N. 1
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	2	-	–	–	–
†LOWESTOFT ..	-	4	–	-	–	M. 1
Rural Districts:—						
BLYTHING ...	-	–	1	-	-	–
BOSMERE AND CLAYDON	-	-	–	1	–	–
HARTISMERE ...	–	–	1	–		–
HOXNE	-	–	1	-	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
MUTFORD AND LOTHINGLAND	-	-	1	–	–	E. 1
PLOMESGATE ...	-	1	–	–	–	E. 1
WANGFORD ...	-	1	–	–	–	-
SUFFOLK, WEST ...	-	7	-	1	–	E. 1 G. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
GLEMSFORD ...	-	–	–	–	–	E. 1
HADLEIGH ...	–	–	–	–	–	G. 1
NEWMARKET ...		4	–	1	–	–
SUDBURY... ...	*	*	*	*	*	*
Rural Districts:—						
MELFORD... ...	*	*	*	*	*	*
THINGOE	-	2	-	–	–	–
SURREY	-	35	19	5	11	C. 1 D. 1 E. 3 G. 2 M. 3 N. 4
†CROYDON C.B. ..	–	14	5	–	3	–
Boroughs and Urban Districts:—						
†BARNES	–	2	-	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	–	N. 1
†COULSDON AND PURLEY	–	1	–	1	–	–
†EGHAM	–	1	–	–	1	–
†FRIMLEY	–	–	–	–	–	E. 1
GODALMING ...	–	1		–	–	–
†GUILDFORD ...	–	-	–	–	–	G. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
HAM	–	–	–	–	–	N. 1
†KINGSTON ON THAMES	–	–	1	–	–	D. 1
†MERTON AND MORDEN	–	1	–		–	–
†MITCHAM... ...	–	4	1	–	1	–
†REIGATE	–	1	–	2	–	N. 1
†RICHMOND ...	–	–	1	–	1	
†SURBITON ...	–	2	–		1	C. 1 M. 1
†SUTTON	–	1	1	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WALTON UPON THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	–	1	–	–	E. 1 G. 1
†WOKING	–	–	–	–	–	E. 1
Rural Districts:—						
CHERTSEY ...	–	–	–	1	–	–
DORKING	–	1	–	–	–	–
EPSOM	–	3	7	–	1	
FARNHAM ...	–	–	–	–	–	M. 1
GODSTONE ...	–	2	1	–	–	M. 1
REIGATE	–	–	–	1	1	–
SUSSEX, EAST ...	–	19	11	–	2	E. 1 L. 2 M. 2 N. 3
†BRIGHTON C.B. ..	–	4	9	–	–	M. 2 N. 2
†EASTBOURNE C.B	–	2	–	–		–
†HASTINGS C.B. ..	–	5	–	–	1	N. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	5	–	–	–	–
†HOVE	–	–	1	–	–	L. 1
NEWHAVEN ...	–	1	–	–	–	–
SEAFORD	–	–	–	–	–	E. 1
UCKFIELD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
EASTBOURNE ...	–	–	–	–	1	–
EAST GRINSTEAD	–	1	1	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1
SUSSEX, WEST ...	–	7	13	–	–	M. 1 N. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...		2	2	–	–	–
†HORSHAM ...	–	–	3	–	–	–
†WORTHING ..	–	–	3	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	N. 1
MIDHURST ...	–	–	–	–	–	M. 1
STEYNING WEST...	–	–	1	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT ..	–	3	4		–	–
WARWICK	–	68	50	–	47	C. 6 D. 1 E. 1 F. 2 G. 2 M. 5 N. 3
†BIRMINGHAM C.B.	–	33	36	–	39	C. 5 D. 1 E. 1 F. 1 G. 1 M. 5
†COVENTRY C.B. ...	–	2	5		1	–
Boroughs and Urban Districts:—						
KENILWORTH ...		1	–	–	–	–
†NUNEATON ...		2	–	–	–	–
†ROYAL LEAMINGTON SPA	–	1	1	–	–	–
†RUGBY		1	1	–	–	F. 1
†SUTTON COLDFIELD	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–		–	–	1	–
ATHERSTONE ...	–	5	3	–	–	N. 1
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	3	1	–	2	C. 1 G. 1
MERIDEN... ...	–	1	–		–	–
NUNEATON ...	–	–		–	1	–
RUGBY	–	5		–	1	N. 2
SOLIHULL ...	–	7	1	–	1	–
SOUTHAM... ...	–	2	–			–
TAMWORTH (part)	–	3	–	–	1	–
WESTMORLAND ...	–	8	–	–		–
Boroughs and Urban Districts:—						
†KENDAL	–	4	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	E 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	–	–
ST. HELENS ..	–	–	–	–	–	E. 1
VENTNOR... ...	–	1	–	–	–	–
WILTS	–	4	9	–	7	N. 3
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	–	–	–	1	–
CHIPPENHAM ...	–	–	–	–	–	N. 1
DEVIZES	*	*	*	*	*	*
MARLBOROUGH ...	–	2	–	–	–	N. 1
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	–	–	1	–
†SWINDON... ...	–	1	2	–	2	–
WESTBURY ...	–	–	–	–	1	–
WILTS—*cont.*						
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–		–
DEVIZES	*	*	*	*	*	*
HIGHWORTH ...	–	–	3	–	1	N. 1
MALMESBURY ...	–	–		–	1	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	–	1	–	–	–
WILTON	–	–	3	–	–	–
WORCESTER ...	–	11	7	1	8	C. 1 G. 1
†DUDLEY C.B. ...	–	3	2	–	1	–
†WORCESTER C.B.	–	–	1	1	3	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	1	–	–	–
EVESHAM... ...	–	1		–	–	–
†HALESOWEN ...	–	1	1	–	1	–
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	–	G. 1
†MALVERN ...	–	1	–			–
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	–	2	–	–	–
FECKENHAM ...	–	2	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
MARTLEY... ...	–	2	–	–	–	–
TENBURY... ...	–	–	–	–	–	C. 1
YORKS ... ... (East Riding.)	–	21	34		5	N. 2
†KINGSTON UPON HULL C.B.	–	13	27	–	3	N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) —*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	3	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
HEDON	–	–	1	–	1	–
HESSLE	–	–	–	–	1	–
POCKLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	1	–	–	–
POCKLINGTON ...	–		1	–	–	–
RICCALL	–	4	–	–	–	–
YORKS ... ... (North Riding.)	–	24	7	–	10	C. 2 G. 1 N. 2
†MIDDLESBROUGH C.B.	–	6	2	–	2	C. 1 N. 1
Boroughs and Urban Districts:—						
†ESTON	–	7	–	–	–	–
LOFTUS	–	1	1	–	–	–
†REDCAR	–	–	–		1	–
RICHMOND ...	–	–	–	–	1	–
†SCARBOROUGH ...	–	1	3	–	4	N. 1
†SKELTON AND BROTTON	–	2	–	–	–	C. 1
†WHITBY	*	*	*	*	*	*
Rural Districts:—						
GUISBOROUGH ...	–	–	1	–	1	–
HELMSLEY ...	–	5	–	–	–	–
LEYBURN... ...	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	–	G. 1
STOKESLEY ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	28	161	67	8	100	C. 4 D. 1 E. 1 G. 1 M. 18 N. 16
†BARNSLEY C.B. ...	–	1	1	–	1	M. 1
†BRADFORD C.B. ...	–	5	9	–	9	C. 1 M. 1 N. 3
†DEWSBURY C.B....	–	2	1	–	1	N. 1
†HALIFAX C.B. ...	–	2	3	–	7	N. 1
†HUDDERSFIELD C.B.	–	12	2	–	4	G. 1 N. 1
†LEEDS C.B. ...	–	15	3	–	16	C. 1 M. 6
†ROTHERHAM C.B.	–	4	–	–	7	–
†SHEFFIELD C.B....	8	42	27	5	27	D. 1 M. 3 N. 3
†WAKEFIELD C.B.	–	3	2	2	–	N. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	2	–	–	–	–
†BARNOLDSWICK ...	–	–	1	–	–	–
†BATLEY	–	1	1	–	–	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	–
†BINGLEY	–	–	2	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	1	–	M. 1
CUDWORTH ...	–	1	–	–	2	–
DARFIELD ...	–	2	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	6	6	2	–	–	–
†GOOLE	–	4	–	–	1	M. 1
†HARROGATE ...	–	–		–	–	C. 1
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	–	–	–	N 1
†HOYLAND NETHER	–	2	–	–	7	–
ILKLEY	–	5		–	–	–
†KEIGHLEY ...	2	–	1	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
KNOTTINGLEY ...	–	1	–	–	1	–
LEPTON	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding—*cont.*						
Boroughs and Urban Districts—*cont.*						
LUDDENDEN FOOT	–	–	–	–	1	–
MARSDEN... ...	–	2	–	–	–	–
†MEXBOROUGH ...	10	–	–	–	–	N. 1
†MORLEY		1	1		1	–
MYTHOLMROYD ...	–	–			1	–
NEW MILL ...	–	1	–	–	–	–
OTLEY	–	1	–	–	–	–
OXENHOPE ...	–	6	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
QUEENSBURY ...	–	–	–	–	1	
†RAWMARSH ...	–	–	–	–	–	M. 1
†ROTHWELL ...	–	–	2	–	–	–
†SADDLEWORTH ...		1	–		–	–
SHELF	–		–	–	1	–
†SHIPLEY	–	2	1	–	–	–
†SPENBOROUGH ...	–	2	–	–	1	M. 1
†SWINTON... ...	2	1	–	–	1	
THURSTONLAND AND FARNLEY TYAS	–	–	–	–	–	N. 1
†TODMORDEN ...	–	2	–	–	1	C. 1
†WATH UPON DEARNE	–	3		–	–	N. 1
†WOMBWELL ...	–	–	–		1	–
†WORSBOROUGH ...	–	–	–	–	–	M. 1
Rural Districts:—						
BARNSLEY ...	–	–	1	–	–	–
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	2	N. 1
GREAT OUSEBURN	–	–	1	–	–	–
HEMSWORTH ...	–	4	–	–		–
HUNSLET... ...	–	–	1	–	–	–
KEIGHLEY ...	–	–	1	–	–	–
KIVETON PARK ..	–	1	–	–	–	–
ROTHERHAM .	–	2	1	–	1	–
SEDBERGH ...	–	2	–	–	–	–
SETTLE	–	2	–	–	–	–
SKIPTON	–	2	–	–	–	–
TADCASTER ...	–	3	–	–	1	
THORNE	–	2	–	–	–	M. 2
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ..	–	1	1	–	–	E. 1
						N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Rural Districts—*cont.*						
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ..	–	–		–	1	–
§YORK, CITY OF						
†YORK C.B. ...	–	4	2	–	1	E. 1
WALES.						
ANGLESEY	–	6	7		1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	
†HOLYHEAD ...	–	3	4		–	–
LLANGEFNI ...	–	–	2	–	–	–
Rural Districts:—						
AETHWY	–	–	1		–	–
VALLEY	–	3	–	–	–	–
BRECKNOCK	–	1	1	–	–	C. 1
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	
BUILTH WELLS ...	–	–	–	–	–	C. 1
Rural Districts:—						
YSTRADGYNLAIS	–	1	–	–	–	–
CAERNARVON ...	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
BETHESDA ...	–	–				M. 1
CONWAY	–	2	–	–	–	–
†LLANDUDNO ...		1	1	–	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIGAN ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	*	*	*	*	*	*
CARMARTHEN ..	–	6	7	–	2	N. 2
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	1	–	–	–
†CARMARTHEN ...	–	1	1	–	–	–
KIDWELLY ...	–	1	1	–	1	–
†LLANELLY ...	–	1	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	2	2	–	–	N. 1
LLANDILO FAWR	–	–	–	–	–	N. 1
LLANELLY ...	–	1	1	–	1	–
DENBIGH	–	7	1	–	1	M. 1
Boroughs and Urban Districts:—						
†WREXHAM ...	–	3	–	–	–	–
Rural Districts:—						
LLANSILIN ...	–	–	–	–	–	M. 1
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	4	1	–	–	–
FLINT	–	8	1	–	1	N. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	4	–	–	–	N. 1
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	1	–
ST. ASAPH (FLINT)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN ..	–	36	37	–	17	C. 2 E. 1 M. 5 N. 4
†CARDIFF C.B. ..	–	6	3	–	2	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	–	–	–	E. 1
†SWANSEA C.B. ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	–	N. 1
†BARRY	–	2	8	–	–	–
†CAERPHILLY ...	–	2	2	–	–	M. 1
†GELLIGAER ...	–	–	1	–	1	–
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	–	3	–	1	–
†MOUNTAIN ASH ...	–	3	–	–	2	–
†NEATH	–	–	3	–	–	–
†OGMORE AND GARW	–	2	–	–	–	M. 1
†PENARTH ...	–	–	–	–	1	–
PORTHCAWL ...	–	2	–	–	–	–
†PORT TALBOT ...	–	5	–	–	1	N. 1
†RHONDDA ...	–	2	5	–	6	M. 1 N. 2
Rural Districts:—						
CARDIFF	–	–	–	–	–	C. 1
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	–	1	1	–	–	–
NEATH	–	1	7	–	–	–
PONTARDAWE ...	–	2	1	–	1	–
SWANSEA... ..	–	1	–	–	–	M. 1
MERIONETH ..	–	3	10	–	–	–
Urban Districts:—						
FESTINIOG ..	–	–	9	–	–	–
MALLWYD ...	–	–	1	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	12	8	1	4	C. 2
†NEWPORT C.B. ...	–	1	–	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	2	–	–	–	–
ABERGAVENNY ...	–	1	2	–	–	–
†ABERTILLERY ...	–	1	2	–	1	–
†BEDWELLTY ...	–	1	3	–	–	N. 1
†EBBW VALE ...	–	–	–	1	–	–
†PANTEG	–	1	–	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
†RISCA	–	–	1	–	–	C. 1
†TREDEGAR ...	–	2	–		–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
CHEPSTOW ...	–	–	–	–	1	–
PONTYPOOL ...	–	1	–	–	1	–
MONTGOMERY ...	–	1	–	–	2	F. 1
Rural Districts:—						
MACHYNLLETH ...	–	1	–	–	2	–
NEWTOWN AND LLANIDLOES	–		–	–	–	F. 1
PEMBROKE	–	2	6	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–		3	–	–	–
HAVERFORDWEST.	–	–	1	–	–	C. 1 N. 1
†PEMBROKE ...	–	–	2	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1		–	–	–
PEMBROKE ...	–	1	–	–	–	–
RADNOR	–	1	2	–	–	–
Rural Districts:—						
PAINSCASTLE ...	–		2	–	–	–
RHAYADER ...	–	1	–		–	–
Total of Part II. ...	316	1520	942	39	849	C. 42 D. 6 E. 33 F. 4 G. 32 L. 3 M. 89 N. 121

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FALMOUTH AND TRURO	–	–	–	1	–	–
SOUTHAMPTON ...	–	1	–	–	–	–
PORT OF LONDON ...	–	–	–	1	1	–
Total of Part III. ...	–	1	–	2	1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

Table 4 (*continued*).—Part IV.—England and Wales

—	Small-pox	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia	Other Diseases (see ‡ note below).
Total of Part I.—London	-	265	309	3	171	C. 7 D. 1 E. 8 G. 6 L. 1 M. 10 N. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	316	1520	942	39	849	C. 42 D. 6 E. 33 F. 4 G. 32 L. 3 M. 89 N. 121
Total of Part III.—Port Sanitary Districts ...	-	1	-	2	1	-
Total (*i.e.*, of returns received), England and Wales ...	316	1786	1251	44	1021	C. 49 D. 7 E. 41 F. 4 G. 38 L. 4 M. 99 N. 136

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain C and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certai FECTIOUS DISEASES in the last THI WEEKS.

Week ended :—	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13	Nov. 20.	Nov. 27.
LONDON :—												
DEATHS—all ages	766	810	819	848	912	895	1,014	1,124	1,209	1,108	1,048	950
„ 0 to 1 year ..	81	105	117	120	97	102	90	113	94	86	83	98
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,523	6,830	6,426	6,560	6,574	6,240	6,509	6,389	6,891	6,672	6,505	6,352
DEATHS—all ages	3,393	3,449	3,507	3,731	3,916	3,793	4,137	4,697	4,817	4,665	4 527	4,193
„ 0 to 1 year ..	445	516	477	566	532	505	488	514	503	488	499	481
ENTERIC FEVER—Cases	29	24	33	36	24	30	28	17	17	27	25	25
„ Deaths	4	5	3	2	5	1	1	1	1	3	1	4
SMALL POX—Cases ..	10	19	39	32	35	40	32	30	31	30	20	40
„ Deaths ..	—	—	—	2	1	—	—	—	—	—	—	—
SCARLET FEVER—Cases	773	837	963	968	1,074	1,055	1,106	1,151	1,076	1,106	1,201	1,130
„ Deaths	3	2	3	3	3	2	5	3	8	5	3	4
DIPHTHERIA—Cases ..	600	674	732	722	827	833	817	848	777	788	775	814
„ Deaths ..	20	24	29	36	36	39	40	43	40	33	32	46
MEASLES—Deaths ..	10	1	1	5	3	9	6	7	11	17	6	8
INFLUENZA—Deaths ..	12	19	23	32	36	38	54	71	88	100	78	52

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th December, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Ra M me
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	46	28	43·7	34·9	23	HUDDERSFIELD	44	28	41·4	33·6	
BRIGHTON ..	48	36	45·3	38·1	9	BRADFORD ..	44	30	40·9	33·9	
PORTSMOUTH ..	48	31	45·2	36·6	16	SHEFFIELD ..	44	33	41·6	35·1	
NORWICH (EATON).	44	35	42·9	37·4	3	YORK (MUSEUM)	44	30	42·4	34·1	
PLYMOUTH ..	50	35	45·9	38·3	22	HULL (PEARSON PARK).	46	31	44·0	35·7	
BRISTOL (CLIFTON).	46	30	43·3	35·0	11	TYNEMOUTH ..	45	34	44·3	38·4	
BIRMINGHAM (EDGBASTON).	43	31	41·1	34·4	1	CARDIFF.. ..	46	30	42·6	35·0	
NOTTINGHAM ..	45	33	42·6	35·4	4	EDINBURGH ..	45·0	32·0	41·6	34·7	
BIRKENHEAD (BIDSTON).	46	34	42·6	37·3	7	GLASGOW ..	45·0	28·8	41·7	33·6	
MANCHESTER (WHITWORTH PARK).	45	30	43·4	35·3	12	DUBLIN (PHŒNIX PARK).	46·3	28·5	44·9	37·0	
BURNLEY.. ..	44	26	41·3	32·6	11	(FITZWILLIAM SQUARE†).	46·3	35·0	45·4	39·3	
						BELFAST.. ..	48·0	27·0	45·9	34·8	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th December, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	28	Apogee	29·561	43·7	27·8	15·9	36·7	− 4·8	31·9	4·8	9·3	0·0	82	73·0	21·7	48·8	Calm: ESE.	SE: ESE.	2·1	0·0	0·1	204	− 112	0·00
MONDAY -	29	..	29·592	43·2	37·3	5·9	41·1	− 0·1	40·3	0·8	8·0	0·0	97	42·5	32·4	48·5	E	ENE: NE.	4·6	0·0	0·4	383	+ 71	0·75
TUESDAY -	30	In Equator	29·683	43·4	40·9	2·5	42·2	+ 1·2	36·9	5·3	6·9	2·1	82	47·1	38·3	48·3	NE	ENE: NE.	4·8	0·0	0·8	487	+ 177	0·15
DECEMBER. WEDNESDAY	1	..	29·896	44·0	36·0	8·0	40·1	− 0·8	34·0	6·1	10·0	3·3	78	68·2	29·1	48·1	NE	NNE: Calm.	0·5	0·0	0·1	235	− 75	0·00
THURSDAY -	2	..	29·869	42·8	34·8	8·0	38·6	− 2·3	31·9	6·7	14·1	1·6	76	60·9	28·1	48·0	Calm	SW	0·4	0·0	0·0	146	− 167	0·00
FRIDAY -	3	..	29·620	45·8	37·5	8·3	42·4	+ 1·3	35·3	7·1	8·7	3·1	76	53·9	29·7	47·9	SW: W	W	2·5	0·0	0·3	428	+ 106	0·00
SATURDAY -	4	..	29·734	43·0	33·8	9·2	38·9	− 2·4	30·9	8·0	12·7	3·1	72	62·0	26·5	47·6	W: NW: NNW.	NNW	1·0	0·0	0·1	275	− 56	0·00
MEANS -		..	29·708	43·7	35·4	8·3	40·0	− 1·1	34·5	5·5	10·0	1·9	80	58·2	29·4	48·2	Variable		..	..	..	Sum 2158	Sum − 56	Sum 0·90
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. November.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday ..	28	wP.	4·0	8·3	Variably cloudy throughout. Fog till 8h, mist till 10½h. Hoar frost in morning.
Monday ..	29	wP till 7h.; v. till 13h.; then wP.	0·0	8·2	Cloudy till 1h., overcast by 2h. Damping 6h. till 6½h., then rain till 19¾h.; slight rain afterwards till 20¾h.
Tuesday ..	30	wP till 18h.; v. till 20h.; then wP.	0·0	8·2	Overcast throughout. Damping 5¼h. Rain 14h. 40m till 15h. 20m. and 16½h. till 20¾h. Brisk wind 2h. till 15h.
December. Wednesday	1	wP till 7h.; then mP.	1·8	8·2	Overcast till 3h.; variably cloudy till 13h.; very cloudy till 15h; then overcast. Mist or slight fog from 15h.
Thursday	2	mP till 0½h.; wP till 9h.; mP and wP till 21h.; then wP.	1·3	8·1	Overcast generally till 11h.; little cloud 12h. till 15h.; overcast till 18¾h.; little cloud from 19h. Misty till 15h.
Friday ..	3	wP till 10h.; then mP.	0·6	8·1	Little cloud till 2h.; cloudy generally till 11h.; nearly overcast till 15h.; variably cloudy till 17½h.; cloudless from 18h. Dew in morning.
Saturday	4	mP and wP.	3·0	8·0	Cloudless till 5h.; very cloudy 7h. till 9h.; little cloud from 11h. Dew in morning. Sky hazy during day.
		—	Sum 10·7	Sum 57·1	
No. of Col. ..	..		27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Tables issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·80 ins. at the beginning of the week to 29·47 ins. by 4h. on November 29th; increased to 29·93 ins. by 22h. on December 1st; decreased to 29·59 ins. by 16h. on December 3rd; increased and was 29·88 ins. by midnight on December 4th.

FOR OFFICIAL USE

1926. No. 49

THE

REGISTRAR GENERAL'S

WEEKLY RETURN OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 11TH DECEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1. St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller.
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH DECEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-ninth week of the year numbered 6,645 and corresponded to an annual rate of 17·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,920 and corresponded to an annual rate of 13·2 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·1, 11·2 and 12·1. Infant mortality was 97 per 1,000 births against 77, 76 and 80 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,533 births, corresponding to a rate of 17·3 per 1,000; and 1,172 deaths of civilians, corresponding to an annual rate of 13·3, against 11·9, 10·8 and 11·8, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·0 per 1,000. The infant mortality was 100 as against 55, 67 and 70 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,498 to 4,920. In London the number of deaths from all causes increased from 1,043 to 1,172; the deaths from diphtheria which had been 10, 16 and 16 in the preceding three weeks fell to 9 last week; and the deaths from influenza which had been 19, 8 and 14 in the preceding three weeks, were 13 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 11th December, 1926.**

TOWNS.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,645	4,920	643	2	15	8	37	47	72	52
London	4,602,000*	1,533	1,172	154	-	1	3	10	9	15	13
Towns in Outer Ring.											
Croydon C.B ..	199,300	68	45	4	-	-	-	-	1	-	-
Wimbledon ..	58,170	16	10	1	-	-	-	-	-	-	-
Ealing†	91,000	20	20	1	-	-	-	-	-	-	1
Acton	63,110	16	8	1	-	-	-	-	-	-	-
Willesden ..	168,900	50	33	2	-	-	-	-	1	-	1
Hendon	59,150*	13	9	-	-	-	-	-	-	-	-
Hornsey	87,210	24	22	-	-	-	-	-	-	-	-
Wood Green ..	51,960	17	4	-	-	-	-	-	-	-	-
Tottenham ..	153,600	42	36	5	-	-	-	-	2	-	-
Edmonton ..	71,210	37	15	2	-	-	-	-	2	-	-
Enfield	63,740	21	16	1	-	-	-	1	1	-	-
West Ham C.B. ..	318,500	127	78	10	-	-	-	-	-	2	1
East Ham C.B. ..	147,200	33	32	1	-	-	-	-	1	-	-
Leyton	132,700	21	33	7	-	-	-	-	1	-	-
Walthamstow ..	130,800	34	37	5	-	-	-	-	1	2	-
Ilford	93,590	28	13	3	-	-	-	1	-	-	-
Gillingham	48,680*	19	15	2	-	-	-	-	2	-	-
Canterbury C.B ..	23,270*	9	6	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	21	23	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	14	10	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	42	34	1	-	-	-	-	1	-	-
Portsmouth C.B. ..	232,900*	69	55	10	-	-	-	-	1	2	1
Bournemouth C.B. ..	85,840	29	21	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	55	28	2	-	-	-	-	-	-	-
Reading C.B.	93,670*	22	23	1	-	-	-	-	-	1	-
Oxford C.B.	57,090	14	9	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	25	28	3	-	-	-	1	1	-	-
Luton	59,230	17	13	3	-	-	-	-	-	-	-
Cambridge	59,020	19	18	1	-	-	-	-	-	-	-
Southend-on-Sea C.B	98,060	34	20	2	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	34	18	2	-	-	-	-	-	-	1
Great Yarmouth C.B.	57,890	21	20	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	52	23	3	-	-	-	-	-	-	1
Swindon	56,880	16	13	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	20	20	2	-	-	-	-	-	-	1
Plymouth C.B. ..	192,100*	82	57	6	-	-	-	-	2	-	1
Bath C.B.	69,050	17	23	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	127	82	13	-	-	-	-	-	-	3
Gloucester C.B. ..	53,060	18	11	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	119	66	14	-	-	-	4	-	1	1
Burton-upon-Trent C.B.	49,530	20	14	-	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	40	24	1	-	-	-	-	-	-	-
Walsall C.B.	102,300	46	22	6	-	-	-	2	-	-	-
West Bromwich C.B	79,490	33	16	2	-	-	-	-	-	1	-
Dudley C.B.	58,810	21	15	3	-	-	-	-	-	-	1
Worcester C.B. ..	50,230	15	8	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	351	225	29	-	-	-	3	1	5	4
Smethwick C.B. ..	78,840	22	24	2	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	29	26	2	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	67	66	6	-	-	-	1	1	-	-
Lincoln C.B.	66,600*	26	18	2	-	-	-	1	-	-	-
Grimsby C.B.	87,190	29	15	4	-	-	-	-	-	1	-
Nottingham C.B. ..	270,600	103	66	16	-	-	-	-	2	-	1
Derby C.B.	134,400*	49	31	2	-	-	-	1	1	-	-
Chesterfield ..	65,800	26	14	1	-	-	-	-	1	-	-
Stockport C.B. ..	125,900	33	36	3	-	-	-	-	-	3	1
Chester C.B.	41,670	8	4	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	54	30	4	1	-	-	-	-	-	-
Wallasey C.B. ..	91,720	22	17	3	-	-	-	-	1	1	-
Liverpool C.B. ..	856,000	369	254	40	-	5	-	2	3	10	-
Bootle C.B.	83,260	43	21	4	-	-	-	1	-	-	-
St. Helens C.B. ..	109,600	58	30	5	-	-	1	1	-	-	-

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B. ..	74,260	23	17	2	-	-	-	-	-	-	-
Wigan C.B.	91,010	30	17	2	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	33	19	1	-	-	-	-	-	-	1
Bolton C.B.	180,400	55	63	10	-	-	-	-	-	1	2
Bury C.B.	56,700*	26	20	3	-	-	-	-	-	-	-
Manchester C.B. ..	755,800	263	241	37	-	-	2	1	2	7	1
Salford C.B.	244,700	72	77	6	-	-	-	-	-	1	-
Oldham C.B.	146,200	33	37	5	-	-	-	-	1	-	1
Rochdale C.B.	92,190	24	28	5	-	-	-	-	-	-	1
Burnley C.B.	102,300	25	30	3	-	-	-	-	-	-	1
Blackburn C.B. ..	126,900	36	23	5	-	1	-	-	-	1	-
Preston C.B.	122,900	52	52	11	-	-	-	-	-	-	1
Blackpool C.B. ..	80,750	25	22	1	-	1	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	25	18	4	-	-	-	-	-	1	1
Huddersfield C.B. ..	112,100	32	34	4	-	-	1	-	1	-	-
Halifax C.B.	97,860*	23	35	2	-	-	-	-	-	1	-
Bradford C.B. ..	290,200	94	82	6	-	-	-	-	-	-	1
Leeds C.B.	472,900	144	140	25	-	2	-	2	2	1	1
Dewsbury C.B. ..	54,570	15	13	2	-	-	-	-	-	-	1
Wakefield C.B. ..	53,980	21	12	2	1	-	-	-	-	2	-
Barnsley C.B. ..	71,170	28	22	4	-	-	-	-	-	-	2
Sheffield C.B. ..	526,900*	162	128	22	-	-	-	-	1	2	1
Rotherham C.B. ..	70,600	20	16	2	-	-	-	-	-	1	-
Doncaster	55,610	19	11	1	-	-	-	-	-	-	-
York C.B.	84,630*	29	24	2		-	-	-	-	1	-
Hull C.B.	297,300	97	69	4	-	1	-	2	-	-	1
Middlesbrough C.B.	136,200	62	59	11	-	1	-	-	-	-	-
Darlington C.B. ..	69,130	24	11	4	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	24	19	2		1	1	-	-	1	-
West Hartlepool C.B.	71,590	32	15	3	-	-	-	-	-	1	-
Sunderland C.B. ..	166,000	81	41	9	-	-	-	-	1	1	-
South Shields C.B. ..	124,600	45	29	7	-	-	-	-	-	-	-
Gateshead C.B. ..	129,000	49	27	9	-	1	-	-	-	1	-
Newcastle-on-Tyne C.B.	286,300*	121	68	11	-	1	-	1	-	2	1
Tynemouth C.B. ..	66,180	21	16	1	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	26	15	1	-	-	-	1	-	-	-
Newport (Mon.) C.B.	96,420*	38	25	2	-	-	-	-	1	-	-
Cardiff C.B.	227,100*	84	40	3	-	-	-	-	-	-	-
Rhondda	167,570	58	40	3	-	-	-	1	-	2	1
Merthyr Tydfil C.B.	82,920	34	20	3	-	-	-	-	1	-	-
Aberdare	57,700	17	11	-	-	-	-	-	1	-	1
Swansea C.B.	163,200	64	39	4	-	-	-	-	-	1	1
Greater London ..	7,742,212*	2,489	1,853	225	1	1	5	13	19	23	18
Outer Ring	3,140,212*	956	681	71	1	-	2	3	10	8	5
16 Great Towns in Outer Ring	1,890,140*	567	411	43	-	-	-	2	10	4	3
Remainder of Outer Ring	1,250,072*	389	270	28	1	-	2	1	-	4	2
Edinburgh†	424,600	131	120	14	-	1	-	-	5	-	3
Glasgow† ..	1,052,200	427	339	61	-	-	3	4	-	5	5
Dublin (Registration Area)†	419,156§	185	130	23	-	1	-	3	2	2	3
Belfast†	416,000	202	134	31	1	-	-	1	1	6	6

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised)

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (un-
		1926.										
LONDON‡	4,602,000	Dec. 11	1533	1172	13·3	–	–	1	3	10	9	15
CALCUTTA AND SUBURBS	1,077,273	Nov. 6	?	867‖	41·9	?	2	?	?	?	?	?
BOMBAY§	1,279,061	„ 20	500	616	25·0	5	–	2	–	–	–	26
MADRAS	528,791	„ 13	515	470	46·2	2	–	–	?	3	–	14
SYDNEY AND SUBURBS	1,038,950	Oct. 31 (31 days)	1927	816	9·4	3	–	7	5	5	6	18
BRISBANE (Metropolitan Area).	263,711	Oct. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Oct. 23	59	30	8·7	–	1	–	–	–	–	–
		„ 30	64	37	10·7	–	–	–	1	–	–	–
AUCKLAND (Urban Area).	192,176	Oct. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Oct. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Oct. 31 (31 days)										
CAPE TOWN	113,709	Nov. 13	45	29	13·3	–	–	–	–	–	–	–
JOHANNESBURG	165,958	„ 13	62	37	11·6	–	–	–	–	2	–	2
DURBAN	54,822	„ 13	21	20	19·0	–	–	–	–	–	1	–
PARIS	2,906,472	„ 30 (10 days)										
ANTWERP	300,193	Nov. 6	96	59	10·3	–	–	–	–	–	–	3
AMSTERDAM	722,085	„ 27	230	127	9·1	1	–	–	–	–	–	2
COPENHAGEN	587,400	„ 27	183	125	11·2	–	–	–	–	1	2	–
STOCKHOLM	442,528	„ 27	80	91	10·7	–	–	–	–	–	–	–
GOTHENBURG	230,963	„ 27	?	26	5·9	–	–	–	–	–	–	–
OSLO (CHRISTIANIA) ..	255,724	„ 27	48	50	10·2	–	–	1	–	–	–	–
BERLIN	1,996,000	„ 20	373	541	14·1	–	?	2	3	2	4	5
BRESLAU	561,000	„ 20	121	133	12·3	1	?	–	–	–	–	2
COLOGNE	710,000	„ 20	303	156	11·4	–	?	–	–	2	–	5
DRESDEN	622,000	„ 20	141	143	12·0	–	?	–	–	–	–	1
FRANKFORT-ON-MAIN ..	471,000	„ 20	104	75	8·3	–	?	–	–	–	–	–
HAMBURG	1,104,000	„ 20	332	178	8·4	–	?	1	–	1	1	–
LEIPZIG	685,000	„ 20	167	155	11·8	–	?	–	–	–	–	1
MUNICH	685,000	„ 20	168	155	11·8	–	?	3	1	1	–	1
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	July 31 (31 days)										
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	Nov. 27	?	263	13·5	5	–	2	15	2	4	9
CAIRO	859,400	July 8	826	677	41·1	9	–	11	–	?	3	161
		„ 15	828	690	41·9	10	–	6	–	?	5	170
ALEXANDRIA	492,100	July 8	417	260	27·5	1	–	–	–	?	1	43
		„ 15	425	279	29·6	–	2	–	–	?	–	48
NEW YORK	5,924,139	Sept. 18										
CHICAGO ..	2,995,239	Nov. 19	1027	646	11·1	1	?	1	3	1	6	8

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 16 deaths from Cholera in Calcutta

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th December, 1926, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1172	154	28	27	34	31	42	69	139	195	219	234
Enteric fever..	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever	3	-	1	1	1	-	-	-	-	-	-	-
Whooping cough	10	4	4	2	-	-	-	-	-	-	-	-
Diphtheria	9	-	-	4	5	-	-	-	-	-	-	-
Influenza	13	2	-	-	-	1	1	-	2	3	4	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	3	-	-	-	-	-	1	1	1	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	82	-	-	-	5	11	16	18	21	5	4	2
Nervous system	4	-	-	2		-	1	-	-	-	-	-
Intestines and peritoneum	2	-	-	-	1	1	-	-	-	-	-	-
Other forms	3	-	-	-	2	-	-	1	-	-	-	-
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	121	-	-	-	1	1	3	4	19	31	37	25
Rheumatic fever	3	-	-	-	3	-	-	-	-	-	-	-
Diabetes	10	-	-	-	-	-	-	-	1	4	4	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	-	-	1	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	53	-	-	-	-	1	-	1	6	9	19	17
Epilepsy	8	-	-	-	-	1	3	1	3	-	-	-
"Convulsions" (not puerperal) ..	5	4	1	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	28	1	-	1	2	-	1	4	4	9	4	2
Pericarditis	4	-	1	-	1	-	-	1	-	1	-	-
Acute endocarditis	5	-	-	-	2	-	1	2	-	-	-	-
Other diseases of heart	198	-	-	-	1	2	4	8	17	44	62	60
Other diseases of circulatory system	52	-	-	-	-	-	-	2	4	12	12	22
Bronchitis	105	14	1	-	1	-	-	1	18	19	22	29
Broncho-pneumonia	91	49	12	10	-	-	-	1	2	7	7	3
Lobar-pneumonia	24	1	2	-	1	1	-	2	6	7	3	1
Pneumonia (type not distinguished)	14	3	2	1	-	-	-	1	3	1	-	3
Other diseases of respiratory system	10	-	-	1	-	1	1	1	1	1	2	2
Diarrhœa and enteritis	15	13	2	-	-	-	-	-	-	-	-	-
Appendicitis, Typhlitis	4	-	-	-	1	-	2	-	-	-	-	1
Hernia, Intestinal obstruction.. ..	9	2	-	-	-	-	-	2	2	2	1	-
Cirrhosis of liver	8	-	-	-	-	-	-	1	2	4	1	-
Other diseases of digestive system ..	34	-	-	-	-	1	-	2	6	10	9	6
Acute nephritis	4	-	-	-	1	-	1	-	1	-	1	-
Chronic Bright's disease..	32	-	-	-	-	2	1	2	6	9	6	6
Other diseases of genito-urinary system.	17	1	-	-	1	-	-	-	2	2	6	5
Puerperal sepsis	1	-	-	-	-	-	-	1	-	-		-
Other causes incident to childbirth..	4	-	-	-	-	1	1	2	-	-	-	-
Congenital malformations	14	11	-	-	-	1	-	-	-	2	-	-
Premature birth	23	23	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	40	-	-	-	-	-	-	-	-	-	2	38
Suicide	13	-	-	-	-	-	1	4	4	3	-	1
Burns and Scalds	5	-	1	3	-	-	1	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	1	3	2	2	-	1	3	3	-
Other deaths by violence	23	1	1	-	-	1	1	3	2	2	5	7
Other specified causes	36	13	-	-	1	3	-	3	4	4	5	3
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th December, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	234	285	4	239	C. 3 D. 2 E. 5 F. 3 G. 4 M. 11 N. 19
†CITY OF LONDON	-	-	3	-	1	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	7	13	-	18	E. 1
†BERMONDSEY ...	-	6	20	-	6	C. 1 M. 1
†BETHNAL GREEN	-	3	7	1	8	E. 1
†CAMBERWELL ...	-	11	24	-	12	-
†CHELSEA	-	2	3	-	8	M. 2
†DEPTFORD ...	-	16	10	-	5	N. 1
†FINSBURY ...	-	7	3	-	1	D. 1
†FULHAM	-	6	5	-	9	E. 1
†GREENWICH ...		7	11	-	3	C. 1
†HACKNEY ...	-	13	10	-	-	N. 2
†HAMMERSMITH ...	-	13	3	-	2	M. 2
†HAMPSTEAD ...	-	2	-	-	1	N. 1
†HOLBORN... ...	-	3	3	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	28	27	1	10	F. 1 G. 1 M. 3 N. 3
†KENSINGTON ...	-	6	8	-	1	-
†LAMBETH ...	-	7	23	-	9	F. 1 N. 5
†LEWISHAM ...	-	3	9	-	3	G. 1
†PADDINGTON ...	-	6	7	-	11	C. 1 F. 1 N. 3
†POPLAR	-	12	8	-	18	M. 1
†ST. MARYLEBONE	-	3	6	-	1	N. 1
†ST. PANCRAS ...	-	12	7	1	5	G. 1 N. 2
†SHOREDITCH ...	-	6	8	-	31	E. 2
†SOUTHWARK ...	-	8	11	-	18	M. 1 N. 1
†STEPNEY	-	12	25	-	17	-
†STOKE NEWINGTON	-	3	1	1	-	-
†WANDSWORTH ...	-	19	17	-	30	G. 1 M. 1
†WESTMINSTER, CITY OF	-	2	7	-	-	-
†WOOLWICH ...	-	11	6	-	11	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	13	9	–	2	N. 2
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	12	5	–	–	N. 1
†LUTON	–	–	3	–		–
Rural Districts:—						
AMPTHILL ...	–	–			1	–
BEDFORD ...	–	1		–		–
EATON SOCON ...	–	–	1	–	–	–
LUTON	–	–	–	–	1	N. 1
BERKS	–	11	9	–	2	C. 1 E. 1 N. 2
†READING C.B. ..	–	3	–	–	1	N. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	1	–	–	–	–
WANTAGE .	–	1	–	–	–	–
WOKINGHAM ...	–	–	4	–		C. 1
Rural Districts:—						
ABINGDON ...	–	1	3	–	–	–
BRADFIELD ...	–	1	–	–	–	E. 1
HUNGERFORD ...	–	2		–	–	–
WALLINGFORD ...	–		–	–	1	N. 1
WINDSOR... ...	–	1	–	–		
WOKINGHAM ...	–	1	2	–	–	–
BUCKINGHAM ...	–	6	6		2	C. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	–	3	–	–	N. 1
BLETCHLEY ...	–	2	–			
†CHEPPING WYCOMBE	–	–	–	–	–	M. 1
†SLOUGH	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
†AYLESBURY ...	–	–	–	–	–	C. 1
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	1	2	–	–	–
HAMBLEDEN ...	–	1	–	–	–	–
WING	–	1	–	–	–	
WYCOMBE ...	–		1	–		–
CAMBRIDGE ..	–	3	1	–	1	G. 1
Borough:—						
†CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	G. 1
NEWMARKET ...	–	1	–	–	1	–
CHESTER	–	53	29	2	52	C. 1 G. 2 M. 2 N. 3
†BIRKENHEAD C.B	–	4	5	1	18	C. 1
†CHESTER C.B. ...	–	–	–	–	3	M. 1
†STOCKPORT C.B.	–	22	–		2	N. 1
†WALLASEY C.B. ...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–		–	–
ALSAGER	–	1	–		–	–
†BEBINGTON AND BROMBOROUGH	–		1		1	–
BREDBURY AND ROMILEY		–	–	–	1	–
BUGLAWTON ...	–	–	1	–	–	–
†CONGLETON ...	–	–	6	–	1	–
†CREWE	–	1	–	–	–	M. 1
†DUKINFIELD ...	–	1	–	–	5	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	–	–	1	–	–
†HYDE	–	1	1	–	3	–
†MACCLESFIELD ...	–	–	3	–	1	–
MARPLE	–	1	–	–	–	N. 1
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	3	1	–		G. 1 N. 1
†SALE	–	–	1	–	–	–
TARPORLEY ...	–	–	1	–	–	
WILMSLOW ...	–	–	1	–		–
†WINSFORD ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CONGLETON ...	–	1	–	–		G. 1
DISLEY		2	–	–	–	–
NANTWICH ...	–	4	–	–	3	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	2	1	–	1	–
TARVIN	–	1		–	–	–
WIRRAL	–	3	1		12	–
CORNWALL ..	–	5	–	2	1	C. 1 G. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
FOWEY	*	*	*	*	*	*
PADSTOW... ...	–	1	–	–	–	–
†PENZANCE ...	–	–	–	2	–	–
ST. AUSTELL ...		1	–	–	–	–
SALTASH... ...	–	–	–	–	1	–
†TRURO	–	–	–	–	–	M. 1
Rural Districts:—						
EAST KERRIER ...		2	–	–	–	–
LAUNCESTON ..	–	–	–	–		C. 1
TRURO	–	–	–	–	–	N. 1
WEST PENWITH...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ..	–	12	15	–	–	M. 2 N. 3
†CARLISLE C.B. ..	–	4	1	–	–	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–		–	–	N. 1
EGREMONT ...	–	1	–	–	–	–
HOLME CULTRAM	–	1	–	–		–
†MARYPORT ...	–	–	–	–	–	N. 1
MILLOM		2	–	–		–
PENRITH	–	1	–		–	–
†WHITEHAVEN ...	–	–	–		–	M. 2
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	2		–	–
CARLISLE ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	6		–	–
LONGTOWN ...	–	–	2	–	–	–
PENRITH	–	–	1		–	–
WIGTON			–	–		N. 1
DERBY	22	30	17	–	41	C. 2 E. 2 N. 3
†DERBY C.B. ...	5	1	5	–	12	N. 1
Boroughs and Urban Districts:—						
†ALFRETON ..	1	2		–	7	–
ALVASTON AND BOULTON	–	–	–	–	1	–
†BELPER	8	–		–	–	–
†BOLSOVER ...	–	2	–			–
†CHESTERFIELD ..	–	3	9		3	–
CLAY CROSS ..	–	1	–		–	–
†GLOSSOP	–	1	–		–	–
HEAGE	8	–	–	–	–	–
†HEANOR	–	1		–	2	–
†ILKESTON ...	–	–	–		–	N. 1
†LONG EATON ...	–	3	1	–	1	C. 1
NEW MILLS ...	–	1	–		2	–
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	–	–		–	2	–
†SWADLINCOTE DISTRICT	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	–	1		–	–	E. 1 N. 1
BELPER	–	1	–	–	2	–
BLACKWELL ...	–	1	–	–	4	C. 1
CHAPEL EN LE FRITH	–	1	–	–		E. 1 –
CHESTERFIELD ..	–	2	2	–	3	–
CLOWNE	–	2	–	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	–	2		–	–	–
SHARDLOW ..	–	1	–	–	2	–
DEVON	–	44	13	4	6	C. 1 M. 1 N. 1
†EXETER C.B. ...	–	11	1	1	1	–
†PLYMOUTH C.B. ...	–	16	9	1	2	C. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	–	2	–	–	–	–
BRIXHAM... ...	–	1	2	1	1	–
†EXMOUTH ...	–	1	–	–	–	–
GREAT TORRINGTON		1	–	–	–	–
OKEHAMPTON ...	–	1	–	–		–
†PAIGNTON ...	–	–	–	1	–	–
SOUTH MOLTON...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	2	–	–	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
CREDITON ...	–	1	–	–		–
HONITON ...	–	1	–	–	–	–
NEWTON ABBOT...	–	–	–	–	–	N. 1
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	M. 1
ST. THOMAS ...	–	2	–	–	–	–
SOUTH MOLTON...	–	–	–	–	1	–
TAVISTOCK ...	–	–	1	–	–	–
TIVERTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	4	1	–	1	E. 1
Boroughs and Urban Districts:—						
POOLE	–	–	–	–	1	–
†PORTLAND ..	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	E 1
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	1	1	–	–	
DURHAM	252	81	28	–	74	C. 2 E. 1 G. 2 M. 10 N. 10
†DARLINGTON C.B.	–	–	1	–	3	–
†GATESHEAD C.B.	7	5	2	–	2	–
†SOUTH SHIELDS C.B	1	3	2	–	13	N. 1
†SUNDERLAND C.B.	–	2	1	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	11	–	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	M. 2
BARNARD CASTLE	–	2	–	–		–
BENFIELDSIDE ...	–	–	1	–	2	G. 1
BILLINGHAM ...	–	–	1	–	–	–
†BLAYDON... ...	–	5	–	–	2	–
†BRANDON AND BYSHOTTLES	55	–	–	–	–	–
†CHESTER LE STREET	3	4	–	–	1	N. 1
†CONSETT	–	3	–	–	1	–
†CROOK	8	1	–	–	–	–
†DURHAM	–	1	–	–	–	M. 1 N. 1
†FELLING	–	–	1	–	–	–
†HARTLEPOOL ...	–	2	–	–	1	N. 1
†HEBBURN ...		1	1	–	–	–
†HETTON	23	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOUGHTON LE SPRING	3	–	–	–	4	–
†JARROW	12	–	–	–	13	C. 2
LEADGATE ...	–	4	1	–	–	–
†SEAHAM HARBOUR	–	2	–	–	1	–
†SHILDON	9	–	–	–	–	–
†SPENNYMOOR ...	1	–	3	–	–	N. 1
†STANLEY	6	2	1	–	–	N. 2
†STOCKTON ON TEES	–	10	3	–	5	–
†TANFIELD ...	–	–	–	–	1	–
†WHICKHAM ...	1	1	2	–	1	–
WILLINGTON ...	19	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	11	3	–	–	–	G. 1
CHESTER LE STREET	10	1	2	–	3	N. 1
DURHAM	3	2	–	–	1	–
EASINGTON ...	25	7	3	–	4	M. 1
HOUGHTON LE SPRING	2	–	–	–	3	N. 1
LANCHESTER ...	39	4	3	–	–	M. 1
SEDGEFIELD ...	14	2	–	–	1	–
SOUTH SHIELDS...	–	–	–	–	1	M. 1
						N. 1
SUNDERLAND ...	–	–	–	–	2	M. 3
ELY, ISLE OF ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
WHITTLESEY ...	–	–	2	–	–	–
ESSEX	–	118	33	2	39	C. 1 E. 1 G. 2 L. 2 M. 4 N. 2
†EAST HAM C.B. ...	–	11	6	2	4	–
†SOUTHEND-ON-SEA C.B.	–	11	–	–	6	M. 2
†WEST HAM C.B. ...	–	37	12	–	13	L. 2 N. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	3	1	–	2	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–		–
†CHELMSFORD ...	–	1	–	–	–	G. 1
CHINGFORD ...	–	3	–		–	–
†COLCHESTER ...	–	1	–	–	1	–
DAGENHAM ...	–	1	–	–	–	M. 1
†GRAYS THURROCK	–	1	–	–	1	M. 1
†HORNCHURCH ...	–	1	–	–		–
†ILFORD	–	4	–	–	2	–
†LEYTON	–	7	2	–	1	C. 1 N. 1
MALDON	–	–	–	–	–	G. 1
TILBURY	–	1	–	–	–	–
†WALTHAMSTOW...	–	10	6	–	7	–
†WANSTEAD ..	–	1	–	–	–	–
†WOODFORD ...	–	2	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	5	2	–	–	–
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	2	1	–	–	–
EPPING	–	–	–	–	1	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
MALDON	–	4	–	–	–	–
ONGAR	–	–	1	–	–	–
ORSETT	–	3	–	–	–	–
ROCHFORD ...	–	1	1	–	–	E. 1
ROMFORD... ...	–	3	–	–		–
TENDRING ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	32	16	3	16	C. 1 E. 4 M. 5 N. 1
†BRISTOL C.B. ...	–	19	10	–	6	C. 1 E. 2 M. 2
†GLOUCESTER C.B.	–	–	1	–	2	M. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	3	–	–	–
CIRENCESTER ...	–	–	–	–	1	–
TETBURY	–	–	–	–	4	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	M. 1
CIRENCESTER ...	–	–	–	–	–	N. 1
DURSLEY	–	4	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	–	–	–	–	E. 1
LYDNEY	–	1	–	–	–	E 1
PEBWORTH ...	*	*	*	*	*	*
STOW ON THE WOLD (part)	–	1	–	–	–	M. 1
STROUD	–	1	–	3	1	–
THORNBURY ...	–	3	–	–	1	–
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	2	–	–	–	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	1	1	–	1	E. 1 N. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	1	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	–	N. 1
WEOBLEY... ...	–	–	–	–	1	–
WIGMORE ...	–	–	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ..	–	12	7	1	1	C. 1 G. 1 N. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	6	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
†HERTFORD ...	–	–	3	–	–	–
ROYSTON	–	–	–	–	–	C. 1 N. 1
WARE	–	–	1	–	–	–
†WATFORD ...	–	1	–	1	1	–
Rural Districts:—						
ASHWELL ...	–	–	1	–	–	–
HATFIELD ...	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
WARE	–	–	2	–	–	–
WATFORD ...	–	–	–	–	–	G. 1
HUNTINGDON ...	–	5	–	–	2	N. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	–	–	1	N. 1
HUNTINGDON ...	–	2	–	–	–	–
OLD FLETTON ...	–	1	–	–		–
ST. IVES	–	1	–	–	1	–
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
KENT	–	59	33	–	7	C. 1 E. 1 G. 2 M. 2 N. 1
†CANTERBURY C.B.	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	1	1	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever : K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†CHATHAM ...	–	–	1	–	3	–
CHERITON ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DOVER	–	4	2	–	–	–
†ERITH	–	3	2	–	–	–
†FAVERSHAM ...	–	3	–	–	–	E. 1
†GILLINGHAM ...	–	3	5	–	1	M. 1
†GRAVESEND ...	–	1	4	–	–	–
†MAIDSTONE ...	–	3	–	–	–	–
†MARGATE ...	–	–	3	–	–	G. 1
MILTON REGIS ...	–	2	–	–	–	–
†NORTHFLEET ...	–	2	2	–	–	–
†PENGE	–	3	3	–	–	–
†RAMSGATE ...	–	3	–	–	–	–
†ROCHESTER ...	–	2	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	1	C. 1
SEVENOAKS ...	–	1	–	–	–	G. 1
†SHEERNESS ...	–	–	1	–	–	–
SWANSCOMBE ...	–	1	6	–	–	–
†TONBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
BLEAN	–	2	–	–	–	–
BROMLEY ..	–	1	1	–	–	M. 1
CRANBROOK ...	–	–	–	–	–	N. 1
FAVERSHAM ..	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
MAIDSTONE ...	–	3	–	–	–	–
MALLING	–	4	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	4	206	118	3	304	C. 10 D. 2 E. 4 F. 1 G. 4 L. 1 M. 22 N. 13

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BARROW IN FURNESS C.B.	–	3	2	–	1	D. 1 M. 1
†BLACKBURN C.B.	–	2	2	–	4	N. 3
†BLACKPOOL C.B.	–	2	1	–	–	M. 1
†BOLTON C.B. ...	–	8	3	–	7	C. 1 M. 1
†BOOTLE C.B. ...	–	4	1	–	7	–
†BURNLEY C.B. ..	–	7	2	–	3	–
†BURY C.B. ...	–	3	–	–	–	–
†LIVERPOOL C.B. ..	–	43	33	2	51	C. 3 E. 2 F. 1 G. 4 M. 12 N. 1
†MANCHESTER C.B.	–	48	21	–	89	C. 2 D. 1 M. 1 N. 3
†OLDHAM C.B. ...	–	3	7	–	1	M. 1
†PRESTON C.B. ..	–	3	6	–	6	–
†ROCHDALE C.B. ..	–	3	2	–	4	C. 1
†ST. HELENS C.B. ...	–	6	1	–	5	N. 1
†SALFORD C.B. ...	–	16	6	–	24	C. 1 E. 1
†SOUTHPORT C.B.	–	8	–	–	1	–
†WARRINGTON C.B.	–	4	4	–	8	–
†WIGAN C.B. ..	–	–	–	–	6	M. 1
Boroughs and Urban Districts:—						
ABRAM	–		–	–	–	M. 1
†ACCRINGTON ...	–	1	–	–	–	C. 1
†ASHTON IN MAKERFIELD	4	–	–	–	–	–
†ASHTON UNDER LYNE	–	2	–	–	4	–
†ATHERTON ...	–	1	–	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	1	–
BARROWFORD ...	–	1	–	–	1	–
BRIERFIELD ...	–	1	–	–	1	–
†CHADDERTON ...	–	2	–	–	2	–
†CHORLEY	–	–	–	–	1	–
†COLNE	–	1	–	–	2	–
†CROMPTON ...	–	1	1	–	1	–
†DALTON IN FURNESS	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARWEN	-	1	-	-	-	-
†DENTON	-	1	1	-	1	-
†FAILSWORTH ...	-	-	1	-	5	-
†FLEETWOOD ...	-	-	-	-	-	M. 1
FULWOOD ...	-	1	-	-	-	
†GREAT CROSBY ...	-	-	-	-	1	-
†HAYDOCK ...	-	2	-	-	2	-
†HEYWOOD ...	-	4	1	-	-	-
†HINDLEY... ...	-	-	-	-	14	M. 1
†HORWICH ...	-	-	-	-	3	-
†INCE IN MAKERFIELD	-	-	-	-	2	-
IRLAM	-	-	-	-	3	-
†LANCASTER ...	-	-	1	-	1	N. 1
LATHOM AND BURSCOUGH		2	1	-	-	-
†LEIGH	-	-	1	-	-	N. 1
LEYLAND... ...	-	1	-	-	-	-
†LITTLEBOROUGH	-	1	2	-	-	-
†LYTHAM ST. ANNE'S	-	-	1	-	-	-
†MIDDLETON ...	-	-	1		6	-
†MORECAMBE ...	-			-	1	-
†MOSSLEY	-	-	-	-	-	C. 1
†NELSON	-	-	-		1	-
†NEWTON IN MAKERFIELD	-	1	-	-	1	-
NORDEN	-		1	-	-	
ORMSKIRK ...	-	-	2	-	-	-
†OSWALDTWISTLE		4	-	-	-	-
†PADIHAM... ...	-	-	3	-	-	-
PRESCOT	-	-	1	-	-	-
†RADCLIFFE ...	-	2	-		-	
†RAMSBOTTOM ...	-	-	-	-	1	-
†RAWTENSTALL ...		3	1	-	1	E. 1
RISHTON	-		2	-	-	-
†ROYTON	-	1	-	-	1	-
STANDISH WITH LANGTREE	-	-	-	1	1	-
†STRETFORD ..	-	1	1	-	2	M. 1 N. 1
†SWINTON AND PENDLEBURY	-	-	-	-	4	-
†TYLDESLEY WITH SHAKERLEY	-	1	-	-	1	N. 1
ULVERSTON ...	-	1	-	-	-	-
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATERLOO WITH SEAFORTH	-	1	-	-	2	-
†WESTHOUGHTON	-	-	1	-	-	-
WHITWORTH ...	-	-	1	-	1	-
†WIDNES	-	1		-	11	N. 1
Rural Districts:—						
BARTON UPON IRWELL	-	-	-	-	1	-
BLACKBURN ...	-	1	-	-	-	-
LEIGH	-	-	1	-	1	-
PRESTON	-	1	-	-	-	-
ULVERSTON ...	-	1	-		-	-
WARRINGTON ...	-	-	-		2	L. 1
WEST LANCASHIRE	-	1	-	-	-	-
WHISTON... ...	-	-	2	-	-	-
WIGAN	-	-	-	-	1	-
LEICESTER... ..	-	18	18	-	10	C. 1 E. 2 M. 1 N. 1
†LEICESTER C.B. ...	-	10	8	-	3	E. 1 M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	-	-	1	-		-
†HINCKLEY ...	-	2		-	-	-
†LOUGHBOROUGH	-	-	4	-		-
MELTON MOWBRAY	-	-	-	-	3	-
SHEPSHED ...	-	-	-	-	1	-
THURMASTON ...	-	2	1	-	-	-
Rural Districts:—						
BARROW UPON SOAR	-	-	2	-	1	-
CASTLE DONINGTON	-	-	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
HINCKLEY ...	–	–	2	–	–	–
LOUGHBOROUGH	–	3	–	–	–	C. 1
LUTTERWORTH ...	–	–	–	–	1	–
MARKET BOSWORTH	–	1	–	–	–	E. 1
LINCOLN (parts of Holland).	–	7	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	1	–	–	–
EAST ELLOE ...	–	2	–	–	–	–
SPALDING (part)..	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	2	N. 2
Boroughs and Urban Districts:—						
BOURNE	–	3	–	–	–	–
†GRANTHAM ...	–	–	–	–	–	N. 1
Rural Districts:—						
BOURNE	–	1	–	–	–	N. 1
BRANSTON ...	–	–	–	–	1	–
GRANTHAM ...	–	–	–	–	1	–
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	11	12	–	3	G. 1 M. 1
†GRIMSBY C.B. ...	–	3	3	–	1	–
†LINCOLN C.B. ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	2	–	–	–
†CLEETHORPES ...	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	–	G. 1
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	M. 1
SKEGNESS ...	–	1	–	–	–	–
Rural Districts:—						
CAISTOR	–	1	–	–	–	–
GLANFORD BRIGG	–	–	4	–	–	–
GRIMSBY	–	–	–		1	–
HORNCASTLE ...	–	1	–	–	1	–
SPILSBY	–	–	1	–	–	–
MIDDLESEX ..	–	60	88	1	31	G. 2 E. 3 F. 1 G. 3 M. 2 N. 5
Boroughs and Urban Districts:—						
†ACTON	–	5	1	–	–	–
†BRENTFORD ...	–	1	3	–	–	C. 1 M. 1
†CHISWICK ...	–	1	1	1	1	G. 1
†EALING	–	2		–	3	–
†EDMONTON ...	–	3	16	–	3	–
†ENFIELD	–	6	6	–	2	–
†FINCHLEY ...	–	5	3	–	–	G. 1 N. 1
†FRIERN BARNET	–	–	–	–	3	–
†HAMPTON ...	–	1	–	–	–	C. 1 N. 1
†HARROW ON THE HILL	–	–	–	–	–	N. 1
†HENDON	–	4	2	–	2	E. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HESTON AND ISLEWORTH	–	1	2	–	–	M. 1
†HORNSEY		4	3	–	3	–
†SOUTHALL NORWOOD	–	4	–	–	–	–
†SOUTHGATE ...	–	–	1	–	2	F. 1
†TOTTENHAM ...	–	10	26	–	7	E. 1
†TWICKENHAM ...	–	1	1	–	–	–
†UXBRIDGE ...	–	3	–	–	–	–
†WEALDSTONE ...		2		–	–	–
†WILLESDEN ...	–		14	–	4	N. 2
†WOOD GREEN ...	–	3	8	–	–	G. 1
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	2	1	–	1	E. 1
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	10	5	–	6	E. 2 G. 1 M. 2 N. 2
†GREAT YARMOUTH C.B.	–	1	1	–	–	–
†NORWICH C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
CROMER	–	–	–	–	–	N. 1
DISS	–	1		–		–
DOWNHAM MARKET	–	–	–	–		N. 1
†KING'S LYNN ...		–	–	–	3	–
THETFORD ..	–	–	–	–	–	E. 1
WALSOKEN ...	–	2	–	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	M. 1
DEPWADE ...	–	1		–	–	
DOCKING	–	1	–		–	G. 1
EPPINGHAM ...	–	1	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
HENSTEAD ...	–		–	–	–	M. 1
KING'S LYNN ...	*	*	*	*	*	*
LODDON AND CLAVERING	*	*	*	*	*	*
SMALLBURGH ...	–	–	–	–	1	–
WALSINGHAM ...	–	–	4	–	1	–
WAYLAND ...	–	2		–	–	–
NORTHAMPTON ...	–	9	8	–	20	G. 1 M. 1 N. 1
†NORTHAMPTON C.B.	–	6	5	–	17	–
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	1	–	–	–	–
IRTHLINGBOROUGH	–	–	1	–	–	–
†RUSHDEN... ...	–	1	–	–	–	G. 1 N. 1
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	–	–	–	1	–
NORTHAMPTON ...	–	–	–	–	–	M. 1
POTTERSPURY ...	–	–	–		1	–
THRAPSTON (part)	–	1	–		–	
TOWCESTER ...	–	–	1	–		–
NORTHUMBERLAND	15	47	8	–	74	D. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	2	16	2	–	47	D. 1 M. 1
†TYNEMOUTH C.B.	–	4	4	–	6	–
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	8	2	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	–	–	4	–
†BERWICK UPON TWEED	–	5	–	–	–	–
†BLYTH	–	1	–	–	3	–
CRAMLINGTON ...	–	1	1	–	2	–
†EARSDON		–	–	–	1	–
†GOSFORTH ...	–	1	–	–		–
HEXHAM	–	–	1	–	–	–
†LONGBENTON ...	–	1	–	–	4	–
MORPETH... ...	2	–	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	8	–	–	4	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	1	–	–	–	–	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	5	–	–	–	–
MORPETH ...	2	–	–	–	–	–
NOTTINGHAM ...	3	17	34	–	24	G. 1 M. 2 N. 1
†NOTTINGHAM C.B.	–	9	16	–	12	M. 1 N. 1
Boroughs and Urban Districts:—						
†CARLTON	–	–	–	–	4	–
†EAST RETFORD ...	–	1	5	–	1	–
†HUCKNALL ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–		3	–
†MANSFIELD ...	–	1	1	–	2	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	3	–	1	–	–	–
WARSOP	–	2	–	–	–	–
†WORKSOP... ...	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	2	1	–	–	–
BINGHAM... ...	–	–	1	–	–	–
MISTERTON ...	–	–	–	–	–	G. 1
NEWARK		–	8	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	–	–		1	–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	4	–	–	1	C. 1 N. 2
†OXFORD C.B. ..	–	1	–	–	–	C. 1
Boroughs and Urban Districts:—						
THAME	–	1	–	–	–	–
Rural Districts:—						
HEADINGTON ...	–	2	–	–	–	N. 2
WITNEY	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
Rural Districts:—						
BARNACK... ...	–	1	–	–	–	–
RUTLAND	–	–	–	–	1	–
Rural Districts:—						
UPPINGHAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	20	6	–	2	G. 1 M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	G. 1
DAWLEY	–	–	2		–	–
ELLESMERE ...	–	1	–	–	–	–
†OAKENGATES ...	–	1	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	1	–	–	–
WELLINGTON ...	–	–	–	–	–	M. 1
Rural Districts:—						
ATCHAM	–	3	1	–	–	–
DRAYTON... ...	–	–	–	–	1	–
OSWESTRY ...	–	3	–	–	–	–
SHIFNAL	–	2	–	–	–	–
WELLINGTON ...	–	6	1	–	1	–
WEM	–	1	–	–	–	M. 1
SOMERSET	–	14	10	1	7	G. 1 N. 1
†BATH C.B. ..	–	6	–	–	–	–
Boroughs and Urban Districts:—						
CHARD	–	1	–	–	–	–
HIGHBRIDGE ...	–	–	1	–	–	–
SHEPTON MALLET	–	–	–	–	1	
†WESTON SUPER MARE	–	–	1	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
CHARD	–	–	–	–	2	–
CLUTTON... ...	–	3	–	–	–	–
DULVERTON ...	–	–	–	–	–	G. 1
FROME	–	–	–	–	1	–
SHEPTON MALLET	–	2	–	–	1	–
WELLS	–	–	1	1	–	–
WILLITON ...	–	2	–	–	–	–
WINCANTON ...	–	–	7	–	–	–
YEOVIL	–	–	–	–	1	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON .	–	40	33	2	6	C. 2 D. 1 E. 1 M. 1 N. 5
†BOURNEMOUTH C.B.	–		1	–	–	–
†PORTSMOUTH C.B	–	24	18	–	–	M. 1 N. 2
†SOUTHAMPTON C.B	–	3	6	–	3	C. 1 D. 1 N. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–		–	–
†FAREHAM ...	–	1	–	1	–	–
†GOSPORT	–	1	1	–	–	–
†WINCHESTER ...	–	1	–	–	–	C. 1
Rural Districts:—						
ALRESFORD ...	–	2	–	–	–	–
ALTON	–	–	4		–	–
FAREHAM ..		1		–	–	–
FORDINGBRIDGE.	–	2	–		1	–
HARTLEY WINTNEY	–	1	1	–	–	–
LYMINGTON ...	–	1	–		–	–
NEW FOREST ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	2	–	–	
STOCKBRIDGE ...	–	–	–	1	–	N. 1
WHITCHURCH ...	–	–	–	–	–	N. 1
WINCHESTER ...	–	–	–	–	1	E. 1
STAFFORD	1	58	35	–	45	C. 2 F. 1 G. 1 M. 13 N. 6
†BURTON UPON TRENT C.B	–	1	8	–	5	M. 1
†SMETHWICK C.B.	–	–	1	–	2	–
†STOKE ON TRENT C.B	–	13	4	–	9	M. 5 N. 1
†WALSALL C.B. .	–	4	6	–	1	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	–	1	–	1	C. 1
†WOLVERHAMPTON C.B.	–	5	1	–	4	M. 6 N. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	1	–
BIDDULPH ..	–	1	–	–	1	–
†BILSTON	–	4	1	–	2	–
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	2	–	–	–	–
†CANNOCK	–	3	1	–	1	–
†COSELEY	–	1	1	–	–	–
†DARLASTON ...	–	1	1	–	2	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	–		2	N. 1
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	1	–	–	–	–	–
QUARRY BANK	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	3	–	4	–
†SEDGLEY	–	–	–	–	1	–
†STAFFORD ...	–	1	–	–	–	–
STONE	–	–	–	–	1	
†TIPTON	–	–	–	–	–	M. 1 N. 1
†WEDNESBURY ...	–	9	2	–	–	G. 1
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	1	–	–	1	–
Rural Districts:—						
CANNOCK	–	–	2	–	1	N. 1
CHEADLE... ...	–	–	–	–	2	F. 1
KINGSWINFORD...	–	–	1	–	–	–
LEEK	–	1	–	–	2	–
LICHFIELD ...	–	–	2	–	–	C. 1
SEISDON	–	3		–	–	–
TAMWORTH (part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ..	–	18	2	1	2	M. 1
†IPSWICH C.B. ...	–	4	–	1	1	–
Boroughs and Urban Districts:—						
BUNGAY	–	5	–	–	–	–
†LOWESTOFT ...	–	8	1	–	–	–
SOUTHWOLD ...	–	–	–	–	–	M. 1
Rural Districts:—						
HARTISMERE ...	–	1	–	–	–	–
SAMFORD... ...	–	–	1	–	1	–
SUFFOLK, WEST ...	–	8	2	–	–	C. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	–	–	–	–
NEWMARKET ...	–	3	2	–	–	–
Rural Districts:—						
CLARE	–	–	–	–	–	C. 1
THINGOE	–	3	–	–	–	–
SURREY	–	35	24	6	12	G. 2 M. 3 N. 2
†CROYDON C.B. ...	–	18	8	–	1	M. 2 N. 1
Boroughs and Urban Districts:—						
†CARSHALTON ...	–	–	1	–	–	N. 1
†COULSDON AND PURLEY	–	1	–	1	–	–
†EPSOM	–	–	2	–	1	–
†ESHER AND THE DITTONS	–	1	–	–		–
†FARNHAM ...	–	3		–	1	–
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	–	–	1	–	–	G. 1
†KINGSTON ON THAMES	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	1	–	–	–	M. 1
†MITCHAM... ...	–	–	1	–	–	–
†REIGATE	–	2	–	1	–	–
†RICHMOND ...	–	1	1	–	–	–
†SURBITON ...	–	–	2	–	–	–
†SUTTON	–	1	1	–	2	G. 1
†THE MALDENS AND COOMBE	–	–	–	–	2	–
†WIMBLEDON ...	–	4	–	–	–	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
EPSOM	–	1	2	–	3	–
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	–	3	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	–	–	4	–	–
SUSSEX, EAST ...	–	12	6	–	7	C. 1 D. 1 E. 1 M. 1 N. 1
†BRIGHTON C.B. ...	–	1	4	–	5	–
†EASTBOURNE C.B.	–	4	1	–	–	–
†HASTINGS C.B. ...	–	2	–	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	–	1	–	–	N. 1
†LEWES	–	1	–	–	–	–
SEAFORD	–	–	–	–	–	E. 1
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	–	–	–	–	D. 1
HASTINGS ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	9	7	–	2	–
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
†CHICHESTER ...	–	1	2	–	–	–
†HORSHAM ...	–	2	–	–	–	–
SHOREHAM BY SEA	–	3	–	–	1	–
SOUTHWICK ...	–	–	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	–	1	–	–	–
WESTHAMPNETT ..	–	2	2	–	–	–
WARWICK	–	60	50	–	54	C. 2 E. 1 G. 5 M. 6 N. 1
†BIRMINGHAM C.B.	–	30	45	–	45	C. 1 E. 1 G. 4 M. 6
†COVENTRY C.B. ...	–	7	–	–	3	C. 1 G. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	2	–	–	–
†NUNEATON ...	–	4		–	–	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	1	1	–	–	–
†SUTTON COLDFIELD	–	2	1	–	1	–
†WARWICK ...	–	1		–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	N. 1
ATHERSTONE ...	–	3	1	–	–	–
MERIDEN... ...	–	1	–	–	1	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	2	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ..	–	12	–	–	4	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–		1	–
APPLEBY... ...	–	1	–	–	–	–
GRASMERE ...	–	–	–	–	1	–
†KENDAL	–	2	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	4	–	–	–	–
SOUTH WESTMORLAND	–	2	–	–	1	–
WEST WARD ...	–	3	–		–	–
WIGHT, ISLE OF ..	–	2	1	–	1	N. 1
Boroughs and Urban Districts:—						
EAST COWES ...	–	1	–	–	1	–
ST. HELENS .	–	–	1	–	–	–
VENTNOR... ..	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	–	–	–	–	N. 1
WILTS	–	3	9	–	3	N. 1
Boroughs and Urban Districts:—						
DEVIZES	–	–	1	–	–	–
†SWINDON... ...	–	1	2	–	2	–
Rural Districts:—						
CALNE	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	2	–	–	–
HIGHWORTH ...	–	–	4	–	–	–
PEWSEY	–	–		–	1	–
WARMINSTER ...	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	13	5	–	4	C. 1
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	1	2	–	2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†HALESOWEN ...	–	2	–	–	1	C. 1
†KIDDERMINSTER	–	–	–	–	1	–
†LYE AND WOLLESCOTE	–	1		–	–	–
†MALVERN ...	–	–	1	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	–	–
†REDDITCH ...	–	1	–	–		–
†STOURBRIDGE ...		2	1	–	–	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	21	22	–	7	M. 2
†KINGSTON UPON HULL C.B.	–	12	16	–	5	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	–	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	1	1	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
HEDON	–	–	–	–	1	–
HESSLE	–	1	1	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
ESCRICK	–	1	–	–	–	–
HOWDEN	–	–	1	–	–	–
NORTON	–	1	–	–	–	–
RICCALL	–	–	1	–	–	–
SCULCOATES ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... .. (North Riding.)	-	18	6	-	7	M. 1 N. 4
†MIDDLESBROUGH C.B	-	4	1	-	2	M. 1 N. 3
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-	1	-
GUISBOROUGH ...	-	-	1	-	2	
LOFTUS	-	1	-	-		N. 1
†REDCAR	-	1		-	-	-
†SCARBOROUGH ...	-	1	2	-	1	-
†SKELTON AND BROTTON	-	-	2	-	1	-
†THORNABY ON TEES	-	2	-	-	-	-
Rural Districts:—						
EASINGWOLD ...	-	2	-	-	-	-
GUISBOROUGH ...	-	1	-	-	-	-
HELMSLEY ...	-	1		-	-	-
SCARBOROUGH ...	-	2	-	-	-	
STARTFORTH ...	-	1	-	-	-	-
THIRSK	-	1	-	-	-	-
YORKS ... .. (West Riding.)	31	163	81	8	138	C. 6 E. 3 G. 4 M. 14 N. 11
†BARNSLEY C.B. ...	-	2	1	-	2	N. 1
†BRADFORD C.B. ...	-	11	12	1	7	C. 3 E. 2 G. 1 N. 1
†DEWSBURY C.B....	-	2	2	-	2	G. 1
†HALIFAX C.B. ...	-	2	1	1	7	-
†HUDDERSFIELD C.B.	-	6	4	-	6	M. 2
†LEEDS C.B. ...	-	21	11	-	35	M. 2 N. 1
†ROTHERHAM C.B.	-	5	-	-	8	M. 1 N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†SHEFFIELD C.B...	9	38	29	1	40	C. 1 G. 2 M. 3 N. 3
†WAKEFIELD C.B.	-	2	-	-	-	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	2	-	-	1	-
†BARNOLDSWICK ...	-	1	-	-	-	N 1
†BATLEY	-	-	1	1	-	-
†BENTLEY WITH ARKSEY	-	1	-	-	-	-
†BINGLEY		-	1	-	-	-
†BOLTON UPON DEARNE	-	2	-	-	-	-
CALVERLEY ...		1	-	-	-	-
†CONISBROUGH ...		2		-	-	-
CUDWORTH ...	-	2		-	-	-
†DARTON		1	-	-	-	-
DENBY AND CUMBERWORTH	*	*	*	*	*	*
DODWORTH ...	-	-	-		1	-
†DONCASTER ...	5	3	-	-	1	-
DRIGHLINGTON ...	-	-	1	-	-	-
GILDERSOME ...	-	-	-	-	1	
†GOOLE	-	5	-	-		N. 1
†HARROGATE ...	-	1	2	-	2	-
HEBDEN BRIDGE	-	-	-	-		N. 1
HECKMONDWIKE	-	1	-	-	-	-
†HEMSWORTH ...	-	-	1	-	1	N. 1
†HOLMFIRTH ...	-	4	1		-	-
HORBURY ...		1	-	-	-	-
†HOYLAND NETHER	-	-	-			-
ILKLEY	-	5	-	-		-
†KEIGHLEY ...	5	1	2		-	M. 1
LEPTON		-			1	-
LUDDENDEN FOOT	-	1	-	-	-	-
MALTBY		2	-	-	-	-
MARSDEN... ...	-	1	-	-	-	-
†MEXBOROUGH ...	7	-		-	-	-
†MORLEY	-		-	-	1	-
MYTHOLMROYD ...	-	-	-		2	-
†NORMANTON ..	-	1	-	-	1	-
†OSSETT	-	1	-	-	-	-
OTLEY		1	-		2	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polic-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
OXENHOPE ...	–	1	–	–	–	–
PENISTONE ...	–	–	1	–	–	–
†PONTEFRACT ...	–	–	–	–	1	C. 1
†RAWMARSH ...	–	–	–	–	1	M. 1
RIPON	–	1	–	–	–	–
†SADDLEWORTH ...	–	–	1	–	–	–
SELBY	–	2	–	–	1	–
†SHIPLEY	–	1	1	–	–	–
SILSDEN	–	–	1	–	–	–
†SKIPTON	3	–	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	–	–
SPRINGHEAD ...	–	–	–	–	1	–
†STANLEY	–	2	1	–		–
STOCKSBRIDGE ...	–	–	1	–	1	–
†SWINTON... ...	1	–	–		2	C. 1
†TODMORDEN ...	–	2	1	–	–	–
†WOMBWELL ...	–	1	–	–	1	M. 1
Rural Districts:—						
DONCASTER ...	1	1	2	2	–	–
GOOLE	–	–	–	–	1	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	6	–		1	–
KIVETON PARK ...	–	2	–	–	–	–
PONTEFRACT ...	–	–		2		M. 1
RIPON	–	2	–	–	–	–
ROTHERHAM ...	–	–	1	–	2	–
TADCASTER ...	–	2		–	–	–
THORNE	–	3	–	–	–	M. 1
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	E. 1
WETHERBY ...	–	–	2		–	–
WORTLEY ...	–	3	–	–	–	–
§YORK, CITY OF	–	1	4		–	–
†YORK C.B. ...	–	1	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	3	2	–	1	N. 1
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
†HOLYHEAD ...	–	2	2	–	–	N. 1
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	2	–	–	–
BRYNMAWR ...	–	1	–	–	2	–
Rural Districts:—						
BUILTH	–	–	–	–	1	–
CRICKHOWELL ...	–	1	–	–	–	–
YSTRADGYNLAIS	–	3	–	–	–	–
CAERNARVON ...	–	–	1	–	–	N. 1
Boroughs and Urban Districts:—						
PWLLHELI ...	–	–	–	–	–	N. 1
Rural Districts:—						
GWYRFAI... ...	–	–	1	–	–	–
CARDIGAN ...	–	1	1	–	–	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
CARDIGAN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	5	5	3	4	–
Boroughs and Urban Districts:						
†CARMARTHEN ...	–	1	–	–	–	–
CWMAMMAN ...	–	–	1	–	–	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	2	–	–	4	–
Rural Districts:—						
CARMARTHEN ...	–	1	1	–	–	–
LLANELLY ...	–	–	3	–	–	–
NEWCASTLE IN EMLYN	–	–	–	3	–	–
DENBIGH	–	9	3	–	1	N. 2
Boroughs and Urban Districts:—						
DENBIGH ...	–	1	–	–	–	–
†WREXHAM ...	–	3	1	–	–	–
Rural Districts:—						
CHIRK	–	1	–	–	–	N. 1
RUTHIN	–	1	–	–	–	–
WREXHAM ...	–	3	2	–	1	N. 1
FLINT	–	11	4	–	6	J. 1 M. 1 N. 2
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	2	–	–	–	
FLINT	–	–	–	–	1	N. 1
HOLYWELL ...	–	–	4	–	1	–
MOLD	–	–	–	–	–	N. 1
Rural Districts:—						
HAWARDEN ...	–	6	–	–	–	–
HOLYWELL (HOLYWELL DIV.)		3	–	–	4	J. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ..	–	40	48	4	18	C. 1 D. 1 E. 2 G. 2 M. 7 N. 2
†CARDIFF C.B. ..	–	2	6	1	4	D. 1 G. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	3	–	1	M. 3 N. 1
†SWANSEA C.B. ..	–	10	4	–	2	C. 1 E. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	–	M. 1
†BARRY	–	–	2	–	1	–
†CAERPHILLY ...	–	3	–	–	–	–
†GELLIGAER ...	–	–	2	–	1	M. 1
†GLYNCORWG ...	–	2	–	–	–	–
†MAESTEG ...		4	4	–	1	–
†MOUNTAIN ASH...	–	–	–	2	–	E. 1
†NEATH	–	1	5	–	–	–
†OGMORE AND GARW	–	–	2	–	1	–
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	1	–	1	1	–
†PORT TALBOT ...	–	–	6	–	–	–
†RHONDDA ...	–	2	5	–	2	G. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
COWBRIDGE ...	–	–	1	–	–	–
GOWER	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	1	–	1	M. 1
NEATH	–	1	3	–	3	N. 1
PONTARDAWE ...	–	4	1		–	–
SWANSEA... ...	–	3	1		–	–
MERIONETH ..	–	1	6	–	–	–
Urban Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
FFESTINIOG ..	–	–	5	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	–	8	11	–	9	C. 1 N. 2
†NEWPORT C.B. ...	–	2	1	–	5	N. 2
Boroughs and Urban Districts:—						
†ABERCARN ...	–	2	–	–	–	–
ABERGAVENNY ...	–	–	2	–	–	–
†ABERSYCHAN ..	–	1	2	–	–	–
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	1	–	–	–	C. 1
†EBBW VALE ..	–	–	2	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	–	1	–	1	–
Rural Districts:—						
PONTYPOOL ...	–	2	–		1	–
MONTGOMERY ..	–	1	2	–	–	E. 1 N. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...		–	1	–	–	–
NEWTOWN AND LLANLLWCHAIARN ...	–			–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
MONTGOMERY— *cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	N. 1
MACHYNLLETH ...	–	1	–	–	–	–
PEMBROKE ...	–	3	2	–	1	N. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	–	1	–	–	–	–
GOODWICK ...	–	–	1	–	–	–
MILFORD HAVEN	–	–	–	–	1	N. 1
†PEMBROKE ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	1	1	–	–	–
LLANFYRNACH ..	*	*	*	*	*	*
Total of Part II. ...	328	1480	900	43	1068	C. 4 D. E. 13 F. G. 3 J. L. M. 11 N. 10

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BRISTOL	–	–	–	2	–	–
HARTLEPOOL	*	*	*	*	*	*
LIVERPOOL	–	1	–	–	1	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON ...	–	1	–	–	1	
PORT OF LONDON ...	–	–	–	–	–	I
Total of Part III.	–	2	–	2	2	I

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexi

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	234	285	4	239	C. 3 D. 2 E. 5 F. 3 G. 4 M. 11 N. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	328	1480	900	43	1068	C. 44 D. 6 E. 32 F. 3 G. 38 J. 1 L. 3 M. 113 N. 105
Total of Part III.—Port Sanitary Districts	–	2	–	2	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	328	1716	1185	49	1309	C. 47 D. 8 E. 37 F. 6 G 42 J. 1 L. 4 M. 124 N. 124

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6	Nov. 13	Nov. 20.	Nov. 27.	Dec. 4.	D
LONDON :—													
DEATHS—all ages	810	819	848	912	895	1,014	1,124	1,209	1,108	1,048	950	1,043	1,
„ 0 to 1 year ..	105	117	120	97	102	90	113	94	86	83	98	108	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,830	6,426	6,560	6,574	6,240	6,509	6,389	6,891	6,672	6,505	6,352	6,515	6,
DEATHS—all ages	3,449	3,507	3,731	3,916	3,793	4,137	4,697	4,817	4,665	4 527	4,193	4,498	4,
„ 0 to 1 year ..	516	477	566	532	505	488	514	503	488	499	481	518	
ENTERIC FEVER—Cases	24	33	36	24	30	28	17	17	27	25	25	16	
„ Deaths	5	3	2	5	1	1	1	1	3	1	4	3	
SMALL POX—Cases ..	19	39	32	35	40	32	30	31	30	20	40	39	
„ Deaths ..	—	—	2	1	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	837	963	968	1,074	1,055	1,106	1,151	1,076	1,106	1,201	1,130	961	
„ Deaths	2	3	3	3	2	5	3	8	5	3	4	7	
DIPHTHERIA—Cases ..	674	732	722	827	833	817	848	777	788	775	814	872	
„ Deaths ..	24	29	36	36	39	40	43	40	33	32	46	39	
MEASLES—Deaths ..	1	1	5	3	9	6	7	11	17	6	8	18	
INFLUENZA—Deaths ..	19	23	32	36	38	54	71	88	100	78	52	68	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th December, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainf in Milli metre
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	48	29	45·4	34·6	5	HUDDERSFIELD	49	23	46·6	36·0	4
						BRADFORD ..	48	29	47·1	38·1	5
BRIGHTON ..	48	35	46·0	38·7	7	SHEFFIELD ..	52	34	47·9	39·3	4
PORTSMOUTH ..	49	34	47·0	38·2	7	YORK (MUSEUM)	51	32	47·6	38·7	3
NORWICH (EATON).	47	33	44·6	36·0	8	HULL (PEARSON PARK).	51	31	47·0	37·9	7
PLYMOUTH ..	53	34	48·9	40·3	2	TYNEMOUTH ..	53	35	48·9	42·0	4
BRISTOL (CLIFTON).	48	31	46·3	37·0	6	CARDIFF.. ..	49	31	47·1	38·0	2
BIRMINGHAM (EDGBASTON).	48	33	45·4	37·4	3	EDINBURGH ..	50·0	35·0	48·9	41·7	3
NOTTINGHAM ..	50	31	48·0	35·9	7	GLASGOW ..	51·5	33·0	48·9	40·8	5
BIRKENHEAD (BIDSTON).	49	36	46·7	40·9	5	DUBLIN (PHŒNIX PARK).	52·0	33·0	49·6	38·9	1
MANCHESTER (WHITWORTH PARK).	48	30	45·9	36·7	5	(FITZWILLIAM SQUARE†).	53·0	38·1	50·7	42·5	1
BURNLEY	47	26	46·1	35·9	6	BELFAST.. ..	52·5	34·0	50·0	39·7	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 11th December, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926, MONTH AND DAY.		Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	5	New	29·963	38·1	29·0	9·1	34·2	− 7·3	31·8	2·4	5·3	0·0	91	37·0	21·0	47·3	Calm	Calm: S.	0·0	0·0	0·0	130	− 206	0·01
MONDAY -	6	..	30·241	45·6	34·6	11·0	41·1	− 0·4	40·6	0·5	3·7	0·0	98	48·2	27·2	47·3	S: W: NNE.	NNE: E: Calm.	1·2	0·0	0·1	172	− 168	0·18
TUESDAY -	7	Greatest Declination S.	30·295	46·0	32·0	14·0	40·7	− 0·6	38·3	2·4	5·7	0·3	91	55·6	24·8	47·0	SSE: SW.	WSW	0·5	0·0	0·0	195	− 143	0·00
WEDNESDAY	8	..	30·386	46·0	35·7	10·3	41·3	+ 0·3	36·3	5·0	10·2	0·5	83	54·0	27·0	47·0	WSW: NW.	NW: SW.	1·0	0·0	0·1	214	− 119	0·01
THURSDAY -	9	..	30·455	48·4	35·5	12·9	43·4	+ 2·8	40·7	2·7	6·5	1·1	90	61·7	27·2	46·9	SW	WSW: W.	1·0	0·0	0·1	261	− 65	0·00
FRIDAY -	10	..	30·481	45·9	41·7	4·2	43·1	+ 2·7	41·0	2·1	4·4	0·9	92	45·0	40·3	46·9	W: WNW: SW.	WSW: NW.	0·9	0·0	0·1	238	− 84	0·00
SATURDAY -	11	..	30·470	46·2	35·2	11·0	40·9	+ 0·7	39·4	1·5	4·9	0·0	94	52·3	25·9	46·8	WNW: SW: WSW.	WSW: Calm.	0·3	0·0	0·0	143	− 175	0·00
MEANS -		..	30·327	45·2	34·8	10·4	40·7	− 0·3	38·3	2·4	5·8	0·4	91	50·5	27·6	47·0	WSW		..	..	..	Sum 1353	Sum − 960	Sum 0·20
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	5	mP till 2h.; wP and mP till 20h.; then wP and wN.	0·0	8·0	Cloudless, cloudy or very cloudy 1h. till 8h.; little cloud till 11h., then overcast. Hoar frost in morning. Mist 6h. till 21h., thicker between 11h. and 19h. Rain 21¼h. till 22h.
MONDAY ..	6	wwP and wP till 11h.; mP till 18h.; then mP and wP.	0·0	8·0	Overcast till 20½h.; little cloud by 21h. Rain 0h. till 7h.; then slight rain till 9h. Mist in morning and at night.
TUESDAY ..	7	wP and mP till 10h.; mP till 20h.; then wP.	0·0	8·0	Cloudless till 1h.; overcast generally by 3h. Foggy in morning, mist at night. Dew in morning. Slight damping 18½h. till 19¼h.
WEDNESDAY	8	wP till 5h.; mP till 18½h.; then wP and mP.	0·0	8·0	Overcast till 12h.; thin cloud from 8h.; then gradually clearing to cloudless by 17¼h. Variably cloudy from 21h. Damping 1h. till 2h. Shower 7½h. Mist in morning. Slight fog 18¾h. till 21h. Slight hoar frost in evening.
THURSDAY	9	mP and wP.	4·5	7·9	Variably cloudy till 3h.; little cloud or cloudless till 15½h., with partially cloudy period 7h.; becoming overcast by 16¼h. Damping 16½h.
FRIDAY ..	10	mP and wP.	0·0	7·9	Overcast throughout. Mist or slight mist during day, and in evening. Frequent slight damping in forenoon.
SATURDAY	11	mP and wP.	0·0	7·9	Overcast, gradually becoming cloudless by 5h. Clouding up 8¼h., becoming overcast by 9¼h. Sky veiled with high fog and thin cloud 17h. till 23h., then overcast. Mist or slight fog 6h. till 14h., becoming thicker by 15h., and clearing again by 17h. Thicker after 21h.
			Sum 4·5	Sum 55·7	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·88 ins. at the beginning of the week to 30·35 ins. by 0h. on 7th; decreased to 30·27 ins. by 14h. on 7th; increased generally to 30·50 ins. by 10h. on 10th; decreased generally and was 30·44 ins. by midnight on the 11th.

FOR OFFICIAL USE

1926. No. 50

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 18TH DECEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH DECEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fiftieth week of the year numbered 6,238 and corresponded to an annual rate of 16·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,797 and corresponded to an annual rate of 12·9 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 11·2, 12·1 and 13·2. Infant mortality was 92 per 1,000 births against 76, 80 and 97 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,495 births, corresponding to a rate of 16·9 per 1,000, and 1,161 deaths of civilians, corresponding to an annual rate of 13·2, against 10·8, 11·8 and 13·3, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·3 per 1,000. The infant mortality was 85 as against 67, 70 and 100 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,919 to 4,797. In London the number of deaths from all causes decreased from 1,170 to 1,161; the deaths from diphtheria which had been 16, 16 and 9 in the preceding three weeks were 12 last week; and the deaths from influenza which had been 8, 14 and 13 in the preceding three weeks, rose to 18 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 18th December, 1926.

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,238	4,797	574	4	28	5	35	40	45	60
London	4,602,000*	1,495	1,161	127	1	-	2	9	12	12	18
Towns in Outer Ring.											
Croydon C.B ..	199,300	57	56	8	-	-	-	1	1	1	-
Wimbledon ..	58,170	11	16	3	-	-	-	-	-	-	-
Ealing†	91,000	27	14	2	-	-	-	-	-	-	-
Acton	63,110	16	14	1	-	-	-	-	-	-	-
Willesden ..	168,900	45	35	4	-	-	-	-	1	-	-
Hendon	59,150*	15	12	2	-	-	-	-	-	-	-
Hornsey	87,210	16	25	3	-	-	-	-	-	1	-
Wood Green ..	51,960	7	11	3	-	-	-	-	-	1	-
Tottenham ..	153,600	48	31	3	-	-	-	-	-	-	-
Edmonton ..	71,210	33	14	4	-	-	-	-	1	-	-
Enfield	63,740	10	16	1	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	112	76	10	-	-	1	1	-	1	-
East Ham C.B. ..	147,200	44	34	2	-	-	-	-	-	-	-
Leyton	132,700	24	21	3	-	-	-	-	-	-	-
Walthamstow ..	130,800	36	29	5	-	-	-	1	-	-	-
Ilford	93,590	23	13	-	-	-	-	-	-	-	-
Gillingham	48,680*	11	12	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	8	5	2	-	-	-	-	-	-	-
Hastings C.B.	60,470	16	26	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	16	10	1	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	36	32	2	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	65	34	6	-	-	1	1	-	1	-
Bournemouth C.B. ..	85,840	18	29	1	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	56	39	6	1	1	-	-	-	-	2
Reading C.B.	93,670*	30	18	1	-	-	-	-	-	-	-
Oxford C.B.	57,090	20	15	-	-	-	-	-	-	-	-
Northampton C.B. ..	93,780*	25	30	1	-	-	-	-	-	-	-
Luton	59,230	15	7	-	-	-	-	-	-	-	-
Cambridge	59,020	15	20	1	-	-	-	-	1	-	-
Southend-on-Sea C.B.	98,060	37	29	3	-	-	-	-	-	-	1
Ipswich C.B.	83,120*	28	11	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	10	15	-	-	-	-	-	-	-	-
Norwich C.B. ..	124,000*	34	20	1	-	-	-	-	-	-	-
Swindon	56,880	19	9	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	16	19	-	-	-	-	-	-	-	1
Plymouth C.B. ..	192,100*	75	58	6	-	-	-	-	1	1	1
Bath C.B.	69,050	6	11	-	-	-	-	-	-	-	-
Bristol C.B.	385,700*	113	81	13	-	-	-	-	3	1	2
Gloucester C.B. ..	53,060	20	13	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	115	77	12	-	-	-	2	-	1	-
Burton-upon-Trent C.B.	49,530	14	14	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	24	28	3	-	-	-	-	-	-	1
Walsall C.B.	102,300	43	34	4	-	-	1	1	-	1	2
West Bromwich C.B	79,490	35	13	-	-	-	-	-	-	-	-
Dudley C.B.	58,810	16	8	-	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	16	14	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	308	257	35	-	5	-	4	4	3	1
Smethwick C.B. ..	78,840	20	22	3	-	-	-	1	2	-	-
Coventry C.B. ..	129,100	52	28	6	-	-	-	-	-	-	1
Leicester C.B. ..	242,100	83	56	9	-	-	-	-	1	-	-
Lincoln C.B.	66,600*	16	14	1	-	-	-	-	-	-	-
Grimsby C.B.	87,190	34	16	2	-	2	-	-	-	-	-
Nottingham C.B. ..	270,600	80	76	11	-	1	-	-	1	-	-
Derby C.B.	134,400*	40	33	2	-	-	-	1	1	-	-
Chesterfield ..	65,800	31	9	-	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	37	31	2	-	-	-	-	-	-	4
Chester C.B.	41,670	13	6	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	61	30	4	-	-	-	-	1	-	2
Wallasey C.B. ..	91,720	30	25	3		-	-	-	1	-	1
Liverpool C.B. ..	856,000	330	222	43	-	7	-	2	1	9	2
Bootle C.B.	83,260	37	22	6	-	3	-	-	-	-	-
St. Helens C.B. ..	109,600	56	22	7	-	-	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	18	22	2	-	-	-	-	-	-	-
Wigan C.B.	91,010	27	18	1	-	-	-	-	-	-	-
Warrington C.B. ..	77,970*	36	17	2	-	-	-	1	-	-	-
Bolton C.B.	180,400	50	70	11	-	-	-	-	-	2	1
Bury C.B.	56,700*	26	18	2	-	-	-	-	-	-	-
Manchester C.B. ..	755,800	245	197	15	-	1	-	-	1	3	1
Salford C.B.	244,700	85	70	2	-	1	-	-	-	-	1
Oldham C.B	146,200	42	28	5	-	-	-	-	1	-	-
Rochdale C.B.	92,190	13	38	-	-	-	-	1	-	-	1
Burnley C.B.	102,300	25	31	3	-	3	-	-	-	-	-
Blackburn C.B. ..	126,900	29	43	8	-	-	-	-	1	-	1
Preston C.B.	122,900	41	38	5	-	-	-	-	-	-	-
Blackpool C.B. ..	80,750	22	18	2	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	21	12	1	-	-	-	-	-	-	-
Huddersfield C.B. ..	112,100	22	26	1	-	-	-	-	-	-	-
Halifax C.B.	97,860*	30	26	2	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	74	81	3	-	1	-	-	-	-	-
Leeds C.B.	472,900	114	118	8	-	-	-	1	1	-	3
Dewsbury C.B ..	54,570	13	18	2	-	-	-	1	-	-	-
Wakefield C.B. ..	53,980	29	12	1	-	-	-	-	-	-	-
Barnsley C.B. ..	71,170	27	15	4	-	-	-	-	-	-	-
Sheffield C.B. ..	526,900*	153	109	13	-	-	-	1	1	1	2
Rotherham C.B. ..	70,600	22	9	-	-	-	-	-	-	-	-
Doncaster	55,610	20	10	4	-	-	-	-	-	-	-
York C.B.	84,630*	19	21	3	-	-	-	1	-	1	1
Hull C.B.	297,300	107	63	10	-	-	-	-	-	-	-
Middlesbrough C.B.	136,200	46	36	3	-	-	-	1	-	-	-
Darlington C.B. ..	69,130	23	15	3	-	-	-	1	-	1	-
Stockton-on-Tees ..	68,000	28	10	2	-	-	-	-	-	1	1
West Hartlepool C.B.	71,590	27	18	3	-	-	-	-	-	-	-
Sunderland C.B. ..	166,000	73	46	9	-	1	-	-	-	-	-
South Shields C.B. ..	124,600	59	47	13	-	-	-	1	-	-	2
Gateshead C.B. ..	129,000	43	34	6	-	-	-	-	-	-	1
Newcastle-on-Tyne C.B.	286,300*	101	67	15	1	-	-	1	1	-	1
Tynemouth C.B. ..	66,180	30	16	1	-	-	-	-	-	-	-
Carlisle C.B.	55,160*	18	11	1	-	-	-	-	-	-	-
Newport (Mon.) C.B.	96,420*	39	27	7	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	86	55	6	-	2	-	-	1	-	1
Rhondda	167,570	52	34	3	-	-	-	-	-	1	-
Merthyr Tydfil C.B.	82,920	32	23	-	-	-	-	-	-	-	1
Aberdare	57,700	12	15	1	1	-	-	-	-	-	1
Swansea C.B.	163,200	62	38	8	-	-	-	1	1	1	1
Greater London ..	7,742,212*	2,377	1,854	211	1	-	3	14	17	21	20
Outer Ring	3,140,212*	882	693	84	-	-	1	5	5	9	2
16 Great Towns in Outer Ring	1,890,140*	524	417	54	-	-	1	3	3	4	-
Remainder of Outer Ring	1,250,072*	358	276	30	-	-	-	2	2	5	2
Edinburgh†	424,600	146	117	15	-	1	1	-	1	-	1
Glasgow† ..	1,052,200	442	301	67	-	1	2	1	4	1	5
Dublin (Registration Area)†	419,156§	200	126	22	-	1	-	5	-	3	2
Belfast†	416,000	179	109	24	-	-	1	1	3	3	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1926.										
LONDON‡	4,602,000	Dec. 18	1495	1161	13·2	1	–	–	2	9	12	12
CALCUTTA AND SUBURBS	1,077,273	Nov. 13	?	892‖	43·1	?	2	?	?	?	?	?
		„ 20	?	913	41·4	?	10	?	?	?	?	?
BOMBAY§	1,279,061	„ 27	456	602	24·5	3	4	–	–	–	–	24
MADRAS	528,791	„ 20	499	450	44·2	1	–	–	?	2	–	17
SYDNEY AND SUBURBS	1,038,950	„ 30 (30 days)										
BRISBANE (Metropolitan Area).	263,711	Oct. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Nov. 6	80	49	13·7	–	–	–	2	–	–	–
AUCKLAND (Urban Area).	192,176	Oct. 31 (31 days)										
WELLINGTON (Urban Area).	121,324	Oct. 31 (31 days)										
CHRISTCHURCH (Urban Area).	118,408	Oct. 31 (31 days)										
CAPE TOWN	113,709	Nov. 20	40	18	8·2	–	–	–	–	–	–	1
JOHANNESBURG	165,958	„ 20	76	56	17·5	–	–	–	–	1	–	3
DURBAN	54,822	„ 20	26	12	11·4	–	–	–	–	–	1	–
PARIS	2,906,472	„ 30 (10 days)	1277	1077	13·5	17	–	3	1	1	8	26
ANTWERP	300,193	Nov. 13	97	61	10·6	–	–	–	–	1	–	4
		„ 20	88	42	7·3	1	–	–	–	–	–	3
AMSTERDAM	724,126	„ 27	230	127	9·1	1	–	–	–	–	–	2
COPENHAGEN	587,400	Dec. 4	200	108	9·7	–	–	–	–	4	2	1
		„ 11	207	131	11·5	–	–	–	–	2	1	1
STOCKHOLM	442,528	Nov. 27	80	91	10·7	–	–	–	–	–	–	–
GOTHENBURG	230,963	„ 27	?	26	5·9	–	–	–	–	–	–	–
OSLO (CHRISTIANIA) ..	255,724	Dec. 4	55	61	12·4	1	–	1	–	–	–	1
		„ 11	50	65	13·2	–	–	2	–	–	–	–
BERLIN	1,996,000	Nov. 27	421	398	10·4	–	?	1	–	2	6	2
BRESLAU	561,000	„ 27	155	132	12·2	–	?	2	–	1	–	2
COLOGNE	710,000	„ 27	170	111	8·1	–	?	–	–	–	1	7
DRESDEN	622,000	„ 27	129	127	10·6	–	?	–	–	–	–	–
FRANKFORT-ON-MAIN ..	471,000	„ 27	115	67	7·4	–	?	–	–	–	–	–
HAMBURG	1,104,000	„ 27	253	217	10·2	1	?	1	–	1	–	2
LEIPZIG	685,000	„ 27	182	122	9·3	–	?	–	1	–	–	–
MUNICH	685,000	„ 27	141	158	12·0	–	?	–	–	–	–	1
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	July 31 (31 days)										
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	Dec. 4	305	227	11·7	6	–	–	7	1	1	5
CAIRO	859,400	July 22	820	712	43·2	14	–	6	–	?	3	161
		„ 29	768	729	44·2	17	–	6	–	?	4	170
ALEXANDRIA	492,100	July 22	426	272	28·8	1	1	–	–	?	1	47
		„ 29	405	319	33·8	–	1	–	–	?	1	67
NEW YORK	5,924,139	Sept. 18										
CHICAGO ..	2,995,239	Nov. 26	1023	634	10·8	1	?	1	–	1	6	9

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children* under *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 19 and 34 deaths from Cholera in Calcutta.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th December, 1926, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1161	127	32	27	27	41	60	66	147	177	230	227
Enteric fever..	1	-	-	-	-	-	1	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	2	-	2	-	-	-	-	-	-	-	-
Whooping cough	9	2	3	4	-	-	-	-	-	-	-	-
Diphtheria	12	1	-	6	4	1	-	-	-	-	-	-
Influenza	18	1	1	2	-	1	1	-	3	4	1	4
Erysipelas	1	-	-	-	-	1	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	1	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	1	-	-	-	1	-	-	-	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	81	-	-	-	-	16	24	10	15	14	1	1
Nervous system	4	1	-	-	2	1	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	1	-	-	-	-	-	-	-
Other forms	8	-	3	1	1	1	2	-	-	-	-	-
Venereal diseases	5	2	-	1	-	-	1	-	-	-	1	-
Cancer	131	-	-	1	1	-	7	10	31	36	26	19
Rheumatic fever	3	-	-	-	2	1	-	-	-	-	-	-
Diabetes	13	-	-	-	-	1	1	-	1	2	7	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	6	2	-	-	2	-	1	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	52	-	-	-	-	-	1	1	4	7	18	21
Epilepsy	5	-	-	-	-	1	1	-	2	1	-	-
"Convulsions" (not puerperal) ..	1	1	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	29	-	1	-	1	-	3	2	9	6	5	2
Pericarditis	3	-	-	-	1	-	1	-	-	-	-	1
Acute endocarditis	7	-	-	-	1	2	1	-	1	-	2	-
Other diseases of heart	170	-	-	-	-	2	2	7	13	31	65	50
Other diseases of circulatory system	55	-	-	-	-	-	-	4	2	6	21	22
Bronchitis	112	14	1	2	1	-	-	4	14	17	27	32
Broncho-pneumonia	90	40	18	4	1	1	1	1	4	6	6	8
Lobar-pneumonia	23	2	2	1	-	2	-	1	5	6	4	-
Pneumonia (type not distinguished)	22	4	-	1	1	1	-	2	1	5	4	3
Other diseases of respiratory system	16	-	1	-	-	-	1	-	4	3	4	3
Diarrhœa and enteritis	15	12	-	-	-	-	-	1	1	-	-	1
Appendicitis, Typhlitis	6	-	-	-	1	1	-	-	1	2	1	-
Hernia, Intestinal obstruction.. ..	16	1	-	-	-	-	-	1	2	6	4	2
Cirrhosis of liver	6	-	-	-	-	-	-	-	4	1	1	-
Other diseases of digestive system ..	19	1	-	-	1	-	1	3	8	2	2	1
Acute nephritis	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Bright's disease..	29	-	-	-	-	-	-	1	7	6	9	6
Other diseases of genito-urinary system.	21	-	1	-	-	-	1	1	5	2	9	2
Puerperal sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other causes incident to childbirth..	2	-	-	-	-	-	1	1	-	-	-	-
Congenital malformations	8	8	-	-	-	-	-	-	-	-	-	-
Premature birth	18	18	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	5	5	-	-	-	-	-	-	-	-	-	-
Old age	43	-	-	-	-	-	-	-	-	-	5	38
Suicide	12	-	-	-	-	1	2	5	1	1	2	-
Burns and Scalds	3	-	-	1	-	-	-	1	-	1	-	-
Drowning	3	-	-	-	-	-	-	2	1	-	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	1	2	1	2	1	2	1	1	1
Other deaths by violence	13	-	-	-	2	-	1	2	2	3	-	3
Other specified causes	41	7	-	-	2	4	2	4	4	8	4	6
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

} Cases of certain Infectious Diseases notified in the week ended 18th December, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	198	293	2	218	C. 5 D. 3 E. 3 F. 3 G. 6 L. 1 M. 19 N. 19
†CITY OF LONDON	-	1	-	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	14	18	-	10	E. 1 M. 2 N. 1
†BERMONDSEY ...	-	13	18	-	5	F. 1 G. 1 M. 1 N. 1
†BETHNAL GREEN	-	6	12	-	9	F. 1 M. 3
†CAMBERWELL ...	-	11	8	-	5	G. 1
†CHELSEA	-	-	2	-	5	E. 1 M. 1
†DEPTFORD ...	-	7	8	-	13	C. 2 F. 1 G. 1 M. 1 N. 2
†FINSBURY ...	-	2	2	-	1	M. 1
†FULHAM	-	7	10	-	18	N. 2
†GREENWICH ...	-	8	11	-	2	E. 1 L. 1 N. 1
†HACKNEY ...	-	15	5	-	2	M. 1 N. 2
†HAMMERSMITH ...	-	5	4	-	5	N. 1
†HAMPSTEAD ...	-	3	2	-	-	N. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†HOLBORN... ..	-	-	1	-	2	-
†ISLINGTON ..	-	19	17	1	8	M. 3 N. 1
†KENSINGTON ..	-	3	21	-	2	C. 1 N. 1
†LAMBETH ...	-	10	20	-	12	G. 1 M. 1 N. 1
†LEWISHAM ...	-	6	12	-	6	-
†PADDINGTON ...	-	4	11	-	13	D. 1 G. 1 M. 1 N. 1
†POPLAR	-	7	10	-	16	C. 1 M. 1
†ST. MARYLEBONE	-	2	6	-	1	N. 1
†ST. PANCRAS ...	-	6	13	-	11	D. 1 N. 1
†SHOREDITCH ...	-	5	8	-	13	M. 1
†SOUTHWARK ...	-	3	13	-	13	-
†STEPNEY	-	21	10	1	6	D. 1 G. 1 M. 1
†STOKE NEWINGTON	-	3	1	-	-	C. 1
†WANDSWORTH ...	-	14	31	-	19	N. 1
†WESTMINSTER, CITY OF	-	-	4	-	-	N. 1
†WOOLWICH ...	-	3	15	-	21	M. 1

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	14	8	–	4	E. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	1	–	–	–	–
†BEDFORD... ...	–	11	2	–	–	–
LEIGHTON BUZZARD	–	–	–	–	1	–
†LUTON	–	1	5	–	1	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	E. 1
BIGGLESWADE ...	–	–	–	–	2	–
EATON SOCON ...	–	–	1	–	–	–
BERKS	–	7	3	–	2	C. 1 E. 1 N. 1
†READING C.B. ...	–	2	–		–	C. 1 E. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR ...	–	2		–	–	–
WOKINGHAM ...	–	–	2	–	–	–
Rural Districts:—						
HUNGERFORD ...	–	2	–	–		–
WANTAGE .	–		–	–	–	N. 1
WOKINGHAM ...	–	1	1	–	2	–
BUCKINGHAM ...	–	11	2		2	N. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	2	–	–	–	–
MARLOW	–	–	–	–	1	–
NEWPORT PAGNELL ...	–	–	–	–	–	N. 1
†WOLVERTON ...	–	1	–		–	–
Rural Districts:—						
AMERSHAM ...	–	3		–	–	–
ETON	–	1	2	–	–	–
WYCOMBE ...	–	4	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE .	–	1	3	–	1	–
Borough:—						
†CAMBRIDGE ..	–	1	3	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
CHESTER	–	69	24	8	34	C. 2 D. 1 G. 1 M. 2 N. 3
†BIRKENHEAD C.B.	–	6	1	–	10	C. 1 N. 1
†CHESTER C.B. ..	–	1	–		1	–
†STOCKPORT C.B.	–	24	4	–	1	M. 1 N. 1
†WALLASEY C.B. ...	–	7	2	–	–	M. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–		–	–
†BEBINGTON AND BROMBOROUGH	–	–	3	–	2	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
†CHEADLE AND GATLEY		2	–	–	–	–
†CONGLETON ...	–	–	4	–	–	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	3	1	–	7	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	2	–	–	–	–
†HYDE	–	2	4	–	5	–
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	1	–	8	1	–
NANTWICH ...	–	2	–	–	–	–
†NORTHWICH ...	–	2	–	–	2	–
†SALE	–	–	1	–	–	–
SANDBACH ...	–	1	1	–	–	–
†STALYBRIDGE ...	–	–	1	–	1	–
TARPORLEY ...	–	–	1	–	–	–
†WINSFORD ...	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CHESTER	–	2	–	–	7	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	1		–	–	–
NANTWICH ...	–	1	–	–	–	N. 1
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	2	–	–	–	–
WIRRAL	–	5	–	–	2	C. 1 D. 1
CORNWALL ...	–	7	3	1	4	C. 3 M. 1
Boroughs and Urban Districts:—						
CALLINGTON ...		1	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	C. 1
PADSTOW... ...		1	–	–	–	–
†PENZANCE ...		1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. AUSTELL ...		2	–	–	–	–
ST. IVES	–	–	–	–	1	–
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
LAUNCESTON ..	–	–	–	–	1	C. 1
REDRUTH ...	–	–	–	–	–	M. 1
ST. AUSTELL ...	–	1	–	1	–	C. 1
TRURO	–	–	3	–	–	–
CUMBERLAND ..	–	12	15	–	1	M. 1
†CARLISLE C.B. ..	–	3	–	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	2	–	–	–	M. 1
CLEATOR MOOR ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
EGREMONT ...	–	2	–	–	–	–
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	2	–	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	*	*	*	*	*	*
BRAMPTON ...	–	1	–	–		–
COCKERMOUTH ...	–	–	8	–	–	–
LONGTOWN ...	–	–	1	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–
WIGTON	–	–	1	–	–	–
DERBY	10	38	18	2	31	E. 1 G. 1 M. 1
†DERBY C.B. ...	1	6	7	–	8	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	4	–
†BELPER	2	–	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	8	6	–	3	–
HEAGE	7	–	–	–	–	–
†HEANOR	–	1	–	–	–	–
†ILKESTON ...	–	2	–	–	1	–
†LONG EATON ...	–	3	1	–	2	–
NEW MILLS ...	–	1	–	–	1	–
†RIPLEY	–	1	–	–	2	–
SOUTH DARLEY ...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	–	–	–	1	G. 1
BLACKWELL ...	–	–	–	2	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G. Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
CHESTERFIELD ...	–	2	2	–	5	–
GLOSSOP DALE ...		–			1	–
HARTSHORN AND SEALS	–	1	–	–	–	–
HAYFIELD ..	–	1	–	–		–
REPTON	–	6	–	–	–	–
SHARDLOW ...	–	3	–	–	2	M. 1
SUDBURY... ...	–	–	–	–	–	E. 1
DEVON	–	29	11	1	8	G. 2 M. 4 N. 2
†EXETER C.B. ...	–	9	2		1	G. 1
†PLYMOUTH C.B....	–	13	7	–	1	M. 3
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	2	–
BIDEFORD ...	–	1	–	–	–	–
BRIXHAM... ...	–	1	–	–	–	–
HONITON... ...	–	–	–		–	G. 1
†ILFRACOMBE ...	–	–	–	–	1	–
†NEWTON ABBOT	–	–	1	–		–
NORTHAM ...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
†TORQUAY ...	–	1	–	1	1	–
Rural Districts:—						
BIDEFORD ...	–	1	–	–	–	–
CREDITON ...	–	–	–	–	–	N. 1
CULMSTOCK ...	–	–	–	–	–	N. 1
NEWTON ABBOT...	–	–	–		–	M. 1
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TIVERTON ...	–	1	–	–	–	–
TOTNES	–	–	1	–	–	–
DORSET	–	4	4	–	6	–
Boroughs and Urban Districts:—						
BRIDPORT ...	–	1	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHERBORNE ...	–	–	–	–	2	.
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
BLANDFORD ...	–	–	–	–	2	–
DORCHESTER ...	–	–	3	–	–	–
POOLE	–	1	–	–	1	–
WAREHAM AND PURBECK	–	–	1	–	–	
DURHAM	251	44	20	1	65	C. 3 G. 2 M. 8 N. 12
†DARLINGTON C.B.	1	1	–	–	–	C. 1
†GATESHEAD C.B.	9	6	1	–	3	C. 1 M. 1 N. 1
†SOUTH SHIELDS C.B.	1	–	1	–	18	G 1
†SUNDERLAND C.B.	–	1	4	–	7	M. 1 N. 7
†WEST HARTLEPOOL C.B.	–	2	3	–	3	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	1	1	1	–	–	–
BENFIELDSIDE ...	–	5	–	–	2	–
†BISHOP AUCKLAND	–	–	–	–	–	N. 1
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	52	1	–	–	–	G. 1
†CHESTER LE STREET	2	2	–	–	–	–
†CONSETT	–	1	–	–	1	
†CROOK	32	–	–	–	–	–
†DURHAM	1	1	–	–	–	–
†FELLING	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hartlepool ...	–	2	–	–		–
†Hebburn ..	1	1	–	–	2	N. 1
†Hetton	12	–	–	–	2	–
†Houghton le Spring	1	–	–	–	–	M. 1
†Jarrow	15	1	–	–	11	N. 1
Leadgate ..	1	–	–	–	–	–
†Shildon	8	–	–	–	–	–
†Southwick on Wear	–	–	1	–	1	–
†Spennymoor ...	1	–	–	–	–	–
†Stanley	4	4	–	–	–	–
†Stockton on Tees	–	1	6	–	3	–
†Tanfield ...	3	2	–	–	1	–
†Whickham ...	5	–	–	–	2	–
Willington ...	9	–	1	–	–	–
Rural Districts:—						
Auckland ...	7	1	–	–	–	–
Barnard Castle	–	–	–	–	–	M. 1
Chester le Street	32	2	–	–	3	M. 1
Durham	3	1	1	–	–	–
Easington ...	9	3	–	1	2	M. 1
Hartlepool ...	–	–	–	–	–	C. 1
Houghton le Spring	5	–	–	–	2	–
Lanchester ...	20	2	–	–	–	–
Sedgefield ...	15	–	1	–	1	M. 1
South Shields...	1	2	–	–	–	–
Sunderland ...	–	–	–	–	1	–
[illegible] ISLE OF ...	–	2	3	–	3	M. 2 N. 1
[illegible] Ur-						
[illegible]			[illegible]	–	1	–
[illegible]				–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	105	38	1	30	C. 1 E. 1 F. 1 G. 2 L. 1 M. 2 N. 5
†East Ham C.B. ...	–	8	8	–	–	–
†Southend-on-Sea C.B.	–	14	2	–	6	M. 1
†West Ham C.B. ...	–	37	8	–	10	C. 1 L. 1 N. 2
Boroughs and Urban Districts:—						
†Barking Town...	–	4	1	1	3	–
Brentwood ...	–	1	–	–	–	–
†Colchester ...	–	3	–	–	2	–
Dagenham ...	–	1	–	–	1	E. 1
Epping	–		–	–		N. 1
†Ilford	–	2	2	–	3	–
†Leyton	–	6	1	–		–
Maldon	–	1	–	–	–	–
Tilbury	–	1	–	–	–	–
†Walthamstow...	–	12	2	–	4	F. 1 G. 1 N. 1
†Wanstead ..	–	–	4	–	–	–
Witham	–	2	–		–	–
†Woodford ...	–	–	5	–	1	–
Rural Districts:—						
Billericay ...	–	2	–	–	–	–
Braintree ...	–	1	2	–	–	–
Chelmsford ...	–	1	–	–	–	–
Dunmow	–	–	1	–	–	–
Halstead ...	–	1	1	–	–	–
Lexden and Winstree	–	–	–	–	–	G. 1
Maldon	–	2	–	–	–	–
[illegible]rsett	–	1	1	–	–	M. 1 N. 1
[illegible] ...	–	5	–	–	–	–

[illegible] 10,000.

[illegible]; B, Plague ;
[illegible]g Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ..	–	23	26	1	6	C. 1 M. 1 N. 1
†BRISTOL C.B. ...	–	11	18	–	3	C. 1 N. 1
†GLOUCESTER C.B.	*	*	*	*	*	*
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	2	1	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	1	–	–	M. 1
STOW ON THE WOLD	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	1	–
DURSLEY	–	2	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	
NEWENT	–	1	–	–	–	–
NORTHLEACH ...	–	1	–	–	–	–
STROUD	–	3	1	–	–	–
WARMLEY ...	–	2	–	–	1	–
WHEATENHURST	–	–	2	–	–	–
WINCHCOMB (part)	–	–	1	–	–	–
HEREFORD ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
HERTFORD ..	–	14	4	–	1	C. 1
Boroughs and Urban Districts:—						
BALDOCK... ...	–	1	–	–	–	–
BARNET	–	–	–	–	1	–
†CHESHUNT ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	3	1	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	2	–	–	–
HERTFORD ...	–	1	–	–	–	–
HITCHIN	–	2	–	–	–	C. 1
ST. ALBANS ...	–	3	–	–	–	–
HUNTINGDON ..	–	11	2	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	–	1	–	–	–
HUNTINGDON ...	–	2	–	–		–
ST. IVES	–	2	–		–	–
Rural Districts:—						
HUNTINGDON ...	–	3	–	–	–	–
NORMAN CROSS ...	–	–	1	–	–	–
ST. IVES	–	1	–	–	–	–
ST. NEOTS ...	–	2	–	–	–	–
SIBSON CUM STIBBINGTON (parish).	–	1	–	–	–	–
KENT	–	36	26	–	12	C. 2 E. 1 G. 1 M. 4 N. 2
†CANTERBURY C.B.	–	1	2	–	2	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	–	2	–	–	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†CHATHAM ...	–	3	3	–	–	M. 2
CHERITON ...	–	1	–	–	–	C. 1
†DARTFORD ...	–	1	3	–	–	–
†DOVER	–	1	1	–		–
†ERITH	–	–	–	–	1	N. 1
†FAVERSHAM ...	–	1	–	–		–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	2	3	–	3	C. 1
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	2	–	–	–	–
†PENGE	–		–	–	1	–
†ROCHESTER ...	–		–	–	–	M. 1
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	M. 1
SITTINGBOURNE	–	1	–	–		–
SWANSCOMBE ...	–	–	4	–	–	–
†TONBRIDGE ...	–	1		–	–	N. 1
WHITSTABLE ...	–	–	1	–	–	–
WROTHAM ...	–	–	–	–	–	G. 1
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	2	1	–	1	–
DARTFORD ...	–	5	3	–	1	–
EAST ASHFORD ...	–	1	–	–	–	–
ELHAM	–	–	–	–	1	–
FAVERSHAM ..	–	–	–	–	1	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	5	–	–	–	–
SEVENOAKS ...	–	–	–	–	–	E. 1
SHEPPEY	*	*	*	*	*	*
STROOD	–	–	2	–	–	–
TONBRIDGE ...	–	2	–	–	–	–
LANCASTER ...	1	188	133	3	292	C. 9 D. 2 E. 2 G. 8 J. 1 L. 1 M. 26 N. 13
†BARROW IN FURNESS C B	–	3	3	–	–	–
†BLACKBURN C.B.	–		6	–	8	M. 1
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	1	1	–	1	–
†BOLTON C.B. ...	–	7	2	–	10	C. 1 N. 1
†BOOTLE C.B. ...	–	4	2	–	5	–
†BURNLEY C.B. ...	–	4	4	–	2	–
†BURY C.B. ...	–	2	1	–	6	–
†LIVERPOOL C.B. ...	–	29	49	–	53	D. 1 E. 1 M. 15 N. 6
†MANCHESTER C.B.	–	33	23	–	65	C. 2 D. 1 E. 1 G. 1 M. 3 N. 1
†OLDHAM C.B. ...	–	6	2	–	–	N. 1
†PRESTON C.B. ...	–	3	2	–		C. 1
†ROCHDALE C.B. ...	–	3	4	–	–	G. 1
†ST. HELENS C.B. ...	–	4	1	–	5	C. 1 N. 1
†SALFORD C.B. ...	–	15	4	–	11	M. 2 N. 1
†SOUTHPORT C.B.	–	2	–	1	2	–
†WARRINGTON C.B.	–	1	–	–	11	G. 2
†WIGAN C.B. ...	–	–	–	–	6	J. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	6	1	–	–	G. 1
†ASHTON IN MAKERFIELD	–	–	–	–	3	–
†ASHTON UNDER LYNE	1	6	–	–	3	–
ASPULL	–		–	–	3	–
†ATHERTON ..	–	–	–	–	1	–
†BACUP	–	1	–	–	4	C. 1
BARROWFORD ...	–	1	–	–	–	–
BRIERFIELD ...	–	–	–	–	2	G. 1
†CHADDERTON ...	–	–	1	–	3	–
†CHORLEY	–	–	–	–	–	C. 1
CHURCH		1	1	–	–	–
CLAYTON LE MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	–	1	–	–	M. 1
†COLNE	–	2	–	–	–	M. 1
†CROMPTON ...	–		1	–	–	–
†DARWEN	–	6	–	–	1	–
†DENTON	–	2	–	–	2	–
†DROYLSDEN ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ECCLES	–	1	–	–	1	–
†FAILSWORTH ...	–	2	–	–	5	–
†FARNWORTH ...	–	–	1	–	–	–
†FLEETWOOD ...	–	–	–	–	2	N. 1
FULWOOD ...	–	–	1	–	1	–
GOLBORNE ...	–	2	–	–	–	M. 1
†GREAT CROSBY ...	–	–	1	–	2	–
†HASLINGDEN ...	–	4	–	–	–	–
†HEYWOOD ...	–	4	2	–	1	–
†HINDLEY... ...	–	1	–	–	13	–
†HORWICH ...	–	–	1	–	1	–
HURST	–	–	–	–	3	–
†INCE IN MAKERFIELD	–	–	–	–	4	–
KEARSLEY ...	–	1	–	–	–	N. 1
†LANCASTER ...	–	4	–	–	–	–
LEES	–	–	–	–	2	–
†LEIGH	–	–	2	–	6	–
LEYLAND... ...	–	2	–	–	1	–
†LITHERLAND ...	–	2	–	1	–	–
†LITTLEBOROUGH	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	–	2	–	1	–
†MIDDLETON ...	–	–	1	–	1	–
†MORECAMBE ...	–	–	2	–	–	–
†MOSSLEY	–	–	1	–	–	–
†NELSON	–	–	–	–	3	G. 1
†NEWTON IN MAKERFIELD	–	–	–	–	1	C. 1
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	–	2	–	1	–
†RADCLIFFE ...	–	7	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	7	–
†SWINTON AND PENDLEBURY	–	1	1	–	1	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON	–	1	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	1	–
†WESTHOUGHTON	–	–	1	–	–	–
WHITEFIELD ...	–	–	2	–	1	–
†WIDNES	–	–	–	–	17	C. 1 G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	–	–	–	–	–	M. 1
FYLDE	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
PRESTON	–	5	–	–	–	–
ULVERSTON ...	–	–	–	1	–	–
WARRINGTON ...	–	–	–	–	1	L. 1 M. 1
WEST LANCASHIRE	–	2	–	–	2	–
WHISTON... ...	–	–	2	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER... ..	–	20	13	1	8	D. 1 G. 1 N. 1
†LEICESTER C.B. ..	–	4	7	–	5	G. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	2	–
†COALVILLE ...	–	–	–	–	–	D. 1
†LOUGHBOROUGH	–	3	–	–	–	–
MELTON MOWBRAY	–	–	1	–	1	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	4	–	–	–	–
BARROW UPON SOAR	–	1	1	–	–	–
BILLESDON ...	–	1	1	–	–	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	–	1	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	6		1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	4	2	–	–	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	1	2	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–
SPALDING (part)..	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	1	G. 2
Boroughs and Urban Districts:—						
BOURNE	–	4	–	–	1	–
RUSKINGTON ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	–	G. 2
LINCOLN (parts of Lindsey).	–	13	9	–	8	G. 1 M. 1 N. 2
†GRIMSBY C.B. ...	–	4	4	–	1	–
†LINCOLN C.B. ...	–	6	2	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	1	–
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH ...	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	2	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	–	1	–	–	–
GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	2	–
LOUTH	–	–	–	–	–	N. 1
SPILSBY	–	–	1	–	–	–
MIDDLESEX ...	–	52	62	–	27	C. 1 E. 1 G. 2 M. 2 N. 2
Boroughs and Urban Districts:—						
†BRENTFORD ...	–	1	2	–	2	–
†CHISWICK ...	–	–	–	–	1	–
†EALING	–	4	1	–	1	–
†EDMONTON ...	–	3	10	–	1	–
†ENFIELD	–	2	6	–	1	–
†FINCHLEY ...	–	4	–	–	–	G. 2 N. 1
†FRIERN BARNET	–	1	–	–	2	–
†HAMPTON ...	–	–	1	–	–	–
†HARROW ON THE HILL	–	2	–	–	1	E. 1
HAYES	–	1	–	–	–	–
†HENDON	–	4	1	–	–	–
†HESTON AND ISLEWORTH	–	2	2	–	–	–
†HORNSEY... ...	–	3	3	–	2	N. 1
RUISLIP NORTHWOOD	–	–	–	–	1	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	13	16	–	8	M. 1
†TWICKENHAM ...	–	1	3	–	–	–
†WEALDSTONE ...	–	2	–	–	–	–
†WILLESDEN ...	–	4	8	–	4	M. 1
†WOOD GREEN ...	–	1	4	–	1	C. 1
YIEWSLEY ...	–	2	–	–	–	–
Rural Districts:—						
HENDON	–	2	2	–	–	–
STAINES	–	–	1	–	–	–
UXBRIDGE ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK	–	22	7	–	4	C. 1 M. 1 N. 1
†GREAT YARMOUTH C.B	–	2	–	–	–	–
†NORWICH C.B. ...	–	5	5	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	1	–	1	–
THETFORD ..	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	2	1	–	2	–
ERPINGHAM ...		–	–	–	–	N. 1
SMALLBURGH ...	–	–	–	–	1	
SWAFFHAM ...	–	7	–	–		–
WAYLAND ...		5	–	–	–	–
NORTHAMPTON ...	–	10	2	–	14	C. 1
†NORTHAMPTON C.B.	–	7	2	–	10	–
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
†KETTERING .	–	1	–	–	1	C. 1
†RUSHDEN... ...	–	1	–	–	1	–
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
NORTHAMPTON ..	–	–	–		1	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORTHUMBERLAND	15	32	13	3	73	C. 1 D. 1 M. 2 N. 1
†NEWCASTLE UPON TYNE C.B.	–	11	7	2	45	C. 1 M. 2
†TYNEMOUTH C.B	2	4	2	–	4	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	10	–	–	–	1	–
†BEDLINGTONSHIRE	–	2	–	–	6	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	–	–	1	4	–
CRAMLINGTON ...	–	1	–	–	–	–
†GOSFORTH ...	–	1	–		–	–
HEXHAM	–	–	3	–	–	–
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	1	–	–	3	–
†WALLSEND ...	–	4	1	–	6	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	D. 1
Rural Districts:—						
ALNWICK ...	–	2	–	–	–	–
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	2	–	–	–	1	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	1	–	–	–	–
MORPETH ...	1	2	–	–	–	N. 1
NOTTINGHAM ..	–	24	26	–	21	E. 1 M. 1 N. 2
†NOTTINGHAM C.B	–	9	16	–	10	N. 1
Boroughs and Urban Districts:—						
†BEESTON... ...	–	1	–	–	–	–
†CARLTON... ...	–	–	–	–	1	–
†EAST RETFORD ...	–	–	6	–	–	–
HUTHWAITE ...	–	2	1	–	–	–
†KIRKBY IN ASHFIELD	–	1	–	–	5	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD ...	–	1		–	2	–
†MANSFIELD WOODHOUSE	–	–	–	–	–	N. 1
†SUTTON IN ASHFIELD	–	2	–	–	–	–
†WEST BRIDGFORD	–	–	1	–	–	–
†WORKSOP... ...	–	–	–	–	–	M. 1
Rural Districts:—						
BINGHAM... ...	–	4	–	–	–	–
EAST RETFORD ...	–	1	–	–	1	–
NEWARK	–	–	2	–	–	–
SOUTHWELL ...	–	1	–	–	1	E. 1
STAPLEFORD ...	–	2	–	–	1	–
OXFORD	–	3	1	–	2	C. 1 G. 1
†OXFORD C.B. ..	*	*	*	*	*	*
Boroughs and Urban Districts:—						
BICESTER... ...	–		–	–	–	C. 1
WHEATLEY ...	–	1	–	–	–	
WITNEY	–	–	–	–	–	G. 1
Rural Districts:—						
BANBURY ...	–	–	1	–	–	–
GORING	–	1	–	–	1	–
HEADINGTON ...	–	1	–		–	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	2	1	–	2	–
Borough:—						
†PETERBOROUGH...	–	2		–	2	–
PETERBOROUGH (Soke of)—*cont.*						
Rural Districts:—						
PETERBOROUGH...	–	–	1	–	–	–
SALOP	–	9	4	–	1	–
Boroughs and Urban Districts:—						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	1	–	–	–
†WENLOCK ...	–	2	–	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	1	–
DRAYTON... ...	–	–	2	–	–	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	1	1	–	–	–
SOMERSET	–	23	3	–	4	E. 1 G. 1 N. 1
†BATH C.B. ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
GLASTONBURY ...	–	1	–	–	–	–
MIDSOMER NORTON	–	3	–	–	–	–
RADSTOCK ...	–	1	–	–	1	
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON ...	–	–	–	–	1	–
†YEOVIL	–	–	–	–	–	E. 1
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
CLUTTON	–	3	–	–	–	
KEYNSHAM ...	–	–	–	–	–	G. 1
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	1	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
WILLITON ...		1		–	–	–
WINCANTON ...	–	–	2	–	–	N. 1
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON ...	–	30	26	3	15	C. 1 G. 1 M. 1 N. 5
†BOURNEMOUTH C.B.	–	–	2		2	N. 1
†PORTSMOUTH C.B.	–	8	18	2	–	G. 1 M. 1 N. 1
†SOUTHAMPTON C.B.	–	4	2	–	10	N. 2
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	2	–	1		–
†GOSPORT	–	3	1		–	–
HAVANT	–	1			–	–
LYMINGTON ...	–	1	–	–	–	–
MILTON	–		–	–	–	C. 1
†WINCHESTER ...	–	1	–		1	–
Rural Districts:—						
ALRESFORD ...	–	2	–		–	–
ALTON	–	–	2	–	–	–
FAREHAM ...	–	2	–	–	–	–
FORDINGBRIDGE	*	*	*	*	*	*
HARTLEY WINTNEY	–	2	–	–	–	–
HAVANT	–	–	1	–	–	–
LYMINGTON ...	–	2	–	–	–	–
NEW FOREST ...	–	–	–	–	1	N. 1
WHITCHURCH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
STAFFORD	–	55	28	1	52	C. 3 E. 1 G. 1 M. 7 N. 4
†BURTON UPON TRENT C.B.	–	–	2	–	3	N. 1
†SMETHWICK C.B.	–	1	2	–	1	–
†STOKE ON TRENT C.B.	–	6	2	1	18	C. 1 M. 4
†WALSALL C.B. ...	–	2	11	–	3	N. 1
†WEST BROMWICH C.B.	–	–	–	–	6	M. 1
†WOLVERHAMPTON C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
†BILSTON	–	–	–	–	4	–
†BRIERLEY HILL...	–	–	2	–	1	M. 1
†BROWNHILLS ...	–	4	–	–	–	–
†CANNOCK	–	1	2	–	–	–
†COSELEY	–	1	2	–	–	–
†DARLASTON ...	–	1	–	–	1	–
KIDSGROVE ...	–	1	1	–	1	–
†LEEK	–	–	–	–	–	E. 1
†NEWCASTLE UNDER LYME	–	2	1	–	–	–
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	1	–	–	2	–
RUGELEY... ...	–	–	–	–	1	G. 1
†SEDGLEY	–	2	1	–	–	–
SHORT HEATH ...	–	1	1	–	–	–
†STAFFORD ...	–	3	–	–	1	–
TAMWORTH ...	–	2	–	–	–	C. 2
†TIPTON		1	–	–	4	–
UTTOXETER ...	*	*	*	*	*	*
†WEDNESBURY ...	–	1	–	–	–	M. 1
†WILLENHALL ...		6	–	–	–	–
†WOLSTANTON UNITED	–	2	–	–	3	N. 1
Rural Districts:—						
CANNOCK	*	*	*	*	*	*
CHEADLE... ...	–	–	–	–	2	–
KINGSWINFORD ...	–	1	–	–	–	–
LICHFIELD ...	–	–	–	–	1	N. 1
NEWCASTLE UNDER LYME	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
SEISDON	–	1	–	–	–	–
STAFFORD ...	–	2	–	–	–	–
STONE	–	2	–	–	–	–
TUTBURY... ...	*	*	*	*	*	*
UTTOXETER ...	*	*	*	*	*	*
WALSALL... ...	–	3	–	–	–	–
SUFFOLK, EAST ...	–	16	–	–	3	G. 1 N. 1
†IPSWICH C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	–	G. 1
†LOWESTOFT ...	–	6	–	–	–	–
STOWMARKET ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
PLOMESGATE ...	–	2	–	–	2	N. 1
SUFFOLK, WEST ...	–	–	–	–	–	N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	N. 1
SURREY	–	43	18	2	12	E. 2 M. 5
†CROYDON C.B. ...	–	16	7	–	1	M. 2
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CARSHALTON ...	–	2	1	–	–	–
†CHERTSEY ...	–	–	–	–	–	E. 1
†EGHAM	–	3	–	–	–	–
†FARNHAM ...	–	7	–	–	1	–
†FRIMLEY	–	–	–	–	–	E. 1
GODALMING ...	–	–	–	–	1	–
†GUILDFORD ...	–	–	1	–	1	–
†KINGSTON ON THAMES	–	2	–	–	1	–
†MERTON AND MORDEN	–	1	–	–	–	M. 1
†MITCHAM... ...	–	2	2	1	1	M. 2
†REIGATE	–	–	–	1	–	–
†SURBITON ...	–	–	1	–	1	–
†SUTTON	–	1	2	–	–	–
†THE MALDENS AND COOMBE	–		–	–	1	–
†WIMBLEDON ...	–	3	–	–	–	–
Rural Districts:—						
EPSOM	–	2	3	–	2	–
FARNHAM ...	–	2	–	–	–	–
GODSTONE ...	–	–	1	–	1	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	12	8	1	9	M. 3 N. 2
†BRIGHTON C.B. ...	–	7	5	–	2	M. 2 N. 1
†EASTBOURNE C.B.	–	2	–	–	1	N. 1
†HASTINGS C.B. ...	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	–	1	–	–	–
†HOVE	–	–	–	–	1	–
†LEWES	–	–	1	–	–	–
NEWHAVEN ...	–	–	–	1		–
UCKFIELD ...		1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
HAILSHAM ...	–	–	1	–	1	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–	2	–
SUSSEX, WEST ...	–	12	6	–	2	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	–	1	–	–	–
†CHICHESTER ...	–	2	–	–	–	–
†HORSHAM ...	–	–	2	–	–	–
SHOREHAM BY SEA	–	2	–	–	1	–
†WORTHING ...	–	–	2	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	1	–	–	–
PETWORTH ...	–	–	–	–	1	–
WESTHAMPNETT ..	–	8	–	–	–	–
WARWICK	–	50	51	–	88	C. 6 D. 1 E. 2 F. 1 G. 3 M. 7
†BIRMINGHAM C.B.	–	29	45	–	79	C 6 D. 1 E. 2 G. 1 M. 7
†COVENTRY C.B. ...	–	1	2	–	2	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	4	–	–	3	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	–	1	–	–	–
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	2	–	–	–
†WARWICK ...	–	2	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	–	–	–	–	G. 1
FOLESHILL ...	–	3	1	–	2	–
MERIDEN... ...	–	6	–	–	–	–
SOLIHULL ...	–	1		–	–	F. 1
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	2			–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ...	–	9	–	–	–	E. 1
Boroughs and Urban Districts:—						
†KENDAL	–	3		–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	3	–	–	–	E. 1
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	E. 1
Boroughs and Urban Districts:—						
†NEWPORT... ...	–	–	–	–	–	E. 1
SANDOWN ...	–	1	–	–	–	–
VENTNOR... ...	–	1		–	–	–
WILTS	–	11	4	–	5	C. 1 E. 3 N. 1
Boroughs and Urban Districts:—						
CALNE	–	1	–	–		–
CHIPPENHAM ...	–	2	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	–	1	1	–	–	–
†SALISBURY ...	–	1	1	–	1	E. 2
†SWINDON... ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD-ON-AVON	–	2	–	–	–	N. 1
CHIPPENHAM ...	–	–	–	–	1	–
DEVIZES	–	1	–	–	–	
HIGHWORTH ...	–	–	2	–	1	C. 1
MELKSHAM ...	–	1	–	–	–	–
SALISBURY ...	–	–	–	–	1	–
TISBURY	–	–	–	–	–	E. 1
WORCESTER ...	–	14	7	–	9	M. 1
†DUDLEY C.B. ...	–	1	–	–		–
†WORCESTER C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	2	–
†KIDDERMINSTER	–	2	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	1	–
†MALVERN ...	–	1	–	–	–	–
†REDDITCH ...	–	1	–	–	1	–
†STOURBRIDGE ..	–	–	–	–	1	M. 1
Rural Districts:—						
DROITWICH ...	–	1	–	–	1	–
FECKENHAM ...	–	1	–	–	–	–
KIDDERMINSTER	–	–	1	–	–	–
MARTLEY... ...	–	3	5	–	–	–
PERSHORE ...	–	1	–	–	2	–
YORKS ... .. (East Riding.)	–	20	24	–	6	L. 1 M. 1 N. 1
†KINGSTON UPON HULL C.B	–	13	20	–	6	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	–	–
†BRIDLINGTON ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BRIDLINGTON ...	*	*	*	*	*	*
DRIFFIELD ...		–	1	–	–	–
ESCRICK	–	–		–	–	L. 1
HOWDEN	–	1	–	–	–	–
NORTON	*	*	*	*	*	*
PATRINGTON ...	–	–	–	–	–	N. 1
SCULCOATES ...	–	1	3	–	–	–
YORKS ... .. (North Riding.)	–	14	4	–	6	N. 2
†MIDDLESBROUGH C.B.	–	7	1	–	3	N. 2
Boroughs and Urban Districts:—						
†ESTON	–	5	1	–	–	–
MALTON	*	*	*	*	*	*
†SCARBOROUGH ...	–	–	2		2	–
Rural Districts:—						
CROFT	–	–	–	–	1	–
HELMSLEY ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
STARTFORTH ...	–	1	–	–	–	–
YORKS ... ... (West Riding.)	38	134	75	8	171	C. 9 E. 2 G. 2 M. 9 N. 17
†BARNSLEY C.B. ...	–	–	5	–	1	C. 1 N. 2
†BRADFORD C.B. ...	–	6	5	1	9	C. 2 M. 1 N. 1
†DEWSBURY C.B....	–	1	–	–	–	–
†HALIFAX C.B. ...	–	2	2	1	4	–
†HUDDERSFIELD C.B	–	13	1	–	8	M. 1 N. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†LEEDS C.B. ..	–	15	14	2	23	C. 1 E. 1 M. 1 N. 3
†ROTHERHAM C.B.	–	2	–	–	4	N. 1
†SHEFFIELD C.B...	5	29	29	2	80	C. 4 G. 1 M. 1 N. 6
†WAKEFIELD C.B.	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	2	4	–	–	–	–
ALTOFTS	–	–	–		1	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BATLEY	–	1	2	1	–	M. 1
†BENTLEY WITH ARKSEY	–	2		–	–	–
†BOLTON UPON DEARNE	–	2	1	–	–	–
BURLEY IN WHARFEDALE	–	2	–	–	–	–
†CONISBROUGH ...	–	1	–	–	1	–
DARFIELD ...	–	1	–	–	–	–
†DONCASTER ...	7	3	–	–	2	–
DRIGHLINGTON ...	–	–	–	–	1	–
GILDERSOME ...	–		–	–	1	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	4	1	–	–	–
†HARROGATE ...	–	–	2	1	2	–
HECKMONDWIKE	–	–	–	–	–	M. 2
†HOLMFIRTH ...	–	3	–	–	–	–
†HOYLAND NETHER	–	–	–	–	5	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	6	2	3	–	2	–
KNARESBOROUGH	–	2	–	–	–	–
LEPTON	–	2	–	–	–	–
MALTBY	–	3	–	–	1	–
MARSDEN... ...	–	2	–	–	–	–
MELTHAM ...	–	2	–	–	–	–
†MEXBOROUGH ...	16	1	–	–	3	–
MIDGLEY... ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)						
Boroughs and Urban Districts—*cont.*						
MYTHOLMROYD ...	*	*	*	*	*	*
OAKWORTH ...	–	–	–	–	1	–
PENISTONE ...	–	–	–	–	–	N. 1
†PONTEFRACT ...	–	–	–	–	2	–
†RAWMARSH ...	–	2	–		2	–
†SADDLEWORTH ...	–	1	–	–	–	–
†SHIPLEY	–	–	–	–	1	–
†SKIPTON	–	–	–	–	1	–
†SOWERBY ...	–	1	2	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	2		–	–	4	–
TICKHILL ...	–	–	1	–	–	–
†TODMORDEN ...	–	2	–	–	–	C. 1
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	1	1	–	2	–
†WORSBOROUGH ...	–	–	–		1	–
Rural Districts:—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	–	1	1	–	1	–
HEMSWORTH ...	–	3	–	–	–	N. 1
HUNSLET... ...	–	1	–		–	–
KEIGHLEY ...	–	1	2	–	–	–
KIVETON PARK ...	–	1	1	–	–	–
PATELEY BRIDGE		1	–	–	–	–
PONTEFRACT ...	–	–		–	–	M. 1
ROTHERHAM ...	–	–	–	–	1	N. 1
SEDBERGH ...	–	–	–		–	G. 1
SETTLE	–	2	–	–	–	–
TADCASTER ...	–	1	1	–	1	–
THORNE	–	1	–	–	–	–
WETHERBY ...	–	1	–	–	–	E. 1
WORTLEY ...	–	4	1		–	–
§YORK, CITY OF	–	1	4	–	2	–
†YORK C.B. ...	–	1	4	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	2	4	–	1	–
Boroughs and Urban Districts:–						
AMLWCH	–	1		–	–	–
†HOLYHEAD ...	–	1	2	–	–	–
Rural Districts:–						
AETHWY	–	–	1	–	–	–
TWRCELYN ...			1	–	1	–
VALLEY	*	*	*	*	*	*
BRECKNOCK ..	–	1	–	–	1	N. 1
Rural Districts:–						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	1	–	–	–	N. 1
YSTRADGYNLAIS	–			–	1	–
CAERNARVON ...	–	–	1			C. 1 G. 1 N. 1
Boroughs and Urban Districts:–						
CONWAY	–	–	–	–	–	C. 1
†LLANDUDNO ...	–	–	1	–	–	–
PENMAENMAWR...	–	–	–	–	–	N. 1
Rural Districts:–						
LLEYN	–	–	–	–	–	G. 1
CARDIGAN ...	–	–	1	–	–	–
Boroughs and Urban Districts:–						
CARDIGAN ...	–	–	1	–	–	–
CARMARTHEN .	–	5	7	–	1	N. 1
Boroughs and Urban Districts:						
†CARMARTHEN ...	–	1	1	–	–	–
KIDWELLY ...	–	2	–	–	–	–
†LLANELLY ...	–	1	2	–	–	–
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:–						
CARMARTHEN ...	–	1	–	–	–	–
LLANELLY ...	–	–	3	–	1	N. 1
LLANYBYTHER ...	–	–	1	–	–	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
DENBIGH	–	10	2	–	2	–
Boroughs and Urban Districts:–						
†COLWYN BAY ...	–	–	1	–	–	–
DENBIGH ...	*	*	*	*	*	*
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	3	–	–	1	–
Rural Districts:–						
LLANSILIN ...	–	–	1	–	1	–
UWCHALED ...	–	3	–	–	–	–
WREXHAM ...	–	3	–	–	–	–
FLINT	–	5	4	1	4	–
Boroughs and Urban Districts:–						
CONNAH'S QUAY...	–	1	–	–	–	–
FLINT	–	–	–	1	3	–
HOLYWELL ...	–	–	2	–	–	–
†RHYL	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	-	3	-	-	-	-
HOLYWELL (HOLYWELL DIV.)	-	-	1	-	1	-
ST. ASAPH (FLINT)	-	1	-	-	-	-
GLAMORGAN ...	-	43	39	2	33	C. 2 F. 1 M. 1 N. 1
†CARDIFF C.B. ...	-	5	3	1	7	C. 1 N. 1
†MERTHYR TYDFIL C.B.	-	-	-	-	2	-
†SWANSEA C.B. ...	-	7	5	-	2	-
Boroughs and Urban Districts:—						
†ABERDARE ...	-	6	1	1	2	-
†BARRY	-	2	10	-	-	-
†CAERPHILLY ...	-	2	2	-	2	C. 1
†GELLIGAER ...	-	-	1	-	4	-
†GLYNCORWG ...	-	-	-	-	1	-
†MAESTEG ...	-	3	3	-	1	-
†MOUNTAIN ASH ...	-	-	1	-	2	-
†NEATH	-	2	1	-	-	-
†OGMORE AND GARW	-	2	2	-	-	-
†PONTYPRIDD ...	-	1	1	-	1	-
PORTHCAWL ...	-	-	-	-	1	-
†PORT TALBOT ...	-	3	2	-	-	F. 1
†RHONDDA ...	-	2	3	-	3	-
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	-	1	4	-	-	-
NEATH	-	4	-	-	4	-
PENYBONT ...	-	1	-	-	1	-
SWANSEA... ...	-	2	-	-	-	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	-	-	4	-	-	-
Urban Districts:—						
BALA	*	*	*	*	*	*
BARMOUTH ...	*	*	*	*	*	*
DOLGELLEY ...	-	-	1	-	-	-
FFESTINIOG ...	-	-	3	-	-	-
Rural Districts:—						
PENNAL (PARISH)	*	*	*	*	*	*
MONMOUTH ...	-	7	14	-	8	C. 3 G. 1 N. 1
†NEWPORT C.B. ...	-	4	2	-	2	C. 2 N. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	-	1	-	-	-	-
†ABERTILLERY ...	-	-	1	-	-	C. 1
BEDWAS AND MACHEN	-	-	2	-	1	-
†BEDWELLTY ...	-	-	3	-	1	-
†BLAENAVON ...	-	-	1	-	1	-
†EBBW VALE ..	-	-	1	-	2	-
MONMOUTH ...	-	1	-	-	-	-
†MYNYDDISLWYN	-	-	-	-	-	G. 1
†NANTYGLO AND BLAINA	-	1	-	-	-	-
†RISCA	-	-	1	-	-	-
†TREDEGAR ...	-	-	2	-	1	-
Rural Districts:—						
CHEPSTOW ...	-	-	1	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	1	–	1	–	–	PEMBROKE ...						
Rural Districts:—							**Boroughs and Urban Districts:—**						
MACHYNLLETH ...	–	1	–	–	–	–	GOODWICK ...	*	*	*	*	*	*
NEWTOWN AND LLANIDLOES	–	–	–	1	–	–	**Total of Part II.** ...	315	1332	818	41	1097	C. 5 D. E. 2 F. G. 3 J. L. M. 9 N. 9

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
LIVERPOOL	–	1	–	–	1	L. 1	PORT OF LONDON ...	–	–	–	2	–	L.
PLYMOUTH	–	–	–	2	–	–							
SOUTHAMPTON ...	–	–	–	1	–	–	**Total of Part III.** ...	–	1	–	5	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London ...	–	198	293	2	218	C. 5 D. 3 E. 3 F. 3 G. 6 L. 1 M. 19 N. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	315	1332	818	41	1097	C. 54 D. 6 E. 22 F. 3 G. 35 J. 1 L. 3 M. 94 N. 90
Total of Part III.—Port Sanitary Districts	–	1	–	5	1	L. 2
Total (*i.e.*, of returns received), England and Wales ...	315	1531	1111	48	1316	C. 59 D. 9 E. 25 F. 6 G. 41 J. 1 L. 6 M. 113 N. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16	Oct. 23	Oct. 30.	Nov. 6.	Nov. 13	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.
LONDON:—												
DEATHS—all ages	819	848	912	895	1,014	1,124	1,209	1,108	1,048	950	1,043	1,170
" 0 to 1 year ..	117	120	97	102	90	113	94	86	83	98	108	154
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,426	6,560	6,574	6,240	6,509	6,389	6,891	6,672	6,505	6,352	6,515	6,646
DEATHS—all ages	3,507	3,731	3,916	3,793	4,137	4,697	4,817	4,665	4 527	4,193	4,498	4,919
" 0 to 1 year ..	477	566	532	505	488	514	503	488	499	481	518	643
ENTERIC FEVER—Cases	33	36	24	30	28	17	17	27	25	25	16	16
" Deaths	3	2	5	1	1	1	1	3	1	4	3	2
SMALL POX—Cases ..	39	32	35	40	32	30	31	30	20	40	39	29
" Deaths ..	—	2	1	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	963	968	1,074	1,055	1,106	1,151	1,076	1,106	1,201	1,130	961	950
" Deaths	3	3	3	2	5	3	8	5	3	4	7	8
DIPHTHERIA—Cases ..	732	722	827	833	817	848	777	788	775	814	872	793
" Deaths ..	29	36	36	39	40	43	40	33	32	46	39	47
MEASLES—Deaths ..	1	5	3	9	6	7	11	17	6	8	18	15
INFLUENZA—Deaths ..	23	32	36	38	54	71	88	100	78	52	68	52

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 18th December, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	48	29	44·3	35·1	3
BRIGHTON ..	48	31	45·9	38·3	3
PORTSMOUTH ..	48	29	46·0	38·2	3
NORWICH (EATON).	47	31	42·4	35·3	9
PLYMOUTH ..	49	28	46·9	38·7	3
BRISTOL (CLIFTON).	47	29	44·4	36·3	8
BIRMINGHAM (EDGBASTON).	47	27	41·1	35·4	5
NOTTINGHAM ..	47	31	42·1	34·6	5
BIRKENHEAD (BIDSTON).	48	30	43·7	39·0	5
MANCHESTER (WHITWORTH PARK).	48	27	43·7	35·9	14
BURNLEY	46	21	42·4	33·1	28
HUDDERSFIELD	47	24	43·3	31·6	1
BRADFORD ..	47	24	42·4	33·7	1
SHEFFIELD ..	47	28	42·7	34·0	1
YORK (MUSEUM)	49	27	43·3	33·7	[illegible]
HULL (PEARSON PARK).	49	30	43·4	34·7	[illegible]
TYNEMOUTH ..	51	28	45·1	38·9	[illegible]
CARDIFF.. ..	48	30	44·3	37·7	[illegible]
EDINBURGH ..	48·0	28·0	44·3	35·6	[illegible]
GLASGOW ..	49·1	28·7	44·5	38·0	1
DUBLIN (PHŒNIX PARK).	48·0	22·1	43·9	34·4	1
(FITZWILLIAM SQUARE†).	49·0	28·1	44·9	37·3	[illegible]
BELFAST.. ..	51·0	24·5	45·5	34·9	2

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 18th December, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	12	First Quarter. Perigee. In Equator	30·299	43·0	37·5	5·5	40·7	+ 0·4	40·4	0·3	0·8	0·3	99	45·3	34·5	46·8	Calm	Calm	0·0	0·0	0·0	64	− 254	0·01
MONDAY -	13		29·991	42·3	39·6	2·7	41·3	+ 0·8	37·1	4·2	5·5	0·0	85	42·5	35·8	46·5	Calm: SW.	WSW: SW.	0·6	0·0	0·0	187	− 131	0·00
TUESDAY -	14	..	29·798	46·1	37·4	8·7	42·5	+ 1·8	40·7	1·8	4·5	0·8	93	53·1	31·1	46·6	Calm: WSW.	Calm: NNE.	3·9	0·0	0·1	209	− 109	0·07
WEDNESDAY	15	..	30·230	37·4	29·7	7·7	33·5	− 7·3	29·8	3·7	7·8	1·9	86	47·0	22·0	46·5	NNE: N.	N: NW: WSW.	2·0	0·0	0·1	265	− 51	0·00
THURSDAY -	16	..	30·118	41·7	29·4	12·3	36·8	− 3·9	31·0	5·8	9·8	3·0	78	52·9	24·1	46·3	WSW	WSW	1·6	0·0	0·2	381	+ 67	0·00
FRIDAY -	17	..	29·818	47·9	41·5	6·4	45·6	+ 5·2	40·3	5·3	7·5	2·6	82	53·8	38·2	46·3	WSW	WSW	5·2	0·0	0·6	536	+ 227	0·03
SATURDAY -	18	..	29·698	46·6	39·5	7·1	42·4	+ 2·4	34·4	8·0	13·5	3·9	73	51·2	32·1	46·1	WSW: W: WNW.	WNW: NW.	4·4	0·0	0·5	459	+ 157	0·00
MEANS -		..	29·993	43·6	34·9	7·2	40·4	− 0·1	36·2	4·2	7·1	1·8	85	49·4	31·1	46·4	WSW		..	..	..	Sum 2101	Sum − 94	Sum 0·11
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	12	wP till 4h.; mP till 11h.; then wP.	0·0	7·8	Overcast throughout. Damping 5h. till 12h., and from 18½h. Slight fog till 12h., then mist till 15h.
MONDAY ..	13	wP till 11h.; then mP.	0·0	7·8	Overcast throughout. Damping till 2h., and from 23½h.
TUESDAY ..	14	wP till 1½h.; mP till 21h.; then sN.	0·0	7·8	Overcast generally with variably cloudy period between 5h. and 10h. Dew in morning. Rain between 13¾h. and 16½h.; and from 20h. Mist 13½h. till 15h.
WEDNESDAY	15	mN till 0¾h.; wP till 6h.; then mP.	3·3	7·8	Overcast till 2h., then variably cloudy becoming cloudless by 21h. Hoar frost in morning and at night. Haze from 12h. till 22h.
THURSDAY	16	mP till 1½h.; wP till 8h.; mP till 22h.; then wP.	4·7	7·8	Variably cloudy becoming overcast by 18½h. Hoar frost in morning.
FRIDAY ..	17	wP till 19h.; variably wP and sN till 22½h.; then mP.	0·0	7·8	Overcast generally. Rain 18½h. till 20½h. Showers at 22h. and 0h.
SATURDAY	18	Variably mP and mN till 0½h.; wP till 2h.; then mP.	0·8	7·8	Variably cloudy.
			Sum 8·8	Sum 54·6	
No. of Col. ..	..	—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer The symbols employed are:—P, positive: N, negative: w, weak: m, moderate: s, strong, and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·44 ins. at the beginning of the week to 29·76 ins. by 13h. on 14th; increased to 30·26 ins. by 20h. on 15th; decreased to 29·56 ins. by 6h. on 18th; increased and was 29·88 ins. by midnight on the same day.

FOR OFFICIAL USE

1926. No. 51

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 25TH DECEMBER 1926

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1. St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1926
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH DECEMBER, 1926.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifty-first week of the year numbered 5,347 and corresponded to an annual rate of 14·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,556 and corresponded to an annual rate of 12·2 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 12·1, 13·2 and 12·9. Infant mortality based on the average weekly number of births during the last 52 weeks, was 82 per 1,000 births against 75, 94 and 84 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,200 births, corresponding to a rate of 13·6 per 1,000, and 1,070 deaths of civilians, corresponding to an annual rate of 12·1, against 11·8, 13·3 and 13·2, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 12·6 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 81 as against 69, 99 and 81 in the three weeks preceding.

In the aggregate of the great towns the total deaths decreased from 4,797 to 4,556. In London the number of deaths from all causes decreased from 1,161 to 1,070; the deaths from diphtheria which had been 16, 9 and 12 in the preceding three weeks were 9 last week; and the deaths from influenza which had been 14, 13 and 18 in the preceding three weeks. fell to 16 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 25th December, 1926.

TOWNS.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	5,347	4,556	563	4	14	9	39	36	36	69
London	4,602,000*	1,200	1,070	126	-	-	-	16	9	6	16
Towns in Outer Ring.											
Croydon C.B ..	199,300	53	54	3	-	-	-	-	1	-	1
Wimbledon ..	58,170	9	15	-	-	-	-	-	-	-	-
Ealing†	91,000	16	16	-	-	-	-	-	-	-	1
Acton	63,110	11	9	3	-	-	-	-	-	1	-
Willesden ..	168,900	33	38	2	-	-	-	-	-	-	-
Hendon	59,150*	15	9	1	-	-	-	-	-	-	1
Hornsey	87,210	14	16	3	-	-	-	-	-	-	-
Wood Green ..	51,960	12	11	1	-	-	-	-	-	-	-
Tottenham ..	153,600	34	27	2	-	-	-	1	-	-	-
Edmonton ..	71,210	24	15	5	-	-	-	-	-	1	-
Enfield	63,740	10	13	1	-	-	-	-	-	-	-
West Ham C.B. ..	318,500	91	60	5	-	-	-	-	-	1	2
East Ham C.B. ..	147,200	26	30	4	-	-	-	-	-	-	1
Leyton	132,700	26	25	-	-	-	-	-	-	-	-
Walthamstow ..	130,800	18	20	2	-	-	-	3	-	-	1
Ilford	93,590	22	15	1	-	-	-	-	-	1	-
Gillingham	48,680*	20	13	1	-	-	-	-	-	-	-
Canterbury C.B ..	23,270*	6	7	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	15	22	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	55,060	12	13	-	-	-	-	-	-	-	-
Brighton C.B. ..	137,800*	25	28	2	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	56	46	5	1	-	-	-	-	-	-
Bournemouth C.B. ..	85,840	14	26	3	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	39	55	4	-	-	1	-	-	-	-
Reading C.B.	93,670*	24	20	-	-	-	-	-	-	-	-
Oxford C.B.	57,090	13	19	1	-	-	-	-	-	-	1
Northampton C.B. ..	93,780*	15	19	-	-	-	-	-	1	-	-
Luton	59,230	12	11	1	-	-	-	-	-	-	-
Cambridge	59,020	15	13	2	-	-	-	1	-	-	-
Southend-on-Sea C.B.	98,060	24	21	2	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	23	16	2	-	-	-	-	-	-	-
Great Yarmouth C.B.	57,890	11	13	2	-	-	-	1	-	-	1
Norwich C.B. ..	124,000*	30	13	2	-	-	-	-	-	-	-
Swindon	56,880	19	6	1	-	-	-	-	-	-	-
Exeter C.B.	59,820*	9	23	3	1	-	-	-	-	-	3
Plymouth C.B. ..	192,100*	57	49	9	-	-	-	-	1	-	1
Bath C.B.	69,050	15	20	1	-	-	-	-	-	-	-
Bristol C.B.	385,700*	101	103	12	-	-	-	-	-	1	1
Gloucester C.B. ..	53,060	20	9	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	97	72	11	-	-	-	2	1	1	1
Burton-upon-Trent C.B.	49,530	16	9	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	35	29	5	-	-	-	1	-	-	-
Walsall C.B.	102,300	33	14	1	-	-	-	-	-	-	-
West Bromwich C.B	79,490	24	19	3	-	-	-	-	-	1	1
Dudley C.B.	58,810	22	19	5	-	-	-	-	-	-	-
Worcester C.B. ..	50,230	14	9	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	236	227	31	-	1	1	1	4	1	4
Smethwick C.B. ..	78,840	22	11	1	-	-	-	-	-	-	-
Coventry C.B. ..	129,100	36	30	8	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	87	64	7	-	-	-	3	-	-	-
Lincoln C.B.	66,600*	19	18	4	-	-	2	1	-	-	-
Grimsby C.B.	87,190	30	16	4	-	-	-	-	-	-	-
Nottingham C.B. ..	270,600	79	62	8	-	-	-	-	3	-	-
Derby C.B.	134,400*	54	18	1	-	-	-	-	-	-	-
Chesterfield ..	65,800	24	18	4	-	-	2	-	-	-	-
Stockport C.B. ..	125,900	28	31	1	-	-	1	-	-	-	-
Chester C.B.	41,670	18	10	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	155,500	39	31	3	-	-	-	-	-	-	-
Wallasey C.B. ..	91,720	24	20	3	-	-	-	-	-	-	1
Liverpool C.B. ..	856,000	323	228	48	-	5	-	1	1	7	2
Bootle C.B.	83,260	24	13	3	-	-	1	-	-	-	-
St. Helens C.B. ..	109,600	32	21	6	-	-	-	-	-	1	1

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	ESTIMATED POPULATION, Mid. 1925.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age	Including Deaths from						
					Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B ..	74,260	15	15	2	-	-	-	-	-	-	-
WIGAN C.B.	91,010	24	21	4	-	-	-	-	-	-	1
WARRINGTON C.B. ..	77,970*	26	21	3	-	-	-	1	-	-	1
BOLTON C.B.	180,400	35	46	6	-	-	-	-	-	2	1
BURY C.B.	56,700*	17	15	1	-	-	-	-	-	-	1
MANCHESTER C.B. ..	755,800	250	192	26	-	1	-	-	5	4	2
SALFORD C.B.	244,700	57	63	5	-	-	-	1	-	-	1
OLDHAM C.B	146,200	41	43	5	-	-	-	-	1	1	3
ROCHDALE C.B... ..	92,190	23	30	3	-	-	-	-	-	-	1
BURNLEY C.B.	102,300	22	24	4	-	-	-	-	-	-	-
BLACKBURN C.B. ..	126,900	29	35	8	-	-	-	1	-	1	-
PRESTON C.B.	122,900	31	36	8	-	-	-	-	1	-	-
BLACKPOOL C.B. ..	80,750	25	29	1	1	-	-	-	1	-	-
BARROW-IN-FURNESS C.B.	73,470	24	14	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	112,100	19	27	-	-	-	-	-	-	-	1
HALIFAX C.B.	97,860*	24	35	4	1	-	-	-	-	1	-
BRADFORD C.B. ..	290,200	88	92	7	-	3	-	-	1	-	2
LEEDS C.B.	472,900	121	116	13	-	2	-	-	1	-	3
DEWSBURY C.B ..	54,570	13	7	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,980	14	8	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	71,170	28	9	-	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	526,900*	128	117	11	-	-	1	-	-	1	2
ROTHERHAM C.B. ..	70,600	21	8	-	-	-	-	-	-	-	-
DONCASTER	55,610	28	20	4	-	-	-	-	-	-	-
YORK C.B.	84,630*	30	14	-	-	-	-	-	-	-	-
HULL C.B.	297,300	85	62	9	-	2	-	-	-	1	-
MIDDLESBROUGH C.B.	136,200	46	40	10	-	-	-	-	-	2	2
DARLINGTON C.B. ..	69,130	25	20	4	-	-	-	1	-	-	-
STOCKTON-ON-TEES ..	68,000	22	16	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	71,590	31	16	4	-	-	-	-	-	-	1
SUNDERLAND C.B. ..	166,000	57	39	6	-	-	-	1	1	-	-
SOUTH SHIELDS C.B. ..	124,600	38	38	5	-	-	-	2	-	1	1
GATESHEAD C.B. ..	129,000	43	22	3	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	286,300*	104	72	10	-	-	-	-	1	-	1
TYNEMOUTH C.B. ..	66,180	25	23	1	-	-	-	-	-	-	-
CARLISLE C.B.	55,160*	23	18	5	-	-	-	1	-	-	-
NEWPORT (MON.) C.B.	96,420*	21	21	4	-	-	-	-	-	-	-
CARDIFF C.B.	227,100*	64	39	6	-	-	-	-	-	-	-
RHONDDA	167,570	44	34	1	-	-	-	-	3	-	1
MERTHYR TYDFIL C.B.	82,920	20	14	-	-	-	-	-	-	-	-
ABERDARE	57,700	17	12	1	-	-	-	-	-	-	1
SWANSEA C.B.	163,200	44	36	6	-	-	-	-	-	-	2
GREATER LONDON ..	7,742,212*	1,906	1,707	180	-	-	1	20	11	11	31
OUTER RING	3,140,212*	706	637	54	-	-	1	4	2	5	15
16 GREAT TOWNS IN OUTER RING	1,890,140*	414	373	33	-	-	-	4	1	4	7
REMAINDER OF OUTER RING	1,250,072*	292	264	21	-	-	1	-	1	1	8
EDINBURGH†	424,600	131	77	11	-	1	1	-	-	-	2
GLASGOW† ..	1,052,200	388	263	53	-	1	4	2	1	1	4
DUBLIN (REGISTRATION AREA)†	419,156§		Not	received.							
BELFAST†	416,000	147	124	33	-	-	-	-	1	5	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

§ Census population 1926 (unrevised).

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,602,000	1926. Dec. 25	1200	1070	12·1	–	–	–	–	16	9	6
CALCUTTA AND SUBURBS	1,077,273	Nov. 27										
BOMBAY§	1,279,061	Dec. 4										
MADRAS	528,791	Nov. 27	456	394	?8·7	3	–	1	?	2	–	24
SYDNEY AND SUBURBS	1,038,950	„ 20 (30 days)										
BRISBANE (Metropolitan Area).	263,711	Oct. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Nov. 13										
AUCKLAND (Urban Area).	192,176	Oct. 31 (31 days)	284	139	8·6	1	–	1	–	–	1	–
WELLINGTON (Urban Area).	121,324	Oct. 31 (31 days)	184	80	7·8	–	–	–	–	2	–	–
CHRISTCHURCH (Urban Area).	118,408	Oct. 31 (31 days)	181	82	8·4	–	–	–	–	–	–	–
CAPE TOWN	113,709	Nov. 27	46	20	9·1	–	–	1	–	–	–	–
JOHANNESBURG	165,958	„ 27	75	42	13·1	–	–	–	–	–	–	–
DURBAN	54,822	„ 27	29	13	12·3	1	–	–	–	–	–	–
PARIS	2,906,472	Dec. 10 (10 days)	1167	1471	18·5	14	2	9	1	4	9	26
ANTWERP	300,193	Nov. 27	82	61	10·6	–	–	2	–	–	2	1
AMSTERDAM	724,126	Dec. 6										
COPENHAGEN	587,400	„ 18	188	129	11·4	–	–	–	–	–	1	–
STOCKHOLM	442,528	„ 6										
GOTHENBURG	230,963	„ 6										
OSLO (CHRISTIANIA) ..	255,724	„ 18	71	50	10·2	–	–	1	–	1	–	–
BERLIN	1,996,000	„ 4	389	441	11·5	–	?	–	–	2	3	2
BRESLAU	561,000	„ 4	136	111	10·3	–	?	1	–	–	–	2
COLOGNE	710,000	„ 4	196	128	9·4	–	?	–	2	1	–	6
DRESDEN	622,000	„ 4	137	119	9·9	–	?	–	2	–	–	–
FRANKFORT-ON-MAIN ..	471,000	„ 4	83	47	5·2	–	?	–	–	–	–	–
HAMBURG	1,104,000	„ 4	225	188	8·9	–	?	1	1	1	2	–
LEIPZIG	685,000	„ 4	163	129	9·8	–	?	–	–	–	–	–
MUNICH	685,000	„ 4	178	132	10·5	–	?	–	–	–	–	1
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	July 31 (31 days)										
BUDAPEST	960,995	Oct. 2										
WARSAW	1,015,426	Dec. 11	?	283	14·6	2	–	–	9	–	2	11
CAIRO	859,400	Aug. 5	850	681	41·3	9	–	10	–	?	4	182
ALEXANDRIA	492,100	„ 5	440	277‖	29·4	3	1	–	–	?	2	48
NEW YORK	5,924,139	Sept. 18										
CHICAGO	2,995,239	Dec. 3	1224	696	11·9	1	?	4	1	1	8	8

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German C Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ The registration of Births in Bombay is incomplete.

‖ Including 1 death from Plague.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th December, 1926, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1070	126	26	14	21	39	49	73	119	161	208	234
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	10	8	5	3	-	-	-	-	-	-	-	-
Diphtheria	9	1	2	1	5	-	-	-	-	-	-	-
Influenza	16	-	-	1	1	-	2	1	4	1	2	4
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	1	-	-	-	-	-	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	79	-	-	-	-	19	16	13	12	10	9	-
Nervous system	3	1	1	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	4	-	-	-	-	-
Other forms	5	1	1	-	2	-	-	-	-	1	-	-
Venereal diseases	6	2	-	-	-	-	2	-	2	-	-	-
Cancer	108	-	-	-	-	-	-	8	25	28	28	19
Rheumatic fever	2	-	-	-	-	1	1	-	-	-	-	-
Diabetes	4	-	-	-	-	-	-	1	-	2	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	4	1	-	-	1	-	-	1	-	-	1	-
Cerebral hæmorrhage, &c., Apoplexy	56	-	-	-	-	-	-	2	7	10	15	22
Epilepsy	6	-	-	-	1	-	-	4	1	-	-	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	24	2	-	-	-	1	3	2	5	6	3	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	-	2	1	-	1	-	-
Other diseases of heart	186	-	-	-	2	3	1	6	17	33	65	59
Other diseases of circulatory system	62	-	-	-	-	-	-	2	6	15	18	21
Bronchitis	95	11	-	-	-	1	-	5	5	14	16	43
Broncho-pneumonia	76	36	12	3	2	2	-	1	1	6	6	7
Lobar-pneumonia	23	1	1	1	1	1	3	4	1	4	4	7
Pneumonia (type not distinguished)	12	4	2	-	-	-	1	1	1	2	1	-
Other diseases of respiratory system	11	1	-	-	-	-	-	1	-	2	4	3
Diarrhœa and enteritis	8	5	1	-	-	-	1	-	-	-	-	1
Appendicitis, Typhlitis	5	-	-	1	1	-	1	-	2	-	-	-
Hernia, Intestinal obstruction.. ..	7	-	-	-	-	1	-	1	1	1	3	-
Cirrhosis of liver	6	-	-	-	-	-	-	2	2	-	2	-
Other diseases of digestive system ..	22	-	-	-	-	-	2	2	5	6	5	2
Acute nephritis	1	-	-	-	-	-	-	-	1	-	-	-
Chronic Bright's disease..	25	-	-	-	-	2	1	2	5	3	7	5
Other diseases of genito-urinary system.	13	-	-	-	-	-	2	1	4	2	3	1
Puerperal sepsis	2	-	-	-	-	1	1	-	-	-	-	-
Other causes incident to childbirth..	7	-	-	-	-	1	3	3	-	-	-	-
Congenital malformations	11	10	-	-	1	-	-	-	-	-	-	-
Premature birth	22	22	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	3	3	-	-	-	-	-	-	-	-	-	-
Old age	36	-	-	-	-	-	-	-		1	4	31
Suicide	10	-	-	-	-	2	1	3	2	1	1	-
Burns and Scalds	4	-	-	-	-	-	1	-	1	1	1	-
Drowning	3	-	-	-	-	-	-	1	-	2	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	12	-	-	1	2	1	1	1	3	2	1	-
Other deaths by violence	16	-	-	1	-	1	2	1	2	4	3	2
Other specified causes	36	11	1	1	1	2	2	3	4	2	5	4
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th December, 1926.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	-	195	218	1	174	C. 6 D. 1 E. 2 G. 3 M. 16 N. 15
†CITY OF LONDON	-	-	1	-	-	-
Metropolitan Boroughs :—						
†BATTERSEA ...	-	9	9	-	17	C. 1 M. 2
†BERMONDSEY ...	-	9	11	-	6	-
†BETHNAL GREEN	-	8	12	1	8	M. 1
†CAMBERWELL ...	-	15	18	-	9	N. 2
†CHELSEA	-	4	1	-	5	-
†DEPTFORD ...	-	4	4	-	5	-
†FINSBURY ...	-	3	-	-	1	G. 1 M. 1
†FULHAM	-	8	5	-	9	-
†GREENWICH ...	-	7	4	-	1	-
†HACKNEY ...	-	12	12	-	1	N. 1
†HAMMERSMITH ...	-	7	9	-	1	-
†HAMPSTEAD ...	-	-	2	-	4	-
†HOLBORN... ...	-	3	1	-	-	-

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below)
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	-	17	13	-	6	M. 1 N. 1
†KENSINGTON ...	-	6	19	-	5	C. 1 N. 1
†LAMBETH ...	-	6	12	-	5	E. 1 M. 2 N. 5
†LEWISHAM ...	-	2	14	-	2	C. 1 G. 1
†PADDINGTON ...	-	2	4	-	11	N. 1
†POPLAR	-	11	7	-	11	M. 2
†ST. MARYLEBONE	-	3	1	-	1	M. 1
†ST. PANCRAS ...	-	3	5	-	8	C. 2 G. 1 M. 1 N. 3
†SHOREDITCH ...	-	3	7	-	9	C. 1
†SOUTHWARK ...	-	8	15	-	4	D. 1 M. 1
†STEPNEY	-	16	14	-	12	M. 1
†STOKE NEWINGTON	-	1	-	-	2	-
†WANDSWORTH ...	-	19	13	-	22	M. 2
†WESTMINSTER, CITY OF	-	4	2	-	1	E. 1 M. 1 N. 1
†WOOLWICH ...	-	5	3	-	8	-

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
BEDFORD	–	11	7	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	5	7	–	–	–
†LUTON	–	2	–	–	1	–
Rural Districts:—						
BEDFORD ...	–	4	–	–		–
LUTON	–	–	–	–	2	–
BERKS	–	3	17	2	1	C. 1 M. 1 N. 1
†READING C.B. ..	–	1	–	–	–	C. 1 N. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†NEW WINDSOR ...	–	–	2	–	–	–
WALLINGFORD ..	–	1	–	–	–	–
WANTAGE ...	–	1		–	–	–
WOKINGHAM ...	–	–	4	1		–
Rural Districts:—						
COOKHAM ...	–	–	–	–	1	–
WOKINGHAM ...	–	–	10	1	–	M. 1
BUCKINGHAM ...	–	8	2	–	2	D. 1 N. 2
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	–	–	–	N. 1
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	–	–	–		N. 1
†SLOUGH		1	–	–	–	
†WOLVERTON ...	–	1	1	–	1	–
Rural Districts:—						
AMERSHAM ...	–	2	–	–		D. 1
BUCKINGHAM ...	*	*	*	*	*	*
NEWPORT PAGNELL ...	–	1	1	–	–	
WYCOMBE ...	–	3	–	–		–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
CAMBRIDGE ...	–	3	1	–	1	E. 1 N. 1
Borough:—						
†CAMBRIDGE ...	–	1	1	–	–	N. 1
Rural Districts:—						
MELBOURN ...	–	–	–	–	–	E. 1
NEWMARKET ...	–	2	–	–	1	–
CHESTER	–	65	21	1	29	C. 4 E 1 M. 4 N. 4
†BIRKENHEAD C.B.	–	8	2	–	9	M. 1 N. 1
†CHESTER C.B. ...	–	–	–	–	4	E. 1
†STOCKPORT C.B.	–	26	1	–	1	M. 1 N. 2
†WALLASEY C.B. ...	–	6	1	–	3	N. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	2	–	–	C. 1
BOWDON	–	1	–	–	1	–
BREDBURY AND ROMILEY	–	–	1	–	1	–
†CHEADLE AND GATLEY	–	2	–	–	1	–
†CONGLETON ...	–	1	1	–		–
†CREWE	–	–	–	–	–	C. 1
†DUKINFIELD ...	–		–	–	2	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–		–	–
†HYDE	–	5	1	–	4	
KNUTSFORD ...	*	*	*	*	*	*
†MACCLESFIELD ...	–	1	4	1	1	–
MARPLE	–	1	–	–	–	
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	1	1	–		–
†SALE	–	1	1	–	–	
SANDBACH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
TARPORLEY ...	–	–	1	–	–	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	–	–	–	–	M. 1
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	3	–	–	–	C. 1
RUNCORN ...	–	1	2	–	1	C. 1
						M. 1
WIRRAL	–	1	–	–	–	
CORNWALL ...	–	9	6	–	–	M. 1
						N. 1
Boroughs and Urban Districts:—						
PADSTOW... ...	–	1	–	–	–	–
†PENZANCE ...	–	2	–	–	–	–
ST. JUST	–	1	–		–	N. 1
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	–	1	1	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...	–	–	1	–	–	M. 1
TRURO	–	–	4	–	–	–
WEST PENWITH...	–	3	–	–		–
CUMBERLAND ...	–	10	6	–	–	M. 2
						N. 1
†CARLISLE C.B. ...	–	3	–		–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...	–	–	2	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
COCKERMOUTH ...	*	*	*	*	*	*
†MARYPORT ...	–	–	2	–	–	–
MILLOM	–	3	–	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	1	–	–	–	M. 1
Rural Districts:—						
BOOTLE	–	1	–	–	–	–
BRAMPTON ...	–	–	1	–	–	–
COCKERMOUTH ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	–	–	–	N. 1
DERBY	15	44	23	–	21	C. 1
						E. 1
						G. 1
						M. 2
						N. 2
†DERBY C.B. ...	3	7	5	–	3	–
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
ALVASTON AND BOULTON	–	–	–	–	1	–
ASHBOURNE ...	–	–	–	–	1	–
†BELPER	6	–	–	–	–	–
†BOLSOVER ...	–	2	1	–	2	–
†CHESTERFIELD ...	–	11	5	–	4	M. 1
DRONFIELD ...	*	*	*	*	*	*
†GLOSSOP	–	–	2	–	–	–
HEAGE	2	–	–	–	–	–
†ILKESTON ...	–	–	–	–	2	M. 1
†LONG EATON ...	–	3	1	–	–	–
NEW MILLS ...	–	1	–	–	3	–
†RIPLEY	3	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	N. 1
WIRKSWORTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Rural Districts:—						
ASHBOURNE ...	-	-	-	-	1	-
BAKEWELL ...	-	-	-	-	-	G. 1
BELPER	-	1	-	-	-	E. 1
BLACKWELL ...	-	2	1	-	-	N. 1
CHAPEL EN LE FRITH	-	1		-	-	-
CHESTERFIELD ...	1	3	8		-	-
CLOWNE	-	2	-	-	2	-
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	-	6	-	-	1	-
SHARDLOW ...	-	1	-	-	1	C. 1
SUDBURY... ...	-	1	-	-	-	-
DEVON	-	34	17	1	3	M. 1 N. 2
†EXETER C.B. ...	-	14	1	-	-	-
†PLYMOUTH C.B....	-	16	15	-	1	M. 1 N. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	-	2	-	-	-	-
BUCKFASTLEIGH	*	*	*	*	*	*
DAWLISH... ...	-	-	-	1	-	-
GREAT TORRINGTON	*	*	*	*	*	*
HONITON... ...	*	*	*	*	*	*
†PAIGNTON ...	-	-	-	-	2	-
TAVISTOCK ...	-	-	-	-	-	N. 1
†TORQUAY ...	-	2	-	-	-	-
Rural Districts:—						
HONITON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	-	-	1	-	-	-
TIVERTON ...	*	*	*	*	*	*
TORRINGTON ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DORSET	-	7	2	-	3	E. 1 G. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	-	-	-	-	1	-
†POOLE	-	1	-	-	1	-
WIMBORNE MINSTER	-	-	-	-	1	-
Rural Districts:—						
BEAMINSTER ...	-	1	-	-	-	G. 1
BLANDFORD ...	-	2	-	-	-	-
BRIDPORT ...	-	-	1	-	-	-
CERNE	-	1	-	-	-	-
POOLE	-	2	-	-	-	-
WAREHAM AND PURBECK	-	-	1	-	-	-
WEYMOUTH ...	-	-	-	-	-	E. 1
DURHAM	222	36	25	3	92	G. 2 L. 1 M. 6 N. 7
†DARLINGTON C.B.	-	1	1	1	2	M. 2
†GATESHEAD C.B.	10	3	4	-	5	N. 1
†SOUTH SHIELDS C.B.	-	-	1	-	16	L. 1
†SUNDERLAND C.B.	-	1	1	1	7	-
†WEST HARTLEPOOL C.B.	-	1	2	-	2	N. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	1	1	-	-	-
BENFIELDSIDE ...	-	-	1	-	-	-
†BISHOP AUCKLAND	1	-	-	-	-	-
†BLAYDON... ...	-	1	1	-	1	-
†BRANDON AND BYSHOTTLES	30	-	-	-	-	N. 1
†CHESTER LE STREET	2	2	-	-	2	-
†CONSETT	-	1	-	-	-	-
†CROOK	17	-	1	-	-	-
†DURHAM	1	-	-	-	-	M. 1
†FELLING	1	-	1	-	2	-
†HARTLEPOOL ...	-	1	-	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hebburn	-	2		-	1	-
†Hetton ...	15	-	-	-	1	-
†Houghton le Spring	2		1	-	5	-
†Jarrow ...	12	1	-		14	M. 1
†Seaham Harbour	-	3	-	-	3	N. 1
†Shildon ...	20	-	-	-	-	
†Southwick on Wear	-	-	-		1	-
†Stanley ...	1	-	-	-	-	-
†Stockton on Tees	-	-	1	-	1	N. 1
†Tanfield ...	-	1		-	-	-
Tow Law ...	-	1	-	-	-	-
†Whickham ...	-	4	1	-	2	-
Willington ...	21	1	-		-	-
Rural Districts:—						
Auckland ...	14	2	-	-	-	-
Barnard Castle	1	-	-	-		G. 2
Chester le Street	21	1	3	-	4	-
Durham	8	1	-	-	3	-
Easington ...	8	5	-	-	8	-
Houghton le Spring	2	1	-	-	6	M. 1
Lanchester ...	15	1	3	1	1	M. 1 N. 1
Sedgefield ...	19	-	-	-	1	-
South Shields...	1		-	-	1	-
Sunderland ...	-	-	2	-	2	-
ELY, ISLE OF ...	-	2	-	-	1	-
Boroughs and Urban Districts:—						
Ely	-	-	-	-	1	-
†Wisbech	-	2	-	-	-	-
Rural Districts:—						
Ely	*	*	*	*	*	*
ESSEX	-	105	44	1	29	G. 1 L. 1 M. 2 N. 2
†East Ham C.B. ...	-	8	5	-	1	-
†Southend-on-Sea C.B.		5	2	-	3	N. 1
†West Ham C.B. ...	-	34	12	-	9	L. 1
Boroughs and Urban Districts:—						
†Barking Town...		3	2	-	4	-
Brentwood ...	-	-	-		1	-
Buckhurst Hill	-	2	2			-
Burnham on Crouch	-	1	-	-	-	-
†Chelmsford ...	-	3	-	-	-	-
†Clacton	-	1	-	-	-	-
†Colchester ...	-	1	-	-	3	-
Dagenham ...	-	3	1	-	-	M. 1
†Grays Thurrock	-		1	-	-	-
†Hornchurch ...	-		1	-	-	-
†Ilford	-	-	5	-	-	N. 1
†Leyton		7	4	-		-
†Romford ...	-	8	-	-	-	-
Shoeburyness ...		-	-		1	-
Tilbury	-	1	-	-		-
†Walthamstow ...		12	2	-	3	-
†Wanstead ..	*	*	*	*	*	*
Witham	-	-	2	-	-	-
†Woodford ...	-	-	2	-	1	-
Rural Districts:—						
Billericay ...	-	2	-	-	1	-
Bumpstead ...	-	-	-	-	1	-
Chelmsford ...	-	1	-	-	-	-
Epping	-	1	2	-	-	-
Halstead ...	-	4	-	-	-	-
Maldon	-	2	-	-	-	-
Ongar	-	-	-		-	M. 1
Orsett	-	1	1	-	1	G. 1
Rochford ...	-	2	-	-	-	-
Romford... ...	-	3	-	-	-	-
Tendring ...	-	-		1	-	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ..		21	16	1	23	M. 1
†BRISTOL C.B. ...	–	12	11	1	18	M. 1
†GLOUCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	1	–	–	–
STROUD	*	*	*	*	*	*
Rural Districts:—						
CHELTENHAM ...	–	1	–		–	–
CHIPPING SODBURY	–	–	1	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	1	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	–
PEBWORTH ...	–	–	–		1	–
STROUD	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	–	1	–	1	–
WINCHCOMB (part)	–	2	–	–	–	–
HEREFORD ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...		1	–	–	–	–
ROSS	–	1	–	–	–	–
HERTFORD ..	–	12	–	–	–	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	2				–
BUSHEY	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESHUNT ...	–	1	–	–	–	–
CHORLEYWOOD ...	*	*	*	*	*	*
GREAT BERKHAMPSTEAD	*	*	*	*	*	*
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	*	*	*	*	*	*
†HERTFORD ...	–	4	–	–	–	
TRING	*	*	*	*	*	*
†WATFORD ...	–	2	–		–	–
Rural Districts:—						
BARNET	*	*	*	*	*	*
BERKHAMPSTEAD	*	*	*	*	*	*
HADHAM	–	1	–	–		–
HATFIELD ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	*	*	*	*	*	*
WATFORD ...	*	*	*	*	*	*
WELWYN	*	*	*	*	*	*
HUNTINGDON ...	–	–	–	–	2	N. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	–	N. 1
ST. NEOTS ...	–	–	–	–	2	–
KENT	–	31	25	1	16	C. 1 F. 1 M. 2 N. 3
†CANTERBURY C.B.	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	1	1	–		–

* Returns not received † Population over 10,000.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BROADSTAIRS AND ST. PETER'S	-	-	-	-	1	-
†BROMLEY ...	-	-	-	-	2	-
†CHATHAM ...	-	2	2	-	1	-
†CRAYFORD ...	-	1	-	-	1	-
†DARTFORD ...	-	1	-	-	-	-
†DOVER	-	1	2	-	1	-
†ERITH	-	-	1	-	2	-
†FOLKESTONE ...	-	1	-	1	3	-
†GILLINGHAM ...	-	2	10	-	-	-
†GRAVESEND ...	-	3	-	-	-	-
†MAIDSTONE ...	-	-	1	-	-	-
†NORTHFLEET ...	-	-	2	-	-	-
†RAMSGATE ...	-	2	1	-	2	N. 1
†ROCHESTER ...	-	-	1	-	-	N. 1
†ROYAL TUNBRIDGE WELLS	-	1	-	-	-	M. 1 N. 1
SWANSCOMBE ...	-	-	1	-	-	-
†TONBRIDGE ...	-	3	-	-	-	-
WALMER	*	*	*	*	*	*
Rural Districts:—						
BRIDGE	-	-	-	-	1	-
BROMLEY ...	-	2	-	-	-	-
EASTRY	-	1	-	-	-	-
ELHAM	-	-	-	-	2	-
FAVERSHAM ...	-	3	-	-	-	F. 1
HOLLINGBOURNE	-	2	-	-	-	C. 1
MAIDSTONE ...	-	1	-	-	-	-
MALLING	-	1	-	-	-	-
MILTON	-	-	1	-	-	-
TONBRIDGE ...	-	-	1	-	-	-
LANCASTER ...	1	148	117	2	200	C. 4 D. 2 E. 3 F. 1 G. 9 L. 8 M. 19 N. 24
†BARROW IN FURNESS C.B.	-	1	2	-	-	N. 1
†BLACKBURN C.B.	-	2	2	-	2	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BLACKPOOL C.B.	-	3	2	-	-	N. 1
†BOLTON C.B. ...	-	8	2	-	4	N. 1
†BOOTLE C.B. ...	-	3	2	-	6	-
†BURNLEY C.B. ..	-	-	2	-	2	N. 1
†BURY C.B. ...	-	3	-	-	-	-
†LIVERPOOL C.B. ..	-	30	37	-	33	C. 1 D. 1 G. 5 M. 9 N. 5
†MANCHESTER C.B.	-	32	23	-	45	C. 3 E. 1 M. 3 N. 3
†OLDHAM C.B. ...	-	5	1	-	3	F. 1
†PRESTON C.B. ...	-	-	5	1	2	N. 2
†ROCHDALE C.B. ...	-	2	1	-	1	G. 1
†ST. HELENS C.B. ...	-	3	-	-	1	G. 1 N. 2
†SALFORD C.B. ...	-	13	10	-	15	M. 1 N. 1
†SOUTHPORT C.B.	-	1	-	-	-	E. 1
†WARRINGTON C.B.	-	1	1	-	10	N. 1
†WIGAN C.B. ..	-	1	-	-	5	-
Boroughs and Urban Districts:—						
ABRAM	-	-	-	-	1	-
†ASHTON IN MAKERFIELD	1	-	-	-	4	-
†ASHTON UNDER LYNE	-	-	-	-	4	-
†ATHERTON ...	-	3	1	-	-	-
AUDENSHAW ...	-	1	-	-	-	-
†BACUP	-	-	-	-	1	-
BARROWFORD ...	-	1	-	-	-	-
†CHADDERTON ...	-	-	-	-	1	-
†CHORLEY	-	-	-	-	3	M. 1
CHURCH	-	-	1	-	-	-
†COLNE	-	-	-	-	1	-
†CROMPTON ...	-	1	1	-	-	-
†DARWEN	-	1	-	-	2	-
†DENTON	-	4	-	-	2	-
†DROYLSDEN ...	-	-	1	-	-	
†ECCLES	-	-	-	-	3	-
†FAILSWORTH ...	-	2	-	-	1	-
†FARNWORTH ...	-	-	-	-	-	M. 2
†FLEETWOOD ...	-	-	1	-	1	-
FULWOOD ...	-	-	-	-	1	-
GOLBORNE ...	-	-	-	-	-	D. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GREAT CROSBY ...	–	–	–	–	–	L. 1
†GREAT HARWOOD	–	–	–	–	–	M. 1
†HASLINGDEN ...	*	*	*	*	*	*
†HAYDOCK ...	–	–	–	–	1	–
†HINDLEY... ...	–	–	–	–	5	G. 1
†HORWICH ...	–	1	2	–	–	–
HURST	–	–	–	–	1	–
IRLAM	–	–	–	1	1	–
KEARSLEY ...	–	4	–	–	–	–
†LANCASTER ...	–	–	–	–	–	L. 1
LATHOM AND BURSCOUGH	–	–	–	–	–	E. 1
†LEIGH	–	1	–	–	1	M. 1 N. 1
†LITHERLAND ...	–	1	–	–	–	N. 1
†LITTLEBOROUGH	–	1	3	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	–	1	–	2	–
†MORECAMBE ...	–	–	–	–	–	M. 1
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	3	–
ORMSKIRK ...	–	–	–	–	2	G. 1
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM... ...	–	1	–	–	1	–
POULTON LE FYLDE	*	*	*	*	*	*
†RADCLIFFE ...	–	–	3	–	2	–
RAINFORD ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	1	1	–	–	–
†STRETFORD ...	–	1	3	–	2	–
†SWINTON AND PENDLEBURY	–	3	–	–	1	–
†TURTON	–	1	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	–	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	2	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	2	N. 1
†WESTHOUGHTON	–	–	–	–	1	N. 1
†WIDNES	–	–	1	–	12	N. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURNLEY... ...	–	1	1	–	1	–
CHORLEY... ...	–	2	–	–	–	–
LEIGH	–	–	1	–	1	–
PRESTON	–	–	1	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WHISTON... ...	–	–	1	–	3	L. 6
LEICESTER... ...	–	18	12	–	6	E. 2 N. 1
†LEICESTER C.B. ...	–	9	9	–	4	E. 2 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	3	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	–	1	–	–	–	–
WIGSTON MAGNA	–	1	–		–	–
Rural Districts:—						
CASTLE DONINGTON	–	–	–	–	1	–
HINCKLEY ...	–	–	1	–		–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	–	1	1	–	–	–
MELTON MOWBRAY	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	–	3	–	–	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	–	–	1	–	–	–
†SPALDING ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
EAST ELLOE ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	-	5	2	–	–	C. 1
Boroughs and Urban Districts:—						
BOURNE	–	3	-	–	-	–
Rural Districts:—						
BOURNE	–	2	–	–	–	C. 1
BRANSTON ...	–	–	1	–	–	–
CLAYPOLE ...	–	–	1	–	–	-
LINCOLN (parts of Lindsey).	4	13	8	-	5	N. 1
†GRIMSBY C.B. ...	–	2	–	–	-	N. 1
†LINCOLN C.B. ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	5	–	–	–
BRIGG	–	–	-	–	1	–
†GAINSBOROUGH ...	4	–	–	–	1	–
MARKET RASEN...	*	*	*	*	*	*
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	2	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	–	1	-	–	–
GLANFORD BRIGG	–	1		–	–	–
HORNCASTLE ...	–	4	-	–	-	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	45	65	–	47	C. 1 E. 4 G. 2 M. 4 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	3		–		–
†BRENTFORD ...	–	1	5	–	–	–
†CHISWICK ...	–	1	-	-	3	G. 2
†EALING	–	3	2	–	2	–
†EDMONTON ...	–	-	11	–	4	M. 1
†ENFIELD	–	–	5	–	1	–
FELTHAM ...	–		1	–	–	–
†FINCHLEY ...	–	2	1	–	1	E. 1
†FRIERN BARNET	-	1	1	–	3	E. 1
†HARROW ON THE HILL	–	2		–	–	–
†HENDON	-	3	1	–	2	E. 1
†HESTON AND ISLEWORTH	–	–	1	–	3	M. 1
†HORNSEY... ...	–	7	6	-	-	–
†SOUTHALL NORWOOD	-	2		–	–	–
†SOUTHGATE ...	-	1	2	–	2	–
STAINES	-	–	1		–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	9	16		8	M. 2
†TWICKENHAM ...	–	1	2	-	1	N. 1
†UXBRIDGE ...	-	–		-	1	–
†WEALDSTONE ...	-	2	2	-	–	-
†WEMBLEY ...	-	1			5	-
†WILLESDEN ...	–	2	4	–	10	E. 1 N. 2
†WOOD GREEN ...	–	2	–		–	–
YIEWSLEY ...	-		1	–	–	-
Rural Districts:—						
HENDON	–	1	2	–	1	C. 1
SOUTH MIMMS ...	*	*	*	*	*	*
STAINES	-	–	1	–	-	N. 1
NORFOLK	–	19	1	1	6	D. 1 G. 1 N. 2
†GREAT YARMOUTH C.B	–	3		1	–	–
†NORWICH C.B. ...	–	4	–	–	1	N. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
DISS		1	-	-	-	-
†KING'S LYNN ...	-	-	-		5	-
Rural Districts:—						
AYLSHAM... ...	-	-	-	-	-	G. 1
DEPWADE ...	-	2	-	-	-	-
DOCKING		1	-	-	-	-
EAST AND WEST FLEGG	-	1	-	-	-	-
ERPINGHAM ...	-	-	-	-	-	D. 1
HENSTEAD ...	-	1	-	-	-	
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	-	-	1	-	-	-
SWAFFHAM ...	-	2	-	-	-	-
THETFORD ..	*	*	*	*	*	*
WAYLAND ...	-	4	-	-	-	-
NORTHAMPTON ...	-	11	5	1	8	C. 1 M. 2
†NORTHAMPTON C.B.	-	1	3	-	4	-
Boroughs and Urban Districts:—						
BURTON LATIMER	-	1	-	-	-	-
IRTHLINGBOROUGH	-	1	-			-
†KETTERING ..	-	-	-	-	1	C. 1 M. 1
RAUNDS		-		-		
†RUSHDEN... ...	-	-	-	-	1	-
Rural Districts:—						
BRIXWORTH ...	-	1	-	-	-	-
NORTHAMPTON ...	-	-	-	1	1	-
OUNDLE (part) ...		6	-	-		
POTTERSPURY ...	*	*	*	*	*	*
THRAPSTON (part)	-	-	-	-	-	M. 1
TOWCESTER ...	-	-	-	-	1	-
WELLINGBOROUGH	-	1	2	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	14	36	31	2	60	C. 1 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.		13	21	1	36	C. 1 G. 1 M. 1
†TYNEMOUTH C.B	5	9	1	-	4	M. 1
Boroughs and Urban Districts:—						
AMBLE		-	2	-	-	-
†ASHINGTON ...	3	1	-	-	-	-
†BEDLINGTONSHIRE	-		-	-	4	-
†BLYTH		-	-	-	4	-
CRAMLINGTON ...		1	-	-	1	-
†EARSDON... ...		-	-	-	1	-
†GOSFORTH ...	-	-	-	-	-	M. 1
†LONGBENTON ...	-	-	1	-	1	-
MORPETH... ...	2	-	-		-	-
NEWBIGGIN BY THE SEA	-	1		-		-
†NEWBURN ...	-	-	3	1	-	-
PRUDHOE... ...		-	-	-	1	-
†WALLSEND ...	-	2	2	-	4	-
†WHITLEY AND MONKSEATON	-	1	-	-	-	-
Rural Districts:—						
ALNWICK ...	-	2	-	-	-	-
BELLINGHAM ...	-	-	1	-	-	-
CASTLE WARD ...	2	1	-	-	3	-
GLENDALE ...		2		-	-	-
MORPETH ...	2	3	-	-	-	-
NORHAM AND ISLANDSHIRES	-	-	-	-	1	-
NOTTINGHAM ...	1	18	31	-	18	C. 1 M. 2
†NOTTINGHAM C.B		8	18		10	C. 1 M. 2
Boroughs and Urban Districts:—						
†BEESTON... ...	-		1	-	1	-
†CARLTON... ...	-	1	-			-
†EAST RETFORD ...	-	-	2	-	1	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†KIRKBY IN ASHFIELD	–	3	–	–	2	–
†MANSFIELD ...	–	–	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	1	–	–	–
†NEWARK	–	–	6	–	–	–
†SUTTON IN ASHFIELD	1	–	–	–	1	–
†WEST BRIDGFORD	–	–	1	–	–	–
Rural Districts:—						
BINGHAM... ...	–	3	–	–	–	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	1	–	–	–	
STAPLEFORD ...	–	1	–	–	1	–
WORKSOP... ...	–	–	–	–	1	–
OXFORD	–	–	2	–	2	G. 1 N. 1
†OXFORD C.B. ..	–	–	2		–	N. 1
Boroughs and Urban Districts:—						
†BANBURY ...	*	*	*	*	*	*
WOODSTOCK ...	–	–	–	–	–	G. 1
Rural Districts:—						
BANBURY ...	–	–	–	–	1	–
CHIPPING NORTON	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	–	1	–	3	–
Borough:—						
†PETERBOROUGH...	–	–	1	–	3	–
RUTLAND	–	1	–	–	–	–
Urban District:—						
OAKHAM	–	1	–	–	–	–
SALOP		7	3	–	–	–
Boroughs and Urban Districts:—						
CHURCH STRETTON	–	1	–	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
†SHREWSBURY ...		–	1	–	–	
WEM	*	*	*	*	*	*
Rural Districts:—						
ATCHAM	–	–	1	–	–	–
CHIRBURY ...	–	2	–	–	–	–
DRAYTON... ...	–	–	1	–	–	–
ELLESMERE ...	–	1	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
WEM	*	*	*	*	*	*
SOMERSET	–	18	11	2	5	E. 1
†BATH C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
†FROME	–	–	2	–	–	–
MIDSOMER NORTON	–	2	–	–	–	
SHEPTON MALLET	–	–	2	–	–	–
†TAUNTON ...	–	3	1	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	–	1	1	E. 1
Rural Districts:—						
CLUTTON... ...	–	1	–	–		–
DULVERTON ...	*	*	*	*	*	*
FROME	–	1	1	–	–	–
KEYNSHAM ...	–	–	1	–	2	–
LONG ASHTON ...	–	–	1	–	1	–
SHEPTON MALLET	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts—*cont.*						
WELLS	–	2	2	–	–	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	–	1	–	–	–
YEOVIL	*	*	*	*	*	*
SOUTHAMPTON ...	–	19	30	2	11	C. 1 E. 1 M. 2
†PORTSMOUTH C.B.	–	10	23	–	–	M. 1
†SOUTHAMPTON C.B.	–	6	4	–	8	C. 1 E. 1
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	–	–	1	–	–	–
†FAREHAM ...	–	1	1	1	–	–
†GOSPORT	–	–	–	–	1	–
MILTON	–	–	–	–	1	–
WARBLINGTON ...	*	*	*	*	*	*
†WINCHESTER ...	–	–	–	1	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1		–	–	–
DROXFORD ...	–	–	–		1	–
FORDINGBRIDGE ..	*	*	*	*	*	*
HARTLEY WINTNEY	–	–	1	–	–	–
HAVANT	*	*	*	*	*	*
NEW FOREST ...	–	1	–	–	–	–
WINCHESTER ...	–	–	–	–		M. 1
STAFFORD	–	38	42	–	54	C. 2 D. 1 E. 1 F. 1 G. 1 M. 6 N. 1
†BURTON UPON TRENT C.B.	–	1	2	–	–	–
†SMETHWICK C.B.	–	–	5	–	3	C. 1
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	8	5	–	13	G. 1 M. 1
†WALSALL C.B. ...	–	2	7	–	5	–
†WEST BROMWICH C.B.	–	2	1	–	5	–
†WOLVERHAMPTON C.B.	–	2	1	–	2	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	2	–
†BILSTON	–	–	2	–	4	–
†BRIERLEY HILL...	–	3	–	–	1	M. 1
†BROWNHILLS ...	–	1	3	–	–	–
†CANNOCK	–	2	–	–	–	–
†COSELEY	–	–	–	–	1	–
†DARLASTON ...	–	–	–	–	2	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	1	–	–	1	–
KIDSGROVE ...	–	1	1	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	F. 1
QUARRY BANK	–	–	1	–	–	–
†ROWLEY REGIS ...	–	3	1	–	2	–
†SEDGLEY	–	–	1	–	–	–
SHORT HEATH ...	–	–	1	–	–	–
†STAFFORD ...	–	1	–	–	–	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	–	2	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	–	–	–	4	D. 1
†WEDNESBURY ...	–	1	–	–	2	–
†WILLENHALL ...	–		–	–	–	N. 1
†WOLSTANTON UNITED	–	1	–	–	3	E. 1
Rural Districts:—						
BLORE HEATH ...	–	–	2	–	–	–
CANNOCK	–	–	4	–	–	–
CHEADLE	–	1	1	–	1	M. 1
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	–	–	–	–	–	C. 1
LICHFIELD ...	–	–	1		–	–
MAYFIELD ...	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	10	3	2	5	C. 1 E. 1 F. 1
†IPSWICH C.B. ...	–	7	–	–	1	–
Boroughs and Urban Districts:—						
EYE	–	–	–		1	C. 1
LEISTON CUM SIZEWELL	–		1	–	–	–
†LOWESTOFT ...	–	–	2	1	3	–
SOUTHWOLD ...		1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	1	–	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	1	–	–	–	–
WANGFORD ...	–	–	–	–	–	E. 1 F. 1
SUFFOLK, WEST ...		2		–	–	F. 1 N. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2		–	–	–
Rural Districts:—						
BRANDON... ...	*	*	*	*	*	*
COSFORD	–		–		–	N. 1
THINGOE	–	–	–	–	–	F. 1
SURREY	–	22	15	–	11	C. 1 E. 1 F. 1 N. 2
†CROYDON C.B. ...	–	5	7	–	2	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†CARSHALTON ...	–	2		–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST AND WEST MOLESEY	–	–	–	–	2	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	1	–	–	–
†FARNHAM ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	–	–	–	–	F. 1
†MERTON AND MORDEN	–	2	–	–	1	–
†MITCHAM... ...	–	1	1	–	1	–
†REIGATE	–	2		–		C. 1 N. 1
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	–	–		1	–
†SUTTON	–	2	1	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
Rural Districts:—						
CHERTSEY ...	–		–	–	1	–
DORKING	–	2	2		1	–
GODSTONE ...	–	1	–	–	–	N. 1
GUILDFORD ...	–	1	–		–	–
REIGATE	–	2	–	–	–	E. 1
SUSSEX, EAST ..	–	14	7	–	10	E. 1 G. 2 N. 2
†BRIGHTON C.B. ...	–	3	5	–	3	G. 1 N. 1
†EASTBOURNE C.B.	–	3		–	–	–
†HASTINGS C.B. ...	–	2	2	–	3	E. 1
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD		2	–	–	1	G. 1
†HOVE	–	2	–		1	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	1	–
HAILSHAM ...	–	1	–	–		N. 1
RYE	*	*	*	*	*	*
UCKFIELD ...	–	1	–			–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	2	3	–	1	N. 1
Boroughs and Urban Districts:—						
†HORSHAM ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
MIDHURST ...	–	–	1		–	–
WESTBOURNE ...	*	*	*	*	*	*
WESTHAMPNETT ..	–	1	1		–	N. 1
WARWICK	–	49	58	–	44	C. 3 D. 1 G. 1 L. 1 M. 12 N. 6
†BIRMINGHAM C.B.	–	23	55	–	36	C. 3 D. 1 G. 1 L. 1 M. 11 N. 4
†COVENTRY C.B. ...	–	9	–	–	–	N. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	1	–	1	–
†ROYAL LEAMINGTON SPA	–	–	–	–	2	–
†RUGBY	–	–	–	–	1	N. 1
†STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	2	1	–	–	–
FARNBOROUGH ...	*	*	*	*	*	*
FOLESHILL ...	–	2	–		–	–
SOLIHULL ...	–	2	–	–	1	–
SOUTHAM... ...	–	4	–	–		–
TAMWORTH (part)	–	4	1	–	–	–
WARWICK ...	–	–	–	–	–	M. 1
WESTMORLAND ..	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
WINDERMERE ...	–			–	–	G. 1
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ..	–	5	–	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	2			–	–
†RYDE	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT	–	3	–		1	–
WILTS	–	7	4	–	9	C. 1 N. 1
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–		–	–	2	–
CALNE	–	1	1	–	–	–
MARLBOROUGH ...	–	2	–	–	–	–
MELKSHAM ...	–	2	–	–		–
†SWINDON... ...	–	1	–	–	4	N. 1
†TROWBRIDGE ...	–	–	–	–	3	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CALNE	–	–	1	–	–	–
HIGHWORTH ...	–	–	2	–	–	–
SALISBURY ...	–	1	–	–	–	–
WORCESTER ...	–	12	1	–	5	M. 2 N. 2
†DUDLEY C.B. ...	–	1	–	–	2	–
†WORCESTER C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM... ...	–	–		–	1	–
†HALESOWEN ...	–	1	–	–	1	–
†KIDDERMINSTER	–	–	–	–	–	N. 1
†LYE AND WOLLESCOTE	–	2		–	–	–
†MALVERN ...	–	1	–	–		–
†OLDBURY... ...	–	–	–	–	–	M. 1
†STOURBRIDGE ...		–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	1	1	–	–	–
EVESHAM ...	–	1	–	–	1	N. 1
MARTLEY... ...	*	*	*	*	*	*
YORKS ... ... (East Riding.)	–	13	13	–	8	C. 1 N. 1
†KINGSTON UPON HULL C.B.	–	6	11	–	5	C. 1 N. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	1	–	–	–
COTTINGHAM ...	–	–	–	–	1	–
HESSLE	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
BRIDLINGTON ...	–	–	1	–	–	–
DRIFFIELD ...	–	2	–	–	–	–
NORTON	–	1	–	–	–	–
RICCALL	–	1		–	–	–
SCULCOATES ...	*	*	*	*	*	*
SHERBURN ...	–	1	–	–	1	–
YORKS ... ... (North Riding.)	–	18	5	–	7	C. 2 N. 3
†MIDDLESBROUGH C.B.	–	8	2	–	4	N. 1
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	1	N. 1
GUISBOROUGH ...	–	1	–	–	–	–
LOFTUS	–		–	–	1	–
MASHAM	*	*	*	*	*	*
PICKERING ...	*	*	*	*	*	*
†REDCAR	–	1	–	–	–	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	2	–	–	–
†THORNABY ON TEES	–	2	–		–	N. 1
†WHITBY	–	–	1	–	–	C. 2
Rural Districts:—						
BEDALE	–	1	–	–	–	–
FLAXTON ...	–	1	–		–	–
GUISBOROUGH ...	–	1	–	–	–	–
PICKERING ...	–	–	–	–	1	–
WHITBY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	45	122	69	6	188	C. 2 E. 1 L. 1 M. 5 N. 7
†BARNSLEY C.B. ...	–	1	3	–	3	–
†BRADFORD C.B. ...	–	6	11	–	18	M. 1 N. 1
†DEWSBURY C.B....	–	2	–	–	–	–
†HALIFAX C.B. ...	–	–	2	–	2	–
†HUDDERSFIELD C.B.	–	6	2	–	5	–
†LEEDS C.B. ...	–	12	8	–	29	L. 1 M. 1
†ROTHERHAM C.B.	–	–	–		1	–
†SHEFFIELD C.B....	22	34	23	–	71	C. 2 M. 1 N. 2
†WAKEFIELD C.B.	–	3	2	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	–	M. 1
BAILDON	–	–	1	–	–	–
†BARNOLDSWICK ...		1	–	–	1	–
†BATLEY	–	1	2	–	–	–
†BENTLEY WITH ARKSEY	–	–	1	–	–	–
†BINGLEY	–	2	1	–	–	–
†BOLTON UPON DEARNE	–	3	–	–	–	–
†CONISBROUGH ...	2	2	–	2	2	–
DARFIELD ...	–	2	1	–	–	–
†DARTON	–	1	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	8	–	–	–	5	–
DRIGHLINGTON ...	–	1	–	–	1	–
†ELLAND	–	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	1	–	–
†GOLCAR	–	1	–	–	–	–
†GOOLE	–	4	–	–	–	–
GUISELEY ...	–	–	–	–	1	–
GUNTHWAITE AND INGBIRCHWORTH	*	*	*	*	*	*
†HARROGATE ...	–	1	2	–	–	–
HAWORTH ...	–	–	1	–	–	–
†HEMSWORTH ...	–	–	1	–	–	–
†HOLMFIRTH ...	–	–	–	–	2	–
†HOYLAND NETHER	–		–	–	11	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)						
Boroughs and Urban Districts— *cont.*						
HOYLAND SWAINE	*	*	*	*	*	*
†KEIGHLEY ...	1	1	1	–	–	–
KIRKBURTON ...	–	–	–	–	2	–
KIRKHEATON ...	–	1	–	–	–	–
LEPTON	–	1	–	–	–	–
MARSDEN... ...	–		2	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	9	–	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
MYTHOLMROYD ...	–	2	–	–	–	–
†NORMANTON ...	–	–	–	–	5	–
†OSSETT	–	2	–	–	–	–
OTLEY	–	–	–	–	2	–
PENISTONE ...	*	*	*	*	*	*
†PUDSEY	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	–	–	–
ROYSTON	–	–	1	–	–	–
†SADDLEWORTH ...	–	3	–	–	–	–
†SKIPTON	–	–	–	–	1	–
†SPENBOROUGH ...	–	–	–	–	1	–
†STANLEY	–	–	–	–	–	M. 1
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON... ...	1	–	1	–	4	N. 1
†WOMBWELL ...	–	–	–	–	7	–
†WORSBOROUGH ...	–	–	1	–	1	–
Rural Districts:—						
DONCASTER ...	1	1	–	–	2	–
GREAT OUSEBURN	–	–	–	–	–	N. 2
HEMSWORTH ...	–	4	1	2	1	–
HUNSLET... ...	–	–	–	–	1	–
KEIGHLEY ...	1	–	–	–	–	–
KIVETON PARK ...	–	1	–	–	–	–
KNARESBOROUGH	–	3	–	–	–	–
PENISTONE ...	–	1		–	–	–
PONTEFRACT ...	–	–	–	–	1	N. 1
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	–		–	3	–
SELBY	–	1	–	–	–	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	1	–	1	–	–
THORNE	–	1	–	–	–	–
WAKEFIELD ...	–	8	–	–	–	–
WETHERBY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
§YORK, CITY OF	–	1	–	–	2	
†YORK C.B. ..	–	1	–	–	2	–
WALES.						
ANGLESEY	–	1	1		4	–
Rural Districts:—						
VALLEY		1	1	–	4	–
BRECKNOCK ..		–	1	–	–	–
Boroughs and Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CAERNARVON ...	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	–	–	–	G. 1
†LLANDUDNO ...	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN .	–	3	6	–	2	C. 1 E. 1 N. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1			–
BURRY PORT ...	–	–	1	–	–	–
KIDWELLY ...	–	1		–		
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	–	1	–	–	2	–
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts:—						
CARMARTHEN ...	–		3	–	–	N. 1
LLANELLY ...		1	1		–	C. 1 E. 1
NEWCASTLE IN EMLYN	*	*	*	*	*	*
WHITLAND ...	*	*	*	*	*	*
DENBIGH	–	2	2	–	5	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
DENBIGH ...	–	1	1	–	–	–
†WREXHAM ...	–		–	–	2	–
Rural Districts:—						
LLANSILIN ...	–	–	–	–	1	–
WREXHAM ...		1	1	–	2	–
FLINT		–	1	–	1	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	–	1	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.	–	–	1		–	–
OVERTON ..	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	30	44	1	32	C. 1 L. 2 M. 3
†CARDIFF C.B. ...	–	3	9	–	10	C. 1 M. 1
†SWANSEA C.B. ...	–	8	8	–	3	M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	–	–	1	–
†BARRY	–	–	1	–	–	L. 2
†CAERPHILLY ...	–	3	–	–	1	–
†GELLIGAER ...	–	–	4	–	4	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG ...	–	1	4	–	–	–
†MOUNTAIN ASH ...	–	3	–	–	1	–
†NEATH	–	1	1	–	–	–
†OGMORE AND GARW	–	1	–	–	–	–
†PONTYPRIDD ...	–	2	–	–	2	–
†PORT TALBOT ...	–	3	5	–	–	–
†RHONDDA ...	–	2	7	1	9	–
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	1	2	–	–	–
NEATH	–	–	2	–	1	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA... ...	–	–	1	–	–	–
MERIONETH ...	–	–	13	–	–	M. 1
Urban Districts:—						
BALA	–	–	–	–	–	M. 1
FFESTINIOG ..	–	–	12	–	–	–
MALLWYD ...	–	–	1	–	–	–
MONMOUTH ...	–	3	12	–	4	C. 1 G. 1 N. 1
†NEWPORT C.B. ...	–	2	–	–	3	C. 1
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	–	2	–	–	–
†ABERSYCHAN ...	–	1	1	–	–	–
BEDWAS AND MACHEN	–	–	4	–	1	–
†BEDWELLTY ...	–	–	2	–	–	–
CHEPSTOW ...	–	–	–	–	–	N. 1
†EBBW VALE ...	–	–	2	–	–	–
LLANFRECHFA UPPER	–	–	–	–	–	G. 1
LLANTARNAM ...	–	–	1	–	–	–
Rural Districts:—						
MAGOR	*	*	*	*	*	*
MONTGOMERY ..	–	–	–	–	2	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	2	–
PEMBROKE	–	1	4	–	2	M. 1
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
GOODWICK ...	–	–	3	–	–	–
HAVERFORDWEST.	–	–	–	–	–	M. 1
MILFORD HAVEN	–	–	–		1	–
NEYLAND... ...	*	*	*	*	*	*
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–		1	–	1	–
NARBERTH ...	*	*	*	*	*	*
PEMBROKE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	–	–	–	1	–	**Total of Part II.** ...	302	1118	838	29	996	C. D. E. F. G. L. M. N.
Urban District:—													
LLANDRINDOD WELLS	*	*	*	*	*	*							
Rural Districts:—													
PAINSCASTLE ...	–	–	–	–	1	–							

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.
FALMOUTH AND TRURO	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	2
LIVERPOOL	–	1	–		1	–	**Total of Part III....** ...	–	1	–	–	3
NEW SHOREHAM ...	*	*	*	*	*	*						

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyre

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

— —	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London ...	–	195	218	1	174	C. 6 D. 1 E. 2 G. 3 M. 16 N. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	302	1118	838	29	996	C. 33 D. 6 E. 21 F. 6 G. 26 L. 14 M. 84 N. 89
Total of Part III.—Port Sanitary Districts	–	1	–	–	3	–
Total (*i.e.*, of returns received), England and Wales ...	302	1314	1056	30	1173	C. 39 D. 7 E. 23 F. 6 G 29 L. 14 M. 100 N. 104

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIR WEEKS.

Week ended :—	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.
LONDON:—												
DEATHS—all ages	848	912	895	1,014	1,124	1,209	1,108	1,048	950	1,043	1,170	1,161
" 0 to 1 year ..	120	97	102	90	113	94	86	83	98	108	154	127
GREAT TOWNS, aggregate (including London):—												
BIRTHS	6,560	6,574	6,240	6,509	6,389	6,891	6,672	6,505	6,352	6,515	6,646	6,238
DEATHS—all ages	3,731	3,916	3,793	4,137	4,697	4,817	4,665	4.527	4,193	4.498	4,919	4.797
" 0 to 1 year ..	566	532	505	488	514	503	488	499	481	518	643	574
ENTERIC FEVER—Cases	36	24	30	28	17	17	27	25	25	16	16	16
" Deaths	2	5	1	1	1	1	3	1	4	3	2	4
SMALL POX—Cases ..	32	35	40	32	30	31	30	20	40	39	29	26
" Deaths ..	2	1	—	—	—	—	—	—	–	–	—	—
SCARLET FEVER—Cases	968	1,074	1,055	1,106	1,151	1,076	1,106	1,201	1,130	961	950	801
" Deaths	3	3	2	5	3	8	5	3	4	7	8	5
DIPHTHERIA—Cases ..	722	827	833	817	848	777	788	775	814	872	793	784
" Deaths ..	36	36	39	40	43	40	33	32	46	39	47	40
MEASLES—Deaths ..	5	3	9	6	7	11	17	6	8	18	15	28
INFLUENZA—Deaths ..	32	36	38	54	71	88	100	78	52	68	52	60

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th December, 1926. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	46	32	40·7	33·7	1
BRIGHTON ..	47	32	41·3	34·1	2
PORTSMOUTH ..	48	33	42·5	34·5	1
NORWICH (EATON).	45	32	41·1	34·1	14
PLYMOUTH ..	52	31	44·1	34·7	0
BRISTOL (CLIFTON).	49	32	41·6	34·4	1
BIRMINGHAM (EDGBASTON).	47	30	40·1	34·4	1
NOTTINGHAM ..	47	33	41·1	34·9	4
BIRKENHEAD (BIDSTON).	46	32	41·1	37·3	0·2
MANCHESTER (WHITWORTH PARK).	47	33	42·7	35·4	2
BURNLEY	45	29	41·1	32·1	2

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rain in Mil metr
	°	°	°	°	
HUDDERSFIELD	47	32	41·3	33·3	5
BRADFORD ..	47	25	40·0	32·1	3
SHEFFIELD ..	46	33	40·7	34·9	5
YORK (MUSEUM)	47	32	41·9	34·9	4
HULL (PEARSON PARK).	47	33	42·7	35·1	7
TYNEMOUTH ..	48	34	42·6	36·7	5
CARDIFF.. ..	50	31	44·1	34·1	0
EDINBURGH ..		Not	receive	d.	
GLASGOW ..	46·3	27·7	39·3	32·7	1
DUBLIN (PHŒNIX PARK).		Not	receive	d.	
(FITZWILLIAM SQUARE†).		Not	receive	d.	
BELFAST.. ..		Not	receive	d.	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 25th December, 1926.

[*Under the Superintendence of the Astronomer Royal.*]

1926 Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	19	Full	29·919	45·8	34·6	11·2	41·0	+ 1·5	37·3	3·7	10·1	1·2	87	54·9	24·0	46·0	WNW: WSW.	WSW: WNW.	1·0	0·0	0·1	259	- 36	0·00
MONDAY -	20	Greatest Declination N.	29·968	45·6	35·3	10·3	41·2	+ 2·2	32·2	9·0	15·2	3·7	69	54·1	26·8	46·0	WSW	NW	3·6	0·0	0·3	427	+ 138	0·00
TUESDAY -	21	..	30·023	38·2	32·1	6·1	35·7	- 3·0	29·0	6·7	10·3	2·2	75	42·4	23·8	45·9	NW: NNW.	N	4·0	0·0	0·4	354	+ 70	0·00
WEDNESDAY	22	..	30·301	38·5	32·8	5·7	36·1	- 2·3	31·0	5·1	7·7	1·9	81	45·3	27·0	45·8	N	NNE	2·7	0·0	0·4	435	+ 155	0·02
THURSDAY -	23	..	30·504	36·4	33·9	2·5	35·3	- 2·9	26·8	8·5	11·8	1·9	68	41·9	29·0	45·5	NNE: NE.	NE	4·6	0·0	0·6	485	+ 2·4	0·00
FRIDAY -	24	..	30·470	37·8	33·1	4·7	35·4	- 2·8	26·7	8·7	14·0	3·7	67	52·9	27·2	45·3	NNE: NE.	NE: NNE.	6·4	0·0	0·6	481	+ 194	0·00
SATURDAY -	25	..	30·435	41·7	34·0	7·7	38·5	+ 0·1	34·6	3·9	6·9	2·0	85	53·0	27·6	45·1	NNE	NNE: N.	2·8	0·0	0·3	430	+ 134	0·02
MEANS -		..	30·231	40·6	33·7	6·9	37·6	- 1·0	31·1	6·5	10·9	2·4	76	49·2	26·5	45·7	NNE		..	..	..	Sum 2871	Sum + 859	Sum 0·04
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Date. December.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	General Remarks.
Sunday ..	19	mP till 14h.; wP till 17h.; then mP.	0·0	7·8	Nearly overcast generally till 19h., then becoming nearly cloudless by 19¾h. Mist from 9h. Slight damping 14½h. till 15h. Slight hoar frost at night.
Monday ..	20	wP till 7½h.; then mP.	0·9	7·8	Nearly cloudless generally, with nearly overcast period between 5h. and 11¾h. Lunar halo 2h. Haze 9h. till 15h.
Tuesday ..	21	wP till 11h.; then mP.	0·9	7·8	Nearly cloudless till 11h.; partially cloudy till 16h.; then nearly overcast. Hoar frost in morning. Snow shower at 17h. Occasional sleet between 15h. and 21h. Gusty wind about 21h.
Wednesday	22	mP till 23h.; then variably mP and sN.	0·0	7·8	Nearly overcast generally. Slight hoar frost in evening. Snow at 22h. Sleet from 23h.
Thursday	23	Variably sN and mP till 1h.; wP till 5h.; then mP.	0·0	7·8	Nearly overcast generally. Slight snow between 11½h. and 12h.
Friday ..	24	Variably mP and wP till 7h.; mP till 21h.; then wP.	3·6	7·7	Overcast till 10h., then partially cloudy, becoming cloudless by 20h. Brisk wind 9h. till 16h. Slight hoar frost at night.
Saturday	25	wP till 15h.; then variably wP and mN.	0·9	7·8	Nearly cloudless till 8½h., then nearly overcast. Rain 15¼h. till 16h., and between 19¾h. and 22h.
			Sum 6·3	Sum 54·5	
No. of Col.		—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·88 ins. at the beginning of the week to 30·52 ins. by 18h. on 23rd; decreased and was 30·42 ins. by midnight on the 25th.

FOR OFFICIAL USE

1926. No. 52.

THE REGISTRAR GENERAL'S

WEEKLY RETURN OF BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS AND OF CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN & RURAL DISTRICTS & PORT SANITARY DISTRICTS IN ENGLAND AND WALES DURING THE WEEK ENDED

SATURDAY, 1ST JANUARY 1927

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;
York Street, Manchester; 1. St. Andrew's Crescent, Cardiff;
15, Donegall Square West, Belfast;
or through any Bookseller
1927.
Price 6d. net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows:—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever ophthalmia neonatorum, and puerperal pyrexia, which are notifiable either under the general law or under Orders which were made by the Local Government Board or Minister of Health.

The first five columns of the Summary relate to diseases specified in the headings to the columns: the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz.:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st JANUARY, 1927

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifty-second week of the year numbered 6,469 and corresponded to an annual rate of 17·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,897 and corresponded to an annual rate of 15·8 per 1,000 of their aggregate civilian population, which is estimated at 19,439,910 in the year 1925. In the preceding three weeks the rates had been 13·2, 12·9 and 12·2. Infant mortality based on the average weekly number of births during the last 52 weeks, was 100 per 1,000 births against 94, 84 and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,547 births, corresponding to a rate of 17·5 per 1,000, and 1,473 deaths of civilians, corresponding to an annual rate of 16·7, against 13·3, 13·2 and 12·1, for the preceding three weeks. For the four weeks ended Saturday last the death-rate averaged 13·8 per 1,000. The infant mortality based on the average weekly number of births during the last 52 weeks, was 88 as against 99, 81 and 81 in the three weeks preceding.

In the aggregate of the great towns the total deaths increased from 4,556 to 5,897. In London the number of deaths from all causes increased from 1,070 to 1,473; the deaths from diphtheria which had been 9, 12 and 9 in the preceding three weeks rose to 19 last week; and the deaths from influenza which had been 13, 18 and 16 in the preceding three weeks. were 17 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 1st January, 1927.**

Towns.	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,439,910*	6,469	5,897	690	2	36	2	52	51	61	86
London	4,602,000*	1,547	1,473	137	1	-	2	18	19	10	17
Towns in Outer Ring.											
Croydon C.B ..	199,300	68	68	7	-	-	-	-	-	1	4
Wimbledon ..	58,170	8	18	-	-	-	-	-	-	-	1
Ealing†	91,000	24	30	1	-	-	-	-	-	-	1
Acton	63,110	13	18	5	-	-	-	-	-	-	1
Willesden ..	168,900	48	41	4	-	-	-	-	-	-	1
Hendon	59,150*	13	8	1	-	-	-	-	-	-	-
Hornsey	87,210	18	27	4	-	-	-	-	1	-	-
Wood Green ..	51,960	16	15	1	-	-	-	-	-	-	-
Tottenham ..	153,600	44	49	7	-	-	-	-	-	1	-
Edmonton ..	71,210	31	21	4	-	-	-	-	1	-	-
Enfield	63,740	11	23	2	-	-	-	-	1	-	-
West Ham C.B. ..	318,500	135	106	10	-	-	-	1	-	1	1
East Ham C.B. ..	147,200	47	35	4	-	-	-	-	-	-	-
Leyton	132,700	22	33	2	-	-	-	-	-	-	-
Walthamstow ..	130,800	41	29	5	-	-	-	1	-	-	-
Ilford	93,590	27	24	1	-	-	-	-	1	-	-
Gillingham	48,680*	22	18	2	-	-	-	-	1	1	-
Canterbury C.B ..	23,270*	8	4	-	-	-	-	-	-	-	-
Hastings C.B.	60,470	15	28	-	-	-	-	-	-	-	1
Eastbourne C.B. ..	55,060	12	16	3	-	-	-	1	-	-	-
Brighton C.B. ..	137,800*	44	51	1	-	-	-	-	-	-	-
Portsmouth C.B. ..	232,900*	81	71	8	-	-	-	-	1	1	-
Bournemouth C.B. ..	85,840	13	34	2	-	-	-	-	-	-	-
Southampton C.B. ..	168,600	61	55	8	-	2	-	-	-	-	-
Reading C.B.	93,670*	34	23	5	-	1	-	-	-	-	-
Oxford C.B.	57,090	23	16	-	-	-	-	1	-	-	-
Northampton C.B. ..	93,780*	27	25	3	-	-	-	1	-	-	2
Luton	59,230	14	17	3	-	-	-	-	-	-	-
Cambridge	59,020	13	13	2	-	-	-	-	-	-	-
Southend-on-Sea C.B.	98,060	24	43	2	-	-	-	-	-	-	-
Ipswich C.B.	83,120*	29	28	4	-	-	-	2	-	1	-
Great Yarmouth C.B.	57,890	13	20	1	-	-	-	1	-	-	-
Norwich C.B. ..	124,000*	56	31	1	-	-	-	1	-	-	1
Swindon	56,880	7	14	-	-	-	-	-	-	-	-
Exeter C.B.	59,820*	13	20	3	-	-	-	-	1	-	1
Plymouth C.B. ..	192,100*	70	69	11	-	-	-	-	3	2	-
Bath C.B.	69,050	18	33	2	-	-	-	-	-	-	-
Bristol C.B.	385,700*	119	121	8	-	-	-	-	1	-	2
Gloucester C.B. ..	53,060	15	19	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	278,900	136	66	10	-	-	-	1	-	-	-
Burton-upon-Trent C.B.	49,530	15	16	1	-	-	-	-	-	-	-
Wolverhampton C.B.	108,800	36	36	2	-	-	-	-	-	-	-
Walsall C.B.	102,300	34	31	6	-	-	-	-	-	-	2
West Bromwich C.B	79,490	31	21	3	-	-	-	-	-	-	1
Dudley C.B.	58,810	29	20	4	-	-	-	-	-	-	1
Worcester C.B. ..	50,230	14	20	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,900	342	284	48	-	-	-	3	2	1	3
Smethwick C.B. ..	78,840	22	18	4	-	-	-	-	1	-	2
Coventry C.B. ..	129,100	44	24	1	-	-	-	-	-	-	-
Leicester C.B. ..	242,100	80	80	12	-	3	-	1	-	1	-
Lincoln C.B.	66,600*	24	26	3	-	-	-	1	-	-	1
Grimsby C.B.	87,190	44	29	7	-	2	-	-	-	1	1
Nottingham C.B. ..	270,600	85	92	11	-	-	-	-	1	-	-
Derby C.B.	134,400*	40	37	2	-	-	-	-	-	-	-
Chesterfield ..	65,800	30	22	2	-	-	-	-	-	-	-
Stockport C.B. ..	125,900	26	35	1	-	-	-	-	-	-	-
Chester C.B.	41,670	11	11	3	-	-	-	1	-	-	-
Birkenhead C.B. ..	155,500	39	42	6	-	-	-	1	-	-	-
Wallasey C.B. ..	91,720	23	27	3	-	1	-	-	-	-	1
Liverpool C.B. ..	856,000	378	258	38	-	9	-	-	4	11	4
Bootle C.B.	83,260	28	17	1	-	1	-	-	-	-	-
St. Helens C.B. ..	109,600	32	32	5	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† As extended on 1st October, 1926.

TOWNS	Estimated Population, Mid. 1925.	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years	Influenza.
Cols.	1	2.	3	4.	5.	6.	7.	8.	9.	10.	11.
Southport C.B ..	74,260	14	17	1	-	-	-	1	-	-	-
Wigan C.B.	91,010	21	21	6	-	-	-	-	-	-	1
Warrington C.B. ..	77,970*	23	20	3	-	-	-	2	1	1	1
Bolton C.B.	180,400	48	57	11	-	-	-	-	-	-	2
Bury C.B.	56,700*	15	24	2	-	-	-	-	-	2	1
Manchester C.B. ..	755,800	219	233	34	-	-	-	1	2	7	7
Salford C.B.	244,700	66	56	10	-	-	-	-	-	2	1
Oldham C.B	146,200	43	57	6	1	-	-	-	1	-	2
Rochdale C.B... ..	92,190	27	25	1	-	-	-	1	-	-	1
Burnley C.B.	102,300	39	32	5	-	4	-	-	-	-	-
Blackburn C.B. ..	126,900	34	33	4	-	1	-	-	-	-	-
Preston C.B.	122,900	41	36	-	-	-	-	-	-	-	-
Blackpool C.B. ..	80,750	16	25	-	-	-	-	-	-	-	-
Barrow-in-Furness C.B.	73,470	15	14	1	-	-	-	-	-	-	1
Huddersfield C.B. ..	112,100	38	36	2	-	-	-	-	-	-	-
Halifax C.B.	97,860*	34	26	2	-	-	-	-	-	-	-
Bradford C.B. ..	290,200	83	86	5	-	-	-	-	-	-	-
Leeds C.B.	472,900	159	140	13	-	2	-	1	1	3	3
Dewsbury C.B ..	54,570	25	13	-	-	-	-	-	-	-	-
Wakefield C.B. ..	53,980	14	15	3	-	-	-	-	-	1	-
Barnsley C.B. ..	71,170	30	20	5	-	-	-	1	-	-	1
Sheffield C.B. ..	526,900*	143	165	35	-	-	-	4	1	4	5
Rotherham C.B. ..	70,600	31	18	6	-	-	-	-	-	-	-
Doncaster	55,610	18	18	-	-	-	-	-	-	-	1
York C.B.	84,630*	31	25	3	-	-	-	-	-	-	1
Hull C.B.	297,300	130	102	8	-	3	-	2	1	1	2
Middlesbrough C.B.	136,200	59	41	10	-	1	-	-	-	1	1
Darlington C.B. ..	69,130	21	19	1	-	-	-	-	-	-	-
Stockton-on-Tees ..	68,000	19	22	4	-	-	-	-	-	1	1
West Hartlepool C.B.	71,590	19	14	2	-	-	-	-	1	-	-
Sunderland C.B. ..	166,000	66	51	11	-	1	-	-	-	1	-
South Shields C.B. ..	124,600	43	31	7	-	-	-	-	-	-	-
Gateshead C.B. ..	129,000	37	39	3	-	-	-	-	-	-	-
Newcastle-on-Tyne C.B.	286,300*	130	76	13	-	-	-	1	-	-	-
Tynemouth C.B. ..	66,180	29	18	2	-	-	-	-	1	-	-
Carlisle C.B.	55,160*	20	15	2	-	-	-	2	-	-	-
Newport (Mon.) C.B.	96,420*	43	24	3	-	-	-	-	-	-	-
Cardiff C.B.	227,100*	87	68	8	-	5	-	-	2	1	3
Rhondda	167,570	48	45	6	-	-	-	1	-	3	2
Merthyr Tydfil C.B.	82,920	31	26	4	-	-	-	-	1	-	-
Aberdare	57,700	9	15	1	-	-	-	-	-	-	-
Swansea C.B.	163,200	64	48	8	-	-	-	-	1	1	-
Greater London ..	7,742,212*	2,490	2,398	223	3	1	3	24	23	13	37
Outer Ring	3,140,212*	943	925	86	2	1	1	6	4	3	20
16 Great Towns in Outer Ring	1,890,140*	566	545	58	-	-	-	2	4	3	9
Remainder of Outer Ring	1,250,072*	377	380	28	2	1	1	4	-	-	11
Edinburgh†	424,600	136	132	20	-	3	2	-	-	1	2
Glasgow† ..	1,052,200	407	333	62	-	-	-	2	4	2	4
Dublin (Registration Area)†	419,156§	238	164	35	-	1	-	1	1	5	2
Belfast†	416,000	231	151	39	1	-	-	-	1	5	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1926. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Census population 1926 (unrevised)

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available pe

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
LONDON‡	4,602,000	1927. Jan. 1	1547	1473	16·7	1	–	–	2	18	19	10
CALCUTTA AND SUBURBS	1,077,273	1926. Nov. 27	?	867‖	41·8	?	18	?	?	?	?	?
BOMBAY§	1,279,061	Dec. 4	519	543‖	22·1	5	2	1	–	1	–	27
MADRAS	528,791	Dec. 4	432	397	39·0	2	1	–	?	–	–	28
SYDNEY AND SUBURBS	1,038,950	Nov. 30 (30 days)										
BRISBANE (Metropolitan Area).	263,711	Oct. 31 (31 days)										
PERTH (Metropolitan Area).	179,388	Nov. 13										
AUCKLAND (Urban Area).	192,176	Nov. 30 (30 days)										
WELLINGTON (Urban Area).	121,324	Nov. 30 (30 days)										
CHRISTCHURCH (Urban Area).	118,408	Nov. 30 (30 days)										
CAPE TOWN	113,709	Dec. 4	42	28	12·8	–	–	1	–	–	–	–
JOHANNESBURG	165,958	" 4	87	53	16·6	–	–	–	–	–	–	1
DURBAN	54,822	" 4	20	9	8·5	–	–	–	–	–	–	–
PARIS	2,906,472	" 20 (10 days)										
ANTWERP	300,193	Dec. 4										
AMSTERDAM	724,126	Dec. 18	276	112	8·1	–	–	1	–	–	–	1
COPENHAGEN	587,400	" 25	145	111	9·9	–	–	–	–	–	2	–
STOCKHOLM	442,528	" 18	85	72	8·5	–	–	–	–	–	1	–
GOTHENBURG	230,963	" 6										
OSLO (CHRISTIANIA) ..	255,724	" 25	49	39	7·9	–	–	1	–	–	–	–
BERLIN	1,996,000	" 11	359	432	11·3	–	?	1	–	1	10	1
BRESLAU	561,000	" 11	154	127	11·8	–	?	1	–	1	1	2
COLOGNE	710,000	" 11	228	151	11·1	–	?	–	–	2	2	3
DRESDEN	622,000	" 11	125	139	11·6	–	?	–	–	–	–	–
FRANKFORT-ON-MAIN ..	471,000	" 11	110	61	6·7	–	?	–	–	–	–	–
HAMBURG	1,104,000	" 11	236	201	9·5	–	?	2	–	–	–	2
LEIPZIG	685,000	" 11	183	134	10·2	–	?	–	1	–	–	1
MUNICH	685,000	" 11	155	164	12·4	–	?	1	–	2	–	2
VIENNA	1,873,432	June 30 (30 days)										
PRAGUE AND SUBURBS	725,196	July 31 (31 days)										
BUDAPEST	960,995	Dec. 11	277	202	10·9	2	–	1	3	–	3	3
WARSAW	1,015,426	Dec. 18	?	295	15·2	6	–	2	13	–	–	6
CAIRO	859,400	Aug. 12	839	673	40·8	–	–	4	–	?	4	148
		" 19	793	605	36·7	14	–	4	–	?	5	115
ALEXANDRIA	492,100	" 12	423	263	27·9	1	1	–	–	?	1	55
		" 19	437	252	26·7	2	3	–	–	?	2	45
NEW YORK	5,924,139	Dec. 18	?	1524	?	2	–	–	–	2	17	10
CHICAGO	2,995,239	Dec. 3	1224	696	11·9	1	?	4	1	1	8	8

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Ci Budapest, Warsaw.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Oslo (Christiania), and to *children un year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only

§ The registration of Births in Bombay is incomplete.

‖ Including 16 deaths from Cholera in Calcutta and 1 from Plague in Bombay.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st January, 1927, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1473	137	35	37	42	48	56	75	165	230	306	342
Enteric fever	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	2	-	1	1	-	-	-	-	-	-	-	-
Whooping cough	18	7	6	4	1	-	-	-	-	-	-	-
Diphtheria	19	-	1	6	12	-	-	-	-	-	-	-
Influenza	17	2	-	1	-	1	-	1	1	3	5	3
Erysipelas	4	-	-	-	-	-	1	-	1	2	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	1	-	-	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	84	-	1	-	2	13	14	15	24	10	5	-
Nervous system	5	-	-	4	-	1	-	-	-	-	-	-
Intestines and peritoneum	-	-	-	-	-	-	-	-	-	-	-	-
Other forms	9	-	-	-	1	-	-	1	-	3	3	1
Venereal diseases	2	1	-	-	-	-	-	-	-	1	-	-
Cancer	156	-	-	1	-	4	2	9	32	47	40	21
Rheumatic fever	5	-	-	-	2	2	1	-	-	-	-	-
Diabetes	17	-	-	-	1	-	2	2	3	3	5	1
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	62	-	-	-	-	1	-	2	3	4	31	21
Epilepsy	2	-	-	-	-	-	-	-	1	1	-	-
"Convulsions" (not puerperal) ..	3	2	-	1	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	38	-	-	1	5	3	5	1	8	4	6	5
Pericarditis	2	-	-	1	-	-	-	-	1	-	-	-
Acute endocarditis	8	-	-	-	-	3	1	-	1	2	-	1
Other diseases of heart	252	-	-	-	3	6	5	9	28	54	72	75
Other diseases of circulatory system	74	-	-	-	-	-	1	-	3	12	29	29
Bronchitis	162	16	-	1	-	-	-	5	12	21	33	74
Broncho-pneumonia	118	40	21	9	2	-	2	2	5	11	10	16
Lobar-pneumonia	39	2	-	2	1	1	3	6	5	7	8	4
Pneumonia (type not distinguished)	19	5	2	1	1	-	-	2	4	1	3	-
Other diseases of respiratory system	26	1	-	-	2	-	1	2	3	5	7	5
Diarrhœa and enteritis	14	9	1	1	2	-	1	-	-	-	-	-
Appendicitis, Typhlitis	10	-	-	1	1	1	-	-	2	3	2	-
Hernia, Intestinal obstruction	15	2	1	1	-	1	2	1	-	3	2	2
Cirrhosis of liver	9	-	-	-	-	-	-	-	2	5	2	-
Other diseases of digestive system ..	25	-	-	-	1	1	-	3	6	5	3	6
Acute nephritis	6	-	-	-	-	-	2	1	2	-	-	1
Chronic Bright's disease	39	-	-	-	-	-	2	2	7	9	11	8
Other diseases of genito-urinary system.	22	-	-	-	-	1	1	1	3	5	6	5
Puerperal sepsis	3	-	-	-	-	1	1	1	-	-	-	-
Other causes incident to childbirth ..	4	-	-	-	-	1	1	2	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	23	23	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital) ..	7	7	-	-	-	-	-	-	-	-	-	-
Old age	57	-	-		-	-	-	-		-	7	50
Suicide	7	-	-	-	-	-	3	-	1	3	-	-
Burns and Scalds	3	-	-	-	-	-	-	1	-	-	2	-
Drowning	1	-	-	-	-	-	1	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	15	-	-	1	4	2	1	1	1	2	1	2
Other deaths by violence	21	2	-	-	1	1	1	-	1	4	5	6
Other specified causes	38	10	1	-	-	3	1	5	4	-	8	6
Ill-defined causes	1	-	-	-	-	-	-	-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st January, 1927.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	267	244	2	193	C. 5 E. 1 G. 9 M. 13 N. 16
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	4	15	–	5	G. 3
†BERMONDSEY ...	–	7	8	–	5	M. 1 N. 1
†BETHNAL GREEN	–	10	14	–	3	M. 1
†CAMBERWELL ...	–	12	13	–	6	M. 1
†CHELSEA	–	2	6	–	2	N. 1
†DEPTFORD ...	–	18	10	–	5	C. 1 G. 1 M. 2 N. 1
†FINSBURY ...	–	1	7	–	1	M. 1
†FULHAM	–	4	9	–	13	–
†GREENWICH ...	–	14	9	–	5	–
†HACKNEY ...	–	16	6	–	3	E. 1
†HAMMERSMITH ...	–	15	3	–	–	N. 1
†HAMPSTEAD ...	–	5	1	–	6	–
†HOLBORN... ...	–	3	2	–	1	–
Metropolitan Boroughs—*cont*						
†ISLINGTON ...	–	17	17	–	12	C. 3 G. 1 M. 2 N. 2
†KENSINGTON ...	–	17	13	–	2	–
†LAMBETH ...	–	13	18	–	12	N. 2
†LEWISHAM ...	–	7	11	–	4	G. 2
†PADDINGTON ...	–	7	7	1	11	G. 1 M. 1 N. 3
†POPLAR	–	14	13	–	15	N. 1
†ST. MARYLEBONE	–	3	3	–	3	N. 1
†ST. PANCRAS ...	–	4	5	1	12	C. 1 M. 2
†SHOREDITCH ...	–	8	9	–	7	M. 1
†SOUTHWARK ...	–	6	15	–	8	N. 3
†STEPNEY	–	28	13	–	14	–
†STOKE NEWINGTON	–	4	1	–	1	–
†WANDSWORTH ...	–	22	12	–	27	G. 1
†WESTMINSTER, CITY OF	–	2	2	–	2	M. 1
†WOOLWICH ...	–	4	1	–	8	–

† Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	9	3	–	8	M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	4	2	–	3	–
LEIGHTON BUZZARD	–	–	–	–	3	–
†LUTON	–	2	1	–	1	–
Rural Districts:—						
AMPTHILL ...	–	2		–		–
BEDFORD ...	–	1	–	–	1	–
BIGGLESWADE ...	–	–	–	–	–	M. 1
BERKS	–	8	3	–	4	M. 1 N. 1
†READING C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	1	–	–	–
†NEWBURY ...	–	2	–	–	–	–
†NEW WINDSOR ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	2	–	–	–
Rural Districts:—						
BRADFIELD ...	–	–	–	–	1	M. 1
HUNGERFORD ...	–		–			N. 1
WALLINGFORD ...	–	1		–	–	–
WINDSOR... ...		1	–	–	–	
WOKINGHAM ...	–	1	–	–	1	–
BUCKINGHAM ...	–	19	3	–	2	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1		–		–
†CHEPPING WYCOMBE	–	1	1	–	–	–
ETON	–	2	–	–	–	–
MARLOW	–	4	–	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
†WOLVERTON ...	–	1	–	–	1	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
ETON	–	3	–	–	1	–
NEWPORT PAGNELL ...	–	1	2	–	–	–
WYCOMBE ...	–	3	–	–	–	–
CAMBRIDGE ...	–	2	2	1	1	N. 1
Borough:—						
†CAMBRIDGE ...	–	1	2	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	–	–	–	–	N. 1
LINTON	–	1		–	–	–
NEWMARKET ...	–	–	–	1	1	–
CHESTER	–	47	21	3	41	G. 1 N. 2
†BIRKENHEAD C.B.	–	5	2	–	6	–
†CHESTER C.B. ...	–	–	–	1	3	–
†STOCKPORT C.B.	–	12	1	–	6	–
†WALLASEY C.B. ...	–	4	2	–	4	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–	–	N. 1
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	3	–	–	3	–
†CONGLETON ...	–	–	2	–	2	–
†CREWE	–	2	2	–	–	–
†DUKINFIELD ...	–	1	–	–	7	
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HANDFORTH ...	–	–	1	–	–	–
†HYDE		5	1	–		
KNUTSFORD ...	*	*	*	*	*	*
LYMM	–	–	–	–	1	–
†MACCLESFIELD ...	–	1	3	2	2	–
NANTWICH ...	–	1	–	–	1	
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ...	*	*	*	*	*	*
†SALE	–	1	1	–	–	–
†STALYBRIDGE ...	–	1	1	–	–	–
TARPORLEY ...	–	-	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	1	G. 1
CHESTER	–	–	–	-	1	–
CONGLETON ...	–	-	–	–	1	–
NANTWICH ...	-	4	–	–	–	–
NORTHWICH ...	–	2	–	–	–	N. 1
RUNCORN ...	–		1	–	1	-
WIRRAL	–	2	2	-	–	–
CORNWALL ...	–	7	2	1	2	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	–	–
LISKEARD ...	–	–	-	1	.	–
LOOE	*	*	*	*	*	*
LUDGVAN ...	*	*	*	*	*	*
MADRON	*	*	*	*	*	*
PAUL	*	*	*	*	*	*
PENRYN		3	-	.		–
REDRUTH ...	–	–	–	–	1	–
Rural Districts:—						
CALSTOCK ...	–	-	–	-		M. 1
LISKEARD ...	–	1	1		–	–
ST. AUSTELL ...		–	–	–	1	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts—*cont.*						
ST. GERMANS ...	–	1	–	–	–	–
STRATTON ...	-	1			–	–
TRURO	–	–	1	-	–	-
WEST PENWITH...	*	*	*	*	*	*
CUMBERLAND ...	–	30	11	–	1	C. 2 G. 1 M. 1 N. 3
†CARLISLE C.B. ..	–	7	-	–	1	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	1	–	–	–
COCKERMOUTH ...	-	2	–	–	-	C. 1
HOLME CULTRAM	–	3	–	-	-	–
KESWICK	–	-	–		–	G. 1
†MARYPORT ...	–	1	–	–	–	–
MILLOM	–	2	–	–	–	–
PENRITH	–	1	-		–	–
†WHITEHAVEN ...		1	–	–	–	-
†WORKINGTON ...	–	1	–	–	-	N. 1
Rural Districts:—						
BOOTLE	–	6	–	-	.	–
BRAMPTON ...	–	–	1	–	–	–
COCKERMOUTH ...	-		4	-	-	C. 1 N. 1
PENRITH	-	5	–	–	–	–
WHITEHAVEN ...	–	–	2	–	–	M. 1
WIGTON	–	1	3	–		N. 1
DERBY	7	29	24	–	25	C. 1 M. 1
†DERBY C.B. ...	2	3	10	–	3	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	2	–	–	–
ALVASTON AND BOULTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BELPER	3	–			–	–
†BOLSOVER ...	–	1	1	–	1	–
†BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	–	9	3	–	2	–
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	2	–	–	1	–
HEAGE	–	–	–	–	1	–
†HEANOR	–	–	1	–	1	–
†ILKESTON ...	–	–	–	–	2	–
†LONG EATON ...	–	2	–	–	1	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	2	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	3	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	1	–	–	1	–
BELPER	–	–	1	–	–	–
CHESTERFIELD ...	–	4	4	–	4	C. 1
CLOWNE	–	2	1	–	–	–
HARTSHORN AND SEALS	–	1	–	–	–	–
REPTON	–	1	1	–	1	–
DEVON	–	43	22	–	9	C. 1 E. 2 M. 2 N. 7
†EXETER C.B. ...	–	19	2	–	–	C. 1 N. 2
†PLYMOUTH C.B...	–	14	17	–	1	E. 1 M. 1 N. 4
Boroughs and Urban Districts:—						
†EXMOUTH ...	–	1		–	–	E. 1
†NEWTON ABBOT	–	–	1	–		–
OKEHAMPTON ...		1	–	–	–	–
OTTERY ST. MARY	–	–	–	–	–	N. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PAIGNTON ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY ...	–	–		–	2	–
Rural Districts:—						
BIDEFORD ...	–	1	–	–		–
HONITON ...		1		–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	2	1	–		–
ST. THOMAS ...	–	2	1	–	–	M. 1
TAVISTOCK ...	–	–	–		2	–
TIVERTON ...	–	1	–	–	2	–
DORSET	–	4	–		9	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	2	–
†POOLE	–	1	–	–	4	–
SHERBORNE ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–		1	–
STURMINSTER ...	–	–	–	–	1	–
WEYMOUTH ...	–	1	–		–	–
DURHAM	259	48	20	–	71	C. 3 D. 1 E. 1 G. 1 M. 8 N. 3
†DARLINGTON C.B.	–	1	1	–	3	N. 1
†GATESHEAD C.B.	2	4	2	–	5	M. 1
†SOUTH SHIELDS C.B.	–	–	1	–	10	C. 1
†SUNDERLAND C.B.	–	2	2	–	15	C. 1 M. 2 N. 1
†WEST HARTLEPOOL C.B.	–	2	2	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	-	1	1	-	-	M. 1
BARNARD CASTLE	-	-	-	-	-	D. 1
BILLINGHAM ...	-	-	-	-	2	-
†BLAYDON... ..	-	1		-	1	-
†BRANDON AND BYSHOTTLES	44	1	-	-	-	-
†CHESTER LE STREET	4	3	-	-	-	-
†CROOK	23	2	-		-	-
†DURHAM	1	2			-	
†FELLING	*	*	*	*	*	*
†HEBBURN ...	1	1	-		-	G. 1
†HETTON	16	-	-	-	3	-
†HOUGHTON LE SPRING	2	-	-	-		C. 1
†JARROW	20	3			14	-
LEADGATE ...	-	1	-	-	-	-
†RYTON	-	1	-	-	-	M. 1
†SHILDON	13		-	-	-	-
†SOUTHWICK ON WEAR	-	1	-	-		-
†SPENNYMOOR ...		-	1	-	-	-
STANHOPE ...	-	1	-	-	-	-
†STANLEY	4	1	2	-	-	-
†STOCKTON ON TEES	-	1	2	-	4	-
†TANFIELD ...	3	1		-	-	
†WASHINGTON ...	*	*	*	*	*	*
†WHICKHAM ...	1	1	-	-	2	-
WILLINGTON ...	23	1	1	-	-	-
Rural Districts:—						
AUCKLAND ...	20	1	3	-	-	-
BARNARD CASTLE	-	1	-	-	-	-
CHESTER LE STREET	15	1	-	-	3	E. 1 M. 1
DURHAM	4	2	-	-	-	-
EASINGTON ...	18	5	2	-	2	-
HOUGHTON LE SPRING	2	2	-	-	2	-
LANCHESTER ...	30	4	-	-		-
SEDGEFIELD ..	13	-	-	-	1	N. 1
SUNDERLAND ...	-	-	-	-	2	M. 1
ELY, ISLE OF ..		1	1	-	2	N. 1
Boroughs and Urban Districts:—						
ELY	-	-	-	-	2	-
WHITTLESEY ...	-	-	1	-	-	-
Rural Districts:—						
ELY	-	-	-	-	-	N 1
THORNEY... ...	-	1	-	-	-	-
ESSEX	-	111	49	1	58	D. 1 G. 1 M. 2 N. 6
†EAST HAM C.B. ...	-	11	3	-	1	-
†SOUTHEND-ON-SEA C.B.		7	1	-	10	N. 2
†WEST HAM C.B. ...	-	27	13	-	14	M. 1 N. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	-	5	2	-	2	-
BRAINTREE ...	-	3			-	-
BRENTWOOD ...		1	3	-	1	-
BUCKHURST HILL	-	2	1			-
†CHELMSFORD ...		1	-	-	-	
†CLACTON	-	-	-	-	-	N. 1
†COLCHESTER ...		3	-	-	1	-
DAGENHAM ...		3	3	-	7	-
EPPING	-	1	-	-	1	-
†GRAYS THURROCK	-	2	-	-	2	-
†HORNCHURCH ...	-	1	1	-	-	-
†ILFORD	-	3	5	-	2	D. 1
†LEYTON	-	1	5	-	5	-
†ROMFORD ...	-	8	-	-	-	-
WALTHAM HOLY CROSS	-	1		-	-	-
†WALTHAMSTOW...	-	12	6	-	8	N. 1
†WANSTEAD ..	-	1	-		1	-
†WOODFORD ...	-	-	3	1	1	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
BILLERICAY ...	–	2	–	–	1	–
BRAINTREE ...	–	2	–	–	–	–
CHELMSFORD ...	–	1	–		–	M. 1
DUNMOW	–	2		–	–	
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	2	–	–	–	G. 1
MALDON		4	–		–	–
ORSETT	–	–	2	–	–	–
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	2	–	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ..		30	12	–	21	G. 2 M. 1 N. 4
†BRISTOL C.B. ..	–	18	7	–	14	G. 2 N. 2
†GLOUCESTER C.B.	–	–	2	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	–	–	–
COLEFORD ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–		–	–
NAILSWORTH ...	–	–	1	–	–	–
STROUD	–	1	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	2	–	–	–	–
CHIPPING SODBURY	–	–	–	–	–	M. 1
DURSLEY	–	–	–	–	–	N. 1
EAST DEAN AND UNITED PARISHES	–	–	–		1	–
GLOUCESTER ...	–	1	–	–	–	N. 1
THORNBURY ...	–	1	1	–	3	–
WARMLEY ...	–	3	–	–	–	–
WEST DEAN ...	–	–	1	–	2	–
HEREFORD .	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
ROSS	–	1	–	–	–	–
WEOBLEY... ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ..	–	16	3	–	2	M. 1 N. 1
Boroughs and Urban Districts:—						
†BARNET	–	2	–	–	1	–
BUSHEY	–	2	–	–	–	–
†CHESHUNT ...	–	2	1	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	5	1	–	–	–
†HITCHIN	–	1	–	–	–	–
HODDESDON ...	–	–	–	–		M. 1
RICKMANSWORTH	–	–	–	–	–	N. 1
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
HERTFORD ...	–	2	–	–	–	–
HITCHIN	–	1	–	–	–	–
HUNTINGDON ..	–	8	1	1	1	G. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	1	1	–	–
RAMSEY	–	1	–	–	–	–
ST. IVES	–	1	–	–	–	–
ST. NEOTS ...	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
NORMAN CROSS ...	–	–	–	–	1	–
OUNDLE (part) ...	–	2	–	–	–	–
ST. IVES	–	1	–	–	–	G. 1
KENT	–	60	26	–	24	D. 1 E. 2 G. 1 N. 4
†CANTERBURY C.B.	–	1	2	–	3	E. 1
Boroughs and Urban Districts:—						
†ASHFORD	–	–	–	–	–	D. 1 G. 1
†BECKENHAM ...	–	2	–	–	4	–
†BROADSTAIRS AND ST. PETER'S	–	–	–		1	–

* Returns not received † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—*cont.*						
†BROMLEY ..	–	–	–	–	1	–
†CHATHAM ...	–	1	–	–	–	–
CHERITON ...		–	–	–	–	E. 1
†CRAYFORD ...	–	–	1	–		–
†DARTFORD ..	–	1	1	–		–
†DEAL	–	2	–	–		–
†DOVER	–	4	1	–	3	–
†ERITH	–	1	2	–	4	–
†FAVERSHAM ...	–	2	–	–	–	–
†FOLKESTONE ...	–	–	–	–	2	–
†GILLINGHAM ...	–	7	7	–	–	–
†GRAVESEND ...	–	4	2	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MARGATE ...	–	–	1	–	–	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	1	1	–	1	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	4	1	–	–	–
SANDWICH ...	–	1	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	–	–	–	N. 1
SOUTHBOROUGH	–	1	–	–	–	–
SWANSCOMBE ...	–	1	3	–	–	–
†TONBRIDGE ...		–	–	–	–	N. 1
Rural Districts:—						
BLEAN	–		1	–	–	–
DARTFORD ..		7	2	–	–	–
EASTRY	–	1	–	–	–	–
HOLLINGBOURNE	–	–	–	–	–	N. 1
ISLE OF THANET	–	1	–	–	–	–
MALLING... ...	–	3	–	–	3	–
MILTON	–	9	–	–	–	–
STROOD	–	2	–	–	–	–
TENTERDEN ...	–	–	–	–	–	N. 1
WEST ASHFORD...	–	–	–	–	1	–
LANCASTER ...	1	153	93	3	187	C. 6 E. 2 G. 9 M. 12 N. 12
†BARROW IN FURNESS C.B.	–	1	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	3	–
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	4	–	–	1	–
†BOLTON C.B. ...	–	2	2	–	1	–
†BOOTLE C.B. ...	–	7	4	–	2	N. 1
†BURNLEY C.B. ...	–	–	4	–	3	–
†BURY C.B. ...	–	3	2		2	–
†LIVERPOOL C.B. ...	–	37	44	1	60	C. 2 E. 1 G. 4 M. 5 N. 3
†MANCHESTER C.B.	*	*	*	*	*	*
†OLDHAM C.B. ...	–	4	1	–	2	M. 3
†PRESTON C.B. ...	–	1	–	–	5	N. 1
†ROCHDALE C.B. ...	–	4	1	–	1	N. 1
†ST. HELENS C.B....	–	3	1	–	4	N. 1
†SALFORD C.B. ...	–	12	5	–	8	N. 2
†SOUTHPORT C.B.	–	4	1	–	3	–
†WARRINGTON C.B.	–	1	3	–	9	–
†WIGAN C.B. ...	–	2	1	–	18	N. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	1	–
†ASHTON IN MAKERFIELD	1	–	–	–	2	–
†ASHTON UNDER LYNE	–	–	–	–	2	–
†ATHERTON ..	–	1	–	–	–	C. 1 G. 1
AUDENSHAW ...	–	1	–	–	1	–
†BACUP	–	1	–	–	3	–
CARNFORTH ...	–	3	–	–	–	–
†CHADDERTON ...	–	3	1	–	2	–
†CHORLEY... ...	–		–	–	2	G. 1 M. 1
CHURCH	–	1	–	–	–	–
CLAYTON LE MOORS	–	1	–	–	–	–
†CLITHEROE ...	–	–	1	–	–	–
†COLNE	–		1	–	–	E. 1 N. 1
†CROMPTON ...	–	1	–	–		–
†DARWEN	–	–	–	–	–	M. 1
†DENTON	–	2	–	–	1	–
†DROYLSDEN ...	–	2	–	–	4	–
†ECCLES	–	1	–	–	3	C. 1 M. 1
†FAILSWORTH ...	–		1	–	1	–
†FARNWORTH ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FLEETWOOD ...	-	2	–	–	1	–
FULWOOD ...	–	1	–	–	–	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	5	1	–	1	–
†HINDLEY... ...	–	2	–	–	2	–
†HORWICH ...	–	–	1	–	1	–
HUYTON WITH ROBY	*	*	*	*	*	*
KEARSLEY ...	–	4	–	–	–	–
†LANCASTER ...	–	2	–	–	1	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
LEES	–	–	–	–	1	–
†LEIGH	–	–	2	–	1	–
LEYLAND... ...	–	–	–	–	3	–
†LITTLEBOROUGH	–	2	3	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	–	1	–	–	
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	–	–	–	2	–
ORMSKIRK ...	–	–	2	–	–	–
ORRELL	*	*	*	*	*	*
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
†PRESTWICH ...	–	–	1	1	–	
†RADCLIFFE ...	–	3	1	–	1	C. 1 G. 1
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	1	–	–	2	–
†RAWTENSTALL ...	–	1	2	–	–	G. 2
SKELMERSDALE...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	1	–	–	3	–
†STRETFORD ...	–	1	–	1	1	–
†SWINTON AND PENDLEBURY	–	1	–	–	2	–
†TURTON	–	4	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	M. 1
†ULVERSTON ...	–	1	–	–	–	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	1	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WESTHOUGHTON	–	1	–	–	1	–
WHITEFIELD ...	–	2	–	–	2	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	–	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	C. 1
BURY	–	1	–	–	–	–
CHORLEY... ...	–	–	–	–	1	N. 1
CLITHEROE ...	–	–	–	–	1	–
LANCASTER ...	–	–	1	–	1	–
LEIGH	–	–	–	–	1	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	–	1	–	2	–
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	10	10	–	15	M. 2 N. 1
†LEICESTER C.B. ...	–	2	7	–	6	M. 1 N. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	1	–
†COALVILLE ...	–	1	1	–	1	M. 1
†LOUGHBOROUGH	–	–	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	4	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	1	–
BARROW UPON SOAR	–	3	–	–	–	–
LOUGHBOROUGH	–	2	–	–	–	–
LUTTERWORTH ...	–	–	–	–	1	–
MELTON MOWBRAY	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	1		–	–	–
SPALDING (part)..	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	2	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
†GRANTHAM ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE	–	3	–	–	–	–
GRANTHAM ...	–	1	–	–	–	–
SPALDING (part)..	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	3	15	7	–	8	C. 1 G. 2 M. 1
†GRIMSBY C.B. ...	–	1	3	–	–	C. 1
†LINCOLN C.B. ...		6	–	–	1	G. 2
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†CLEETHORPES ...	–	2	–	–	–	–
†GAINSBOROUGH ...	3	1	–	–	2	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GAINSBOROUGH ...	–	3	–	–	–	–
GLANFORD BRIGG	–	–	2	–	–	–
GRIMSBY	–	–	1	–	2	–
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ..	–	71	30	–	64	C. 2 M. 1 N. 4
Boroughs and Urban Districts:—						
†ACTON	–	6	–	–	1	–
†BRENTFORD ..	–	–	–	–	2	–
†CHISWICK ...	–	–	–	–	1	–
†EALING	–	2	–	–	1	N. 1
†EDMONTON ...	–	2	3	–	2	–
†ENFIELD	–	5	4	–	4	–
FELTHAM ...		2		–	–	–
†FINCHLEY ...	–	3	1	–	2	–
†FRIERN BARNET	–	–	–	–	3	–
†HAMPTON ...	–		1	–	–	–
†HARROW ON THE HILL	–	5	1	–	2	–
HAYES	–	–	–	–	1	M. 1
†HENDON	–	4	3	–	1	C. 2
†HESTON AND ISLEWORTH	–	2	2	–	1	–
†HORNSEY	–	13	4	–	2	N. 1
†SOUTHALL NORWOOD	–	–	–	–	–	N. 1
†SOUTHGATE ...	–	4	–	–	1	–
†TEDDINGTON ...		–	1	–	2	–
†TOTTENHAM ...	–	12	3	–	14	–
†TWICKENHAM ...	–	2	1	–	1	N. 1
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	–	–		1	–
†WEMBLEY ...	–	1			2	–
†WILLESDEN ...	–	3	4	–	20	–
†WOOD GREEN ...	–	3	1	–	–	–
YIEWSLEY ...	–		1	–	–	–
Rural Districts:—						
STAINES		1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK ...	–	15	2		6	E. 1 N. 3
†GREAT YARMOUTH C.B	–	1	–	–	–	–
†NORWICH C.B. ...	–	3	1	–	4	N. 2
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	–	–	–	–	N. 1
THETFORD ...	–	1	–	–	–	–
WALSOKEN ...	–	1	1	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	1	–	–	–	–
BLOFIELD ...	–	–	–	–	1	–
DEPWADE ...	–	1		–	–	–
DOCKING	–	2	–		–	
ERPINGHAM ...	–	2	–	–		–
SMALLBURGH ...	–	1	–	–	–	E. 1
WALSINGHAM ...	–	–		–	1	–
WAYLAND ...	–	2	–	–	–	–
NORTHAMPTON ...	–	7	5	–	13	C. 1 G. 1 M. 1 N. 1
†NORTHAMPTON C.B.	–	2	5	–	7	N. 1
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	–	–	–	1	–
†KETTERING ...	–	–	–	–	3	G. 1
ROTHWELL ...	*	*	*	*	*	*
†RUSHDEN... ...	–	–	–	–	2	–
Rural Districts:—						
KETTERING ...	*	*	*	*	*	*
POTTERSPURY ...	–	–	–	–	–	C. 1
THRAPSTON (part)	–	5	–	–		M. 1
NORTHUMBERLAND	11	55	9	1	61	M. 5
†NEWCASTLE UPON TYNE C.B.	–	35	3	1	34	M. 3
†TYNEMOUTH C.B	–	5	2	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
AMBLE	–	–	2	–	–	–
†ASHINGTON ...	9	2	–	–	–	–
†BEDLINGTONSHIRE	2	2	–	–	4	–
†BERWICK UPON TWEED	–	1	–	–		–
†BLYTH	–	1	–	–	2	M. 1
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	1	–	–	M. 1
†LONGBENTON ...			–	–	2	–
†NEWBURN ...	*	*	*	*	*	*
PRUDHOE... ...	–	1	–	–	1	–
SEATON DELAVAL	–	2	–	–	–	–
†WALLSEND ...	–	3	–	–	7	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	4	–
Rural Districts:—						
ALNWICK ...	–	–	1	–	–	–
CASTLE WARD ...	–	–	–	–	2	–
GLENDALE ...	–	–	–	–	1	–
MORPETH ...	–	2	–	–	–	–
NOTTINGHAM ..	–	26	21	7	29	E. 1 N. 2
†NOTTINGHAM C.B	–	8	14	1	18	N. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–		–	1	–
†BEESTON... ...	–	2	–	–	–	–
†CARLTON... ...	–	3	1	–	1	–
†EAST RETFORD ...	–	–	–	–	1	–
†HUCKNALL ...	–	–	–	–	2	–
†KIRKBY IN ASHFIELD	–	4	–	–	1	–
†MANSFIELD ...	–	–	2	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	2		–	E. 1
†SUTTON IN ASHFIELD	–	2	–	1	1	–
WARSOP	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	–	2	1	5	–	–
EAST RETFORD ...	–	1	–	–	1	–
SOUTHWELL ...	–	1	–	–	1	–
STAPLEFORD ...	–	1	–	–	1	–
OXFORD	–	3	–	1	–	N. 3
†OXFORD C.B. ...	–	1	–	1	–	N. 2
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
THAME	–	1	–	–	–	N. 1
PETERBOROUGH (Soke of)	–	–	–	–	3	N. 1
Borough:—						
†PETERBOROUGH...	–	–	–	–	2	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	N. 1
RUTLAND	–	–	–	–	1	–
Rural Districts:—						
UPPINGHAM ...	–	–	–	–	1	–
SALOP	–	13	–	–	1	G. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	–	G. 1
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	3	–	–	–	–
†WENLOCK ...	–	–	–	–	–	M. 1
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	–	–	N. 1
CHIRBURY ...	–	–	–	–	1	–
CLEOBURY MORTIMER	–	–	–		–	M. 1
ELLESMERE ...	–	3	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	17	7	–	11	E. 1 M. 1 N. 3
†BATH C.B. ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	2	–	–	–
†FROME	–		1	–	–	–
ILMINSTER ...	–	1	–	–	1	–
MIDSOMER NORTON	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
†TAUNTON ...	–	–	–	–	–	M. 1
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	1	1	–	1	–
CLUTTON... ...	–		2	–	–	–
FROME	–	1	–	–	–	E. 1
KEYNSHAM ...	–	–	1	–	3	N. 1
LANGPORT ...	–	–	–	–	–	N. 1
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–		–		1	–
WELLS	–	1	–	–	–	N. 1
YEOVIL	–	1	–	–	1	–
SOUTHAMPTON ..	–	32	30	–	12	M. 2 N. 1
†BOURNEMOUTH C.B.	–	–	1	–	2	–
†PORTSMOUTH C.B.	–	12	20	–	1	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—						
†SOUTHAMPTON C.B.	–	5	8	–	5	M. 2 N. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–		1	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	2	–	–	–	–
FLEET	–	1		–	–	–
†GOSPORT	–	2	–	–	–	–
WARBLINGTON ...	–	–	–	–	1	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ANDOVER... ...	–	–	–	–	1	–
FAREHAM ...	–	1	–		–	–
FORDINGBRIDGE ..	*	*	*	*	*	*
HARTLEY WINTNEY	–	2	–	–	–	–
KINGSCLERE ...	–	1	–	–		–
NEW FOREST ...	–	2	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	–	–		1	–
STAFFORD	–	39	33	·	76	C. 2 D. 1 E 1 G. 1 L. 2 M. 17 N. 5
†BURTON UPON TRENT C.B.	–	1	1	–	3	G. 1 M. 1
†SMETHWICK C.B.	–	–	3	–	4	M. 1
†STOKE ON TRENT C.B.	–	7	9	–	30	D. 1 M. 12
†WALSALL C.B. ...	–	1	5	–	1	N. 2
†WEST BROMWICH C.B.	–	1	–	–	3	–
†WOLVERHAMPTON C.B.	–	4	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	1	–	–	–	–
†AUDLEY	–	1	2	–	–	N. 1
BIDDULPH ...		1	–	–	–	–
†BILSTON	–	1	1	–	1	–
†BROWNHILLS ...	–	1	–	–	1	–
†CANNOCK		1	1	–	1	–
†COSELEY	–	–	–	–	2	–
†DARLASTON ...	–	–	–	–	2	–
†HEATH TOWN OR WEDNESFIELD HEATH	–	–	–	–	–	M. 1
KIDSGROVE ...	–	2	3	–	4	–
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	–	–	5	
RUGELEY... ...	–	2	–	–	–	–
†STAFFORD ...	–	1	–	–	1	M. 1
†TIPTON	–	1	–	–	8	–
†WEDNESBURY ...	–	2	–	–	4	N. 1
†WOLSTANTON UNITED	–	–	–	–	1	M. 1
Rural Districts:—						
CANNOCK	–	–	4	–	–	E. 1
CHEADLE... ...	–	–	–	–	2	L.
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	–	–	–	–	C. 1
LEEK	–	2	–	–	–	C. 1
LICHFIELD ..	–	3	–	–	–	N. 1
SEISDON	–	–	1		–	–
TAMWORTH (part)	–	–	1	–	–	–
TUTBURY... ...	–	–	–	–	1	–
WALSALL... ..		2	–	–	1	–
SUFFOLK, EAST ..	–	15	–	–	5	N. 2
†IPSWICH C.B. ..	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	2	–
†LOWESTOFT ...	–	10	–	–	1	N. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*)—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	1	–
HARTISMERE ...	–	–	–	–	1	–
PLOMESGATE ...	–	1	–	–	–	
SUFFOLK, WEST ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	2	1	–	2	–
Rural Districts:—						
THINGOE	–	1	–	–	–	–
SURREY	–	46	8	1	33	C. 1 M. 4
†CROYDON C.B. ...	–	12	5	–	3	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	5	–
†BEDDINGTON AND WALLINGTON	–	3	–		1	–
†CARSHALTON ...	–	1	–	–	1	–
†CHERTSEY ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	–	–	–	2	–
DORKING	–	1	–	–	1	–
EAST AND WEST MOLESEY			–	–	2	M. 1
†EGHAM	–	2	–	–	1	
†GUILDFORD ...	–	–	–		1	–
†KINGSTON ON THAMES	–	2	–	–		–
LEATHERHEAD ...	–	–	–	–	1	–
†MERTON AND MORDEN		3	1	–	1	–
†MITCHAM... ...	–	3	–		3	C. 1 M. 2
†REIGATE	–	1	–	1	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SURBITON ...	–	–	–	–	3	–
†SUTTON	–	1	–	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	2	–
†WIMBLEDON ...		6	–	–	1	M. 1
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
EPSOM	–	1	1	–	1	–
FARNHAM ...		2		–	1	–
GODSTONE ...	–	3	1	–	1	–
SUSSEX, EAST ...	–	10	10	–	8	N. 3
†BRIGHTON C.B. ...	–	3	6	–	3	–
†EASTBOURNE C.B.	–	2		–	–	–
†HASTINGS C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†HOVE	–	–	–	–	1	N. 2
†LEWES	–	–	2	–	–	–
NEWHAVEN ...	–	–		–	1	–
UCKFIELD ...	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
UCKFIELD ...	–	3	1	–	–	N. 1
SUSSEX, WEST ...	–	14	4	–	–	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	3	2	–	–	M. 1
SHOREHAM BY SEA	–	1	–	–	–	–
†WORTHING ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see † note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
EAST PRESTON ...	–	2		–	–	–
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	–	1	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT .	–	4	–	–	–	–
WARWICK	–	52	40	1	126	C. 5 G. 5 M. 8 N. 4
†BIRMINGHAM C.B.	–	35	36	1	106	C. 4 G. 5 M. 8 N. 1
†COVENTRY C.B. ..	–	2	1	–	2	N. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	–	–	2	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	–
†RUGBY	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	–	N. 1
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	2	–	–	4	–
FOLESHILL ...	–	2	–	–	1	–
MERIDEN... ...	–	3	–		2	C. 1
RUGBY	–	–	–		6	N. 1
SOLIHULL ...	–	–	1	–	1	–
SOUTHAM... ...	–	4	1	–	–	–
TAMWORTH (part)	–	2	1		–	–
WESTMORLAND ..	–	5	1	–	4	C. 1 N. 1
Boroughs and Urban Districts:—						
APPLEBY... ...	–	–	–	–	2	–
†KENDAL	–	–	–	–	–	N. 1
KIRKBY LONSDALE	–	1	–	–	–	–
SHAP	–	2	–	–	–	–
WINDERMERE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
WESTMORLAND— *cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	1	1	–	–	C. 1
WIGHT, ISLE OF ...	–	7	–	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†COWES	–	–	–	–	1	–
†RYDE	–	1	–	–	–	–
SANDOWN ...	–	–	–	–	–	M. 1
VENTNOR... ...	–	3	–	–	–	E. 1
Rural Districts:—						
ISLE OF WIGHT	–	3	–	–	–	–
WILTS	–	9	9	–	13	M. 1 N. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
MELKSHAM ...	–	1	–	–	2	–
†SALISBURY ...	–	1	–			
†SWINDON... ...	–	1	3	–	3	–
†TROWBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CALNE	–	–	2	–	–	–
CHIPPENHAM ...	–	2	–	–	1	–
DEVIZES	–	1	–	–	–	
HIGHWORTH ...	–		4	–	2	–
MALMESBURY ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	1	M. 1
TISBURY	–	–	–	–	1	–
WESTBURY AND WHORWELLSDOWN	–	–	–	–	–	N. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	15	6	–	10	C. 1 M. 1 N. 4
†DUDLEY C.B. ...	–	1	–	–	2	–
†WORCESTER C.B.	–	5	2	–	3	N. 1
Boroughs and Urban Districts:—						
†HALESOWEN ...	–	1	–	–	–	N. 1
†KIDDERMINSTER	–	2	–	–	–	M. 1
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†OLDBURY... ...	–	–	2	–	3	–
†STOURBRIDGE ...	–	–	1	–	–	C. 1 N. 1
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
KIDDERMINSTER	–	–	–	–	–	N. 1
MARTLEY... ...	–	1	–	–	1	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... **(East Riding.)**	–	26	29	–	7	C. 1 D. 1 M. 2 N. 1
†KINGSTON UPON HULL C.B.	–	20	26	–	3	C. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	–	–	1	–
†BRIDLINGTON ...		–	–	–	–	D. 1 N. 1
FILEY		–	2	–	–	–
HEDON	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	–	1	1	–	–	–
ESCRICK	–	1	–	–	–	–
HOWDEN		1	–	–	2	
SCULCOATES ...	–	1	–	–	–	–
YORKS ... ... **(North Riding.)**	–	14	2	1	8	C. 1 D. 1 E. 1 G. 1 M. 3 N. 3
†MIDDLESBROUGH C.B.	–	5	1	1	2	C. 1 E. 1 M. 2 N. 1
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	2	G. 1
GUISBOROUGH ...	–		–	–	1	–
†SCARBOROUGH ...	–	–	–	–	1	D. 1
†THORNABY ON TEES	–	1	1	–	–	–
†WHITBY	–	–	–	–	–	M. 1
Rural Districts:—						
EASINGWOLD ..	–	2	–	–	1	–
GUISBOROUGH ...	–	1	–		–	–
LEYBURN... ...	–	1	–	–		–
RICHMOND ...	–	–	–		–	N. 2
SCARBOROUGH ...	–	–	–	–	1	–
STOKESLEY ...	–	1	–	–	–	–
YORKS ... ... **(West Riding.)**	61	126	65	5	258	C. 6 D. 1 G. 3 M. 11 N. 9
†BARNSLEY C.B. ...	–	2	2	–	4	–
†BRADFORD C.B. ...	–	10	2	1	17	M. 1 N. 1
†DEWSBURY C.B....	–	2	–	1	–	N. 1
†HALIFAX C.B. ...	–	1	2	–	1	–
†HUDDERSFIELD C.B.	–	12	2	–	7	M. 1
†LEEDS C.B. ..		14	10	–	28	C. 3 M. 1 N. 2
†ROTHERHAM C.B.		4	1	1	4	–
†SHEFFIELD C.B....	16	31	21	–	119	C. 1 D. 1 M. 3 N. 1
†WAKEFIELD C.B.		–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)						
Boroughs and Urban Districts:—						
†ADWICK LE STREET		1		-	1	-
ALTOFTS	-	-	-	-	1	
BAILDON	-	-	1	-	-	-
†BARNOLDSWICK ...	-	1	-		1	-
†BENTLEY WITH ARKSEY	-	-	1	-	-	-
†BINGLEY	-		-	-	4	N. 1
BIRSTAL	-	-	2	-	-	-
†BRIGHOUSE ...	-	-	1	-	2	-
†CASTLEFORD ...	-	-	-		1	-
†CONISBROUGH ...	1	1	2	-	2	-
CUDWORTH ...		-	-	-	2	-
DARFIELD ..	-	2	-	-	2	-
DODWORTH ...	-	2	-	-	-	N. 1
†DONCASTER ...	14	1	2	-	3	-
†GOLCAR	-	1	-	-	-	-
†GOOLE	-	1	1	-	-	-
GUISELEY ...	-	-	-	-	-	N. 1
†HARROGATE ...	-	-	-	-	2	-
HAWORTH ...	-	-	1	-	-	-
HEBDEN BRIDGE	-	1	-	-	-	-
†HEMSWORTH ...	-		-	-	1	-
†HOLMFIRTH ...		2	-	-	1	-
HORSFORTH ...	-	-	-	-	3	-
†HOYLAND NETHER	-	-	-	-	2	-
†KEIGHLEY ...	8	-	3	-	-	-
KNARESBOROUGH	*	*	*	*	*	*
MALTBY	-	2	-	-	-	-
MARSDEN... ...	-	1	1	-	-	-
METHLEY ...	-	-	-	-	1	-
†MEXBOROUGH ..	15	-	1	-	-	-
MIDGLEY... ...	-	-	-	-	1	-
†MIRFIELD ...	-	-	1	-	1	-
†MORLEY	-	1	-	-	1	C. 1 M. 2
MYTHOLMROYD ...	-	-	-	-	1	-
NEW MILL ...	-	-	-	-	1	-
†NORMANTON	-	1	1	-	3	-
OAKWORTH ...	1	2	-	-	-	-
†OSSETT	-	1	-	-	-	-
OTLEY	-	-	1	-	-	-
OXENHOPE ...	*	*	*	*	*	*
†PONTEFRACT ...	-	-	-	1	-	-
QUEENSBURY ...	-	-	-	-	1	-
†RAWMARSH ...	-	1	-	-	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
RIPON	-	1	-	-	-	-
†ROTHWELL ...	-	2	-	-	-	-
†SADDLEWORTH ...	-	3	-	-	-	G. 1
SHEPLEY... ...	-	-	-	-	1	-
SILSDEN	1	-	-	-	-	-
SOUTH CROSLAND	-	-	-	-	1	-
†SPENBOROUGH ...	-	1	-	-	3	-
†STANLEY	-	-	-		1	
STOCKSBRIDGE ...	-	1	-	-	1	-
†SWINTON... ...	1	-	-	-	6	-
TICKHILL ...	-	-	-	-	1	-
†TODMORDEN ...	-		1	-	-	-
†WOMBWELL ...	-	-	-	1	3	-
Rural Districts:—						
DONCASTER ...	1	3	1	-	4	G. 1
GOOLE	-	2	-	-	1	-
HEMSWORTH ...	-	4	-	-	1	C. 1 M. 1
KEIGHLEY ...	1	-	-	-	-	-
KIVETON PARK ...	-	-		-	6	-
ROTHERHAM ...	1	1	-	-	1	-
SETTLE	-	2	-	-	-	
TADCASTER ...	-	1		-	2	G. 1
THORNE	-	-	-	-	1	N. 1
WAKEFIELD ...	-	1	-	-	2	M. 1
WETHERBY ...	1	-		-	4	-
WHARFEDALE (NORTH)	-	-	1	-	-	-
WORTLEY ...	-	6	2		-	-
§YORK, CITY OF	-	-	-	-	-	M. 1
†YORK C.B. ...	-	-	-	-	-	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;
§ The City of York is a county of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	2	4	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
LLANGEFNI ...		–	2	–	–	–
Rural Districts:—						
TWRCELYN ...	–	1		–	–	–
VALLEY	–	1	1	–	–	–
BRECKNOCK ...	–	1		–	1	N. 1
Boroughs and Urban Districts:—						
BUILTH WELLS ...	–	–	–	–	–	N. 1
Rural Districts:—						
HAY	–	1	–	–	–	–
VAYNOR AND PENDERYN	–	–	–	–	1	–
CAERNARVON ...	–	2	1	–	–	C. 1
Boroughs and Urban Districts:—						
†BANGOR		1	1	–	–	C. 1
CAERNARVON ...	–	1	–	–	–	–
CARDIGAN ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	–	–	–	M. 1
CARMARTHEN	–	10	4	–	6	–
Boroughs and Urban Districts:—						
AMMANFORD ...	*	*	*	*	*	*
KIDWELLY ...	–	–	–	–	1	–
LLANDILO ...	–	–	1		–	–
†LLANELLY ...	–		–	–	2	–
Rural Districts:—						
CARMARTHEN ...	–	4	2	–	–	–
LLANDILO FAWR	–	–	–	–	2	–
LLANELLY ...	–	1	1	–	1	–
WHITLAND ...	–	5	–	–	–	–
DENBIGH ...	–	2	5		4	C. 1
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	–	–	–	2	–
Rural Districts:—						
CHIRK	–	1	–	–		–
LLANGOLLEN ...	*	*	*	*	*	*
LLANSILIN ...	*	*	*	*	*	*
RUTHIN	–	–	–	–	–	C. 1
WREXHAM ...		1	5	–	2	–
FLINT	–	4	4	–	13	C. 1 M. 1
Boroughs and Urban Districts:—						
BUCKLEY	–	1		–	4	–
CONNAH'S QUAY...	–	3	–	–	–	–
FLINT	–	–	–	–	3	–
HOLYWELL ...	–	–	1	–	3	–
MOLD	–	–	–	–	–	C. 1 M. 1
†RHYL	–	–	1		–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	2	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; N, Puerperal Pyrexia.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
GLAMORGAN ...	–	36	50	2	40	C. 1 D. 1 L. 1 M. 3 N. 4
†CARDIFF C.B. ...	–	2	6	–	6	C. 1 L. 1 M. 1 N. 2
†MERTHYR TYDFIL C.B.	–	1	3	–	3	–
†SWANSEA C.B. ...	–	12	7	–	2	D. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	1	–
†BARRY	–	1	2	–	4	–
†CAERPHILLY ...	–	2	1	–	–	–
†GELLIGAER ...	–	–	5	–	6	–
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	2	4	–	4	–
†MOUNTAIN ASH ...	–	–	1	–	1	–
†NEATH	–	2	4	–	2	N. 1
†OGMORE AND GARW	–	1	–	1	1	–
†PENARTH ...	–	–	1	–	–	–
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	–	2	4	–	1	–
†RHONDDA ...	–	3	10	1	8	M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	–	N. 1
PENYBONT ...	–	–	1	–	–	
SWANSEA... ...	–	3	–	–	–	M. 1
MERIONETH ..	–	–	8	–	–	–
Urban Districts:—						
FFESTINIOG ..	–	–	6	–	–	–
MALLWYD ...	–	–	1	–	–	–
TOWYN	–	–	1	–		–
MONMOUTH ...		7	7	–	7	N. 2
†NEWPORT C.B. ...	–	4	1		2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
BEDWAS AND MACHEN	–	–	2	–	2	–
†BEDWELLTY ...	–	2	–	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ...	–	–	–	–	–	N. 1
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RISCA	–	–	2	–	–	–
Rural Districts:—						
CHEPSTOW ...	–	–	–	–	1	–
PONTYPOOL ...	–	–	–	–	–	N. 1
ST. MELLONS ...	–	–	1	–	–	–
MONTGOMERY ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
NEWTOWN AND LLANIDLOES	–	–	–	–	1	–
PEMBROKE... ..	–	–	6	–	1	N. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	4	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
PEMBROKE ...	–	–	–	–	–	N. 1
ST. DOGMELLS ...	–		1	–	1	–

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio
, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	–	1	–	–	–	Total of Part II. ...	342	1350	717	29	1318	C. 39 D. 8 E. 13 G. 31 L. 2 M. 101 N. 106
Urban District:—													
LLANDRINDOD WELLS	*	*	*	*	*	*							
Rural Districts:—													
KNIGHTON ...	–	–	1	–	–	–							

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
LIVERPOOL	–	–	–	–	1	L. 1	PORT OF LONDON ...	–	–	–	–	1	
PLYMOUTH	–	–	–	–	1	–							
							Total of Part III.... ...	–	–	–	–	3	L

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Poli encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continue Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum ; N, Puerperal Pyrexi

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London ...	–	267	244	2	193	C. 5 E. 1 G. 9 M. 13 N. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	342	1350	717	29	1318	C. 39 D. 8 E. 13 G. 31 L. 3 M. 101 N. 106
Total of Part III.—Port Sanitary Districts	–	–	–	–	3	L. 1
Total (*i.e.*, of returns received), England and Wales ...	342	1617	961	31	1514	C. 44 D. 8 E. 14 G. 40 L. 4 M. 114 N. 122

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliocephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum; N, Puerperal Pyrexia.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	Oct. 9.	Oct. 16.	Oct. 23	Oct. 30.	Nov. 6.	Nov. 13	Nov. 20.	Nov. 27.	Dec. 4	Dec. 11.	Dec. 18.	Dec. 25.	J
LONDON:—													
DEATHS—all ages	912	895	1,014	1,124	1,209	1,108	1,048	950	1,043	1,170	1,161	1,070	1
" 0 to 1 year ..	97	102	90	113	94	86	83	98	108	154	127	126	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	6,574	6,240	6,509	6,389	6,891	6,672	6,505	6,352	6,515	6,646	6,238	5 347	6
DEATHS—all ages	3,916	3,793	4,137	4,697	4,817	4,665	4.527	4,193	4 498	4,919	4,797	4,556	5
" 0 to 1 year ..	532	505	488	514	503	488	499	481	518	643	574	563	
ENTERIC FEVER—Cases	24	30	28	17	17	27	25	25	16	16	16	8	
" Deaths	5	1	1	1	1	3	1	4	3	2	4	5	
SMALL POX—Cases ..	35	40	32	30	31	30	20	40	39	29	26	48	
" Deaths ..	1	—	—	—	—	—	—		—	—	—	—	
SCARLET FEVER—Cases	1,074	1,055	1,106	1,151	1,076	1,106	1,201	1,130	961	950	801	756	
" Deaths	3	2	5	3	8	5	3	4	7	8	5	9	
DIPHTHERIA—Cases ..	827	833	817	848	777	788	775	814	872	793	784	707	
" Deaths ..	36	39	40	43	40	33	32	46	39	47	40	36	
MEASLES—Deaths ..	9	9	6	7	11	17	6	8	18	15	28	14	
INFLUENZA—Deaths ..	36	38	54	71	88	100	78	52	68	52	60	69	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st January, 1927. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	50	27	45·7	35·7	0·3
BRIGHTON ..	50	28	45·3	35·4	0
PORTSMOUTH ..	50	27	45·2	34·9	0
NORWICH (EATON).	50	28	45·7	35·9	0
PLYMOUTH ..	52	28	46·6	37·1	0
BRISTOL (CLIFTON).	50	32	45·6	37·7	0
BIRMINGHAM (EDGBASTON).	50	34	45·7	40·4	0·1
NOTTINGHAM ..	51	31	46·9	38·1	0·3
BIRKENHEAD (BIDSTON).	48	38	45·0	41·4	1
MANCHESTER (WHITWORTH PARK).	49	32	46·9	40·7	5
BURNLEY	48	26	45·3	38·1	7

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum	Mean Minimum.	Rainfall in Millimetres
	°	°	°	°	
HUDDERSFIELD	49	30	46·0	38·3	0·
BRADFORD ..	49	29	45·4	37·1	1
SHEFFIELD ..	50	29	46·4	39·4	0
YORK (MUSEUM)	51	29	47·9	37·9	0
HULL (PEARSON PARK).	51	30	47·3	37·0	0·
TYNEMOUTH ..	52	33	47·7	41·3	3
CARDIFF.. ..	50	31	46·3	37·7	0
EDINBURGH ..	50·0	35·0	46·7	40·0	0
GLASGOW ..	51·0	30·2	48·2	39·0	6
DUBLIN (PHŒNIX PARK).	51·2	27·8	47·3	37·9	0·
(FITZWILLIAM SQUARE†).	52·0	33·1	47·8	41·0	0·
BELFAST.. ..	52·5	28·5	48·1	40·3	0·

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 1st January, 1927.

[*Under the Superintendence of the Astronomer Royal.*]

1926-7. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	26	Apogee	30·488	40·7	36·2	4·5	38·7	+ 0·1	31·8	6·9	9·5	2·4	76	57·9	31·1	45·0	N : NE	NE	2·4	0·0	0·3	353	+ 45	0·02
MONDAY -	27	Last Quarter. In Equator	30·198	36·2	27·0	9·2	31·7	− 7·1	27·9	3·8	6·8	2·8	85	40·4	17·5	45·0	NNE	NNE : Calm : SSW.	1·0	0·0	0·1	227	− 94	0·00
TUESDAY -	28	..	29·898	44·7	27·3	17·4	38·6	− 0·3	38·6	0·0	2·4	0·0	100	42·5	18·5	44·9	SSW : SW.	SW	1·1	0·0	0·1	298	− 32	0·01
WEDNESDAY	29	..	30·003	48·5	37·4	11·1	43·8	+ 4·8	35·9	7·9	11·4	1·8	74	61·0	27·9	44·8	WSW : NW : NNW.	NNW : NW : SW.	2·1	0·0	0·2	334	− 1	0·00
THURSDAY -	30	..	30·021	48·1	37·2	10·9	44·9	+ 6·0	37·8	7·1	8·8	3·1	77	54·9	27·7	44·7	SW : WNW.	W : WSW	2·8	0·0	0·2	380	+ 45	0·00
FRIDAY -	31	..	30·052	49·9	42·2	7·7	46·5	+ 7·8	39·7	6·8	10·8	3·9	77	65·3	35·0	44·7	WSW	W : WSW.	0·5	0·0	0·1	290	− 41	0·00
JANUARY. SATURDAY -	1	..	30·081	45·3	37·0	8·3	41·6	+ 3·0	38·5	3·1	7·1	2·3	89	57·2	29·1	44·6	WSW : SW.	WSW : SW.	1·2	0·0	0·1	307	− 18	0·00
MEANS -		..	30·106	44·8	34·9	9·9	40·8	+ 2·0	35·7	5·1	8·1	2·3	83	54·2	26·7	44·8	SW		..	..	..	Sum 2189	Sum − 96	Sum 0·03
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	26	wP till 5½h.; mN till 6h.; then wP.	0·2	7·8	Overcast generally. Rain 5½h. till 6h.; then damping till 9h.
MONDAY ..	27	wP till 14h.; then mP.	0·0	7·8	Overcast till 14h.; then clearing slowly to cloudless by 21h. Fog from 21h. Hoar frost at night.
TUESDAY ..	28	mP till 8h.; then wP.	0·0	7·8	Overcast. Fog till 2h., and from 7h. till 15h. Slight rain 19¾h. till 20¼h.
WEDNESDAY	29	wP till 7h.; then mP.	3·3	7·8	Nearly overcast till 5h.; then nearly cloudless. Mist 15h. till 21h Slight hoar frost at night.
THURSDAY	30	mP till 2h.; wP till 8h.; then mP.	0·1	7·8	Cloudless till 1h.; then becoming overcast by 2h.
FRIDAY ..	31	wP till 8h.; then mP.	1·9	7·8	Nearly overcast, with cloudy interval between 9h. and 12¾h.
JANUARY. SATURDAY	1	wP till 7h.; then mP.	1·1	7·9	Variably cloudy.
			Sum 6·6	Sum 54·7	
No. of Col. ..		—	27	28	

The results apply to the Civil Day or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Hygrometrical Tables, issued by the Meteorological Department, Air Ministry.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·42 in. at the beginning of the week to 30·51 ins. by 11h. on December 26th: decreased to 29·80 ins. by 4h. on December 29th; increased to 30·10 ins, by 22h. on December 29th; decreased to 30·01 ins. by 15h. on December 30th; increased to 30·11 ins. by 9h. on January 1st; decreased generally and was 30·07 ins. by midnight on the same day.